

Oracle® Service Bus

Interoperability Solutions for WSRP

10g Release 3 (10.3)

October 2008

Copyright © 2007, 2008, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Introduction

WSRP Producers and Consumers	1-1
WSRP Architecture	1-2
Enhanced Architecture with Oracle Service Bus	1-2
WSRP Design Concepts	1-4
WSRP WSDLs	1-4
WSRP Messages	1-5

Configuring Oracle Service Bus for WSRP

Getting the Producer WSDL	2-1
Routing Messages Between Consumer and Producer	2-2
Monitoring WSRP Applications	2-3
Load Balancing and Failover	2-3

WSRP Interoperability Example

Example Prerequisites	3-1
Example Projects and Folders	3-2
Monitoring Example	3-2
Step 1: Define WSDL Resources	3-2
Step 2: Create Business Services	3-3
Step 3: Create Proxy Services	3-5
Alternative Methods to Create Proxy Services	3-7
Step 4: Retrieve the WSDL from the Producer	3-9

Step 4.1: Create the Business Service to Retrieve the WSDL Specific to WSRP 2.0	3-9
Step 4.2: Create an XQuery Expression to Construct URLs	3-9
Step 4.3: Create a No-Op Proxy Service	3-10
Step 4.4: Create a Common Proxy Service to Retrieve the WSDL Specific to WSRP 2.0	3-10
Step 4.5: Define the Message Flow of getWSDL2.0 Proxy Service to Modify WSDL to Use Oracle Service Bus URLs.	3-13
Step 4.6: Change the Message Flow of Proxy Service getWSDL to Enable WSRP 2.0 WSDL Retrieval Using Proxy Service getWSDL2.0	3-15
Step 5: Verify the Configuration	3-16

Introduction

Web Services for Remote Portlets (WSRP) is a mechanism used to generate markup fragments on a remote system for display in a local portal application. This chapter describes how Oracle Service Bus provides Service Level Agreement (SLA) monitoring in applications that use WSRP.

This section discusses the following topics:

- [WSRP Producers and Consumers](#)
- [WSRP Architecture](#)
- [WSRP Design Concepts](#)

WSRP Producers and Consumers

WSRP involves two integral components:


- *WSRP producer* - (referred to as *producer* in this document) is a remote application, implements standards-based Web Services using the SOAP specification over HTTP. You can create a producer using WebLogic Portal or third-party implementations of WSRP.
- *WSRP consumer* (referred to as a *consumer* in this document) is a portal application. Typically, the consumer application references WSDL of the producer when the portal is designed, and the consumer directly accesses the producer.

WSRP Architecture

This section describes the architecture of WSRP and shows how to enhance the architecture by adding Oracle Service Bus.

Figure 1-1 shows the WSRP SOAP request and response flow between a producer application and a consumer application.


Figure 1-1 Basic Request/Response Flow Between Producer and Consumer Applications



Enhanced Architecture with Oracle Service Bus

Figure 1-2 shows how to use Oracle Service Bus as an intermediary between the producer and the consumer to provide Service Level Agreement (SLA) monitoring. You can use Oracle Service Bus in this.

Figure 1-2 Enhanced WSRP Request / Response Flow via Oracle Service Bus



The WSRP SOAP request/response flow occurs in the following sequence:

1. **Inbound Request:** The consumer calls the proxy service in Oracle Service Bus.
2. **Outbound Request:** The proxy service routes the request, which is a message containing the SOAP body and transport headers, to the producer
3. **Outbound Response:** The producer sends a response to Oracle Service Bus.
4. **Inbound Response:** The proxy service sends a response to the consumer. The response is a message that contains the SOAP body and transport headers.

The remainder of this section describes how to configure Oracle Service Bus to send requests for WSRP services through proxy services. It describes services that a producer provides, along with other attributes of WSRP that must be used to configure Oracle Service Bus. This section also

discusses how to monitor producers with increasing degrees of detail. Finally, it discusses load balancing and failover with WSRP.

WSRP Design Concepts

This section describes the following WSRP design concepts:

- [WSRP WSDLs](#)
- [WSRP Messages](#)

WSRP WSDLs

[Table 1-1](#) describes various kinds of services offered by WSDLs. And WSDLs are referred to as ‘Producers’.

Table 1-1 Producer Services

Service	Description
Service Description	<i>Required service.</i> Describes the producer and the portlets that the producer makes available to consumers.
Markup	<i>Required service.</i> Manages user interaction with a remote portlet and returns the HTML markup used to render the portlet.
Registration	<i>Optional service.</i> Required for complex producers. Allows consumers to register themselves with the producer.
Management	<i>Optional service.</i> Provided by complex producers for managing portlet customization and portlet preferences.
Markup Extension	Provided by BEA Portal producers and replaces the Markup service. Markup Extension allows more efficient message handling by using multipart MIME messages for transmitting HTML markup content.

Each producer implements a minimum of two services, such as Service Description and Markup. A simple producer offers just these two services. A complex producer, however, provides two additional services, such as Registration and Management. In addition, WebLogic Portal producers implement an extension service, such as Markup Extension that replaces the standard Markup service.

These services are described using a standard WSDL format. The producer supplies a single URL for retrieving its WSDL, which describes all the services that are provided by that producer. The end points for each service indicate whether the consumer should use transport-level security (HTTPS) or abstain from communication with the producer.

WSRP Messages

WSRP uses SOAP over HTTP for all messages exchanged between producers and consumers. In addition to using the standard message formats in the SOAP body, WSRP requires that consumers set at least a `SOAPAction` header, the cookie headers, and the usual HTTP headers, such as `Content-Type`. Producers return a session cookie, and any application-specific cookies, in the HTTP transport header of the response. The consumer must return the session cookie in subsequent request messages.

Introduction

Configuring Oracle Service Bus for WSRP

The Oracle Service Bus Console, which is described in [Using the Oracle Service Bus Console](#), is used to configure Oracle Service Bus. For more information about creating WSRP-enabled portals by using WebLogic Portal, see [Federated Portals Guide](#).

Configuring Oracle Service Bus for WSRP involves the following tasks:

- Implementing a service that consumers can invoke to obtain an appropriate WSDL for a particular producer.
- Implementing the details of conveying a consumer's request to the producer and returning the response to the consumer.

This chapter describes the following tasks:

- [Getting the Producer WSDL](#)
- [Routing Messages Between Consumer and Producer](#)
- [Monitoring WSRP Applications](#)
- [Load Balancing and Failover](#)

Getting the Producer WSDL

As a common practice, consumers directly contact a producer to obtain its WSDL. However, if Oracle Service Bus is used as a proxy service, then all access to the producer occurs via Oracle Service Bus. Therefore, a proxy service is implemented for consumers. The proxy service calls

the producer's real URL to obtain the producer WSDL. The proxy service transforms the results as follows:

- Rewrite the endpoint address for the producer to refer to the Service Bus IP address and port
- Change the endpoint URI to refer to the Oracle Service Bus proxy service that reflects the required monitoring granularity as described in [Monitoring WSRP Applications](#)
- Change the endpoint protocol and port if transport security is used between the consumer and the Oracle Service Bus proxy service

The developer who creates a producer can specify whether the producer requires SSL (`"secure=true"`). In addition, the Oracle Service Bus administrator can change the security requirement to the consumer via Oracle Service Bus configuration. For example, if a producer does not require SSL, the Oracle Service Bus administrator can require consumers to use SSL by doing the following:

- Changing the WSDL to specify HTTP(s)
- Configuring the proxy services for WSRP to use HTTP(s)

When configured in this way, Oracle Service Bus automatically bridges the secure messages from the consumer to the non-secure messages used by the producer.

Routing Messages Between Consumer and Producer

After retrieving a copy of the WSDL, the consumer uses the WSDL definitions to formulate service requests and sends them to the producer via Oracle Service Bus. The WSRP request/response process involves the following steps:

1. The consumer sends a message to the Oracle Service Bus proxy service corresponding to the producer service.
2. The proxy service executes a simple message flow that routes the message (unchanged) to the actual producer service.
3. The producer formulates and sends a response to the consumer via Oracle Service Bus.
4. The consumer receives the response (unchanged) from the producer.

WSRP web services expose portlets, and those can rely on HTTP cookies and sessions. You must configure WLSB to propagate HTTP transport headers, such as `SOAPAction` and cookies. However, by default, Oracle Service Bus does not pass transport headers from the proxy service

to the business service because the proxy service may not use the same transport as the business service. Therefore, you must configure the message flow to copy the request headers from the inbound request to the outbound request. Similarly, you must copy the response headers from the business service back to the proxy service's response to the consumer.

Although it is possible to copy all transport headers between the proxy service and the business service, it is necessary to be more selective to avoid errors. You must copy the `Set-Cookie` and `Cookie` headers. The final message must own some headers, such as `Content-Length` because Oracle Service Bus is the entity that assembles the final message to send. For example, if the message flow copies the `Content-Length` header from the proxy service to the business service, it can result in an error because the length of the message can change during processing. Therefore, Oracle Service Bus must own this header.

Monitoring WSRP Applications

Monitoring a WSRP application tracks the usage of a producer's individual services and operations. The message flow for WSRP services introduces very little overhead, and the mapping between proxy services and producers, and between business services and producers, is simple to configure. Therefore, to satisfy SLA requirements, it is sufficient to monitor only the proxy services.

For more information about monitoring WSRP Applications, see [Monitoring Oracle Service Bus at Run Time](#) in *Operations Guide*.

Load Balancing and Failover

Oracle Service Bus allows business services to define multiple endpoints that provide the same web service. When multiple endpoints are defined, Oracle Service Bus can automatically distribute load balance requests across endpoints, and it can automatically failover requests when an endpoint is inaccessible. However, WSRP imposes some limitations on the use of these features.

Portlets are a means of exposing a user interface to an application. Therefore, portlets typically have session data associated with them. To preserve session data, requests to the portlet must be directed to the same server or cluster that serviced the original request. This requirement makes load balancing via Oracle Service Bus inappropriate. Multiple endpoints in a business service usually target different servers or clusters. There is no way to preserve the session because there is no communication among servers that are in separate clusters. Therefore, if multiple endpoints are defined for a WSRP business service, then you must set the load-balancing algorithm to "none".

You can use multiple endpoints to provide redundancy in certain circumstances if the event that one of the endpoints is not available. The WSRP service is still available on a secondary endpoint. However, any session data that existed at the time the first endpoint failed will not be available on other endpoints.

This failover configuration is an option only for simple producers (see [WSRP WSDLs](#)), not for complex produces. Complex producers require that their consumers register with the producer before sending service requests. The producer returns a registration handle that the consumer must include with each request to that producer. If a business service defines multiple endpoints, each endpoint provides and requires its own registration handle.

However, Oracle Service Bus is stateless across requests—it does not maintain a mapping of the correct handle to send to a particular endpoint. In fact, it sends the registration request to a single endpoint, so the consumer is registered with only one producer. If that producer is not available, then Oracle Service Bus routes a service request to another endpoint defined for that business service. However, the consumer is not registered with that new producer, and the request fails with an "InvalidRegistration" fault.

The management of registration handles requires an application outside of Oracle Service Bus to maintain this state data. Therefore, the registration requirement avoids defining multiple endpoints for complex producers. As simple producers do not support the registration service, a failover configuration that defines multiple endpoints in the business service is possible although session data is lost on failover.

WSRP Interoperability Example

This section describes a WSRP 2.0 interoperability example. For an example of WSRP 1.0 interoperability, see [WSRP Interoperability Example](#) in *BEA AquaLogic Service Bus 2.6 Documentation*.

This section discusses the following topics:

- [Example Prerequisites](#)
- [Example Projects and Folders](#)
- [Monitoring Example](#)

Example Prerequisites

The WSRP interoperability example assumes the following components and configuration:

- WebLogic Platform 10.3
- WebLogic Portal 10.3
- Oracle Service Bus 10gR3
- Sample Platform domain configured at `platform:7001`
- Oracle Service Bus domain configured at `alsb:7001`
- Sample Portal application consumer
- Sample producer

Example Projects and Folders

The structure of the sample is divided into two projects—one containing common resources, and the other containing resources for the sample producer.

Table 3-1 Projects in the WSRP Interoperability Examples

Folder	Description
wsrp	Contains common resources that are not specific to any producer.
operationExample	Full example supports the most fine-grained monitoring. The folder contains resources specified by the producer. See Monitoring Example .

Monitoring Example

The monitoring configuration example (in the `operationExample` folder) involves configuring Oracle Service Bus to monitor all services and operations of a producer.

The monitoring configuration uses both business services and proxy services that are based on the WSDLs defined by the WSRP standard. The section discusses the following topics:

- [Step 1: Define WSDL Resources](#)
- [Step 2: Create Business Services](#)
- [Step 3: Create Proxy Services](#)
- [Alternative Methods to Create Proxy Services](#)
- [Step 4: Retrieve the WSDL from the Producer](#)
- [Step 5: Verify the Configuration](#)

Step 1: Define WSDL Resources

Import all the WSRP WSDL definition files, along with the XML schema files on which the definitions depend. All the files are available as part of the sample code associated with this example, but the standard resource locations are listed in [Table 3-2](#).

Table 3-2 WSDL Resource Definitions

Resource Name	Type	Location
xml-2.0	XML Schema	<code>http://platform:7001/producer/producer/wsrp-2.0/markup?WSDL/xml.xsd</code>
wsrp-2.0-types	XML Schema	<code>http://platform:7001/producer/producer/wsrp-2.0/markup?WSDL/wsrp-2.0-types.xsd</code>
wsrp-2.0-interfaces	WSDL	<code>http://platform:7001/producer/producer/wsrp-2.0/markup?WSDL/wsrp-2.0-interfaces.wsdl</code>
wsrp-2.0-bindings	WSDL	<code>http://platform:7001/producer/producer/wsrp-2.0/markup?WSDL/wsrp-2.0-bindings.wsdl</code>
wsrp-2.0-wsdl	WSDL	<code>http://platform:7001/producer/producer/wsrp-2.0/markup?WSDL</code>

Producers generated by BEA Portal extend the standard WSDLs by defining an additional port that allows messages to be sent using MIME attachments. You must define these extension resources if the producer WSDL references them. In this example, an optional task is to create a resource for the WSDL used by the producer. After creating these WSDL and XML Schema resources, edit the references in each resource to resolve the dependencies on other resources.

Step 2: Create Business Services

This monitoring example uses the WSDL bindings for each port type implemented by the producer. You must create a separate business service resource for each business service because a business service can be associated with only one WSDL port or binding. A simple producer implements only the required Markup and Service Description interfaces, while a complex producer also implements the Management and Registration interfaces. The services are created identically except for the service name and types, see [Table 3-3](#).

Table 3-3 Business Service Configuration

Service Name	Service Type
base	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port="WSRPBaseService"
desc	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port="WSRPServiceDescriptionService"
mgmt	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port="WSRPPortletManagementService"
reg	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port="WSRPRegistrationService"

For each service, the required attributes are listed in [Table 3-4](#).

Table 3-4 Service Attributes for Business Services

Name	Value	Comments
Protocol	HTTP	Or HTTP(s) if the producer was created with secure= true.
Load Balancing Algorithm	none	Must be none, or session data will be lost across requests if multiple end points are defined.

Table 3-4 Service Attributes for Business Services

Name	Value	Comments
Endpoint URI	<ul style="list-style-type: none"> Service Description: http://host*:port+/producer/producer/wsrp-2.0/serviceDescription 	Multiple endpoints must be defined for WSRP producers.
	<ul style="list-style-type: none"> Markup: http://host*:port+/producer/producer/wsrp-2.0.0/markup 	
	<ul style="list-style-type: none"> Registration: http://host*:port+/producer/producer/wsrp-2.0/registration 	
	<ul style="list-style-type: none"> Portlet Management: http://host*:port+/producer/producer/wsrp-2.0/portletManagement 	

Step 3: Create Proxy Services

Proxy services in this monitoring example are configured as follows:

- The proxy services must be based on the same WSDL because the business services are based on a WSDL.
- One proxy service is created for each business service, but each proxy service must have a different URI.
- The configuration must specify which operation is being invoked.

To create a proxy service:

1. Create the proxy service for the base WSRP service.

As in the earlier example, create the proxy service using the existing `operationExample/base` business service as the model. This model creates the proxy service based on the same WSDL binding as the business service, and it creates a message flow with an unconditional route action to the business service. For the endpoint URI, you can use any URI, such as the producer name with the port type abbreviation appended to it (for example, `/operationExampleBase`).

2. Edit the message flow to add the same transformations required to copy the request transport headers and response transport headers between the consumer and producer.

WSRP relies on data conveyed in the transport headers to function properly. In particular, producers return session cookies to consumers in the response headers if they expect consumers to supply session cookies in subsequent requests. Similarly, producers expect consumers to provide the requested operation in the `SOAPAction` request header.

By default, Oracle Service Bus does not copy transport headers from the inbound request to the outbound request, or from the outbound response to the inbound response. The message flow must propagate the required headers both in and out of the business service.

Note: To retrieve all the headers from the transport, select **Yes** in the **Get All Headers** field of the **Transport Configuration** page of the Oracle Service Bus proxy. For more information, see [Transport Configuration Page](#) in the *Using the Oracle Service Bus Console*.

Add Transport headers to the **Request & Response** actions of the **Route Node** in the Message Flow and enable the **Pass all headers through pipeline option**. For more information, see [Adding Transport Header Actions](#) in *Using the Oracle Service Bus Console*. Oracle Service Bus automatically ensures that content-length is not copied.

3. Alternatively, while configuring the routing to a business service using the Oracle Service Bus console, select the **Use inbound operation for outbound** check box when you are editing a route node to avoid low level Xquery manipulation, as in [Figure 3-1](#).

Figure 3-1 Passing an Operation from Inbound to Outbound

Edit Stage Configuration : Route Node

Save Validate Cancel Clear Cancel All

Route to normalLoan invoking **Operation**

☐ Use inbound operation for outbound

Request Actions:

Routing Options to override the following default configurations:

☐ URI: <Expression>

☐ Quality of Service: **Best Effort**

☒ Mode: **Request-Response**

☐ Retry Interval: (second)

☐ Retry Count:

Response Actions:

Add an Action

With this transformation, the operation for the business service is dynamically set to the same value as was specified for the proxy service. Oracle Service Bus counts and monitors all operations of the service.

Alternative Methods to Create Proxy Services

The proxy services for the other business services can be created by repeating these steps although you can use a shortcut to avoid recreating all of the transformations manually.

For example, to create the proxy service for the Service Description service:

1. Create a new proxy service using the existing `operationExample/base` proxy service that is created as the model. Following this example, use `/operationExampleDesc` for the endpoint URI.
2. On the Summary Page, click the **Edit** link for General Configuration. The WSDL binding is created using the Base port, so modify the binding to refer to the `WSRPServiceDescriptionService` port.

3. Edit the message flow. The route action refers to the base business service. Modify the route action to the `desc` service.

Note: Use the Transport Header action to minimize low level Xquery manipulation, and simplify the configuration of a proxy service. See [Transport Headers](#) section in the Oracle Service Bus *Console Online Help* for details.

For each service, the proxy service configurations are listed in [Table 3-5](#).

Table 3-5 Proxy Service Configuration

Service Name	Service Type
proxyBase	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port="WSRPBaseService"
proxyDesc	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port=" WSRPServiceDescriptionService"
proxyMgmt	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port=" WSRPPortletManagementService"
proxyReg	WSDL port: operationExample-2.0/wsrp-2.0-wsdl, port=" WSRPRegistrationService"

For each proxy service, the required attributes are listed in [Table 3-7](#).

Table 3-6 Required Attributes

Name	Protocol
Protocol	HTTP
Get All Headers	Yes
Endpoint URI	For WebLogic Platform 10.0/9.2 the URLs are as follows: <ul style="list-style-type: none"> • proxyBase: /operationExampleBase-2.0 • proxyDesc: /operationExampleDesc-2.0 • proxyReg: /operationExampleReg-2.0 • proxyMgmt: /operationExampleMgmt-2.0

Step 4: Retrieve the WSDL from the Producer

Create a service that retrieves the WSDL specific to WSRP 2.0 from the producer and transform it to hide the actual producer endpoints. In this example, the proxies for each producer have a different URI. In addition, the section describes how to create the resources to retrieve the producer WSDL.

Step 4.1: Create the Business Service to Retrieve the WSDL Specific to WSRP 2.0

Create a business service to obtain the WSDL from the producer. This resource is specific to the producer, so you must create the resource in the operationExample project. [Table 3-7](#) describes the properties of the business service.

Table 3-7 Business Service Configuration Properties

Name	Value	Comments
Service Name	wsdlSvc 2.0	Any name is allowed.
Service Type	Any XML Service	Consumers usually retrieve the WSDL from the producer using an HTTP GET request. Only XML services support GET.
Protocol	HTTP	HTTP
Load Balancing Algorithm	None	None preferred.
Endpoint URI	<code>http://platform:7001/producer/producer/wsrp-2.0/markup?WSDL</code>	Although you can specify multiple endpoints for retrieving the WSDL, it has no additional use or benefit.
HTTP Request Method	GET	

Step 4.2: Create an XQuery Expression to Construct URLs

You must transform all endpoint addresses in the producer's WSDL to reflect the Oracle Service Bus server address and the proxy service URI values. You must create an XQuery expression to simplify the construction of the endpoint locations because each producer WSDL can have four

or more ports defined. The XQuery expression accepts the following three string variables as input and concatenates them together to form a SOAP address element:

- **base URL** for the Oracle Service Bus server
- **name** to identify the producer
- **extension** used to differentiate ports for a producer

Table 3-8 provides the query definition in the `wsrp` project.

Table 3-8 XQuery Definition in the `wsrp` Project

Name	Value
Resource Name	<code>wsrp/addr</code>
XQuery	<pre> declare variable \$baseURL external; declare variable \$name external; declare variable \$svc external; declare namespace soap="http://schemas.xmlsoap.org/wsdl/soap/"; <soap:address location="{concat(\$baseURL, \$name, \$svc)}"/> </pre>

Step 4.3: Create a No-Op Proxy Service

Create a service that does nothing. To create this service, define a new proxy service in the `wsrp` project folder with the resource name `nullSvc`. Accept all of the defaults for this service. Configuring this proxy service creates a message flow for the service of an echo node.

Step 4.4: Create a Common Proxy Service to Retrieve the WSDL Specific to WSRP 2.0

Create a proxy service used by consumers to get WSDLs from producers. This proxy service is appropriate for any producer configuration modeled on this sample. The example described in this section is only a suggestion—a different approach is necessary based on the specific requirements of a given implementation. You must create this proxy service in the `wsrp` project folder because the proxy service is not specific to a single producer.

- The approach used in this step requires the administrator to assign each producer a name that is included in part of the URL to retrieve the WSDL.

- The message flow for the proxy service extracts the name from the URL, uses it to locate the business service specific to that producer, obtain the WSDL, and then transforms the WSDL to rewrite the endpoints to Oracle Service Bus.
- The proxy service endpoint URI is configured as `/getWSDL`, and the URL that consumers use to obtain a WSDL is as follows:

```
http://alsb:7001/getWSDL/<producerName>
```

where `<producerName>` is the name assigned to the producer by the administrator. In this example, the producer is `operationExample`.

[Table 3-9](#) describes the configuration properties for the proxy service `getWSDL2.0`:

Table 3-9 Proxy Service Configuration Properties

Property Name	Value	Comments
Service Name	<code>getWSDL2.0</code>	Any name is allowed.
Service Type	Any XML Service	
Protocol	HTTP	
Endpoint URI	<code>/getWSDL2.0</code>	

The message flow for this proxy service consists of a pipeline pair and a route node. The request side of the pipeline pair consists of a single stage whose job is to extract the producer name from the URL and assign it to a context variable. The action is:

```
Assign $inbound/ctx:transport/ctx:request/http:relative-URI to variable producerName
```

The response side of the message flow is a stage where all the transformations are performed. Before executing the Replace Actions to transform the WSDL, assign the base URL of the Oracle Service Bus server to a context variable to avoid specifying it on every transformation:

```
Assign "http://alsb:7001/" to variable nonSecureBaseURL
```

Edit the stage of the Response Pipeline to modify each Replace Action to make the transformation match the Endpoint URI given to the proxies created earlier. In this example, the proxies were created using the producer name with an abbreviated service type appended to it. The `addr XQuery` resource created earlier accepts an extension argument to construct the URI location. Simply change that argument to the proper value, as listed in [Table 3-10](#).

Table 3-10 Extension Settings to Construct the URI Location

If @binding is	svc arg of addr is
WSRP_v2_Markup_Binding_SOAP	"Base "
WSRP_v2_ServiceDescription_Binding_SOAP	"Desc "
WSRP_v2_PortletManagement_Binding_SOAP	"Mgmt "
WSRP_v2_Registration_Binding_SOAP	"Reg "
WLP_WSRP_v2_Markup_Ext_Binding_SOAP	"Ext "

You must map `name:` to `$producerName` and `BaseURL` to `$nonSecureBaseURL` similar to the `svg arg` mapping in the use table: table `num_xref`, [Extension Settings to Construct the URI Location](#).

The five Replace Actions are defined, as in the following code listing. The value of `name` is replaced with the binding names from the table.

```

Replace
./*[local-name()="definitions"]/*[local-name()="service"]/*[local-name()="
port"]][ends-with(attribute::binding,"name")]/*[local-name()="address"
Replace entire node
name
WSRP_v2_Markup_Binding_SOAP
WSRP_v2_ServiceDescription_Binding_SOAP
WSRP_v2_PortletManagement_Binding_SOAP
WSRP_v2_Registration_Binding_SOAP

```

For the first Replace Action, you must add the User Namespace definitions listed in [Table 3-11](#):

Table 3-11 User Namespace Definitions on Replace Action

Prefix	Namespace
wsdl	<code>http://schemas.xmlsoap.org/wsdl/</code>
soap	<code>http://schemas.xmlsoap.org/wsdl/soap/</code>

The route node of this message flow consists of a routing table that selects the case based on `$producerName`. For each known producer, add cases so that each case routes to the correct business service to retrieve the WSDL if the name matches. This example uses the following directive:

```
= "operationExample" Route to wsdlSvc
```

1. Add a Default Case that routes to the no-op service to handle cases in which an unknown producer name is specified:

```
Default Route to nullSvc
```

2. In this example, return an HTTP 404 status code by adding these response actions to the default case:

```
Insert <http:http-response-code>404</http:http-response-code> as last
child of ./ctx:transport/ctx:response in variable inbound
```

```
Reply With Failure
```

3. Edit the Routing Table in the route node to make the cases correspond to the producers known to the system.

Step 4.5: Define the Message Flow of getWSDL2.0 Proxy Service to Modify WSDL to Use Oracle Service Bus URLs

The message flow for `getWSDL2.0` proxy service consists of a pipeline pair and a route node. To define the message flow for this proxy service, do the following:

1. Create a Pipeline Pair
2. Edit the request side of pipeline pair

The request side of the pipeline pair consists of a single stage whose job is to extract the producer name from the URL and assign it to a context variable. To achieve this, add the Assign action as follows:

```
Assign $inbound/ctx:transport/ctx:request/http:relative-URI to variable
producerName
```

3. Edit the response side of pipeline pair

The response side of the message flow is a stage where all the transformations are performed.

- Create an Assign action to assign the base URL of the Oracle Service Bus server to context variable to avoid specifying it on every transformation:

Assign `http://alsb:7001/` to variable `nonSecureBaseURL`

- Create Replace actions to change the URLs in the response WSDL to make them point to the corresponding proxy services created earlier. Add the Replace action as follows:
 - Add Replace action.
 - In the Xpath, specify


```
./*[local-name()='definitions']/*[local-name()='service']/*[local-name()='port'][(ends-with(attribute::binding,"WSRP_v2_Markup_Binding_SOAP"))/*[local-name()='address'][(starts-with(attribute::location,"http:"))]
```
 - In text box, specify variable body.
 - In the Expression, Select the Xquery resource `addr` (which was added earlier as a part of `wsrp 1.0` configuration) and set `svc` to `Base-2.0`, `baseURL` to `$nonSecureBaseURL`, and `name` to `$producerName`.
 - Select the option **Replace entire node**.
 - Create the remaining Replace actions, as described in the following.

Table 3-12

If attribute binding in Xpath is	svc argument of <code>addr</code> Xquery will be
<code>WSRP_v2_Markup_Binding_SOAP</code>	<code>"Base-2.0"</code>
<code>WSRP_v2_ServiceDescription_Binding_SOAP</code>	<code>"Desc-2.0"</code>
<code>WSRP_v2_PortletManagement_Binding_SOAP</code>	<code>"Mgmt-2.0"</code>
<code>WSRP_v2_Registration_Binding_SOAP</code>	<code>"Reg-2.0"</code>

4. Add the route node to the pipeline pair. The route node of this message flow consists of a routing table that selects the case based on `$producerName`. For each known producer, add cases so that each case routes to the correct business service to retrieve the WSDL if the name matches. This example uses the following directive:

```
= "operationExample" Route to wsdlSvc-2.0
```

- a. Add a **Default Case** that routes to the no-op service to handle cases in which an unknown producer name is specified:

```
Default Route to nullSvc
```

- a. In this example, return an HTTP 404 status code by adding these response actions to the default case:
- b. Insert `<http:http-response-code>404</http:http-response-code>` as last child of `./ctx:transport/ctx:response` in variable inbound

Reply With Failure

- c. Edit the **Routing Table** in the route node to make the cases correspond to the producers known to the system.

Step 4.6: Change the Message Flow of Proxy Service `getWSDL` to Enable WSRP 2.0 WSDL Retrieval Using Proxy Service `getWSDL2.0`

In order to consume the producer, the consumer must register the producer using its WSDL. By default, the WSDL uses WSRP version 1.0. To make consumer use WSRP version 2.0, producer WSDL with WSRP version 2.0 must be made available to the consumer. Generally, the default producer WSDL (one which uses WSRP 1.0) contains a link to the WSDL with WSRP version 2.0. This link enables consumer to use WSDL of WSRP version 2.0.

The `getWSDL` proxy service provides the WSDL of the producer with WSRP 1.0 version. This WSDL contains an URL of the WSDL of the same producer with version WSRP 2.0. This is the direct URL of the producer's WSDL. Instead of using the direct URL, you must the access the WSDL through Oracle Service Bus using proxy service `getWSDL2.0`. This can be achieved in following way.

1. Create an Xquery resource to construct the URL of WSDL, which uses WSRP 2.0

Resource Name: `import`

Xquery:

```
declare variable $baseURL external;
declare variable $name external;
declare variable $svc external;

<import location="{concat($baseURL, $svc, $name )}"
namespace="urn:oasis:names:tc:wsrp:v2:wsdl"
xmlns="http://schemas.xmlsoap.org/wsdl/" />
```

2. Add the Replace action in the response side of message flow of `getWSDL` proxy service. This replace action replaces the WSDL URL in the response to the `getWSDL2.0` proxy service endpoint URI. This can be done as follows:
 - Add Replace action.

- In Xpath, specify
`./*[local-name()='definitions']/*[local-name()='import'][(ends-with(attribute::location, "/producer/wsrp-2.0/markup?WSDL"))]`
- In the textbox, specify variable body.
- In **Expression**, select the Xquery resource import and set svc to `getWSDL2.0`, baseURL to `$nonSecureBaseURL`, and name to `$producerName`.
- Select the option **Replace entire node**.

Step 5: Verify the Configuration

After completing the configuration, verify it as follows:

1. Retrieve the WSDL from a regular browser window by entering the following URL:
`http://alsb:7001/getWSDL/operationExample`
2. Verify that all of the end point WSRP end point URLs (except for the BEA extension service) have been changed to correctly refer to the proxy service values on the Oracle Service Bus server.
3. Create a remote portlet in a Portal consumer application, specifying this URL as the address of the WSDL for the producer.

Use either Workshop for WebLogic or Portal Administration Tool to create the remote portlet. Except for entering a different URL to retrieve the WSDL, the steps to create this portlet are the same as those used to create the portlet that is not proxied by Oracle Service Bus.

4. After the consumer portal is complete, run the application.
5. Enable monitoring on the Oracle Service Bus components that you have chosen.
6. Use the Oracle Service Bus Console to drill down to see message counts and performance statistics on all WSRP services and operations handled by the producer.