

Oracle Financial Services Balance Sheet Planning Installation and Configuration Guide

Version 8.0.5.0.0



DOCUMENT CONTROL

| Version Number | Revision Date | Changes Done |
|----------------|---------------|---------------------------------|
| 1.0 | May 2018 | Updated the Installation guide. |

Executive Summary

This document includes the necessary instructions to install the Oracle Financial Services Balance Sheet Planning 8.0.5.0.0 application. You can find the latest copy of this document in [OTN Documentation Library](#).

TABLE OF CONTENTS

| | | |
|------------------------|--|-----------|
| 1 | PREFACE | 5 |
| 1.1 | About this Guide..... | 5 |
| 1.2 | Audience | 5 |
| 2 | CONFIGURING THE ENVIRONMENTAL VARIABLES | 6 |
| 3 | PREREQUISITES..... | 7 |
| 4 | INSTALLING BSP 8.0.5.0.0 ON HYPERION 11.1.2.4 | 8 |
| 4.1 | Installing BSP Application | 8 |
| 4.2 | Creating Hyperion Planning Application..... | 10 |
| 4.3 | Creating Balance Sheet Planning Relational Data Model | 11 |
| 4.4 | Creating Data Source DSN to Database..... | 11 |
| 5 | INITIALIZING BALANCE SHEET PLANNING..... | 13 |
| 5.1 | Set Evaluation Order..... | 15 |
| 5.2 | Steps to Enable Validation Rules | 16 |
| 5.3 | LCM Export and Preparation for Metadata Synchronization | 16 |
| 5.4 | Metadata Synchronization..... | 17 |
| 6 | CREATING AN INTEGRATED SET UP FOR HYPERION/BSP AND OFSAAI | 18 |
| 6.1 | Pre-requisites | 18 |
| 6.2 | Integrating BSP with OFSAAI | 18 |
| 6.3 | Limitations..... | 21 |
| 7 | SETTING UP DISTRIBUTED ENVIRONMENT | 22 |
| 8 | LANGUAGE PACK CONFIGURATION | 24 |
| 8.1 | Configuration..... | 24 |
| 8.2 | User Browser Settings | 24 |
| APPENDIX A..... | | 27 |
| | List of Parameters | 27 |
| | Setting of Substitution Variable..... | 27 |
| | Examples of config.xml and tnsnames.ora | 29 |
| | config.xml | 29 |
| | tnsnames.ora..... | 29 |

List of Log files 30

APPENDIX B: UPDATING IMPORT RULES IN BSP FOR CONNECTION THROUGH ODBC 32

 Purpose and Background 32

 Steps to Perform..... 32

 Additional Information 34

 BSP Cube Import Rules list for update..... 34

 Rates Cube Import Rules for update..... 35

APPENDIX C: DEPLOYING HYPERIONPLANNING.EAR FILE FOR BSP APPLICATION USING WEBLOGIC CONSOLE 36

 Prerequisites..... 36

1 Preface

This document provides step-by-step instructions to install the OFS BSP v.8.0.5.0.0 Release.

1.1 About this Guide

This manual provides the required information that Balance Sheet Planning Application administrator needs to setup the application. The document contains steps to create Hyperion Planning Application with BSP specific parameters, Creating Essbase Database, steps for creating Balance Sheet Planning relational data model and other required configurations.

1.2 Audience

This Manual is meant for use by the Oracle Financial Services Analytical Applications Infrastructure System Administrator or Hyperion System Administrator. It provides step-by-step instructions necessary for configuring the Oracle Financial Services Balance Sheet Planning v8.0.5.0.0 Product.

2 Configuring the Environmental Variables

Set the following environmental variables in the profile for the UNIX user where Hyperion Planning has been installed, if not already set:

- EPM_ORACLE_HOME
- MIDDLEWARE_HOME
- HYPERION_HOME - Same as EPM_ORACLE_HOME
- ORACLE_HOME - Oracle Client Home
- JAVA_HOME
- JAVA_BIN=\$JAVA_HOME/BIN
- ARBORPATH=\$EPM_ORACLE_HOME/products/Essbase/EssbaseServer
- ESSBASEPATH=\$EPM_ORACLE_HOME/products/Essbase/EssbaseServer
- NLSPATH=\$EPM_ORACLE_HOME/products/Planning/bin/nls/msg/en_US/ofsmg.cat:\$EPM_ORACLE_HOME/products/Planning/bin/nls/msg/C/ofsmg.cat
- INIPATH=\$EPM_ORACLE_HOME/products/Planning/config
- FIC_HOME=\$EPM_ORACLE_HOME
- FIC_DB_HOME=\$EPM_ORACLE_HOME/logs/bsplog
- PATH=\$JAVA_HOME/bin:\$ARBORPATH/bin:\$EPM_ORACLE_HOME/products/Planning/bin:\$EPM_ORACLE_HOME/products/Planning/config:\$EPM_ORACLE_HOME/products/Planning/lib:\$ORACLE_HOME/bin:\$PATH:\$HOME/bin
- LD_LIBRARY_PATH=\$ORACLE_HOME/lib:\$ORACLE_HOME/rdbms/public:\$EPM_ORACLE_HOME/common/ODBC-64/Merant/7.1/lib:\$EPM_ORACLE_HOME/products/Planning/lib:\$ARBORPATH/bin
- LD_LIBRARY_PATH_64=\$LD_LIBRARY_PATH:\$LD_LIBRARY_PATH_64
- ODBCINI=\$EPM_ORACLE_HOME/common/ODBC-64/Merant/7.1/odbc.ini
- ODBCINST=\$EPM_ORACLE_HOME/common/ODBC-64/Merant/7.1/odbcinst.ini

NOTE: You need to make the changes into the .profile file of the UNIX account where Planning and ESSBASE are installed. Oracle client is required on the servers where Hyperion ESSBASE and Planning are installed. BSP uses the Oracle drivers.

3 Prerequisites

- Hyperion 11.1.2.4
- Need to have two Database users / schemas. One schema to be used while Data Source creation on Hyperion Planning and other one to be used while doing BSP Initialization as per below section [Initializing Balance Sheet Planning](#).

For Solaris operating system:

- **Solaris 11:** Upgrade to Oracle Solaris 11.3 with SRU09 or higher. See https://docs.oracle.com/cd/E60778_01/html/E60743/gouaw.html#scrolltoc to upgrade to SRU09 if you have a lower SRU version. Additionally, install the required runtime libraries. For more information, see Installing Only the Runtime Libraries on Oracle Solaris 11.
- **Solaris 10:** Install the required OS patches. For more information, see Installing the Required Oracle Solaris 10 Patches. Additionally, install the required runtime libraries. For more information, see Installing Only the Runtime Libraries on Oracle Solaris 10.

For AIX operating system, execute the slibclean command by root user permission.

NOTE: For BSP 8.0.5, you need to turn on the “Compatibility Mode” on Internet Explorer 11.

4 Installing BSP 8.0.5.0.0 on Hyperion 11.1.2.4

After installing Hyperion 11.1.2.4, need to do the BSP 8.0.5.0.0 installation. BSP needs to be subsequently “initialized” in order to access it.

If CAPEX and/or WORKFORCE applications are required, initialize CAPEX and/or WORKFORCE before BSP initialization.

NOTE: The sequence of initialization to be CAPEX and/or WORKSPACE and/or BSP.

Furthermore, after initializing the CAPEX and/or WORKFORCE modules with BSP, you need to perform the following activities.

- Go to Manage->Dimension->Account and Entity Dimensions
- Edit “No Entity” and “No Account” members and select the option “BSP”, “Rates” and “Core” Plan types. Perform a database refresh.

4.1 Installing BSP Application

Use the following procedure to install the BSP application:

1. This release of OFS Balance Sheet Planning Application Pack v8.0.5.0.0 is available for download in MOS as Patch **26926649**. You need to have a valid Oracle account in order to download the software. Download the installer for BSP. Stop all the EPM services.

NOTE: For upgrade from a previous version of BSP (8.0.2), download the OFS BSP Application Pack v8.0.5.0.0 archive file (Patch **26362153**) and copy it to your OFSAA server in Binary mode. The archive files are different for every operating system like AIX, Solaris, and RHEL/Oracle Linux. Upgrade the patch as per the instructions in the Readme.txt packaged along with the patch.

2. Copy the downloaded installer to any preferred location on Hyperion Planning server and provide necessary (write and execute) privileges.
 - a. Ensure that the logged in unix user has “write” privileges on the Hyperion Planning folder structure.
 - b. Check if the following environment variables have been set properly before invocation:

```
JAVA_HOME , ORACLE_HOME , EPM_ORACLE_HOME , JAVA_BIN
```
 - c. Installer supports both GUI and Silent invocations.

Go to the installer folder through command line and execute any of the below command as per choice.


For Silent Mode invocation, execute the below command:

```
./setup.sh SILENT
```

For GUI Mode invocation, execute the below command through Xmanager, Hummingbird or Cygwin etc, which supports the GUI invocation:

```
./setup.sh GUI
```

3. Provide the required value against the prompted options and proceed.



If the prompt – ‘Overwrite Existing file?’ appears, click ‘Yes’ / ‘Yes to All’ to proceed.

4. Upon completions of the above task as per step 3, execute `bsp_webdeploy.sh` from path `$EPM_ORACLE_HOME/bsp`.
5. Provide execute permission and remove CTRL+M characters. Then, execute `finalize_bsp_install.sh` from the path `$EPM_ORACLE_HOME/bsp`.
6. Deploy `HyperionPlanning.ear` found under `$EPM_ORACLE_HOME/bsp/ear_to_deploy` to the Planning server. For more details, see [AppendixC: Deploying HyperionPlanning.ear file for BSP Application using WebLogic Console](#).
7. Start all the EPM services those are being stopped as in step 1.
8. Login to workspace URL `http://hostname:19000/workspace/index.jsp` to create a Data Source and application for Balance Sheet Planning as per below mentioned in section 5.2 through the available options “Manage Data Source” and “Manage Applications” respectively under Navigate > Administer > Planning Administration .

NOTE: Here, 19000 is the default port on default Installation settings.

4.2 Creating Hyperion Planning Application

Select the value of following options in Create Application Wizard as specified below:

| | |
|---|--|
| Application Type | Generic |
| First Fiscal Year | <p>Start Year: Set the value as per below illustration.</p> <p>If start year falls in a century between:</p> <ul style="list-style-type: none"> ▪ 2000-2100 – Then start year will be 2000 ▪ 2100-2200 – Then start year will be 2100 and so on. <p>Note: Here, Start year should be any centennial year such as, 2000, 2100, and so on. BSP recommends using 2000 as the Start year.</p> |
| Number of Fiscal Years | <p>Any numeric value greater than 5.</p> <p>Note: The value provided against “Number of Fiscal Years” plus “No Year” members will be created under “Years” dimensions.</p> |
| “All Years” parent | No |
| Will your application support multiple currencies? | No |
| Create 5 Plan Types as given in the next column: | <p>Plan Type 1: BSP</p> <p>Plan Type 2: Rates</p> <p>Plan Type 3: Core</p> <p>Plan Type 4: WORKFORCE [WRKFORCE]</p> <p>Plan Type 5: CAPEX</p> <p>Note: You should create all five Plan Types even if you are not planning to use Workforce and/or Capex in your implementation.</p> |

After the above steps refresh the Applications list through Navigate > Applications > Refresh.

After doing refresh, we need to access the newly created application. This can be done through Navigate > Applications > Planning > <Created Application Name>.

Change the Date format in Preferences > Display Options to MM-DD-YYYY

NOTE: While creating the Hyperion Planning Application, you can use any Application Name. BSP does not place any restriction on the Application naming convention. It is recommended to not use any special characters, like &, *, ", "", %, - and so on.

4.3 Creating Balance Sheet Planning Relational Data Model

- Create a tablespace with the user define name. The same table space name should be used in user “Configuration” UI for the variable TABLESPACE.

NOTE: Here, this tablespace refers to Oracle TABLESPACE and all the output tables of Cash Flow Engine will be created in this TABLESPACE.

- Create Oracle database user for Balance Sheet Planning Relational Data Model in the tablespace as created in previous step. This database user should have ‘create’ privileges on tablespace it belongs to
 - Ensure that the length of the password you use for creating the Oracle database user is below 18-characters.
 - This database user is different than Hyperion configuration database users and application data source.

NOTE: BSP requires a distinct schema that is different from the schema created for creation of an application in Hyperion Planning (which is created in section 5.2 Hyperion Planning Application Creation).

- Assign the following specific privileges to the user created for Balance Sheet Planning. These privileges are:

```
GRANT SELECT_CATALOG_ROLE TO <DBUSERNAME> ;  
GRANT CREATE PROCEDURE TO <DBUSERNAME> ;  
GRANT CREATE SEQUENCE TO <DBUSERNAME> ;  
GRANT CREATE SESSION TO <DBUSERNAME> ;  
GRANT CREATE SYNONYM TO <DBUSERNAME> ;  
GRANT CREATE TABLE TO <DBUSERNAME> ;  
GRANT CREATE TRIGGER TO <DBUSERNAME> ;  
GRANT CREATE TYPE TO <DBUSERNAME> ;  
GRANT CREATE VIEW TO <DBUSERNAME> ;
```

4.4 Creating Data Source DSN to Database

NOTE: BSP requires only one Data Source, this data-source will point to the Oracle schema where the BSP application will be initialized.

- Open \$HYPERION_HOME/common/ODBC-64/Merant/7.1/odbc.ini.

- Add a new ODBC Data Source entry pointing to the Oracle-schema into which BSP was initialized, in section 5.3 Create Balance Sheet Planning Relational Model. This name should later be specified in the BSP's configuration UI (available in Planning under Administrator Activities -> Master Maintenance -> Assumption Forms -> Configuration), as mentioned in Section 5 below.
- The entry should contain information required to connect to the schema created for BSP objects.
- Verify Host Name, Logon ID, Password, Port Number, and SID contain the information required to connect to the schema.

5 Initializing Balance Sheet Planning

Use the following procedure to initialize Balance Sheet Planning application:

1. Access the Hyperion Planning using Navigate->Applications->Planning-><Application Name>.
2. Go to Administration □ Application-->Properties.
3. In the Properties window Add new row.
 - Property Name = APPTYPE Property Value = BSP
4. Go to Administration > Application > Create Database.
5. Restart the Planning Sever.
6. Go to Administration > Application > Manage Application.
 - Chose the Application Name.
 - Proceed for BSP Initialization for the selected application through Actions > Initialization > Initialize BSP.
7. Specify the following parameters:
 - Server: Database Server Name/IP Address
 - Port: Database port
 - Database: Database SID
 - Net Service Name
 - User: Username
 - Password: Password for Database schema
 - Model
 - APS Server: <IPAdress>
 - Languages

Special character Dot (.) is not allowed in Net Service Name field. Below is a sample screenshot:

Fields displayed with an asterisk (*) are mandatory.

| Financial Services Data Model | | | |
|-------------------------------|--------------------------|--------------|-------------------|
| Database Platform | Oracle | APS Server * | ofss2221285:13080 |
| Server * | ofss221285.in.oracle.com | Languages | English |
| Port * | 1521 | | |
| Database * | ORCL | | |
| Net Service Name * | ORCL | | |
| User * | FSDM_BSP8 | | |
| Password * | ●●●●●●●● | | |
| Model | Standard | | |

The Model option (in above sample screenshot) allows you to choose the number of custom dimensions that you need for initialization of BSP. This drop-down list has following options:

- Standard – No additional custom dimensions
- Custom 1 - One additional custom dimension
- Custom 2 - Two additional custom dimensions

The following errors generated to the bsplog.log during Initialize BSP step may be ignored:

- Error:ORA-00001: unique constraint (PLANBSP.PK_FSI_M_LOOKUP_B) violated.
- Error:ORA-00001: unique constraint (PLANBSP.PK_FSI_M_LOOKUP_MASTER) violated.
- Error:ORA-00001: unique constraint (PLANBSP.PK_FSI_M_LOOKUP_TL) violated.
- Error:ORA-00955: name is already used by an existing object.
- Error:ORA-01418: specified index does not exist.
- Error:ORA-01430: column being added already exists in table.
- Error:ORA-02260: table can have only one primary key.
- Error:ORA-00911: invalid character
- Error:ORA-12899: value too large for column.
- "PLANBSP"."FSI_APPLICATIONS"."VERSION" (actual: 11, maximum: 10)
- Error:ORA-00942: table or view does not exist for table
- "FSI_DIM_ACCOUNT_SETUP_DETAILS".
- Error: ORA-02275: such a referential constraint already exists in the table. Add constraint FK_FSI_DB_INFO foreign key (SIGNAGE) references FSI_SIGNAGE_CD (SIGNAGE)'
- Error:ORA-02291: integrity constraint (BSP_PS4_126_C1CST1.FK_FSI_ID_TYPE_MLS_2) violated - parent key not found.

NOTE: In case you are planning for an integrated installation of BSP with OFSAA applications, you should first initialize BSP as a standalone installation and then point BSP to the OFSAA instance.

8. Select “Finish”
9. After successful initialization, click the “Configure” button to launch the “Configuration UI”.

NOTE: The config.xml file gets updated automatically as the part of configuration process.

10. Specify values for the parameters as mentioned under “annexure” section and click **Save**.
11. Edit the file `$EPM_ORACLE_HOME/products/Planning/bin/bsp_user_profile.sh` file to specify the path for ORACLE_HOME variable.

Note that `$MIDDLEWARE_HOME/user_projects/epmsystem1` is the default Planning Instance path on default installation.

In case of change, refer to the relevant path and modify this path against environment variable "EPM_ORACLE_INSTANCE" and occurrence of "epmsystem1" in

`$EPM_ORACLE_HOME/products/Planning/bin/bsp_user_profile.sh,`
`$EPM_ORACLE_HOME/bsp/BSP_RunOnPlanning.sh,`
`$EPM_ORACLE_HOME/bsp/BSP_RunOnEssbase.sh.`

NOTE: Some additional configuration is required for AIX operating system. Refer to the [Appendix B: Updating Import Rules in BSP for connection through ODBC](#).

5.1 Set Evaluation Order

Go to Administration > Dimensions > Evaluation Order tab.

- For BSP Plan type:
 - Set Chart of Account, Attribute Value and then Account Dimension.
- For Rates Plan type:
 - Set Rate Element then Mix Breakout Dimension


5.2 Steps to Enable Validation Rules

Follow the below steps to enable the validation rules:

1. Go to Manage data form open the Loan Fees form and click on column A the Loan_Fees_VR Validation rule is enable open this rule and select the Chart of Account dimension against attribute of source type in last condition. Then click ok and save the form.
2. Go to Manage data form open the Loan Fees Annual form and click on Grid the Loan_Fees_VR, Loan_Fees_VR1, Validation rules are enable open these rules and select the Chart of Account dimension against attribute of source type in last condition. Then click ok and save the form.
3. Go to Manage data form open the Deposit Service Charge form and click on Grid the Dep_Svc_Chg_VR, Validation rules are enable open this rule and select the Chart of Account dimension against attribute of source type in last condition. Then click ok and save the form.
4. Go to Manage data form open the Deposit Service Charge Annual form and click on Grid the Dpst_Svc_Chg_Annl_VR, Loan_Fees_VR1, Validation rules are enable open these rules and select the Chart of Account dimension against attribute of source type in last condition. Then click ok and save the form.
5. Go to Manage data form open the Synchronization for Balance Accounts form and click on Row1 the Syn_Assets_VR, Syn_Liabty_VR, Validation rules are enable open these rules and select the Chart of Account dimension against attribute of source type in last condition. Then click ok and save the form

5.3 LCM Export and Preparation for Metadata Synchronization

1. Post the Loading of Metadata in to BSP Planning Application, the administrator should export the Application Metadata to File System in Shared Services.
2. Administrator has to login into Shared Services and Select the BSP Planning Application.
3. In the Artifact Summary Page at the right Bottom, click **Select All**. Exclude **Essbase Data** check-box and click Export.



4. Here the Administrator defines a LCM Directory Name which has to be provided in Configuration Custom UI in the BSP Application.
5. Once the LCM export is completed, a folder will be created with the given name in shared services.
6. This folder will be located in the import_export path of the Hyperion Instance chosen during Installation.

5.4 Metadata Synchronization

1. After completing the Preparation for Metadata Sync, Login to the BSP application, Select Administrator Activities folder in the left pane.
2. Select Master Maintenance form and then Right Click on the menu appeared as large square box.
3. From the right click menu Select Metadata Synchronization and choose the type needed by the Administrator Purpose.

6 Creating an Integrated set up for Hyperion/BSP and OFSAAI

6.1 Pre-requisites

NOTE: BSP is always initially installed on a stand-alone basis using a seeded BSP database schema. Once you have configured/mapped the created BSP application to an OFSAA atomic schema in an integrated setup as per below mentioned step 3 under section [Integrating BSP with OFSAAI](#), then the seeded BSP schema is no longer used by the application.

1. Execute the below SQL on the OFSAA configuration-schema – replace \$ATOMIC_USER with the name of the OFSAA information-domain schema user.

```
Grant select on SETUPINFO to $ATOMIC_USER;
```
2. On OFSAAI, applications have been installed and configured.
3. Installation of BSP has to be completed and BSP has been successfully initialized on Hyperion 11.1.2.4 release. Note down the initialization mode, that is standard or custom1 or custom2.

6.2 Integrating BSP with OFSAAI

Use the following procedure to integrate BSP with OFSAAI:

1. Log into <https://support.oracle.com> and search for 26945510 under the Patches & Updates tab.
2. Download the patch and Take the BSP ERWIN Model and perform the following customizations in ERWIN, as applicable
 - a. Merge this model with the ERWIN model of other applications installed on OFSAAI.
 - b. If CUSTOM1 option was selected in Pre-requisite step #3, modify the merged model to add a column called CUSTOM1 in the following super-type objects:
 - BSP_LEAF_COLUMNS
 - LEDGER_LEAF_COLUMNS

NOTE: While adding the column, set the UDPs to the same values as that of the STRATEGY_ID column.

- c. If CUSTOM2 option was selected in Pre-requisite step #3, modify the merged model to add two columns called CUSTOM1 and CUSTOM2 in the following super-type objects:
 - BSP_LEAF_COLUMNS

- If setup has any other EPM applications, then edit the `config.xml` under path: `$MIDDLEWARE_HOME/user_projects/epmsystem1/Planning/planning1`, `epmsystem1` is the default Planning Instance path on default installation.

Examples:

```
<PARAM DESCRIPTION="Compatible Applications Count" FLAG="N"
ID="COMPATIBLE_APPSCOUNT">0</PARAM>
```

Description: here assumes BSP application is standalone

```
<PARAM DESCRIPTION="Compatible Applications Count" FLAG="N"
ID="COMPATIBLE_APPSCOUNT">1</PARAM>
```

```
<PARAM DESCRIPTION="Compatible Applications" FLAG="N"
ID="COMPATIBLE_APP1">ALM</PARAM>
```

```
<PARAM DESCRIPTION="Compatible Applications Count" FLAG="N"
ID="COMPATIBLE_APPSCOUNT">2</PARAM>
```

```
<PARAM DESCRIPTION="Compatible Applications" FLAG="N"
ID="COMPATIBLE_APP1">ALM</PARAM>
```

```
<PARAM DESCRIPTION="Compatible Applications" FLAG="N"
ID="COMPATIBLE_APP2">PFT</PARAM>
```

- If any OFSAA application (such as, ALM, PFT, FTP etc.) has been installed after BSP installation, then execute `bsp_update_forexistingapps.sql` script under path `"$EPM_ORACLE_HOME/products/Planning/config/bspsql/insert"` on Planning server against OFSAA atomic schema.
- In OFSAA, create a new segment called BSP and map this segment to the required OFSAA users. This folder will be the container for sharing rules/assumptions between ALM/FTP and BSP.
- If the default-product dimension in OFSAA is `PRODUCT_ID`, execute the script `bsp_preference_product_id.sql` from path `$EPM_ORACLE_HOME/products/Planning/config/bspsql/insert` in the atomic schema.
- The sliced model upload of BSP will introduce one or more additional leaf dimensions into the data model. To reflect these additional dimensions in the respective applications, perform the following steps

- a. **For OFS ALM:** On the OFSAA Atomic schema, drop all tables with the name RES_DTL_XXXXX / CONS_DTL_XXXX – re-execute the relevant ALM Processes to regenerate the tables.
 - b. **For OFS PFT:** In the OFSAA Information Domain, open and resave all the OFS-PFT allocation rules so that the new leaf-dimensions are referenced properly
10. Edit `$EPM_ORACLE_HOME/products/Planning/bin/bsp_user_profile.sh` to specify the correct path for ORACLE_HOME.
 11. Modify the entry made earlier in `odbc.ini` & point it to the OFSAA Atomic Schema. The `odbc.ini` file is usually found under `$EPM_ORACLE_HOME/common/ODBC-64/Merant/7.1/` folder.
 12. Restart all the Hyperion services.

6.3 Limitations

1. The Time Buckets cannot be shared across OFSAAI and BSP applications. The user has to create the required Time buckets to be used for BSP through BSP UI and the user should not EDIT / modify these newly defined time buckets through OFSAAI UI.
2. The defined Forecast rates cannot be shared across in ALM and BSP, because of hybrid nature of forecast rates sys id generated in BSP.
3. The currencies created through BSP UI cannot be edited through OFSAAI UIs and vice versa.
4. BSP does not support Breakage Charges as adjustment type.

The Adjustment Rule definitions created through OFSAAI UIs, having Adjustment Method as Formula Based Rate and Assignment date as Origination Date only will be viewable / editable in BSP.

7 Setting up Distributed Environment

Perform the below steps when Hyperion Planning is installed in a distributed manner, that is, the Hyperion components Planning and ESSBASE are installed on separate servers.

Note the following:

- Hyperion ESSBASE should not be installed on Windows.
- Hyperion ESSBASE and Hyperion Shared Services must be installed on the same UNIX Server.
- The OS/Version of the server where Planning is installed must be the same as the OS/Version of the server where ESSBASE is installed.
- Steps mentioned below should be repeated after every:
 1. Initialization/re-initialization of Hyperion Planning generic application(s) created for Balance Sheet Planning using “Administration > Application > Manage Application”.
 2. Update of Configuration settings for Balance Sheet Planning using “Master Maintenance > Assumption Forms > Configuration”.

Perform the following steps, in the given sequence:

1. Ensure that `tnsnames.ora` on the ESSBASE Server is configured with the same name as on the Planning server, to connect to the database specified during initialization of BSP.
2. Copy the `$EPM_ORACLE_HOME/common/ODBC-64/Merant/7.1/odbc.ini` from the Planning server to the corresponding folder on ESSBASE Server, and update the `odbc.ini` for driver path for the BSP-specific entry.
3. Save the Configuration Parameters in Planning; while saving the configuration, make sure that `LCMDIRPATH` is the LCM export path as on the ESSBASE server.
4. Give execute permissions to “`BSP_RunOnPlanning.sh`” that is present at `$EPM_ORACLE_HOME/bsp` location on the Planning server and run the script without passing any parameters. The script will create a gzip archive “`bsp.tar.gz`” in the same folder.
5. Copy “`BSP_RunOnEssbase.sh`” and “`bsp.tar.gz`” from `$EPM_ORACLE_HOME/bsp` to `$EPM_ORACLE_HOME` in ESSBASE Server, to where ESSBASE is installed.
6. Give execute permissions to “`BSP_RunOnEssbase.sh`” and run the script without passing any parameters.
7. On the ESSBASE server, modify `bsp_user_profile.sh` present under `$EPM_ORACLE_HOME/products/planning/bin` folder and set the `ORACLE_HOME` as appropriate.

NOTE: *\$MIDDLEWARE_HOME/user_projects/epmsystem1* is the default Planning Instance path on default installation.

In case of change, refer to the relevant path and modify the path against environment variable "EPM_ORACLE_INSTANCE" and occurrence of "epmsystem1" in the following:

- *\$EPM_ORACLE_HOME/products/Planning/bin/bsp_user_profile.sh,*
- *\$EPM_ORACLE_HOME/bsp/BSP_RunOnPlanning.sh,*
- *\$EPM_ORACLE_HOME/bsp/BSP_RunOnEssbase.sh.*

8 Language Pack Configuration

8.1 Configuration

1. Verify that the environment variable LANG is set to the required language. This language will be used during initialization of Balance Sheet Planning application.
2. Create an application in Hyperion Planning using Manage Application option.
3. Add an application property, APPTYPE with value BSP.
4. Go to option Administration > Manage > Alias Tables.
5. Add an alias table for the respective language as per the below table:


| | |
|---------------------|---------------------|
| German | German |
| Spanish | Spanish |
| French (Canada) | French (Canada) |
| French | French |
| Italian | Italian |
| Japanese | Japanese |
| Korean | Korean |
| Portuguese | Portuguese |
| Russian | Russian |
| Chinese-Simplified | Chinese-Simplified |
| Chinese-Traditional | Chinese-Traditional |
| English | Default |

6. Once the alias table is created, go to the option, Administration > Application > Settings and select "Current Application Defaults" tab.
7. In Alias Setting, select the newly created alias table and save.
8. Now, trigger the Create Database option for the new application created. Note: All other steps for BSP application initialization will remain the same.


8.2 User Browser Settings

Follow these steps to enable the settings in Browser (Internet Explorer):

1. Navigate to **Tools > Internet Options**.
2. Under the **General** tab, click **Languages** to display the Language Preference window.



3. Click **Add** to display the Add Language window.



4. Select the installed Language Pack from the list. You can press and hold **Ctrl** key for multiple selections. Click **OK**.

5. In the Language Preference window, select the language and click **Move up** to make it the first language in the order of preference.
6. Click **OK** in the Language Preference window and again click **OK** in Internet Options window to save the settings and exit.

Appendix A

List of Parameters

| Sr. No. | Parameter Name | Description |
|---------|----------------|--|
| 1 | PASSWORD | Database Password |
| 2 | USERNAME | Database User |
| 3 | DSNNAME | DSN Name (value should be the system DSN name configured for ODBC) Note: You should use the same DSN name which is created using section 4.4 . |
| 4 | SERVERNAME | Essbase Server Name |
| 5 | ESSUSER | Essbase User Name |
| 6 | ESSPWD | Essbase Password |
| 7 | LCMDIRPATH | LCM Directory path |
| 8 | LCMDirName | LCM Directory Name Note: You can use underscore ("_") in LCM Directory Name, but hyphen ("-") is not allowed. |
| 9 | FirstYr | First Year |
| 10 | EndYr | End Year |
| 11 | CurrMonth | Current Month |
| 12 | StartPeriod | Start Period (By Default set to Jan) |
| 13 | EndPeriod | End Period (By Default set to Dec) |
| 14 | TABLESPACE | DB Table Space |


Setting of Substitution Variable

NOTE: If you are attempting to open a Form in BSP and following error appears: "A substitution variable required for this calculation is undefined. Variable: SecondYr", then set the **SecondYr** variable in Essbase Administration Services.

SecondYr is a substitution variable. Any other variable can also be appeared in the above error message. Follow the below steps to configure the variable:

1. Log in to EAS Console: <http://<hostname>:19000/easconsole>.

2. Click on "Launch".
3. The Essbase Administration Services console will open.
4. Expand Enterprise View -> Essbase Servers.
5. Right-click on your server -> Edit -> Variables.



6. The Substitution Variables window will open. Go to the variable you are looking for and double-click on the value.
7. Enter the value and click on Set.

| Application | Database | Variable | Value |
|-------------|-----------|---------------|---------------------|
| BSPAPP1 | (all dbs) | CubeName | BSP |
| BSPAPP1 | (all dbs) | CurrMonth | Apr |
| BSPAPP1 | (all dbs) | DATASOURCE | BSPAPP1 |
| BSPAPP1 | (all dbs) | DSNNAME | BSP |
| BSPAPP1 | (all dbs) | EndPeriod | Dec |
| BSPAPP1 | (all dbs) | EndYr | FY15 |
| BSPAPP1 | (all dbs) | FirstYr | FY13 |
| BSPAPP1 | (all dbs) | FourthYr | |
| BSPAPP1 | (all dbs) | LCMDirName | Metadata_Sync |
| BSPAPP1 | (all dbs) | PrevYr | |
| BSPAPP1 | (all dbs) | SecondYr | FY14 |
| BSPAPP1 | (all dbs) | StartPeriod | Apr |
| BSPAPP1 | (all dbs) | ThirdYr | |
| BSPAPP1 | BSP | TP_UA_PID_CB | |
| BSPAPP1 | BSP | TP_UA_PID_NB | |
| BSPAPP1 | BSP | TP_UA_VC_CB | |
| BSPAPP1 | BSP | TP_UA_VC_NB | |
| BSPAPP1 | BSP | ThisYear | FY01 |
| BSPAPP1 | BSP | VW_RES_DTL_NB | vw_res_dtl_new_buss |

8. Go back to BSP, and reload the Form.

NOTE: Logout and Login are not required.

Examples of config.xml and tnsnames.ora

config.xml

```
<PARAM DESCRIPTION="Database service name:Port Number/SID" FLAG="N"
ID="SID">ORCL</PARAM>
```

```
<PARAM DESCRIPTION="Net Service Name" FLAG="N" ID="TNS">ORCL</PARAM>
```

For example:

```
<PARAM DESCRIPTION="myhost.oracle.com:1521/ORCL" FLAG="N"
ID="SID">ORCL</PARAM>
```

tnsnames.ora

```
ORCL =
```

```
DESCRIPTION =
```

```
(ADDRESS_LIST =
```

```
(ADDRESS = (PROTOCOL = TCP)(HOST = myhost.oracle.com)(PORT = 1521))
```

```

)
(CONNECT_DATA =
(SID = ORCL)
(SERVER = DEDICATED)
)
)

```

NOTE: You should access the Configuration UI and enter the details in this UI manually and Save. Also, verify these details with respect to odbc.ini file. The \$EPM_ORACLE_HOME/bsp/BSP_RunOnPlanning.sh and \$EPM_ORACLE_HOME/bsp/BSP_RunOnEssbase.sh scripts must be also be run after making these updates in a distributed environment. For more information, refer to the [BSP 8 User Guide](#).

List of Log files

- bsplog.log: This is being written BSP initialization and all Assumption Forms UI related log statements.
- BSPCalculation_UnpricedAcc_udf.log: This is being written with while user is executing new Business and Current Business.
- Config_FileCall.log: This is being written with statements related to Database access and import rule data load activities during various BSP business rule executions.
- Data_Export.log: This is being written with statements related to exported data during various BSP business rule executions.
- DBProcsFuncs_PAttrs_Call.log: This is being written with statements for executed database procedures and functions during BSP business rule executions.
- Metadata_Sync.log: This is being written with statements for Metadata Synchronization activities invoked through BSP business rules.
- BSPInitializer_Log.log: This is being written with statements for BSP Initialization.

In Single tier setup:

- BSP generates all log files under path \$EPM_ORACLE_HOME/logs/bsplog.
- BSP generates all Cash flow engine related log files as part of Cash Flow Edit run , New business and Current business execution under path \$EPM_ORACLE_HOME/logs/bsplog/log/FusionApps.

In Distributed setup:

On Planning Server:

- BSP generates BSP Initialization process and all Assumption Forms UI related log statements in \$EPM_ORACLE_HOME/logs/bsplog/bsplog.log.
- BSP generates all Cash Flow Edit runs log statements under path \$EPM_ORACLE_HOME/logs/bsplog/log/FusionApps.

On Essbase Server:

- BSP generates all Business Rule execution related log files under path \$EPM_ORACLE_HOME/logs/bsplog.
- BSP generates all Cash flow engine related log files as part of New business and Current business execution under path \$EPM_ORACLE_HOME/logs/bsplog/log/FusionApps.

Following tables capture the intermediate stages on database side:

- `fsi_bsp_process_log`: This is a BSP specific table to capture intermediate state, success and failure message of individual procedure / function executions through BSP business rules.
- `fsi_process_errors`: This is a OFSAAI table which maintains the various information related to Cash flow engine invocations through New business, Current Business, Cash flow edit process runs.
- `fsi_message_log`: This is a OFSAAI table which maintains the various information related to hierarchy members' registration process.

Appendix B: Updating Import Rules in BSP for connection through ODBC

Purpose and Background

Though, OCI remains as the default database connectivity method for import rules in BSP across all platforms, some issues with OCI related libraries in AIX environment have been reported which causes the import rules to fail in BSP. Bug # 26420175 is used to track this issue through BugDB.

The issue was reported to Hyperion Team. While, Hyperion team is still working on to analyze and fix this issue, a workaround has been proposed by Hyperion team to fix this issue in the interim. As a workaround (till the time Hyperion team provides a fix for OCI issue), it has been proposed to change the database connectivity method from OCI to ODBC for all relevant import rules in BSP Application.

This document outlines the steps to update the import rules in BSP to change the database connectivity method from OCI to ODBC. These steps are to be performed after BSP is installed/configured in an AIX environment and the BSP application is initialized.

Steps to Perform

1. Create a new Hyperion Substitution variable in BSP Application with below details:
 - Variable Name: ODBC_Source
 - Variable Value: BSP_ODBC
2. Create a new Data Source connectivity definition entry in odbc.ini file.
 - For a 64 bit machine, odbc.ini is normally located at below location:
\$MIDDLEWARE_HOME/EPMSys11R1/common/ODBC-64/Merant/7.1
 - Take backup of odbc.ini file.
 - For Oracle RDBMS Data Source, make a new data source connectivity definition entry, similar to [Oracle Wire Protocol] definition entry, at the bottom of odbc.ini file (you can copy Oracle Wire Protocol definition entry).
 - In the new data source connectivity definition entry, make the following updates:
 - Rename the data source connectivity definition name to BSP_ODBC (from Oracle Wire Protocol)
 - Now, update the values for following in new data source definition (as per your Oracle Database Server Details):

LogonID=<FSDM Schema Name>

Password=<FSDM Schema Password>

HostName=<Database Server Name or IP address>


PortNumber=<Database Port Number. By default, its 1521 for Oracle>

SID=<Oracle Database SID>

TNSNamesFile=<Name of the tns file. Generally, its tnsnames.ora>

ServerName=<keep it blank. Do not write anything>

- Save odbc.ini file and close.
3. Update each of the BSP Application import rules (listed in appendix) as below:
- Open EAS (Essbase Administration Services Console)
 - In the left pane of EAS Console, expand Essbase Servers > {Essbase Server} > Applications > {BSP Application}
 - Expand {BSP Application} > BSP > Rules Files
 - Select a BSP cube rule file (as per list provided in Appendix) and double click to open
 - A prompt will come asking if you want to lock the rule file. Click Yes.
 - Click File > Open SQL
 - A prompt will come for selecting database. Essbase Server Name, Application Name and Database Name will be prompted. Normally, the values against these prompts should be automatically populated. If not, select the appropriate values (as per your setup) and click on 'Ok'.
 - 'Open SQL Data Sources' prompt will be displayed as below:



- In the top left pane, you will see 3 radio buttons. Change the radio button selection to 'Substitution Variables' and in the drop down, please select ODBC_Source.
- Click on 'OK/Save' and close the rule file.
- Now, open the next rule file (as per list in appendix) and repeat the process till all applicable rule files in BSP cube are updated.
- Now, Open Rates->Rules Files for updating the Import Rules in Rates cube (as per list in appendix) using the same process as outlined above for BSP cube

Additional Information

BSP Cube Import Rules list for update

- **For Standard model**
 - impActLS
 - impCBCS
 - impCBUAS
 - impNBFCS
 - impNBUAS

- impstats
- **For Custom1 model**
 - impAcLC1
 - impCBCC1
 - impCBUC1
 - impNBFC1
 - impNBUC1
 - impstac1
- **For Custom2 model**
 - impAcLC2
 - impCBCC2
 - impCBUC2
 - impNBFC2
 - impNBUC2
 - impstaC2

Rates Cube Import Rules for update

- **For Standard model**
 - impFRCRS
 - impFREIS
 - impFRIRS
- **For Custom1 model**
 - impFCRC1
 - impFEIC1
 - impFIRC1
- **For Custom2 model**
 - impFCRC2
 - impFEIC2
 - impFIRC2

Appendix C: Deploying HyperionPlanning.ear file for BSP Application using WebLogic Console

Prerequisites

All of the EPM services should be stopped running on the Planning and Essbase server, including the Planning server, RMI services, and Financial Reports. Ensure that WebLogic servers are up and running before executing the following steps. If web-logic servers are not up and running, then navigate to the following path and run the startWebLogic.sh command.

Path: \$MIDDLEWARE_HOME/user_projects/domains/EPMSysystem/bin/

Command: ./startWebLogic.sh

1. For the deployment of ear, login to WebLogic console using similar link as shown below:

http://<server-ip>:<WL-port>/console/

2. Select “Deployments” option from “Domain Structure” menu on the left side pane.

The screenshot shows the Oracle WebLogic Server Administration Console. The top navigation bar includes 'Home', 'Log Out', 'Preferences', 'Record', and 'Help'. The main content area is titled 'Summary of Deployments' and has two tabs: 'Control' and 'Monitoring'. Below the tabs, there is a text block explaining that the page displays a list of Java EE applications and stand-alone application modules that have been (re)deployed, or deleted from the domain. It also mentions that to install a new application or module, one should click the 'Install' button. Below this text is a 'Customize this table' link and a 'Deployments' table. The table has columns for 'Name' and a 'Start/Stop' dropdown. The table contains two entries: 'APS (11.1.2.0)' and 'CALC (11.1.2.0)'. On the left side, the 'Domain Structure' pane is visible, with 'EPMSysystem' expanded to show 'Environment', 'Deployments' (highlighted with a red circle), 'Services', 'Security Realms', 'Interoperability', and 'Diagnostics'. The 'Change Center' pane is also visible, showing 'View changes and restarts' and buttons for 'Lock & Edit' and 'Release Configuration'.

3. Click on Lock and Edit option so that a fresh EAR file can be deployed.
4. Select “Hyperion Planning” (or “Planning”) and click on delete button.

ORACLE WebLogic Server® Administration Console

Home Log Out Preferences Record Help Welcome, epm_admin Connected to: EPMSyst

Home > Summary of Deployments

Summary of Deployments

Control Monitoring

This page displays a list of Java EE applications and stand-alone application modules that have been installed to this domain. Installed applications and modules can be started, stopped, updated (redeployed), or deleted from the domain by first selecting the application name and using the controls on this page.

To install a new application or module for deployment to targets in this domain, click the Install button.

Customize this table

Deployments

Install Update Delete Start Stop Showing 1 to 10 of 14 Previous Next

| Name | State | Health | Type | Deployment Order |
|---|--------|--------|------------------------|------------------|
| APS (11.1.2.0) | Active | OK | Enterprise Application | 100 |
| CALC (11.1.2.0) | Active | OK | Enterprise Application | 100 |
| DMS Application (11.1.1.1.0) | Active | OK | Web Application | 5 |
| EAS (11.1.2.0) | Active | OK | Enterprise Application | 100 |
| em | Active | OK | Enterprise Application | 400 |
| EPMADATASYNCHRONIZER (11.1.2.0) | Active | OK | Enterprise Application | 100 |
| EPMAWEBTIER (11.1.2.0) | Active | OK | Enterprise Application | 100 |
| FMW Welcome Page Application (11.1.0.0.0) | Active | OK | Enterprise Application | 5 |
| HyperionPlanning | Active | OK | Enterprise Application | 100 |
| proxyservlet (11.1.2.2) | Active | OK | Web Application | 100 |

Install Update Delete Start Stop Showing 1 to 10 of 14 Previous Next

- After deletion, click on Install button on the same screen and select the EAR file for deployment from the path \$EPM_ORACLE_HOME/bsp/ear_to_deploy and follow as per the below screenshots:

Install Application Assistant

Back Next Finish Cancel

Locate deployment to install and prepare for deployment

Select the file path that represents the application root directory, archive file, exploded archive directory, or application module descriptor that you want to install. You can also enter the path of the application directory or file in the Path field.

Note: Only valid file paths are displayed below. If you cannot find your deployment files, upload your file(s) and/or confirm that your application contains the required deployment descriptors.

Path: /scratch/ofsaadb/Oracle/Middleware/EPMSystem11R1/bsp/ear_to_deploy/HyperionPlanning.ear

Recently Used Paths: /scratch/ofsaaweb/Oracle/Middleware/EPMSystem11R1/products/Planning/AppServer/InstallableApps/Common

Current Location: ofss2221285 / scratch / ofsaadb / Oracle / Middleware / EPMSystem11R1 / bsp / ear_to_deploy

HyperionPlanning.ear

Back Next Finish Cancel

- Click on **Next** button post selection of the EAR file.

Install Application Assistant

Back Next Finish Cancel

Choose targeting style

Targets are the servers, clusters, and virtual hosts on which this deployment will run. There are several ways you can target an application.

Install this deployment as an application

The application and its components will be targeted to the same locations. This is the most common usage.

Install this deployment as a library

Application libraries are deployments that are available for other deployments to share. Libraries should be available on all of the targets running their referencing applications.

Back Next Finish Cancel

7. Click on **Next** button.
8. Select the Deployment Target as **Planning0**:

Planning

All servers in the cluster

Part of the cluster

Planning0

Back Next Finish Cancel

9. Click on Next button and then Finish button. Click on Apply Changes button to commit the changes we made to the deployments.
10. Now start all the Hyperion Related services those are stopped as mentioned under Prerequisites. Below commands can be used to start all services:


```
cd $MIDDLEWARE_HOME/user_projects/epmsystem1/bin
./start.sh
```
11. Once this is done, go to Deployments screen and select Hyperion Planning, click on Start > Servicing All Requests.
12. The logs will be registered in log file. You can check log files under **Diagnostics**.

For more information, refer to Oracle Hyperion Enterprise Performance Management System Installation and Configuration Guide.

Note: Redeployment is being done to include the latest BSP UI changes those are in form .jsp , .js, .css files.

Oracle Financial Services Balance Sheet Planning
8.0.5.0.0 Installation and Configuration Guide

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
www.oracle.com/industries/financial-services/index.html

Copyright © 2017 Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this 8.0.5.0.0 Installation and Configuration Guide and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this 8.0.5.0.0 Installation and Configuration Guide and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.