

Corporate Lending - Payments Co-deployed Integration
User Guide

Oracle Banking Corporate Lending
Release 14.4.0.0.0

Part Number F31133-01

May 2020

Corporate Lending - Payments Co-deployed Integration User Guide
May 2020
Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India
Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2007, 2020, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Preface	1-1
1.1 Introduction.....	1-1
1.2 Audience.....	1-1
1.3 Documentation Accessibility	1-1
1.4 Organization	1-1
1.5 Acronyms and Abbreviations.....	1-2
1.6 Glossary of Icons.....	1-2
2. Corporate Lending - Payments Integration in Co-Deployed Setup ...	2-1
2.1 Introduction.....	2-1
2.2 Maintenances in OBCL.....	2-1
2.3 Maintenances in OBPM.....	2-7
2.4 Common Core Maintenance.....	2-20
3. Function ID Glossary	3-1

1. Preface

1.1 Introduction

This document is designed to help acquaint you with the integration of Oracle Banking Corporate Lending and Oracle Banking Payments in a co-deployed set up.

Besides this user manual, while maintaining the interface related details, you can invoke the context sensitive help available for each field. This help describes the purpose of each field within a screen. You can obtain this information by placing the cursor on the relevant field and pressing the <F1> key on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Implementation Partners	Provide customization, configuration and implementation services

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Organization

This manual is organized into the following chapters:

Chapter	Description
Chapter 1	<i>Preface</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	This chapter helps you co-deploy Oracle Banking Corporate Lending and Oracle Banking Payments product in a single instance.
Chapter 3	<i>Function ID Glossary</i> has alphabetical listing of Function/Screen ID's used in the module with page references for quick navigation.

1.5 Acronyms and Abbreviations

Abbreviation	Description
API	Application Programming Interface
FCUBS	Oracle FLEXCUBE Universal Banking
OBCL	Oracle Banking Corporate Lending
OL	Oracle Lending
ROFC	Rest of Oracle FLEXCUBE
System	Unless and otherwise specified, it shall always refer to Oracle FLEX-CUBE Universal Banking Solutions system
WSDL	Web Services Description Language

1.6 Glossary of Icons

This user manual may refer to all or some of the following icons.

Icons	Function
	Exit
	Add row
	Delete row
	Option List

2. Corporate Lending - Payments Integration in Co-Deployed Setup

This chapter contains the following sections:

- [Section 2.1, "Introduction"](#)
- [Section 2.2, "Maintenances in OBCL"](#)
- [Section 2.3, "Maintenances in OBPM"](#)

2.1 Introduction

You can integrate Oracle Banking Corporate Lending (OBCL) with Oracle Banking Payments product (OBPM). To integrate these two products on co-deployed environment, you need to do specific maintenances in OBCL, Payments, and Common Core.

2.2 Maintenances in OBCL

The integration between Oracle Banking Corporate Lending (OBCL) and Oracle Banking Payments (OBPM) enables you to dispatch the loan disbursement through cross border payment by generating SWIFT MT103 and MT202 messages.

External System Maintenance

You can invoke this screen by typing 'GWDETSYS' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You need to define an external system for a branch that communicates with the OBCL using integration gateway.

Note

Ensure in OBCL you maintain an active record with all the required fields and 'External System' in 'External System Maintenance' screen. For example maintain External System as "INTBANKING".

External System Maintenance - Transaction Branch Code ::: 000

New Enter Query

External System

External System *
Description

Message Exchange Pattern

Request Message Input Only
Response Message Full Screen
XSD Validation Required

Correlation Pattern

Request Message ID

Queue

Default Response Queue
Dead Letter Queue
Register Response Queue Message Id

External System Queues

1 Of 1

In Queue	Response Queue
----------	----------------

FTP Parameters | Fields

Maker
Checker
Date Time
Date Time
Mod No
Record Status
Authorization Status
Exit

Request

Maintain it as Message ID.

Request Message

Maintain it as full screen.

Response Message

Maintain it as full screen.

External System Queues

Maintain the In & Response JMS queues. These are the queues, where OBCL posts the SPS request XML to OBPM.

For more information external system maintenances, refer to *Common Core - Gateway User Guide*.

Branch Maintenance

You need to create a branch in 'Branch Core Parameter Maintenance' (STDCRBRN) screen.

This screen is used for capturing basic branch details like branch name, branch code, branch address, weekly holiday, and so on.

You can invoke this screen by typing 'STDCRBRN' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can specify a host for every branch created. To maintain host for different time zone, refer *Oracle Banking Payments Core User Manual*.

Note

A pair of branches which can transact inter-branch payments, should be maintained under the same host.

Host Parameter Maintenance

You can invoke this screen by typing 'PIDHSTMT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

- In OBCL, ensure you maintain host parameter with an active record with all the required fields.
 - 'OBCL Integration System' is for UBS integration for 360 and trade integration. 'Payment System' is for OBPM integration, 'INTBANKING' need to be selected.
-

Host Parameter

New Enter Query

Host Code

Host Description

Accounting System Code

GL System code

ELCM System

Payment System

OBCL Integration System

Blockchain System

Payment Network Code

Rectangular Strip

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

Specify the following details

Host Code

Specify the host code.

Host Description

Specify the brief description for the host.

Accounting System Code

Specify the accounting system code. For example, "OLINTSYS"

Payment System

Specify the payment system. For example, "INTBANKING"

ELCM System

Specify the ELCM system. For example, "OLELCM"

OBCL Integration System

Specify the external system. For example, "OLINTSYS", for integration with UBS system.

Block Chain System

Specify the Block Chain system. For example "OLBLKCN".

Payment Network Code

Specify the Network via which OBPM to send the outbound message, for loan disbursement. For example, "SWIFT".

Integration Parameters Maintenance

You can invoke this screen by typing 'OLDINPRM' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

Ensure you maintain an active record with all required fields and Service Name as "PMSinglePaymentService" in 'Integration Parameters Maintenance' screen

Integration Parameters Maintenance

New Enter Query

Branch Code *
Description
External System *
Description
Offset Transaction Code
Description
Offset Amount Tag
Description

Amount Block Validation Required
Offset Required
Offset Netting Required
Allow Force Post
External User

1 Of 1 Go

Service Name	Communication Channel	Communication Mode	Communication Layer	WS Service Name	WS Port	WS Endpoint URL	WS User	WS
--------------	-----------------------	--------------------	---------------------	-----------------	---------	-----------------	---------	----

Maker Date Time: Mod No Record Status
Checker Date Time: Authorization Status Ok Exit

Branch Code

Specify as 'ALL' in case the integration parameters are common for all branches.

Or

Maintain for individual branches.

External System

Specify external system as 'INTBANKING'.

External User

Specify the User ID to be passed on the payment request to OBPM.

Service Name

Specify service name as 'PMSinglePayOutService'.

Communication Channel

Specify the communication channel as 'Web Service'.

Communication Mode

Specify the communication mode as 'ASYNC'.

Communication Layer

Specify the Communication Layer as Application.

WS Service Name

Specify the web service name as 'PMSinglePayOutService'.

WS Endpoint URL

Specify the WSDL of the services as 'Payment Single Payment Service' WSDL link.

WS User

Maintain the OBPM user with access to all branches and auto authorize facility.

Customer Maintenance

Customer Maintenance (OLDCUSMT) is mandatory. You need to create a record in this screen for the bank. 'Primary BIC' and 'Default Media' should be 'SWIFT' to generate SWIFT messages.

Settlement Instruction Maintenance

NOSTRO account need to be created for the bank in which the borrower and participant (both) should have their CASA account. This needs to be mapped in LBDINSTR and pay/receive account should be NOSTRO. You need to select NOSTRO account in pay and receive accounts fields, but borrower cannot have NOSTRO account, only bank can have the NOSTRO bank account and you need to select Pay and Receive as BANK id. This is replaced by internal bridge GL while doing the transaction.

Maintain the counter party with all required fields in the 'Settlement Instructions Maintenance' screen (LBDINSTR). For more information on settlement instructions, refer to *Loan Syndication User Manual*.

Inter system Bridge GL

You can invoke this screen by typing 'OLDISBGL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

Ensure you maintain an active record with all the required fields and 'External System' as 'INTBANKING' in 'Inter-system Bridge GL Maintenance' screen.

Maker	Date Time:	Mod No	Record Status	Authorization Status
Checker	Date Time:			

External System

Specify the external system name as 'INTBANKING'.

Module Id

Specify the module code as 'OL'.

Transaction Currency

Specify the transaction currency 'ALL' or a specific currency.

Transaction Branch

Specify the transaction branch as 'ALL' or a specific branch.

Product Code

Specify the product code as 'ALL' or a specific product.

Function

Specify the transaction function ids as 'ALL' or a specific function id.

ISB GL

Specify an Inter System Bridge GL, where credit from OBCL for a loan disbursement is transferred. The same GL need to be maintained in OBPM for further processing.

2.3 Maintenances in OBPM

Source Maintenance

You can invoke this screen by typing 'PMDSORCE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

Ensure you maintain an active record with all the required fields in 'Source Maintenance Detailed' screen.

Source Maintenance Detailed

New Copy Close Unlock Print Enter Query

Source Code * INTBANKING
Host Code * HOST_US
Description Internet Banking Channel

MIS Group
UDF Group

Source Type Upload

Prefunded Payments
☒ Prefunded Payments Allowed
Prefunded Payments GL 261100001

Duplicate Check Fields
Duplicate Check Period in Days 0

Other Preferences
SSL Handling Not Required
☒ Notification Required
☐ Validate Debit Authority
☐ Incoming SWIFT
Inbound credit to GL
Intermediary Credit GL
PSD Applicable

Auto Queue Preferences

Duplicate Check Fields

Maker OFCLUSER1 Date Time: 2017-04-07 05:57:55 Mod No 2 Record Status Open
Checker OFCLUSER1 Date Time: 2017-04-07 05:57:55 Authorization Authorized Status

Exit

Source code

Specify the source code. Example 'INTBANKING'.

Host code

Host code is defaulted automatically based on the branch.

Prefunded Payments Allowed

Select the 'Prefunded Payments Allowed' check box.

Prefunded Payments GL

Specify the Prefunded Payments GL same as the Inter System Bridge GL maintained in OLDISBGL for OBCL.

OBPM debits the disbursed loan amount from this GL & credit the specified Nostro on sending the payment message.

Notification Required

Select the 'Notification Required' check box.

External Notification Queue

You can invoke this screen by typing 'PMDEXTNT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

Ensure you maintain an active record with all the required fields in “External Notification Queue” screen..

External Notification Queue Detailed

New Copy Close Unlock Print Enter Query

Host Code * HOST_US

Source Code * INTBANKING

Notification System Class OFCL

Communication Type Web Service

Timeout in Seconds

JMS Preferences

Outqueue JNDI Name

Q Profile

WebService Preferences

WebService URL http://10.184.159.212:750
GFCUBSOLService
/FCUBSOLService

Service FCUBSOLService

Maker OFCLUSER1 Date Time: 2017-04-07 05:57:45 Mod No 1 Record Status Open

Checker OFCLUSER1 Date Time: 2017-04-07 05:57:45 Authorization Authorized

Exit

Host and Source Code

Specify the source code as 'INTBANKING'. The host code gets defaulted based on source code.

The gateway external system setup to be done for a source code "INTBANKING".

Communication Type

Select the communication type as 'Web Service'

Notification System Class

Select the notification system class as 'OFCL'.

WebService URL

For a given Host code and Source code combination, a web service URL need to be maintained with the OL Service (FCUBSOLService) to get a notification call from OBPM to OBCL.

Service

Specify the webservice as 'FCUBSOLService'.

Source Network Preference

You can invoke this screen by typing 'PMDSORNW' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

Ensure you maintain an active record in 'Source Network Preference Detailed' screen. The preference for various payment networks through which OBCL initiates a payment request needs to be maintained on this screen for the same source codes.

Source Network Preferences Detailed

New Enter Query

Host Code *
Source Code *
Network Code *
Transaction Type * Incoming

Description
Network Description
Payment Type ACH

Preferences

Authorization Rekey Required

Sanctions System

Sanction Check Required

Pricing

External Pricing Applicable

Authorization Limit

Authorization Limit Currency
Authorization 1 Limit
Authorization 2 Limit
Network Release Limit

Authorization Rekey Fields

1 Of 1 Go

Rekey Field Name	Description
------------------	-------------

Maker
Checker

Date Time:
Date Time:

Mod No

Record Status
Authorization Status

Exit

Host and Source Code

Specify the source code as 'INTBANKING'. The host code gets defaulted based on source code.

The gateway external system setup to be done for a source code "INTBANKING".

Network Code

Specify the network code as 'SWIFT'. This is to enable OBPM to trigger SWIFT message for the loan disbursement amount.

Transaction Type

Specify the Transaction Type as 'Outgoing', to send the SWIFT message out.

Network Rule Maintenance

You can invoke this screen by typing 'PMDNWRLE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Network Rule Detailed

New Copy Close Unlock Print Enter Query

Host Code * LIEGE Channel Type * SWIFT

Rule Name *	Rule Expression	Network Code *
☒ ACH	ValueOf ('SERVICE_LEVEL') EQUAL 'LCL'	ACH
☐ BOOK	ValueOf ('SERVICE_LEVEL') EQUAL 'BOOK'	BOOK
☐ RTGS	ValueOf ('SERVICE_LEVEL') EQUAL 'RTGS'	RTGS
☐ SWIFT	ValueOf ('SERVICE_LEVEL') EQUAL 'SWIFT'	SWIFT
☐ STEP2	ValueOf ('SERVICE_LEVEL') EQUAL 'SEPA'	STEP2

Expression Details

ion	Scope	LOP Operand	Operator	ROP Type	ROP Data Type	ROP Operand
		SERVICE_LEVEL	Equal To	Constant	String	LCL

Maker DEEPIKA19 Date Time: 2014-01-01 00:50:09 Mod No 3 Record Status Open
 Checker DEEPIKA19 Date Time: 2014-01-01 00:50:09 Authorization Authorized Status

Exit

Note

Ensure you maintain an active record with all required fields in 'Network Rule Detailed' screen to route the OBCL request to the respective network.

For more information about Network Rule maintenance, refer to *Payments Core User Guide*.

ECA System Maintenance

Ensure you create an External Credit Approval Check system (DDA system) in the STDECAMT screen. Provide the required source system where the ECA check happens as indicated in the below screen.

External Credit Approval System

New Enter Query

Source System FCUBS
Description FLEXCUBE

Maker Date Time: Mod No Record Status
 Checker Date Time: Authorization Status

Exit

You can invoke this screen by typing 'PMDECAMT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Map the above mentioned ECA system in the 'External Credit Approval System Detailed' screen.

Inqueue JNDI Name

Specify the in queue JNDI Name as 'MDB_QUEUE_RESPONSE'.

Outqueue JNDI Name

Specify the out queue JNDI Name as 'MDB_QUEUE'.

Q Profile

Q Profile need to be maintained as per the MDB Queue created on the App Server. Q Profile need to be with an IP Address where the JMS Queue has been created.

The OBPM system posts the ECA request to DDA system through these MDB queues.

For more information about ECA System maintenance, refer to *Oracle Banking Payments Core User Guide*.

Queue Profile Maintenance

You can invoke this screen by typing 'PMDQPROF' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Note

Ensure that you maintain Queue Profile in 'Queue Profile Maintenance' screen.

Profile ID

Specify the Queue Connection profile ID.

Profile Description

Specify the profile description

User ID

Specify the user ID.

Password

Specify the password.

Note

User ID and password are used for queue authentication. This ensures external system is allowed only to read or view the messages posted in messaging queue.

Context Provider URL

Queue profile requires the context provider URL of the Application Server where the queue created. All other parameters are same as mentioned above.

Note

OBPM build the ECA request with details and post to MDB_QUEUE. DDA system through GWMDB pulls the gateway request and call internally the ECA block process to create or undo the ECA block. Once the process is completed, the DDA system post the response through gateway infra to MDB_QUEUE_RESPONSE.

MDB_QUEUE_RESPONSE is configured with a redelivery Queue as jms/ACC_ENTRY_RES_BKP_IN. This Queue is internally pull the response through OBPM MDB to complete ECA processing in OBPM.

Accounting System Maintenance

You can invoke this screen by typing 'PMDACCMT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

This is to enable OBPM to post the accounting entries (Dr ISBGL & Cr Nostro Ac) to the DDA system, on sending the SWIFT message

Maker	Date Time:	Mod No	Record Status
Checker	Date Time:		Authorization Status

Note

Ensure that you need to maintain the required accounting system in 'External Accounting System Detailed' screen. In addition, maintain Account System Mapping for the Accounting System and Networks (PMDACMAP)

Inqueue JNDI Name

Specify the inqueue JNDI Name as 'MDB_QUEUE_RESPONSE'.

Outqueue JNDI Name

Specify the outqueue JNDI Name as 'MDB_QUEUE'.

Q Profile

Q Profile need to be maintained as per the MDB Queue created on the App Server. Q Profile needs to be with an IP Address where the JMS Queue has been created.

The OBPM system posts the Accounting handoff request through these MDB queues.

Note

OBPM build the Accounting Handoff request with details and post to MDB_QUEUE. Accounting system through GWMDB pulls the gateway request and call internally the External Accounting request. Once the process is completed, the Accounting system posts the response through gateway infra to MDB_QUEUE_RESPONSE.

MDB_QUEUE_RESPONSE is configured with a redelivery Queue as jms/ACC_ENTRY_RES_BKP_IN. This Queue internally pull the response through OBPM MDB to complete Accounting Handoff processing in OBPM.

Currency Correspondent Maintenance

For SWIFT / Cross border payments the bank should maintain the currency correspondent i.e. the bank's correspondents so that the payment can be routed appropriately. The payment chain is built using the currency correspondent maintenances

The bank can have multiple currency correspondents for the same currency but a particular correspondent can be marked as the primary correspondent so that the payment is routed through that bank even though there are multiple correspondent banks.

Currency correspondent maintenance (PMDCYCOR) is used in payment chain building for Cross-border payments. This is a Host level maintenance. Currency, Bank BIC and Account number can be maintained for the correspondent. You can invoke this screen by typing 'PMDCYCOR' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Currency Correspondent Detailed

New Enter Query

Host Code * Primary Correspondent

Bank Code *

Currency *

1 Of 1 Go

Account Type	Account Number	Primary Account	MT210 Required?
--------------	----------------	-----------------	-----------------

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

Maintain the AWI or AWI's Currency Correspondent on this screen.

Host Code

The system displays the host code of the selected branch of the logged in user.

Bank Code

Select the Bank Code from the list of values displayed. Selected BIC Code is displayed in this field.

Currency

Specify the currency. Alternatively, you can select the currency from the option list. The list displays all valid currencies maintained in the system.

Primary Correspondent Check

This box is for this correspondent if it is the primary currency correspondent. There can be only one primary currency correspondent for the combination of Account type, Currency. Account Type Select the account type. The list displays the following values:

- Our- Account maintained with the correspondent input in the Bank Code field.
- Their- Account maintained by the correspondent input in the Bank Code field with the Processing bank (Nostro account).

Account Type

Specify the account type as Our – the Nostro of the Correspondent which is maintained in our books.

Account Number

Specify the account number associated with the correspondent input in the Bank Code field in the specified currency.

Alternatively, you can select the account number from the option list. The list displays all Nostro accounts for Account type OUR and valid normal accounts for account type THEIR. The account currency displayed in the list should be same as the currency specified.

Primary Account

Select this check box to indicate if the account is the Primary Account. You can add multiple accounts. But only one account can be marked as Primary Account. This indicates that the account marked as Primary account is the key account for the 'Host Code, Bank Code, Currency' combination maintained.

MT 210 required?

Select this check box to indicate if MT 210 is required to be sent to the Currency Correspondent in the scenarios where it is auto-generated like generation of Outbound MT 200/MT 201. Only if this check box is selected, the system generates the MT210

Reconciliation External Accounts Maintenance

You can invoke this screen by typing 'PXDXTACC' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Reconciliation External Accounts Detailed				
New	Enter Query			
Reconciliation Class *		External Account *		
External Entity *		Alternate External Account		
Home Branch				
<< >> 1 Of 1 Go + - ⋮				
☐	Branch *	Account GL	Capture Start Date	
Empty rows representing the data grid				
Maker	Date Time:	Mod No	Record Status	<button>Exit</button>
Checker	Date Time:		Authorization Status	

New Enter Query

Reconciliation Class *

Home Branch

External Account *

Alternate External Account

1 Of 1

Account GL

Capture Start Date

Branch

Account GL

Capture Start Date

Maker

Date Time:

Mod No

Record Status

Checker

Date Time:

Authorization

Status

Exit

Maintain the Vostro account number, (equivalent of the Nostro) that is maintained in the Correspondent's books. This will be sent in the 53B tag in the MT103 & MT202 Cover messages.

Maintain it as NOST.

Specify the Correspondent's BIC.

Specify the Vostro Account Number.

Specify the Nostro Account Number. This should exist in STDCRACC as a Nostro Account.

Relationship Management Application details are to be maintained here and allowed Message Category and Message Types are to be provided. Correspondent should be our bank BIC code (for direct relation).

RMA Record Type

The system would indicate if this is a RMA or RMA+ authorization record based on the details of the uploaded or manually created RMA authorization record.

Note

If the uploaded RMA file has included or excluded Message Types in different Message categories, then this would be RMA+ record. If not, the record is an RMA record.

Issuer

Select the required BIC of bank branch that has issued the authorization to receive All or particular message types (in case of RMA+) from the available list of values.

RMA Type

Specify the RMA Type. Choose between Issued and Received from the drop down.

Valid From Date

Specify the start date of validity of RMA authorization

Correspondent

Select the BIC of bank branch, which has received the authorization from Issuer bank from the list of values.

RMA Status

Select the status of the RMA from the drop down. The options are Enabled, Revoked, Deleted and Rejected.

Note

Only 'Enabled' RMA authorizations are used for RMA validation.

Valid To Date

Specify the End date of validity of RMA authorization.

Message Category Details Grid

Message Category

Select the required Message Category from the drop down.

Include/Exclude Flag

If this is being created as RMA+ record, select the flag for each Message category indicating 'Include' or 'Exclude' of one or multiple or ALL Message Types (MTs) that are authorized by the Issuer bank.

Message Type Details

Message Type

If this is being created as RMA+ record, then specify a list of 'Included' or 'Excluded' the Message Types to be added for each Message Category.

Note

- If All MTs within a Message Category are to be included then the Include/Exclude flag should indicate "Exclude" and no MTs should be selected in the Message Type Details grid. This would mean 'Exclude – Nothing' i.e. all MTs within the category are included in the RMA+ authorization.
 - If All MTs within a Message Category are to be excluded then the Include/Exclude flag should indicate "Include" and no MTs should be displayed in the Message Type Details grid. This would mean 'Include – Nothing' i.e. none of the MTs within the category are included in the RMA+ authorization.
 - The screen should not list any Message Category that is not allowed as part of the RMA+ authorizations issued by the Issuer bank.
-

As mentioned above, any modifications to existing authorizations are allowed only from Head Office

- For the selected pair of Issuer and Correspondent BICs and RMA Type, the following attributes would be allowed to be changed –
 - RMA Status - Status can be changed to any of the available Options – Enabled, Revoked, Deleted and Rejected.

Note

In reality, RMA Status cannot be changed to any option as it depends on who is the Issuer BIC, current status and other factors. However, these status changes happen in the RMA/ RMA+ module of SAA and the Modification facility is only allowed for Ops users to manually replicate the status in this maintenance (if they cannot wait till the next RMA upload).

- – Valid From Date – New (modified) date that is greater than existing 'Valid To' Date can be set.
 - – Valid To Date – New date that is greater than New 'Valid From' Date can be set.
 - – Deletion of existing Message category and/or Message types.
 - Addition of new Message Category and/or Message Type along-with Include/ Exclude indicator.
-

A new authorization would be possible to be created by copying an existing authorization and then modifying the same.

Modifications to existing authorizations as well as creation of new authorizations would need approval by another user or by the maker (if the branch and user supports Auto-authorization facility).

2.4 Common Core Maintenance

The following common core maintenances need to be performed for integration.

- Customer Maintenance
 - Create the customers in STDCIFCR.
- Account Maintenance
 - Create the Accounts (CASA / NOSTRO) in STDCRACC.
 - NOSTRO account needs to be created for the bank in which the borrower has the CASA account.
- General Ledger Maintenance
 - Create the General Ledger in STDCRGLM.
- Transaction code Maintenance
 - Create the Transaction code in STDCRTRN.
- OBPM to use OFCUB Dates
 - Maintain IS_CUSTOM_DATE parameter as 'Y' in cstb_param table.
 - Maintain OBCL_EXT_PM_GEN parameter as 'Y' in CSTB_PARAM to handover the request to OBPM
 - By this, OBPM will use the 'Today' from sttm_dates as the transaction booking date.
- BIC Code Details Maintenance
 - The BIC Code is a standardized international identifier and which is used to identify entities and to route Payment Messages. You can define bank codes through the 'BIC Code Details' screen (ISDBICDE).
- Other Payments Maintenance
 - Refer Oracle Banking Payments Core User Manual, for the other Day 0 maintenances.

For detailed information on above mentioned screens, refer to *Oracle Banking Payments Core User Manual*.

3. Function ID Glossary

G

GWDETSYS2-1

L

LBDINSTR2-6

O

OLDCUSMT2-6

OLDINPRM2-5

OLDISBGL2-6

P

PIDHSTMT2-3

PMDACCMT2-14

PMDCYCOR 2-15

PMDECAMT 2-12

PMDEXTNT 2-8

PMDNWRLE 2-10

PMDQPROF 2-12

PMDRMAUP 2-17

PMDSORCE 2-7

PMDSORNW 2-9

PXDXTACC 2-16

S

STDCRBRN 2-2

STDECAMT 2-11