

Oracle[®] MICROS Symphony

Installation Guide



Release 19.2

F32326-04

May 2021

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE[®]

Copyright © Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

1 Getting Started

About Symphony Release Numbers	1-1
Symphony Deployment Process	1-1
Implementation Deployment Scenarios	1-2

2 Pre-Installation Tasks

Obtaining Installation and Patch Set Software	2-3
Installing Microsoft Internet Information Services (IIS) and Windows Communication Foundation (WCF) Features	2-7
Requesting and Installing Secure Certificates	2-13
Creating a Certificate Signing Request	2-13
Completing a Secure Server Certificate Installation	2-16
Configuring Recycle Settings for the IIS Application Pool	2-18
Binding Secure Server Certificates to IIS	2-18
Database Platform Installation	2-19
Installing Oracle Database 18c	2-19
After Installing Oracle Database 18c	2-30
Oracle Client Installation	2-31
Installing Reporting and Analytics	2-31
Enabling Communication Between the Enterprise and Workstations	2-32
List of Symphony Database Configuration Fields	2-32

3 Symphony Installation

Symphony Installation for an All-in-One Server	3-1
Installing Symphony on Multiple Servers	3-8
List of Symphony Components and Services	3-9
MFA Configuration During the Installation of Symphony	3-10

Configuring Workstation Database Passwords in the EMC 3-11

4 Post-Installation Tasks

Logging Onto the EMC 4-1
Setting the Start-Of-Day Sequencer Machine and the App Server Time Zone 4-1
Connecting Reporting and Analytics to Symphony 4-2

5 Removing POS and Reporting

Uninstalling Symphony and Reporting and Analytics 5-1

6 Appendix A: Sample Script for Creating Oracle Tablespaces

7 Appendix B: Troubleshooting

Insufficient System Privileges 7-1
Cannot Connect to the Database Server During the Symphony Installation 7-1

Preface

Audience

This installation guide is intended for installers, programmers, technical support teams, product specialists, and others who are responsible for installing the Oracle MICROS Symphony 19.2.X release.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received and all associated log files
- Screen shots of each step you take

Documentation

Once Symphony has been installed, for information about accessing the Symphony Enterprise Management Console (EMC) or when performing Symphony upgrades on existing systems, see the *Oracle Hospitality Symphony Post-Installation or Upgrade Guide*, specifically the **EMC Access Security** chapter.

Product documentation is available on the Oracle Help Center at <https://docs.oracle.com/en/industries/food-beverage/pos.html>.

Revision History

Date	Description of Change
October 2020	Initial publication.
November 2020	Added a Configuring Workstation Database Passwords in the EMC section of the Symphony Installation chapter.
March 2021	Updated the tasks located in Pre-Installation Tasks in Chapter 2.
May 2021	Updated Chapter 2 and Chapter 3.

1

Getting Started

This guide provides instructions on how to perform a fresh installation and configure the Symphony 19.2.X release.

Install R&A separately from Symphony using the Back Office R&A installation application. The *Oracle Food & Beverage Compatibility Matrix* provides more information on compatibility between R&A and Symphony.

For Symphony Cloud Services users, refer to the *Symphony Cloud Services Post-Installation or Upgrade Guide* for more about the required steps to take both before and after performing an installation or upgrade.

About Symphony Release Numbers

Symphony releases are categorized by numeric segments that indicate release information.

A release in a calendar year starts with the last two digits of the calendar year. For example, if the release year is 2019, the release version starts with 19. If the release year is 2020, the release version starts with 20. Previously, release versions were in this format: 2.10.X.

A minor release can occur in the year that follows the major release. For example, there can be a 19.X minor release in 2020 to support the major release from 2019.

Release versions are in the format [NN].[N].[N].[X].[XXXX], where:

- N is a number
- X is a wild-card number
- Changes made at the major level include architectural changes to the application
- The first [NN] represents the year of the release
- Changes made at the minor level include minor changes to the application

Additional hardware platform and operating system support can be added at the minor level.

For functional changes to the product with no changes in the operating system or security of the application:

- Changes at an interim level are represented by a wild-card (X).
- Changes made at the build level are daily changes that include partial or full changes made on a daily basis. Changes at this level are not represented or shown on the released product.

Symphony Deployment Process

This section shows deployment scenarios for on-premises installations of Symphony and Reporting and Analytics. Starting with Reporting and Analytics version 20.1,

R&A is not available for on-premises installations. See the *Food and Beverage Compatibility Matrix* for compatibility details between Symphony and Reporting and Analytics versions.

The following high-level steps comprise the Symphony deployment process.

1. Select the deployment scenario that aligns with the Reporting and Analytics (R&A) release to be used.

Before installation and configuration, determine which deployment scenario meets your requirements. See [Implementation Deployment Scenarios](#) for more information about the minimum requirements based on the implementation scenario that is deployed.

2. Install the database server application.

The database platform must be installed prior to installing Symphony application components. See the [Oracle Food and Beverage Compatibility Matrix](#) for more information about the supported database platforms.

3. Install or upgrade R&A.

Run the Symphony 19.2.X release installation application to perform a fresh installation, upgrade, or upon adding application or database servers. [List of Symphony Components and Services](#) contains more installation information.

4. [Install Symphony](#).

5. [Configure Post-installation Settings](#) to ensure that the application components and the database are configured correctly after installation.

6. [Log in to EMC](#) to ensure that the Symphony application and the database applications are set correctly.


Implementation Deployment Scenarios

The following implementation deployment scenarios are valid for Reporting and Analytics (R&A) version 9.1 in conjunction with versions of Symphony which remain compatible with this version of R&A. These scenarios are no longer valid for upgrades or installations of R&A version 20.1 and later.

Symphony and Reporting and Analytics Installation Elements

Here are the required installation elements for implementing Symphony release 18.2 along with Reporting and Analytics version 9.1.


Figure 1-1 Symphony and Reporting and Analytics Installation Elements



Single Server All-in-One Installation

Here are the minimal installation requirements for a single server implementation of Symphony releases 19.1 or 19.2.X and Reporting and Analytics version 9.1.


Figure 1-2 Single Server All-in-One Deployment



Multiple Server Installation

Here are the minimal installation requirements for a multiple server implementation of Symphony releases 19.1 or 19.2.X and Reporting and Analytics version 9.1.


Figure 1-3 Multiple Server Deployment



Multiple Server Load Balanced System

Here are the minimal installation requirements for a multiple server load balanced system implementation of Symphony releases 19.1 or 19.2.X and Reporting and Analytics version 9.1.

Figure 1-4 Multiple Server Load Balanced Deployment



2

Pre-Installation Tasks

The following table lists the database platform pre-installation tasks that must be performed on the Symphony application and database server (or servers).

If you are performing an upgrade from a version prior to the Symphony 19.2.X release (or importing a database after a fresh installation), see the [Cloud Services Post-Installation or Upgrade Guide](#) (specifically the **Simphony Upgrade Procedures** section) for important pre-upgrade task information.

Table 2-1 Pre-Installation Tasks for Simphony Release 19.2.X

Pre-Installation Task	Instructions
Obtain the Symphony and Reporting and Analytics (R&A) software installation media and the latest patch set software (as needed). Install R&A separately from Symphony using the Enterprise Back Office R&A installation application.	For instructions on obtaining software, see Obtaining Installation and Patch Set Software . See the <i>Enterprise Back Office Installation Guide</i> , specifically the Installing Reporting and Analytics section for installation instructions.
Obtain and install a database platform on the database server (or servers)	See the Oracle Food and Beverage Compatibility Matrix for more information about supported databases. Oracle Database users must manually create Tablespaces for the database. See After Installing Oracle Database 18c for information about creating Tablespaces. For instructions on installing and setting up the Oracle Database, see Installing Oracle Database 18c .

Table 2-1 (Cont.) Pre-Installation Tasks for Symphony Release 19.2.X

Pre-Installation Task	Instructions
Grant PUBLIC access for the DBMS_LOB and DBMS_SCHEDULER on the database server	<p>The Symphony installer requires access to execute certain Oracle database packages for which public privileges are not granted. This makes it necessary to request that temporary public access be granted for the installation to run successfully, after which the public grant can be revoked and a specific schema grant be created.</p> <p>Before performing a new installation, using Oracle SQL Developer, execute the following requests:</p> <ul style="list-style-type: none"> • GRANT EXECUTE ON DBMS_LOB TO PUBLIC • GRANT EXECUTE ON DBMS_SCHEDULER TO PUBLIC <p>Before performing an upgrade, using Oracle SQL Developer, execute the following request:</p> <ul style="list-style-type: none"> • GRANT EXECUTE ON DBMS_SCHEDULER TO PUBLIC <p>Refer to the Oracle Database Security Guide for more information.</p>
Install the Oracle Database Client on your Symphony application servers that matches the version of Oracle Database your database servers are running	<p>Regardless of the Oracle Database version you are using, install or update your Oracle Database Client (on your Symphony application servers) to match the version of Oracle Database that is installed on your database server. Oracle Database Client Installation contains more information about installing the Oracle Database Client.</p>
Install and configure Microsoft Internet Information Services (IIS)	<p>Microsoft IIS needs to be installed and configured on each Symphony and Reporting and Analytics (R&A) application server. Microsoft IIS is required to be installed in order to initiate the process to obtain and install secure certificates as outlined in the next step.</p> <p>See Installing Microsoft Internet Information Services (IIS) and Windows Communication Foundation (WCF) Features for information about configuring IIS for a Symphony system.</p>

Table 2-1 (Cont.) Pre-Installation Tasks for Symphony Release 19.2.X

Pre-Installation Task	Instructions
Obtain Certificate Authority issued certificates for use with Symphony and R&A	From within Microsoft IIS, initiate a Certificate Signing Request (CSR) to obtain and install a TLS 1.2 compliant Certificate Authority (CA) issued secure certificate on each Symphony application and R&A server. CA issued certificates are required to be installed. Self-signed certificates are not supported. For information about requesting and installing secure certificates, see Creating a Certificate Signing Request and Completing a Secure Server Certificate Installation .
Configure Log File Rollover options for Internet Information Services (IIS)	For instructions on configuring log file rollover options, refer to the Microsoft TechNet Library and search the site using: Configure Log File Rollover Options as the search phrase.
Install Microsoft .NET 4.6.2 Framework	Run the Microsoft .NET 4.6.2 Framework setup from the Symphony installation media by accessing and navigating to the:Prerequisites\DotNetFramework 462 folder, following the on-screen instructions.
Turn on Data Execution Prevention (DEP)	To enable DEP on servers, open a Command Prompt as an Administrator and execute this command: bcdedit.exe /set {current} nx AlwaysOn and then restart the server.
Temporarily disable anti-virus software from the application and database servers just before the installation	Simphony can silently fail to install due to anti-virus software. Temporarily disable or add exclusions for anti-virus software on Symphony and database servers just before installing Symphony. You can re-enable the anti-virus software after Symphony applications and databases are installed.

Obtaining Installation and Patch Set Software


To obtain software installation media, click here: [Oracle Software Delivery Cloud \(OSDC\)](#).

A Demo is available on the OSDC page that reviews the software download process if you require more information.

1. To download the Symphony software:
 - a. Sign In (or register) on the home page.
 - b. Enter **Simphony** in the **Search** field.
 - c. Select the latest release of **Oracle Hospitality Symphony**, and then click **+ Add to Cart**.

- d. Click **View Cart** and follow the instructions there.
2. To download the Reporting and Analytics software:
 - a. Enter **Reporting and Analytics** in the **Search** field.
 - b. Select the latest release of **Oracle Hospitality Reporting and Analytics**, and then click **+ Add to Cart**.
 - c. Click **View Cart** and follow the instructions there.
3. To obtain the latest software patch for Symphony or Reporting and Analytics, click here: [My Oracle Support \(MOS\)](#).
 - a. Sign In (or register) on the home page.
 - b. Click the **Patches & Updates** tab on the toolbar.
 - c. In the **Patch Search** section, click **Product or Family (Advanced)**, from the **Product** field, enter **Oracle Hospitality Symphony**.

Figure 2-1 MOS Patches and Updates — Symphony Patch Search




- d. Click the drop-down list from the **Release** field, select the latest patch for that release, and then click **Search**.
- e. In the results area, select the latest patch set from the **Patch Name** column.

Figure 2-2 MOS Patches and Updates — Symphony Patch Advanced Search Results

Patch Name	Description	Release	Platform (Language)	Recommended	Classification	Product	Updated
29444962	Symphony 18.2.0.1 (Patch)	18.2.0.0.0	Generic Platform (American English)		General	Oracle Hospitality Symphony	1+ month ago
29511331	Symphony 18.2.0.2 (Patch)	18.2.0.0.0	Generic Platform (American English)		General	Oracle Hospitality Symphony	11 days ago


- f. To obtain the patch software, click the **Download** button. The **File Download** window appears.

Figure 2-3 MOS Patches and Updates — Symphony Patch Download and Read Me Documentation Access




- g. To read about the fixes included in the patch set, click the **Read Me** button.
- h. To complete the download process, click the **Download** or **Download All** button.

Figure 2-4 MOS — File Download




- 4. To obtain the latest Reporting and Analytics patch set:
 - a. In the **Patch Search** section, on the **Search** tab, enter **Oracle Hospitality Reporting and Analytics** in the **Product** field.

Figure 2-5 MOS Patches and Updates — Reporting and Analytics Patch Search




- b. Click the drop-down list from the **Release** field, select the latest patch for that release, and then click **Search**. In the results area, select the latest patch set from the **Patch Name** column.

Figure 2-6 MOS Patches and Updates — Reporting and Analytics Patch Advanced Search Results



- c. To obtain the patch set software, click the **Download** button. The **File Download** window appears.

Figure 2-7 MOS Patches and Updates — Reporting and Analytics Patch Download and Read Me Documentation Access



- d. To read about the fixes included in the patch set, click the **Read Me** button.
- e. To complete the download process, click the **Download** or **Download All** button.
- f. After the product installation or patch set software has been downloaded, place the software on the appropriate application server and implement the installation or upgrade.

Installing Microsoft Internet Information Services (IIS) and Windows Communication Foundation (WCF) Features


This section reviews configuring Microsoft Internet Information Services (IIS) and Microsoft Windows Communication Foundation (WCF) Services (if necessary) on Symphony application servers. Microsoft WCF configuration only needs to be performed on servers where the Symphony Web Portal (Import/Export) and API are installed.

For more information about the Server Manager - Add Roles and Features Wizard, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/>.

Access the Symphony application server (running Microsoft Windows Server 2012 R2):


1. Access the **Control Panel**, click **Programs**, and then beneath Programs and Features, click **Turn Windows features on and off**.
2. The Server Manager Dashboard loads and subsequently, the Add Roles and Features Wizard.
3. Access the Server Manager and select **2 Add roles and features**.

Figure 2-8 Server Manager – Dashboard — Adding Roles and Features




4. Click **Next**.

Figure 2-9 Server Manager — Before You Begin




5. Select **Role-based or feature-based installation**, and then click **Next**.

Figure 2-10 Server Manager — Select Installation Type




6. Select the **Select a server from the server pool** option.
7. Select the server you are configuring, and then click **Next**.

Figure 2-11 Server Manager – Select Destination Server




8. Click **Next**.

Figure 2-12 Server Manager – Select Server Roles




9. Expand **.NET Framework 3.5 Features** and ensure that **HTTP Activation** and **Non-HTTP Activation** are selected.

Figure 2-13 Server Manager — Select Features

10. Expand **.NET Framework 4.5 Features**, enable **WCF Services**, and then ensure that **HTTP Activation** and **TCP Activation** are selected.

The WCF Services configuration only needs to be performed on servers where the Symphony Web Portal (Import/Export) and API are installed.


11. Ensure that the **Include management tools (if applicable)** checkbox is selected, and then click **Add Features**.

Figure 2-14 Server Manager — Add Roles and Features

12. Expand the **Web Server** role services and options and select the following Common HTTP Features:

- **Default Document**
- **HTTP Errors**
- **Static Content**

From a system security standpoint, the **Directory Browsing** role service should not be enabled.


Figure 2-15 Server Manager – Web Server Role Services

13. Select the following **Health and Diagnostics** options:

- **HTTP Logging**
- **Request Monitor**


14. Select the **Performance** option **Static Content Compression**.

15. Select the **Security** option **Request Filtering**.

Figure 2-16 Server Manager – Performance and Security Role Services

16. Select and expand **Application Development**, and then select the following options:

- **.NET Extensibility 4.5**
- **ASP**
- **ASP .NET 4.5**
- **ISAPI Extensions**
- **ISAPI Filters**


Figure 2-17 Server Manager – Application Development Role Services

17. Select and expand **Management Tools**, and then select the following options:

- **IIS Management Console**
- **IIS Management Scripts and Tools**

18. Select **IIS 6 Management Compatibility**, and then select the following options:

- **IIS 6 Metabase Compatibility**
- **IIS 6 Management Console**
- **IIS 6 Scripting Tools**
- **IIS 6 WMI Compatibility**

Figure 2-18 Server Manager – Management Tools

19. Click **Next** as needed, and then click **Install**.

- a. If you are performing an upgrade to the Symphony 18.1 release or later from an earlier version, the **ImportExportAppPool** is renamed to **SimphonyAppPool**.
- b. For fresh Symphony 18.1 and later installations, several Application Pools including the **SimphonyAppPool** are created for you.

Locate the following Application Pools, click each one individually, right-click, and then select **Recycle**.

- **ImportExportAPIPool**
- **Simphony2Pool**
- **SimphonyAppPool**

20. Restart the server for the roles and features to become operative.

Requesting and Installing Secure Certificates


Secure certificates (issued by a Certified Authority) must be installed on Simphony and Reporting and Analytics servers prior to installing these applications. During the Simphony installation, there is an opportunity to load the certificate from the installation wizard. Simphony and Reporting and Analytics do not support self-signed certificates.

This section provides instructions on how to request and complete the installation of secure certificates.

Creating a Certificate Signing Request


1. From the application server, click the **Start** button, click or search for the **Internet Information Services (IIS) Manager** and open it.
2. In the **Connections** section, click the server name.
3. In the center Home menu, double-click the **Server Certificates** button in the IIS section.

Figure 2-19 Internet Information Services (IIS) Manager - IIS Section



4. Click **Create Certificate Request...** from the Actions menu.


Figure 2-20 Actions - Create Certificate Request Link



5. Enter the appropriate information in the Request Certificate window, and then click **Next**.

The **Common name** field (through which the certificate is eventually accessed) is usually the application server's fully qualified domain name (FQDN) (for example, `www.domain.com` or `mail.domain.com`).

Figure 2-21 Request Certificate - Distinguished Name Properties




6. Select **Microsoft RSA SChannel Cryptographic Provider** from the **Cryptographic service provider** drop-down list, unless you have a another specific cryptographic provider.
7. Select **2048** (or higher) from the **Bit length** drop-down list, and then click **Next**.

Figure 2-22 Request Certificate - Cryptographic Service Provider Properties



8. Click the ellipsis (...) button to browse to a location where you want to save the Certificate Signing Request (CSR) file.
 - a. Remember the filename and the location where you save it.

Figure 2-23 Request Certificate - File Name




- b. Open this file using a text editor and copy the entire body of it (including the **Begin** and **End New Certificate Request** tags) into the CSR order form.
9. After you receive your Secure Sockets Layer (SSL) certificate, save the certificate on the server where you created the CSR, and then you can install it.

Completing a Secure Server Certificate Installation


1. From the application server, click the **Start** button, click or search for the **Internet Information Services (IIS) Manager** and open it.
2. In the **Connections** section, click the server name.
3. In the center Home menu, double-click the **Server Certificates** button in the IIS section.

Figure 2-24 Internet Information Services (IIS) Manager - IIS Section




4. Click **Complete Certificate Request...** from the Actions menu.

Figure 2-25 Actions - Complete Certificate Request Link



5. Configure the following in the Complete Certificate Request window:
 - a. Browse and select your certificate (in .cer format). This file should be provided to you from the vendor where you purchased your certificate, and in response to your CSR submission.
 - b. Enter the **Friendly name**, if it is not already populated. This is the application server's fully qualified domain name (FQDN) (for example, www.domain.com or mail.domain.com).

Figure 2-26 Complete Certificate - Specify Certificate Authority Response



6. Click **OK**.

If a certificate is installed or changed after installing Symphony, you must perform several steps to bind the certificate to the IIS website. See [Binding Secure Server Certificates to IIS](#) for instructions.

Configuring Recycle Settings for the IIS Application Pool

If you configure the application pool to recycle at a scheduled time using the IIS Manager, consider configuring the following recycle settings for the IIS Application Pools:

- Ensure that the specific times you define do not coincide with your Start-of-Day (SOD) or periods of peak sales activity.
- Set the **Memory Based Maximums** to less than half of the available server memory.
- Set the **Simphony2 App Pool Pipeline** mode to **Classic**.
- Set the **Disable Overlapped Recycle** setting to **True** for the Simphony2 App Pool.

In addition to the Simphony2 App Pool, the following IIS App Pools are also installed:

- ImportExportAPIPool: For the Import Export Service.
- SimphonyAppPool: For the Simphony Web Portal.
- WCCPool: For the Engagement feature.

These App Pool's Pipeline mode settings can remain on their default settings.

For instructions on configuring an application pool to recycle at a scheduled time, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/>.

Binding Secure Server Certificates to IIS

If a certificate is installed or changed after installing Symphony, you must perform the following steps to bind the secure certificate to the IIS website.

1. Click **Start**, and then click **Control Panel**.
2. If you are using Microsoft Windows Server 2012 R2, click **System and Security**, and then click **Administrative Tools**.
3. In the Administrative Tools window, double-click **Internet Information Services (IIS) Manager**.
4. Under **Connections, Sites**, select the site to be secured with the SSL Certificate.
5. From the **Actions** menu (on the right), click **Bindings...** The Site Bindings windows opens.
6. In the Site Bindings window, click **Add...** The Edit Site Bindings window opens.
7. From the **Type** drop-down list, select **https**.
8. Enter the IP address of the site or select **All Unassigned**.
9. Enter the port number in the **Port** field.

The port over which traffic is secured by SSL is usually 443. The SSL Certificate field should specify the installed certificate.

10. Click **OK**.

Database Platform Installation

A database platform must be selected and installed prior to installing Symphony or Reporting and Analytics. See the [Oracle Food and Beverage Compatibility Matrix](#) for more information about supported databases.

See [Installing Oracle Database 18c](#) for Oracle Database installation instructions for a Symphony system.


Installing Oracle Database 18c

To download and install Oracle Database, refer to the Oracle Technology Network (OTN) website at <http://www.oracle.com/technetwork/database/enterprise-edition/downloads/index.html>.

To install Oracle Database 18c for a Symphony installation, from the database server:


1. Select the **Accept License Agreement** option to download the software.
2. Select the server's compatible operating system, typically **Microsoft Windows x64 (64-bit)**.
3. Since the downloaded file is compressed, beginning with Oracle Database 18c, **Image Based Installation** has been introduced. Previously, with Oracle Database 11g or 12c, you were allowed to select the location of your db_home directory. With Oracle Database 18c, via Image Based Installation, the Oracle Universal Installer takes the location of the **setup.exe** file and assigns its db_home location.
 - a. Prior to performing the Oracle Database 18c software download, create a new folder on the database server's 'C' drive named: **Oracle18c** (with no spaces in the folder name).
 - b. Logon as a Windows Administrator and, download and extract the Oracle 18c installation file into the newly created Oracle18c folder. Since the file is nearly 10GB in size, the extraction takes some time.
4. Once extracted, locate and right-click on the **setup.exe** and select **Run as administrator**.
5. Select **Create and configure a single instance database. This option creates a starter database.**, and then click **Next**.

Figure 2-27 Select Configuration Option




6. Select **Server class**, and then click **Next**.

Figure 2-28 Select System Class




7. Select **Advanced install**, and then click **Next**.

Figure 2-29 Select Install Type




8. Select **Enterprise Edition** and then click **Next**.

Figure 2-30 Specify Database Edition




9. Select **Use Windows Built-in Account**, and then click **Next**.

Figure 2-31 Specify Oracle Home User




10. Confirm the Built-in Account selection by responding to the message prompt by clicking **Yes**, and then click **Next**.

Figure 2-32 Specify Oracle Home User




11. Enter (or browse to) the path to place the Oracle software and configuration files in the **Oracle base** field, and then click **Next**.

Figure 2-33 Specify Installation Location




12. Select the **General Purpose / Transaction Processing** database type, and then click **Next**.

Figure 2-34 Select Configuration Type




13. Enter the database name and system identifier in the **Global database name** and **Oracle system identifier (SID)** fields respectively, and then click **Next**.

Figure 2-35 Specify Database Identifiers




14. Configure the Memory allocation for your system, and then click the **Character sets** tab.

Figure 2-36 Specify Configuration Options




- From the Character sets tab, select **Use Unicode (AL32UTF8)** as the character set. *(Optional) You can click the **Sample schemas** tab and install a sample schema in the starter database, and then click **Next**.

Figure 2-37 Specify Configuration Options — Character Sets




- Select **File system** as the database storage option, and enter (or browse to) the database file path in the **Specify database file location** field, and then click **Next**. From the next *(Optional) installation window, you can register for the Oracle Enterprise Manager 12c Cloud Control for your Oracle 18c database, and then click **Next**.

Figure 2-38 Specify Database Storage Options




- 17. *(Optional) Enable or disable recovery for your database.

Figure 2-39 Specify Recovery Options




18. Select **Use the same password for all accounts**. Enter your password in the **Password** field, re-enter it in the **Confirm password** field, and then click **Next**.

Figure 2-40 Specify Schema Passwords




19. Review the **Summary** window to ensure that your previous selections are correct. If edits are required, click **Back** until you reach the window that contains the setting that needs to be changed. If no edits are necessary, click **Install**.

Figure 2-41 Summary




20. An installation **Progress Page** appears that allows you to track the ongoing database creation.

Figure 2-42 Install Product — Progress Window



21. Once complete, the **Finish** window appears and indicates a successful installation. Click **Close** to exit the installation program.

Figure 2-43 Finish



After Installing Oracle Database 18c

The Oracle Database version that is installed on your database server must match the one on your Oracle Database Client. [Oracle Client Installation](#) contains more information about installing Oracle Database Clients.

Creating Oracle Database Tablespaces

If using Symphony 19.2.1 or later, creation of database Tablespaces is automatically performed by the Symphony installation application.

For versions prior to the Symphony 19.2.1 release, ensure the following Symphony database Tablespaces are created on your database server or servers:

- MCRSPOS
- MCRSCACHE

[Appendix A: Sample Script for Creating Oracle Tablespaces](#) contains a sample script to create the database Tablespaces. The [Database Administrator's Guide](#) contains more information about creating database Tablespaces. The [Administrator's Reference for Linux and UNIX-Based Operating Systems](#) contains information about administering an Oracle Database on these platforms.

Increasing Database Process Count

Run the `ALTER SYSTEM SET processes=300 SCOPE=SPFILE;` command on the Oracle Database and restart the Oracle Database Service. If you are using

the Oracle Linux operating system, run the `shutdown immediate;` command and then run the `STARTUP pfile=init.ora;` command to restart the service. The *Oracle Database Platform Guide for Microsoft Windows* and the *Oracle Database Administrator's Reference for Linux and UNIX-Based Operating Systems* contain more information about restarting the Oracle Database Service.

If you are using a Microsoft Windows Server, restart the `OracleServiceSIMPHONY` service using the Windows Services dialog. The *Platform Guide for Microsoft Windows* contains more information about restarting the Oracle Database Service on Microsoft Windows Servers.

Oracle Client Installation

The Symphony installation media automatically installs the Oracle Database Client onto the application servers. Ensure that the Oracle Database Client version matches the version of Oracle Database that is installed on your database server.

Depending on the version of Oracle Database you are running, here are manual installation instructions for various versions of the Oracle Database Client:

1. For the Oracle Database 11g Release 2 client for both Microsoft Windows 64-bit, and Microsoft Windows 32-bit versions, click [here](#).
2. For the Oracle Database 12c Release 1 client for Microsoft Windows 64-bit and 32-bit, click [here](#).
3. For the Oracle Database 12c Release 2 client for Microsoft Windows 64-bit, click [here](#).
4. For the Oracle Database 18c Release 1 client for Microsoft Windows 64-bit and 32-bit, click [here](#).

Installing Reporting and Analytics

Install Reporting and Analytics (R&A) separately from Symphony using the Enterprise Back Office (EBO) R&A installation application. If you are upgrading from a release prior to Symphony 2.9, upgrade to R&A release 8.5.1 Patch 3 prior to installing or upgrading to Symphony release 2.9.

With Symphony release 2.10 or later (which includes the Symphony 18.2 and 19.1 releases), you can still use R&A version 9.0 Patch 8 or later.

If you are running Symphony version 19.2 GR, you can still utilize EBO version 9.1 (including Reporting and Analytics).

When you install or upgrade to EBO version 20.1 (including Reporting and Analytics and MyLabor) in conjunction with installing or upgrading to Symphony versions 19.1.2 or 19.2.X, the Symphony EMC's Employee Maintenance, Reporting tab is now disabled (or has been removed). Going forward, new reporting users need to be added and configured in R&A. Reporting access passwords are no longer synced between Symphony and R&A. If you still utilize R&A version 9.1, the Symphony EMC's Employee Maintenance, Reporting tab remains accessible and is configurable as usual.

The *Oracle Food & Beverage Compatibility Matrix* provides you with the latest information and versioning compatibilities between R&A and Symphony.

For users of EBO version 9.1, the [Oracle Hospitality Enterprise Back Office Installation Guide](#) contains more information about installing reports for Symphony.

See the [Enterprise Back Office 20.1](#) documentation, specifically the *Reporting and Analytics User Guide Adding Users* section for more information about adding users from R&A.

Enabling Communication Between the Enterprise and Workstations

To allow workstations at the property to communicate with the Enterprise, you must add Firewall exceptions for the following services on the Symphony application servers using either the default ports or the ports you assign when installing Symphony release 19.2.

- Internet Information Services (IIS): By default uses Transmission Control Protocol (TCP) port 8080 or port 443 for HTTPS connections.
- Oracle Hospitality Labor Management: By default uses TCP port 81.

You may need to open extra ports for additional Symphony features. Contact your local support representative or Oracle Hospitality Support Services for assistance.

For instructions on opening a port in Windows Firewall, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/library>.

List of Symphony Database Configuration Fields

The following table describes the fields that appear on the Symphony installation application when creating the Symphony databases.

Table 2-2 List of Database Configuration Fields

Field	Description
Server Name	Enter the database server name. For example, <code>example.databaseservername.example.com</code>
Service Name	Enter the name of the remote Oracle service (TNS alias) to install the Symphony database.
Username	Enter a strong username for the database.
Password	Enter a strong password for the user defined in the Username field to use to connect to the database.
Confirm Password	Re-enter the password from the previous step.
Database Port	To use a port other than the default, enter the port number to use to connect to the database.

3

Simphony Installation


This chapter contains instructions to install Simphony using the Simphony POS Installation application.

Simphony Installation for an All-in-One Server

The *Oracle Food & Beverage Compatibility Matrix* provides more information on compatibility between R&A and Simphony.


1. Log in and download the Simphony version 19.2.X installation application from the Oracle Technology Network (OTN) website at <https://edelivery.oracle.com/>.
2. Run the **Setup** file, and then click **Next** to continue the installation.
3. Select **Application and Database Components**, and then click **Next**. [List of Simphony Components and Services](#) contains more information.

Figure 3-1 Simphony Installation Application




4. Select all of the components, and then click **Next**. The Simphony Data Request Processing Service is installed by default, and is used for Import/Export tasks.

Figure 3-2 Simphony Install Component Selections



5. Select all of the components that are to be enabled by default, and then click **Next**.

Figure 3-3 Simphony Install Components to Enable by Default




6. If you are not using a Load Balancing server and are using the Import/Export feature or plan to use the Symphony Engagement Cloud Service:
 - a. Select **IIS** for the **Certificate Location** field.
 - b. To add a new certificate, select **New**, click **Select**, enter or select the certificate location, and then enter the **Password** for the certificate.
 - c. To add an existing certificate, select **Existing**, and then select the certificate from the drop-down list.
 - d. Enter the port number in the **Service Host Secure Port** field.

See [Requesting and Installing Secure Certificates](#) for more information about requesting and installing secure certificates.

If you define a Service Host Secure Port number other than the default of 443, you need to configure the IIS Bindings of each Application Pool to the new port. To add IIS Bindings, refer to [Binding Secure Server Certificates to IIS](#) and the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/> for more information.

7. Enter the IP address of the server for the **Service Host Name** (computer name) in the **Https IP Address** field. If the server is using a Domain Name System (DNS) or Host file mapping, you can enter the name of the server instead of the IP address.


Figure 3-4 Symphony Install Certificate Information



8. Click **Next**.
 For the **All-in-One Server** installation scenario, skip Steps 9, 10, and 11.

9. If you are using the Import/Export Service or plan to use the Symphony Engagement Cloud Service, on Oracle RAC or a Load Balancing server, select **LoadBalancer** for the **Certificate Location** field.
10. Enter the port number in the **Service Host Secure Port** field.
 - If you define a Service Host Secure Port number other than the default of 443, you need to enable that port on the Load Balancer server.
 - If you define a Service Host Secure Port number other than the default of 443, you need to configure the IIS Bindings of each Application Pool to the new port. To add IIS Bindings, refer to [Binding Secure Server Certificates to IIS](#) and the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/> for more information.
 - You can define any free port number for the Service Host Port. If you define a port number other than the default 443, you must manually change the port number when you install subsequent services.
 - If you plan to install Reporting and Analytics on the same server as Symphony, do not assign port number 8081 for the Service Host Port. This is the default port number assigned to the Red Hat JBoss server for Back Office Reports.
 - a. Select **IIS** in the **Certificate Location** field.
 - b. To add a new certificate, select **New**, click **Select**, enter or select the certificate location, and then enter the **Password** for the certificate.
 - c. To add an existing certificate, select **Existing**, and then select the certificate from the drop-down list.
11. Click **Next**.

Figure 3-5 Service Host and Default Gateway Addresses



The screenshot shows a window titled "Symphony Install (19.2.1.0)". The main content area has a dark blue header with the text "Enter the Service Host and default gateway addresses". Below this, there are four input fields arranged in two pairs. The first pair consists of "Service Host Name" and "Service Host Port", with the value "8080" entered in the port field. The second pair consists of "Default Gateway IP" and "Default Net Mask", both of which are empty. At the bottom of the window, there are three buttons: "Previous", "Next", and "Cancel". A small note at the bottom of the input area reads: "This information is needed for forming gateway addresses and for CAL to operate properly. If there is no service host, the name and port fields are ignored."

12. Enter the **Service Host Name** and **Service Host Port** number, as well as the **Default Gateway IP** and **Default Net Mask** IP addresses, and then click **Next**.
13. Select Oracle Database, and then click **Next**:
 - a. For your Oracle Database, select **Oracle**.

For All-in-One installation scenarios, the installation application installs an Oracle 18c client (even if you are using Oracle Database 12c as a platform). If you are using Oracle Database 18c, the installer does not install an Oracle 18c client.
 - b. Click **OK** to install the Oracle 18c Database client if prompted to do so.
14. Enter or select the location to install Symphony, and then click **Next** twice.

Oracle Food and Beverage recommends that you install the Symphony application on a separate partition from where the Microsoft Windows or Oracle Linux for MICROS operating system resides (usually the C:\ drive).
15. To install Symphony with a blank database:
 - a. Select **Blank Database**.
 - b. Enter a strong **Username** and **Password** to comply with Payment Card Industry (PCI) security guidelines. The credentials that you enter here are used to create the Symphony super user to access the EMC.
 - c. Confirm the password, and then click **Next**.

Oracle Food and Beverage recommends separating the Transaction and Security databases onto different servers for additional security.
16. Enter the following information that is used to connect to the transaction database, and then click **Next**:
 - a. **Server Name**: Enter the name of the transaction database server.
 - b. **Service Name**: Enter the name of the service (TNS alias).
 - c. **Username**: Enter your transaction database access user name.
 - d. **Password**: Enter your transaction database access password.
 - e. **Confirm Password**: Re-enter the password from the previous step.
 - f. **Database Port**: Enter the port number used to access the transaction database server, and then click **Next**.

Figure 3-6 Transaction Database Information

Simphony Install (19.2.1.0)

Enter the information that will be used to create the Transaction Database.

Server Name:

Service Name:

Username:

Password:

Confirm Password:

Database Port:

Previous Next Cancel

17. Enter the following information that is used to connect to the existing security database, and then click **Next**.
 - a. **Server Name:** Enter the name of the security database server.
 - b. **Service Name:** Enter the name of the service (TNS alias).
 - c. **Username:** Enter your security database access user name.
 - d. **Password:** Enter your security database access password.
 - e. **Confirm Password:** Re-enter the password from the previous step.
 - f. **Database Port:** Enter the port number used to access the security database server, and then click **Next**.

Figure 3-7 Security Database Connection Information

The screenshot shows a window titled "Symphony Install (19.2.1.0)". Inside, there is a dark blue header with the text "Enter the information that will be used to create the Security Database." Below this, there are six input fields: "Server Name:", "Service Name:", "Username:", "Password:", "Confirm Password:", and "Database Port:". The "Database Port:" field contains the value "1521". At the bottom right of the window, there are three buttons: "Previous", "Next", and "Cancel".


18. Enter the following information to connect to the reporting database server or the Enterprise Back Office (for Reporting and Analytics) portal.

If you are using cloud-based Enterprise Back Office (EBO) version 20.1 for Reporting and Analytics (R&A):

- a. **Use Reporting and Analytics Configuration Service** checkbox: Enable this checkbox to use the Enterprise Back Office portal (which includes R&A 20.1). When this checkbox is enabled, all irrelevant fields are automatically disabled and grayed out.
- b. **Configuration Service URL**: Enter the URL containing the Fully Qualified Domain Name (FQDN) of the cloud-based server running the Reporting and Analytics Configuration Service. You must also include the Port Number. For example, `https://FQDN:7002/ConfigurationService/v1`, where 7002 is the assigned port number.

If you are not utilizing R&A version 20.1, do not enable the **Use Reporting and Analytics Configuration Service** checkbox and enter the following:

- a. **Server Name**: Enter the name of the reporting database server.
- b. **Service Name**: Enter the name of the service (TNS alias).
- c. **Username**: Enter (or verify) your reporting database access user name.
- d. **Password**: Enter your reporting database access password.
- e. **Database Port**: Enter the port number used to access the reporting database.
- f. **Username**: Enter (or verify) your reporting database access user name.
- g. **Password**: Enter your reporting database access password, and then click **Next**.

Figure 3-8 Simphony Install Reporting Database Connection

The screenshot shows a window titled "Simphony Install (19.2.1.0)" with a close button in the top right corner. The main content area has a dark blue header with the text "Enter the information that will be used to connect to the Reporting Databases." Below this header is a checkbox labeled "Use Reporting and Analytics Configuration Service" which is currently unchecked. There are two sets of input fields for database connection details. The first set includes: "Configuration Service URL:" (empty), "Server Name:" (empty), "Service Name:" (empty), "Username:" (pre-filled with "MMSQL"), and "Password:" (empty). The second set includes: "Database Port:" (pre-filled with "1521"), "Username:" (pre-filled with "CEDB"), and "Password:" (empty). At the bottom right of the window are three buttons: "Previous", "Next", and "Cancel".

19. You have the option to configure Multi-Factor Authentication (MFA) if you already have your SMTP email servers set up and validated. [MFA Configuration During the Installation of Simphony](#) contains instructions about configuring MFA during the installation process.
20. Click **Confirm**.
21. After the installation completes, click **Finish** to exit the Simphony setup.
22. Click **Yes** to restart the computer.
23. Proceed to [Post-Installation Tasks](#) to continue.

Installing Simphony on Multiple Servers

In a multi-server installation, you can install the Simphony application and database components on separate servers.

The following table outlines the process for installing Simphony:

Table 3-1 Multiple Server Installation

Database Type	Description
Oracle Database	<p>When installing Symphony with an Oracle database, you can install Symphony database components on separate database servers from a remote machine while installing Symphony on the application servers.</p> <p>For properties using separate servers for the Symphony application and databases, install an Oracle 18c Client on all application servers so that it can connect to the remote database server.</p>

Ensure all of the pre-installation tasks have been completed as outlined in the [Pre-Installation Tasks](#) chapter.

- Using the Symphony installation media, select and install **Database Component Only** on the database servers.
 1. After setting up the database components on the database servers, access the Symphony application server. Using the Symphony installation media, select and install **Application Components Only**.
 2. Select all components, and then click **Next**.
[List of Symphony Components and Services](#) contains more information.
 3. If you are installing all Symphony application components on a single server, select all the services, and then click **Next**.
 4. If you are installing Symphony application components on more than one server:
 - On the primary application server, select all services, and then click **Next**.
 - On all other application servers, deselect **Sequencer Service**, and then click **Next**.
 5. Follow the instructions in [Symphony Installation for an All-in-One Server](#) to complete the installation. When configuring the databases, enter the Server Host Name or IP Address, Service Host Name, and Login Credentials for the Symphony database servers.
 6. Run the Symphony installation application to install the Oracle 18c Client on all Symphony application servers.

List of Symphony Components and Services

You can install the following components and services by running the Symphony installation application.

Table 3-2 List of Application and Database Services

Component	Description
Data Transfer Service (DTS)	Moves point of sale (POS) definitions and journal data to Reporting and Analytics. This is typically installed on each Symphony application server.

Table 3-2 (Cont.) List of Application and Database Services

Component	Description
Direct Posting Service (DPS)	Posts sales data to the Symphony Reports database. This is typically installed on each Symphony application server.
Enterprise Management Console (EMC) Client	Contains all of the files necessary to run the EMC.
Open Source	This is typically installed on each Symphony application server.
Sequencer Service	Responsible for running the Start of Day Autosequences. This is typically installed on each Symphony application server, but is only enabled on one server
Tools	Installs the tools required for import/export, encryption, and so on. This is typically installed on each Symphony application server.
Data Request Processing Service	Installs the Import Export Web API and the Web Application Data Request Processing Service. This is typically installed on each Symphony application server. The Web Application Data Request Processing Service processes Symphony Data Import/ Export requests and scheduled Import/ Export requests.

MFA Configuration During the Installation of Symphony

When running the Symphony installation application, you are prompted to configure Multi-Factor Authentication (MFA). You can either bypass or configure the MFA configuration.


1. To bypass the MFA configuration until after Symphony has been installed, deselect the **Email One-Time Password** checkbox, and then click **Next**.

After you deselect **Email One-Time Password**, you receive a message that indicates your system is not in compliance with Payment Card Industry (PCI) standards.

2. If you choose to configure MFA at this time, the configuration instructions are outlined in the *Simphony Post-Installation or Upgrade Guide*, specifically in the chapter named **EMC Access Security**. Search for the **Configuring the SMTP and Backup SMTP Servers in the EMC** section.

If you are performing a Symphony Standard Cloud Service installation, MFA configuration that is completed during the installation of Symphony is duplicated for each enterprise. After Symphony is installed, you can go back and make edits in the EMC for individual enterprises (or organizations) that might have differing SMTP servers or settings from each other.

Figure 3-9 Enabling Multi-Factor Authentication



Configuring Workstation Database Passwords in the EMC

To maintain workstation database access control, you must assign unique usernames and complex passwords in the Simphony EMC.

See the *Oracle MICROS Simphony Security Guide* for more information about configuring workstation database passwords.

4

Post-Installation Tasks

Perform all post-installation tasks to ensure that the Symphony components and the database are configured correctly.

Logging Onto the EMC

The Enterprise Management Console (EMC) is the primary configuration application in Symphony. A shortcut for accessing EMC is installed on the application server during the installation.

1. Open the **EMC** from the shortcut on the desktop or **Start** menu.
2. Enter the Host Name or IP address of the Symphony application server or the Load Balanced address.



Note:

To determine the Host Name of a machine, open a Command prompt session and execute the `hostname` command. Make note of the returned host name value.

3. If you installed the blank database, enter the logon credentials for the Symphony super user that you created when installing Symphony.
4. Click **Login**.
5. Click **OK** for the EMC Database Credentials Non-Compliance message.

If you can launch and see that the EMC and the Symphony Gateway are running, Symphony is successfully installed.

Setting the Start-Of-Day Sequencer Machine and the App Server Time Zone

1. In the EMC, select the Enterprise level, click the **Setup** tab, and then click **Enterprise Parameters**.
2. From the machine running the **Oracle Hospitality Symphony Sequencer Service**, open a Command prompt session and execute the `hostname` command. Make note of the returned host name value.
3. From the EMC, click the **Miscellaneous** tab, and enter the previously returned hostname value in the **SOD Sequencer Machine Name** field.

 **Note:**

An IP address or Fully Qualified Domain Name (FQDN) are not valid entries for this field.

4. Select the **App Server Time Zone**.

If you are deploying Symphony on multiple servers, the date, time, and the time zone settings of each application server and database server must correspond. Additionally, the servers' time zone must correspond with the application server time zone setting in the EMC.

You can synchronize the time settings between the servers by configuring one of the servers to be a Network Time Protocol (NTP) server and then point the rest of the servers to the NTP server. For information on configuring a Network Time Protocol server, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/>.

5. Click **Save**.

6. If you installed Symphony on multiple application servers, disable the **Oracle Hospitality Symphony Sequencer Service** on all servers other than the SOD Sequencer Machine.

In the event the application server that is running the Oracle Hospitality Symphony Sequencer Service has performance issues, start the Oracle Hospitality Symphony Sequencer Service on another Symphony application server if the main application server is going to be down for multiple days.

The Oracle Hospitality Symphony Sequencer Service on the original server must be stopped prior to it being started on the alternate one. Also, when changing where the Oracle Hospitality Symphony Sequencer Service is running, the designation of the SOD Sequencer Machine Name must be updated in the EMC.

Connecting Reporting and Analytics to Symphony

With Symphony version 2.10 or later (which includes the Symphony 18.2, 19.1.X, and 19.2.X releases), if you use Reporting and Analytics (R&A) version 9.0 Patch 8 or later (including the R&A version 9.1), the steps outlined below are no longer required. Core Symphony reports are now available to set up by default from within the R&A application.


If you are using R&A version 8.5.1, complete the following steps. Before you connect to R&A, you need to have:

- At least one property in the Enterprise. The *Oracle Hospitality Symphony Configuration Guide* contains more information about adding properties to the Enterprise.
- Organizations and report locations created in R&A for your properties in the Enterprise. The [Hospitality Enterprise Back Office Installation Guide](#) contains more information about the prerequisite configurations that are required when creating organizations and report locations.

To identify the location of R&A on the system, perform the following steps:

1. In the EMC, select the Enterprise level, click the **Setup** tab, click **Enterprise Parameters**, and then click the **Reporting and Analytics** tab.
2. In the **Reporting and Analytics Machine Name** field, enter the name of the computer that is running the **MICROS Portal Service**.
3. Select the Enterprise level, click the **Setup** tab, and then click **Properties**.
4. Double-click a property to open it.
5. Select the **Report Location** for the property.
6. If the Report Location is not available in the drop-down list:
 - a. Click **New**, and then create a Report Location.
 - b. Complete each field (required) as described below:
 - **Name**: Enter the property name.
 - **Location Reference**: Enter the Property ID. This must be unique.
 - **Time Zone**: Select the time zone from the drop-down list that matches the property's time zone.
 - **Simphony Labor Logon**: Enter a unique user name.
 - **Simphony Labor Password**: Enter a unique password.
7. Click **OK**, and then click **Save**.

Figure 4-1 Report Location Configuration



The screenshot shows a dialog box titled "Report Location". It contains the following fields and controls:

- Name**: A text input field.
- Location Reference**: A text input field.
- Time Zone**: A dropdown menu with "None" selected.
- Simphony Labor Logon**: A text input field.
- Simphony Labor Password**: A text input field.
- OK** and **Cancel** buttons at the bottom.

8. Repeat Steps 4 through 7 for all properties in the Enterprise.

5

Removing POS and Reporting

Uninstalling Symphony and Reporting and Analytics

Uninstalling removes the Symphony application only. To completely remove Symphony from the servers, you must manually delete the Symphony database components from the database after uninstalling the application.

1. Run the Symphony installation application wizard (for all versions), and click **Next**.

If you have the application and the database on separate servers, run the installation application on the application server.

2. Enter the credentials for a database administrator, and then click **OK**.
 - For your Oracle database, enter the credentials for the `sys` user.
3. Select **Uninstall Symphony**, and then click **Next**.
4. Click **Confirm**.

To uninstall Reporting and Analytics see the [Hospitality Enterprise Back Office Installation Guide](#) for more information.

6

Appendix A: Sample Script for Creating Oracle Tablespaces

This sample script is meant for creating Oracle Tablespaces for Symphony versions prior to the release of Symphony version 19.2.1. Beginning with Symphony version 19.2.1, the installation application automatically creates all necessary Tablespaces.

Create the following Symphony Oracle Database Tablespaces on the database server or servers:

```
/* MCRSPOS */
DECLARE
    CURSOR mcrspos_tablespace_check IS
        SELECT tablespace_name
        FROM dba_tablespaces
        WHERE tablespace_name = 'MCRSPOS';

    CURSOR mcrspos_platform_check_w IS
        SELECT substr(platform_name, 1, 9)
        FROM gv$database;

    CURSOR mcrspos_platform_check_l IS
        SELECT substr(platform_name, 1, 5)
        FROM gv$database;

    CURSOR mcrspos_rac_check IS
        select value from gv$parameter
        where name = 'cluster_database';

    CURSOR mcrspos_asm_check IS
        select substr(file_name, 1,1)
        from dba_data_files;

    v_tablespace    VARCHAR2(40);
    v_path          VARCHAR2(100);
    sql_stmt        VARCHAR2(10000);
    v_platform_w   VARCHAR2(40);
    v_platform_l   VARCHAR2(40);
    v_rac          VARCHAR2(10);
    v_asm          VARCHAR2(10);

BEGIN
    OPEN mcrspos_tablespace_check;
    OPEN mcrspos_platform_check_w;
    OPEN mcrspos_platform_check_l;
    OPEN mcrspos_rac_check;
    OPEN mcrspos_asm_check;
    FETCH mcrspos_tablespace_check INTO v_tablespace;
    FETCH mcrspos_platform_check_w INTO v_platform_w;
```

```

    FETCH mcrspos_platform_check_l INTO v_platform_l;
    FETCH mcrspos_rac_check INTO v_rac;
    FETCH mcrspos_asm_check INTO v_asm;
    IF mcrspos_tablespace_check%NOTFOUND AND v_platform_w = 'Microsoft'
    THEN
        SELECT substr(file_name, 1,((instr(file_name, '\', - 1, 1)))
    INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

        sql_stmt := 'CREATE TABLESPACE MCRSPOS LOGGING DATAFILE ' ||
        ''' || v_path || 'MCRSPOS01.dbf' || ''' || ' SIZE 512M AUTOEXTEND
    ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL SEGMENT SPACE
    MANAGEMENT AUTO';
        EXECUTE IMMEDIATE sql_stmt;
    ELSE
        IF mcrspos_tablespace_check%NOTFOUND AND v_platform_l = 'Linux'
    AND v_rac <> 'TRUE' THEN
            SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
    1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

            sql_stmt := 'CREATE TABLESPACE MCRSPOS LOGGING DATAFILE '
        || ''' || v_path || 'MCRSPOS01.dbf' || ''' || ' SIZE 512M AUTOEXTEND
    ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL SEGMENT SPACE
    MANAGEMENT AUTO';
            EXECUTE IMMEDIATE sql_stmt;
        ELSE
            IF mcrspos_tablespace_check%NOTFOUND AND v_platform_l = 'Linux'
    AND v_rac = 'TRUE' AND v_asm = '+' THEN

                sql_stmt := 'CREATE TABLESPACE MCRSPOS DATAFILE ''+DATA''
    SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED LOGGING
    ONLINE PERMANENT BLOCKSIZE 8192 EXTENT MANAGEMENT LOCAL AUTOALLOCATE
    ENCRYPTION USING 'AES256' DEFAULT NOCOMPRESS STORAGE(ENCRYPT) SEGMENT
    SPACE MANAGEMENT AUTO';
                EXECUTE IMMEDIATE sql_stmt;
            ELSE
                IF mcrspos_tablespace_check%NOTFOUND AND v_platform_l = 'Linux'
    AND v_rac = 'TRUE' AND v_asm = '/' THEN
                    SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
    1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

                    sql_stmt := 'CREATE TABLESPACE MCRSPOS LOGGING DATAFILE '
        || ''' || v_path || 'MCRSPOS01.dbf' || ''' || ' SIZE 512M AUTOEXTEND
    ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL SEGMENT SPACE
    MANAGEMENT AUTO';
                    EXECUTE IMMEDIATE sql_stmt;
                END IF;
            END IF;
        END IF;
        CLOSE mcrspos_tablespace_check;
        CLOSE mcrspos_platform_check_w;
        CLOSE mcrspos_platform_check_l;
        CLOSE mcrspos_rac_check;
        CLOSE mcrspos_asm_check;
    END;

```

```

/
/* MCRSCACHE */
DECLARE
    CURSOR mcrscache_tablespace_check IS
        SELECT tablespace_name
        FROM dba_tablespaces
        WHERE tablespace_name = 'MCRSCACHE';

    CURSOR mcrscache_platform_check_w IS
        SELECT substr(platform_name, 1, 9)
        FROM gv$database;

    CURSOR mcrscache_platform_check_l IS
        SELECT substr(platform_name, 1, 5)
        FROM gv$database;

    CURSOR mcrscache_rac_check IS
        select value from gv$parameter
        where name = 'cluster_database';

    CURSOR mcrscache_asm_check IS
        select substr(file_name, 1,1)
        from dba_data_files;

    v_tablespace    VARCHAR2(40);
    v_path          VARCHAR2(100);
    sql_stmt        VARCHAR2(10000);
    v_platform_w    VARCHAR2(40);
    v_platform_l    VARCHAR2(40);
    v_rac           VARCHAR2(10);
    v_asm           VARCHAR2(10);

BEGIN
    OPEN mcrscache_tablespace_check;
    OPEN mcrscache_platform_check_w;
    OPEN mcrscache_platform_check_l;
    OPEN mcrscache_rac_check;
    OPEN mcrscache_asm_check;
    FETCH mcrscache_tablespace_check INTO v_tablespace;
    FETCH mcrscache_platform_check_w INTO v_platform_w;
    FETCH mcrscache_platform_check_l INTO v_platform_l;
    FETCH mcrscache_rac_check INTO v_rac;
    FETCH mcrscache_asm_check INTO v_asm;
    IF mcrscache_tablespace_check%NOTFOUND AND v_platform_w =
'Microsoft' THEN
        SELECT substr(file_name, 1,((instr(file_name, '\', - 1, 1)))
INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

        sql_stmt := 'CREATE TABLESPACE MCRSCACHE LOGGING DATAFILE ' ||
'''' || v_path || 'MCRSCACHE01.dbf' || '''' || ' SIZE 512M AUTOEXTEND
ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL SEGMENT SPACE
MANAGEMENT AUTO';
        EXECUTE IMMEDIATE sql_stmt;
    ELSE
        IF mcrscache_tablespace_check%NOTFOUND AND v_platform_l =

```

```

'Linux' AND v_rac <> 'TRUE' THEN
    SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

    sql_stmt := 'CREATE TABLESPACE MCRSCACHE LOGGING DATAFILE
' || ''' || v_path || 'MCRSCACHE01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
    EXECUTE IMMEDIATE sql_stmt;
ELSE
    IF mcrscache_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '+' THEN

        sql_stmt := 'CREATE TABLESPACE MCRSCACHE DATAFILE ''+DATA''
SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED LOGGING
ONLINE PERMANENT BLOCKSIZE 8192 EXTENT MANAGEMENT LOCAL AUTOALLOCATE
ENCRYPTION USING 'AES256' DEFAULT NOCOMPRESS STORAGE(ENCRYPT) SEGMENT
SPACE MANAGEMENT AUTO';
        EXECUTE IMMEDIATE sql_stmt;
    ELSE
        IF mcrscache_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '/' THEN
            SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

            sql_stmt := 'CREATE TABLESPACE MCRSCACHE LOGGING DATAFILE
' || ''' || v_path || 'MCRSCACHE01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
            EXECUTE IMMEDIATE sql_stmt;
        END IF;
    END IF;
END IF;
CLOSE mcrscache_tablespace_check;
CLOSE mcrscache_platform_check_w;
CLOSE mcrscache_platform_check_l;
CLOSE mcrscache_rac_check;
CLOSE mcrscache_asm_check;
END;
/
/* MCRSPOS_PAR */
DECLARE
    CURSOR mcrspos_par_tablespace_check IS
    SELECT tablespace_name
    FROM dba_tablespaces
    WHERE tablespace_name = 'MCRSPOS_PAR';

    CURSOR mcrspos_par_platform_check_w IS
    SELECT substr(platform_name, 1, 9)
    FROM gv$database;

    CURSOR mcrspos_par_platform_check_l IS
    SELECT substr(platform_name, 1, 5)
    FROM gv$database;

```

```

CURSOR mcrspos_par_rac_check IS
select value from gv$parameter
where name = 'cluster_database';

CURSOR mcrspos_par_asm_check IS
select substr(file_name, 1,1)
from dba_data_files;

v_tablespace    VARCHAR2(40);
v_path          VARCHAR2(100);
sql_stmt        VARCHAR2(10000);
sql_stmt2       VARCHAR2(10000);
v_platform_w   VARCHAR2(40);
v_platform_l   VARCHAR2(40);
v_rac          VARCHAR2(10);
v_asm          VARCHAR2(10);

BEGIN
OPEN mcrspos_par_tablespace_check;
OPEN mcrspos_par_platform_check_w;
OPEN mcrspos_par_platform_check_l;
OPEN mcrspos_par_rac_check;
OPEN mcrspos_par_asm_check;
FETCH mcrspos_par_tablespace_check INTO v_tablespace;
FETCH mcrspos_par_platform_check_w INTO v_platform_w;
FETCH mcrspos_par_platform_check_l INTO v_platform_l;
FETCH mcrspos_par_rac_check INTO v_rac;
FETCH mcrspos_par_asm_check INTO v_asm;
IF mcrspos_par_tablespace_check%NOTFOUND AND v_platform_w =
'Microsoft' THEN
SELECT substr(file_name, 1,((instr(file_name, '\', - 1, 1))))
INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_PAR LOGGING DATAFILE
' || ''' || v_path || 'MCRSPOS_PAR01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_PAR ADD DATAFILE ' ||
''' || v_path || 'MCRSPOS_PAR02.dbf' || ''' || ' SIZE 512M AUTOEXTEND
ON NEXT 128M MAXSIZE UNLIMITED';
EXECUTE IMMEDIATE sql_stmt2;
ELSE
IF mcrspos_par_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac <> 'TRUE' THEN
SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_PAR LOGGING DATAFILE
' || ''' || v_path || 'MCRSPOS_PAR01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_PAR ADD DATAFILE

```

```

' || ''' || v_path || 'MCRSPOS_PAR02.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
EXECUTE IMMEDIATE sql_stmt2;
ELSE
IF mcrspos_par_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '+' THEN

sql_stmt := 'CREATE TABLESPACE MCRSPOS_PAR DATAFILE
'+DATA'' SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT
MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_PAR ADD DATAFILE
'+DATA'' SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
EXECUTE IMMEDIATE sql_stmt2;
ELSE
IF mcrspos_par_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '/' THEN
SELECT substr(file_name, 1, ((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_PAR LOGGING DATAFILE
' || ''' || v_path || 'MCRSPOS_PAR01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_PAR ADD DATAFILE
' || ''' || v_path || 'MCRSPOS_PAR02.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
EXECUTE IMMEDIATE sql_stmt2;
END IF;
END IF;
END IF;
END IF;
CLOSE mcrspos_par_tablespace_check;
CLOSE mcrspos_par_platform_check_w;
CLOSE mcrspos_par_platform_check_l;
CLOSE mcrspos_par_rac_check;
CLOSE mcrspos_par_asm_check;
END;
/
/* MCRSPOS_NDX */
DECLARE
CURSOR mcrspos_ndx_tablespace_check IS
SELECT tablespace_name
FROM dba_tablespaces
WHERE tablespace_name = 'MCRSPOS_NDX';

CURSOR mcrspos_ndx_platform_check_w IS
SELECT substr(platform_name, 1, 9)
FROM gv$database;

CURSOR mcrspos_ndx_platform_check_l IS
SELECT substr(platform_name, 1, 5)
FROM gv$database;

```



```

CURSOR mcrspos_ndx_rac_check IS
select value from gv$parameter
where name = 'cluster_database';

CURSOR mcrspos_ndx_asm_check IS
select substr(file_name, 1,1)
from dba_data_files;

v_tablespace    VARCHAR2(40);
v_path          VARCHAR2(100);
sql_stmt        VARCHAR2(10000);
sql_stmt2       VARCHAR2(10000);
v_platform_w    VARCHAR2(40);
v_platform_l    VARCHAR2(40);
v_rac           VARCHAR2(10);
v_asm           VARCHAR2(10);

BEGIN
OPEN mcrspos_ndx_tablespace_check;
OPEN mcrspos_ndx_platform_check_w;
OPEN mcrspos_ndx_platform_check_l;
OPEN mcrspos_ndx_rac_check;
OPEN mcrspos_ndx_asm_check;
FETCH mcrspos_ndx_tablespace_check INTO v_tablespace;
FETCH mcrspos_ndx_platform_check_w INTO v_platform_w;
FETCH mcrspos_ndx_platform_check_l INTO v_platform_l;
FETCH mcrspos_ndx_rac_check INTO v_rac;
FETCH mcrspos_ndx_asm_check INTO v_asm;
IF mcrspos_ndx_tablespace_check%NOTFOUND AND v_platform_w =
'Microsoft' THEN
SELECT substr(file_name, 1,((instr(file_name, '\', - 1, 1)))
INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_NDX LOGGING DATAFILE
' || ''' || v_path || 'MCRSPOS_NDX01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_NDX ADD DATAFILE ' ||
''' || v_path || 'MCRSPOS_NDX02.dbf' || ''' || ' SIZE 512M AUTOEXTEND
ON NEXT 128M MAXSIZE UNLIMITED';
EXECUTE IMMEDIATE sql_stmt2;
ELSE
IF mcrspos_ndx_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac <> 'TRUE' THEN
SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
1))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_NDX LOGGING DATAFILE
' || ''' || v_path || 'MCRSPOS_NDX01.dbf' || ''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_NDX ADD DATAFILE
' || ''' || v_path || 'MCRSPOS_NDX02.dbf' || ''' || ' SIZE 512M

```

```

AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
    EXECUTE IMMEDIATE sql_stmt2;
ELSE
    IF mcrspos_ndx_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '+' THEN

        sql_stmt := 'CREATE TABLESPACE MCRSPOS_NDX DATAFILE
''+DATA'' SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT
MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO';
        EXECUTE IMMEDIATE sql_stmt;
        sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_NDX ADD DATAFILE
''+DATA'' SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
        EXECUTE IMMEDIATE sql_stmt2;
    ELSE
        IF mcrspos_ndx_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '/' THEN
            SELECT substr(file_name, 1, ((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

            sql_stmt := 'CREATE TABLESPACE MCRSPOS_NDX LOGGING DATAFILE
' || '''' || v_path || 'MCRSPOS_NDX01.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
            EXECUTE IMMEDIATE sql_stmt;
            sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_NDX ADD DATAFILE
' || '''' || v_path || 'MCRSPOS_NDX02.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
            EXECUTE IMMEDIATE sql_stmt2;
        END IF;
    END IF;
END IF;
CLOSE mcrspos_ndx_tablespace_check;
CLOSE mcrspos_ndx_platform_check_w;
CLOSE mcrspos_ndx_platform_check_l;
CLOSE mcrspos_ndx_rac_check;
CLOSE mcrspos_ndx_asm_check;
END;
/
/* MCRSPOS_LOB */
DECLARE
    CURSOR mcrspos_lob_tablespace_check IS
    SELECT tablespace_name
    FROM dba_tablespaces
    WHERE tablespace_name = 'MCRSPOS_LOB';

    CURSOR mcrspos_lob_platform_check_w IS
    SELECT substr(platform_name, 1, 9)
    FROM gv$database;

    CURSOR mcrspos_lob_platform_check_l IS
    SELECT substr(platform_name, 1, 5)
    FROM gv$database;

    CURSOR mcrspos_lob_rac_check IS

```

```

select value from gv$parameter
where name = 'cluster_database';

CURSOR mcrspos_lob_asm_check IS
select substr(file_name, 1,1)
from dba_data_files;

v_tablespace    VARCHAR2(40);
v_path          VARCHAR2(100);
sql_stmt        VARCHAR2(10000);
sql_stmt2       VARCHAR2(10000);
v_platform_w    VARCHAR2(40);
v_platform_l    VARCHAR2(40);
v_rac           VARCHAR2(10);
v_asm           VARCHAR2(10);

BEGIN
OPEN mcrspos_lob_tablespace_check;
OPEN mcrspos_lob_platform_check_w;
OPEN mcrspos_lob_platform_check_l;
OPEN mcrspos_lob_rac_check;
OPEN mcrspos_lob_asm_check;
FETCH mcrspos_lob_tablespace_check INTO v_tablespace;
FETCH mcrspos_lob_platform_check_w INTO v_platform_w;
FETCH mcrspos_lob_platform_check_l INTO v_platform_l;
FETCH mcrspos_lob_rac_check INTO v_rac;
FETCH mcrspos_lob_asm_check INTO v_asm;
IF mcrspos_lob_tablespace_check%NOTFOUND AND v_platform_w =
'Microsoft' THEN
SELECT substr(file_name, 1,((instr(file_name, '\', - 1, 1))))
INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_LOB LOGGING DATAFILE
' || '''' || v_path || 'MCRSPOS_LOB01.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_LOB ADD DATAFILE ' ||
'''' || v_path || 'MCRSPOS_LOB02.dbf' || '''' || ' SIZE 512M AUTOEXTEND
ON NEXT 128M MAXSIZE UNLIMITED';
EXECUTE IMMEDIATE sql_stmt2;
ELSE
IF mcrspos_lob_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac <> 'TRUE' THEN
SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

sql_stmt := 'CREATE TABLESPACE MCRSPOS_LOB LOGGING DATAFILE
' || '''' || v_path || 'MCRSPOS_LOB01.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
EXECUTE IMMEDIATE sql_stmt;
sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_LOB ADD DATAFILE
' || '''' || v_path || 'MCRSPOS_LOB02.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';

```

```

EXECUTE IMMEDIATE sql_stmt2;
ELSE
  IF mcrspos_lob_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' and v_asm = '+' THEN

      sql_stmt := 'CREATE TABLESPACE MCRSPOS_LOB DATAFILE
''+DATA'' SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT
MANAGEMENT LOCAL SEGMENT SPACE MANAGEMENT AUTO';
      EXECUTE IMMEDIATE sql_stmt;
      sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_LOB ADD DATAFILE
''+DATA'' SIZE 512M AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
      EXECUTE IMMEDIATE sql_stmt2;
  ELSE
      IF mcrspos_lob_tablespace_check%NOTFOUND AND v_platform_l =
'Linux' AND v_rac = 'TRUE' AND v_asm = '/' THEN
          SELECT substr(file_name, 1,((instr(file_name, '/', - 1,
1)))) INTO v_path FROM dba_data_files WHERE ROWNUM < 2;

          sql_stmt := 'CREATE TABLESPACE MCRSPOS_LOB LOGGING DATAFILE
' || '''' || v_path || 'MCRSPOS_LOB01.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO';
          EXECUTE IMMEDIATE sql_stmt;
          sql_stmt2 := 'ALTER TABLESPACE MCRSPOS_LOB ADD DATAFILE
' || '''' || v_path || 'MCRSPOS_LOB02.dbf' || '''' || ' SIZE 512M
AUTOEXTEND ON NEXT 128M MAXSIZE UNLIMITED';
          EXECUTE IMMEDIATE sql_stmt2;
      END IF;
      END IF;
      END IF;
  END IF;
  CLOSE mcrspos_lob_tablespace_check;
  CLOSE mcrspos_lob_platform_check_w;
  CLOSE mcrspos_lob_platform_check_l;
  CLOSE mcrspos_lob_rac_check;
  CLOSE mcrspos_lob_asm_check;
END;
/

```

7

Appendix B: Troubleshooting

Insufficient System Privileges

The Insufficient System Privileges message appears when the prerequisite, Internet Information Services (IIS), was not installed.

[Installing Microsoft Internet Information Services \(IIS\) and Windows Communication Foundation \(WCF\) Features](#) contains instructions to install Microsoft IIS.

Cannot Connect to the Database Server During the Symphony Installation

The Symphony installation application may not connect to the database server due to the following reasons:

- Windows Firewall is running
- Symphony and SymphonyXDB instances are not running

Adding Symphony to the Windows Firewall Exceptions

The Microsoft Windows Firewall that is enabled by default on your operating system could prevent the Symphony installation application from connecting to the database server. You must set up an exception rule on your firewall setting for the Symphony server and the database server to continue with the installation. For instructions setting up exception rules in Microsoft Windows Firewall, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/library>.

Installing Symphony on Separate Servers

If you are using a separate database server, you must set up an incoming rule to allow connections from Symphony, depending on your database platform, using either the default port or the port you assign during Installation. By default, the Oracle database server uses port 1521 and Microsoft SQL Server uses port 1443. For instructions on opening a port in Microsoft Windows Firewall, refer to the Microsoft TechNet Library at <https://technet.microsoft.com/en-us/library>.

Starting the Oracle Listener

If the Oracle Listener is not running, Symphony services cannot start. Ensure that the Oracle Listener is running.

- If you are using Oracle Linux, run the command `$ lsnrctl status`. If the Listener is running, you will see the listener configuration settings and the services summary.

- If you are using Microsoft Windows, make sure that the Oracle TNS Listener service (for example, OracleOraDb11g_home1TNSListener) is set to **Started** in the Microsoft Windows Services utility.

If the Oracle Listener is not running, you need to manually restart the Listener using the Linux command = `lsnrctl start`. The *Platform Guide for Microsoft Windows* and the *Administrator's Reference for Linux and UNIX-Based Operating Systems* contain more information about manually starting Oracle services.