

Development Security Guide
Oracle Banking Treasury Management
Release 14.4.0.1.0
[August] [2020]



Table of Contents

1. ABOUT THIS MANUAL.....	1-1
1.1 INTRODUCTION.....	1-1
1.1.1 Purpose:.....	1-1
1.1.2 Audience:	1-1
1.2 SCOPE.....	1-1
1.2.1 Read Sections Completely.....	1-1
1.2.2 Understand the Purpose of this Guidance	1-1
1.2.3 Limitations	1-1
2. HOW TO ADDRESS THE OWASP TOP10 IN ORACLE BANKING TREASURY	2-1
2.1 INJECTION.....	2-1
2.2 BROKEN AUTHENTICATION AND SESSION MANAGEMENT	2-1
2.3 CROSS-SITE SCRIPTING (XSS).....	2-3
2.4 INSECURE DIRECT OBJECT REFERENCES	2-4
2.5 SECURITY MISCONFIGURATION	2-6
2.6 SENSITIVE DATA EXPOSURE.....	2-7
2.7 MISSING FUNCTION LEVEL ACCESS CONTROL	2-9
2.8 CROSS-SITE REQUEST FORGERY (CSRF)	2-9
2.9 USING COMPONENTS WITH KNOWN VULNERABILITIES	2-9
2.10 UNVALIDATED REDIRECTS AND FORWARDS NETWORK SECURITY	2-10
3. SECURING GATEWAY SERVICES	3-1
3.1 INTRODUCTION	3-1
3.2 INBOUND APPLICATION INTEGRATION	3-1
3.3 EJB BASED SYNCHRONOUS DEPLOYMENT PATTERN	3-1
3.4 WEB SERVICES BASED SYNCHRONOUS DEPLOYMENT PATTERN.....	3-2
3.5 HTTP SERVLET BASED SYNCHRONOUS DEPLOYMENT PATTERN.....	3-2
3.6 MDB BASED ASYNCHRONOUS DEPLOYMENT PATTERN	3-2
3.7 OUTBOUND APPLICATION INTEGRATION	3-3
3.8 SECURING WEB SERVICES	3-3
3.9 ACCESSING SERVICE AND OPERATION	3-3
3.10 GATEWAY PASSWORD GENERATION LOGIC FOR EXTERNAL SYSTEM AUTHENTICATION	3-4
3.11 XSD VALIDATION AND INPUT VALIDATION	3-4
3.12 LIST OF SERVICES.....	3-5
3.13 LIST OF INTERFACES	3-6

1. About this Manual

1.1 Introduction

1.1.1 Purpose:

This document provides security-related usage and configuration recommendations for Oracle Banking Treasury Management 14.4.0.0.0. This guide may outline procedures required to implement or secure certain features, but it is also not a general-purpose configuration manual.

1.1.2 Audience:

This guide is primarily intended for Developers for Oracle Banking Treasury Management and third party or vendor software's. Some information may be relevant to IT decision makers and users of the application are also included. Readers are assumed to possess basic operating system, network, and system administration skills with awareness of vendor/third-party software's and knowledge of Oracle Banking Treasury Management application.

1.2 Scope

1.2.1 Read Sections Completely

Each section should be read and understood completely. Instructions should never be blindly applied. Relevant discussion may occur immediately after instructions for an action, so be sure to read whole sections before beginning implementation.

1.2.2 Understand the Purpose of this Guidance

The purpose of the guidance is to provide security-relevant code and configuration recommendations.

1.2.3 Limitations

This guide is limited in its scope to security-related guideline for developers.

2. How to address the OWASP Top10 in Oracle Banking Treasury

2.1 Injection

Injection flaws occur when an application sends untrusted data to an interpreter. Injection flaws are very prevalent, particularly in legacy code. They are often found in SQL, LDAP, Xpath, or SQL queries; OS commands; XML parsers, SMTP Headers, program arguments, etc. Injection flaws are easy to discover when examining code.

Oracle Banking Treasury Management uses Oracle database and it has adequate inbuilt techniques to prevent SQL injections as underlined below:-

1. **Use of prepared statements (parameterized queries)**— Oracle Banking Treasury Management uses PreparedStatement with bind variables to construct and execute SQL statements in JAVA.
2. **Use of Stored procedures**-- Stored procedures have the same effect as the use of prepared statements when implemented safely. 'Implemented safely' means the stored procedure does not include any unsafe dynamic SQL generation. Oracle Banking Treasury Management uses safe Java stored procedures calls.
3. In addition to the above, wherever dynamic queries exist, Oracle Banking Treasury Management uses adequate defence to sanitize the untrusted input. The use of DBMS_ASSERT.SIMPLE_SQL_NAME and the use of bind variables justify the fact.
4. **Escaping all user supplied input**-- This third technique is to escape user input before putting it in a query. If it's a concern that rewriting the dynamic queries as prepared statements or stored procedures might break the application or adversely affect performance, then this might be the best approach for the purpose. However, this methodology is frail compared to using parameterized queries and there's no guarantee that it will prevent all SQL Injection in all situations.
Oracle Banking Treasury Management uses context specific escaping. It has a StringEscapeUtils.java file, where context specific escaping is handled.

2.2 Broken Authentication and Session Management

In Oracle Banking Treasury Management application session interval will be validated against the session interval stored in the configurable file fcubs.properties file. Validations are added to check the maximum time limit for the inactive session from being expired. Java API method javax.servlet.http.HttpSession will set the max time out period for the session.

A maximum limit is imposed on the value passed to set the maximum limit of session interval. The maximum limit is a positive practical value. This validation is required to prevent long running sessions that can be actively targeted.

The default value for session time out is 30 minutes and it is configurable in fcubs properties file.

The session used for login authentication will be invalidated (destroyed) and a new session will be created once the user logged-in successfully to the application. And the new session will be used to store the required variables.

A session attribute `IsAuthenticated` set to "Y" on successful login to the application. A new random token (Cross-site request forgery) also generates and same is available in the session attribute.

The entire subsequent request within the session will be having the Authenticated and Cross-site request forgery tokens. Every request send to the application from the browser is validated against the `IsAuthenticated` attribute and Cross-site request forgery token.

A hidden form is used to submit the logout request to the server, with the response resulting in a 302 redirect instead of client initiated redirect to the login page.

Session get expire once user log off from application or if idle for its maximum limit.

Cryptography used

PCI council defines **Strong Cryptography** as:

Cryptography based on industry-tested and accepted algorithms, along with strong key lengths and proper key-management practices. Cryptography is a method to protect data and includes both encryption (which is reversible) and hashing (which is not reversible, or "one way"). SHA-1 is an example of an industry-tested and accepted hashing algorithm. Examples of industry-tested and accepted standards and algorithms for encryption include AES (128 bits and higher), TDES (minimum double-length keys), RSA (1024 bits and higher), ECC (160 bits and higher), and ElGamal (1024 bits and higher).

Encryption algorithm: The application leverages AES encryption algorithm to store sensitive information into properties file. This algorithm uses 256 bit secret key for encryption and decryption which would be stored at property file.

Hashing algorithm: Oracle Banking Treasury Management leverages SHA-512 hashing algorithm for user password authentication. This algorithm generates a password digest for the user password by using the SALT (Random number generated using SHA1PRNG algorithm) and the iteration number available in the property file.

Session storage

Oracle Banking Treasury Management application does not store Http Session objects.

A unique sequence number generates and stored in current user table for the purpose of mapping server-side sessions with the entries in the current user table.

During session expiry (triggered by the container), the session listener provides the application with the sequence number of the session. The application makes checks as to whether the entry in current user table contains the same sequence number. Only in such a case should the entry be deleted.

When authentication of credentials (involving an incorrect user ID) is unsuccessful, the user id should not be logged in the audit logs (database table). The following possible scenarios will be accounted for:

Session logging

Unsuccessful attempt to login is stored in the database with terminal's ip address and timestamp.

Invalid and expired session IDs submitted to the application are categorized as authentication failures and the same are logged in the database table.

2.3 Cross-Site Scripting (XSS)

XSS is the most prevalent web application security flaw. XSS flaws occur when an application includes user supplied data in a page sent to the browser without properly validating or escaping that content. Oracle Banking Treasury Management is coded keeping in view the XSS prevention rules as below:-

1. **Technique#1—HTML Escape before inserting untrusted data into HTML element content**

Across the Oracle Banking Treasury Management application, context specific escaping has been used to sanitize the untrusted data. For HTML content, the below function takes care of escaping the probable tainted data:

```
public static String escapeHTML(String input);
```

Escaping the following characters, with HTML entity encoding, to prevent switching into any execution context, such as script, style, or event handlers has been done. Use of recommended hex entities is in place. In addition to the 5 characters significant in XML (&, <, >, ", '), the forward slash is included as it helps to end an HTML entity.

```
& --> &amp;  
< --> &lt;  
> --> &gt;  
" --> &quot;  
' --> &#x27;  
/ --> &#x2F;
```

2. **Technique #2-- JavaScript Escape Before Inserting Untrusted Data into JavaScript Data Values**

Including untrusted data inside any other JavaScript context is quite dangerous, as it is extremely easy to switch into an execution context with characters including (but not limited to) semi-colon, equals, space, plus, and many more. For JavaScript context, the below function takes care of escaping the probable tainted data:

```
public static String escapeJavaScript(String input);
```

3. **Technique #3—Escape JavaScript Characters**

This works in conjunction with rule#2. Except for alphanumeric characters in Oracle Banking Treasury, all characters less than 256 are escaped with the \xHH format to prevent switching out of the data value into the script context or into another attribute. No use of any escaping shortcuts like \" ,because the quote character may be matched by the HTML attribute parser which runs first. These escaping shortcuts are also susceptible to "escape-the-escape" attacks where the attacker sends \" and the vulnerable code turns that into \\\" which enables the quote.

4. **Technique #4--URL Escape And Strictly Validate Before Inserting Untrusted Data into HTML URL Parameters.**

Oracle Banking Treasury Management encodes URL with the URLEncoder java class. It doesn't check for a valid URL, but directly does URL encoding, and that encoding is based on the context of display.

5. **Technique #5---Use of Http Only and secure cookie flag**

Oracle Banking Treasury Management uses the HTTPOnly flag on the session cookie and any custom cookies that are not accessed by any JavaScript.

2.4 Insecure Direct Object References

1. **Use of prepared statements (parameterized queries)**

Oracle Banking Treasury Management uses PreparedStatement with bind variables to construct and execute SQL statements in JAVA.

2. **Input Validation**

Oracle Banking Treasury Management is a web based application, the request data from browser to server will be passed using request headers and request parameters. All the request fields coming from the client are validated using white list validation to prevent cross site scripting.

User defined method validateParameter() is used for input validation which checks each character of the request field with a range of allowed characters.

User defined methods escapeJavaScript(), escapeHTML() and escapeURL() will sanitize the output data before flushing it into client browser.

escapeJavaScript() will escape all characters except immune JavaScript characters and alphanumeric characters in the ASCII character set. All other characters are encoded using the \xHH or \uHHHH notation for representing ASCII or Unicode sequences.

escapeHTML() will escape the characters with equivalent HTML entities obtained from the lookup map. Lookup map will have entities such as amp, quot, lt, gt etc.

escapeURL() will encode the URL using URLEncoder class.

White list validation is also used to restrict Image/signature/excel upload and to check rights for every operation performed by user.

3. **Image Content validation**

Signature upload will check for image type and image content using the inbuilt classes (ImageIO and JarFile) available in java.

4. **Field validation**

Field level validations exist for all mandatory fields. Database too had limits on the type and the length of data. Blacklisted characters are not allowed in the mandatory fields. Nevertheless, Oracle Banking Treasury Management has free-text fields, which takes all data, entered by the user, as a String.

5. **Restriction on Blacklist characters**

Similar to white list validation black list validation is also used for validating the request fields. Oracle Banking Treasury Management uses blacklist validation to check whether the request xml contains unwanted tags like scripting tag, html tag, anchor tag etc inside the xml content. It is also used for the advance summary field's validation to check whether proper request fields are coming from the browser.

Below table shows the list of bad characters which should not be allowed in URL path but the Oracle Banking Treasury Management operations requires many of the below characters to be passed in the request. So Oracle Banking Treasury Management will encode the below bad characters before sending them through the URL and same will be decoded at the server to prevent the hacker from modifying the request.

Bad URL Characters(Unsafe Characters)	
&	//
<	./
>	/.
;	/*
\"	*.
\'	~
%	\
)	25%
(	%25u
+	%25U
,	%00-%1f, %7f-%ff
" " (space)	%00-%1f and %7f-%ff
-	%25u and %25U

6. Restriction on Script/Html tags

Oracle Banking Treasury Management has blacklist validation for unwanted tag in xml like scripting tag or html tag inside xml content particularly in the header

2.5 **Security Misconfiguration**

1. **Configuration files**

Configuration files are securely placed inside the Classes folder of the WEB-INF folder which is not publicly accessible.

2. **Exception handling in java**

Different types of exceptions can rise in application. Java exceptions handled using try catch blocks available in java. Sometimes we use the Throw statement to throw an exception which is caught by the catch block. Caught exceptions will be written into the log files for the debug purpose when ever required. Whenever any exception occurs in application, proper information used to send to the front end user by showing alert.

3. **Exception handling in oracle database**

Database exceptions handled using EXCEPTION statement available in PL/SQL. Caught exceptions will be written into the log files for the debug purpose. And proper error message created to send the same in response to the user.

4. **Package lockout situation handled in backend**

Application will be hanged in an oracle system package lockout situation. Locked objects will be released manually using SQL scripts or through database restart.

We have handled cursor lock out problem in the required packages.

5. **Auto generated password:**

The password is generated by the system accordance to the password policy. The salt is also be generated every time the password is changed by using predefined algorithm.

The salt concatenated with auto generated password and SHA-512 hash applies on the resultant which results the password digest.

Once the successful generation of password digests both salt and password digest is stored in the DB.

6. **Custom password:**

The password is keyed in by the administrator / user accordance to the password policy. The salt is generated every time the password is changed by using predefined algorithm.

The salt concatenated with the password input and SHA-512 hash applies on the resultant which results the password digest.

Once the successful generation of password digests both salt and password digest is stored in the DB.

Oracle Banking Treasury Management does not provide any default user/password. User and password needs to be created at the time of installation.

7. **Sand Box for File Upload**

The application uses a sandbox for placing files that are uploaded via the signature/image upload screen. The sandbox is placed in a specified location (the location will be specified in the properties file) on the server.

8. BI Publisher Reports – generation and access

The application uses a sandbox for placing the generated reports file into a sandbox area. The sandbox is placed in a specified location (the location will be specified in the properties file) on the server. The application validates if the user has explicit Rights to generate Reports.

2.6 Sensitive Data Exposure

1. Secure Transformation of Data (SSL)

The Oracle Banking Treasury Management Installer allows a deployer to configure Oracle Banking Treasury Management such that all HTTP connections to the Oracle Banking Treasury Management application are over SSL/TLS. In other words, all HTTP traffic in the clear will be prohibited; only HTTPS traffic will be allowed. It is mandatory to enable this option in a production environment, especially when WebLogic Server acts as the SSL terminator.

A two-way SSL is used when the server needs to authenticate the client. In a two-way SSL connection the client verifies the identity of the server and then passes its identity certificate to the server. The server then validates the identity certificate of the client before completing the SSL handshake.

In order to establish a two-way SSL connection, need to have two certificates, one for the server and the other for client. This is required for de-centralized setup of application.

For Oracle Banking Treasury, need to configure a single connector. This connector is related to SSL/TLS communication between host or browser and the branch which uses two-way authentication.

If the secure flag is set on a cookie, then browsers will not submit the cookie in any requests that use an unencrypted HTTP connection, thereby preventing the cookie from being trivially intercepted by an attacker monitoring network traffic.

Below configuration has to be ensured in weblogic.xml within the deployed application ear.

- Cookies are set with Http only as true
- Cookie secure flag set to true
- Cookie path to refer to deployed application

```
<wls: session-descriptor>
  <wls: cookie-http-only>true</wls: cookie-http-only>
</wls: session-descriptor>

<wls: session-descriptor>
  <wls: cookie-secure>true</wls: cookie-secure>
  <wls: url-rewriting-enabled>false</wls: url-rewriting-enabled>
</wls: session-descriptor>

<session-descriptor>
  <cookie-name>JSESSIONID</cookie-name>
  <cookie-path><DeployedApplicationPath></cookie-path>
  <cookie-http-only>true</cookie-http-only>
  <cookie-secure>true</cookie-secure>
```

```
<url-rewriting-enabled>false</url-rewriting-enabled>
</session-descriptor>
```

Always make sure Cookies are set with always Auth Flag enabled by default for WebLogic server .

2. Sign-On messages

Below table shows the general Sign-On messages which would be displayed to the user during invalid authentication.

Message	Explanation
User Already Logged In	The user has already logged into the system and is attempting a login through a different terminal.
User Authentication Failed	An incorrect user ID or password was entered.
User Status is Disabled. Please contact your System Administrator	The user profile has been disabled due to number of dormancy days allowed for the user has exceeded the dormancy days configured in the system.
User Status is Locked. Please contact your System Administrator	The user profile has been locked due to an excessive number of attempts to login, using an incorrect user ID or password. The number of attempts could have matched either the successive or cumulative number of login failures (configured for the system).

3. CACHE Control in Servlet and jsp

There are three basic HTTP response headers that prevent a page from being cached to disk. Different browsers handle them in slightly different ways, so they need to be used in combination to ensure all browsers do not cache the specific page. These headers are "Expires", "Pragma" and "Cache-control". In addition, these headers can either be sent directly by the server or placed in the HTML code as HTTP-EQUIV META tags within the HEAD section. The "Expire" header gives a date at which point the page should expire and no longer be cached. Internet Explorer supports a date of "0" for immediately and any negative number for already expired. The "Pragma: no-cache" header indicates that the page should not be cached.

4. Clickjacking/Frame-bursting

Oracle Banking Treasury Management uses the X-Frame-Options HTTP response header to indicate whether or not a browser should be allowed to render a page in a <frame> or <iframe>. This is used to avoid Clickjacking attacks, by ensuring that the content is not embedded into other sites.

2.7 Missing Function Level Access Control

It is likely that users working in the same department at the same level of hierarchy need to have similar user profiles. In such cases, you can define a Role Profile that includes access rights to the functions that are common to a group of users. A user can be linked to a Role Profile by which you give the user access rights to all the functions in the Role Profile.

Application level access has implemented via the Security Management System (SMS) module. SMS supports “ROLE BASED” access of Screens and different types of operations. Oracle Banking Treasury Management supports dual control methodology, wherein every operation performed has to be authorized by another user with the requisite rights.

Please refer 2.6 section of the SMS user manual for more details.

Apart from the role based access control particular functions, products can be restricted for user as described below.

Disallowed functions: Function IDs or UI level restrictions can be provided for the user by including the function IDs in the disallowed list. This will restrict the user from accessing the UI. When accessed, an error message dialogue box will pop up saying-“User not authorized to access the screen”.

Disallowed account class: The user could be restricted to perform any operation using a particular a/c class. When disallowed, no accounts could be created by the user using the account class.

Disallowed products: The user could be restricted to use product(s) of any module(s), if disallowed. This is really required when restricting users department wise. For example, staffs of accounts department need not be given access to view the loans of customers.

Disallowed branches: The user could be restricted to access branches other than his own branch (reporting branch). He can be given access to login from other branches of the bank at an approval from authenticated person, an action which again requires manual authorization.

2.8 Cross-Site Request Forgery (CSRF)

In case of XMLHttpRequest objects, the XMLHttpRequest object sets a custom HTTP header in the request, with the header value being the Cross-site request forgery token; the server then verifies for the presence of such a header and the Cross-site request forgery token. This serves as a protection at endpoints used for XMLHttpRequest requests, since only XMLHttpRequest objects can set HTTP headers (apart from Flash; and both cannot make cross-domain requests).

2.9 Using Components with Known Vulnerabilities

Source code scanning done using the latest fortify to identify the sources code issue and will provide the proper fix for the reported issues.

3rd party libraries scanning for every release has been done to validate if any security issues rise for any of the components or not. Update the 3PL with latest security patch or upgraded to latest version.

2.10 Unvalidated Redirects and Forwards Network Security

Application uses 302 redirect wherever required. Oracle Banking Treasury Management uses `response.sendRedirect(newURL);`

3. Securing Gateway Services

3.1 Introduction

Different applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with Oracle Banking Treasury Management in order to exchange data. The Oracle Banking Treasury Management Integration Gateway will cater to these integration needs.

The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

- Inbound application integration – used when any external system needs to add, modify or query information within Oracle Banking Treasury
- Outbound application integration – used when any external system needs to be notified of the various events that occur within Oracle Banking Treasury.

3.2 Inbound Application Integration

Oracle Banking Treasury Management Inbound Application Gateway provides XML based interfaces thus enhancing the need to communicate and integrate with the external systems. The data exchanged between Oracle Banking Treasury Management and the external systems will be in the form of XML messages. These XML messages are defined in Oracle Banking Treasury Management in the form of XML Schema Documents (XSD) and are referred to as 'OBTR formats'.

Oracle Banking Treasury Management Inbound Application Integration Gateway uses the Synchronous and Asynchronous Deployment Pattern for addressing the integration needs.

The Synchronous Deployment Pattern is classified into the following:

- Oracle Banking Treasury Management EJB Based Synchronous Inbound Application Integration Deployment Pattern
- Oracle Banking Treasury Management Web Services Based Synchronous Inbound Application Integration Deployment Pattern
- Oracle Banking Treasury Management MDB Based Asynchronous Inbound Application Integration Deployment Pattern

3.3 EJB Based Synchronous Deployment Pattern

The Enterprise Java Beans (EJB) deployment pattern will be used in integration scenarios where the external system connecting to Oracle Banking Treasury Management is 'EJB literate', i.e., the external system is capable of interacting with Oracle Banking Treasury Management based upon the EJB interface. In this deployment pattern, the external system will use the RMI/IIOP protocol to communicate with the Oracle Banking Treasury Management EJB.

In this deployment pattern the EJB displayed by Oracle Banking Treasury Management will be a stateless session bean. The actual request will be in the form of an XML message. After the necessary processing is done in Oracle Banking Treasury Management based on the request, the response is returned to the external system as an XML message. The transaction control for the processing will stay with the Oracle Banking Treasury Management EJB.

3.4 Web Services Based Synchronous Deployment Pattern

The web services deployment pattern will be used in integration scenarios where the external system connecting to Oracle Banking Treasury Management wants to connect using standards-based, inter-operable web services.

This deployment pattern is especially applicable to systems which meet the following broad guidelines:

- Systems that are not 'EJB literate', i.e., such systems are not capable of establishing connections with Oracle Banking Treasury Management based upon the EJB interface; and/or
- Systems that prefer to use a standards-based approach

In this deployment pattern, the external system will use the SOAP (Simple Object Access Protocol) messages to communicate to the Oracle Banking Treasury Management web services.

The services displayed by Oracle Banking Treasury Management are of a 'message based' style, i.e., the actual request will be in the form of an XML message, but the request will be a 'payload' within the SOAP message. After the necessary processing is done in Oracle Banking Treasury Management based on the request, the response is returned to the external system as an XML message which will be a 'payload' within the response SOAP message. The transaction control for the processing will stay with the Oracle Banking Treasury.

3.5 HTTP Servlet Based Synchronous Deployment Pattern

The HTTP servlet deployment pattern will be used in integration scenarios where the external system connecting to Oracle Banking Treasury Management wants to connect to Oracle Banking Treasury Management using simple HTTP messages.

This is especially applicable to systems such as the following:

- Systems that are not 'EJB literate', i.e., are not capable establishing a connections with Oracle Banking Treasury Management based upon the EJB interface; and/or
- Systems that prefer to use a simple http message based approach without wanting to use SOAP as the standard

In this deployment pattern, the external system will make an HTTP request to the Oracle Banking Treasury Management servlet.

For this deployment pattern, Oracle Banking Treasury Management will display a single servlet. The actual request will be in the form of an XML message. This XML message is embedded into the body of the HTTP request sent to the Oracle Banking Treasury Management servlet. After the necessary processing is done in Oracle Banking Treasury Management based on the request, the response is returned to the external system as an XML message which is once again embedded within the body of the response HTTP message. The transaction control for the processing will stay with the Oracle Banking Treasury.

3.6 MDB Based Asynchronous Deployment Pattern

The MDB deployment pattern is used in integration scenarios where the external system connecting to Oracle Banking Treasury Management wants to connect to Oracle Banking Treasury Management using JMS queues.

This is especially applicable to systems such as the following:

- Systems that prefer to use JMS queues based approach without wanting to wait for the reply

Here external system sends messages in XML format to request queue on which an MDB is listening. When a message arrives on the queue, it is picked up for processing. After the necessary processing is done in Oracle Banking Treasury, based on the request, the response is sent to the response queue as an XML message.

3.7 Outbound Application Integration

The Outbound Application Integration is also called the Oracle Banking Treasury Management Notify Application Integration layer. This application layer sends out notification messages to the external system whenever events occur in Oracle Banking Treasury.

The notification messages generated by Oracle Banking Treasury Management on the occurrence of these events will be XML messages. These XML messages are defined in Oracle Banking Treasury Management in the form of XML Schema Documents (XSD) and are referred to as 'OBTR formats'

3.8 Securing Web Services

Web services can be secured by applying security policies available in web logic sever. We can attach two types of policies to Web Logic Web services and clients at design and deployment time.

Oracle WSM policy : We can attach Oracle Web Services Manager(WSM) policies to Web Logic JAX-WS Web services and clients

Web Logic Web service policy: This policies are provided by Oracle Web Logic Server and can be attached to any web service deployed in Web Logic.

We can use Oracle Enterprise Manager Fusion Middleware Control to attach Oracle WSM security policies to Web Logic Java EE Web services and clients.

We can attach policies to Web Logic Web services at both design time and after the Web service has been deployed.

At design time, use the `weblogic.jws.Policy` and `weblogic.jws.Policies` JWS annotations in JWS file to associate policy files with Web service. We can associate any number of policy files with a Web service, although it is up to us to ensure that the assertions do not contradict each other. We can specify a policy file at the class level of our JWS file.

After the Web service has been deployed, use the Oracle Web Logic Server Administration Console to attach Web Logic Web service policies to Web Logic Web services.

3.9 Accessing Service and Operation

In a message it is mandatory to maintain a list of Service Names and Operation Codes. This information is called Gateway Operations.

A combination of every such Service Name and Operation Code is mapped to a combination of Function ID and Action. Every screen in Oracle Banking Treasury Management is linked with a function ID. This information is called Gateway Functions.

User can gain access to an external system using the Gateway Functions. The Function IDs mapped in Gateway Functions should be valid Function IDs maintained in Oracle Banking Treasury. Hence, for every new Service or Operation being introduced, it is important that you provide data in Gateway Operations and Gateway Functions.

3.10 Gateway Password Generation Logic for External System Authentication

As a secure configuration password authentication should be enabled for the external system maintained. The same can be verifying in External system detail screen level.

Once these features enable, system will validate for Encrypted password as part of every request sent by the External System.

The Message ID which is present as part of the header in Request XML, is considered as hash. External System generates an unique Message ID, which is functional mandatory field in the header. Create a Message Digest with SHA-512 algorithm.

The hash created from the previous step and the password in clear text together is encrypted in AES encryption method. Apply Base64 encoding to encrypted value and send to the Oracle Banking Treasury Management gateway.

3.11 XSD Validation and Input Validation

Oracle Banking Treasury Management supports the XSD validation for all types Gateway. Each node in request xml is getting validated with the corresponding webservice XSD's.

Restriction on Script/Html tags

Oracle Banking Treasury Management Gateway has blacklist validation for unwanted tag in xml like scripting tag or html tag inside xml content particularly in the header

3.12 List of Services

FCUBSCcyService
FCUBSCoreentitiesService
FCUBSSMService
OBTRBrokerService
OBTRCFService
OBTRCoreService
OBTRDVService
OBTRETDService
OBTRFWService
OBTRFXService
OBTRIDService
OBTRIFService
OBTRISService
OBTRMCService
OBTRMMService
OBTRMSService
OBTRMWService
OBTROTService
OBTRSRService
OBTRSecuritiesService
SMSUserService

3.13 List of Interfaces

Interfaces	Description	Security Considerations
Generic Interface	This Generic Interface called 'GI', streamline the incoming / outgoing data between Oracle Banking Treasury Management system and external systems using batch mechanism (flat files).	Refer section 4. Securing Gateway
Document Management System Interface	Oracle IPM (Imaging and Process Management) is an external Document Management System with which Oracle FLEXCUBE integrates for document processes. Oracle IPM provides image scanning and business process management capabilities for enterprise applications. Oracle IPM is integrated with Oracle FLEXCUBE to support the existing Oracle FLEXCUBE DMS.	
SWIFTNet Services Integrator Messaging Hub Interface	Oracle Banking Treasury Management communicates with the SWIFT Correspondent via FC SSI MH for transfer of files. It uses the SWIFT Net protocol 'Fileact' for this dispatch. The mode of communication is folder based with XML Data Layer. The Oracle Banking Treasury Management MH adapter will handle the transfer of files from Oracle Banking Treasury Management to FC SSI MH and vice versa.	
Oracle Identity Manager Interface	The Oracle Banking Treasury Management - Oracle Identity Manager Interface helps in integrating the two systems for user provisioning and de-provisioning services. Oracle Identity Manager (OIM) automates user provisioning, identity administration, and password management. OIM manages the entire life cycle of user identities and entitlements and helps to control user access across all resources in the organization.	
OFSAA Interface	Oracle Banking Treasury Management interfaces with the Oracle Financial Services Analytical application for sending the transaction data & maintenance data. Following features provided to address the same. • Data Handoff from different tables of OBTR to OFSAA. • Providing Full or Incremental Data based on staging tables.	

Interfaces	Description	Security Considerations
	- Handling of failure data during extraction. - Batch Configuration for Data Extraction	
Interface with standalone Corporate Lending	Oracle FCUBS Interfaces with standalone corporate lending to get the loan details from OFCL system and display in corporate customer 360 degree screen. This is to show the corporate customers overall transaction details in one screen.	
Interface with Standalone Payments System	Oracle Banking Treasury Management Interfaces with standalone payment system to handoff customer, customer account, GL, transaction code and currency rates information in online and batch mode. Also sends the response to standalone payment system for currency rate look up and FX utilization	



Development Security Guide
[August] [2020]
Version 14.4.0.1.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.