

Oracle Utilities Testing Accelerator
Reference Guide for Oracle Utilities Work and
Asset Management Cloud Service

Release 20C

F35944-01

November 2020

Copyright © 2019, 2020 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface..... **i-i**

 Audience i-ii

 Related Documents i-ii

 Conventions..... i-ii

 Abbreviations i-ii

Chapter 1

Component Reference **1-1**

 Overview 1-2

 Oracle Utilities Work and Asset Management Components..... 1-2

 Oracle Utilities Operational Device Management Components..... 1-61

Appendix A

Inbound Web Services **A-1**

 Pre-requisites A-1

 List of Inbound Web Services A-1

Preface

Welcome to the Oracle Utilities Testing Accelerator Reference Guide for Oracle Utilities Work and Asset Management Cloud Service 20C.

This guide describes the Oracle Utilities Work and Asset Management 20C and Oracle Utilities Operational Device Management 20C components and the function libraries used to create those components in Oracle Utilities Testing Accelerator.

The preface includes the following sections:

- [Audience](#)
- [Related Documents](#)
- [Conventions](#)
- [Abbreviations](#)

Audience

This guide is intended for QA/Test Engineers and Automation Developers to understand the various components and libraries available for them to automate the business test flows for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management using Oracle Utilities Testing Accelerator for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management.

Related Documents

For more information, refer to the following Oracle resources.

Release Notes

- *Oracle Utilities Testing Accelerator Release Notes*

Installation and Administration Guide

- *Oracle Utilities Testing Accelerator Installation and Administration Guide*

User and Reference Guides

- *Oracle Utilities Testing Accelerator User's Guide*

See also:

- Oracle Utilities Work and Asset Management Documentation Library
- Oracle Utilities Operational Device Management Documentation Library

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Abbreviations

The following terms are used in this document:

Term	Definition
WAM	Oracle Utilities Work and Asset Management
ODM	Oracle Utilities Operational Device Management
OUTA	Oracle Utilities Testing Accelerator
OU WACS	Oracle Utilities WAM Cloud Service

Chapter 1

Component Reference

This chapter lists the Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management starter components available to create flows in Oracle Utilities Testing Accelerator for testing the Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management applications.

The chapter includes the following sections:

- [Overview](#)
- [Oracle Utilities Work and Asset Management Components](#)
- [Oracle Utilities Operational Device Management Components](#)

Overview

Oracle Utilities Testing Accelerator for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management is a test starter pack built on top of Oracle Utilities Testing Accelerator that generates test automation scripts using Oracle Utilities Testing Accelerator Workbench.

Oracle Utilities Testing Accelerator for Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management contains out-of-the-box product-specific components used to build new test flows in Oracle Utilities Testing Accelerator Workbench to test the Oracle Utilities Work and Asset Management/Oracle Utilities Operational Device Management applications. These components correspond to specific business entities, such as business objects, service scripts, or business services used for interfacing with the application. Users can use these components as available or can extend them. Users can also create new components to be used to create flows. This starter pack also contains a set of function libraries that can be used for creating custom components.

For more information about using these function libraries see [Chapter 2: Function Library Reference](#).

Consider this pack to be a starter kit which can be expanded and built upon. A few sample flows are included as an example.

For more information about creating components and flows see *Oracle Utilities Testing Accelerator User's Guide*.

Oracle Utilities Work and Asset Management Components

This section lists the starter components available in Oracle Utilities Work and Asset Management.

Pre-requisites: The Inbound Web Service using the respective business object should be available in the application.

Additional Notes: Failure while creating, reading, or updating the component is logged to the test execution report, facilitating debugging/analysis of the problem.

The components are categorized under the following functional areas:

- [Administration Data](#)
- [Asset Management](#)
- [General](#)
- [Inventory Management](#)
- [Purchasing](#)
- [Work Management](#)
- [Integration](#)
- [Construction Work Management](#)

Administration Data

Component	Description
W1-AccountingCalendar	<p>Used to create, update, read, or delete AccountingCalendar in the WAM application.</p> <p>This component calls the W1-AccountingCalendar business object using the Inbound Web Service.</p>
W1-ActivityCompletionEventType	<p>Used to create, update, read, or delete ActivityCompletionEventType in the WAM application.</p> <p>This component calls the W1-ActivityCompletionEventType business object using the Inbound Web Service.</p>
W1- AssetCompletionEventType	<p>Used to create, update, read, or delete AssetCompletionEventType in the WAM application.</p> <p>This component calls the W1-POLineIntegration business object using the Inbound Web Service.</p>
W1- AssetDposCmpEvtType	<p>Used to create, update, read, or delete AssetDposCmpEvtType in the WAM application.</p> <p>This component calls the W1-AssetDposCmpEvtType business object using the Inbound Web Service.</p>
W1- AssetLocationType	<p>Used to create, update, read, or delete AssetLocationType in the WAM application.</p> <p>This component calls the W1- AssetLocationType business object using the Inbound Web Service.</p>
W1- AssetType	<p>Used to create, update, read, or delete AssetType in the WAM application.</p> <p>This component calls the W1-AssetType business object using the Inbound Web Service.</p>
W1- ComponentType	<p>Used to create, update, read, or delete ComponentType in the WAM application.</p> <p>This component calls the W1-ComponentType business object using the Inbound Web Service.</p>
W1- DataAreaCmpEvtType	<p>Used to create, update, read, or delete DataAreaCmpEvtType in the WAM application.</p> <p>This component calls the W1-DataAreaCmpEvtType business object using the Inbound Web Service.</p>

Component	Description
W1- GeneralCompletionEventType	<p>Used to create, update, read, or delete GeneralCompletionEventType in the WAM application.</p> <p>This component calls the W1-GeneralCompletionEventType business object using the Inbound Web Service.</p>
W1-OrganizationType	<p>Used to create, update, read, or delete OrganizationType in the WAM application.</p> <p>This component calls the W1-OrganizationType business object using the Inbound Web Service.</p>
W1- ReplicationComplEventType	<p>Used to create, update, read, or delete ReplicationComplEventType in the WAM application.</p> <p>This component calls the W1-ReplicationComplEventType business object using the Inbound Web Service.</p>
W1-AmtBasedAppvlProf	<p>Used to create, update, read, or delete AmtBasedAppvlProf in the WAM application.</p> <p>This component calls the W1-AmtBasedAppvlProf business object using the Inbound Web Service.</p>
W1-AssessmentClass	<p>Used to create, update, read, or delete AssessmentClass in the WAM application.</p> <p>This component calls the W1-AssessmentClass business object using the Inbound Web Service.</p>
W1-AssessmentGroup	<p>Used to create, update, read, or delete AssessmentGroup in the WAM application.</p> <p>This component calls the W1-AssessmentGroup business object using the Inbound Web Service.</p>
W1-AssetDposCmpEvtType	<p>Used to create, update, read, or delete AssetDposCmpEvtType in the WAM application.</p> <p>This component calls the W1-AssetDposCmpEvtType business object using the Inbound Web Service.</p>
W1-AssetTypeAverageCost	<p>Used to create, update, read, or delete AssetTypeAverageCost in the WAM application.</p> <p>This component calls the W1-AssetTypeAverageCost business object using the Inbound Web Service.</p>

Component	Description
W1-BillableRate	<p>Used to create, update, read, or delete BillableRate in the WAM application.</p> <p>This component calls the W1-BillableRate business object using the Inbound Web Service.</p>
W1-BusinessUnit	<p>Used to create, update, read, or delete BusinessUnit in the WAM application.</p> <p>This component calls the W1-BusinessUnit business object using the Inbound Web Service.</p>
W1-Buyer	<p>Used to create, update, read, or delete Buyer in the WAM application.</p> <p>This component calls the W1-Buyer business object using the Inbound Web Service.</p>
W1-CalendarAnniversary	<p>Used to create, update, read, or delete CalendarAnniversary in the WAM application.</p> <p>This component calls the W1-CalendarAnniversary business object using the Inbound Web Service.</p>
W1-CalendarInterval	<p>Used to create, update, read, or delete CalendarInterval in the WAM application.</p> <p>This component calls the W1-CalendarInterval business object using the Inbound Web Service.</p>
W1-CapabilityType	<p>Used to create, update, read, or delete CapabilityType in the WAM application.</p> <p>This component calls the W1-CapabilityType business object using the Inbound Web Service.</p>
W1-Circle	<p>Used to create, update, read, or delete Circle in the WAM application.</p> <p>This component calls the W1-Circle business object using the Inbound Web Service.</p>
W1-Color	<p>Used to create, update, read, or delete Color in the WAM application.</p> <p>This component calls the W1-Color business object using the Inbound Web Service.</p>
W1-CommodityCategory	<p>Used to create, update, read, or delete CommodityCategory in the WAM application.</p> <p>This component calls the W1-CommodityCategory business object using the Inbound Web Service.</p>

Component	Description
W1-CommodityName	<p>Used to create, update, read, or delete CommodityName in the WAM application.</p> <p>This component calls the W1-CommodityName business object using the Inbound Web Service.</p>
W1-CommodityType	<p>Used to create, update, read, or delete CommodityType in the WAM application.</p> <p>This component calls the W1-CommodityType business object using the Inbound Web Service.</p>
W1-ComponentTypeAverageCost	<p>Used to create, update, read, or delete ComponentTypeAverageCost the in WAM application.</p> <p>This component calls the W1-ComponentTypeAverageCost business object using the Inbound Web Service.</p>
W1-ContactType	<p>Used to create, update, read, or delete ContactType in the WAM application.</p> <p>This component calls the W1-ContactType business object using the Inbound Web Service.</p>
W1-CostCategory	<p>Used to create, update, read, or delete CostCategory in the WAM application.</p> <p>This component calls the W1-CostCategory business object using the Inbound Web Service.</p>
W1-CostCenter	<p>Used to create, update, read, or delete CostCenter in the WAM application.</p> <p>This component calls the W1-CostCenter business object Inbound Web Service.</p>
W1-Course	<p>Used to create, update, read, or delete Course in the WAM application.</p> <p>This component calls the W1-Course business object using the Inbound Web Service.</p>
W1-CrewType	<p>Used to create, update, read, or delete CrewType in the WAM application.</p> <p>This component calls the W1-CrewType business object using the Inbound Web Service.</p>
W1-DailyScheduleType	<p>Used to create, update, read, or delete DailyScheduleType in the WAM application.</p> <p>This component calls the W1-DailyScheduleType business object using the Inbound Web Service.</p>

Component	Description
W1-DistributionCode	<p>Used to create, update, read, or delete DistributionCode in the WAM application.</p> <p>This component calls the W1-DistributionCode business object using the Inbound Web Service.</p>
W1-DocActType	<p>Used to create, update, read, or delete DocActType in the WAM application.</p> <p>This component calls the W1-DocActType business object using the Inbound Web Service.</p>
W1-DocCmplEvtType	<p>Used to create, update, read, or delete DocCmplEvtType in the WAM application.</p> <p>This component calls the W1-DocCmplEvtType business object using the Inbound Web Service.</p>
W1-DocumentType	<p>Used to create, update, read, or delete DocumentType in the WAM application.</p> <p>This component calls the W1-DocumentType business object using the Inbound Web Service.</p>
W1-EmployeeType	<p>Used to create, update, read, or delete EmployeeType in the WAM application.</p> <p>This component calls the W1-EmployeeType business object using the Inbound Web Service.</p>
W1-Equipment	<p>Used to create, update, read, or delete Equipment in the WAM application.</p> <p>This component calls the W1-Equipment business object using the Inbound Web Service.</p>
W1-ExpenseCode	<p>Used to create, update, read, or delete ExpenseCode in the WAM application.</p> <p>This component calls the W1-ExpenseCode business object using the Inbound Web Service.</p>
W1-Factor	<p>Used to create, update, read, or delete Factor in the WAM application.</p> <p>This component calls the W1-Factor business object using the Inbound Web Service.</p>
W1-FactorValue	<p>Used to create, update, read, or delete FactorValue in the WAM application.</p> <p>This component calls the W1-FactorValue business object using the Inbound Web Service.</p>

Component	Description
W1-FailureComponent	<p>Used to create, update, read, or delete FailureComponent in the WAM application.</p> <p>This component calls the W1-FailureComponent business object using the Inbound Web Service.</p>
W1-FailureMode	<p>Used to create, update, read, or delete FailureMode in the WAM application.</p> <p>This component calls the W1-FailureMode business object using the Inbound Web Service.</p>
W1-FailureProfile	<p>Used to create, update, read, or delete FailureProfile in the WAM application.</p> <p>This component calls the W1-FailureProfile business object using the Inbound Web Service.</p>
W1-FailureProfileFailureComp	<p>Used to create, update, read, or delete FailureProfileFailureComp in the WAM application.</p> <p>This component calls the W1-FailureProfileFailureComp business object using the Inbound Web Service.</p>
W1-FailureProfileFailureMode	<p>Used to create, update, read, or delete FailureProfileFailureMode in the WAM application.</p> <p>This component calls the W1-FailureProfileFailureMode business object using the Inbound Web Service.</p>
W1-FailureProfileFailureRepair	<p>Used to create, update, read, or delete FailureProfileFailureRepair in the WAM application.</p> <p>This component calls the W1-FailureProfileFailureRepair business object using the Inbound Web Service.</p>
W1-FailureProfileFailureType	<p>This component can be used to create/update/read/delete FailureProfileFailureType in WAM application.</p> <p>This component calls the business object W1-FailureProfileFailureType using the Inbound Web Service.</p>
W1-FailureRepair	<p>Used to create, update, read, or delete FailureRepair in the WAM application.</p> <p>This component calls the W1-FailureRepair business object using the Inbound Web Service.</p>

Component	Description
W1-FailureType	<p>Used to create, update, read, or delete FailureType in the WAM application.</p> <p>This component calls the W1-FailureType business object using the Inbound Web Service.</p>
W1-FinancialMasterConfig	<p>Used to create, update, read, or delete FinancialMasterConfig in the WAM application.</p> <p>This component calls the W1-FinancialMasterConfig business object using the Inbound Web Service.</p>
W1-Fob	<p>Used to create, update, read, or delete Fob in the WAM application.</p> <p>This component calls the W1-Fob business object using the Inbound Web Service.</p>
W1-Function	<p>Used to create, update, read, or delete Function in the WAM application.</p> <p>This component calls the W1-Function business object using the Inbound Web Service.</p>
W1-FunctionType	<p>Used to create, update, read, or delete FunctionType in the WAM application.</p> <p>This component calls the W1-FunctionType business object using the Inbound Web Service.</p>
W1-GaugeReadWithThresholdMeasType	<p>Used to create, update, read, or delete GaugeReadWithThresholdMeasType in the WAM application.</p> <p>This component calls the W1-GaugeReadWithThresholdMeasType business object using the Inbound Web Service.</p>
W1-GeneralAssetLocationType	<p>This component can be used to create/update/read/delete GeneralAssetLocationType in WAM application. This component calls the business object Inbound Web Service.</p>
W1-GeneralCompletionEventType	<p>Used to create, update, read, or delete GeneralCompletionEventType in the WAM application.</p> <p>This component calls the W1-GeneralCompletionEventType business object using the Inbound Web Service.</p>

Component	Description
W1-InventoryMgmtMasterConfig	<p>Used to create, update, read, or delete InventoryMgmtMasterConfig in the WAM application.</p> <p>This component calls the W1-InventoryMgmtMasterConfig business object using the Inbound Web Service.</p>
W1-LaborEarningType	<p>Used to create, update, read, or delete LaborEarningType in the WAM application.</p> <p>This component calls the W1-LaborEarningType business object using the Inbound Web Service.</p>
W1-LeaveType	<p>Used to create, update, read, or delete LeaveType in the WAM application.</p> <p>This component calls the W1-LeaveType business object using the Inbound Web Service.</p>
W1-Line	<p>Used to create, update, read, or delete Line in the WAM application.</p> <p>This component calls the W1-Line business object using the Inbound Web Service.</p>
W1-LinearAssetLocationType	<p>Used to create, update, read, or delete LinearAssetLocationType in the WAM application.</p> <p>This component calls the W1-LinearAssetLocationType business object using the Inbound Web Service.</p>
W1-MeasurementUOM	<p>Used to create, update, read, or delete MeasurementUOM in the WAM application.</p> <p>This component calls the W1-MeasurementUOM business object using the Inbound Web Service.</p>
W1-MeterReadWithRollOverMeasType	<p>Used to create, update, read, or delete MeterReadWithRollOverMeasType in the WAM application.</p> <p>This component calls the W1-MeterReadWithRollOverMeasType business object using the Inbound Web Service.</p>
W1-MsrtQuickEntryCmplEvtTyp	<p>Used to create, update, read, or delete MsrtQuickEntryCmplEvtTyp in the WAM application.</p> <p>This component calls the W1-MsrtQuickEntryCmplEvtTyp business object using the Inbound Web Service.</p>

Component	Description
W1-MTBFMTTRBuckets	<p>Used to create, update, read, or delete MTBFMTTRBuckets in the WAM application.</p> <p>This component calls the W1-MTBFMTTRBuckets business object using the Inbound Web Service.</p>
W1-NoAppvlRequiredProf	<p>Used to create, update, read, or delete NoAppvlRequiredProf in the WAM application.</p> <p>This component calls the W1-NoAppvlRequiredProf business object using the Inbound Web Service.</p>
W1-NonAmtBasedAppvlProf	<p>Used to create, update, read, or delete NonAmtBasedAppvlProf in the WAM application.</p> <p>This component calls the W1-NonAmtBasedAppvlProf business object using the Inbound Web Service.</p>
W1-NumericGauge	<p>Used to create, update, read, or delete NumericGauge in the WAM application.</p> <p>This component calls the W1-NumericGauge business object using the Inbound Web Service.</p>
W1-NumericMeter	<p>Used to create, update, read, or delete NumericMeter in the WAM application.</p> <p>This component calls the W1-NumericMeter business object using the Inbound Web Service.</p>
W1-OrganizationType	<p>Used to create, update, read, or delete OrganizationType in the WAM application.</p> <p>This component calls the W1-OrganizationType business object using the Inbound Web Service.</p>
W1-OutboundActivityType	<p>Used to create, update, read, or delete OutboundActivityType in the WAM application.</p> <p>This component calls the W1-OutboundActivityType business object using the Inbound Web Service.</p>
W1-Planner	<p>Used to create, update, or delete Planner in the WAM application.</p> <p>This component calls W1-Planner business object using the Inbound Web Service ATW1Planner.</p>
W1-OvertimeType	<p>Used to create, update, read, or delete OvertimeType in the WAM application.</p> <p>This component calls the W1-OvertimeType business object using the Inbound Web Service.</p>

Component	Description
W1-PaymentTerm	<p>Used to create, update, read, or delete PaymentTerm in the WAM application.</p> <p>This component calls the W1-PaymentTerm business object using the Inbound Web Service.</p>
W1-PersonWAM	<p>Used to create, update, read, or delete PersonWAM in the WAM application.</p> <p>This component calls the W1-PersonWAM business object using the Inbound Web Service.</p>
W1-PlantAssetLocationType	<p>Used to create, update, read, or delete PlantAssetLocationType in the WAM application.</p> <p>This component calls the W1-PlantAssetLocationType business object using the Inbound Web Service.</p>
W1-ProjectCategory	<p>Used to create, update, read, or delete ProjectCategory in the WAM application.</p> <p>This component calls the W1-ProjectCategory business object using the Inbound Web Service.</p>
W1-PurchaseCommodity	<p>Used to create, update, read, or delete PurchaseCommodity in the WAM application.</p> <p>This component calls the W1-PurchaseCommodity business object using the Inbound Web Service.</p>
W1-PurchasingMasterConfig	<p>Used to create, update, read, or delete PurchasingMasterConfig in the WAM application.</p> <p>This component calls the W1-PurchasingMasterConfig business object using the Inbound Web Service.</p>
W1-Question	<p>Used to create, update, read, or delete Question in the WAM application.</p> <p>This component calls the W1-Question business object using the Inbound Web Service.</p>
W1-ReadLogEntry	<p>Used to read ReadLogEntry in the WAM application.</p> <p>This component uses the W1-ReadLogEntry business Service using the Inbound Web Service.</p>
W1-ReadWithNoEvaluateMeasType	<p>Used to create, update, read, or delete ReadWithNoEvaluateMeasType in the WAM application.</p> <p>This component calls the W1-ReadWithNoEvaluateMeasType business object using the Inbound Web Service.</p>

Component	Description
W1-ResourceUOM	<p>Used to create, update, read, or delete ResourceUOM in the WAM application.</p> <p>This component calls the W1-ResourceUOM business object using the Inbound Web Service.</p>
W1-ScheduledActivityType	<p>Used to create, update, read, or delete ScheduledActivityType in the WAM application.</p> <p>This component calls the W1-ScheduledActivityType business object using the Inbound Web Service.</p>
W1-ScheduledActivityTypeWAM	<p>Used to create, update, read, or delete ScheduledActivityTypeWAM in the WAM application.</p> <p>This component calls the W1-ScheduledActivityTypeWAM business object using the Inbound Web Service.</p>
W1-SchedulePlanType	<p>Used to create, update, read, or delete SchedulePlanType in the WAM application.</p> <p>This component calls the W1-SchedulePlanType business object using the Inbound Web Service.</p>
W1-ServHistFromActTypeCmplEvntType	<p>Used to create, update, read, or delete ServHistFromActTypeCmplEvntType in the WAM application.</p> <p>This component calls the W1-ServHistFromActTypeCmplEvntType business object using the Inbound Web Service.</p>
W1-ServiceArea	<p>Used to create, update, read, or delete ServiceArea in the WAM application.</p> <p>This component calls the W1-ServiceArea business object using the Inbound Web Service.</p>
W1-ServiceClass	<p>Used to create, update, read, or delete ServiceClass in the WAM application.</p> <p>This component calls the W1-ServiceClass business object using the Inbound Web Service.</p>
W1-ShiftPlanTemplate	<p>Used to create, update, or delete Shift Plan Template in the WAM application.</p> <p>This component calls the business object W1-ShiftPlanTemplate using the Inbound Web Service.</p>
W1-ServiceHistoryType	<p>Used to create, update, read, or delete ServiceHistoryType in the WAM application.</p> <p>This component calls the W1-ServiceHistoryType business object using the Inbound Web Service.</p>

Component	Description
W1-ServiceHistTypeCmpEvtType	<p>Used to create, update, read, or delete ServiceHistTypeCmpEvtType in the WAM application.</p> <p>This component calls the W1-ServiceHistTypeCmpEvtType business object using the Inbound Web Service.</p>
W1-StorageLocationType	<p>Used to create, update, read, or delete StorageLocationType in the WAM application.</p> <p>This component calls the W1-StorageLocationType business object using the Inbound Web Service.</p>
W1-TaxRateSchedule	<p>Used to create, update, read, or delete TaxRateSchedule in the WAM application.</p> <p>This component calls the W1-TaxRateSchedule business object using the Inbound Web Service.</p>
W1-TimePeriod	<p>Used to create, update, read, or delete TimePeriod in the WAM application.</p> <p>This component calls the W1-TimePeriod business object using the Inbound Web Service.</p>
W1-WorkCalendar	<p>Used to create, update, read, or delete WorkCalendar in the WAM application.</p> <p>This component calls the W1-WorkCalendar business object using the Inbound Web Service.</p>
W1-WorkManagementMasterConfig	<p>Used to create, update, read, or delete WorkManagementMasterConfig in the WAM application.</p> <p>This component calls the W1-WorkManagementMasterConfig business object using the Inbound Web Service.</p>
W1-WorkPriorityBuckets	<p>Used to create, update, read, or delete WorkPriorityBuckets in the WAM application.</p> <p>This component calls the W1-WorkPriorityBuckets business object using the Inbound Web Service.</p>
W1-WorkReqCompletionEventType	<p>Used to create, update, read, or delete WorkReqCompletionEventType in the WAM application.</p> <p>This component calls the W1-WorkReqCompletionEventType business object using the Inbound Web Service.</p>

Component	Description
W1-WAssetInstallAgeBuckets	<p>Used to create, update, read, or delete WAssetInstallAgeBuckets in the WAM application.</p> <p>This component calls the W1-WAssetInstallAgeBuckets business object using the Inbound Web Service.</p>
W1-WAssetAgeBuckets	<p>Used to create, update, read, or delete WAssetAgeBuckets in the WAM application.</p> <p>This component calls the W1-WAssetAgeBuckets business object using the Inbound Web Service.</p>
W1-WAMBIExtractParameters	<p>Used to create, update, read, or delete WAMBIExtractParameters in the WAM application.</p> <p>This component calls the W1-WAMBIExtractParameters business object using the Inbound Web Service.</p>
W1-QuestionnaireSvcHistType	<p>Used to create, update, read, or delete QuestionnaireSvcHistType in the WAM application.</p> <p>This component calls the W1-QuestionnaireSvcHistType business object using the Inbound Web Service.</p>
W1-NumberOfCyclesOverdueBucket	<p>Used to create, update, read, or delete NumberOfCyclesOverdueBucket in the WAM application.</p> <p>This component calls the W1-NumberOfCyclesOverdueBucket business object using the Inbound Web Service.</p>
W1-AssetCriticalityBuckets	<p>Used to create, update, read, or delete AssetCriticalityBuckets in the WAM application.</p> <p>This component calls the W1-AssetCriticalityBuckets business object using the Inbound Web Service.</p>
W1-AssetConditionScoreBuckets	<p>Used to create, update, read, or delete AssetConditionScoreBuckets in the WAM application.</p> <p>This component calls the W1-AssetConditionScoreBuckets business object using the Inbound Web Service.</p>

Component	Description
W1-GeneralCompletionEventType	<p>Used to create, update, read, or delete GeneralCompletionEventType in the WAM application.</p> <p>This component calls the W1-GeneralCompletionEventType business object using the Inbound Web Service.</p>
W1- ResourceMgmtMasterConfig	<p>Used to create, update, read, or delete ResourceMgmtMasterConfig in the WAM application.</p> <p>This component calls the W1-ResourceMgmtMasterConfig business object using the Inbound Web Service.</p>
W1-NUMGAUGESQL	<p>Used to read/retrieve an Asset ID using Measurement ID.</p> <p>This component calls the CM-NUMGAUGE business service using the ATW1NUMGAUGESQL Inbound Web Service.</p>
W1-NUMMETERSQL	<p>Used to read/retrieve Measurement ID by using Measurement Type and Asset ID.</p> <p>This component calls the CM- NUMMETER business service using the ATW1NUMMETERSQL Inbound Web Service.</p>
W1-SVCHSTWAMSQL	<p>Used to read/retrieve Service History ID using Act ID.</p> <p>This component calls the CM-SVCHSTWAM business service using the ATW1SVCHSTWAMSQL Inbound Web Service.</p>
W1-NUMGAUGESQL	<p>Used to read/retrieve an Asset ID using Measurement ID.</p> <p>This component calls the CM-NUMGAUGE business service using the ATW1NUMGAUGESQL Inbound Web Service.</p>
W2-SmartMeterConfiguration	<p>Used to create, update, read, or delete SmartMeterConfiguration in the WAM application.</p> <p>This component calls the W2-SmartMeterConfiguration business object using the Inbound Web Service.</p>
W2-SiteLocation	<p>Used to create, update, read, or delete SiteLocation in the WAM Application.</p> <p>This component calls the W2-SiteLocation business object using the Inbound Web Service.</p>

Component	Description
W2-ServicePointInstruction	<p>Used to create, update, read, or delete ServicePointInstruction in the WAM application.</p> <p>This component calls the W2-ServicePointInstruction business object using the Inbound Web Service.</p>
W2-ManualMeterConfiguration	<p>Used to create, update, read, or delete ManualMeterConfiguration in the WAM application.</p> <p>This component calls the W2-ManualMeterConfiguration business object using the Inbound Web Service.</p>
W2-CommunicationComponentCfg	<p>Used to create, update, read, or delete CommunicationComponentCfg in the WAM application.</p> <p>This component calls the W2-CommunicationComponentCfg business object using the Inbound Web Service.</p>
W1-WAMToGISSyncMapping	<p>Used to create, update, read, or delete WAMToGISSyncMapping in the WAM application.</p> <p>This component calls the W1-WAMToGISSyncMapping business object using the Inbound Web Service.</p>
W1-SOMActivityType	<p>Used to create, update, read, or delete SOMActivityType in the WAM Application</p> <p>This component calls the W1-SOMActivityType business object using the Inbound Web Service.</p>
W1- PlannerWOSummary	<p>Used to create, update, read, or delete PlannerWOSummary in the WAM application.</p> <p>This component calls the W1-PlannerWOSummary business object using the Inbound Web Service.</p>
W1- AdjustmentType	<p>Used to create, update, read, or delete AdjustmentType in the WAM application.</p> <p>This component calls the W1-AdjustmentType business object using the Inbound Web Service.</p>
W1- BatchLoaderRequestType	<p>Used to create, update, read, or delete BatchLoaderRequestType in the WAM application.</p> <p>This component calls the W1-BatchLoaderRequestType business object using the Inbound Web Service.</p>

Component	Description
W1- ChangeRequestType	<p>Used to create, update, read, or delete ChangeRequestType in the WAM application.</p> <p>This component calls the W1- ChangeRequestType business object using the ATW1ChangeRequestType Inbound Web Service.</p>
W1- ChangeRequestRelatedObject	<p>Used to create, update, read, or delete ChangeRequestRelatedObject in the WAM application.</p> <p>This component calls the W1- ChangeRequestRelatedObject business object using the ATW1 ChangeRequestRelatedObject Inbound Web Service.</p>
W1-AccessGroupTables	<p>Used to create, update, read, or delete AccessGroupTables in the WAM application.</p> <p>This component calls the W1-AccessGroupTables business object using the ATW1AccessGroupTables Inbound Web Service.</p>
W1-AssetDisposition	<p>Used to create, update, read, or delete AssetDisposition in the WAM application.</p> <p>This component calls the W1- AssetDisposition business object using the ATW1AssetDisposition Inbound Web Service.</p>
W1-ERPIntegrationMasterConfig	<p>Used to create, update, read, or delete ERPIntegrationMasterConfig in the WAM application.</p> <p>This component calls the W1- ERPIntegrationMasterConfig business object using the ATW1ERPIntegrationMasterConfig Inbound Web Service.</p>
W1-HCMIntegrationMasterConfig	<p>Used to create, update, read, or delete HCMIntegrationMasterConfig in the WAM application.</p> <p>This component calls the W1- HCMIntegrationMasterConfig business object using the ATW1HCMIntegrationMasterConfigInbound Web Service.</p>
W1-TimShtQuickEntryCmplEvtType	<p>Used to create, update, read, or delete Time Sheet Quick Entry Completion Event Types in the WAM application.</p> <p>This component calls the W1- TimShtQuickEntryCmplEvtType business object using the ATW1TimShtQuickEntryCmplEvtType Inbound Web Service.</p>

Component	Description
W1-InspectionTypeDeficiency	<p>Used to create, update, read, or delete InspectionTypeDeficiency in the WAM application.</p> <p>This component calls the W1-InspectionTypeDeficiency business object using the ATW1InspectionTypeDeficiency Inbound Web Service.</p>
W1-InspectionTypePercentOfNew	<p>Used to create, update, read, or delete InspectionTypePercentOfNew in the WAM application.</p> <p>This component calls the W1-InspectionTypePercentOfNew business object using the ATW1InspectionTypePercentOfNew Inbound Web Service.</p>
W1-ResetAssetConditionRatinSHT	<p>Used to create, update, read, or delete ResetAssetConditionRatinSHT in the WAM application.</p> <p>This component calls the W1-ResetAssetConditionRatinSHT business object using the ATW1ResetAssetConditionRatinSHT Inbound Web Service.</p>
W1- ItemConfiguration	<p>Used to create, update, read, or delete ItemConfiguration in the WAM application.</p> <p>This component calls the W1-ItemConfiguration business object using the ATW1ItemConfiguration Inbound Web Service.</p>
W1-Timekeeper	<p>Used to create, update, read, or delete Timekeeper in the WAM application.</p> <p>This component calls the W1-Timekeeper business object using the ATW1Timekeeper Inbound Web Service.</p>

Asset Management

Component	Description
W1-CalendarWarranty	<p>Used to create, update, read, or delete CalendarWarranty in the WAM application.</p> <p>This component calls the W1-CalendarWarranty business object using the Inbound Web Service.</p>

Component	Description
W1-CalendarWarrantyTerm	<p>Used to create, update, read, or delete CalendarWarrantyTerm in the WAM application.</p> <p>This component calls the W1-CalendarWarrantyTerm business object using the Inbound Web Service.</p>
W2-CommunicationComponent	<p>Used to create, update, read, or delete CommunicationComponent in the WAM application.</p> <p>This component calls the W2-CommunicationComponent business object using the Inbound Web Service.</p>
W2-CommunicationRelay	<p>Used to create, update, read, or delete CommunicationRelay in the WAM application.</p> <p>This component calls the W2-CommunicationRelay business object using the Inbound Web Service.</p>
W2-ServicePoint	<p>Used to create, update, read, or delete ServicePoint in the WAM application.</p> <p>This component calls the W2-ServicePoint business object using the Inbound Web Service.</p>
W2-SmartMeter	<p>Used to create, update, read, or delete SmartMeter in the WAM application.</p> <p>This component calls the W2-SmartMeter business object using the Inbound Web Service.</p>
W2-CommunicationComponentSpec	<p>Used to create, update, read, or delete CommunicationComponentSpec in the WAM application.</p> <p>This component calls the W2-CommunicationComponentSpec business object using the Inbound Web Service.</p>
W2-CommunicationRelaySpec	<p>Used to create, update, read, or delete CommunicationRelaySpec in the WAM application.</p> <p>This component calls the W2-CommunicationRelaySpec business object using the Inbound Web Service.</p>
W1-FailureServiceHistory	<p>Used to create, update, read, or delete FailureServiceHistory in the WAM application.</p> <p>This component calls the W1-FailureServiceHistory business object using the Inbound Web Service.</p>

Component	Description
W2-FirmwareSpecification	<p>Used to create, update, read, or delete FirmwareSpecification in the WAM application.</p> <p>This component calls the W2-FirmwareSpecification business object using the Inbound Web Service.</p>
W1-FirmwareVersion	<p>Used to create, update, read, or delete FirmwareVersion in the WAM application.</p> <p>This component calls the W1-FirmwareVersion business object using the Inbound Web Service.</p>
W1-GeneralAssetLocation	<p>Used to create, update, read, or delete GeneralAssetLocation in the WAM application.</p> <p>This component calls the W1-GeneralAssetLocation business object using the Inbound Web Service.</p>
W1-InOutOfServiceGeneralAsset	<p>Used to create, update, read, or delete InOutOfServiceGeneralAsset in the WAM application.</p> <p>This component calls the W1-InOutOfServiceGeneralAsset business object using the Inbound Web Service.</p>
W1-IOSvcGeneralComponent	<p>Used to create, update, read, or delete InOutOfServiceGeneralComponent in the WAM application.</p> <p>This component calls the W1-IOSvcGeneralComponent business object using the Inbound Web Service.</p>
W1-IOSvcFleetAsset	<p>Used to create, update, read, or delete IOSvcFleetAsset in the WAM application.</p> <p>This component calls the W1-IOSvcFleetAsset business object using the Inbound Web Service.</p>
W1-IOSvcInfrastructureAsset	<p>Used to create, update, read, or delete IOSvcInfrastructureAsset in the WAM application.</p> <p>This component calls the W1-IOSvcInfrastructureAsset business object using the Inbound Web Service.</p>
W1-IOSvcITAsset	<p>Used to create, update, read, or delete IOSvcITAsset in WAM the application.</p> <p>This component calls the W1-IOSvcITAsset business object using the Inbound Web Service.</p>

Component	Description
W1-InOutSvcAsset	<p>Used to create, update, read, or delete W1-InOutSvcAsset in WAM the application.</p> <p>This component calls the W1-InOutSvcAsset business object using the Inbound Web Service.</p>
W1-InOutSvcComponent	<p>Used to create, update, read, or delete W1-InOutSvcComponent in WAM the application.</p> <p>This component calls the W1-InOutSvcComponent business object using the Inbound Web Service.</p>
W1-AssetLocation	<p>Used to create, update, read, or delete W1-AssetLocation in WAM the application.</p> <p>This component calls the W1-AssetLocation business object using the Inbound Web Service.</p>
W1-ServiceHistory	<p>Used to create, update, read, or delete ServiceHistory in the WAM application.</p> <p>This component calls the W1-ServiceHistory business object using the Inbound Web Service.</p>
W1-ServiceHistoryWAM	<p>Used to create, update, read, or delete ServiceHistory in the WAM application.</p> <p>This component calls the W1-ServiceHistory(Deficiency/General Weighted/Percent of New)business object using the Inbound Web Service.</p>
W1-StoreroomInventoryMgmt	<p>Used to create, update, read, or delete StoreroomInventoryMgmt in the WAM application.</p> <p>This component calls the W1-StoreroomInventoryMgmt business object using the Inbound Web Service.</p>
W1-TrackedFleetSpecification	<p>Used to create, update, read, or delete TrackedFleetSpecification in the WAM application.</p> <p>This component calls the W1-TrackedFleetSpecification business object using the Inbound Web Service.</p>
W1-TrackedITSpecification	<p>Used to create, update, read, or delete TrackedITSpecification in the WAM application.</p> <p>This component calls the W1-TrackedITSpecification business object using the Inbound Web Service.</p>

Component	Description
W1-TrackedInfrastructureSpec	<p>Used to create, update, read, or delete TrackedInfrastructureSpec in the WAM application.</p> <p>This component calls the W1-TrackedInfrastructureSpec business object using the Inbound Web Service.</p>
W1-MsrmtQuickEntryCmplEvt	<p>Used to create, update, read, or delete MsrmtQuickEntryCmplEvt in the WAM application.</p> <p>This component calls the W1-MsrmtQuickEntryCmplEvt business object using the Inbound Web Service.</p>
W1-IOSvcITComponent	<p>Used to create, update, read, or delete IOSvcITComponent in the WAM application.</p> <p>This component calls the W1-IOSvcITComponent business object using the Inbound Web Service.</p>
W1-LinearAssetLocation	<p>Used to create, update, read, or delete LinearAssetLocation in the WAM application.</p> <p>This component calls the W1-LinearAssetLocation business object using the Inbound Web Service.</p>
W2-ManualMeterSpecification	<p>Used to create, update, read, or delete ManualMeterSpecification in the WAM application.</p> <p>This component calls the W2-ManualMeterSpecification business object using the Inbound Web Service.</p>
W1-Manufacturer	<p>Used to create, update, read, or delete Manufacturer in the WAM application.</p> <p>This component calls the W1-Manufacturer business object using the Inbound Web Service.</p>
W1-MsrmtQuickEntryActivity	<p>Used to create, update, read, or delete MsrmtQuickEntryActivity in the WAM application.</p> <p>This component calls the W1-MsrmtQuickEntryActivity business object using the Inbound Web Service.</p>
W1-Organization	<p>Used to create, update, read, or delete Organization in the WAM application.</p> <p>This component calls the W1-Organization business object using the Inbound Web Service.</p>

Component	Description
W1-PlantAssetLocation	<p>Used to create, update, read, or delete PlantAssetLocation in the WAM application.</p> <p>This component calls the W1-PlantAssetLocation business object using the Inbound Web Service.</p>
W1-QuestionnaireSvcHist	<p>Used to create, update, read, or delete QuestionnaireSvcHist in the WAM application.</p> <p>This component calls the W1-QuestionnaireSvcHist business object using the Inbound Web Service.</p>
W1-RuntimeAnniversary	<p>Used to create, update, read, or delete RuntimeAnniversary in the WAM application.</p> <p>This component calls the W1-RuntimeAnniversary business object using the Inbound Web Service.</p>
W1-RuntimeInterval	<p>Used to create, update, read, or delete RuntimeInterval in the WAM application.</p> <p>This component calls the W1-RuntimeInterval business object using the Inbound Web Service.</p>
W1-RuntimeWarranty	<p>Used to create, update, read, or delete RuntimeWarranty in the WAM application.</p> <p>This component calls the W1-RuntimeWarranty business object using the Inbound Web Service.</p>
W1-RuntimeWarrantyTerm	<p>Used to create, update, read, or delete RuntimeWarrantyTerm in the WAM application.</p> <p>This component calls the W1-RuntimeWarrantyTerm business object using the Inbound Web Service.</p>
W1-ServicePoint	<p>Used to create, update, read, or delete ServicePoint in the WAM application.</p> <p>This component calls the W1-ServicePoint business object using the Inbound Web Service.</p>
W2-SmartMeterSpecification	<p>Used to create, update, read, or delete SmartMeterSpecification in the WAM application.</p> <p>This component calls the W2-SmartMeterSpecification business object using the Inbound Web Service.</p>
W1-StorageLocation	<p>Used to create, update, read, or delete StorageLocation in the WAM application.</p> <p>This component calls the W1-StorageLocation business object using the Inbound Web Service.</p>

Component	Description
W1-TrackedGeneralAsset	<p>Used to create, update, read, or delete TrackedGeneralAsset in the WAM application.</p> <p>This component calls the W1-TrackedGeneralAsset business object using the Inbound Web Service.</p>
W1-TrackedGeneralComponent	<p>Used to create, update, read, or delete TrackedGeneralComponent in the WAM application.</p> <p>This component calls the W1-TrackedGeneralComponent business object using the Inbound Web Service.</p>
W1-TrackedGeneralSpecification	<p>Used to create, update, read, or delete TrackedGeneralSpecification in the WAM application.</p> <p>This component calls the W1-TrackedGeneralSpecification business object using the Inbound Web Service.</p>
W1-TrackedITAsset	<p>Used to create, update, read, or delete TrackedITAsset in the WAM application.</p> <p>This component calls the W1-TrackedITAsset business object using the Inbound Web Service.</p>
W1-TrackedITComponent	<p>Used to create, update, read, or delete TrackedITComponent in the WAM application.</p> <p>This component calls the W1-TrackedITComponent business object using the Inbound Web Service.</p>
W2-Vehicle	<p>Used to create, update, read, or delete Vehicle in the WAM application.</p> <p>This component calls the W2-Vehicle business object using the Inbound Web Service.</p>
W1-ServiceCondition	<p>Used to create, update, read, or delete ServiceCondition in the WAM Application.</p> <p>This component calls the W1-ServiceCondition business object using the ATW1ServiceCondition Inbound Web Service.</p>
W1- AssetTypePerformance	<p>Used to update or read, AssetTypePerformance in the WAM application.</p> <p>This component calls the W2-AssetTypePerformance business object using the Inbound Web Service.</p>

Component	Description
W1- AssetPerformance	<p>Used to update, read, or delete AssetPerformance in the WAM application.</p> <p>This component calls the W1- AssetPerformance business object using the ATW1 AssetPerformance Inbound Web Service.</p>
W2- ManualMeter	<p>Used to update, read, or delete ManualMeter in the WAM application.</p> <p>This component calls the W2- ManualMeter business object using the ATW2ManualMeter Inbound Web Service.</p>
W1- Specification	<p>Used to update, read, or delete Specification in the WAM application.</p> <p>This component calls the W1- Specification business object using the ATW2ManualMeter Inbound Web Service.</p>
W1- SiteLocation	<p>Used to update, read, or delete SiteLocation in the WAM application.</p> <p>This component calls the W1- SiteLocation business object using the ATW1SiteLocation Inbound Web Service.</p>
W1-ResetAssetConditionRatingSH	<p>Used to update, read, or delete ResetAssetConditionRatingServiceHistory in the WAM application.</p> <p>This component calls the W1- ResetAssetConditionRatingSH business object using the ATW1ResetAssetConditionRatingSH Inbound Web Service.</p>
W1- Item	<p>Used to update, read, or delete Item in the WAM application.</p> <p>This component calls the W1-Item business object using the ATW1Item Inbound Web Service.</p>
W1- AssetDownTime	<p>Used to update, read, or delete AssetDownTime in the WAM application.</p> <p>This component calls the W1-AssetDownTime business object using the ATW1AssetDownTime Inbound Web Service.</p>
W1-InspectionDeficiency	<p>Used to update, read, or delete InspectionDeficiency in the WAM application.</p> <p>This component calls the W1-InspectionDeficiency business object using the ATW1InspectionDeficiency Inbound Web Service.</p>

Component	Description
W1-InspectionPercentOfNew	<p>Used to update, read, or delete InspectionPercentOfNew in the WAM application.</p> <p>This component calls the W1-InspectionPercentOfNew business object using the ATW1InspectionPercentOfNew Inbound Web Service.</p>
W1- ItemSpecification	<p>Used to update, read, or delete ItemSpecification in the WAM application.</p> <p>This component calls the W1-ItemSpecification business object using the ATW1ItemSpecification Inbound Web Service.</p>
W1- ProcessType	<p>Used to update, read, or delete ProcessType in the WAM application.</p> <p>This component calls the W1- ProcessType business object using the ATW1 ProcessType Inbound Web Service.</p>
W1- MobileUpdWorkedAssetCmpEvt	<p>Used to update, read, or delete MobileUpdWorkedAssetCmpEvt in the WAM application.</p> <p>This component calls the W1-MobileUpdWorkedAssetCmpEvt business object using the ATW1MobileUpdWorkedAssetCmpEvt Inbound Web Service.</p>
W1- Process	<p>Used to update, read, or delete Process in the WAM application.</p> <p>This component calls the W1- Process business object using the ATW1Process Inbound Web Service.</p>
W1- ASTATTT	<p>Used to update, read, or delete ASTATTT in the WAM application.</p> <p>This component calls the W1- ASTATTT business Service using the ATW1ATATT Inbound Web Service.</p>
W1- ItemServicePoint	<p>Used to update, read, or delete ItemServicePoint in the WAM application.</p> <p>This component calls the W1-ItemServicePoint business Service using the ATW1ItemServicePoint Inbound Web Service.</p>

Component	Description
W1- GeneralProcess	Used to update, read, or delete GeneralProcess in the WAM application. This component calls the W1-GeneralProcess business Service using the ATW1GeneralProcess Inbound Web Service.

General

Component	Description
W1-ApprovalRequest	Used to create, update, read, or delete ApprovalRequest in the WAM application. This component calls the W1-ApprovalRequest business object using the Inbound Web Service.
W1-CreLocationDocumentCmpEvt	Used to create, update, read, or delete CreLocationDocumentCmpEvt in the WAM application. This component calls the W1-CreLocationDocumentCmpEvt business object using the Inbound Web Service.
W1-DocAttachment	Used to create, update, read, or delete DocAttachment in the WAM application. This component calls the W1-DocAttachment business object using the Inbound Web Service.
W1-CreDocumentPayCmpEvt	Used to create, update, read, or delete CreDocumentPayCmpEvt in the WAM application. This component calls the W1-CreDocumentPayCmpEvt business object using the Inbound Web Service
W1-DocUrl	Used to create, update, read, or delete DocUrl in the WAM application. This component calls the W1-DocUrl business object using the Inbound Web Service.
W1-FinancialTransaction	Used to create, update, read, or delete FinancialTransaction in the WAM application. This component calls the W1-FinancialTransaction business object using the Inbound Web Service.
W1-StandardNote	Used to create, update, read, or delete StandardNote in the WAM application. This component calls the W1-StandardNote business object using the Inbound Web Service.

Component	Description
W1-ARSQL	<p>Used to read an Approval Request ID using an External ID.</p> <p>This component calls the CM-ARSQL business service using the ATW1ARSQL Inbound Web Service.</p>
W1-FTSQL	<p>Used to read an FT ID using TimeSheet Detail ID.</p> <p>This component calls the CM-FTSQL business service using the ATW1FTSQL Inbound Web Service.</p>
W1-Fact	<p>Used to create, update, read, or delete a fact in the WAM application.</p> <p>This component calls the W1-Fact business object using the ATW1FACT Inbound Web Service.</p>
W1- OnlineLoaderReq	<p>Used to create, update, read, or delete OnlineLoaderReq in the WAM application.</p> <p>This component calls the W1- OnlineLoaderReq business object using the ATWLOnlineLoaderReq Inbound Web Service.</p>
W1- OnlineLoaderRequestType	<p>Used to create, update, read, or delete OnlineLoaderRequestType in the WAM application.</p> <p>This component calls the W1- OnlineLoaderRequestType business object using the ATW1OnlineLoaderRequestType Inbound Web Service.</p>
W1-GenericAttachmentLite	<p>Used to create, update, read, or delete GenericAttachmentLite in the WAM application.</p> <p>This component calls the W1- GenericAttachmentLite business object using the ATW1 GenericAttachmentLite Inbound Web Service.</p>
W1-Adjustment	<p>Used to create, update, read, or delete Adjustment in the WAM application.</p> <p>This component calls the W1-Adjustment business object using the ATW1Adjustment Inbound Web Service.</p>
W1-AttachmentUrl	<p>Used to create, update, read, or delete AttachmentUrl in the WAM application.</p> <p>This component calls the W1-AttachmentUrl business object using the ATW1AttachmentUrl Web Service.</p>

Inventory Management

Component	Description
W1-AcceptLineMaterial	Used to create, update, read, or delete AcceptLineMaterial in the WAM application. This component calls the W1-AcceptLineMaterial business object using the Inbound Web Service.
W1-AcceptLineCraft	Used to create, update, read, or delete AcceptLineCraft in the WAM application. This component calls the W1-AcceptLineCraft business object using the Inbound Web Service.
W1-StockTransaction	Used to create, update, read, or delete StockTransaction in the WAM application. This component calls the W1-StockTransaction business object using the Inbound Web Service.
W1-BOMGenStockItem	Used to create, update, read, or delete BOMGenStockItem in the WAM application. This component calls the W1-BOMGenStockItem business object using the Inbound Web Service.
W1-IndependentPartBOM	Used to create, update, read, or delete IndependentPartBOM in the WAM application. This component calls the W1-IndependentPartBOM business object using the Inbound Web Service.
W1-BOMGENSISQL	Used to read a BOM Part ID using Resource Type ID. This component calls the CM-BOMGENSI business service using the ATW1BOMGENSISQL Inbound Web Service.
W1-ReorderReviewSQL	Used to read/retrieve the ReviewReorder ID using Stock Item Detail ID. This component calls the CM- RRSQL business service using the ATW1RRSQL Inbound Web Service.
W1-InvAdjustInvTracked	Used to create, update, read, or delete InvAdjustInvTracked in the WAM application. This component calls the W1-InvAdjustInvTracked business object using the Inbound Web Service.
W1-InvAdjLotManaged	Used to create, update, read, or delete InvAdjLotManaged in the WAM application. This component calls the W1-InvAdjLotManaged business object using the Inbound Web Service.

Component	Description
W1-InvAdjRegularInventory	<p>Used to create, update, read, or delete InvAdjRegularInventory in the WAM application.</p> <p>This component calls the W1-InvAdjRegularInventory business object using the Inbound Web Service.</p>
W1-MaterialRequestHeader	<p>Used to create, update, read, or delete MaterialRequestHeader in the WAM application.</p> <p>This component calls the W1-MaterialRequestHeader business object using the Inbound Web Service.</p>
W1-MaterialRequestLine	<p>Used to create, update, read, or delete MaterialRequestLine in the WAM application.</p> <p>This component calls the W1-MaterialRequestLine business object using the Inbound Web Service.</p>
W1-MaterialRequestTemplate	<p>Used to create, update, read, or delete MaterialRequestTemplate in the WAM application.</p> <p>This component calls the W1-MaterialRequestTemplate business object using the Inbound Web Service.</p>
W1-MaterialReturnHeader	<p>Used to create, update, read, or delete MaterialReturnHeader in the WAM application.</p> <p>This component calls the W1-MaterialReturnHeader business object using the Inbound Web Service.</p>
W1-PhysicalInventoryCountLine	<p>Used to create, update, read, or delete PhysicalInventoryCountLine in the WAM application.</p> <p>This component calls the W1-PhysicalInventoryCountLine business object using the Inbound Web Service.</p>
W1-PhysicalInventoryCountMaster	<p>Used to create, update, read, or delete PhysicalInventoryCountMaster in the WAM application.</p> <p>This component calls the W1-PhysicalInventoryCountMaster business object using the Inbound Web Service.</p>
W1-PhysicalInventoryHeader	<p>Used to create, update, read, or delete PhysicalInventoryHeader in the WAM application.</p> <p>This component calls the W1-PhysicalInventoryHeader business object using the Inbound Web Service.</p>

Component	Description
W1-ReceiptHeader	<p>Used to create, update, read, or delete ReceiptHeader in the WAM application.</p> <p>This component calls the W1-ReceiptHeader business object using the Inbound Web Service.</p>
W1-ReceiptLine	<p>Used to create, update, read, or delete ReceiptLine in the WAM application.</p> <p>This component calls the W1-ReceiptLine business object using the Inbound Web Service.</p>
W1-ReceiptLineCraft	<p>Used to create, update, read, or delete ReceiptLineCraft in the WAM application.</p> <p>This component calls the W1-ReceiptLineCraft business object using the Inbound Web Service.</p>
W1-ReorderReview	<p>Used to create, update, read, or delete ReorderReview in the WAM application.</p> <p>This component calls the W1-ReorderReview business object using the Inbound Web Service.</p>
W1-ReturnLine	<p>Used to create, update, read, or delete ReturnLine in the WAM application.</p> <p>This component calls the W1-ReturnLine business object using the Inbound Web Service.</p>
W1-SIDDirectPurchase	<p>Used to create, update, read, or delete SIDDirectPurchase in the WAM application.</p> <p>This component calls the W1-SIDDirectPurchase business object using the Inbound Web Service.</p>
W1-SIDSpecifiDirectPurchase	<p>Used to create, update, read, or delete SIDSpecifiDirectPurchase in the WAM application.</p> <p>This component calls the W1-SIDSpecifiDirectPurchase business object using the Inbound Web Service.</p>
W1-SIDExpensedAtReceipt	<p>Used to create, update, read, or delete SIDExpensedAtReceipt in the WAM application.</p> <p>This component calls the W1-SIDExpensedAtReceipt business object using the Inbound Web Service.</p>
W1-SIDInventory	<p>Used to create, update, read, or delete SIDInventory in the WAM application.</p> <p>This component calls the W1-SIDInventory business object using the Inbound Web Service.</p>

Component	Description
W1-SIDSpecificLot	<p>Used to create, update, read, or delete SIDSpecificLot in the WAM application.</p> <p>This component calls the W1-SIDSpecificLot business object using the Inbound Web Service.</p>
W1-StockItem	<p>Used to create, update, read, or delete StockItem in the WAM application.</p> <p>This component calls the W1-StockItem business object using the Inbound Web Service.</p>
W1-StockTransferHeader	<p>Used to create, update, read, or delete StockTransferHeader in the WAM application.</p> <p>This component calls the W1-StockTransferHeader business object using the Inbound Web Service.</p>
W1-StockTransferIssueLine	<p>Used to create, update, read, or delete StockTransferIssueLine in the WAM application.</p> <p>This component calls the W1-StockTransferIssueLine business object using the Inbound Web Service.</p>
W1-StockTransferReceiptHeader	<p>Used to create, update, read, or delete StockTransferReceiptHeader in the WAM application.</p> <p>This component calls the W1-StockTransferReceiptHeader business object using the Inbound Web Service.</p>
W1-StockTransferReceiptLine	<p>Used to create, update, read, or delete StockTransferReceiptLine in the WAM application.</p> <p>This component calls the W1-StockTransferReceiptLine business object using the Inbound Web Service.</p>
W1-StockTransferRequestLine	<p>Used to create, update, read, or delete StockTransferRequestLine in the WAM application.</p> <p>This component calls the W1-StockTransferRequestLine business object using the Inbound Web Service.</p>
W1-AcceptLineSQL	<p>Used to read Acceptline from the receipt line.</p> <p>This component calls the ACPT_LINE_ID business service using the (ATW1AcceptLineSQL) Inbound Web Service.</p>

Component	Description
W1-TransferShippingMemo	<p>Used to create, update, read, or delete TransferShippingMemo in the WAM application.</p> <p>This component calls the W1-TransferShippingMemo business object using the Inbound Web Service.</p>
W1-TrackedStockShippingLine	<p>Used to create, update, read, or delete TrackedStockShippingLine in the WAM application.</p> <p>This component calls the W1-TrackedStockShippingLine Business object using the Inbound Web Service.</p>
W1-StockShippingLine	<p>Used to create, update, read, or delete StockShippingLine in the WAM application.</p> <p>This component calls the W1-StockShippingLine Business object using the Inbound Web Service.</p>
W1-TransferShippingMemo	<p>Used to create, update, read, or delete TransferShippingMemo in the WAM application.</p> <p>This component calls the W1-TransferShippingMemo business object using the Inbound Web Service.</p>
W1-ReturnShippingMemo	<p>Used to create, update, read, or delete ReturnShippingMemo in the WAM application.</p> <p>This component calls the W1-ReturnShippingMemo business object using the Inbound Web Service.</p>
W1- RepairShippingMemo	<p>Used to create, update, read, or delete RepairShippingMemo the WAM application.</p> <p>This component calls the W1-ReturnShippingMemo Business object using the Inbound Web Service.</p>
W1-LotStockShippingLine	<p>Used to create, update, read, or delete LotStockShippingLine the WAM application.</p> <p>This component calls the W1-LotStockShippingLine Business object using the Inbound Web Service.</p>
W1- MaterialIssueLine	<p>Used to create, update, read, or delete MaterialIssueLine in the WAM application.</p> <p>This component calls the W1- MaterialIssueLine Business object using the Inbound Web Service.</p>
W1- GeneralShippingMemo	<p>Used to create, update, read, or delete GeneralShippingMemo in the WAM application.</p> <p>This component calls the W1-GeneralShippingMemo Business object using the Inbound Web Service.</p>

Component	Description
W1- ShipmentDeficiencyType	Used to create, update, read, or delete ShipmentDeficiencyType in the WAM application. This component calls the W1- ShipmentDeficiencyType Business object using the Inbound Web Service.

Purchasing

Component	Description
W1-BCAccessList	Used to create, update, read, or delete BCAccessList in the WAM application. This component calls the W1-BCAccessList business object using the Inbound Web Service.
W1-BCCraftLine	Used to create, update, read, or delete BCCraftLine in the WAM application. This component calls the W1-BCCraftLine business object using the Inbound Web Service.
W1-BCEquipmentLine	Used to create, update, read, or delete BCEquipmentLine in the WAM application. This component calls the W1-BCEquipmentLine business object using the Inbound Web Service.
W1-BCHeader	Used to create, update, read, or delete BCHheader in the WAM application. This component calls the W1-BCHeader business object using the Inbound Web Service.
W1-BCHeaderIntegration	Used to create, update, read, or delete BCHeaderIntegration in the WAM application. This component calls the W1-BCHeaderIntegration business object using the Inbound Web Service.
W1-BCOtherLine	Used to create, update, read, or delete BCOtherLine in the WAM application. This component calls the W1-BCOtherLine business object using the Inbound Web Service.
W1-BCStockItemLine	Used to create, update, read, or delete BCStockItemLine in the WAM application. This component calls the W1-BCStockItemLine business object using the Inbound Web Service.

Component	Description
W1-CraftPOLine	<p>Used to create, update, read, or delete CraftPOLine in the WAM application.</p> <p>This component calls the W1-CraftPOLine business object using the Inbound Web Service.</p>
W1-EquipmentPOLine	<p>Used to create, update, read, or delete EquipmentPOLine in the WAM application.</p> <p>This component calls the W1-EquipmentPOLine business object using the Inbound Web Service.</p>
W1-EquipmentPRLine	<p>Used to create, update, read, or delete EquipmentPRLine in the WAM application.</p> <p>This component calls the W1-EquipmentPRLine business object using the Inbound Web Service.</p>
W1-Expedite	<p>Used to create, update, read, or delete Expedite in the WAM application.</p> <p>This component calls the W1-Expedite business object using the Inbound Web Service.</p>
W1-OtherResourcePOLine	<p>Used to create, update, read, or delete OtherResourcePOLine in the WAM application.</p> <p>This component calls the W1-OtherResourcePOLine business object using the Inbound Web Service.</p>
W1-POLineIntegration	<p>Used to create, update, read, or delete POLineIntegration in the WAM application.</p> <p>This component calls the W1-POLineIntegration business object using the Inbound Web Service.</p>
W1-POHeaderIntegration	<p>Used to create, update, read, or delete POHeaderIntegration in the WAM application.</p> <p>This component calls the W1-POHeaderIntegration business object using the Inbound Web Service.</p>
W1-PRCreBC	<p>Used to create, update, read, or delete PRCreBC in the WAM application.</p> <p>This component calls the W1-PRCreBC business object using the Inbound Web Service.</p>
W1-PRCrLine	<p>Used to create, update, read, or delete PRCrLine in the WAM application.</p> <p>This component calls the W1-PRCrLine business object using the Inbound Web Service.</p>

Component	Description
W1-PREqLine	<p>Used to create, update, read, or delete PREqLine in the WAM application.</p> <p>This component calls the W1- PREqLine business object using the Inbound Web Service.</p>
W1-PRHeader	<p>Used to create, update, read, or delete PRHeader in the WAM application.</p> <p>This component calls the W1-PRHeader business object using the Inbound Web Service.</p>
W1-PRORLine	<p>Used to create, update, read, or delete PRORLine in the WAM application.</p> <p>This component calls the W1-PRORLine business object using the Inbound Web Service.</p>
W1-PRSILine	<p>Used to create, update, read, or delete PRSILine in the WAM application.</p> <p>This component calls the W1-PRSILine business object using the Inbound Web Service.</p>
W1-PurchaseOrderHeader	<p>Used to create, update, read, or delete PurchaseOrderHeader in the WAM application.</p> <p>This component calls the W1-PurchaseOrderHeader business object using the Inbound Web Service.</p>
W1-StockItemPOLine	<p>Used to create, update, read, or delete StockItemPOLine in the WAM application.</p> <p>This component calls the W1-StockItemPOLine business object using the Inbound Web Service.</p>
W1-Vendor	<p>Used to create, update, read, or delete Vendor in the WAM application.</p> <p>This component calls the W1-Vendor business object using the Inbound Web Service.</p>
W1-VendorLocation	<p>Used to create, update, read, or delete VendorLocation in the WAM application.</p> <p>This component calls the W1-VendorLocation business object using the Inbound Web Service.</p>
W1-CMPOHSQL	<p>Used to read a Purchase Order ID using an External ID.</p> <p>This component calls the CM-POHSQL business service using the ATW1CMPOHSQL Inbound Web Service.</p>

Work Management

Component	Description
W1-ActivityComplInboundComm	<p>Used to create, update, read, or delete ActivityComplInboundComm in the WAM application.</p> <p>This component calls the W1-ActivityComplInboundComm business object using the Inbound Web Service.</p>
W1-ActivityEquipRequirement	<p>Used to create, update, read, or delete ActivityEquipRequirement in the WAM application.</p> <p>This component calls the W1-ActivityEquipRequirement business object using the Inbound Web Service.</p>
W1-ActivityLaborRequirement	<p>Used to create, update, read, or delete ActivityLaborRequirement in the WAM application.</p> <p>This component calls the W1-ActivityLaborRequirement business object using the Inbound Web Service.</p>
W1-ActivityMaterialRequirement	<p>Used to create, update, read, or delete ActivityMaterialRequirement in the WAM application.</p> <p>This component calls the W1-ActivityMaterialRequirement business object using the Inbound Web Service.</p>
W1-ActivityOtherRequirement	<p>Used to create, update, read, or delete ActivityOtherRequirement in the WAM application.</p> <p>This component calls the W1-ActivityOtherRequirement business object using the Inbound Web Service.</p>
W1-AdHocActivityCore	<p>Used to create, update, read, or delete AdHocActivityCore in the WAM application.</p> <p>This component calls the W1-AdHocActivityCore business object using the Inbound Web Service.</p>
W1-AssetLocationSpecificTempl	<p>Used to create, update, read, or delete AssetLocationSpecificTempl in the WAM application.</p> <p>This component calls the W1-AssetLocationSpecificTempl business object using the Inbound Web Service.</p>

Component	Description
W1-AssetLocSpecTemplWorkOrder	<p>Used to create, update, read, or delete AssetLocSpecTemplWorkOrder in the WAM application.</p> <p>This component calls the W1-AssetLocSpecTemplWorkOrder business object using the Inbound Web Service.</p>
W1-AssetLocSpecTemplateAct	<p>Used to create, update, read, or delete AssetLocSpecTemplateAct in the WAM application.</p> <p>This component calls the W1-AssetLocSpecTemplateAct business object using the Inbound Web Service.</p>
W1-AssetReplicationActivity	<p>Used to create, update, read, or delete AssetReplicationActivity in the WAM application.</p> <p>This component calls the W1-AssetReplicationActivity business object using the Inbound Web Service.</p>
W1-AssetReplicationComplEvent	<p>Used to create, update, read, or delete AssetReplicationComplEvent in the WAM application.</p> <p>This component calls the W1-AssetReplicationComplEvent business object using the Inbound Web Service.</p>
W1-CreAssetAttachCmpEvt	<p>Used to create, update, read, or delete CreAssetAttachCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetAttachCmpEvt business object using the Inbound Web Service.</p>
W1-CreAssetDocumentCmpEvt	<p>Used to create, update, read, or delete CreAssetDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetDocumentCmpEvt business object using the Inbound Web Service.</p>
W1-CreAssetPayCmpEvt	<p>Used to create, update, read, or delete CreAssetPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetPayCmpEvt business object using the Inbound Web Service.</p>

Component	Description
W1-CreNodeAttachCmpEvt	<p>Used to create, update, read, or delete CreNodeAttachCmpEvt in the WAM application.</p> <p>This component calls the W1-CreNodeAttachCmpEvt business object using the Inbound Web Service.</p>
W1-CreServiceHistoryAttCmpEvt	<p>Used to create, update, read, or delete CreServiceHistoryAttCmpEvt in the WAM application.</p> <p>This component calls the W1-CreServiceHistoryAttCmpEvt business object using the Inbound Web Service.</p>
W1-SubscriptionShiftPlanTemp	<p>Used to create, update, read, or delete SubscriptionShiftPlanTemp in the WAM application.</p> <p>This component calls the W1-SubscriptionShiftPlanTemp business object using the Inbound Web Service.</p>
W1-CommonShiftPlanTemplate	<p>Used to create, update, read, or delete CommonShiftPlanTemplate in the WAM application.</p> <p>This component calls the W1-CommonShiftPlanTemplate business object using the Inbound Web Service.</p>
W1-Craft	<p>Used to create, update, read, or delete Craft in the WAM application.</p> <p>This component calls the W1-Craft business object using the Inbound Web Service.</p>
W1-CreActivityPayCmpEvt	<p>Used to create, update, read, or delete CreActivityPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreActivityPayCmpEvt business object using the Inbound Web Service.</p>
W1-CreateActivityInboundComm	<p>Used to create, update, read, or delete CreateActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreateActivityInboundComm business object using the Inbound Web Service.</p>

Component	Description
W1-CreComActivityInboundComm	<p>Used to create, update, read, or delete CreComActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreComActivityInboundComm business object using the Inbound Web Service.</p>
W1-CreServiceHistoryPayCmpEvt	<p>Used to create, update, read, or delete CreServiceHistoryPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreServiceHistoryPayCmpEvt business object using the Inbound Web Service.</p>
W1-Crew	<p>Used to create, update, read, or delete Crew in the WAM application.</p> <p>This component calls the W1-Crew business object using the Inbound Web Service.</p>
W1-CreWorkReqDocumentCmpEvt	<p>Used to create, update, read, or delete CreWorkReqDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreWorkReqDocumentCmpEvt business object using the Inbound Web Service.</p>
W1-CreWorkRequestPayCmpEvt	<p>Used to create, update, read, or delete CreWorkRequestPayCmpEvt in the WAM application.</p> <p>This component calls the W1-CreWorkRequestPayCmpEvt business object using the Inbound Web Service.</p>
W1-CrewShiftTemplate	<p>Used to create, update, read, or delete CrewShiftTemplate in the WAM application.</p> <p>This component calls the W1-CrewShiftTemplate business object using the Inbound Web Service.</p>
W1-CrewWithCraft	<p>Used to create, update, read, or delete CrewWithCraft in the WAM application.</p> <p>This component calls the W1-CrewWithCraft business object using the Inbound Web Service.</p>
W1-CreSvcHistCmpEvt	<p>Used to create, update, read, or delete CreSvcHistCmpEvt in the WAM application.</p> <p>This component calls the W1-CreSvcHistCmpEvt business object using the Inbound Web Service.</p>

Component	Description
W1-CreAssetCmpEvt	<p>Used to create, update, read, or delete CreAssetCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetCmpEvt business object using the Inbound Web Service.</p>
W1-CreActivityCmpEvt	<p>Used to create, update, read, or delete CreActivityCmpEvt in the WAM application.</p> <p>This component calls the W1-CreActivityCmpEvt business object using the Inbound Web Service.</p>
W1- CreAssetDocumentCmpEvt	<p>Used to create, update, read, or delete CreAssetDocumentCmpEvt in the WAM application.</p> <p>This component calls the W1-CreAssetDocumentCmpEvt business object using the Inbound Web Service.</p>
W1- MeasQuckEntryActivityType	<p>Used to create, update, read, or delete MeasQuckEntryActivityType in the WAM application.</p> <p>This component calls the W1-MeasQuckEntryActivityType business object using the Inbound Web Service.</p>
W1-RCMCalendarInterval	<p>Used to create, update, read, or delete RCMCalendarInterval in the WAM application.</p> <p>This component calls the W1- RCMCalendarInterval business object using the Inbound Web Service.</p>
W1-RCMRuntimeAnniversary	<p>Used to create, update, read, or delete RCMRuntimeAnniversary in the WAM application.</p> <p>This component calls the W1-RCMRuntimeAnniversary business object using the Inbound Web Service.</p>
W1-RCMRuntimeInterval	<p>Used to create, update, read, or delete RCMRuntimeInterval in the WAM application.</p> <p>This component calls the W1- RCMRuntimeInterval business object using the Inbound Web Service.</p>
W1-DailySchedule	<p>Used to create, update, read, or delete DailySchedule in the WAM application.</p> <p>This component calls the W1-DailySchedule business object using the Inbound Web Service.</p>

Component	Description
W1-Employee	<p>Used to create, update, read, or delete Employee in the WAM application.</p> <p>This component calls the W1-Employee business object using the Inbound Web Service.</p>
W1-EquipForTemplateAct	<p>Used to create, update, read, or delete EquipForTemplateAct in the WAM application.</p> <p>This component calls the W1-EquipForTemplateAct business object using the Inbound Web Service.</p>
W1-GeneralTemplateActivity	<p>Used to create, update, read, or delete GeneralTemplateActivity in the WAM application.</p> <p>This component calls the W1-GeneralTemplateActivity business object using the Inbound Web Service.</p>
W1-GeneralTemplateWorkOrder	<p>Used to create, update, read, or delete GeneralTemplateWorkOrder in the WAM application.</p> <p>This component calls the W1-GeneralTemplateWorkOrder business object using the Inbound Web Service.</p>
W1-LaborForTemplateAct	<p>Used to create, update, read, or delete LaborForTemplateAct in the WAM application.</p> <p>This component calls the W1-LaborForTemplateAct business object using the Inbound Web Service.</p>
W1-Leave	<p>Used to create, update, read, or delete Leave in the WAM application.</p> <p>This component calls the W1-Leave business object using the Inbound Web Service.</p>
W1-LocalActivityCoreWAM	<p>Used to create, update, read, or delete LocalActivityCoreWAM in the WAM application.</p> <p>This component calls the W1-LocalActivityCoreWAM business object using the Inbound Web Service.</p>
W1-MaintenanceSchedule	<p>Used to create, update, read, or delete MaintenanceSchedule in the WAM application.</p> <p>This component calls the W1-MaintenanceSchedule business object using the Inbound Web Service.</p>
W1-ODCEquipment	<p>Used to create, update, read, or delete ODCEquipment in the WAM application.</p> <p>This component calls the W1-ODCEquipment business object using the Inbound Web Service.</p>

Component	Description
W1-OperationalReadingCmpEvt	<p>Used to create, update, read, or delete OperationalReadingCmpEvt in the WAM application.</p> <p>This component calls the W1-OperationalReadingCmpEvt business object using the Inbound Web Service.</p>
W1-Other	<p>Used to create, update, read, or delete Other in the WAM application.</p> <p>This component calls the W1-Other business object using the Inbound Web Service.</p>
W1-OtherDirectCharges	<p>Used to create, update, read, or delete OtherDirectCharges in the WAM application.</p> <p>This component calls the W1-OtherDirectCharges business object using the Inbound Web Service.</p>
W1-OtherDirectChargesOther	<p>Used to create, update, read, or delete OtherDirectChargesOther in the WAM application.</p> <p>This component calls the W1-OtherDirectChargesOther business object using the Inbound Web Service.</p>
W1-OtherForTemplateAct	<p>Used to create, update, read, or delete OtherForTemplateAct in the WAM application.</p> <p>This component calls the W1-OtherForTemplateAct business object using the Inbound Web Service.</p>
W1-Project	<p>Used to create, update, read, or delete Project in the WAM application.</p> <p>This component calls the W1-Project business object using the Inbound Web Service.</p>
W1-RCMCalendarAnniversary	<p>Used to create, update, read, or delete RCMCalendarAnniversary in the WAM application.</p> <p>This component calls the W1-RCMCalendarAnniversary business object using the Inbound Web Service.</p>
W1-RetrieveComplEvents	<p>Used to retrieve the completion events from an activity.</p> <p>This component calls the W1-RETCEVT business service using the Inbound Web Service.</p>
W1-SchedulePlan	<p>Used to create, update, read, or delete SchedulePlan in the WAM application.</p> <p>This component calls the W1-SchedulePlan business object using the Inbound Web Service.</p>

Component	Description
W1-TemplateActivityLaborReq	<p>Used to create, update, read, or delete TemplateActivityLaborReq in the WAM application.</p> <p>This component calls the W1-TemplateActivityLaborReq business object using the Inbound Web Service.</p>
W1-TempActMaterialReq	<p>Used to create, update, read, or delete TemplateActMaterialReq in the WAM application.</p> <p>This component calls the W1-TempActMaterialReq business object using the Inbound Web Service.</p>
W1-Timesheet	<p>Used to create, update, read, or delete Timesheet in the WAM application.</p> <p>This component calls the W1-Timesheet business object using the Inbound Web Service.</p>
W1-TimesheetDetail	<p>Used to create, update, read, or delete TimesheetDetail in the WAM application.</p> <p>This component calls the W1-TimesheetDetail business object using the Inbound Web Service.</p>
W1-TrnAssetCmpEvent	<p>Used to create, update, read, or delete TrnAssetCmpEvent in the WAM application.</p> <p>This component calls the W1-TrnAssetCmpEvent business object using the Inbound Web Service.</p>
W1- UpdAssetPayCmpEvt	<p>Used to create, update, read, or delete UpdAssetPayCmpEvt in the WAM application.</p> <p>This component calls the W1- UpdAssetPayCmpEvt business object using the Inbound Web Service.</p>
W1- UpdNodePayCmpEvt	<p>Used to create, update, read, or delete UpdNodePayCmpEvt in the WAM application.</p> <p>This component calls the W1-UpdNodePayCmpEvt business object using the Inbound Web Service.</p>
W1-WorkOrder	<p>Used to create, update, read, or delete WorkOrder in the WAM application.</p> <p>This component calls the W1-WorkOrder business object using the Inbound Web Service.</p>
W1-WorkRequest	<p>Used to create, update, read, or delete WorkRequest in the WAM application.</p> <p>This component calls the W1-WorkRequest business object using the Inbound Web Service.</p>

Component	Description
W1-WorkRequestComplEvt	<p>Used to create, update, read, or delete WorkRequestComplEvt in the WAM application.</p> <p>This component calls the W1-WorkRequestComplEvt business object using the Inbound Web Service.</p>
W1-RetriveAERID	<p>Used to read/retrieve Activity Equipment requirement ID from Act in the WAM application.</p> <p>This component calls the ATW1RTAERID business service using the ATW1RTAERID Inbound Web Service.</p>
W1-RetriveALRID	<p>Used to read/retrieve Activity Labor Requirement ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTALRID business service using the ATW1RTALRID Inbound Web Service.</p>
W1-RetriveAMRID	<p>Used to read/retrieve Activity Material Requirement ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTAMRID business service using the ATW1RTAMRID Inbound Web Service.</p>
W1-RetriveAORID	<p>Used to read/retrieve Activity Other Requirement ID from Activity in the WAM application.</p> <p>This component calls the ATW1RTAORID business service using the ATW1RTAORID Inbound Web Service.</p>
W1-ActivityChecklist	<p>Used to create, update, read, or delete ActivityChecklist in the WAM application.</p> <p>This component calls the W1-ActivityChecklist business object using ATW1ActivityChecklist Inbound Web Service.</p>
W1-ChecklistType	<p>Used to create, update, read, or delete W1-ChecklistType in the WAM application.</p> <p>This component calls the W1-ChecklistType business object using ATW1ChecklistType Inbound Web Service.</p>
W1-WOActivityActiveOutboundMsg	<p>Used to add/update WOActivityActive Outbound message BO in the WAM Application.</p> <p>This component calls the W1-WOActivityActiveOutboundMsg business service using the ATW1WOActivityActiveOutboundMsg Inbound WebService.</p>

Component	Description
W1-WOActivityFinalOutboundMsg	<p>Used to cancel/complete WOActivityFinalOutboundMessage BO in the WAM application.</p> <p>This component calls the W1-WOActivityFinalOutboundMsg business service using the ATW1WOActivityFinalOutboundMsg Inbound Web Service.</p>
W1-WorkCategory	<p>Used to create, update, read, or delete WorkCategory in the WAM application.</p> <p>This component calls the W1-WorkCategory business object using the ATW1WorkCategory Inbound Web Service.</p>
W1-WorkCategoryBundlingAddBO	<p>Used to create, update, read, or delete WorkCategoryBundlingAddBO in the WAM application.</p> <p>This component calls the W1-WorkCategoryBundlingAddBO business object using the Inbound Web Service.</p>
W1-WorkCategoryPhysicalBO	<p>Used to create, update, read, or delete WorkCategoryPhysicalBO in the WAM application.</p> <p>This component calls the W1-WorkCategoryPhysicalBO business object using the ATW1 WorkCategoryPhysicalBO Inbound Web Service.</p>
W1-WorkClass	<p>Used to create, update, read, or delete WorkClass in the WAM application.</p> <p>This component calls the W1-WorkClass business object using the ATW1WorkClass Inbound Web Service.</p>
W1-WorkClassBundlingAddBO	<p>Used to create, update, read, or delete WorkClassBundlingAddBO in the WAM application.</p> <p>This component calls the W1-WorkClassBundlingAddBO business object using the ATW1WorkClassBundlingAddBO Inbound Web Service.</p>
W1-WorkClassPhysicalBO	<p>Used to create, update, read, or delete WorkClassPhysicalBO in the WAM application.</p> <p>This component calls the W1-WorkClassPhysicalBO business object using ATW1WorkClassPhysicalBO Inbound Web Service.</p>

Component	Description
W1-ActivityGenerator	<p>Used to create, update, read, or delete ActivityGenerator in the WAM application.</p> <p>This component calls the W1- W1-ActivityGenerator business object using ATW1ActivityGenerator Inbound Web Service.</p>
W1-ComplianceCategory	<p>Used to create, update, read, or delete ComplianceCategory in the WAM application.</p> <p>This component calls the W1-ComplianceCategory business object using the ATW1ComplianceCategory Inbound Web Service.</p>
W1-ComplianceType	<p>Used to create, update, read, or delete ComplianceType in the WAM application.</p> <p>This component calls the W1-ComplianceType business object using ATW1ComplianceType Inbound Web Service.</p>
W1-CrAnyServiceHistoryCmplEvt	<p>Used to create, update, read, or delete W1-CrAnyServiceHistoryCmplEvt the WAM application.</p> <p>This component calls the W1-CrAnyServiceHistoryCmplEvt business object using ATW1ActivityGenerator Inbound Web Service.</p>
W1- CorrectiveComplianceType	<p>Used to create, update, read, or delete W1-CorrectiveComplianceType the WAM application.</p> <p>This component calls the W1-CorrectiveComplianceType business object using ATW1 CorrectiveComplianceType Inbound Web Service.</p>
W1- ServiceCode	<p>Used to create, update, read, or delete ServiceCode in the WAM application.</p> <p>This component calls the W1- ServiceCode business object using ATW1 ServiceCode Inbound Web Service.</p>
W1- ServiceCallCategory	<p>Used to create, update, read, or delete W1-ServiceCallCategory the WAM application.</p> <p>This component calls the W1- ServiceCallCategory business object using ATW1 ServiceCallCategory Inbound Web Service.</p>

Component	Description
W1- ServiceCall	<p>Used to create, update, read, or delete W1-ServiceCall the WAM application.</p> <p>This component calls the W1-serviceCall business object using ATW1ServiceCall Inbound Web Service.</p>
W1- Communication	<p>Used to create, update, read, or delete W1-Communication the WAM application.</p> <p>This component calls the W1-Communication business object using ATW1Communication 1 Inbound Web Service.</p>
W1-ProjectActOutboundSyncReq	<p>Used to update or read delete W1-ProjectActOutboundSyncReq the WAM application.</p> <p>This component calls the W1-ProjectActOutboundSyncReq business object using ATW1 ProjectActOutboundSyncReq Inbound Web Service.</p>
W1- ProjectActOutboundMsg	<p>Used to update or read, W1-ProjectActOutboundMsg in the WAM application.</p> <p>This component calls the W1-ProjectActOutboundMsg object using ATW1 ProjectActOutboundMsg Inbound Web Service.</p>
W1- ProjectActOutboundMsg	<p>Used to create, update, read, or delete W1-ProjectActOutboundMsg the WAM application.</p> <p>This component calls the W1-ProjectActOutboundMsg business object using ATW1 ProjectActOutboundMsg Inbound Web Service.</p>
W1-SOMActivity	<p>Used to create, update, read, or delete W1-SOMActivity the WAM application.</p> <p>This component calls the W1-SOMActivity business object using ATW1SOMActivity Inbound Web Service.</p>
W1- ReplaceAssetOutbound	<p>Used to create, update, read, or delete W1-ReplaceAssetOutbound the WAM application.</p> <p>This component calls the W1-ReplaceAssetOutbound business object using ATW1ReplaceAssetOutbound Inbound Web Service.</p>

Component	Description
W1-ReplaceAssetLocal	<p>Used to create, update, read, or delete W1-ReplaceAssetLocalthe WAM application.</p> <p>This component calls the W1-ReplaceAssetLocalbusiness object using ATW1ReplaceAssetLocal Inbound Web Service.</p>
W1- Document	<p>Used to create, update, read, or delete W1-Document in the WAM application.</p> <p>This component calls the W1- Document business object using ATW1Document Inbound Web Service.</p>
W1- CrewWOSummary	<p>Used to create, update, read, or delete W1-CrewWOSummary in the WAM application.</p> <p>This component calls the W1- CrewWOSummary business object using ATW1 CrewWOSummary Inbound Web Service.</p>
W1- BatchLoaderRequest	<p>Used to create, update, read, or delete W1-BatchLoaderRequest in the WAM application.</p> <p>This component calls the W1- BatchLoaderRequest business object using ATW1BatchLoaderRequest Inbound Web Service.</p>
W1- ChangeRequest	<p>Used to create, update, read, or delete W1-ChangeRequest in the WAM application.</p> <p>This component calls the W1- ChangeRequest business object using ATW1 ChangeRequest Inbound Web Service.</p>
W1- RETSYNID	<p>Used to create, update, read, or delete W1-RETSYNID in the WAM application.</p> <p>This component calls the W1- RETSYNID business Service using ATW1 RETSYNID Inbound Web Service.</p>
W1-RETOUTID	<p>Used to create, update, read, or delete W1-RETOUTID in the WAM application.</p> <p>This component calls the W1- RETOUTID business service using ATW1 RETOUTID Inbound Web Service.</p>
W1-MaintenanceEvent	<p>Used to create, update, read, or delete W1-MaintenanceEvent in the WAM application.</p> <p>This component calls the W1-MaintenanceEvent business object using ATW1MaintenanceEvent Inbound Web Service.</p>

Component	Description
W1-GenMaterialDisposition	Used to create, update, read, or delete W1-GenMaterialDisposition in the WAM application. This component calls the W1-GenMaterialDisposition business object using ATW1GenMaterialDisposition Inbound Web Service.
W1-MaintenanceManager	Used to create, update, read, or delete W1-MaintenanceManager in the WAM application. This component calls the W1-MaintenanceManager business object using ATW1MaintenanceManager Web Service.

Invoicing

Component	Description
W1-InvoiceHeader	Used to create, update, read, or delete InvoiceHeader in the WAM application. This component calls the W1-InvoiceHeader business object using the Inbound Web Service.
W1-InvoiceLine	Used to create, update, read, or delete InvoiceLine in the WAM application. This component calls the W1-InvoiceLine business object using the Inbound Web Service.

Integration

Component	Description
W1- ReadAssetLocationId	Used to read an Asset Location ID (asset node) using an External ID. This component calls the CM-ASTLOCID business service using the Inbound Web Service (ATW1READASSETLOCID).
W1-ReadServiceHistoryId	Used to read an Service History ID (install event from Oracle Utilities Meter Data Management) using an External ID. This component calls the CM-READSRVHSTID business service using the Inbound Web Service (ATW1READSRVHSTID).

Component	Description
W1- ReadContact	<p>Used to read a Contact using an External ID.</p> <p>This component calls the CM-READCNCT business service using the Inbound Web Service (ATW1READCONTACT).</p>
W1-ReceiptIntegInbound	<p>Used to create, update, read, or delete ReceiptInboundIntegration in the WAM application.</p> <p>This component calls the W1- ReceiptIntegInbound business object using Inbound Web Service.</p>
W1- InterfaceTSDInboundComm	<p>Used to create, update, read, or delete InterfaceTSDInboundComm in the WAM application.</p> <p>This component calls the W1- InterfaceTSDInboundComm business object using Inbound Web Service.</p>
W1-LeaveInt	<p>Used to create, update, read, or delete LeaveInt in the WAM application.</p> <p>This component calls the W1-LeaveInt business object using Inbound Web Service.</p>
W1-OngoingSyncRequestCostCtr	<p>Used to create, update, read, or delete OngoingSyncRequestCostCtr in the WAM application.</p> <p>This component calls the W1- OngoingSyncRequestCostCtr business object using Inbound Web Service.</p>
W1-OngoingSyncRequestEmployee	<p>Used to create, update, read, or delete OngoingSyncRequestEmployee in the WAM application.</p> <p>This component calls the W1- OngoingSyncRequestEmployee business object using Inbound Web Service.</p>
W1-OngoingSyncRequestAssetNode	<p>Used to create, update, read, or delete OngoingSyncRequestAssetNode in the WAM application.</p> <p>This component calls the W1- OngoingSyncRequestAssetNode business object using Inbound Web Service.</p>

Component	Description
W1-OngoingSyncRequestStockItem	<p>Used to create, update, read, or delete OngoingSyncRequestStockItem in the WAM application.</p> <p>This component calls the W1-OngoingSyncRequestStockItem business object using Inbound Web Service.</p>
W1-PurchaseOrderIntegInbound	<p>Used to create, update, read, or delete PurchaseOrderIntegInbound in the WAM application.</p> <p>This component calls the W1-PurchaseOrderIntegInbound business object using Inbound Web Service.</p>

Construction Work Management

Component	Description
W1-ActivityReconciliation	<p>Used to create, update, read, or delete ActivityReconciliation in the WAM application.</p> <p>This component calls the W1-ActivityReconciliation business object using the ATW1ActivityReconciliation Inbound Web Service.</p>
W1-ConstructionLoc	<p>Used to create, update, read, or delete Construction Location in the WAM application.</p> <p>This component calls the W1-Construction Location business object using the ATW1ConstructionLocation Inbound Web Service.</p>
W1-ConstructionWorkActivity	<p>Used to create, update, read, or delete ConstructionWorkActivity in the WAM application.</p> <p>This component calls the W1-ConstructionWorkActivity business object using the ATW1ConstructionWorkActivity Inbound Web Service.</p>
W1-ConstructionWorkOrder	<p>Used to create, update, read, or delete ConstructionWorkOrder in the WAM application.</p> <p>This component calls the W1-ConstructionWorkOrder business object using the ATW1ConstructionWorkActivity Inbound Web Service.</p>

Component	Description
W1-ConstrWorkActivityType	<p>Used to create, update, read, or delete ConstrWorkActivityType in the WAM application.</p> <p>This component calls the W1-ConstrWorkActivityType business object using the ATW1ConstrWorkActivityType Inbound Web Service.</p>
W1-ContractorBid	<p>Used to create, update, read, or delete ContractorBid in the WAM application.</p> <p>This component calls the W1-ContractorBid business object using the ATW1ContractorBid Inbound Web Service.</p>
W1-ContractorBidNotes	<p>Used to create, update, read, or delete ContractorBidNotes in the WAM application.</p> <p>This component calls the W1-ContractorBidNotes business object using the ATW1ContractorBidNotes Inbound Web Service.</p>
W1-ContractorBidRefAttachments	<p>Used to create, update, read, or delete ContractorBidRefAttachments in the WAM application.</p> <p>This component calls the W1-ContractorBidRefAttachments business object using the ATW1ContractorBidRefAttachments Inbound Web Service.</p>
W1-CrewTypeCUEquipmentProfile	<p>Used to create, update, read, or delete CrewTypeCUEquipmentProfile in the WAM application.</p> <p>This component calls the W1-CrewTypeCUEquipmentProfile business object using the ATW1CrewTypeCUEquipmentProfile Inbound Web Service.</p>
W1-CrewTypeCULaborProfile	<p>Used to create, update, read, or delete CrewTypeCULaborProfile in the WAM application.</p> <p>This component calls the W1-CrewTypeCULaborProfile business object using the ATW1CrewTypeCULaborProfile Inbound Web Service.</p>
W1-CrewTypeCUProfile	<p>Used to create, update, read, or delete CrewTypeCUProfile in the WAM application.</p> <p>This component calls the W1-CrewTypeCUProfile business object using the ATW1CrewTypeCUProfile Inbound Web Service.</p>

Component	Description
W1-CU	<p>Used to create, update, read, or delete Compatibility Unit in the WAM application.</p> <p>This component calls the W1- CU business object using the ATW1CU Inbound Web Service.</p>
W1-CUCategory	<p>Used to create, update, read, or delete CUCategory in the WAM application.</p> <p>This component calls the W1- CUCategory business object using the ATW1CUCategory Inbound Web Service.</p>
W1-CULaborAndEquipment	<p>Used to create, update, read, or delete CULaborAndEquipment in the WAM application.</p> <p>This component calls the W1- CULaborAndEquipment business object using the ATW1CULaborAndEquipment Inbound Web Service.</p>
W1-CUMaterialResources	<p>Used to create, update, read, or delete CUMaterialResources in the WAM application.</p> <p>This component calls the W1- CUMaterialResources business object using the ATW1CUMaterialResources Inbound Web Service.</p>
W1-CUMaterialsForRemoval	<p>Used to create, update, read, or delete CUMaterialsForRemoval in the WAM application.</p> <p>This component calls the W1- CUMaterialsForRemoval business object using the ATW1CUMaterialsForRemoval Inbound Web Service.</p>
W1-CUNotes	<p>Used to create, update, read, or delete CUNotes in the WAM application.</p> <p>This component calls the W1- CUNotes business object using the ATW1CUNotes Inbound Web Service.</p>
W1-CURefAttachments	<p>Used to create, update, read, or delete CURefAttachments in the WAM application.</p> <p>This component calls the W1-CURefAttachments business object using the ATW1CURefAttachments Inbound Web Service.</p>
W1-CompatibleUnitSet	<p>Used to create, update, read, or delete CUSET in the WAM application.</p> <p>This component calls the W1- CUSET business object using the ATW1CUSET Inbound Web Service.</p>

Component	Description
W1-CUSetNotes	<p>Used to create, update, read, or delete CUSetNotes in the WAM application.</p> <p>This component calls the W1- CUSetNotes business object using the ATW1CUSetNotes Inbound Web Service.</p>
W1-CUSetRefAttachments	<p>Used to create, update, read, or delete CUSetRefAttachments in the WAM application.</p> <p>This component calls the W1- CUSetRefAttachments business object using the ATW1CUSetRefAttachments Inbound Web Service.</p>
W1-CUUsage	<p>Used to create, update, read, or delete CUUsage in the WAM application.</p> <p>This component calls the W1- CUUsage business object using the ATW1CUUsage Inbound Web Service.</p>
W1-DeleteGeneralProcessRecord	<p>Used to read DeleteGeneralProcessRecord in the WAM application.</p> <p>This component calls the W1- DeleteGeneralProcessRecord business service using the ATW1DeleteGeneralProcessRecord Inbound Web Service.</p>
W1-DesignElement	<p>Used to create, update, read, or delete DesignElement in the WAM application.</p> <p>This component calls the W1-DesignElement business object using the ATW1DesignElement Inbound Web Service.</p>
W1-DesignElementCU	<p>Used to create, update, read, or delete DesignElementCU in the WAM application.</p> <p>This component calls the W1-DesignElementCU business object using the ATW1DesignElementCU Inbound Web Service.</p>
W1-DesignElementItems	<p>Used to create, update, read, or delete DesignElementItems in the WAM application.</p> <p>This component calls the W1- DesignElementItems business object using the ATW1DesignElementItems Inbound Web Service.</p>
W1-EquipmentGroup	<p>Used to create, update, read, or delete EquipmentGroup in the WAM application.</p> <p>This component calls the W1- EquipmentGroup business object using the ATW1EquipmentGroup Inbound Web Service.</p>

Component	Description
W1-Overhead	<p>Used to create, update, read, or delete Overhead in the WAM application.</p> <p>This component calls the W1- Overhead business object using the ATW1Overhead Inbound Web Service.</p>
W1-PropUnit	<p>Used to create, update, read, or delete Property Unit in the WAM application.</p> <p>This component calls the W1-PropUnit object using the ATW1PropUnit Inbound Web Service.</p>
W1-PropUnitBundlingAddBO	<p>Used to create, update, read, or delete Property Unit Bundling in the WAM application.</p> <p>This component calls the W1- PropUnitBundlingAddBO object using the ATW1PropUnitBundlingAddBO Inbound Web Service.</p>
W1-PropUnitPhysicalBO	<p>Used to create, update, read, or delete Property Unit physical in the WAM application.</p> <p>This component calls the W1- PropUnitPhysicalBO object using the ATW1PropUnitPhysicalBO Inbound Web Service.</p>
W1-RETCLCUCC	<p>Used to read/retrieve Construction Location Expanded CU/Cost Center in the WAM application.</p> <p>This component calls the W1-RETCLCUCC business service using the ATW1RETCLCUCC Inbound Web Service.</p>
W1-RETCUHIER	<p>Used to read/retrieve CU Hierarchy in the WAM application.</p> <p>This component calls the W1-RETCUHIER business service using the ATW1RETCUHIER Inbound Web Service.</p>
W1-RETCURESO	<p>Used to read/retrieve CU Resources in the WAM application.</p> <p>This component calls the W1-RETCURESO business service using the ATW1RETCURESO Inbound Web Service.</p>
W1-RETDEHIER	<p>Used to read/retrieve Design Element Hierarchy in the WAM application.</p> <p>This component calls the W1-RETDEHIER business service using the ATW1RETDEHIER Inbound Web Service.</p>

Component	Description
W1-RETREFCU	<p>Used to read/retrieve Referencing CU with Property Unit in the WAM application.</p> <p>This component calls the W1-RETREFCU business service using the ATW1RETREFCU Inbound Web Service.</p>
W1-RETREFDCU	<p>Used to read/retrieve Referencing CU with Property Unit in the WAM application.</p> <p>This component calls the W1-RETREFCU business service using the ATW1RETREFCU Inbound Web Service.</p>
W1-RETWDDE	<p>Used to read/retrieve Design in the WAM application.</p> <p>This component calls the W1-RETWDDE business service using the ATW1RETWDDE Inbound Web Service.</p>
W1-RNCACTRRQ	<p>Used to read/retrieve Non-Cancelled Activity Resource Requirement for Resource Type/Stock Item in the WAM application.</p> <p>This component calls the W1- RNCACTRRQ business service using the ATW1RNCACTRRQ Inbound Web Service.</p>
W1-RSTTTAUPR	<p>Used to read/retrieve Stock Item Average Unit Price in the WAM application.</p> <p>This component calls the W1-RSTTTAUPR business service using the ATW1RSTTTAUPR Inbound Web Service.</p>
W1-RTACONLAS	<p>Used to read/retrieve Activity Construction Location Assets in the WAM application.</p> <p>This component calls the W1-RTACONLAS business service using the ATW1RTACONLAS Inbound Web Service.</p>
W1-RTACTACGL	<p>Used to read/retrieve Activity Actual Cost Grouped by GL Entry in the WAM application.</p> <p>This component calls the W1-RTACTACGL business service using the ATW1RTACTACGL Inbound Web Service.</p>
W1-RTACTACRC	<p>Used to read/retrieve Activity Actual Cost Grouped by GL Entry in the WAM application.</p> <p>This component calls the W1-RTACTACRC business service using the ATW1RTACTACRC Inbound Web Service.</p>

Component	Description
W1-RTACTRCON	<p>Used to read/retrieve Activity Reconciliation for an Activity in the WAM application.</p> <p>This component calls the W1-RTACTRCON business service using the ATW1RTACTRCON Inbound Web Service.</p>
W1-RTCBASTPU	<p>Used to read/retrieve Contributed Asset Property Unit in the WAM application.</p> <p>This component calls the W1-RTCBASTPU business service using the ATW1RTCBASTPU Inbound Web Service.</p>
W1-RTCCCUUSG	<p>Used to read/retrieve Cost Center for Usage in the WAM application.</p> <p>This component calls the W1-RTCCCUUSG business service using the ATW1RTCCCUUSG Inbound Web Service.</p>
W1-RTCNASTPU	<p>Used to read/retrieve Constructed Asset for a Property Unit in the WAM application.</p> <p>This component calls the W1- RTCNASTPU business service using the ATW1RTCNASTPU Inbound Web Service.</p>
W1-RTCONLACU	<p>Used to read/retrieve Construction Location Applicable CU's in the WAM application.</p> <p>This component calls the W1- RTCONLACU business service using the ATW1RTCONLACU Inbound Web Service.</p>
W1-RTCRACTTY	<p>Used to read/retrieve Construction Related Activity Types in the WAM application.</p> <p>This component calls the W1-RTCRACTTY business service using the ATW1RTCRACTTY Inbound Web Service.</p>
W1-RTCUSTCU	<p>Used to read/retrieve CU Set CU's in the WAM application.</p> <p>This component calls the W1- RTCUSTCU business service using the ATW1RTCUSTCU Inbound Web Service.</p>
W1-RTEASTISD	<p>Used to read/Retrieve Earliest Asset In Service Date in the WAM application.</p> <p>This component calls the W1- RTEASTISD business service using the ATW1RTEASTISD Inbound Web Service.</p>

Component	Description
W1-RTNFODCDT	<p>Used to read/retrieve Non-Final ODC Details in the WAM application.</p> <p>This component calls the W1-RTNFODCDT business service using the ATW1RTNFODCDT Inbound Web Service.</p>
W1-RTNFTSDTL	<p>Used to read/retrieve Non-Final Timesheet Details in the WAM application.</p> <p>This component calls the W1-RTNFTSDTL business service using the ATW1RTNFTSDTL Inbound Web Service.</p>
W1-RTNFWOACT	<p>Used to read/retrieve Non-Final Non-Overhead Activities in the WAM application.</p> <p>This component calls the W1- RTNFWOACT business service using the ATW1RTNFWOACT Inbound Web Service.</p>
W1-RTPRCPAST	<p>Used to read/retrieve Pre-Capitalized Assets in the WAM application.</p> <p>This component calls the W1- RTPRCPAST business service using the ATW1RTPRCPAST Inbound Web Service.</p>
W1-RTVLTASTY	<p>Used to read/retrieve Valid Location Type for Asset Type in the WAM application.</p> <p>This component calls the W1- RTVLTASTY business service using the ATW1RTVLTASTY Inbound Web Service.</p>
W1-WDRefAttachments	<p>Used to create, update, read, or delete Work Design RefAttachments in the WAM application.</p> <p>This component calls the W1-WDRefAttachments object using the ATW1WDRefAttachments Inbound Web Service.</p>
W1-WorkDesign	<p>Used to create, update, read, or delete Work Design in the WAM application.</p> <p>This component calls the W1-WorkDesign object using the ATW1WorkDesign Inbound Web Service.</p>
W1-WorkDesignNotes	<p>Used to create, update, read, or delete WorkDesignNotes in the WAM application.</p> <p>This component calls the W1-WorkDesignNotes object using the ATW1WorkDesignNotes Inbound Web Service.</p>

Component	Description
W1-CWM-RetriveReconID	Used to read/retrieving Activity Reconciliation ID from Activity in the WAM application. This component calls the ATW1RTARID business service using the ATW1RTARID Inbound Web Service.
W1-DTOHCSTSQL	Used to read/retrieve Direct Overhead Cost for Activity in the WAM application. This component calls the CM-DTOHCST business service using the ATW1DTOHCST Inbound Web Service.
W1- IDTOHCSTSQL	Used to read/retrieve InDirect Overhead cost for the activity in the WAM Application. This component calls the CM-IDTOHCST business service using the ATW1IDTOHCST Inbound Web Service.
W1-CUAccessory	Used to create, update, read, or delete Accessory CU in the WAM application. This component calls the W1-CUAccessory object using the ATW1CUAccessory Inbound Web Service.
W1-CUFunction	Used to create, update, read, or delete Functional CU in the WAM application. This component calls the W1-CUFunction object using the ATW1CUFunction Inbound Web Service.

Oracle Utilities Operational Device Management Components

This section lists the starter components available in Oracle Utilities Operational Device Management.

Pre-requisites: The Inbound Web Service using the respective business object should be available in the application.

Additional Notes: Failure while creating, reading, or updating the component is logged to the test execution report, facilitating debugging/analysis of the problem.

The components are categorized under the following functional areas:

- [Administration Data](#)
- [Asset Management](#)
- [Configuration Management](#)
- [Work Management](#)

Administration Data

Component	Description
W1- AssetAgeBktConfig	<p>Used to create, update, read, or delete AssetAgeBktConfig in the WAM application.</p> <p>This component calls the W1- AssetAgeBktConfig business object using the Inbound Web Service.</p>
W1- BasicActivityType	<p>Used to create, update, read, or delete BasicActivityType in the WAM application.</p> <p>This component calls the W1- BasicActivityType business object using the Inbound Web Service.</p>
W1- BIExtractParameters	<p>Used to create, update, read, or delete BIExtractParameters in the WAM application.</p> <p>This component calls the W1- BIExtractParameters business object using the Inbound Web Service.</p>
W1- ConfigType	<p>Used to create, update, read, or delete ConfigType in the WAM application.</p> <p>This component calls the W1- ConfigType business object using the Inbound Web Service.</p>
W1- OutboundActivityType	<p>Used to create, update, read, or delete OutboundActivityType in the WAM application.</p> <p>This component calls the W1- OutboundActivityType business object using the Inbound Web Service.</p>
W1- GeneralCommunicationType	<p>Used to create, update, read, or delete GeneralCommunicationType in the WAM application.</p> <p>This component calls the W1- GeneralCommunicationType business object using the Inbound Web Service.</p>
W1- AssetInstallAgeBktConfig	<p>Used to create, update, read, or delete AssetInstallAgeBktConfig in the WAM application.</p> <p>This component calls the W1- AssetInstallAgeBktConfig business object using the Inbound Web Service.</p>
W1- AssetInstoreAgeBktConfig	<p>Used to create, update, read, or delete AssetInstoreAgeBktConfig in the WAM application.</p> <p>This component calls the W1- AssetInstoreAgeBktConfig business object using the Inbound Web Service.</p>

Component	Description
W1- AssetSearchMasterConfig	Used to create, update, read, or delete AssetSearchMasterConfig in the WAM application. This component calls the W1- AssetSearchMasterConfig business object using the Inbound Web Service.

Asset Management

Component	Description
W1- Business	Used to create, update, read, or delete Business in the WAM application. This component calls the W1- Business business object using the Inbound Web Service.
W1- MDMAAsset	Used to create, update, read, or delete MDMAAsset in the WAM application. This component calls the W1- MDMAAsset business object using the Inbound Web Service.
W1- Person	Used to create, update, read, or delete Person in the WAM application. This component calls the W1- Person business object using the Inbound Web Service.
W1- SynchronizationAddContact	Used to create, update, read, or delete SynchronizationAddContact in the WAM application. This component calls the W1- SynchronizationAddContact business object using the Inbound Web Service.
W1- BasicTest	Used to create, update, read, or delete BasicTest in the WAM application. This component calls the W1- BasicTest business object using the Inbound Web Service.
W2-SmartTest	Used to create, update, read, or delete SmartTest in the WAM application. This component calls the W2- SmartTest business object using the Inbound Web Service.
W1-PeerSpecification	Used to create, update, read, or delete PeerSpecification in the WAM application. This component calls the W2- PeerSpecification business object using the Inbound Web Service.

Configuration Management

Component	Description
W1- AssetCompCfgRpt	<p>Used to create, update, read, or delete AssetCompCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetCompCfgRpt business object using the Inbound Web Service.</p>
W1- AssetCompCfgWO	<p>Used to create, update, read, or delete AssetCompCfgWO in the WAM application.</p> <p>This component calls the W1- AssetCompCfgWO business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCfgRpt	<p>Used to create, update, read, or delete AssetCompToAssetCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCfgRpt business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCfgWO	<p>Used to create, update, read, or delete AssetCompToAssetCfgWO in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCfgWO business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCompCfgRpt	<p>Used to create, update, read, or delete AssetCompToAssetCompCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCompCfgRpt business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCompCfgWO	<p>Used to create, update, read, or delete AssetCompToAssetCompCfgWO in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCompCfgWO business object using the Inbound Web Service.</p>
W1- AssetCompToAssetCompConfig	<p>Used to create, update, read, or delete AssetCompToAssetCompConfig in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetCompConfig business object using the Inbound Web Service.</p>

Component	Description
W1- AssetCompToAssetConfig	<p>Used to create, update, read, or delete AssetCompToAssetConfig in the WAM application.</p> <p>This component calls the W1- AssetCompToAssetConfig business object using the Inbound Web Service.</p>
W1- AssetToAssetCfgRpt	<p>Used to create, update, read, or delete AssetToAssetCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetToAssetCfgRpt business object using the Inbound Web Service.</p>
W1- AssetToAssetCfgWO	<p>Used to create, update, read, or delete AssetToAssetCfgWO in the WAM application.</p> <p>This component calls the W1- AssetToAssetCfgWO business object using the Inbound Web Service.</p>
W1- AssetToAssetCompCfgRpt	<p>Used to create, update, read, or delete AssetToAssetCompCfgRpt in the WAM application.</p> <p>This component calls the W1- AssetToAssetCompCfgRpt business object using the Inbound Web Service.</p>
W1- AssetToAssetCompCfgWO	<p>Used to create, update, read, or delete AssetToAssetCompCfgWO in the WAM application.</p> <p>This component calls the W1- AssetToAssetCompCfgWO business object using the Inbound Web Service.</p>
W1- AssetToAssetCompConfig	<p>Used to create, update, read, or delete AssetToAssetCompConfig in the WAM application.</p> <p>This component calls the W1- AssetToAssetCompConfig business object using the Inbound Web Service.</p>
W1- AssetToAssetConfig	<p>Used to create, update, read, or delete AssetToAssetConfig in the WAM application.</p> <p>This component calls the W1- AssetToAssetConfig business object using the Inbound Web Service.</p>
W1- SingleAssetCfgRpt	<p>Used to create, update, read, or delete SingleAssetCfgRpt in the WAM application.</p> <p>This component calls the W1- SingleAssetCfgRpt business object using the Inbound Web Service.</p>
W1- SingleAssetCfgWO	<p>Used to create, update, read, or delete SingleAssetCfgWO in the WAM application.</p> <p>This component calls the W1- SingleAssetCfgWO business object using the Inbound Web Service.</p>

Component	Description
W1- SingleAssetConfig	Used to create, update, read, or delete SingleAssetConfig in the WAM application. This component calls the W1- SingleAssetConfig business object using the Inbound Web Service.
W1- AssetCompConfig	Used to create, update, read, or delete AssetCompConfig in the WAM application. This component calls the W1- AssetCompConfig business object using the Inbound Web Service.

Work Management

Component	Description
W1- ActivityComplInboundComm	Used to create, update, read, or delete ActivityComplInboundComm in the WAM application. This component calls the W1- ActivityComplInboundComm business object using the Inbound Web Service.
W1- AdHocActivityCore	Used to create, update, read, or delete AdHocActivityCore in the WAM application. This component calls the W1- AdHocActivityCore business object using the Inbound Web Service.
W1- AssetCriteriaActGenerator	Used to create, update, read, or delete AssetCriteriaActGenerator in the WAM application. This component calls the W1- AssetCriteriaActGenerator business object using the Inbound Web Service.
W1- AssetListActGenerator	Used to create, update, read, or delete AssetListActGenerator in the WAM application. This component calls the W1- AssetListActGenerator business object using the Inbound Web Service.
W1- BasicWorkOrder	Used to create, update, read, or delete BasicWorkOrder in the WAM application. This component calls the W1- BasicWorkOrder business object using the Inbound Web Service.

Component	Description
W1- CompnAssetListActGenerator	<p>Used to create, update, read, or delete CompnAssetListActGenerator in the WAM application.</p> <p>This component calls the W1-CompnAssetListActGenerator business object using the Inbound Web Service.</p>
W1- CompnCriteriaActGenerator	<p>Used to create, update, read, or delete CompnCriteriaActGenerator in the WAM application.</p> <p>This component calls the W1-CompnCriteriaActGenerator business object using the Inbound Web Service.</p>
W1- CreComActivityInboundComm	<p>Used to create, update, read, or delete CreComActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreComActivityInboundComm business object using the Inbound Web Service.</p>
W1- CreateActivityInboundComm	<p>Used to create, update, read, or delete CreateActivityInboundComm in the WAM application.</p> <p>This component calls the W1-CreateActivityInboundComm business object using the Inbound Web Service.</p>
W1- LocalActivityCore	<p>Used to create, update, read, or delete LocalActivityCore in the WAM application.</p> <p>This component calls the W1-LocalActivityCore business object using the Inbound Web Service.</p>
W1- NodeCriteriaActGenerator	<p>Used to create, update, read, or delete NodeCriteriaActGenerator in the WAM application.</p> <p>This component calls the W1-NodeCriteriaActGenerator business object using the Inbound Web Service.</p>
W1- OutboundActivityCore	<p>Used to create, update, read, or delete OutboundActivityCore in the WAM application.</p> <p>This component calls the W1-OutboundActivityCore business object using the Inbound Web Service.</p>

Component	Description
W1- RTSVSCWOSQL	Used to retrieve/read ServiceSchedule Work Order against the ODM Work Order in the WAM application. This component calls the CM-RTSVSCWO business service using the ATW1RTSVSCWOSQL Inbound Web Service.

Appendix A

Inbound Web Services

The Oracle Utilities Work and Asset Management components are developed using Web services method, and these components require Inbound Web Services to be defined in the application.

Pre-requisites

Before running the automation on Oracle Utilities Work and Asset Management, import the “W1-BundleImport” IWS flow into Oracle Utilities Work and Asset Management using Oracle Utilities Testing Accelerator. This imports all the necessary IWS required to automate flows in the Oracle Utilities Work and Asset Management environment.

Note: If the import process of the entire bundle is slow, break the bundle into parts and import.

For instructions to create, import, or search an Inbound Web Service, see the **Setting Up Inbound Web Services** appendix in *Oracle Utilities Testing Accelerator User's Guide*.

List of Inbound Web Services

The list of Inbound Web Services provided to use with the delivered components and flows is as follows:

- ATW1AcceptLineCraft
- ATW1AcceptLineMaterial
- ATW1AccountingCalendar
- ATW1ActivityComplInboundComm
- ATW1ActivityCompletionEventType
- ATW1ActivityEquipRequirement
- ATW1ActivityLaborRequirement
- ATW1ActivityMaterialRequirement
- ATW1ActivityOtherRequirement
- ATW1AdHocActivityCore
- ATW1AmtBasedAppvlProf
- ATW1ApprovalRequest
- ATW1AssessmentClass
- ATW1AssessmentGroup

-
- ATW1AssetAgeBktConfig
 - ATW1AssetCompCfgRpt
 - ATW1AssetCompCfgWO
 - ATW1AssetCompConfig
 - ATW1AssetCompToAssetCfgRpt
 - ATW1AssetCompToAssetCfgWO
 - ATW1AssetCompToAssetCompCfgRpt
 - ATW1AssetCompToAssetCompCfgWO
 - ATW1AssetCompToAssetCompConfig
 - ATW1AssetCompToAssetConfig
 - ATW1AssetCompletionEventType
 - ATW1AssetConditionScoreBuckets
 - ATW1AssetCriteriaActGenerator
 - ATW1AssetCriticalityBuckets
 - ATW1AssetDocument
 - ATW1AssetDposCmpEvtType
 - ATW1AssetInstallAgeBktConfig
 - ATW1AssetInstoreAgeBktConfig
 - ATW1AssetListActGenerator
 - ATW1AssetLoc
 - ATW1AssetLocSpecTemplWorkOrder
 - ATW1AssetLocationSpecificTemplateActivity
 - ATW1AssetReplicationActivity
 - ATW1AssetReplicationComplEvent
 - ATW1AssetSearchMasterConfig
 - ATW1AssetToAssetCfgRpt
 - ATW1AssetToAssetCfgWO
 - ATW1AssetToAssetCompCfgRpt
 - ATW1AssetToAssetCompCfgWO
 - ATW1AssetToAssetCompConfig
 - ATW1AssetType
 - ATW1AssetTypeAverageCost
 - ATW1Assetloctype
 - ATW1AssettoAssetconfig
 - ATW1BCAccessList
 - ATW1BCCraftLine
 - ATW1BCEquipmentLine
 - ATW1BCHeader

-
- ATW1BCHeaderIntegration
 - ATW1BCOtherLine
 - ATW1BCStockItemLine
 - ATW1BIExtractParameters
 - ATW1BOMGenStockItem
 - ATW1BasicActivityType
 - ATW1BasicTest
 - ATW1BasicWorkOrder
 - ATW1BillableRate
 - ATW1Business
 - ATW1BusinessUnit
 - ATW1Buyer
 - ATW1CalendarAnniversary
 - ATW1CalendarInterval
 - ATW1CalendarWarranty
 - ATW1CalendarWarrantyTerm
 - ATW1CapabilityType
 - ATW1Circle
 - ATW1Color
 - ATW1CommodityCategory
 - ATW1CommodityName
 - ATW1CommodityType
 - ATW1CommonShiftPlanTemplate
 - ATW1CommunicationComponentSpec
 - ATW1CommunicationRelaySpec
 - ATW1CompnAssetListActGenerator
 - ATW1CompnCriteriaActGenerator
 - ATW1ComponentType
 - ATW1ComponentTypeAverageCost
 - ATW1ConfigType
 - ATW1ContactType
 - ATW1CostCategory
 - ATW1CostCenter
 - ATW1CostCenterExpenseCode
 - ATW1Course
 - ATW1Craft
 - ATW1CraftPOLine
 - ATW1CreActivityCmpEvt

-
- ATW1CreActivityPayCmpEvt
 - ATW1CreAssetAttachCmpEvt
 - ATW1CreAssetCmpEvt
 - ATW1CreAssetDocumentCmpEvt
 - ATW1CreAssetPayCmpEvt
 - ATW1CreComActivityInboundComm
 - ATW1CreLocationDocumentCmpEvt
 - ATW1CreNodeAttachCmpEvt
 - ATW1CreServiceHistoryAttCmpEvt
 - ATW1CreServiceHistoryPayCmpEvt
 - ATW1CreSvcHistCmpEvt
 - ATW1CreWorkReqDocumentCmpEvt
 - ATW1CreWorkRequestPayCmpEvt
 - ATW1CreateActivityInboundComm
 - ATW1Crew
 - ATW1CrewShiftActivitySchedules
 - ATW1CrewShiftTemplate
 - ATW1CrewType
 - ATW1CrewWithCraft
 - ATW1DailySchedule
 - ATW1DailyScheduleType
 - ATW1DataAreaCmpEvtType
 - ATW1DistributionCode
 - ATW1DocAct
 - ATW1DocAttachment
 - ATW1DocCmplEvt
 - ATW1DocCmplEvtType
 - ATW1DocUrl
 - ATW1DocumentType
 - ATW1Employee
 - ATW1EmployeeType
 - ATW1EquipForTemplateAct
 - ATW1Equipment
 - ATW1EquipmentPOLine
 - ATW1EquipmentPRLine
 - ATW1Expedite
 - ATW1ExpenseCode
 - ATW1FOB

-
- ATW1Factor
 - ATW1FactorValue
 - ATW1FailureComponent
 - ATW1FailureMode
 - ATW1FailureProfile
 - ATW1FailureProfileFailureComp
 - ATW1FailureProfileFailureMode
 - ATW1FailureProfileFailureRepair
 - ATW1FailureProfileFailureType
 - ATW1FailureRepair
 - ATW1FailureServiceHistory
 - ATW1FailureType
 - ATW1FinancialMasterConfig
 - ATW1FinancialTransaction
 - ATW1FirmwareSpecification
 - ATW1FirmwareVersion
 - ATW1Function
 - ATW1FunctionType
 - ATW1GaugeReadWithThresholdMeasType
 - ATW1GeneralAssetLocation
 - ATW1GeneralAssetLocationType
 - ATW1GeneralCommunicationType
 - ATW1GeneralCompletionEventType
 - ATW1GeneralTemplateActivity
 - ATW1GeneralTemplateWorkOrder
 - ATW1IOSvcFleetAsset
 - ATW1IOSvcITAsset
 - ATW1IOSvcITComponent
 - ATW1IOSvcInfrastructureAsset
 - ATW1InOutSvcAsset
 - ATW1InOutSvcComponent
 - ATW1InOutOfServiceGeneralAsset
 - ATW1InOutOfServiceGeneralComponent
 - ATW1IndependentPartBOM
 - ATW1InventoryAdjustmentIT
 - ATW1InventoryAdjustmentLM
 - ATW1InventoryAdjustmentRI
 - ATW1InventoryMgmtMasterConfig

-
- ATW1InvoiceHeader
 - ATW1InvoiceLine
 - ATW1LaborEarningType
 - ATW1LaborForTemplateAct
 - ATW1Leave
 - ATW1LeaveType
 - ATW1Line
 - ATW1LinearAssetLocation
 - ATW1LinearAssetLocationType
 - ATW1LocalActivityCore
 - ATW1LocalActivityCoreWAM
 - ATW1LocationDocument
 - ATW1MDMAsset
 - ATW1MTBFMTTRBuckets
 - ATW1MaintenanceSchedule
 - ATW1ManualMeterSpecification
 - ATW1Manufacturer
 - ATW1MassUpd
 - ATW1MaterialRequestHeader
 - ATW1MaterialRequestLine
 - ATW1MaterialRequestTemplate
 - ATW1MaterialReturnHeader
 - ATW1MeasQuickEntryActivityType
 - ATW1MeasurementUOM
 - ATW1MeterReadWithRollOverMeasType
 - ATW1MigrPlan
 - ATW1MigrTransactionImport
 - ATW1MigrationAssistantConfig
 - ATW1MsrmtQuickEntryActivity
 - ATW1MsrmtQuickEntryCmplEvt
 - ATW1MsrmtQuickEntryCmplEvtType
 - ATW1MsrmtTrackedGeneralAsset
 - ATW1MsrmtQuickEntryCmplEvtTyp
 - ATW1NoAppvlRequiredProf
 - ATW1NodeCriteriaActGenerator
 - ATW1NonAmtBasedAppvlProf
 - ATW1NumberOfCyclesOverdueBucket
 - ATW1NumericGauge

-
- ATW1NumericMeter
 - ATW1ODCEquipment
 - ATW1OperationalReadingCmpEvt
 - ATW1Organization
 - ATW1OrganizationType
 - ATW1Other
 - ATW1OtherDirectCharges
 - ATW1OtherDirectChargesOther
 - ATW1OtherForTemplateAct
 - ATW1OtherResourcePOLine
 - ATW1OutboundActivityCore
 - ATW1OutboundActivityType
 - ATW1OvertimeType
 - ATW1PIHeader
 - ATW1POHeaderDocuments
 - ATW1POHeaderIntegration
 - ATW1POHeaderNotes
 - ATW1POLineDocuments
 - ATW1POLineIntegration
 - ATW1POLineNotes
 - ATW1PRCrLine
 - ATW1PRCreBC
 - ATW1PREqLine
 - ATW1PRHeader
 - ATW1PRORLine
 - ATW1PRSILine
 - ATW1PaymentTerm
 - ATW1Person
 - ATW1PersonWAM
 - ATW1PhysicalInventoryCountLine
 - ATW1PhysicalInventoryCountMaster
 - ATW1PhysicalInventoryHeader
 - ATW1Planner
 - ATW1PlantAssetLocation
 - ATW1PlantAssetLocationType
 - ATW1Project
 - ATW1ProjectCategory
 - ATW1PurchaseCommodity

-
- ATW1PurchaseOrderHeader
 - ATW1PurchaseRequisition
 - ATW1PurchasingMasterConfig
 - ATW1Question
 - ATW1QuestionnaireSvcHist
 - ATW1QuestionnaireSvcHistType
 - ATW1RCMCalendarAnniversary
 - ATW1RCMCalendarInterval
 - ATW1RCMRuntimeAnniversary
 - ATW1RCMRuntimeInterval
 - ATW1RCMTrigPlndFailureInfoLITE
 - ATW1RETCEVT
 - ATW1ReadLogEntry
 - ATW1ReadWithNoEvaluateMeasType
 - ATW1ReceiptHeader
 - ATW1ReceiptLine
 - ATW1ReceiptLineCraft
 - ATW1ReorderReview
 - ATW1ReplicationComplEventTypes
 - ATW1ResourceMgmtMasterConfig
 - ATW1ResourceUOM
 - ATW1RetrieveComplEvents
 - ATW1ReturnLine
 - ATW1RuntimeAnniversary
 - ATW1RuntimeInterval
 - ATW1RuntimeWarranty
 - ATW1RuntimeWarrantyTerm
 - ATW1SIDDirectPurchase
 - ATW1SIDExpensedAtReceipt
 - ATW1SIDInventory
 - ATW1SIDSpecificDirectPurchase
 - ATW1SIDSpecificLot
 - ATW1SchedulePlan
 - ATW1SchedulePlanType
 - ATW1ScheduledActivityType
 - ATW1ScheduledActivityTypeWAM
 - ATW1ServHistFromActTypeCmplEvntType
 - ATW1ServiceArea

-
- ATW1ServiceClass
 - ATW1ServiceHistTypeCmpEvtType
 - ATW1ServiceHistory
 - ATW1ServiceHistoryType
 - ATW1ServicePoint
 - ATW1ShiftPlanTemplate
 - ATW1SingleAssetCfgRpt
 - ATW1SingleAssetCfgWO
 - ATW1SingleAssetConfig
 - ATW1SmartMeterSpecification
 - ATW1SmartTest
 - ATW1StandardNote
 - ATW1StockItem
 - ATW1StockItemPOLine
 - ATW1StockTransaction
 - ATW1StockTransferHeader
 - ATW1StockTransferIssueLine
 - ATW1StockTransferReceiptHeader
 - ATW1StockTransferReceiptLine
 - ATW1StockTransferRequestLine
 - ATW1StorageLocation
 - ATW1StorageLocationType
 - ATW1StoreroomInventoryMgmt
 - ATW1SubscriptionShiftPlanTemp
 - ATW1SynchronizationAddContact
 - ATW1TaxRateSchedule
 - ATW1TemplateActivityLaborReq
 - ATW1TemplateActivityMaterialReq
 - ATW1TimePeriod
 - ATW1Timesheet
 - ATW1TimesheetDetail
 - ATW1TrackedFleetSpecification
 - ATW1TrackedGeneralAsset
 - ATW1TrackedGeneralComponent
 - ATW1TrackedGeneralSpecification
 - ATW1TrackedITAsset
 - ATW1TrackedITComponent
 - ATW1TrackedITSpecification

-
- ATW1TrackedInfrastructureSpec
 - ATW1TrnAssetCmpEvent
 - ATW1UpdAssetPayCmpEvt
 - ATW1UpdNodePayCmpEvt
 - ATW1User
 - ATW1Vehicle
 - ATW1Vendor
 - ATW1VendorLocation
 - ATW1WAMBIExtractParameters
 - ATW1WAssetAgeBuckets
 - ATW1WAssetInstallAgeBuckets
 - ATW1WorkCalendar
 - ATW1WorkManagementMasterConfig
 - ATW1WorkOrder
 - ATW1WorkPriorityBuckets
 - ATW1WorkReqComplEvtType
 - ATW1WorkRequest
 - ATW1WorkRequestComplEvt
 - ATW2CommunicationComponent
 - ATW2CommunicationRelay
 - ATW2FirmwareVersion
 - ATW2ManualMeter
 - ATW2ManualMeterSpecification
 - ATW2ServicePoint
 - ATW2SmartMeter
 - ATW2SmartMeterSpecification
 - ATW1READASSETLOCID
 - ATW1READCONTACT
 - ATW1READSRVHSTID
 - ATW1ActivityReconciliation
 - ATW1ARSQL
 - ATW1BOMGENSISQL
 - ATW1CMPOHSQL
 - ATW1ConstructionLocation
 - ATW1ConstructionWorkActivity
 - ATW1ConstructionWorkOrder
 - ATW1ConstrWorkActivityType
 - ATW1ContractorBid

-
- ATW1ContractorBidNotes
 - ATW1ContractorBidRefAttachments
 - ATW1CrewTypeCUEquipmentProfile
 - ATW1CrewTypeCULaborProfile
 - ATW1CrewTypeCUProfile
 - ATW1CU
 - ATW1CUCategory
 - ATW1CULaborAndEquipment
 - ATW1CUMaterialResources
 - ATW1CUMaterialsForRemoval
 - ATW1CUNotes
 - ATW1CUREfAttachments
 - ATW1CUSetNotes
 - ATW1CUSET
 - ATW1CUSetRefAttachments
 - ATW1CUUsage
 - ATW1RTARID
 - ATW1DeleteGeneralProcessRecord
 - ATW1DesignElement
 - ATW1DesignElementCU
 - ATW1DesignElementItems
 - ATW1EquipmentGroup
 - ATW1FTSQL
 - ATW1NUMGAUGESQL
 - ATW1NUMMETERSQL
 - ATW1Overhead
 - ATW1PropUnit
 - ATW1PropUnitBundlingAddBO
 - ATW1PropUnitPhysicalBO
 - ATW1RETCLCUCC
 - ATW1RETCUHIER
 - ATW1RETCURESO
 - ATW1RETDEHIER
 - ATW1RETRFCU
 - ATW1RETRFDCU
 - ATW1RETWDDE
 - ATW1RNCACTRRQ
 - ATW1RRSQL

-
- ATW1RSTTTAUPR
 - ATW1RTACONLAS
 - ATW1RTACTACGL
 - ATW1RTACTACRC
 - ATW1RTACTRCON
 - ATW1RTCBASTPU
 - ATW1RTCCCUUSG
 - ATW1RTCNASTPU
 - ATW1RTCONLACU
 - ATW1RTCRACTTY
 - ATW1RTCUSTCU
 - ATW1RTEASTISD
 - ATW1RTNFODCDT
 - ATW1RTNFTSDL
 - ATW1RTNFWOACT
 - ATW1RTPRCPAST
 - ATW1RTVLTASTY
 - ATW1SVCHSTWAMSQL
 - ATW1WDRRefAttachments
 - ATW1WorkDesign
 - ATW1WorkDesignNotes
 - ATW1AcceptLineSQL
 - ATW1DTHCST
 - ATW1IDTHCST
 - ATW1RTSVSCWOSQL
 - ATF1Lookup
 - ATF1InstallationOptions
 - ATW1WOActivityActiveOutboundMsg
 - ATW1WOActivityFinalOutboundMsg
 - ATW1WorkCategory
 - ATW1WorkCategoryBundlingAddBO
 - ATW1WorkCategoryPhysicalBO
 - ATW1WorkClass
 - ATW1WorkClassBundlingAddBO
 - ATW1WorkClassPhysicalBO
 - ATW1ServiceCondition
 - ATW1ActivityGenerator
 - ATW1CUAccessory

-
- ATW1CUFunction
 - ATW1ActivityChecklist
 - ATW1ChecklistType
 - ATW1ComplianceCategory
 - ATW1ComplianceType
 - ATW1CorrectiveComplianceType
 - ATW1Fact
 - ATW1OnlineLoaderReq
 - ATW1OnlineLoaderRequestType
 - ATW1CrAnyServiceHistoryCmplEvt
 - ATW1GenericAttachmentLite
 - ATW2SmartMeterConfiguration
 - ATW2SmartMeter
 - ATW2SiteLocation
 - ATW2ServicePointInstruction
 - ATW2ManualMeterConfiguration
 - ATW2CommunicationComponentCfg
 - ATW1WAMToGISSyncMapping
 - ATW1TransferShippingMemo
 - ATW1TrackedStockShippingLine
 - ATW1StockShippingLine
 - ATW1Specification
 - ATW1SiteLocation
 - ATW1SOMActivityType
 - ATW1SOMActivity
 - ATW1ReturnShippingMemo
 - ATW1ResetAssetConditionRatingSH
 - ATW1ReplaceAssetOutbound
 - ATW1ReplaceAssetLocal
 - ATW1RepairShippingMemo
 - ATW1ReceiptIntegInbound
 - ATW1PlannerWOSummary
 - ATW1PeerSpecification
 - ATW1LotStockShippingLine
 - ATW1MaterialIssueLine
 - ATW1Item
 - ATW1ItemSpecification
 - ATW1GeneralShippingMemo

-
- ATW1Document
 - ATW1CrewWOSummary
 - ATW1Adjustment
 - ATW1AdjustmentType
 - ATW1BatchLoaderRequestType
 - ATW1AccessGroupTables
 - ATW1AssetDisposition
 - ATW1ERPIntegrationMasterConfig
 - ATW1GeneralProcess
 - ATW1HCMIntegrationMasterConfig
 - ATW1InterfaceTSDInboundComm
 - ATW1LeaveInt
 - ATW1OngoingSyncRequestCostCtr
 - ATW1OngoingSyncRequestEmployee
 - ATW1OngoingSyncRequestAssetNode
 - ATW1InspectionTypeDeficiency
 - ATW1InspectionTypePercentOfNew
 - ATW1ResetAssetConditionRatinSHT
 - ATW1ItemServicePoint
 - ATW1OngoingSyncRequestStockItem
 - ATW1PurchaseOrderIntegInbound
 - ATW1ItemConfiguration
 - ATW1TimShtQuickEntryCmplEvtType
 - ATW1Timekeeper
 - ATW1TimesheetQuickEntryActivity
 - ATW1TimeSheetQuickEntryCmplEvt
 - ATW1CMWRWORKDUP
 - ATW1RetEmpAvailTime
 - ATW1AssetDownTime
 - ATW1GenMaterialDisposition
 - ATW1InspectionDeficiency
 - ATW1InspectionPercentOfNew
 - ATW1MaintenanceManager
 - ATW1MaintenanceEvent