BIP Web Service Reports Oracle FLEXCUBE Universal Banking Release 14.4.0.3.0 [February] [2021]



Table of Contents

1. SE	RVER SETUP FOR WEB SERVICE BASED BIP REPORTS	
1.1	INTRODUCTION	1-1
1.2	Prerequisites	
1.3	DEPLOYING BIP REPORTS	1-1
1.3.	.1 Setting up BIP Server	1-2
1.3.		
1.3.	.3 Creating BI Publisher 'FCReports' Folder	1-5
1.3.	.4 Creating BI Publisher Report Job	1-8
1.3.		



1. Server Setup for Web Service Based BIP Reports

1.1 Introduction

This chapter explains the method to setup the web services based BI Publisher reports server on BIP 12C.

1.2 **Prerequisites**

Before you continue, ensure that Oracle BI Publisher 12C on the server machine.

1.3 Deploying BIP Reports

This section guides you through the deployment of BI Publisher reports. BIP reports deployment involves the following steps:

- Setup BI Publisher Server
- Setup BI Publisher Data Source
- Create BI Publisher FC Reports folder
- Configure BI Publisher Currency

These steps are explained under the following headings.



1.3.1 Setting up BIP Server

For setting up BI Publisher server, follow the steps below.

1. Go to Oracle BI Publisher Web Server's Administration Console.

ORACLE' BI Publisher Enterprise	
	Sign In
	Please enter username and password
	Username
	Password
	Accessibility Mode
	Sign In
	English (United States)
	rigian (United Jores)
Oracle 81 Publisher 12.2.1.0.0 Copyright © 2003, 2015, Oracle and/or its affiliates. All rights reserved.	
Copyright © 2003, 2015, Oracle and/or its affiliates. All rights reserved.	

Specify the user name and password and click 'Sign In' button to sign in.

On successful login, the following screen is displayed.

	isher Enterprise	Search All	v	Q Administration	Help v	Sign Out
Home		Home	Catalog	New v Open v	Signed In As	weblogic v
Create	Recent					
Report	Reports Others					
Report Job	Favorites Manage					
Data Model						
More 👻						
Browse/Manage Catalog Folders Report Jobs						

Click the link 'Administration' on the top right of the screen.

The following screen is displayed.



DRACLE BI Publisher Enterprise	Search All		0,	Administration	Help 🔻	Sign Out
dministration	Ho	ne Catalog	New 🔻	Open 🔻	Signed In As	weblogic 🔻
Data Sources JDBC Connection	System Maintenance Server Configuration					
JADI Connecton File LDAP Connecton Web Service Connecton Web Service Connecton HTTP Connection	Scheduler Configuration Scheduler Deprotect Report Viewer Configuration Manage Cache					
Security Center	Runtime Configuration					
Security Configuration Roles and Permissions Digital Signature	Properties Font Mappings Currency Formats					
Delivery	Integration					
Delvery Configuration Printer Fax Email Fax HTP TTP Content Server CUPS Server CUPS Server	Oracle BI Presentation Services					
racle BI Publisher 12.2.1.0.0 (build 20151008.1303)						

Click 'Server Configuration' under 'System Maintenance'.

The following screen is displayed.

ORACLE [®] BI Publisher Enterprise		Search All	Ŧ	् Administratio	n Help 🔻	Sign Out	
Administration		Home	Catalog	New v Open v	Signed In As	weblogic	w
dministration > Server Configuration							0
System Maintenance							. 1
	Diagnostics Report Viewer Configuration Manage Cache						
\mathscr{T} TIP Any changes will only take effect after the application is restarte	â.				Ap	oply Cancel	4
Catalog							
The Catalog contains all content such as reports and data models.							
Catalog Type Oracle BI EE Catalog							
Server Version V7							
Connection protocol TCP							
	t Connection						
BI Publisher repository /SCFat	ch/app/obie1221/user_projects/domains/bi/bidata/components/bipublisher/repository						
	/ofss220331.in.oracle.com:8505/bisearch/rest/BISearchQueryService/search						
BI Search Group name bise	irch_ws						
BI Search Timeout (millisecond) 6000							
General Properties							
System	Temporary Directory						
Repo	rt Scalable Threshold						
Caching							
Cache Expiration (r	minuter)						
Cache S							
Maximum Cached Report Di	finitions						
Database Failover							
Database Failover							>

Specify the following details:

Cache Expiration (Minutes)

Specify the duration for which the data need to be stored in the cache. You need to specify the duration in terms of minutes.

Cache Size Limit

Specify the maximum size allowed for cache.

Maximum Cached Report Definition

Specify the maximum number of reports that can be stored in cache.



Cache related settings are optional. Once you have specified the above details, click 'Apply'. This completes the process of BIP service setup.

1.3.2 Setting Up BIP Data Sources

For setting up BI Publisher data sources, follow the steps below.

1. Go to Oracle BI Publisher Web Server's Administration Console. Specify the user name and password and click 'Sign In' button to sign in.

Click the link 'Administration' on the top right of the screen. The following screen is displayed.

	Search All	¥.	Administration	Help v	Sign Out
Administration	Home	Catalog N	ew v Open v	Signed In As	weblogic v
Data Sources JDBC Connection INDI Connection File LDAP Connection OLAP Connection NUP Connection NUP Connection	System Maintenance Server Configuration Scheduler Configuration Scheduler Dignostics Report Viewer Configuration Manage Cache				
Security Center Security Configuration Robei and Promitisions Digital Signature	Runtime Configuration Properties Font Happings Currency Formats				
Delivery Delivery Configuration Printer Email WebDAV HTTP FTF Configuration CUPS Server	Integration Oracle BI Presentation Services				
Oracle Bi Publisher 12.2.10.0 (build 20151006 1303)					

Click 'JDBC Connection' under 'Data Sources'. The following screen is displayed.

						Administration	Help 💌	Sign Out	
		Home	Ca	talog N	lew 🔻	Open 💌	Signed In As	weblogic	
									1
Services HTTP									_
ction String	Delete								
	1								
acle:thin:@10.184.132.131:1522:FCDEV123	Û								
acle:thin:@10.184.132.131:1522:FCDEV123	Û								
aclebi://ofss220331.in.oracle.com:8514/	Û								
	Services HTTP action String ackethining BHOSTPORTISED ackethining BHOSTPORTISED ackethining BHOSTPORTISE2 ackethining BHOS	Disket Disket cacket through (CST IP ORT ISSD III cacket through (LST IP ORT ISSD III cacket through (LST IP ORT ISSD IIII cacket through (LST IP ORT ISSD IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Delete Delete inde divide di di divide di di divide divide di di di divide divide di di divide	Scholar Strong Daleta Inclusion: WHOTFPORTSDD III Inclusion: WHOTFPORTSDD III Inclusion: WHOTFPORTSDD III Inclusion: WHOTFPORTSDD III Inclusion: WHOTFPORTSDD III	Disks Disks add mb/m BH/01F (PORT/SDD II add mb/m BH/01F (PORT/SDD II add mb/m BH/01F (PORT/SDD III add mb/m BH/01F (PORT/SDD III	Storing Delata onderstreep 0051 F00RT 050D III addrestreep 0051 600RT 050D IIII addrestreep 0051 600RT 050D IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Storing Delata onderstreep 0051 000071 00007 III addrestreep 00.154.132.231.1552 FCCEV123 III addrestreep 00.154.132.231.1552 FCCEV123 III	Schlas String Dalete sche shrung MGST FRORT TIGED III ackenhrug MGST FRORT TIGED III ackenhrug MG. M44.132.131.1522.FCCEV123 III ackenhrug MG. M44.132.131.1522.FCCEV123 III	School School (1990) Deleta school Multi-Streper Tradition III school Multi-Streper Tradition III

Click 'Add Data Source' button under 'JDBC' tab. The following screen is displayed.



DRACLE' BI Publisher Enterprise			Search All		w	0,	Administration	Help 🔻	Sign Out
dministration				Home	Catalog	New 🔻	Open 👻	Signed In As	weblogic v
ministration > JDBC > Update Data Source: FCBIP									0
pdate Data Source: FCBIP									
								Ap	ply Cancel
General									
♂TIP Please make sure to install the required JDBC driver classes. ♂TIP With Oracle Fusion Middleware Security Model, select the Use System User checkbox to use the BI	System User for your BI Server Database Connection.								
Data Source Name	FCBIP								
* Driver Type	Oracle 12c 🔹								
	oracle.jdbc.OracleDriver								
	Example: oracle.jdbc.OracleDriver) jdbc:oracle:thin:@10.184.132.131:1522:FCDEV123	~							
		Ç							
Use System User									
* Username	FCUBS123								
Password	•••••								
Pre Process Function									
Post Process Function									
	Use Proxy Authentication								
	Test Connection								
Backup Data Source									
TIP To enable access to a backup data source, please check the Use Backup Data Source checkbox and	enter the necessary connection information.								
Use Backup Data Source									
Connection String		^							
		~							

Specify the JDBC connection details as shown in the screen.

Ensure that the data source name displayed on the screen is the same as the one provided or 'defaultDataSourceRef' in the function ID specific report xdm files. All the xdm files should have the same defaultDataSourceRef.

Enter the user ID and password and click 'Test Connection' button. On successful connection, you will see a confirmation message on the screen.

Once the connection testing is successful, Click 'Apply' button. This completes the process of BIP data source setup.

1.3.3 Creating BI Publisher 'FCReports' Folder

For creating BI Publisher FC reports folder, follow the steps below.

- 1. In the shipment media, copy all the files from the following folders to a common location:
 - MAIN/<Module>/Datamodels_12c
 - MAIN/<Module>/Reports_12c

Along with these create a folder called 'Adv' and keep the files under these directories

- MAIN/<Module>/Advices_12c/Datamodels_12c
- MAIN//<Module>/Advices_12c/Reports_12c (except Branch Module)
- MAIN/<Module>/Advice_12c/XSD



For example:

Name	Date modified	Туре	Size
\mu Adv	9/2/2016 10:54 AM	File folder	
acrdltxn.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrfcdr.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrgpbal.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrjrnal.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrmrevl.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrpcash.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrpcshd.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrpfvbl.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrpmove.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrreval.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrstmnt.xdmz	7/27/2016 12:14 PM	XDMZ File	2 KB
acrstmov.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acruncol.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acst_detailed.xdmz	7/27/2016 12:20 PM	XDMZ File	2 KB
additionalcollateralletter.xdmz	8/8/2016 11:06 AM	XDMZ File	4 KB
additionalinformationletter.xdmz	8/8/2016 11:06 AM	XDMZ File	4 KB
advice_cr_instrtxn.xdmz	7/27/2016 4:31 PM	XDMZ File	2 KB
amrfndhd.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
amrfunbl.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
amrnavmv.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
ApplicantDependencyAnalysis.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
ApplicantOverallAnalysis.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
ApprovedIslamicFinancingCreationDeals	8/8/2016 11:08 AM	XDMZ File	4 KB
ApprovedLoanCreationDeals.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
bcrendoc.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrmltnr.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobefr.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobtbp.xdmz	7/26/2016 12:23 PM	XDMZ File	4 KB
bcrobuds.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobunp.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
herodace vdmz	7/26/2016 12:23 PM	XDMZ File	3 KB

Select all these and zip as FCReports.zip. Then rename this to FCReports.xdrz Deploy this file as follows.



Contraction of the second seco	vhf00att.in.oracle.com	9502/xmlpserver/se	rvlet/catalog		۶, Q	C 🏄 Bug 24482406 - L	LS REPORTS M	This page can'	t be displayed	Shared Fold	ers - Oracle BI P >	< 1	
RACLE	BI Publisher E	nterprise					Search All			c	, Administration	Help 🔻	Sign Out
talog								Home	Catalog	New 🔻	Open 🔻	Signed In As	weblogic
+* ± ±	9 X () I	× =+	Location /Share	d Folders	•								
olders		Compone Expand	nts Last Modified 8/ More 🔻	2/16 11:39 AM Created By w	blogic								
My Folders			ts Last Modified 8/22	16 12:19 PM Created By web									
Drafts eod report	đ	Sample Li	Ite Last Modified 8/1 More 🔻	2/16 11:39 AM Created By wel	ologic								
Shared Fol	ders			Upload				×					
Compone FCRepore					bload	Browse							
Sample L				Overwrite existin		Diowse							
							Upload Ca	ncel					
asks								_					
in Shared Folde	ers												
	t. Upload												
	,±, Download												
	X Cut												
Paste	ED Rename												
9 Permissions													

Click on Shared Folders, under the Tasks tab click on upload button, browse the FCReports.xdrz file and click on upload.

In Oracle BI Publisher Enterprise, navigate to 'Shared Folders' and then to 'FCReports' folder. The screen will display the list of all available reports.

	nterprise	Search All		v	0,	Administration	Help 🔻	Sign Out	
Catalog			Home	Catalog	New 💌	Open 💌	Signed In As	weblogic v	r
+- 土土 -5 み @ 『	X ≓ ▼ Location /Shared Folders/FCReports ▼							0	
Folders	excritition Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							~	•
Temp Drafts	acrfcdr Last Modified 8/22/16 12:20 PM Created By weblogic created by Schedule Jobs Job History Edit More *								
eod report Shared Folders	errgpbal Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
Components	ecrimal Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *								
FCReports Sample Lite	exrmrevI Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *								
	ecrpcash Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *								
	ecrpcshd Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
	ecrpfvbl Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
	ecrpmove Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
Tasks	acrreval Last Modified 8/22/16 12:20 PM Created By weblogic Crewal Open Schedule Jobs Job History Edit More *								
Expand Upload	ecrstmnt Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
🗎 Copy 🐰 Cut	ecrstmov Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
Paste Rename Permissions Properties	ecruncol Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶								
L ⁺ Export XLIFF	ecst_detailled Last Modified 8/22/16 12-20 PM Created By weblogic Open Schedule Jobs Job History Edit More *								

In FCUBS properties Advice Type should be set to 'BIP' for displaying Branch Advice in PDF format

This completes the process of 'FCReports' folder creation.



1.3.4 Creating BI Publisher Report Job

1. In the home page, on the left side, click on Report Job and select the report which has to be run

	er Enterprise			Sear	ch All	•	0,	Administration	Help 👻	Sign Out
me					•	lome Catalog	New 🔻	Open v	Signed In As	weblogic v
Create	Recent									
Report	Reports									
	Others									
Report Job	Favorites Manage									
Data Model										
More w										
Browse/Manage										
Catalog Folders										
Report Jobs Report Job History										
										- D
	oracle.com:9502/xmlpserver/servle	eoscileadie			*	C Search			<i>p</i> ,	
cle Bl Publisher : Sched ×	1			Search All		G Search	Q A	dministration	Help 💌	Sign Out
RACLE [®] BI Put	1	o schedule		Search All	Home	1	Q A New ▼	dministration Open 💌	Help 🔻	Sign Out
cle BI Publisher : Sched × RACLE [®] BI Public BI Publ	1	e schedule		Search All		•			Help 💌 Signed Ir	Sign Out n As infra
cle BI Publisher : Sched × RACLE [®] BI Pul redule Report Job Dverview General Created b	Jisher Enterprise			Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
cle Bl Publisher : Sched × RACLE [®] Bl Publisher : Bl Publisher : nedule Report Job Overview	blisher Enterprise	Open		Search All		•			Help 💌 Signed Ir	Sign Out n As infra
Le BI Publisher : Sched × RACLE [®] BI Pull redule Report Job Overview General Created b Report Name Schedule Start imm	y infra Outputs Destination ediately Notification	Open Catalog	Экарска	Search All		▼ Catalog ×			Help 💌 Signed Ir	Sign Out n As infra
Ite BI Publisher : Sched X RACLE BI Publisher : Schedule Report Job Overview General Created b Report Name Schedule Start imm	y infra Outputs Destination Available Votification Desposition	Open Catalog > My Folders	strstfee	Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
le Bi Publisher : Sched × RACLE® Bi Publisher : Sched × Bi Publisher : Bi Publisher : Bi Publisher : Sched × General Created bi Report Name Schedule Stati imm neral Output Scheduk	y infra Outputs Destination ediately Notification	Open Catalog My Folders Shared Folders	strstfee	Search All		▼ Catalog ×			Help 💌 Signed Ir	Sign Out n As infra
te Bi Publisher : Sched × RACLE® Bi Publisher : Schedule Report Job Schedule Report Job Report Name Schedule Start imm neral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog > My Folders	strstfee	Search All		▼ Catalog ×			Help 💌 Signed Ir	Sign Out n As infra
te Bi Publisher : Sched × RACLE® Bi Publisher : Schedule Report Job Schedule Report Job Report Name Schedule Start imm neral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog My Folders Shared Folders Components	strstfee	Search All		▼ Catalog ×			Help 💌 Signed Ir	Sign Out n As infra
te Bi Publisher : Sched × RACLE® Bi Publisher : Schedule Report Job Schedule Report Job Report Name Schedule Start imm neral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	strstfee	Search All		▼ Catalog ×			Help 💌 Signed Ir	Sign Out n As infra
te Bi Publisher : Sched × RACLE® Bi Publisher : Schedule Report Job Schedule Report Job Report Name Schedule Start imm neral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 strstfee strdper strwbdta svracrep svradrep svraorep 	Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
le Bi Publisher : Sched × RACLE [®] Bi Publisher : Bi Publisher : Bi Publisher : Bi Publisher : Bi Publisher : Bi Publisher : General Created bi Report Name Schedule Start imm neral Output Schedule Sport	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstfee Strdper Strdvbdta Svracrep Svradrep Svraorep Svraorep Svraorep 	Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
te Bi Publisher : Sched × RACLE® Bi Publisher : Schedule Report Job Schedule Report Job Report Name Schedule Start imm neral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 strstfee strtdper strwbdta svracrep svradrep svraorep svraorep svraorep svraorep svraorep svraorep 	Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
te Bi Publisher i Sched * RACLE® Bi Publisher i Schedule Report Job Schedule Report Job Report Name Schedule Start imm neral Output Schedule schedule schedule	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstfee Strdper Strdvbdta Svracrep Svradrep Svraorep Svraorep Svraorep 	Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
de Bi Publisher i Sched * RACLE® Bi Publisher i Schedule Report Jobb Overview General Created b Report Name Schedule Start imm nereal Output Schedule seport	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstlee strstlee strstlee strstlee svracrep svracrep svracrep svracrep svracrep svracrep svracrep svracrep strstlee Description 	Search All		Catalog			Help 💌 Signed Ir	Sign Out n As infra
de Bi Publisher: Sched ¥ RACLE® Bi Publisher: Schedule Report Jobb Overview General Created b Report Name Schedule Start imm eneral Output Schedule teport	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	Strstee Strder Strvbda Svacep Svac	Search All		Catalog			Help 💌 Signed Ir	
cle Bi Publisher : Sched ** RACLE® Bi Publisher : Schedule Report Jobb Overview General Created b Report Aname Schedule Start imm eneral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstlee Strdper Strvbdta Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Strstlee Description 	Search All	Home	Catalog			Help 💌 Signed Ir	Sign Out n As infra
cle Bi Publisher : Sched ** RACLE® Bi Publisher : Schedule Report Jobb Overview General Created b Report Aname Schedule Start imm eneral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstlee Strdper Strvbdta Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Strstlee Description 	Search All	Home	Catalog			Help 💌 Signed Ir	Sign Out n As infra
cle Bi Publisher : Sched ** RACLE® Bi Publisher : Schedule Report Jobb Overview General Created b Report Aname Schedule Start imm eneral Output Schedule Report	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstlee Strdper Strvbdta Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Strstlee Description 	Search All	Home	Catalog			Help 💌 Signed Ir	Sign Out n As infra
Acte BI Publisher: Sched * DRACLE* BI Put hedule Report Job Coerview General Created b Report Name Schedule Start imm	y infra Outputs Destination Available Votification Desposition	Open Catalog M M Folders Shared Folders Components Components FCReports	 Strstlee Strdper Strvbdta Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Svracrep Strstlee Description 	Search All	Home	Catalog			Help 💌 Signed Ir	Sign Out n As infra



- (-) (http://whf00blq.in.oracle.com:9502/xmlpserver/servlet/schedule		- C	→ C Search			<i>р</i> +	6	£03
Oracle Bl Publisher : Sched 🗙 [
DRACLE [®] BI Publisher Enterprise	Search All			0	Administration	Help 🔻	Sign Out	
Schedule Report Job		Home	Catalog	New 🔻	Open 🔻	Signed In /	As infra	•
Overview General Created by infra Report Name /FCReports/strsttee x/do Schedule Start immediately General Outputt Schedule Notification Diagnostic						Return	Submit	0
Report /FCReports/strstee.xdo Q								
✓ Parameters								


2. Click on Output Tab. The options will get defaulted from the report which can be changed, if needed. Use 'Bursting definition to Determine Output & Delivery Destination' – Select this option, this will default the output and destination path as defined in the bursting query of the report.

- 🗇 🧭 http://whf00blq.in.oracle.com:9502/xmlpserver/servlet/schedule		- C	Search			ρ-	6 2	3 23
Oracle BI Publisher : Sched × 📑								
	Search All			о, р	dministration	Help 🔻	Sign Ou	ut 🕒
Schedule Report Job		Home	Catalog	New 🔻	Open 💌	Signed In	As infr	ra
✓ Overview						Return	Submit	Ø
General Created by infra Outputs View bursting definition Report Name /FCReports/strstfee.xdo Destination								
Schedule Start immediately Notification								
General Output Schedule Notification Diagnostic								
Use Bursting Definition to Determine Output & Delivery Destination Make Output Public								
Save Data for Republishing								
/ Output								
Output Output is determined by bursting definition.								ŝ
Output is determined by bursting deminion.								
A Destination								

- 3. Click on 'Submit' on then top right, to submit the job. A pop-up message asking job name is displayed. Enter any name in job name and click on 'OK'. Then a confirmation message that job is submitted successfully is displayed.
- 4. The job will generate the Report output in in destination configured in report.



ubmit		@ ×
Report /FCReports/s	strstfee.xdo	
Parameters		
Schedule Start immedi	ately	
Output View bursting	g definition	
Notification		
Trigger Data Model		
Trigger Name		
Trigger Retry Limit		
Trigger Pause Time		
Trigger Parameters		
Report Job Name	PAD_StatementOfFees	
		OK Cancel



1.3.5 Configuring BIP Currency

You can set configuration for each currency by using one of the following methods.

- Configure using xdo.cfg file
- Configure from BIP server

1.3.5.1 Configuring Currency using 'xdo.cfg' file

In this method, you need to define the mask for each currency in the 'xdo.cfg' file. Further, place the 'xdo.cfg' file in the folder '<BI Publisher Repository>\Admin\Configuration'.

Click to view the 'xdo.cfg' file.

1.3.5.2 Configuring Currency from BIP Server

In order to configure the currency from BI Publisher server, follow the steps given below.

1. Go to Oracle BI Publisher Web Server's Administration Console. Specify the user name and password and click 'Sign In' button to sign in. On successful login, the following screen is displayed.




	Siray Coan Est Mary	Seath Al		Sign Out weblogic *
treat result result				
Reports R				
Root Image: Constraint of the second of th				
Constantial InterverseManage				
Construer				
More v Boland Cynn Gef More v Cynn Bef More v Cynn Bef More v Cynn Bef More v				
trowse/Manage Doen Edit More * Cen Edit More *				
irowse/Manage Open Edit More Open Edit More Open Edit More Open Edit More		syndorep	avrbacci	
	open cent more -	Open Edit More +	Open Edit More +	
	tdrfidep Edit	Edit	0	
	Edit	EGN		
Edit				
Favorites Manape				

Click the link 'Administration' on the top right of the screen. The following screen is displayed.

ORACLE' El Publisher Enterprise	Search Al	w.		Administration	Help v	Sign Out
Administration	Home	Catalog	New 1	Open +	Signed In As	weblogic +
Data Searces UDC Connection Add Connection Data Connection Data Data Data Data Data Data Data Dat	System Bastmance Barrar Configuration Total and Configuration Report New Configuration Report New Configuration Report Report Configuration Report and Disposition K. Log					
Security Center	Runtime Configuration					
Security Configuration Roles and Permissions Digital Tegnature	Properties Font Margings Currency Pormate					
Delivery Delivery Configuration Print Final Real Real Real Real Real Real Real Re	Integration Crucic Bill Presentation Structure					
Oaxie BrAslaner 12.1.1.3 (suid 2016758 202)						

Click 'Currency Format' under 'Runtime Configuration'. The following screen is displayed.



Click 'Add Currency Format' button. The following screen is displayed.



ORACLE [®] BI Publisher Enterprise			Search All	Ŧ		0,	Administration	Help 🔻	Sign Out
Administration			Hom	e Cat	alog	New 🔻	Open 🔻	Signed In As	weblogic *
Administration > Currency Format > Add Currency Format									0
Add Currency Format								A	pply Cancel
Currency Format									
	* Currency Code * Format Mask	GBP 999G999G999G999G999G990M							

Specify the currency code and the format mask. Click 'Apply' button.

Once the changes for all currencies are made, restart the OBIEE server.

This completes the process of currency configuration from BIP server.





BIP Web Service Reports [February] [2021] Version 14.4.0.3.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 https://www.oracle.com/industries/financial-services/index.html

Copyright © [2007], [2021], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.