Development Workbench - Bulk Generation Oracle FLEXCUBE Universal Banking

Release 14.4.0.3.0

Part No. F38223-01

[February] [2021]



Contents

1.	Preface	3
	1.1 Audience	. 3
	1.2 Related Documents	. 3
2.	Introduction	4
3.	Bulk Generation	4
	3.1 Source File List	
	3.1.1 Include Call form List	. 5
	3.2 Destination Path	. 6
	3.3 Sources Files	. 6
4.	Log Files	9

1. Preface

This document describes the Bulk Generation functionality available in Oracle FLEXCUBE Development Workbench for Universal Banking and guides the developers/users to generate files for a set of radxmls at one time from Workbench.

1.1 Audience

This document is intended for FLEXCUBE Application developers/users that use Development Workbench to generate various FLEXCUBE components. Mainly used by vercon team.

Proficiency	Resources
FLEXCUBE Functional Architecture	Training programs from Oracle
	Financial Software Services.
FLEXCUBE Object Naming conventions	Development Overview Guide
Working Knowledge of Oracle	User Manuals
FLEXCUBE Development Workbench	
for Universal Banking	
Working knowledge of Oracle Database	Oracle Documentations
Working knowledge of PLSQL	Respective vendor documents
developer	Respective vendor documents
de releper	
Working knowledge of PLSQL & SQL	Self Acquired
Language	
Working knowledge of XML files	Self Acquired

1.2 Related Documents

04-Development WorkBench Screen Development-I.docx

05-Development WorkBench Screen Development-II.docx

2. Introduction

This document contains:

- <u>Chapter 2 , "Introduction"</u>
- <u>Chapter 3 , " Bulk Generation</u>"
- <u>Chapter 4 , "Console Log"</u>

3. Bulk Generation

Oracle FLEXCUBE Universal Banking Development Workbench provide Bulk Generation (all files at one time) of both front-end and backend units for both Extensible and Non-Extensible radxmls. The Bulk Generation Screen is shown below.

Bulk Generation						_ × _
Source File I Data XML P		BROWSE	Destination Path Source Files	Both	▼	
Front-End Files	System Packages	Hook Packages	Meta Data		Others	*
 RadXML ✓ Screen Xml ✓ System JS 	Main Package Body Notification Triggers Upload Package Spec	Kernel Package Body Cluster Package Spec Cluster Package Body Custom Package Spec Custom Package Body	Menu Details Label Du Datasource Details Block PH LOV Details Function Block Details Gateway Screen Details Notification Call form Details Summary Details	< Columns Call Forms / Details ion Details	Xsds Screen Html Upload Table Trigger Upload Tables Definition Archive Table Definition	
SI.No	File Name	Sub Folder	File Status		Error Description	*
						*
					Ge	nerate Close

Fig 3.1: Bulk generation Screen

For bulk generation user has to follow the following steps:

For non extensible function id's(radxmls), bulk generation of front end files only are supported

3.1 Source File List

User must create a **text file** containing the absolute path of the radxmls for which bulk generation has to be done.

Prepare a text file with absolute path.

If all the files are placed in one folder, dos commands (as shown below) can be used to generate the text file.

Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN>Dir	/b	/s	*_RAD.xml	>
D:\BulkGeneration\Console.txt				

Source-files.txt - Notepad	
File Edit Format View Help	
<pre>Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\BCCTRACT_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\BCCTRAFT_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\CFCTRIHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\CFCTRIHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\CFCTRIHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCINCHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCINCHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCINCHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCINCHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCINCHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCINCHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BF\ANDXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BF\ANDXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BF\ANDXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BF\ANDXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BF\ANDXML\SCIRDET_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BF\ANDXML\SCIRD_RD.XML\SCIRDET_RAD.xml Z:\FLEXCUBE_KERNEl\FSUBS_11.4.0\MAIN\BF\ANDXML\SCIRD_RD.XML\SCIRD_RD.XML\SCIRDET_RAD.Xml Z:\FLEXSUBE_KENNEl\SCISS_11.4.0\MAIN\BF\ANDXML\SCIRD_RD.XML\SCIRD_RD.XML\SCIRDET_RAD.Xml Z:\FLEXSUBE_KENNEl\SCISS_11.4.0\MAIN\BF\ANDXML\SCINCH_RADXML\SCINCH_RAD.XML\SCIRD_RD.XML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCINCH_RADXXML\SCIXCH_RADXXML\SCINCH_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML\SCIXL_RADXXML\SCIXCH_RADXXML\SCIXCH_RADXXML</pre>	
	*

Fig 3.1.1: Source File list sample

3.1.1 Include Call form List

If user is generating for function id's which has call forms attached to it, call form list should be included as a part of the source file list. If call form is not included generation will fail.

If units for call form files are not required to be generated, then call form paths can be prefixed with double hyphen (--). All lines starting with double hyphen (--) won't be taken up for bulk generation.

As it is difficult to search and put each callform for individual screen prepare callform list upfront and add the files to be generated at the end of callform list. Even if any of callform is repeated in generation list it won't affect the generation of that file.

Source-files.txt - Notepad	
File Edit Format View Help	
Z:\FLEXCUBE_Kerne]\FCUBS_11.4.0\MAIN\BC\RADXML\BCCOCAAU_RAD.xm] Z:\FLEXCUBE_Kerne]\FCUBS_11.4.0\MAIN\BC\RADXML\BCCREGAU_RAD.xm] Z:\FLEXCUBE_Kerne]\FCUBS_11.4.0\MAIN\BC\RADXML\BCCREGAU_RAD.xm] Z:\FLEXCUBE_Kerne]\FCUBS_11.4.0\MAIN\BC\RADXML\BCCTRACT_RAD.xm] Z:\FLEXCUBE_Kerne]\FCUBS_11.4.0\MAIN\BC\RADXML\BCCTRAFT_RAD.xm]	<u>^</u>
Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\BCCTRPF_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\CFCTRIHG_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\CSCTRSFT_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\DACTRTR_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\ISCINTRT_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\ISCINTRT_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\ISCINTRT_RAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\ISCTRAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCTRAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCTRAD.xml Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\BC\RADXML\SCTRAD.Xml 2:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\C\RADXML\AMDFNPRD_RAD.Xml 2:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\CL\RADXML\CLDINSQ'_RAD.Xml 2:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\CL\RADXML\CLDGLQRY_RAD.Xml 2:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\CL\RADXML\CLDFVQPY_RAD.Xml	

Fig 3.3.1.1: Including call forms in source file list

Example: Including callform to the Source list.

--Z:\FLEXCUBE_Kernel\FCUBS_11.4.0\MAIN\AM\RADXML\AMCPRPCL_RAD.xml If generating complete radxmls from base line area, call form list is not required.

3.2 **Destination Path**

Enter the absolute path where files will be generated.

This path should be in the Client Machine if Save Mode is Client; and it should refer to a path in Server if the Save Mode is Server. Zip mode is not supported for Bulk generation activity

3.3 Sources Files

User has option to generate both extensible and non extensible files

- **Extensible** → On selection of this option only extensible files will be considered for generation.
- **Non-Extensible** → On selection of this option only non-extensible files will be considered for generation.
- **Both** \rightarrow Both extensible and non-extensible gets generated.

Data XML Path Field is defunct

User has to select required files to be generated for all RADxml's .Workbench will generate the required files into respective folders.

Bulk Generation							_ ×
Source File Lis Data XML Pat		BROWSE	Destination Path Source Files		-		
Front-End Files	System Packages	Hook Packages	Meta Data		Others		*
 RadXML ✓ Screen Xml ✓ System JS 	Upload Package Spec	Kernel Package Spec Kernel Package Body Cluster Package Body Cluster Package Body Custom Package Spec Custom Package Body	Block Details Gate	PK Columns ion Call Forms vay Details cation Details	Upload Table Trigger	1	*
SI.No	File Name	Sub Folder	File Status		Error Description		*
							Ŧ
					G	enerate	Close

Fig 3.4.1: Bulk generation Screen after selecting required units

On successful generation of files file status will be displayed generated if success or failed for failed.

Note: No Front End units will be generated for notification and purge-entity radxmls

Dala XM	it. Pain			8	ource Files	Elolh	·		
formation					×		Others		
						alails Columns	Xsds Screen Himi		
	Error Descrip	otion		rror Code		Call Forms			
!	File Saved		F	RD-VALS-00		Defails Ion Defails Parameters	Upload Table 1	: Definition	
						Ea	ror Description		
	FTDCONAU_RAD.xml	FT	Generaled	*	Ok				
	FTDCONAL_RAD.xml FTDCONON_RAD.xml	FT FT	Generalad	· · Cal	Ok Ilorms Not Av	aliable			
				× Cal		əliable			
	FTDCONON_RAD.xml	FT	Not Generaled	× Cal		aliable			5
	FTDCONON_RAD.xml FTDCXFRA_RAD.xml	FT FT	Not Generaled Generaled	V Cal		allable			
	FTDCONON_RAD.xml FTDCXFRA_RAD.xml FTDDSHB0_RAD.xml	FT FT	Not Generaled Generaled Generaled	× Cai		allable			

Fig 3.4.2: After Successful generation

ulk Generat	tion							_ >
	e File List bulkgen.bt XML Path	BROWSE		Destination Path Source Files	D:\DEST Both	~		
Front-End	Files System Packages	Hook Packages		Meta Data		Others		*
RadXM Screen System	n Xml Main Package Body n JS Notification Trigger	Kernel Package B	ody Datasour Spec LOV Deta Body Block Det Spec Screen D	ce Details Block F ils Functionalis Gatewa etails Notifica le Details Function Details	PK Columns on Call Forms ay Details ation Details	Xsds Screen Html Upload Table Trigge Upload Tables Defin Archive Table Definit	iition	*
16	FIDSRELA_RAD.XMI	FI	Generated					*
17	FTDTCONS_RAD.xml	FT	Generated	· .				
18	FTDTRAUT_RAD.xml	FT	Generated	· .				
19	FTDTRONL_RAD.xml	FT	Generated	· [
20	FTDVDSPR_RAD.xml	FT	Generated	· [
21	FTNCONON_RAD.xml	FT	Not Generated	Notification Rad	Xml Need Not	t Be Generated		
22	FTNPRODC_RAD.xml	FT	Not Generated	Notification Rad	Xml Need Not	t Be Generated		
23	FTPCNTRCT_RAD.xml	FT	Not Generated	Purge Rad Xml I	Veed Not Be G	Generated		
24	FTRACTD_RAD.xml	FT	Generated	,				
25	FTRCON_RAD.xml	FT	Generated					=
26	FTRPREMR_RAD.xml	FT	Generated					
							Generate	Close

Fig 3.4.3: Message displayed in case of trying to generate files for notification screen

Note that the time taken for bulk generation of units depend on the number of files, number of units to be generated for each file, client and server machine configuration etc.

4. Log Files


Development Workbench will generate file status log. It will be generated in the destination path.

🗁 D	:\Bulk	Gener	ation\C	onso	le								
File	Edit	View	Favorit	es .	Tools	Help							*
G) Back	- 6) - 💋	5	Se 🔎	arch 🧗	> Folders	•					
Addr	ess 🔁	D:\Bulk	Generati	on\Co	nsole								🕶 🔁 Go
F	ile and	l Folde	r Tasks		۲	P	AM			2	BC		
		æ a new lish this o	folder folder to	the		P	Branch			2	CD		
F	😺 Sha	re this f	older				,	_					
(Other P	laces			۲) a	\leq			USER01_FILE_STATUS_LOG.txt Text Document 2 KB	>	
C	Details				۲		USER01_ Text Doc 10 KB	FRONTEND_ ument	LOG.txt				
	C onsol File Fold					=							

Fig 4.1: User log files

It gives the details of all the files processed and its status as shown in the figure below

Edit View Insert Format Help	STATU	IS Error Successful Successful	Description Generated Successfully
FILE NAME \Base\MAIN\AM\RADXML\AMCPRPCL_RAD.xml \Base\MAIN\AM\RADXML\AMDCAOAU_RAD.xml \Base\MAIN\AM\RADXML\AMDCAONL_RAD.xml	STATU	Successful	Generated Successfully
\Base\MAIN\AM\RADXML\AMCPRPCL RAD.xml \Base\MAIN\AM\RADXML\AMCCAOAU_RAD.xml \Base\MAIN\AM\RADXML\AMDCAOAU_RAD.xml	STATU	Successful	Generated Successfully
\Base\MAIN\AM\RADXML\AMDCAOAU_RAD.xml \Base\MAIN\AM\RADXML\AMDCAONL_RAD.xml			
\Base\MAIN\AM\RADXML\AMDCAOAU_RAD.xml \Base\MAIN\AM\RADXML\AMDCAONL_RAD.xml		Successful	
			Generated Successfully
\Base\MAIN\AM\RADXML\AMDCDEAU RAD.xml		Successful	Generated Successfully
		Successful	Generated Successfully
\Base\MAIN\AM\RADXML\AMDCDEFN_RAD.xml		Successful	Generated Successfully
\Base\MAIN\AM\RADXML\AMDFNOAU_RAD.xml		Successful	Generated Successfully
tal No Of Files :	3135		
tal No Of Commented Files	: 3120		
tal No Of Successfully Generated Files	: 12		
tal No Of Failed Files	: 0		
tal No Of Notification Files	: 3		
tal No Of 10.0 Files	: 0		



🖆 D:\BulkGeneration\Console\BC					
File Edit View Favorites Tools Help					
S Back - S - B - Search E Folders					
Address 🛅 D:\BulkGeneration\Console\BC				💌 🄁 Go	
	Name 🔺	Size	Туре	Date Modified	
File and Folder Tasks 🔹	☐ HTML		File Folder	2/8/2012 1:55 AM	
🤭 Make a new folder	DS IS		File Folder	2/8/2012 1:59 AM	
Number of the second se			File Folder	2/8/2012 2:00 AM	
Web	BCDAMIND_DESC_MISSING_LABELS.txt	1 KB	Text Document	9/27/2011 11:05 AM	
😂 Share this folder	BCDPRMNT_DESC_MISSING_LABELS.txt	1 KB	Text Document	9/27/2011 10:57 AM	
~	BCDTRONL_DESC_MISSING_LABELS.txt	1 KB	Text Document	9/27/2011 10:59 AM	
Other Places 😵					
Details 🙁					

Fig 4.3: Missing labels file

Missing label information will also be generated for each function id for which units were generated



Development Workbench- Bulk Generation [February] [2021] Version 14.4.0.3.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax:+91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2007, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.