

OFS Cash Flow Engine Application Pack

Installation Guide

Release 8.1.2.5.0

January 2025

ORACLE®
Financial Services

OFS Cash Flow Engine Installation Guide

Copyright © 2025 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, [click here](#).

Document Control

Version Number	Revision Date	Change Log
1.0	January 2025	Created the document for the OFSCFE 8.1.2.5.0 Maintenance Level Release.

Table of Contents

- 1 Preface5
 - 1.1 Audience5
 - 1.2 How this Guide is Organized.....5
 - 1.3 Access to Oracle Support6
 - 1.4 Related Documents6
 - 1.5 Conventions.....6
 - 1.6 Abbreviations7
- 2 OFS CFE Release v8.1.2.5.09
 - 2.1 Pre-installation Requirements9
 - 2.2 Installing this Release.....9
- 3 Additional Configurations13
 - 3.1 Install the Updated OFSAAI Runner13
- 4 Appendix A - Installation of R and Oracle R Enterprise (ORE).....14

1 Preface

This section provides information about the Oracle Financial Services Cash Flow Engine (OFS CFE) Application Pack.

You can find the latest copy of this document in the [OHC Documentation Library](#) which includes all the recent additions or revisions (if any) done to date.

Before you begin the installation, ensure that you have access to [My Oracle Support](#) with the required login credentials to quickly notify us of any issues at any stage.

Topics:

- [Intended Audience](#)
- [How this Guide is Organized](#)
- [Access to Oracle Support](#)
- [Related Information Sources](#)
- [Conventions](#)
- [Abbreviations](#)

1.1 Audience

OFS CFE Application Pack Installation Guide is intended for administrators and implementation consultants who handle installing and maintaining the application pack components.

This document assumes that you have experience in installing Enterprise components and basic knowledge about the following:

- OFS CFE pack components
- OFSAA architecture
- UNIX commands
- Database concepts
- Web server or web application server

1.2 How this Guide is Organized

The Installation Guide is organized into the following sections:

- [OFS CFE Release v8.1.2.5.0](#)
- [Appendix A - Installation of R and Oracle R Enterprise \(ORE\)](#)

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info>

Or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Related Documents

We strive to keep this and all other related documents updated regularly; visit the [OHC Documentation Library](#) to download the latest version available there. The list of related documents is provided here.

- [Oracle Financial Services Cash Flow Engine User Guide](#)
- [Oracle Financial Services Cash Flow Engine Analytics User Guide](#)
- [Oracle Financial Services Analytical Applications Technology Matrix](#)
- [Oracle Financial Services Analytical Applications Infrastructure Installation and Configuration Guide](#)

1.5 Conventions

The following text conventions are used in this document.

Table 1: Document Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, file names, text that appears on the screen, or text that you enter.
Hyperlink	Hyperlink type indicates the links to external websites and internal document links.

1.6 Abbreviations

The following table lists the abbreviations used in this document.

Table 2: Abbreviations

Abbreviation	Meaning
BDP	Big Data Processing
DBA	Database Administrator
DDL	Data Definition Language
DEFQ	Data Entry Forms and Queries
DML	Data Manipulation Language
EAR	Enterprise Archive
EJB	Enterprise Java Beans
ERM	Enterprise Resource Management
FTP	File Transfer Protocol
HDFS	Hadoop Distributed File System
HTTPS	Hypertext Transfer Protocol Secure
J2C	J2EE Connector
J2EE	Java 2 Enterprise Edition
JCE	Java Cryptography Extension
JDBC	Java Database Connectivity
JDK	Java Development Kit
JNDI	Java Naming and Directory Interface
JRE	Java Runtime Environment
JVM	Java Virtual Machine
LDAP	Lightweight Directory Access Protocol
LHS	Left Hand Side
MFA	Multi-Factor Authentication
MOS	My Oracle Support
OFSAA	Oracle Financial Services Analytical Applications
OFSAAI	Oracle Financial Services Analytical Application Infrastructure
OFSAAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack
OHC	Oracle Help Center
OLAP	On-Line Analytical Processing

Abbreviation	Meaning
OLH	Oracle Loader for Hadoop
ORAAH	Oracle R Advanced Analytics for Hadoop
OS	Operating System
RAM	Random Access Memory
RDBMS	Relational Database Management System
RHEL	Red Hat Enterprise Linux
SFTP	Secure File Transfer Protocol
SID	System Identifier
SSL	Secure Sockets Layer
TNS	Transparent Network Substrate
URL	Uniform Resource Locator
VM	Virtual Machine
WAR	Web Archive
XML	Extensible Markup Language

2 OFS CFE Release v8.1.2.5.0

OFS Cash Flow Engine Installation Guide (OFS CFE) Maintenance Level (ML) release v8.1.2.5.0 includes all the bug fixes and minor enhancements done since the previous GA (General Availability) release v8.1.2.0.0.

This ML release of OFS CFE can be installed on a setup with any Oracle Financial Services Cash Flow Engine Installation Guide (OFS CFE) v8.1.2.0.0 Application Pack.

2.1 Pre-installation Requirements

The following pre-installation steps are required for this release:

- The minimum patch level installed must be OFS CFE Release **8.1.2.0.0**.
- The minimum OFS AAI patch level is Release **8.1.2.5.0 ML**.

NOTE	<p>Download 34921477 (Erwin Data Model patches for CFE and CFEBI) from My Oracle Support.</p> <p>See the OFS Analytical Applications Technology Matrix for hardware and software requirements.</p> <p>For more details on Java 11, see the Update the OFSAA 8.1.1.x Java 8 Instance to Java 11 section.</p> <p>Take a backup of SETUP_MASTER table in Atomic schema if there are customizations. This table will be overwritten with default values post installation.</p>
-------------	--

- The unlimited cryptographic policy for Java is enabled during the installation of OFS CFE 8.1.2.0.0. For more information, see the *Enabling Unlimited Cryptographic Policy* section in the [OFS Analytical Applications Infrastructure Administration Guide](#).

2.2 Installing this Release

To install this release patch, follow these steps:

1. Log in to [My Oracle Support](#) and search for **37282364** under the **Patches & Updates** tab.
2. Download the OFS CFE 8.1.2.5.0 ML Release archive file and copy to your OFSAA server in **Binary** mode.

NOTE	<p>There are different archive files for different operating systems such as Linux, Solaris, and RHEL/OEL.</p>
-------------	--

3. Stop all the OFS AAI services. For more information, see the *Stopping Infrastructure Services* section in the [Oracle Financial Services Cash Flow Engine Installation and Configuration Guide](#).

4. Log in to the OFSAA server as a non-root user and navigate to the `$FIC_HOME` directory.
 5. Assign WRITE permission to the files/directories such as `commonscripts`, `EXEWebService`, `ficapp`, `ficweb`, and `ficdb` using the command:
6. If you have the Unzip utility, skip to the next step or download the Unzip utility (OS-specific) and copy it in Binary mode to the directory that is included in your PATH variable, typically `$HOME` path or directory in which you have copied the 8.1.2.5.0 ML.

- Uncompress the unzip installer file using the command:

```
uncompress unzip_<os>.Z
```

NOTE

If you notice an error message: “**uncompress: not found [No such file or directory]**”, when the package is not installed, contact your UNIX administrator.

- Assign EXECUTE permission to the utility using the command:

```
chmod 751 unzip_<os>
```

For example, `chmod 751 unzip_Linux`

7. Extract the contents of the 8.1.2.5.0 ML archive file using one of the following commands:

```
unzip_<os> -a <name of the file to be unzipped>
```

Or

```
unzip -a <name of the file to be unzipped>
```

NOTE

The “-a” option is mandatory to unzip the archive file. For example: For LINUX operating system,
`unzip_Linux -a p 37282364_81250_LINUX64.zip`

8. Update the parameters in the `params.conf` file present in the `OFS_CFE_PACK/appsLibConfig/conf` directory. The update instructions are present in the file itself. Set `UPLOAD_MODEL` parameter to **1** to upload the Data Model.

```
# Specify wheter you want to perform Model Upload
# 0 = If you have already performed Model Upload and want to skip model upload process
# 1 = If you want to perform Model Upload
UPLOAD_MODEL=1

# Specify whether you want to use the released datamodel or customized datamodel for model upload
# 0 = If you want to upload the released datamodel
# 1 = If you want to upload the customized datamodel
MODEL_TYPE=

# Specify the path(DM_DIRECTORY) and file(DATAMODEL) name for the cutomized datamodel
# Mandatory only if you want to upload the customized datamodel
# i.e you have specified MODEL_TYPE=1
DATAMODEL=
DM_DIRECTORY=
```

NOTE

Model Upload Process: Input values required are 0 or 1.

- 1 indicates Trigger Model Upload
- 0 indicates Skip Model upload process

If the value is 1, then choose a type of Model Upload from the following:

- 0 indicates Released Data Model
- 1 indicates the Customized Data Model

If the value of the Model upload type is 1, then provide the inputs for the Data Model name and the path of the Data Model.

9. Navigate to the /OFS_CFE_PACK directory to assign EXECUTE permission to the ML patch installer script using the command:

```
chmod 755 OFSAIUpdate.sh
```

10. Complete the patch upgrade using the command:

```
./OFSAIUpdate.sh
```

11. Verify if the ML patch is applied successfully by checking the following log files:

- OFS_CFE_installation.log file in /OFS_CFE_PACK/OFS_CFE/logs directory
- OFSAIUpdate.log file in /OFS_CFE_PACK/logs directory

You can ignore error codes ORA-00001, ORA-02292, ORA-00955, and ORA-02260 in the log file. For any other errors, contact [My Oracle Support](#).

NOTE

For upgrade on Hive Infodrom, you may encounter an exception "PL/SQL: ORA-00942: table or view does not exist". You can ignore this error.

12. After successful installation of the ML, follow these steps:

- Execute *.profile* using the following command:
 - . \$HOME/.profile
 - Clear the application cache. Navigate to the following path depending on the configured web application server and delete the files.
 - Tomcat:
<Tomcat installation folder>/work/Catalina/localhost/<Application name>/org/apache/jsp
 - WebLogic:
<WebLogic installation location>/domains/<Domain name>/servers/<Server name>/tmp/_WL_user/<Application name>
 - WebSphere:
<WebSphere installation directory>/AppServer/profiles/<Profile name>/temp/<Node name>/server1/<Application name>/<.war file name>
13. Delete the existing EAR or WAR file available in the \$FIC_HOME/ficweb directory.
 14. Install the OFSAAIRunner package. This is an optional step and applicable only if you have installed Oracle R Enterprise Edition (ORE). For more information, see [Installing OFSAAIRunner package with enhancements for OFS AAI 8.1.2.5.0](#).
 15. Restart all the OFSAAI services. For more information, see the *Starting Infrastructure Services* section in the [Oracle Financial Services Cash Flow Engine Installation and Configuration Guide](#).
 16. Generate the application EAR or WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying the EAR or WAR file, see the *Post Installation Configurations* section in the [Oracle Financial Services Cash Flow Engine Installation and Configuration Guide](#).
 17. Configure the document upload settings. See the *Configure Document Upload Settings* section in the [Oracle Financial Services Cash Flow Engine Installation and Configuration Guide](#) for more information.

3 Additional Configurations

Topics:

- [Install the Updated OFSAAI Runner](#)

3.1 Install the Updated OFSAAI Runner

NOTE

1. This is a post-installation configuration and is applicable if you have installed Oracle R Enterprise (ORE) for Oracle Financial Services Enterprise Modeling (OFS EMF) Application.
2. This configuration is not applicable for Tomcat web server.

If OFS Enterprise Modeling is licensed and enabled in your OFSAA instance, uninstall the OFSAAI Runner package and reinstall the latest available OFSAAI Runner package. For details on uninstallation and reinstallation, see the *Configuring Oracle R distribution and Oracle R Enterprise (ORE)* section in the [Oracle Financial Services Analytical Applications Infrastructure Installation and Configuration Guide](#).

4 Appendix A - Installation of R and Oracle R Enterprise (ORE)

This is an optional step and required only if you intend to use Term Structure Parameter Estimation functionality under Interest Rates of Rate Management for computing term structure parameters. Both OFS Funds Transfer Pricing and OFS Cash Flow Engine applications require term structure parameters for all Monte Carlo engine-based calculations (OAS, VaR, and EaR).

The following are the prerequisites:

- Install R and Oracle R Enterprise Server on the Oracle Database server. For more information, see the [Oracle® R Enterprise Installation and Administration Guide](#)
- Oracle R Enterprise (Server) version 1.4.1
- Configuration for Oracle R Enterprise
- Grant the RQADMIN role to atomic schema

You can grant the RQADMIN role in SQL*Plus by logging in to the database with DBA privileges and providing the following privilege to Atomic Schema:

```
RQADMIN by executing the command:  
GRANT RQADMIN TO < atomic_schema>;
```

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to the OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised/recently released documents.

