BIP Web Service Reports Oracle FLEXCUBE Universal Banking Release 12.87.7.0.0 [May] [2021]



Table of Contents

1. SE	RVER SETUP FOR WEB SERVICE BASED BIP REPORTS	1-1
1.1	INTRODUCTION	1-1
1.2	Prerequisites	
1.3	DEPLOYING BIP REPORTS	1-1
1.3	3.1 Setting up BIP Server	
1.3	3.2 Setting Up BIP Data Sources	
1.3	3.3 Creating BI Publisher 'FCReports' Folder	
1.3	3.4 Creating BI Publisher Report Job	
1.3	3.5 Configuring BIP Currency	



1. Server Setup for Web Service Based BIP Reports

1.1 Introduction

This chapter explains the method to setup the web services based BI Publisher reports server on BIP 12C.

1.2 **Prerequisites**

Before you continue, ensure that Oracle BI Publisher 12C on the server machine.

1.3 Deploying BIP Reports

This section guides you through the deployment of BI Publisher reports. BIP reports deployment involves the following steps:

- Setup BI Publisher Server
- Setup BI Publisher Data Source
- Create BI Publisher FC Reports folder
- Configure BI Publisher Currency

These steps are explained under the following headings.



1.3.1 Setting up BIP Server

For setting up BI Publisher server, follow the steps below.

1. Go to Oracle BI Publisher Web Server's Administration Console.

ORACLE BI Publisher Enterprise	
	Sign In
	Please enter username and password
	Username
	Password
	Accessibility Mode
	Sign In
	44
	PT 4 English (United States)
Oracle BI Publisher 12.2.1.0.0 Conversion of 2003 2015 Oracle and/or its affiliates All rights reserved	
copyright is a copy point of order and on an annance we right b (CSC) (CSC)	

Specify the user name and password and click 'Sign In' button to sign in.

On successful login, the following screen is displayed.

RACLE BI Public	sher Enterprise	Search All	w.	Q Administration	Help 👻	Sign Out
ome		Home	Catalog	New v Open v	Signed In As	weblogic
Create	Recent					
Report	Reports					
-	Others					
Report Job	Favorites Manage					
Cala Madal						
Data Model						
More +						
Browse/Manage						
Catalog Folders						
Report Job History						

Click the link 'Administration' on the top right of the screen.

The following screen is displayed.



DRACLE [®] BI Publisher Enterprise	Search All	¥1	0, 1	Administration	Help 🔻	Sign Out
Iministration	Ho	me Catalog	New v	Open 🔻	Signed In As	weblogic 🔻
Data Sources	System Maintenance					
IADI Connection File LDAP Connection OLAP Connection W HTTP Connection	Scheduler Configuration Scheduler Deprotein Report Viewer Configuration Manage Cache					
Security Center	Runtime Configuration					
Security Configuration Roles and Permissions Digital Signature	Properties Font Mappings Currency Formats					
Delivery	Integration					
Dekey Configuration Printer Fax Fax Fixe VietaDiv VietaDiv FTP FTP ContentServer CutPS Server CUPS Server	Oracle BI Presentation Services					
racle BI Publisher 12 2:1.0.0 (build:20151008.1303)						

Click 'Server Configuration' under 'System Maintenance'.

The following screen is displayed.

ORACLE [®] BI Publisher Enterprise		Search All	Ŧ	Administ	ration Help 🔻	Sign Out	
Administration		Home	Catalog	New v Open		weblogic	w
dministration > Server Configuration							. 6
System Maintenance							. 1
Server Configuration Scheduler Configuration Sche	eduler Diagnostics Report Viewer Configuration Manage Cache						
✓ TIP Any changes will only take effect after the application is re	started.				A	pply Cancel	
Catalog							
The Catalog contains all content such as reports and data models	5						
Catalog Type Oracle BI 🗮 Catalog							
Server Version V	17						
Connection protocol	TCP						
	Test Connection						
BI Publisher repository /	/scratch/app/obie1221/user_projects/domains/bi/bidata/components/bipublisher/repository						
BI Search URL	http://ofss220331.in.oracle.com:8505/bisearch/rest/BISearchQueryService/search						
BI Search Group name	bisearch_ws						
BI Search Timeout (millisecond)	6000						
General Properties							
5	ystem Temporary Directory						
	Report Scalable Threshold						
Caching							
Code Enviro	time (minutes)						
Caule Expra	(minute)						
G	ache Size Limit						
Maximum Cached Rep	sort Definitions						
Database Fallover							>

Specify the following details:

Cache Expiration (Minutes)

Specify the duration for which the data need to be stored in the cache. You need to specify the duration in terms of minutes.

Cache Size Limit

Specify the maximum size allowed for cache.

Maximum Cached Report Definition

Specify the maximum number of reports that can be stored in cache.



Cache related settings are optional. Once you have specified the above details, click 'Apply'. This completes the process of BIP service setup.

1.3.2 Setting Up BIP Data Sources

For setting up BI Publisher data sources, follow the steps below.

1. Go to Oracle BI Publisher Web Server's Administration Console. Specify the user name and password and click 'Sign In' button to sign in.

Click the link 'Administration' on the top right of the screen. The following screen is displayed.

	Search All	¥:	Administration	n Help v	Sign Out
Administration	Home	Catalog	New v Open v	Signed In As	weblogic v
Data Sources J/DE Connection J/NDI Connection File LDAP Connection OLAP Connection VLAP Connection HTTP Connection	System Maintenance Servic Configuration Scheduler Computenton Scheduler Diagnostics Report Viewer Configuration Manage Cache				
Security Center Sociality Configuration Robeis and Phomissions Digital Signature	Runtime Configuration Properties Font Mappings Currency Formats				
Delivery Delivery Configuration Printer Remail WeeDAV HTTP Conferent Server CUPS Server	Integration Oracle BI Presentation Services				
Oracle BI Publisher 12.2.1.0.0 (build 20151008.1303)					

Click 'JDBC Connection' under 'Data Sources'. The following screen is displayed.

	Publisher Enterprise		Search All	v	0,	Administration	Help 💌	Sign Out 🚥
Administration			Hon	e Catalog	New 🔻	Open 💌	Signed In As	weblogic 🔻
Administration > JDBC								
Data Sources								
JDBC JNDI File LDAP	OLAP Web Services HTTP							
Add Data Source								
Data Source Name	Connection String	Delete						
demo	jdbc:oracle:thin:@HOST:PORT:SID	1						
FCBIP	jdbc:oracle:thin:@10.184.132.131:1522:FCDEV123	Û						
FCBIPBPEL	jdbc:oracle:thin:@10.184.132.131:1522:FCDEV123	Û						
Oracle BI EE	jdbc:oraclebi://ofss220331.in.oracle.com:8514/	Û						

Click 'Add Data Source' button under 'JDBC' tab. The following screen is displayed.



deminstration New Cading New year Open year Specify its weekspice	DRACLE BI Publisher Enterprise			Search All		*	9	Administration	Help 💌	Sign Out 🚥
http://www.initial.com/or 2005 - Vubdet bals Source FXBP	dministration				Home	Catalog	New *	Open 💌	Signed In As	weblogic 🔻
tende beforer FGBP	ninistration > JDBC > Update Data Source: FCBIP									0
Read VTP Tay No houds Facion Meddewase Society Model, added the laws Hat E ystem Utations constants. VTP Tay No houds Facion Meddewase Society Model, added the laws Hat E ystem Utations constants. VTP Tay No houds Facion Meddewase Society Model, added the laws Hat E ystem Utations constants. VTP Tay No houds Facion Meddewase Society Model, added the laws Hat E ystem Utations constants. VTP Tay No houds Facion Meddewase Society Model, added the laws Hat E ystem Utations constants. VTP Tay No houds Facion Meddewase Society Model, added Tay Note Society Tay Note Note Note Note Note Note Note Note	date Data Source: FCBIP									
tenesi TP Pless muls are to instal the regard CKC driver detacle. TP Pless muls are to instal the regard CKC driver detacle. Dud Source heres CDU Source here CDU Source heres CDU Source									Ap	ply Cancel
If JP Resumes are to real the Nucleower Society Model, which the to system that challes to use to the System Nucleower Society Model, which the to system Nucleower Society Model and	ieneral									
Data Save How FCBP * Once Sive How FCBP * Once Sive How FCBP * Once Sive How FCBPSIZE * Once Sive How FCDPSIZE * Name FCDPSIZE * Table Access to a backg data source, please dededed backgroup dedes and ref the recessary connection references. * Table Access to a backg data source, please dededededes and ref the recessary connection references. * Table Access to a backg data source, please dededededes and ref the recessary connection references.	TIP Please make sure to install the required JDBC driver classes. TITP With Orade Fusion Middleware Security Model, select the Use System User checkbox to use the B	System User for your BI Server Database Connection.								
* Omer Pro ode 12 * * Database Provide ardia: globa Colded Provide * Connection Start provide Note Start * Provide Note Start Provide Note Start * Provide Note Start Provide Note Start * Provide Note Start Provide Note Start * Ret Notes NoteStart Provide NoteStart * Connection Start Provide NoteStart	Data Source Name	FCBIP								
* Database Driver coll eracle files: CondetDriver * Connection sile improver coll * Connection sile improver coll * Connection sile improver coll * User ave improver coll	* Driver Type	Oracle 12c 🔹								
* Control in the Status in the Status is the Status in the Status is the Status in the Status is	* Database Driver Class	oracle.jdbc.OracleDriver								
	* Connection String	(Example: oracle.jdbc.OracleDriver)								
Uss System Use Image: CUES123 Parse mode Image: CUES1233 Parse mode Image: CUES1233 Parse mode Image: CUES1233 Parse mode Image: CUES12333		jdbcroraclerthin:@10.184.132.131:1522:FCDEV123	0							
* Usarara FUBS123 Partered ************************************	Use System User									
Passonal Andrea Passonal Andre	* Username	FCUBS123								
Pie Picces fundion Piet Picces fundion Piet Picces fundion U Use Prany Authentication Text Connection	Password									
	Pre Process Function									
TIP To walk access to a backup data source, please duel the backup Data Source duelabors and enter the nonseasy connection information.	Bast Brooser Election									
The To enable access to a backup fals source, please ched, the Use Backup Data Source ched, but and enter the necessary connection information.	Post Process Forces	Lice Brown Authentication								
And up Data Source TTP To enable scores to a backup data source, please check the Use Backup Data Source checkbox and enter the messaary connection information. Use Backup Data Source Connection String Connection String Connection String Connection String Connection String		Test Connection								
Analog Data Source #TIP To enable access to a backup data source, please check the Use Backup Data Source checkbox and enter the necessary connection information. Lise Backup Data Source Connection String Con		Tex connection								
Artige Data Source TTP To enable access to a backup data source, please check the Use Backup Data Source and enter the necessary connection information. Use Backup Data Source Connection Storing Connecti										
TTP To enable access to a backup data source, please check the Use Backup Data Source and enter the necessary connection information. Use Backup Data Source Connection String	ackup Data Source									
TTP To enable access to a lackup data source, please check the take Backup Data Source development of information. Use Backup Data Source Connection String										
Los Bickip Data Somo	TIP To enable access to a backup data source, please check the Use Backup Data Source checkbox ar	d enter the necessary connection information.								
Connection String	Use Backup Data Source									
· · · · · · · · · · · · · · · · · · ·	Connection String		~							
			~							

Specify the JDBC connection details as shown in the screen.

Ensure that the data source name displayed on the screen is the same as the one provided or 'defaultDataSourceRef' in the function ID specific report xdm files. All the xdm files should have the same defaultDataSourceRef.

Enter the user ID and password and click 'Test Connection' button. On successful connection, you will see a confirmation message on the screen.

Once the connection testing is successful, Click 'Apply' button. This completes the process of BIP data source setup.

1.3.3 Creating BI Publisher 'FCReports' Folder

For creating BI Publisher FC reports folder, follow the steps below.

- 1. In the shipment media, copy all the files from the following folders to a common location:
 - MAIN/<Module>/Datamodels_12c
 - MAIN/<Module>/Reports_12c

Along with these create a folder called 'Adv' and keep the files under these directories

- MAIN/<Module>/Advices_12c/Datamodels_12c
- MAIN//<Module>/Advices_12c/Reports_12c (except Branch Module)
- MAIN/<Module>/Advice_12c/XSD



For example:

Name	Date modified	Туре	Size
\mu Adv	9/2/2016 10:54 AM	File folder	
acrdltxn.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrfcdr.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrgpbal.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrjrnal.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrmrevl.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrpcash.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrpcshd.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrpfvbl.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrpmove.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrreval.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrstmnt.xdmz	7/27/2016 12:14 PM	XDMZ File	2 KB
acrstmov.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acruncol.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acst_detailed.xdmz	7/27/2016 12:20 PM	XDMZ File	2 KB
additionalcollateralletter.xdmz	8/8/2016 11:06 AM	XDMZ File	4 KB
additionalinformationletter.xdmz	8/8/2016 11:06 AM	XDMZ File	4 KB
advice_cr_instrtxn.xdmz	7/27/2016 4:31 PM	XDMZ File	2 KB
amrfndhd.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
amrfunbl.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
amrnavmv.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
ApplicantDependencyAnalysis.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
ApplicantOverallAnalysis.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
ApprovedIslamicFinancingCreationDeals	8/8/2016 11:08 AM	XDMZ File	4 KB
ApprovedLoanCreationDeals.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
bcrendoc.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrmltnr.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobefr.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobtbp.xdmz	7/26/2016 12:23 PM	XDMZ File	4 KB
bcrobuds.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobunp.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
herodace vdmz	7/26/2016 12:23 PM	XDMZ File	3 KB

Select all these and zip as FCReports.zip. Then rename this to FCReports.xdrz Deploy this file as follows.



🔿 👩 http://	whf00att.in.oracle.com	9502/xmlpserver/ser	vlet/catalog			ۍ - C	🏓 Bug 24482406 -	LS REPORTS M	🗿 This page can	t be displayed	Shared Folde	rs - Oracle BI P ×		
DRACL	E' BI Publisher E	nterprise						Search All		v	0	Administration	Help 🔻	Sign Out
atalog									Home	Catalog	New 🔻	Open 🔻	Signed In As	weblogic
+* ± ±	• % () I	× 2 •	Location /Sharer	d Folders		•								
Folders		Componer Expand	nts Last Modified 8/	12/16 11:39 AM	Created By weblogic									
My Folders		FCReports Expand	Last Modified 8/22	/16 12:19 PM	Created By weblogic									
 Drafts end rep 	vi	Sample Lit	te Last Modified 8/12 More 🔻	2/16 11:39 AM	Created By weblogic									
A Shared Fo	Iders				pload				×					
 E Compor E FCRepo 	ients rts				Upload		Browse							
Sample	Lite			C	overwrite existing file									
								Upload C	ancel					
Tasks									_					
in Shared Fold	lers													
Expand	1 Upload													
C Delete	+ Download													
	00 000													
Copy	Rename													
E Copy	E] Rename													

Click on Shared Folders, under the Tasks tab click on upload button, browse the FCReports.xdrz file and click on upload.

In Oracle BI Publisher Enterprise, navigate to 'Shared Folders' and then to 'FCReports' folder. The screen will display the list of all available reports.

	nterprise	Search All		Ŧ	0	Administration	Help 🔻	Sign Out
Catalog			Home	Catalog	New 💌	Open 💌	Signed In As	weblogic v
+- 土土 -5 み @ 『	X ₹ ▼ Location /Shared Folders/FCReports ▼							0
Folders	excrditxm Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							^
My Folders Temp Drafts	acrfcdir Last Modified 8/22/16 12.20 PM Created By weblogic acrfcdir Open Schedule Jobs Job History Edit More *							
eod report Shared Folders	ecrgpbal Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶							
Components	ecrimal Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							
Graphic Sample Lite	ecrmrevI Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							
	ecrpcash Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							
	ecrpcshd Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							
	ecrpfvbl Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶							
	ecrpmove Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶							
Tasks	acrreval Last Modified 8/22/16 12.20 PM Created By weblogic Copen Schedule Jobs Job History Edit More *							
Expand 1 Upload	ecrstmnt Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶							
Copy & Cut	ecrstmov Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶							
Permissions Properties	ecruncol Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More 🕶							
L ⁺ Export XLIFF	ecst_detailed Last Modified 8/22/16 12:20 PM Created By weblogic Open Schedule Jobs Job History Edit More *							~

In FCUBS properties Advice Type should be set to 'BIP' for displaying Branch Advice in PDF format

This completes the process of 'FCReports' folder creation.



1.3.4 Creating BI Publisher Report Job

1. In the home page, on the left side, click on Report Job and select the report which has to be run

RACLE ^{BI Publishe}	r Enterprise			Search	All	Ŧ	9	Administration	Help 🐨	Sign Out
me					Home	Catalog	New v	Open v	Signed In As	weblogic v
Create	Recent									
Report	Reports									
~	Others									
Report Job	Favorites Manage									
Data Model										
More 🐙										
Browse/Manage										
Catalog Folders										
Report Jobs Report Job History										
										- 0
										- A
http://whf00blq.in.c	racle.com:9502/xmlpserver/servle	et/schedule			÷ ¢	Search			۰ م	
Cle BI Publisher : Sched ×	oracle.com:9502/xmlpserver/servle	et/schedule		Search All	- C	Search	Q Ad	ministration	,O → Help ▼	· ☆☆ · Sign Out
Second State Attp://whf00blq.in.c BI Publisher: Sched × RACLE [®] BI Publisher: Sched b	oracle.com:9502/xmlpserver/servle	et/schedule		Search All	v C	Search	୍ Ad	ministration	,O + Help ▼	Sign Out
Attp://whf00blq.in.e If Publisher: Sched ×	vracle.com:9502/xmlpserver/servle	et/schedule		Search All	→ C + Home	Search Catalog	Q. Ad New ▼	ministration Open v	,O + Help ▼ Signed Ir	Sign Out As infra
Attp://whf00blq.in.e Ite BI Publisher : Sched × RACLE* BI Put Report Job Dverview General Created b	vacle.com.9502/xmlpserver/servle	et/schedule		Search All	v ⊄ Home	Search Catalog	Q, Ad New ▼	ministration Open 🔻	,	Sign Out As infra Submit
Mttp://wh/00blq.in.c de BI Publisher : Sched X RACLE* BI Publisher : Sched X General Created b Report Name Schedule Start imme	racle.com.9502/umipserver/servle Disher Enterprise Jisher Enterprise Destination Destination ediately Notification	Open		Search All	 ✓ C ✓ ✓ Home 	Search Catalog	Q Ad New ▼	ministration Open 🔻	,⊃ - Help = Signed Ir Return	Sign Out As infra Submit
(iii) (iiii) (iiiii) (iiiii) (iiiii) (iiiii) (iiiiii) (iiiiiii) (iiiiiii) (iiiiiiii) (iiiiiiiii) (iiiiiiiiii	racle.com/9502/xmlpserver/servle Disher Enterprise vinifra Outputs Destination ddiately Notification	Open Catalog	anaboaa.	Search All	- C	Search Catalog	Q, Ad New ▼	ministration Open ▼	,O ↓ Help ♥ Signed Ir Return	Sign Out As infra Submit
Constant of the second se	racle.com.9502/xmlpserver/servle Disher Enterprise Vinifra Outputs Destination deliately Notification e Notification Diagnostic	Open Catalog > My Folders		Search All	- C	Search Catalog	Q Ad New ▼	ministration Open 💌	,O ↓ Help ♥ Signed Ir Return	Sign Out As infra
Market Antrophysical State of the State	vacle.com.9502/vmlpterver/servid Disher Enterprise y infra Outputs pestination Hotification Diagnostic Q	Open Catalog > My Folders > Shared Folders	suspos	Search All	v € Home	Search Catalog	Q Ad New ▼	ministration Open 💌	,⊘ ↓ Help ♥ Signed Ir Return	Gign Out Sign Out AAS infra Submit
Control C	vacle.com.9502/xmlpserver/servid Disher Enterprise y infra Outputs Destination Autification e Notification Diagnostic	Open Catalog	stropers	Search All	v € Home	Search Catalog	Q Ad	ministration Open v	P ▼ Help ▼ Signed in Return	Sign Out a As infra
Compared and a second	vacle.com.9502/xmlpserver/servid Dilsher Enterprise y infra Outputs Destination adiately Notification e Notification Diagnostic	Open Catalog My Folders Shared Folders Components Sample Lite Sample Lite	Surstee Stratee Stratee Stratee	Search All	∼ d ₩ Home	Search Catalog X	Q Ad	ministration Open ▼	P ▼ Help ▼ Signed Ir Return	Sign Out n As infra
Compared and a second and	vacle.com/9502/xmlpserver/servid Disher Enterprise y infra Outputs Destination delately Notification e Notification Diagnostic	Open Catalog My Folders Shared Folders Components FCReports Sample Life	Surspoor	Search All	← C ₩ Home	Search	Q Ad New ≠	ministration Open ≠	P + Help ♥ Signed ir Return	Sign Out
Comparison of the second	vacle.com 9502/xmlpserver/servid	Copen Catalog My Folders My Folders Components Components Components Sample Lite	Strate Strate Styler Strate Strate Strate Strate Strate	Search All	- C	Search Catalog X	Q Ad	ministration	P + Help ♥ Signed ir Return	Sign Out
	vacle.com 9502/xmlpserver/servid Disher Enterprise y infra Outputs Destination ediately Notification a Notification Diagnostic	Copen Catalog My Folders Shared Folders Components Components Sample Lile	Suspective Estrates Stridger Stroda Stroda Swacep Swacep Swacep	Search All	- C	Search Catalog X	Q Ad	ministration Vopen V	P + Help ≠ Signed ir Return	Sign Out
	racle.com 9502/vmlpserver/servid Disher Enterprise y infra Outputs Destination ediately Notification e Notification Diagnostic	Open Catalog My Folders Shared Folders Components Components Sample Lite	Suspect	Search All	- C	Search Catalog X	Q Ad New ▼	ministration F	,	Sign Out
Constraints of the second	racle.com.9502/xmlp.rever/servid Disher Enterprise y infra Outputs Destination ediately Notification e Notification Diagnostic	Cypen Catalog My Folders Shared Folders Catalog Shared Folders Shared Folders Sample Lite	strattee strattee strber strattee strattee svracep	Search All	∼ d ₩ome	Search	Q Ad	ministration V Open v	,	Sign Out h As infra Submit
Construction of the second secon	vacle.com.9502/xmlpserver/servid	Copen Catalog My Folders Shared Folders Components FCReports Sample Lite	 Strateg Strateg	Search All	v d ₩ome	Search Catalog X	Q Ad New ≠	ministration V	,	Sign Out
Constraints of the second	racle.com.9502/xmlpserver/servid	Open Catalog My Folders My Folders Shared Folders FCReports Sample Lite	Strattee Strattee Strattee Strattee Strattee Swarep Swarep Swarep Swarep Swarep Swarep Swarep Swarep Swarep Swarep Swarep Swarep Strattee Description Strattee	Search All	← d	Search Catalog X	Q Ad New ≠	ministration V	P + Help ≠ Signed in Return	Sign Out A As infra
Constant of the second se	racie.com/9502/xmipserver/servid	Copen Catalog My Folders Shared Folders Components FCReports Sample Lite	Strattee Strattee Strattee Strattee Strattee Swarep	Search All	- d	Search	Q Ad New ≠	ministration V	p + Help ♥ Signed in Return	Sign Out
Constant of the second se	racle.com/9502/xmlpserver/servid	Copen Catalog My Folders Shared Folders Components FCReports Sample Lite	Surace Estrate Strate Strate Strate Swacep S	Search All	- d Home	Search Catalog X Catalog Catalog Catalog Catalog Catalog Catalog	Q Ad New ₹	ministration V Open V	,	Sign Out Sign Out As infra Submit
Control of the second sec	racle.com 9502/xmlpserver/servid	Copen Catalog My Folders Catalog Cat	Surstee Stratee Stratee Stratee Stratep Svacep S	Search All	- d + Home Open	Search Catalog X Catalog Cancel	Q Ad	ministration Qpen	p + Help ♥ Signed In Return	Sign Out A S infra Submit
Compared and a second a s	vacle.com.9502/vmlperver/servie Disher Enterprise y infra Outputs Destination etiately Notification Notification Diagnostic Q	Open Catalog My Folders Shared Folders Components Components Shared Folders Camponents Shared Folders Sample Lite	Strattee Strattee Strattee Strattee Swaccop Sw	Search All	- d Home	Search Catalog X Catalog Cancel	Q Ad	ministration v	,	Sign Out 1 As infra Submit



C () S http://whf00blq.in.orscle.com/9502/xmlpserver/servlet/schedule		- ¢	Search			- ۵	- 四 ×] 命☆戀(
Oracle BI Publisher : Sched × Oracle BI Publisher Enterprise	Search All			0	Administration	Heln 💌	Sign Out
Schedule Report Job		Home	Catalog	New 🔻	Open 🔻	Signed In	As infra v
General Output Schedule Notification Diagnostic							
Report //FCReports/strstfee.xdo Q							

2. Click on Output Tab. The options will get defaulted from the report which can be changed, if needed. Use 'Bursting definition to Determine Output & Delivery Destination' – Select this option, this will default the output and destination path as defined in the bursting query of the report.

(=) (B) http://whf00blq.in.oracle.com:9502/xmlpserver/servlet/schedule		- C	Search			ρ-	6 2	103
Oracle BI Publisher : Sched × 📑								
	Search All		•	٩, ١	Administration	Help 💌	Sign Out	
Schedule Report Job		Home	Catalog	New 🔻	Open 💌	Signed In A	As infra	*
⊿ Overview						Return	Submit	2
General Created by infra Outputs View bursting definition						Return	Subinic	ř.,
Report Name /FCReports/strstee.xdo Destination								
Schedule Start Infresidely Notification								
General Output Schedule Notification Diagnostic								
✓ Use Bursting Definition to Determine Output & Delivery Destination								
Make Output Public								
Save Data for Republishing								
Output								
Output is determined by burnline definition								
Output is determined by bursting definition.								

- 3. Click on 'Submit' on then top right, to submit the job. A pop-up message asking job name is displayed. Enter any name in job name and click on 'OK'. Then a confirmation message that job is submitted successfully is displayed.
- 4. The job will generate the Report output in in destination configured in report.



ubmit		@ ×
Report /FCReports/s	strstfee.xdo	
Parameters		
Schedule Start immedi	ately	
Output View bursting	g definition	
Notification		
Trigger Data Model		
Trigger Name		
Trigger Retry Limit		
Trigger Pause Time		
Trigger Parameters		
Report Job Name	PAD_StatementOfFees	
		OK Cancel



1.3.5 Configuring BIP Currency

You can set configuration for each currency by using one of the following methods.

- Configure using xdo.cfg file
- Configure from BIP server

1.3.5.1 Configuring Currency using 'xdo.cfg' file

In this method, you need to define the mask for each currency in the 'xdo.cfg' file. Further, place the 'xdo.cfg' file in the folder '<BI Publisher Repository>\Admin\Configuration'.

Click to view the 'xdo.cfg' file.

1.3.5.2 Configuring Currency from BIP Server

In order to configure the currency from BI Publisher server, follow the steps given below.

1. Go to Oracle BI Publisher Web Server's Administration Console. Specify the user name and password and click 'Sign In' button to sign in. On successful login, the following screen is displayed.



ne to the second	RACLE' BI Public	sher Enterprise		Se	arch All w	Q Administration Help ♥ Sign Out
Create Recert 0 Rest de 0 and and 0 and	me				Home Catalog	New v Open v Signed In As weblogic
Reprint R	Create	Recent				
Report AD Or a Mandel Na v - Second AD Second	Report	Reports				
Construint Disprision Service	Report Job	È		B		
Browney (spensification) Bistricution (spensification) Bistricution) Bistricution Bistri	More w					
Change Shares Provide Sea Provide Sea Provide Sea Provide Sea	Browse/Manage	tprosrep Open Edit More v	torprsum Open Edit More *	svrov Open Edit More v	svidarep Open Edit Nore v	svrbacci Open Edit More v
Republication Honory Republ	Catalog Folders	Others				
everality Exercises target	Report Job History	Edit		Edit	Edit	
Favorites Manape		Edit				
		Favorites Manage				

Click the link 'Administration' on the top right of the screen. The following screen is displayed.

ORACLE' BI Publisher Enterprise	Search Al	w.	٩,	Administration	Help v	Sign Out
Administration	Home	Catalog	New *	Open 🔻	Signed In As	weblogic *
Data Searce JoBC Connection And Connection LLM Connection Mar Barrier Advancements Mar Barrier Advancements HTTP: Connection HTTP:	System Matteriance Benaric Configuration Entertheir or comparison Report View Configuration Report View Configuration Response and Response Logs					
Security Center	Runtime Configuration					
Security Configuration Roles and Permissions Digital Elignature	Properties Port Mappings Currency Formats					
Delivery Delivery Configuration Protect	Integration Cracle Bil Presentation Services					
Pak Bradi WebDA/ HTTP FTP Cottert Server						
Document Claud Services						
Oracle BI Publisher (12.2.1.1.0. (build:20100526.2332)						

Click 'Currency Format' under 'Runtime Configuration'. The following screen is displayed.



Click 'Add Currency Format' button. The following screen is displayed.



				Search All		•	0,	Administration	Help 🔻	Sign Out
Administration				н	lome	Catalog	New 🔻	Open 🔻	Signed In As	weblogic 🔻
Administration > Currency Format > Add Currency Format										0
Add Currency Format									ł	Apply Cancel
Currency Format										
	* Currency Code * Format Mask	GBP 999G999G999G999G990M]							

Specify the currency code and the format mask. Click 'Apply' button.

Once the changes for all currencies are made, restart the OBIEE server.

This completes the process of currency configuration from BIP server.





BIP Web Service Reports [May] [2021] Version 12.87.7.0.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 https://www.oracle.com/industries/financial-services/index.html

Copyright © 2007, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.