

User Password Printing Configuration Guide
Oracle Banking Digital Experience
Release 21.1.0.0.0

Part No. F40800-01

May 2021

ORACLE®

User Password Printing Configuration Guide

May 2021

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway

Goregaon (East)

Mumbai, Maharashtra 400 063

India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax:+91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2006, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

1. Preface	1-1
1.1 Intended Audience	1-1
1.2 Documentation Accessibility	1-1
1.3 Access to Oracle Support	1-1
1.4 Structure	1-1
1.5 Related Information Sources	1-1
2. OBDX User Password Print Configuration.....	2-1
2.1 Configure Password Encryption/Decryption Provider	2-1
2.2 Configure Password Printing adapter	2-2

1. Preface

1.1 Intended Audience

This document is intended for the following audience:

- Customers
- Partners

1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Structure

This manual is organized into the following categories:

Preface gives information on the intended audience. It also describes the overall structure of the User Manual.

The subsequent chapters describes following details:

- Introduction
- Preferences & Database
- Configuration / Installation.

1.5 Related Information Sources

For more information on Oracle Banking Digital Experience Release 21.1.0.0.0, refer to the following documents:

- Oracle Banking Digital Experience Installation Manuals

2. OBDX User Password Print Configuration

2.1 Configure Password Encryption/Decryption Provider

1. When you create any new user or reset password for any existing user, user credential gets stored in system using two way cryptography so that same to be available for password printing
2. To override existing cryptography implementation, you need to perform following steps:
 - Add provider that implements **com.ofss.digx.app.sms.crypto.IUserCryptographyProvider**. Here you can add encryption and decryption implementation for Password.

Example:

```
package com.ofss.digx.app.sms.crypto;
```

```
public class CustomUserCryptographyProvider implements  
IUserCryptographyProvider {
```

```
@Override
```

```
public String decrypt(String value) {  
    // TODO Auto-generated method stub  
    return null;  
}
```

```
@Override
```

```
public String encrypt(String value) {  
    // TODO Auto-generated method stub  
    return null;  
}  
}
```

- Add one entry in Preferences.xml if not present for name '**UserConfig**'

Example:

```
<Preference name="UserConfig"
PreferencesProvider="com.ofss.digx.infra.config.impl.DBBasedPropertyProvider"
parent="jdbcpreference" propertyFileName="select prop_id, prop_value from
digx_fw_config_all_b where category_id = 'UserConfig'" syncTimeInterval="3600000" />
```

- Add one entry in database table digx_fw_config_all_b for **category_id = 'UserConfig'** and **prop_id = 'USER_CRYPTO_PROVIDER'**

```
Insert into DIGX_FW_CONFIG_ALL_B (PROP_ID, CATEGORY_ID, PROP_VALUE,
FACTORY_SHIPPED_FLAG, PROP_COMMENTS, SUMMARY_TEXT, CREATED_BY,
CREATION_DATE, LAST_UPDATED_BY, LAST_UPDATED_DATE, OBJECT_STATUS,
OBJECT_VERSION_NUMBER)
```

```
values ('USER_CRYPTO_PROVIDER','UserConfig
','com.ofss.digx.app.sms.crypto.CustomUserCryptographyProvider ','N',null,'Custom
provider for Password Encryption and
decryption','ofssuser',sysdate,'ofssuser',sysdate,'A',1);
```

Note: If above configuration is done, it will use **CustomUserCryptographyProvider** for password encryption and decryption and same encrypted password will be stored in DIGX_UM_PWD_PRINTINFO table. Currently by default com.ofss.digx.app.sms.crypto.UserCryptographyProvider provider will used if no configuration is done.

2.2 Configure Password Printing adapter

1. After successfully storing password in System, same will be available for printing to administrator.

2. Currently when admin performs password printing for user, password printing data stored in system in blob using adapter.
3. To override existing password printing implementation, you need to perform following steps:
 - Add adapter that implements `com.ofss.digx.app.sms.user.printinformation.provider.IUserInfoPrintAdapter`. Here you can add implementation for printing document for a user. `PasswordPrintInformationDTO` object will contain username, password and other documents(Password Letter/Welcome Letter).

Example:

```

package com.ofss.digx.app.sms.user.printinformation.provider;

import com.ofss.digx.app.sms.dto.user.printInformation.PasswordPrintInformation
    DTO;

import com.ofss.digx.infra.exceptions.Exception;

public class CustomUserInfoPrintAdapter implements
    IUserInfoPrintAdapter {

    @Override

    public void print(PasswordPrintInformationDTO userprintDTO)
    throws Exception {

        // TODO Auto-generated method stub

    }

}

```

- Add one entry in Preferences.xml if not present for name 'UserPrintConfig'

Example:

```
<Preference name="UserPrintConfig"
PreferencesProvider="com.ofss.digx.infra.config.impl.DBBasedPropertyProvider"
parent="jdbcpreference" propertyFileName="select prop_id, prop_value from
digx_fw_config_all_b where category_id = 'UserPrintConfig'" syncTimeInterval="36000000"
/>
```

- Add one entry in database table digx_fw_config_all_b for **category_id = 'UserPrintConfig'** and **prop_id = 'USER_INFORMATION_PRINT_PROVIDER'**

```
Insert into DIGX_FW_CONFIG_ALL_B (PROP_ID, CATEGORY_ID, PROP_VALUE,
FACTORY_SHIPPED_FLAG, PROP_COMMENTS, SUMMARY_TEXT, CREATED_BY,
CREATION_DATE, LAST_UPDATED_BY, LAST_UPDATED_DATE, OBJECT_STATUS,
OBJECT_VERSION_NUMBER)
```

values

```
('USER_INFORMATION_PRINT_PROVIDER','UserPrintConfig','com.ofss.digx.app.sms.
user.printinformation.provider.CustomUserInformationPrintAdapter','N',null,'Custom
adapter for User Password Information Printing','ofssuser',sysdate,'ofssuser',sysdate,'A',1);
```

Note: If above configuration is done, it will use **CustomUserInformationPrintAdapter** for user Password Information printing. Currently by default com.ofss.digx.app.sms.user.printinformation.provider.UserInformationPrintAdapter adapter will used if does not found any configuration.

[Home](#)