

Oracle FLEXCUBE Password Change  
Oracle FLEXCUBE Investor Servicing

Release 14.5.0.0.0

[May] [2021]



---

# Table of Contents

<b>1.</b>	<b>ABOUT THIS MANUAL.....</b>	<b>1-1</b>
1.1	INTRODUCTION .....	1-1
1.2	AUDIENCE .....	1-1
1.3	ORGANIZATION .....	1-1
1.4	RELATED DOCUMENTS .....	1-1
<b>2.</b>	<b>ORACLE FLEXCUBE PASSWORD CHANGE.....</b>	<b>2-1</b>
2.1	INTRODUCTION .....	2-1
<b>3.</b>	<b>CHANGING PASSWORDS IN ORACLE WEBLOGIC .....</b>	<b>3-1</b>
3.1	INTRODUCTION .....	3-1
3.2	CHANGING HOST SCHEMA PASSWORD .....	3-1
3.2.1	<i>Prerequisites .....</i>	<i>3-1</i>
3.2.2	<i>Changing Host Schema Password.....</i>	<i>3-2</i>
3.2.3	<i>Changing Password in Decentralized Setup.....</i>	<i>3-4</i>
3.3	CHANGING SCHEDULER DATA SOURCE PASSWORD .....	3-5
3.3.1	<i>Prerequisites .....</i>	<i>3-5</i>
3.3.2	<i>Changing Scheduler Data Source Password.....</i>	<i>3-6</i>
3.4	CHANGING BI PUBLISHER DATA SOURCE PASSWORD.....	3-8
3.4.1	<i>Prerequisites .....</i>	<i>3-8</i>
3.4.2	<i>Changing BI Publisher Data Source Password.....</i>	<i>3-9</i>
3.5	CHANGING ORACLE BUSINESS INTELLIGENCE ENTERPRIZE EDITION SCHEMA PASSWORD .....	3-10
3.5.1	<i>Prerequisites .....</i>	<i>3-10</i>
3.5.2	<i>Changing BI Publisher Data Source Password.....</i>	<i>3-11</i>
3.6	CHANGING GATEWAY DATA SOURCE PASSWORD .....	3-12
3.6.1	<i>Prerequisites .....</i>	<i>3-12</i>
3.6.2	<i>Changing Gateway Data Source Password.....</i>	<i>3-13</i>
<b>4.</b>	<b>CHANGING PASSWORDS IN IBM WEBSPHERE.....</b>	<b>4-1</b>
4.1	INTRODUCTION .....	4-1
4.2	CHANGING HOST SCHEMA PASSWORD .....	4-1
4.2.1	<i>Prerequisites .....</i>	<i>4-1</i>
4.2.2	<i>Changing Host Schema Password.....</i>	<i>4-2</i>
4.2.3	<i>Testing Host Schema Password Change.....</i>	<i>4-3</i>
4.3	CHANGING SCHEDULER DATA SOURCE PASSWORD .....	4-4
4.3.1	<i>Prerequisites .....</i>	<i>4-4</i>
4.3.2	<i>Changing Scheduler Data Source Password.....</i>	<i>4-5</i>
4.3.3	<i>Testing Scheduler Data Source Password Change.....</i>	<i>4-6</i>
4.4	CHANGING GATEWAY PASSWORD.....	4-7
4.4.1	<i>Prerequisites .....</i>	<i>4-7</i>
4.4.2	<i>Changing Gateway Data Source Password.....</i>	<i>4-8</i>
4.4.3	<i>Testing Gateway Data Source Password Change .....</i>	<i>4-9</i>

---

# 1. About this Manual

## 1.1 Introduction

This manual explains the method of changing the passwords in Oracle FLEXCUBE data sources and the servers associated with it.

## 1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Implementers	Installation and implementation of Oracle FLEXCUBE
System Administrators	System administration

## 1.3 Organization

This manual is organized into the following chapters:

<b>Chapter 1</b>	<i>About this Manual</i> acquaints you quickly with the purpose, organization and the audience of the manual.
<b>Chapter 2</b>	<i>Oracle FLEXCUBE Password Change</i> gives an outline of the processes involved in changing the passwords of various data sources.
<b>Chapter 3</b>	<i>Changing Passwords in Oracle WebLogic</i> describes the method of changing data source passwords from Oracle WebLogic application server.
<b>Chapter 4</b>	<i>Changing Passwords in IBM Websphere</i> describes the method of changing data source passwords from IBM Websphere application server.
<b>Chapter 5</b>	<i>Server Password Change</i> explains the process of changing the passwords of the servers associated with Oracle FLEXCUBE.

## 1.4 Related Documents

Oracle FLEXCUBE Installation Guide

---

## 2. Oracle FLEXCUBE Password Change


### 2.1 Introduction


This chapter explains the process of changing the passwords of data sources associated with Oracle FLEXCUBE.

You will find the methods to change the passwords of the following components:

- Oracle FLEXCUBE Host Schema
- Scheduler Data Source
- ELCM Data Source
- BI Publisher Data Source
- Gateway Data Source
- Branch Data Source

The following diagram briefs the steps involved in changing the passwords of the above components.





---

## 3. Changing Passwords in Oracle WebLogic

### 3.1 Introduction

This chapter describes the method of changing data source passwords from Oracle WebLogic application server.

### 3.2 Changing Host Schema Password

This section explains the method to change the password of Oracle FLEXCUBE Host schema.

If you change the host schema password, you also need to change the passwords of the data sources pointing to the host schema.

#### 3.2.1 Prerequisites

Before you change and test the passwords of the data sources, ensure that the following activities are completed:

1. Determine the downtime for the password change and test activities.
2. Inform all concerned users and groups.
3. Ensure that all users have logged out of Oracle FLEXCUBE system.
4. Stop Oracle FLEXCUBE application.
5. Stop the target server to which the data sources point. To stop the target server, follow the steps below:
  - Login to Oracle WebLogic application server
  - Go to Home > Environments > Servers
  - Select and stop the server by clicking 'Stop' button.

This completes the prerequisites.

### 3.2.2 Changing Host Schema Password

You need to test whether the data source password change was successful. Follow the steps given below.

1. Login to Oracle WebLogic application server
2. Go to **Home > Services > Data Sources**. You will notice a table that contains the list of all data sources created in the application server.
3. Click the data source *jdbc/fejdevDS*.
4. Select 'Connection Pool' tab.

The screenshot shows the Oracle WebLogic Administration Console interface. The left sidebar contains the 'Change Center' and 'Domain Structure' tree. The main area displays the 'Settings for FCUBDS' page with the 'Connection Pool' tab selected. The 'URL' field is set to 'jdbc:oracle:thin:@10.184.74.142:1521:KERDEV3'. The 'Driver Class Name' is 'oracle.jdbc.OracleDriver'. The 'Properties' field contains 'user=FC1131IUT'. The 'System Properties' field is empty. The 'Password' and 'Confirm Password' fields are highlighted with a red box.

5. Change the password. Use the following fields:

#### Password


Specify the new password.

#### Confirm Password


Specify the new password again.



6. Click 'Save'.
7. To test the data source, select 'Monitoring' tab and select 'Testing' tab under it.



8. Select the target server and click 'Test Data Source'.
9. The screen displays a message confirming successful testing.



10. Once you get the message, restart the application server.
11. Start Oracle FLEXCUBE.
12. Log in to Oracle FLEXCUBE. Launch a summary screen or execute a simple transaction to test.

**STOP** Try the above process in UAT or any other test environment before you change the password in a production environment.

## Changing Password in Decentralized Setup

You need to change the branch schema password for a decentralized setup of Oracle FLEXCUBE. Follow the steps given below:

1. In Oracle FLEXCUBE Investor Servicing Installer, load the existing property file. Go to the step where you can define the branch properties.

Name	Value
Username	installer
Password	••••••••
Connect String	testdb
IP Address	10.10.10.10
Port	1521

2. You need to modify the following field:

### Password

Specify the new password for the branch schema

*Refer to the Installation Guide for further information on the following topics:*

- *Creating EAR file*
- *Loading and editing the property file*
- *Deploying EAR file*



Try the above process in UAT or any other test environment before you change the password in a production environment.

### 3.3 **Changing Scheduler Data Source Password**

After changing the host schema password, you need to change the password of scheduler data source.

#### 3.3.1 **Prerequisites**

Before you change the password of scheduler data source, ensure that the following activities are completed:

1. Determine the down time for the password change activity.
2. Inform all concerned users and groups.
3. Ensure that all users have logged out of Oracle FLEXCUBE system.
4. Stop Oracle FLEXCUBE application.
5. Stop the target server to which the data sources point. To stop the target server, follow the steps below:
  - Login to Oracle WebLogic application server
  - Go to **Home > Environments > Servers**
  - Select and stop the server by clicking 'Stop' button.

This completes the prerequisites.

### 3.3.2 Changing Scheduler Data Source Password

You need to change the password of scheduler data source. Follow the steps given below.

1. Login to Oracle WebLogic application server
2. Go to **Home > Services > Data Sources**. You will notice a table that contains the list of all data sources created in the application server.
3. Click the data scheduler source *jdbc/ocjSchedulerDS*.
4. Select **Connection Pool** tab.

The screenshot shows the Oracle WebLogic Administration Console interface. The left sidebar contains a 'Domain Structure' tree with 'base\_domain' expanded, showing 'Services' and 'Data Sources'. Below it is a 'How do I...' section with links to configure testing options, statement cache, and credential mapping. The 'System Status' section shows 'Health of Running Servers' with a table of status indicators. The main content area is titled 'Settings for FCUBS\_SchedulerDS' and has tabs for 'Configuration', 'Targets', 'Monitoring', 'Control', 'Security', and 'Notes'. The 'Configuration' tab is active, and the 'Connection Pool' sub-tab is selected. The 'URL' field is 'jdbc:oracle:thin:@10.184.74.142:1521:KERDEV3'. The 'Driver Class Name' is 'oracle.jdbc.xa.client.OracleXADataSource'. The 'Properties' field contains 'user=FC1131IUT'. The 'System Properties' field is empty. The 'Password' and 'Confirm Password' fields are highlighted with a red box.

5. Change the password. Use the following fields:

#### Password


Specify the new password.

#### Confirm Password


Specify the new password again.

6. Click 'Save'.

7. To test the data source, select 'Monitoring' tab and select 'Testing' tab under it.



8. Select the target server and click 'Test Data Source'.
9. The screen displays a message confirming successful testing.



*You need to change the branch schema password after the above steps. Refer to the section 'Changing Password in Decentralized Setup' for information on changing the branch schema password from Oracle FLEXCUBE Investor Servicing Installer.*



Try the above process in UAT or any other test environment before you change the password in a production environment.

## 3.4 **Changing BI Publisher Data Source Password**

You need to change the password of the BI Publisher data source.

### 3.4.1 **Prerequisites**

Before you change the password of BI Publisher data source, ensure that the following activities are completed:

1. Determine the down time for the password change activity.
2. Inform all concerned users and groups.
3. Ensure that all users have logged out of Oracle FLEXCUBE system.
4. Stop Oracle FLEXCUBE application.
5. Stop the target server to which the data sources point. To stop the target server, follow the steps below:
6. Login to Oracle WebLogic application server
7. Go to **Home > Environments > Servers**
8. Select and stop the server and clicking 'Stop' button.
9. This completes the prerequisites.

### 3.4.2 Changing BI Publisher Data Source Password

To change the BI Publisher data source password, follow the steps given below:

1. Log in to BI Publisher server.
2. Go to Admin > JDBC > Update Data Source.

The screenshot shows the Oracle BI Publisher Enterprise Admin console. The breadcrumb navigation is 'Admin > JDBC > Update Data Source: Oracle BI EE'. The 'Update Data Source: Oracle BI EE' dialog is open, with the 'General' tab selected. The 'Data Source Name' is 'Oracle BI EE'. The 'Driver Type' is 'Oracle BI Server'. The 'Database Driver Class' is 'oracle.bi.jdbc.AnaJdbcDriver'. The 'Connection String' is 'jdbc:oraclebi://HOST:PORT/'. The 'Username' is 'Administrator'. The 'Password' field is masked with dots. The 'Apply' button is highlighted with a red box. Below the 'General' tab is the 'Security' section, which contains 'Available Roles' and 'Allowed Roles' lists with 'Move', 'Move All', 'Remove', and 'Remove All' buttons between them.

3. Choose the data source whose password needs to be modified.
4. Modify the following field:

#### Password

Specify the new password.

5. Click 'Apply' button.
6. Restart the application server.
7. Start Oracle FLEXCUBE.
8. Log in to Oracle FLEXCUBE. Generate a sample report to test.



Try the above process in UAT or any other test environment before you change the password in a production environment.

## 3.5 **Changing Oracle Business Intelligence Enterprise Edition Schema Password**

You need to change the password of the Oracle Business Intelligence Enterprise Edition (OBIEE) data sources.

### 3.5.1 **Prerequisites**

Before you change the password of BI Publisher data source, ensure that the following activities are completed:

1. Determine the down time for the password change activity.
2. Inform all concerned users and groups.
3. Ensure that all users have logged out of Oracle FLEXCUBE system.
4. Stop Oracle FLEXCUBE application.
5. Stop the target server to which the data sources point. To stop the target server, follow the steps below:
  - Login to Oracle WebLogic application server
  - Go to **Home > Environments > Servers**
  - Select and stop the server by clicking 'Stop' button.


This completes the prerequisites.



### 3.5.2 Changing BI Publisher Data Source Password

To change the OBIEE data source password, follow the steps given below:

1. Login in to OBIEE Administrative console.
2. Go to Database created > Connection Pool. You will get 'Connection Pool' window.



3. Change the password. You will be prompted to re-enter the password. Click 'OK'.
4. Restart the application server.
5. Start Oracle FLEXCUBE.
6. Log in to Oracle FLEXCUBE. Generate a sample report to test.



Try the above process in UAT or any other test environment before you change the password in a production environment.

## 3.6 **Changing Gateway Data Source Password**

If you change the host schema password, you also need to change the gateway password.

### 3.6.1 **Prerequisites**

Before you change the gateway password, ensure that the following activities are completed:

1. Determine the down time for the password change activity.
2. Inform all concerned users and groups.
3. Ensure that all users have logged out of Oracle FLEXCUBE system.
4. Stop Oracle FLEXCUBE application.
5. Stop the target server to which the data sources point. To stop the target server, follow the steps below:
  - Login to Oracle WebLogic application server
  - Go to Home > Environments > Servers
  - Select and stop the server by clicking 'Stop' button.

This completes the prerequisites.

### 3.6.2 Changing Gateway Data Source Password

You need to change the password of Gateway data source. Follow the steps given below.

1. Login to Oracle WebLogic application server
2. Go to Home > Services > Data Sources. You will notice a table that contains the list of all data sources created in the application server.
3. Select Gateway data source (*FLEXTEST.WORLD*).
4. Select 'Connection Pool' tab.

The screenshot shows the Oracle WebLogic Administration Console interface. On the left, there is a 'Domain Structure' tree with 'base\_domain' expanded, showing 'Environment', 'Deployments', and 'Services'. Under 'Services', 'Data Sources' is selected. Below the tree, there are sections for 'How do I...' (with links to configure testing, statement cache, and credential mapping) and 'System Status' (showing health of running servers). The main area is the 'Configuration' tab for the 'Connection Pool'. It includes a 'Save' button, a description of the connection pool, and fields for 'URL' (jdbc:oracle:thin:@10.10.10.10:1010:KERDEV3), 'Driver Class Name' (oracle.jdbc.xa.client:OracleXADataSource), 'Properties' (user=F011311UT), 'System Properties', 'Password' (masked with dots), 'Confirm Password' (masked with dots), 'Initial Capacity' (1), and 'Maximum Capacity' (15). The 'Password' and 'Confirm Password' fields are highlighted with a red box.

5. Change the password. Use the following fields:

**Password**

Specify the new password

**Confirm Password**

Specify the new password again

6. Click 'Save'.
7. To test the data source, select 'Monitoring' tab and select 'Testing tab' under it.
8. Select the target server and click 'Test Data Source'.
9. The screen displays a message confirming successful testing.

The screenshot shows the Oracle WebLogic Server Administration Console. The breadcrumb trail is: Home > Summary of JDBC Data Sources > FCUBS\_SchedulerDS > Summary of JDBC Data Sources > FCUBS\_ELCMDs > Summary of JDBC Data Sources > FLEXTTEST.WORLD > Summary of JDBC Data Sources > FLEXTTEST.WORLD. A red box highlights a message: "Test of FLEXTTEST.WORLD on server ManagedServer was successful." Below this, the "Settings for FLEXTTEST.WORLD" section is visible, with tabs for Configuration, Targets, Monitoring, Control, Security, and Notes. The "Monitoring" tab is selected, and within it, the "Testing" sub-tab is active. A table titled "Test Data Source (Filtered - More Columns Exist)" shows a single entry for "ManagedServer" with a "Test Data Source" button and a "State" of "Running".

10. Once you get the message, restart the application server.
11. Start Oracle FLEXCUBE. Log in to Oracle FLEXCUBE and test whether the change was successful.



Try the above process in UAT or any other test environment before you change the password in a production environment.

---

## 4. Changing Passwords in IBM Websphere

### 4.1 Introduction

This chapter describes the methods of changing passwords of data sources from IBM Websphere application server.

### 4.2 Changing Host Schema Password

This section explains the method to change the password of Oracle FLEXCUBE Host schema in IBM Websphere application server. If you change the host schema password, you also need to change the passwords of the data sources pointing to the host schema.

#### 4.2.1 Prerequisites

Before you change and test the passwords of the data sources, ensure that the following activities are completed:

1. Determine the downtime for the password change and test activities
2. Inform all concerned users and groups
3. Ensure that all users have logged out of Oracle FLEXCUBE system
4. Stop the target server to which the data sources point.
5. Stop Oracle FLEXCUBE application

This completes the prerequisites.

## 4.2.2 Changing Host Schema Password

You need to change the password of Host Schema data source. Follow the steps given below.

1. Login to IBM Websphere application server

Integrated Solutions Console Welcome admin

Cell=DDHP0520Node01Cell, Profile=AppSrv01

**Global security**

Use this panel to configure administration and the default application security policy. This security configuration applies to the security policy for all administrative functions and is used as a default security policy for user applications. Security domains can be defined to override and customize the security policies for user applications.

Security Configuration Wizard Security Configuration Report

**Administrative security**

☒ Enable administrative security

**Application security**

☐ Enable application security

**Java 2 security**

☐ Use Java 2 security to restrict application access to local resources

☒ Warn if applications are granted custom permissions

☐ Restrict access to resource authentication data

**User account repository**

Current realm definition

Federated repositories

Available realm definitions

Federated repositories

Configure... Set as current

Apply Reset

**Authentication**

Authentication mechanisms and expiration

☒ LTPA

☐ Kerberos and LTPA

(This function is currently disabled. See the IBM Support site for possible future updates.)

[Kerberos configuration](#)

☐ SWAM (deprecated): No authenticated communication between servers

[Authentication cache settings](#)

☐ Web and SIP security

☐ RMI/IIOP security

☒ Java Authentication and Authorization Service

☒ Application login

☒ System login

☒ J2C authentication data

Specify a list of Java(TM) Authentication and Authorization Service (JAAS) login configurations that are used by system resources including the authentication mechanism, principal mapping, and credential mapping. You cannot remove the default login configurations because doing so might cause applications to fail.

[Security domains](#)

[External authentication providers](#)

[Custom properties](#)

2. Go to Security > Global Security > Java Authentication and Authorization Schema > J2C Authentication Data.

Integrated Solutions Console Welcome

Cell=JPL189DORNode06Cell, Profile=AppSrv06

**Global security > JAAS - J2C authentication data**

Specifies a list of user identities and passwords for Java(TM) 2 connector security to use.

☒ Prefix new alias names with the node name of the cell (for compatibility with earlier releases)

Apply

**Preferences**

New Delete

Select	Alias	User ID	Description
<input type="checkbox"/>	JPL189DORNode06/LA1465R2	LA1465R2	LA1465R2
Total 1			

Field help

For field help information, select a field label or list marker when the help cursor is displayed.


Page help

[View information about this page](#)

Command Assistance

[View administrative scripting command for last action](#)

3. You will notice a table showing the list of JDBC sources. Choose the node used by host schema data source.




4. Specify the new password and click 'Apply' button. Click 'OK'.

### 4.2.3 Testing Host Schema Password Change

You need to test whether the data source password change was successful. Follow the steps given below.

1. Login to IBM Websphere application server
2. Go to Home > Resources > JDBC >Data Sources. You will notice a table that contains the list of all data sources created in the application server.
3. Select the data source *jdbcfcjdevDS*.
4. Select 'Test Connection' tab.

5. The screen displays a message confirming successful testing.



6. Once you get the message, restart the application server.

7. Start Oracle FLEXCUBE. Log in and test whether the change was successful.



Try the above process in UAT or any other test environment before you change the password in a production environment.

## 4.3 Changing Scheduler Data Source Password

After changing the host schema password, you need to change the password of scheduler data source.

### 4.3.1 Prerequisites

Before you change the password of scheduler data source, ensure that the following activities are completed:

1. Determine the down time for the password change activity.
2. Inform all concerned users and groups.
3. Ensure that all users have logged out of Oracle FLEXCUBE system.
4. Stop Oracle FLEXCUBE application.
5. Stop the target server to which the data sources point.


This completes the prerequisites.



## 4.3.2 Changing Scheduler Data Source Password

You need to change the password of Host Schema data source. Follow the steps given below.

1. Login to IBM Websphere application server



Integrated Solutions Console Welcome admin

Cell=DDHP0520Node01Cell, Profile=AppSrv01

**Global security**

Use this panel to configure administration and the default application security policy. This security configuration applies to the security policy for all administrative functions and is used as a default security policy for user applications. Security domains can be defined to override and customize the security policies for user applications.

Security Configuration Wizard Security Configuration Report

**Administrative security**

☒ Enable administrative security

**Application security**

☐ Enable application security

**Java 2 security**

☐ Use Java 2 security to restrict application access to local resources

☒ Warn if applications are granted custom permissions

☐ Restrict access to resource authentication data

**User account repository**

Current realm definition

Federated repositories

Available realm definitions

Federated repositories

Configure... Set as current

Apply Reset

**Authentication**

Authentication mechanisms and expiration

☒ LTPA

☐ Kerberos and LTPA

(This function is currently disabled. See the IBM Support site for possible future updates.)

[Kerberos configuration](#)

☐ SWAM (deprecated): No authenticated communication between servers

[Authentication cache settings](#)

☒ Web and SIP security

☐ RMI/IIOP security

☒ Java Authentication and Authorization Service

☐ Use realm-qualified user names

[Application login](#)

[System login](#)

[J2C authentication data](#)


[Security domains](#)

[External authorization providers](#)

[Custom properties](#)

Specify a list of Java(TM) Authentication and Authorization Service (JAAS) login configurations that are used by system resources including the authentication mechanism, principal mapping, and credential mapping. You cannot remove the default login configurations because doing so might cause applications to fail.

2. Go to Security > Global Security > Java Authentication and Authorization Schema > J2C Authentication Data.



Integrated Solutions Console Welcome

Cell=IPL189DORNode06Cell, Profile=AppSrv06

**Global security > JAAS - J2C authentication data**

Specifies a list of user identities and passwords for Java(TM) 2 connector security to use.

☒ Prefix new alias names with the node name of the cell (for compatibility with earlier releases)

Apply

**Preferences**

New Delete

Select Alias User ID Description

You can administer the following resources:

Select	Alias	User ID	Description
<input type="checkbox"/>	IDP189DORNode06/LA1465R2	LA1465R2	LA1465R2

Total 1

**Field help**

For field help information, select a field label or list marker when the help cursor is displayed.


**Page help**

[More information about this page](#)

**Command Assistance**

[View administrative scripting commands for J2C actions](#)

3. You will notice a table showing list of JDBC sources choose the node which is used by Oracle FLEXCUBE application.



4. Specify the new password in the text field and click on Apply and then click on ok.

### 4.3.3 Testing Scheduler Data Source Password Change

You need to test whether the data source password change was successful. Follow the steps given below.

1. Login to IBM Websphere application server
2. Go to Home > Resources > JDBC>Data Sources. You will notice a table that contains the list of all data sources created in the application server.
3. Select the data source *jdbcfcjSchedulerDS*.
4. Click 'Test connection' tab.

5. The screen displays a message confirming successful testing.

The screenshot shows the Integrated Solutions Console interface. On the left is a navigation tree with categories like Servers, Applications, Resources, and Security. The main panel is titled 'Data sources' and contains a message box with a green checkmark icon stating: 'The test connection operation for data source FCUBS Scheduler Data source on server server1 at node IPL189DORNode06 was successful.' Below the message, there are sections for 'Data sources', 'Scope', and 'Preferences'. The 'Data sources' section includes a table listing various data sources. The 'Scope' section has a dropdown menu set to 'All scopes'. The 'Preferences' section includes buttons for 'New', 'Delete', 'Test connection', and 'Manage state...'. On the right side of the console, there is a 'Help' panel with links for 'Field help', 'Page help', and 'Command Assistance'.

Select	Name	JNDI name	Scope	Provider	Description	Category
<input type="checkbox"/>	Default Data source	DefaultDataSource	Node=IPL189DORNode06.Server=server1	Derby JDBC Provider	DataSource for the WebSphere Default Application	
<input type="checkbox"/>	FCUBS Branch Data source	jdbc/fqBranchDS	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC DataSource	
<input type="checkbox"/>	FCUBS Scheduler Data source	jdbc/fqSchedulerDS	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC DataSource	
<input type="checkbox"/>	FLEXTST.WORLD gateway	FLEXTST.WORLD	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC DataSource	
<input type="checkbox"/>	LATAM	jdbc/fqdevDS	Node=IPL189DORNode06.Server=server1	LA1465R2	New JDBC DataSource	
Total 5						

6. Once you get the message, restart the application server.

7. Start Oracle FLEXCUBE. Log in and test whether the change was successful.



Try the above process in UAT or any other test environment before you change the password in a production environment.

## 4.4 Changing Gateway Password

If you change the host schema password, you also need to change the gateway password.

### 4.4.1 Prerequisites

Before you change the password of scheduler data source, ensure that the following activities are completed:


1. Determine the down time for the password change activity.
2. Inform all concerned users and groups.
3. Stop the target server to which the data sources point.
4. Ensure that all users have logged out of Oracle FLEXCUBE system
5. Stop Oracle FLEXCUBE application

This completes the prerequisites.


## 4.4.2 Changing Gateway Data Source Password

You need to change the password of Host Schema data source. Follow the steps given below.

1. Log in to IBM Websphere application server.
2. Go to Security > Global Security > Java Authentication and Authorization Schema > J2C Authentication Data.



3. You will notice a table showing list of JDBC Sources choose the one which is been used by Gateway data source.



4. Specify the new password in the text field and click on Apply and then click on ok.

### 4.4.3 Testing Gateway Data Source Password Change

You need to test whether the data source password change was successful. Follow the steps given below.

1. Log in to IBM Websphere application server.
2. Go to Home > Resources > JDBC > Data Sources. You will notice a table that contains the list of all data sources created in the application server.
3. Select the data source *FLEXTEST.WORLD*
4. Select 'Test Connection' tab.
5. The screen displays a message confirming successful testing.

Integrated Solutions Console Welcome

Cell=IPL189DORNode06Cell\_Profile=AppSrv06

Help | Logout

Close page

Views: All tasks

Guided Activities

Servers

Server Types

- WebSphere application servers
- WebSphere MQ servers
- Web servers

Applications

Services

Resources

- Schedulers
- Object pool managers
- JMS
- JDBC
- JDBC providers
- Data sources
- Data sources (WebSphere Application Server V4)

Resource Adapters

Asynchronous beans

Cache instances

Mail

URL

Resource Environment

Security

- Global security
- Security domains
- Administrative Authorization Groups
- SSL certificate and key management
- Security auditing
- Bus security

Environment

System administration

Users and Groups

Monitoring and Tuning

Troubleshooting

Service integration

UDDI

Data sources

Messages

The test connection operation for data source FLEXTEST.WORLD gateway on server server1 at node IPL189DORNode06 was successful.

Data sources

Use this page to edit the settings of a datasource that is associated with your selected JDBC provider. The datasource object supplies your application with connections for accessing the database. Learn more about this task in a [guided activity](#). A guided activity provides a list of task steps and more general information about the topic.

Scope: =All scopes

Scope specifies the level at which the resource definition is visible. For detailed information on what scope is and how it works, [see the scope settings help](#).

All scopes

Preferences

New Delete Test connection Manage state...

Select Name JNDI name Scope Provider Description Category

You can administer the following resources:

Select	Name	JNDI name	Scope	Provider	Description	Category
<input type="checkbox"/>	DefaultDataSource	DefaultDataSource	Node=IPL189DORNode06.Server=server1	Derby JDBC Provider	Datasource for the WebSphere Default Application	
<input type="checkbox"/>	FLEXTEST.WORLD	FLEXTEST.WORLD	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC Datasource	
<input type="checkbox"/>	FLEXTEST.WORLD	FLEXTEST.WORLD	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC Datasource	
<input type="checkbox"/>	FLEXTEST.WORLD	FLEXTEST.WORLD	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC Datasource	
<input type="checkbox"/>	FLEXTEST.WORLD	FLEXTEST.WORLD	Node=IPL189DORNode06.Server=server1	Oracle JDBC Driver (XA)	New JDBC Datasource	

Total 5

Field help

For field help information, select a field label or marker when the help cursor is displayed.


Page help

More information about this page

Command Assistance

View administrative scripting command for action

6. Once you get the message, restart the application server.
7. Start Oracle FLEXCUBE. Log in to Oracle FLEXCUBE and test whether the change was successful.

 Try the above process in UAT or any other test environment before you change the password in a production environment.



Oracle FLEXCUBE Password Change  
[May] [2021]  
Version 14.5.0.0.0

Oracle Financial Services Software Limited  
Oracle Park  
Off Western Express Highway  
Goregaon (East)  
Mumbai, Maharashtra 400 063  
India

Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax: +91 22 6718 3001  
[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © [2007], [2021], Oracle and/or its affiliates.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

**U.S. GOVERNMENT END USERS:** Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

