

Oracle FLEXCUBE IS Installation
Oracle FLEXCUBE Investor Servicing
Release 14.5.0.0.0
[May] [2021]



Table of Contents

1.	ORACLE FLEXCUBE IS INSTALLATION	2
1.1	INTRODUCTION	2
1.2	DEPLOYMENT OPTIONS	2
1.3	ORACLE FLEXCUBE INSTALLATION VARIETIES.....	2
1.3.1	<i>Creating New FCHome</i>	<i>3</i>
1.3.2	<i>Updating FCHome with Patchsets.....</i>	<i>3</i>
1.3.3	<i>Updating FCHome with ROLLED Patchsets.....</i>	<i>3</i>
1.3.4	<i>New Installation.....</i>	<i>4</i>
1.3.5	<i>Applying Patchset</i>	<i>4</i>
1.3.6	<i>Upgrading to Higher Version</i>	<i>5</i>
1.4	COMPONENTS OF ORACLE FLEXCUBE	6
1.4.1	<i>Plug-Ins Required.....</i>	<i>6</i>
1.4.2	<i>Setting up the Plug-Ins.....</i>	<i>6</i>
1.4.3	<i>Manual Deployment.....</i>	<i>6</i>
1.4.4	<i>FCIS Application Installation</i>	<i>7</i>
1.4.5	<i>GATEWAY Application Installation</i>	<i>8</i>
1.4.6	<i>Open Development Tool (ODT).....</i>	<i>9</i>
1.4.7	<i>Standalone Scheduler Installation</i>	<i>9</i>

1. Oracle FLEXCUBE IS Installation

1.1 Introduction

This manual is designed to help acquaint you with the various deployment options supported by the installer, the various components that make Oracle FLEXCUBE IS, the plug-ins that are supported by these components and the detailed installation steps of the various components supported by Oracle FLEXCUBE.

1.2 Deployment Options


Centralized	In this mode there will be only one setup. The build, configuration and deployment would be targeted to this setup alone.
--------------------	---

1.3 Oracle FLEXCUBE Installation Varieties

Installing Oracle FLEXCUBE can happen in multiple varieties. Please follow steps mentioned in first 3 sections before starting any installation steps.

Installer does not accept spaces in file path. Its applicable for all path including but not limited to source path, temp destination directory, property file path etc.

The below screenshot shows sample "FC Home" folder structure. This is the location to be pointed, if installer asks for FC Home directory.



In the above screenshot, main release content can be found directly under **FCHOME** directory and **Patches** directory contains patch release contents.

1.3.1 Creating New FCHome

1. Extract the ZIP file **FCIS_<Version>_<Release Date>.zip**
2. Create a FCHOME Folder and extract the above zip into this folder.
3. Copy FCHome.ini from FCUBS folder to FCHOME Folder.
4. Make sure that FCHOME Directory is accessible by both Application server and Database Server.

1.3.2 Updating FCHome with Patchsets

1. Extract the ZIP file **FCIS_<Version>.0.<Patch No>.zip** into FCHOME folder
2. You find the extracted patch under the folder **FCISHOME\Patches**.

1.3.3 Updating FCHome with ROLLED Patchsets

1. Extract the ZIP file **FCIS_<Version>.<Rolled Patch No>.0.zip** into FCHOME folder
2. You find the extracted patch under the folder **FCISHOME\Patches**.

1.3.4 **New Installation**

This section explains the step by step procedure for fresh installation using installer:

1. Apply the environment settings for Oracle FLEXCUBE. (Refer to [OracleFLEXCUBE_FCIS_Pre-requisites](#) document).
2. Navigate to the folder which was chosen as FCHOME and launch the installer by running FCUBSInstaller.bat in the Installer folder.
3. Select Database in Oracle FLEXCUBE Installer and provide the FCHOME path. (Refer [FCIS_DB_Setup](#) document under FCIS Components > FCIS).
4. For creating application, create a property file with the required plug-ins. (Refer to [FCIS_Property_File_Creation](#) document under FCIS Components > FCIS).
5. Build an EAR using the property file created in step 4. (Refer [FCIS_EAR_Building](#) document under FCIS Components > FCIS).
6. Deploy the Built EAR in application server and login to the Oracle FLEXCUBE. (Refer to application server specific Deployment documents under FCIS Components > FCIS).

Note:

You need to launch the installer again once a particular activity is completed.

1.3.5 **Applying Patchset**

This section describes applying patchset.

1.3.5.1 **Applying Oracle FLEXCUBE Patch Set - Middleware**

Weblogic

1. Navigate to the folder which was chosen as FCHOME and launch the installer by running FCUBSInstaller.bat in the Installer folder.
2. Provide the path of the FCHOME folder
3. Build an EAR by loading the existing property file.
4. Deploy the built EAR in Weblogic application server.



Building of EAR can be done in remote location but the application deployment should be done in local system where the application server is installed.

Websphere

1. Navigate to the folder which was chosen as FCHOME and launch the installer by running FCUBSInstaller.bat in the Installer folder.
2. Provide the path of the FCHOME folder
3. Build an EAR by loading the existing property file
4. Deploy the built EAR in Websphere application server.

1.3.5.2 Applying Oracle FLEXCUBE Patch set - DATABASE

1. Navigate to the folder, which was chosen as FCHOME, and Launch the installer by running FCUBSInstaller.bat in the Installer folder.
2. Launch Installer by running FCUBSInstaller.bat and select Database Setup.
3. Provide Database server connection details.
4. Apply the patch set into the Database server.



Take a snapshot backup of the environment before applying the patchset as backup or recovery process for the continuity of business. Once patchset is applied, it cannot be rolled back automatically.

1.3.6 Upgrading to Higher Version

Oracle FLEXCUBE DATABASE Version Upgradation

1. Copy the Installer sources from shipment area to a local folder INSTALLER.
2. Copy the All the existing version sources from Shipment area to a local folder which will be given as source path1 in step 4.
3. Copy the sources of the upgraded version from shipment area to a local folder which will be given as source path2 in step 4.
4. Launch the latest upgraded Installer by running FCUBSInstaller.bat.
5. Provide the existing version sources path created in step 2 as consolidated source and provide the upgraded version sources path created in step 3 as delta source.
6. Provide Database server connection details.
7. Apply the patch set into the Database server.

1.4 **Components of Oracle FLEXCUBE**

Following are the components of the Oracle FLEXCUBE:

- Oracle FLEXCUBE Investor Servicing (FCIS)
- GATEWAY
- Open Development Tool (ODT)
- Standalone Scheduler

1.4.1 **Plug-Ins Required**

Application	Plug-ins Supported
FCIS	<ul style="list-style-type: none">• Reports• Scheduler• Document Management System• BPEL• Insulation
ODT	Not applicable
Gateway	Not applicable
Scheduler	NA

1.4.2 **Setting up the Plug-Ins**

The [Setting up Plugins](#) document describes the step by step details of setting up the various plug-ins supported by Oracle FLEXCUBE. This is under FCIS Main.

1.4.3 **Manual Deployment**

This section explains the steps to deploy Oracle FLEXCUBE IS application manually. Application server resources required are detailed in [Resources To Be Created](#) document. This is present under Environment Setup > Application Server

Follow the document [FCIS Manual Deployment WL](#). for Websphere please follow [FCIS Manual Deployment WAS](#). All these documents are present in the Environment Setup > Application Server.

1.4.4 FCIS Application Installation

All documents can be referred under FCIS Components > FCIS.

This Section describes the various operations performed for FCIS application. This application is operated in two modes:

- Regular mode: All the operations are supported in regular mode of installation of Oracle FLEXCUBE IS Application
- Default Mode: Only Building Property file and Building EAR operations are supported by Default mode of installation of Oracle FLEXCUBE IS Application.



In default mode Property file is created by considering the default properties and EAR is built based on the property file created.

Database Installation	This document gives the step by step instructions for setting up FCIS Data Base. It also explains the process of importing full dump, and also explains the process of loading static data. Refer to the document FCIS_DB_Setup		
Building Property File	This section explains the detailed instructions to be followed for Building FCIS Property file, it explains the instructions for setting up the property file with plug-ins and plug-in related properties. Refer to the document FCIS_Property_File_Creation		
Building Ear	This section explains the detailed instructions to be followed for Building FCIS EAR, it explains the step by step instructions for building the EAR with the corresponding property file. Refer to the document FCIS_EAR_Building		
Application Deployment	Weblogic	FULL Deployment	This section gives the detailed instructions for FULL deployment of IS application in Weblogic server, it also explains the basic instructions for creating the resources required for deployment of IS application. Refer to the document FCIS_Application_Deployment_Weblogic
		Patch/Patchset Deployment	This section gives the detailed instructions for Partial deployment of IS application, It explains the steps for deployment of the patches of the existing ear in Weblogic server. Refer to the document FCIS_Application_Deployment_Weblogic
	Websphere	FULL Deployment	This section gives the detailed instructions for FULL deployment of IS application in Websphere server, it explains the steps to be followed for deploying IS application in Websphere server using installer

			Refer to the document FCIS Application Deployment Websphere
		Patch/Patchset Deployment	This section gives the detailed instructions for FULL deployment of IS application in Websphere server, it explains the steps to be followed for deploying the patches for the existing application in Websphere server. Refer to the document FCIS Application Deployment Websphere

1.4.5 GATEWAY Application Installation

All documents can be referred under FCIS Components > Gateway.

Building Property file	This section explains the detailed instructions to be followed for Building GATEWAY Property file, it explains the instructions for setting up the property file with plug-ins and plug-in related properties. Refer to the document GATEWAY Property File Creation	
Building Ear	This section explains the detailed instructions to be followed for Building GATEWAY EAR, it explains the step by step instructions for building the EAR with the corresponding property file. Refer to the document Gateway EAR Building	
Application Deployment	Weblogic	This section gives the detailed instructions for FULL deployment of GATEWAY application in Weblogic server, it also explains the basic instructions for creating the resources required for deployment of IS application using installer. Refer to the document Gateway Application Deployment Weblogic
	Websphere	This section gives the detailed instructions for FULL deployment of GATEWAY application in Websphere server, it explains the steps to be followed for deploying IS application in Websphere server using installer. Refer to the document Gateway Application Deployment Websphere

1.4.6 Open Development Tool (ODT)

All documents can be referred under FCIS Components > ODT.

Database Installation	This document gives the step by step instructions for setting up ODT Data Base. It also explains the process of importing full dump, and also explains the process of loading static data. Refer to document ODT_DB_Setup	
Building Ear	This section explains the detailed instructions to be followed for Building ODT EAR, it explains the step by step instructions for building the EAR with the corresponding property file. Refer to document ODT_EAR_Building	
Application Deployment	Weblogic	This section gives the detailed instructions for FULL deployment of ODT application in Weblogic server, it also explains the basic instructions for creating the resources required for deployment of IS application using installer. Refer to document ODT_Application_Deployment_Weblogic .
	WebSphere	This section gives the detailed instructions for FULL deployment of ODT application in Websphere server, it explains the steps to be followed for deploying IS application in Websphere server using installer. Refer to document ODT_Application_Deployment_WebSphere

1.4.7 Standalone Scheduler Installation

All documents can be referred under FCIS Components > Scheduler.

Building Property file	This section explains the detailed instructions to be followed for Building Scheduler Property file, it explains the instructions for setting up the property file with plug-ins and plug-in related properties. Refer to the document Scheduler_Property_File_Creation	
Building Ear	This section explains the detailed instructions to be followed for Building Scheduler EAR, it explains the step by step instructions for building the EAR with the corresponding property file. Refer to the document Scheduler_EAR_Building	
Application Deployment	Weblogic	This section gives the detailed instructions for FULL deployment of Scheduler application in Weblogic server, it also explains the basic instructions for creating the resources required for deployment of IS application using installer. Refer to the document Scheduler_Deployment_Weblogic
	WebSphere	This section gives the detailed instructions for FULL deployment of Scheduler application in Websphere server, it explains the steps to be followed for deploying IS application in Websphere server using

		installer. Refer to the document Scheduler Deployment Websphere
--	--	--



Oracle FLEXCUBE IS Installation
[May] [2021]
Version 14.5.0.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2021], Oracle and/or its affiliates.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

