# Oracle Analytics Publisher Web Service Reports Oracle FLEXCUBE Universal Banking Release 14.4.0.4.0 Part No. F42209-01 [May] [2021]



# **Table of Contents**

SER	VER SETUP FOR WEB SERVICE BASED BIP REPORTS	
1	INTRODUCTION	
2	Prerequisites	
3	DEPLOYING BIP REPORTS	
1.3.1	Setting up Oracle Analytics Publisher Server	
1.3.2	Setting Up Oracle Analytics Publisher Data Sources	
1.3.3	Creating Oracle Analytics Publisher 'FCReports' Folder	
1.3.4	Creating Oracle Analytics Publisher Report Job	
1.3.5	Configuring Oracle Analytics Publisher Currency	
	1 2 3 1.3.1 1.3.2 1.3.3 1.3.4	2       PREREQUISITES



# 1. Server Setup for Web Service Based Oracle Analytics Publisher Reports

## 1.1 Introduction

This chapter explains the method to setup the web services based reports on Oracle Analytics Publisher.

# 1.2 **Prerequisites**

Before you continue, ensure that Oracle Analytics Publisher on the server machine.

## 1.3 Deploying BIP Reports

This section guides you through the deployment of Oracle Analytics Publisher reports. This reports deployment involves the following steps:

- Setup Oracle Analytics Publisher Server
- Setup Oracle Analytics Publisher Data Source
- Create Oracle Analytics Publisher FC Reports folder
- Configure Oracle Analytics Publisher Currency

These steps are explained under the following headings.



### 1.3.1 Setting up Oracle Analytics Publisher Server

For setting up Oracle Analytics Publisher server, follow the steps below.

1. Go to Oracle Analytics Publisher's Administration Console.

	ORACLE	
U	Jser ID	
P	Password	
	Sign In	
	Accessibility Mode	
Er	nglish	•

Specify the user name and password and click 'Sign In' button to sign in.

<b>A ORACLE</b> Analytics		Search All	•	ৎ	Home Catalog	New 🔻 Open 🔻	? 🙆
Create	Recent						
Report	Reports						
Report Job							
Data Model							
More 🗸							
Browse/Manage	strcif Open Edit More ▼						
Catalog Folders	Others						
Report Job History	Favorites Manage						

On successful login, the following screen is displayed.



Home	Catalog	New 🔻	Open 🔻 ?
			My Account
			Administration
			Sign Out

Click the link 'Administration' on the top right of the screen, appearing on click of User icon.

The following Administration screen is displayed.

Administration	Search All	•	ৎ	Home	Catalog	New 🔻	Open 👻	? 🤆
								<b>^</b>
Data Sources JDBC Connection JNDI Connection File LDAP Connection QLAP Connection Web Service Connection HTTP Connection HTTP Connection Content Server		System Maintenance Server Configuration Scheduler Diagnostics Report Viewer Configuration Manage Cache Manage Job Diagnostics Log						
Security Center		Runtime Configuration						
Security Configuration Roles and Permissions Digital Signature		Properties Font Mappings Currency Formats						
Delivery		Integration						
Delivery Configuration Printer Fax Email WebDAV HTTP FTP Content Server CUPS Server Curs Server Content and Experience Cloud		Oracle BI Presentation Services						

Click 'Server Configuration' under 'System Maintenance'.

The following screen is displayed.



🎎 Administration	Search All 🗸 Home Catalog N	New 🔻 Open	• ?	0
Administration > Server Configuration			(	
System Maintenance				_
Server Configuration Scheduler Configuration Sche	duler Diagnostics Report Viewer Configuration Manage Cache Manage Job Diagnostics Log			
♥ TIP Any changes will only take effect after the application	lis restarted.			
		Apply	Cancel	
Catalog				
The Catalog contains all content such as reports and	data models.			
Catalog Type Oracle BI EE Catalog				
Server Version Connection protocol				
	Test Connection			
BI Publisher repository	/scratch/app/domains/oas59/FC145BIP/bidata/components/bipublisher/repository			
BI Search URL	http://fsgbu-mum-937.snbomprshared1.gbucdsint02bom.oraclevcn.com:9505/bisearch/rest/BISearchQueryService/search			
BI Search Group name	bisearch_ws			
BI Search Timeout (millisecond)	6000			
General Properties				
System Temporary Direct				
	-			
Report Scalable Thresh	old			$\sim$

Specify the following details:

#### **Cache Expiration (Minutes)**

Specify the duration for which the data need to be stored in the cache. You need to specify the duration in terms of minutes.

#### **Cache Size Limit**

Specify the maximum size allowed for cache.

#### **Maximum Cached Report Definition**

Specify the maximum number of reports that can be stored in cache.

Cache related settings are optional.

Once you have specified the above details, click 'Apply'.

This completes the process of BIP service setup.

#### 1.3.2 Setting Up Oracle Analytics Publisher Data Sources

For setting up BI Publisher data sources goto the 'Administration' page.





Click 'JDBC Connection' under 'Data Sources'. The following screen is displayed.

dministration > JDBC					
Data Sources					
JDBC JNDI File LDA	P OLAP Web Services HTTP Content Server				
Data Source Name	Connection String	Delete			
FCBIP	jdbc:oracle:thin:@//100.76.133.56:1523/FC145OSDCPDB	×			
Oracle BI EE	jdbc:oraclebi://fsgbu- mum-937.snbomprshared1.gbucdsint02bom.oraclevcn.com:9514/	×			

Click 'Add Data Source' button under 'JDBC' tab. The following screen is displayed.

Administration	Search All	▼ Q Home Catalog New ▼ Open	• ? 🙆
Administration > JDBC > Add Data Source			0 ^
Add Data Source			
		Αρρίγ	Cancel
General			
TIP Please make sure to install the required JDBC driver classes. TIP With Oracle Fusion Middleware Security Model, select the Use System User ch TIP Not all JDBC data sources support Remote Data Gateway Connection	eckbox to use the BI System User for your BI Server Database Connection.	L	
Data Source Name			
* Driver Type	Oracle 12c 🗸		
Use Remote Gateway Connectivity			
* Database Driver Class	oracle.jdbc.OracleDriver		
* Connection String	(Example: oracle.jdbc.OracleDriver ) jdbc:oracle:thin:@[host]:[port]:[sid]		
	Jane on a case of a case o		
Use System User			
* Username			
Password			
Pre Process Function			
Post Process Function			
Client Certificate			
Use Proxy Authentication			
	Test Connection		

Specify the JDBC connection details as shown in the screen.

Ensure that the data source name displayed on the screen is the same as the one provided or 'defaultDataSourceRef' in the function ID specific report xdm files. All the xdm files should have the same defaultDataSourceRef.



Enter the details, and click 'Test Connection' button. On successful connection, you will see a confirmation message on the screen.

Once the connection testing is successful, Click 'Apply' button. This completes the process of BIP data source setup.

### 1.3.3 Creating Oracle Analytics Publisher 'FCReports' Folder

For creating Oracle Analytics Publisher FCReports folder, follow the steps below.

- 1. In the shipment media, copy all the files from the following folders to a common location:
  - MAIN/<Module>/Datamodels\_12c
  - MAIN/<Module>/Reports\_12c

Along with these create a folder called 'Adv' and keep the files under these directories

- MAIN/<Module>/Advices\_12c/Datamodels\_12c
- MAIN//<Module>/Advices\_12c/Reports\_12c (except Branch Module)
- MAIN/<Module>/Advice\_12c/XSD

For example:

Name	Date modified	Туре	Size
🔓 Adv	9/2/2016 10:54 AM	File folder	
acrdltxn.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrfcdr.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrgpbal.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrjmal.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrmrevl.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrpcash.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrpcshd.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrpfvbl.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrpmove.xdmz	7/27/2016 12:14 PM	XDMZ File	4 KB
acrreval.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acrstmnt.xdmz	7/27/2016 12:14 PM	XDMZ File	2 KB
acrstmov.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acruncol.xdmz	7/27/2016 12:14 PM	XDMZ File	3 KB
acst_detailed.xdmz	7/27/2016 12:20 PM	XDMZ File	2 KB
additionalcollateralletter.xdmz	8/8/2016 11:06 AM	XDMZ File	4 KB
additionalinformationletter.xdmz	8/8/2016 11:06 AM	XDMZ File	4 KB
advice_cr_instrtxn.xdmz	7/27/2016 4:31 PM	XDMZ File	2 KB
amrfndhd.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
amrfunbl.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
amrnavmv.xdmz	7/25/2016 3:41 PM	XDMZ File	3 KB
ApplicantDependencyAnalysis.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
ApplicantOverallAnalysis.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
ApprovedIslamicFinancingCreationDeals	8/8/2016 11:08 AM	XDMZ File	4 KB
ApprovedLoanCreationDeals.xdmz	8/8/2016 12:08 PM	XDMZ File	4 KB
bcrendoc.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrmltnr.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobefr.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobtbp.xdmz	7/26/2016 12:23 PM	XDMZ File	4 KB
bcrobuds.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
bcrobunp.xdmz	7/26/2016 12:23 PM	XDMZ File	3 KB
berodace vdmz	7/26/2016 12:23 PM	XDM7 File	3 KB

Select all these and zip as FCReports.zip. Then rename this to FCReports.xdrz



Catalog			Search All	*	Home Catalog New 🕶 Open 👻 🥐 🥝
+* ± ±	9 X 🗎 🛙	Location /Shared Folders	•		0
Folders		Upload	×		
My Folders     Mared Fo		Upload Browse Overwrite existing file			
			Upload Cancel		
_ Tasks	[				
Shared Fold	iers				
Expand	1 Upload				
Delete					
Сору	H Cut				
Paste	Rename				
Permissions	Properties				
	Export XLIFF				

Deploy this file as follows:

Select the Catalog option in the top menu.

Click on Shared Folders in Folders and click on upload button(at the bottom), browse the FCReports.xdrz file and click on upload.

In Oracle BI Publisher Enterprise, navigate to 'Shared Folders' and then to 'FCReports' folder. The screen will display the list of all available reports.

Catalog	Search All 🗸 Home Catalog New	👻 Open 👻 🤶
+- ☆ ☆ ♂ ☆ @ @	X → V Location /Shared Folders/FCReports	e
Folders	Adv Last Modified 4/27/21 1:09 PM Created By Infra Expand More *	
My Folders	acrdItxn Last Modified 4/27/21 1:09 PM Created By infra Open Schedule Jobs Job History Edit More ≠	
FCReports	acrfcdr Last Modified 4/27/21 1:09 PM Created By Infra acrfcdr Open Schedule Jobs Job History Edit More ▼	
	acrgpbal Last Modified 4/27/21 1:09 PM Created By Infra Open Schedule Jobs Job History Edit More ♥	
	acrjrnal Last Modified 4/27/21 1-09 PM Created By Infra Open Schedule Jobs Job History Edit More ▼	
Tasks	acrmrevI Last Modified 4/27/21 1:09 PM Created By Infra Open Schedule Jobs Job History Edit More ♥	
FCReports	acrpcash Last Modified 4/27/21 1:09 PM Created By infra Open Schedule Jobs Job History Edit More ♥	
X Delete L Download	acrpcshd Last Modified 4/27/21 1:09 PM Created By infra Open Schedule Jobs Job History Edit More ▼	
Copy & Cut	acrpfvbl Last Modified 4/27/21 1:09 PM Created By Infra Open Schedule Jobs Job History Edit More ♥	
Permissions     Properties     Frequence Properties	acrpmove Last Modified 4/27/21 1:09 PM Created By Infra Open Schedule Jobs Job History Edit More ≠	
	acrreval Last Modified 4/27/21 1:09 PM Created By Infra acrreval	

This completes the process of 'FCReports' folder creation.



## 1.3.4 Creating Oracle Analytics Publisher Report Job

1. In the home page, on the left side, click on Report Job and select the report which has to be run

	Search All	•	ৎ	Home Catalog	New 🔻 Open 🔻	? 🕗
Recent						
Reports						
strcif Open Edit More ▼						
Others						
	Reports	Recent Reports	Recent Reports Strif Open Edit More <b>*</b>	Recent Reports straf Open Edit More * Others	Recent Reports Strof Open Edit More T	Recent Reports Straf Open Edit More T

Schedule Report Job	Se	earch All	•	ৎ	Home Catalog	New 🗸 Open 🚽 💡 🙆
✓ Overview General Created by Infra Report Name Schedule Start immediately Motification Ceneral Output Ceneral Ceneral Output Ceneral Output Ceneral Output Ceneral Output Ceneral Output Ceneral Output Ceneral Ceneral Output Ceneral	Open	strovtod strpdedp strpdedp strmbus strmmerr strmcon stsrpcon strspcon strspcon strstee Description strstee		× •		Return Submit
			Open	Cancel		



☆ Schedule Report Job	Search All	•	Q Home	Catalog New 🗸 Open 🗸 ? 🧕
Overview     General Created by infra     Report Name /FCReports/strstfee.xdo     Schedule Start Immediately     General     Output Schedule Notification	Outputs View bursting definition Destination Notification			Return Submit
Report /FCReports/strstfee.xdo	Q			
PM_REPORT_NAME	Language ENG			Í

 Click on Output Tab. The options will get defaulted from the report which can be changed, if needed. Use 'Bursting definition to Determine Output & Delivery Destination' – Select this option, this will default the output and destination path as defined in the bursting query of the report.

☆ Schedule Report Job	Search All	<b>ب</b>	Home Catalog New 🕶 Open 💌 ? 😍
✓ Overview General Created by infra Report Name /FCReports/strstfee.xdo Schedule Start immediately	Outputs View bursting definition Destination Notification		Return Submit
General Output Schedule Notification	Diagnostic		
Use Bursting Definition to Determine Output     Enable XML Pruning     Make Output Public     Save Data for Republishing     Compress output prior to delivery     Output	ut & Delivery Destination		
Output is determined by bursting definition.			
Destination is determined by bursting definition.			

- 3. Click on 'Submit' on then top right, to submit the job. A pop-up message asking job name is displayed. Enter any name in job name and click on 'OK'. Then a confirmation message that job is submitted successfully is displayed.
- 4. The job will generate the Report output in in destination configured in report.



Submit			0 ×
Report /FCReports/s Parameters "Language":" Schedule Start immedi Output View bursting Notification null Trigger Data Model Trigger Name Trigger Retry Limit Trigger Pause Time Trigger Parameters	'ENG", "PM_REPORT_NAME":"" ately		
Report Job Name	PAD_StatementOfFees		
		ок	Cancel

Message from webpage	×
Job "PAD_StatementOfFees" successfully submitted	
OK	

### 1.3.5 Configuring Oracle Analytics Publisher Currency

You can set configuration for each currency by using one of the following methods.

- Configure using xdo.cfg file
- Configure from BIP server

#### 1.3.5.1 Configuring Currency using 'xdo.cfg' file

In this method, you need to define the mask for each currency in the 'xdo.cfg' file. Further, place the 'xdo.cfg' file in the folder '<BI Publisher Repository>\Admin\Configuration'.

Click to view the 'xdo.cfg' file.

#### 1.3.5.2 Configuring Currency from Oracle Analytics Publisher Server

In order to configure the currency from Oracle Analytics Publisher server, follow the steps given below.



In the 'Administration' page, Click 'Currency Formats' under 'Runtime Configuration'. The following screen is displayed.

						Open 🔻	? \varTheta
s	ystem Maintenance						^
S S F	icheduler Configuration icheduler Diagnostics teport Viewer Configuration fanage Cache						
F	tuntime Configuration						
F	ont Mappings						
h	ntegration						
c	tracle BI Presentation Services						l
	S S N N N N N N N N N N N N N N N N N N	System Maintenance Server Configuration Schoduler Configuration Begord Venezionitiguration Hanage Coche Manage Job Diagnostics Log Runtime Configuration Properties Fort Magpings Currency Formats Integration	Server Configuration Scheduler Configuration Scheduler Libagnostics Report Viewer Configuration Manage Job Diagnostics Log Runtime Configuration Properties Forti Mappings Currency Formats Integration	Server Configuration Scheduler Configuration Scheduler Diagnostics Report Viewer Configuration Manage Job Diagnostics Log Runtime Configuration Properties Fort Mappings Currency Formats Integration	Server Configuration Scheduler Configuration Scheduler Configuration Manage Configuration Manage Job Diagnostics Log Runtime Configuration Properties Fort Mappings Currency Formats Integration	Server Configuration Scheduler Configuration Scheduler Configuration Manage Job Diagnostics Log Runtime Configuration Properties Font Mappings Currency Formats Integration	Server Configuration Scheduler Configuration Scheduler Caponetics Report Viewer Configuration Manage Job Diagnostics Log Runtime Configuration Properties Font Mappinga Currency Formate Integration

				le Cataloy	New 🔻 O	ipen 🔻	
Administration > Currency Form	nat						
Runtime Configuration	n						
Properties Font Mappings	Currency Formats						
Currency Format							
Add Currency Format							
Currency Code	Format Mask	Delete					

Click 'Add Currency Format' button. The following screen is displayed.



Administration	Search All	×	٩,	Home	Catalog	New 🔻	Open 🔻	? 6	9
Administration > Currency Format > Add Currency Format								0	
Add Currency Format									
							Apply	Cancel	I
Currency Format									
* Currency Code	GBP								
* Format Mask	9999969996999								

Specify the currency code and the format mask. Click 'Apply' button.

Once the changes for all currencies are made, restart the Oracle Analytics server.

This completes the process of currency configuration from Oracle Analytics Publisher server.





Oracle Analytics Publisher Web Service Reports [May] [2021] Version 14.4.0.4.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 https://www.oracle.com/industries/financial-services/index.html

Copyright © [2007], [2021], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.