

ANNEXURE-5
Release 14.5.0.0.0
Part No. F42343-01
May 2021



Environment Variable Setup Guide
Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India
Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2020, 2021 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

1. PREFACE	2
1.1 INTRODUCTION	2
1.2 AUDIENCE.....	2
1.3 DOCUMENTATION ACCESSIBILITY	2
1.4 RELATED DOCUMENTS	2
2. ENVIRONMENT VARIABLES	3
2.1 ENVIRONMENT VARIABLES - PLATO	3
2.2 ENVIRONMENT VARIABLES - SMS.....	5
2.3 ENVIRONMENT VARIABLES – COMMON CORE.....	5
2.4 ENVIRONMENT VARIABLES – MID OFFICE COMMON CORE.....	7
2.5 ENVIRONMENT VARIABLES - OBCFPM.....	9
3. EXECUTION OF ENVIRONMENT VARIABLES.....	18
3.1 PLATO CONFIG SERVICE STARTUP PARAMETERIZATION.....	18
3.1.1 <i>Plato Config service Startup parameterization</i>	18
3.1.2 <i>Domain Server Parameterization</i>	69
4. NEW -D PARAMETER IN THIS PATCHSET:	70

1. Preface

1.1 Introduction

This guide would help you to set up environment variables for Plato, SMS, Common Core, Middle Office and OBCFPM.

1.2 Audience

This document is intended for webLogic admin or ops-web team who are responsible for installing the OFSS banking products.

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle accessibility program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Related Documents

- LDAP setup guide
- Oracle Banking Credit Facilities Process Management Pre Installation Guide
- Oracle Banking Credit Facilities Process Management Conductor Process Installation Guide
- Oracle Banking Credit Facilities Process Management Services Installation Guide
- Oracle Banking Credit Facilities Process Management User Interface Installation Guide
- Common Core Services Installation Guide
- Plato Infrastructure Services Installation Guide
- Security Management System Services Installation Guide
- SSL Setup Guide

2. Environment Variables

2.1 Environment Variables - Plato

Following are the details of the environment variables which are required to be available in the weblogic server. Unavailability of any of these variables can result in improper database scripts or service availability.

S.No	Service Name	Environment Variables	Description
1.	plato-api-gateway	api-gateway.jndi	JNDI for API Gateway
2.	plato-config-services	plato-config.schemas	Schema name for plato config service
3.	plato-config-services	flyway.plato.schema	Schema name for plato config service
4.	plato-discovery-service	eureka.host	Host name of plato discover service e.g. Host-name.in.oracle.com
5.	plato-discovery-service	eureka.port	server port on which plato discovery service is running
6.	plato-ui-config-service	platoui.schemas	schema name for plato ui config service
7.	plato-config-service	apigateway.host	host name for plato api gateway
8.	plato-config-service	apigateway.port	port number of plato api gateway
9.	plato-config-service	plato-config.jndi	jndi for plato config
10.	plato-config-service	plato-config.username	username of plato config service schema
11.	plato-config-service	plato-config.password	password of plato config service schema
12.	plato-config-service	plato-config.jdbcUrl	url of plato config service schema
13.	plato-config-service	plato-config.url	url of plato config service schema
14.	All services	driver.className	driver class name for connecting to db

15.	All services	zipkin.host	host name for zipkin (optional)
16.	All services	zipkin.port	port no. where zipkin is running(optional)
17.	plato-ui-config-service	platoui.username	username of plato ui config service schema
18.	plato-ui-config-service	platoui.password	password of plato ui config service schema
19.	plato-ui-config-service	platoui.jdbcUrl	url of plato ui config service schema
20.	plato-ui-config-service	platoui.schemas	schema name of plato ui config service schema
21.	plato-api-gateway-service	plato-api-gateway.server.port	port no. for running plato ui api gateway service
22.	plato-api-gateway-service	api-gateway.username	username of plato api gateway schema
23.	plato-api-gateway-service	api-gateway.password	password of plato api gateway schema
24.	plato-api-gateway-service	api-gateway.jdbcUrl	url of plato api gateway schema
25.	plato-api-gateway-service	api-gateway.schemas	schema name of plato api gateway schema
26.	plato-orch-service	plato-orch-service.server.port	port no. for running plato orch gateway service
27.	plato-ui-config-services	plato-ui-config-services.server.port	port no. for running plato ui config service
28.	plato-ui-config-service	plato-ui-config.jndi	jndi for plato ui config
29.	plato-ui-config-services	plato-ui-config.schemas	schema name of plato ui config service schema
30.	plato-alerts-management-services	alerts.cmc.userId	User Id for Alerts
31.	plato-alerts-management-services	alerts.cmc.branchCode	Branch code

32.	plato-alerts-management-services	alerts.cmc.appld	Application Id
-----	----------------------------------	------------------	----------------

2.2 Environment Variables - SMS

Following are the details of the environment variables which are required to be available in the weblogic server. Unavailability of any of these variables can result in improper database scripts or service availability.

S.No	Service Name	Environment Variables	Description
1.	sms-core-services	sms.username	username for sms core service
2.	sms-core-services	sms.password	password for sms core service
3.	sms-core-services	sms.url	url of sms core service schema
4.	sms-core-services	sms.jdbcUrl	url of sms core service schema
5.	sms-core-services	sms-core-services.server.port	port no. for running sms core service
6.	sms-core-services	sms.schemas	schema name for sms core service
7.	sms-core-services	flyway.sms.schema	schema name for sms core service
8.	sms-core-services	sms.jndi	jndi for sms core

2.3 Environment Variables – Common Core

Following are the details of the environment variables which are required to be available in the weblogic server. Unavailability of any of these variables can result in improper database scripts or service availability.

S.No	Service Name	Environment Variables	Description
1.	Common core services	cmncore.username	username for common core schema

2.	Common core services	cmncore.db.username	username for common core schema
3.	Common core services	cmncore.password	password for common core schema
4.	Common core services	cmncore.db.password	password for common core schema
5.	Common core services	cmncore.jdbcUrl	url of common core schema
6.	Common core services	cmncore.db.url	url of common core schema
7.	Common core services	cmncore.jndi	jndi for common core
8.	Common core services	cmncore.db.jndi	jndi for common core
9.	Common core services	cmncore.schemas	schema name of common core schema
10.	Common core services	cmncore.db.schemas	schema name of common core schema
11.	cmc-account-services	cmc-account-services.server.port	port no for running account services
12.	cmc-advice-services	cmc-advice-services.server.port	port no for running account services
13.	cmc-base-services	cmc-base-services.server.port	port no for running base services
14.	cmc-branch-services	cmc-branch-services.server.port	port no for running branch services
15.	cmc-customer-services	cmc-customer-services.server.port	port no for running customer services
16.	cmc-facilities-services	cmc-facilities-services.server.port	port no for running facilities services
17.	cmc-settlements-services	cmc-settlements-services.server.port	port no for running settlements services
18.	cmc-transactioncontroller-services	cmc-transactioncontroller-services.server.port	port no for running transaction controller services

19.	cmc-charges-calculation-services	cmc-charges-calculation-services.server.port	port no for running charge calculation services
20.	cmc-charges-calculation-services	flyway.domain.schema	domain schema for charge calculation services
21.	cmc-transactioncontroller-services	txncontroller.db.jndi	jndi for common core
22.	cmc-facilities-services	facilities.db.jndi	jndi for common core
23.	cmc-screenclass-services	screenclass.db.jndi	jndi for common core
24.	cmc-settlements-services	cmc.jndi	jndi for common core
25.	cmc-checklistmanagement-services	checklistmanagement-services.jndi	jndi for common core
26.	cmc-checklist-services	cmc-checklist-services.jndi	jndi for common core
27.	cmc-obrh-service	cmc-obrh-services.server.port	port no for running OBRH services
28.	cmc-obrh-service	obrh.db.jndi	jndi for common core
29.	cmc-obrh-service	cmc-obrh-services.kafka.server.path	Server path for Kafka
30.	cmc-obrh-service	cmc-obrh-services.zookeeper.server.path	Server path for Zookeeper
31.	cmc-branch-services	vam.schemas	Schema

2.4 Environment Variables – Mid Office Common Core

Following are the details of the environment variables which are required to be available in the weblogic server. Unavailability of any of these variables can result in improper database scripts or service availability.

S.No	Service Name	Environment Variables	Description
1.	cmc-earmark-services	mc.cmc-earmark-services.server.port	port no for running earmark services
2.	cmc-earmark-services	ELCM_HTTP_URL	url for connecting to elcm module
3.	cmc-earmark-services	earmark-services	product version of elcm
4.	cmc-earmark-services	elcmProduct	value of elcmproduct for earmark services
5.	cmc-comments-services	mc.cmc-comments-services.server.port	port no. for running comments services
6.	cmc-document-services	mc.cmc-document-services.server.port	port no. for running documents servi
7.	cmc-document-services	dmsServiceUrl	dms service url
8.	cmc-document-services	dmsServiceUsrname	username for dms service
9.	cmc-document-services	dmsServicePwd	password for dms service
10.	cmc-applicationcategory-services	cmc-applicationcategory-services.server.port	port no. for running application category service
11.	cmc-checklistmanagement-services	cmc-checklistmanagement-services.server.port	port no. for running checklist management service
12.	cmc-checklist-services	cmc-checklist-services.server.port	port no. for running checklist service
13.	cmc-mailnotification-services	cmc-mailnotification.server.port	port no. for running mail notification service
14.	cmc-kyccheck-services	cmc.kyccheck.server.port	port no. for running kyc check service
15.	cmc-priority-services	server.port	port no. for running priority/sequence generator service

2.5 Environment Variables - OBCFPM

Following are the details of the environment variables which are required to be available in the weblogic server. Unavailability of any of these variables can result in improper database scripts or service availability.

S.No	Service Name	Environment Variables	Description
1.	analysis-services	schemas	schema name for the service
2.	analysis-services	server.port	port number for running the service
3.	bidding-services	domain.db.schemas	schema name for the service
4.	bidding-services	server.port	port number for running the service
5.	collateral-pool-services	schemas	schema name for the service
6.	collateral-pool-services	server.port	port number for running the service
7.	collateral-projection-services	domain.db.schemas	schema name for the service
8.	collateral-projection-services	server.port	port number for running the service
9.	collateral-services	domain.db.schemas	schema name for the service
10.	collateral-services	server.port	port number for running the service
11.	collateral-summary-services	domain.db.schemas	schema name for the service
12.	collateral-summary-services	server.port	port number for running the service
13.	covenantmaster-services	schemas	schema name for the service
14.	covenantmaster-services	server.port	port number for running the service

15.	covenant-services	schemas	schema name for the service
16.	covenant-services	server.port	port number for running the service
17.	credit-writeup-services	domain.db.schemas	schema name for the service
18.	credit-writeup-services	server.port	port number for running the service
19.	dashboard-services	Schemas	schema name for the service
20.	dashboard-services	server.port	port number for running the service
21.	documentsafekeeping-services	domain.db.jdbcUrl	jdbc url of the db of the service
22.	documentsafekeeping-services	domain.db.password	password of the db for the service
23.	documentsafekeeping-services	domain.db.username	username of the db for the service
24.	documentsafekeeping-services	domain.db.schemas	schema name for the service
25.	documentsafekeeping-services	server.port	port number for running the service
26.	exception-services	elcm.earmarkURL	earmark wsdl url
27.	exception-services	elcm.facilityURL	facility wsdl url
28.	exception-services	fcubs.externaluserId	user id to be used in fcubs for interface
29.	exception-services	schemas	schema name for the service
30.	exception-services	server.port	port number for running the service

31.	externalcheck-services	domain.db.schemas	schema name for the service
32.	externalcheck-services	server.port	port number for running the service
33.	facility-category-services	server.port	port number for running the service
34.	facility-party-summary-services	schemas	schema name for the service
35.	facility-party-summary-services	server.port	port number for running the service
36.	facility-services	schemas	schema name for the service
37.	facility-services	server.port	port number for running the service
38.	facility-template-maintenance-services	server.port	port number for running the service
39.	fieldinvestigation-services	domain.db.schemas	schema name for the service
40.	fieldinvestigation-services	server.port	Port number for running the service
41.	financial-category-definition-services	domain.db.schemas	schema name for the service
42.	financial-category-definition-services	server.port	port number for running the service
43.	financial-code-definition-services	domain.db.schemas	schema name for the service

44.	financial-code-definition-services	server.port	port number for running the service
45.	financial-document-template-services	domain.db.schemas	schema name for the service
46.	financial-document-template-services	server.port	port number for running the service
47.	handOff-services	elcm.collateralHandOffUrl	collateral hand off wsdl url
48.	handOff-services	elcm.collateralPoolUrl	collateral pool hand off wsdl url
49.	handOff-services	fcubs.customerHandOffUrl	customer hand off wsdl url
50.	handOff-services	elcm.cvntHandOffParentUrl	covenant maintenance hand off wsdl url
51.	handOff-services	elcm.cvntHandOffUrl	covenant hand off wsdl url
52.	handOff-services	cvntInstMainGetEndpoint	
53.	handOff-services	cvntLinkageGetEndpoint	
54.	handOff-services	elcmProductVersion	elcm product version (14.2, 14.3 etc)
55.	handOff-services	fcubs.externalSource	external source to be used for hand off
56.	handOff-services	elcm.facilityHandOffUrl	facility hand off wsdl url
57.	handOff-services	fcubsProductVersion	fcubs product version (14.2, 14.3 etc)

58.	handOff-services	Schemas	schema name for the service
59.	handOff-services	elcm.liabilityHandOffUrl	liability hand off wsdl url
60.	handOff-services	elcm.limitsValidLinesURL	valid limit lines wsdl url
61.	handOff-services	server.port	port number for running the service
62.	plato-orch-service	plato-orch-service.jndi	jndi name for orch
63.	plato-orch-service	plato-orch-service.schemas	schema for orch
64.	legal-services	Schemas	schema name for the service
65.	legal-services	server.port	port number for running the service
66.	liability-services	Schemas	schema name for the service
67.	liability-services	server.port	port number for running the service
68.	maintenance-services	server.port	port number for running the service
69.	monitoringinformation-maintenance-services	Schemas	schema name for the service
70.	monitoringinformation-maintenance-services	server.port	port number for running the service
71.	obcfpm-application-service	Schemas	schema name for the service
72.	obcfpm-application-service	server.port	port number for running the service

73.	obcfpm-businessprocess-services	Schemas	schema name for the service
74.	obcfpm-businessprocess-services	server.port	port number for running the service
75.	obpy-party-services	Schemas	schema name for the service
76.	obpy-party-services	server.port	port number for running the service
77.	party-credit-services	Schemas	schema name for the service
78.	party-credit-services	server.port	port number for running the service
79.	policy-exception-publisher-services	eventhub.kafka.brokers	kafka broker
80.	policy-exception-publisher-services	eventhub.zk.nodes	zookeeper nodes
81.	policy-exception-publisher-services	server.port	port number for running the service
82.	policy-exception-tracking-services	Schemas	schema name for the service
83.	policy-exception-tracking-services	server.port	port number for running the service
84.	policy-maintenance-services	domain.db.schemas	schema name for the service

85.	policy-maintenance-services	server.port	port number for running the service
86.	policy-services	domain.db.schemas	schema name for the service
87.	policy-services	server.port	port number for running the service
88.	pricing-services	domain.db.schemas	schema name for the service
89.	pricing-services	server.port	port number for running the service
90.	questionnaire-definition-services	domain.db.schemas	schema name for the service
91.	questionnaire-definition-services	server.port	port number for running the service
92.	questionnaire-process-linkage-services	domain.db.schemas	schema name for the service
93.	questionnaire-process-linkage-services	server.port	port number for running the service
94.	registration-services	domain.db.schemas	schema name for the service
95.	registration-services	server.port	port number for running the service
96.	risk-services	domain.db.schemas	schema name for the service
97.	risk-services	server.port	port number for running the service
98.	scoring-services	schemas	schema name for the service
99.	scoring-services	server.port	port number for running the service
100.	settlement-services	domain.db.schemas	schema name for the service
101.	settlement-services	server.port	port number for running the service

102.	stage-services	schemas	schema name for the service
103.	stage-services	server.port	port number for running the service
104.	terms-conditions-services	domain.db.schemas	schema name for the service
105.	terms-conditions-services	server.port	port number for running the service
106.	valuation-services	domain.db.schemas	schema name for the service
107.	valuation-services	server.port	port number for running the service
108.	writeup-category-maintenance-services	domain.db.schemas	schema name for the service
109.	writeup-category-maintenance-services	server.port	port number for running the service
110.	collateral-category-services	domain.db.schemas	schema name of maintenance service
111.	collateral-category-services	server.port	port number for running the service
112.	obcfpm-project-services	domain.db.schemas	schema name for the service
113.	obcfpm-project-services-5.3.0	server.port	port number for running the service
114.	obcfpm-document-services-5.3.0	obcfpm.collateralpool-services.server.port	port number for running the service

115.	obcfpm-document-services-5.3.0	obcfpm-document-services.domain.db.schemas	schema name for the service
116.	product-default-maintenance-services-5.6.0	product-default-services.server.port	port number for running the service
117.	terms-conditions-maintenance-services-5.6.0	terms-maintenance-services.server.port	port number for running the service
118.	financial-ratio-benchmark-services-5.6.0	benchmark-services.server.port	port number for running the service
119.	financial-ratio-benchmark-services-5.6.0	benchmark.domain.db.schemas	schema name for the service
120.	handOff-services	ELCM.ExternalSource	External Source code

3. Execution of Environment Variables

Change the environment variable configuration and follow the below steps:

3.1 Plato Config Service Startup Parameterization

3.1.1 Plato Config service Startup parameterization

3.1.1.1 Plato services deployment:

1. Create a managed server for plato-config service and set the service startup parameter
2. Deploy the other plato services in another managed server. (both plato services and plato config services should not be deployed in the same managed server)

Follow the below steps to deploy the other plato services:

1. Login to the weblogic server console
2. Select servers in the "Domain Structure" section.
3. Select the managed server (managed server where the plato_config service got deployed)
4. Go to configuration
5. Go to "server start" section
6. Go to arguments section and update the plato config service parameter as follows:

```
-Dflyway.zipkin.host=server
-Dflyway.zipkin.port=9902
-Dflyway.domain.placeholders.plato.alerts.email.password=null
-Dflyway.domain.placeholders.plato.alerts.email.userId=null
-Dplato.services.config.port=8080 -Dplato.services.config.uri=http://server:8080 -
Dplato.jndi.resources.prefix=true -Dplato.service.logging.path=./work_area/application/logs -
Dplato.service.env=DEV
-Dflyway-task=migrate
-Dflyway.enabled=true
-
Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/sms,db/migration/domain/moc,
db/migration/domain/obcfpm
-Dflyway.domain.schemas=PLATO
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
```

-Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.db.username=PLATO

-Dflyway.domain.db.password=PLATO

-Dflyway.domain.db.driver-class-name=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeholders.screenclass.db.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.txncontroller.db.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG

-Dflyway.domain.placeholders.facilities.db.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.plato.db.jndi=jdbc/PLATO

-Dflyway.domain.placeholders.sms.db.jndi=jdbc/sms

-Dflyway.domain.placeholders.obcfpm.terms-conditions-services.server.port=9131

-Dflyway.domain.placeholders.obcfpm.credit-writeup-services.server.port=9123

-Dflyway.domain.placeholders.obcfpm.writeup-category-maintenance-services.server.port=9091

-Dflyway.domain.placeholders.obcfpm.facility-category-services.server.port=9167

-Dflyway.domain.placeholders.obcfpm.facility-template-maintenance-services.server.port=9171

-Dflyway.domain.placeholders.obcfpm.creditWriteup.domain.db.schemas=CFPM_WRITEUP

-

Dflyway.domain.placeholders.obcfpm.termsConditions.domain.db.schemas=CFPM_TERMSCONDITIONS

-Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=server:909

-Dflyway.domain.placeholders.plato.eventhub.zk.nodes=server:909

-Dflyway.domain.placeholders.checklistmanagement-services.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.cmc-checklist-services.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.plato-alerts-management-services.jndi=jdbc/PLATOALERTS

-Dflyway.domain.placeholders.plato-batch-server.branchCode=temp_Val

-Dflyway.domain.placeholders.plato-batch-server.userId=temp_Val

-Dflyway.domain.placeholders.plato-feed-services.userId=temp_Val

-Dflyway.domain.placeholders.plato-feed-services.jndi=jdbc/PLATOFEED

-Dflyway.domain.placeholders.api-gateway.jndi=jdbc/PLATO_SECURITY

-Dflyway.domain.placeholders.plato-batch-server.jndi=jdbc/PLATOBATCH

-Dflyway.domain.placeholders.cmc.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.cmncore.jndi=jdbc/CMNCORE

-Dflyway.domain.placeholders.plato-config.jndi=jdbc/PLATO

-Dflyway.domain.placeholders.sms.jndi=jdbc/sms

-Dflyway.domain.placeholders.plato-ui-config.jndi=jdbc/PLATO_UI_CONFIG

-Dflyway.domain.placeholders.eureka.host=server

-Dflyway.domain.placeholders.eureka.port=8097

-Dflyway.domain.placeholderReplacement=true

-Dflyway.domain.placeholders.zipkin.host=server

-Dflyway.domain.placeholders.zipkin.port=7101

-Dflyway.domain.placeholders.flyway-task=migrate

-Dflyway.domain.placeholders.flyway.enabled=true

-Dflyway.domain.placeholders.plato-discovery-service.server.port=8097

-Dflyway.domain.placeholders.plato-orch-service.server.port=8251

-Dflyway.domain.placeholders.plato-feed-services.feed.upload.directory=

-Dflyway.domain.placeholders.plato-feed-services.server.port=7101

-Dflyway.domain.placeholders.plato-config.username=PLATO

-Dflyway.domain.placeholders.plato-config.password=PLATO

-Dflyway.domain.placeholders.plato-config.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.driver.className=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeholders.plato-config.schemas=PLATO

-Dflyway.domain.placeholders.sms.username=SMS_SCHEMA

-Dflyway.domain.placeholders.sms.password=SMS_SCHEMA

-Dflyway.domain.placeholders.sms.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.sms.schemas=SMS_SCHEMA

-Dflyway.domain.placeholders.obcfpm.collateralpool-services.server.port=9103

-Dflyway.domain.placeholders.obcfpm.collateralpool.username=CFPM_COLLATERALPOOL

-Dflyway.domain.placeholders.obcfpm.collateralpool.password=CFPM_COLLATERALPOOL

-

Dflyway.domain.placeholders.obcfpm.collateralpool.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.collateralpool.schemas=CFPM_COLLATERALPOOL

-Dflyway.domain.placeholders.platoui.username=PLATOUI

-Dflyway.domain.placeholders.platoui.password=PLATOUI

-Dflyway.domain.placeholders.platoui.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.platoui.schemas=PLATOUI

-Dflyway.domain.placeholders.obcfpm.exception-services.server.port=9099

-Dflyway.domain.placeholders.obcfpm.fcubs.externalSource=EXTSYS

-Dflyway.domain.placeholders.obcfpm.fcubs.externaluserId=OBCFPM1

-Dflyway.domain.placeholders.obcfpm.elcm.limitsValidLinesURL=http://server:7009/FCUBS-ELCMWeb/EIValidLimitService

-Dflyway.domain.placeholders.obcfpm.elcm.earmarkURL=http://server:7009/FCUBS-ELCMWeb/ELFacilityBlockService

-Dflyway.domain.placeholders.obcfpm.elcm.facilityURL=http://server:7009/FCUBS-ELCMWeb/ELFacilityService

-Dflyway.domain.placeholders.obcfpm.exception.username=CFPM_EXCEPTION

-Dflyway.domain.placeholders.obcfpm.exception.password=CFPM_EXCEPTION

-Dflyway.domain.placeholders.obcfpm.exception.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.exception.schemas=CFPM_EXCEPTION

-Dflyway.domain.placeholders.obcfpm.facility-services.server.port=9081

-Dflyway.domain.placeholders.obcfpm.facility.username=CFPM_FACILITY

-Dflyway.domain.placeholders.obcfpm.facility.password=CFPM_FACILITY

-Dflyway.domain.placeholders.obcfpm.facility.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.facility.schemas=CFPM_FACILITY

-Dflyway.domain.placeholders.obcfpm.facility-party-summary-services.server.port=9095

-Dflyway.domain.placeholders.obcfpm.facilityPartySummary.username=CFPM_FACILITY

-Dflyway.domain.placeholders.obcfpm.facilityPartySummary.password=CFPM_FACILITY

-

Dflyway.domain.placeholders.obcfpm.facilityPartySummary.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.facilityPartySummary.schemas=CFPM_FACILITY

-Dflyway.domain.placeholders.obcfpm.handOff-services.server.port=9085

-Dflyway.domain.placeholders.obcfpm.elcm.collateralHandOffUrl=http://server:7009/FCUBS-ELCMWeb/ELCollateralService?WSDL

-

Dflyway.domain.placeholders.obcfpm.fcubs.customerHandOffUrl=http://server:7023/FCUBSCustomerService/FCUBSCustomerService?WSDL

-Dflyway.domain.placeholders.obcfpm.elcm.collateralPoolUrl=http://server:7430/FCUBS-ELCMWeb/ELPoolService

-Dflyway.domain.placeholders.obcfpm.elcm.liabilityHandOffUrl=http://server:7009/FCUBS-ELCMWeb/ELLiabilityService?WSDL

-Dflyway.domain.placeholders.obcfpm.elcm.facilityHandOffUrl=http://server:7009/FCUBS-ELCMWeb/ELFacilityService?wsdl

-Dflyway.domain.placeholders.obcfpm.elcm.cvntHandOffParentUrl=http://server:7009/FCUBS-ELCMWeb

-Dflyway.domain.placeholders.obcfpm.elcm.cvntHandOffUrl=http://server:7009/FCUBS-ELCMWeb/ELCollateralService?wsdl

-Dflyway.domain.placeholders.obcfpm.cvntLinkageGetEndpoint=http://COVENANT-SERVICES/covenant-services/web/v1/linkage/final/{linkageEntityId}/{linkageType}

-Dflyway.domain.placeholders.obcfpm.cvntInstMainGetEndpoint=http://COVENANT-SERVICES/covenant-services/web/v1/instance/final/{instanceId}

-Dflyway.domain.placeholders.obcfpm.handOff.elcmProductVersion=14.4

-Dflyway.domain.placeholders.obcfpm.handOff.fcubsProductVersion=14.4

-Dflyway.domain.placeholders.obcfpm.handOff.username=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.handOff.password=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.handOff.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.handOff.schemas=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.liability-services.server.port=9111

-Dflyway.domain.placeholders.obcfpm.liability.username=CFPM_LIABILITY

-Dflyway.domain.placeholders.obcfpm.liability.password=CFPM_LIABILITY

-Dflyway.domain.placeholders.obcfpm.liability.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.liability.schemas=CFPM_LIABILITY

-Dflyway.domain.placeholders.obcfpm.businessprocess-services.server.port=9107

-Dflyway.domain.placeholders.obcfpm.businessprocess.username=CFPM_MAINTENANCE

-Dflyway.domain.placeholders.obcfpm.businessprocess.password=CFPM_MAINTENANCE

-

Dflyway.domain.placeholders.obcfpm.businessprocess.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.businessprocess.schemas=CFPM_MAINTENANCE

-Dflyway.domain.placeholders.obcfpm.scoring-services.server.port=9091

-Dflyway.domain.placeholders.obcfpm.scoring.username=CFPM_CREDITSCORING

-Dflyway.domain.placeholders.obcfpm.scoring.password=CFPM_CREDITSCORING

-Dflyway.domain.placeholders.obcfpm.scoring.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.scoring.schemas=CFPM_CREDITSCORING

-Dflyway.domain.placeholders.obcfpm.stage-services.server.port=9087

-Dflyway.domain.placeholders.obcfpm.stage.username=CFPM_STAGE

-Dflyway.domain.placeholders.obcfpm.stage.password=CFPM_STAGE

-Dflyway.domain.placeholders.obcfpm.stage.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.stage.schemas=CFPM_STAGE

-Dflyway.domain.placeholders.obcfpm.bidding.server.port=9037

-Dflyway.domain.placeholders.obcfpm.bidding.domain.db.password=CFPM_BIDDING

-Dflyway.domain.placeholders.obcfpm.bidding.domain.db.username=CFPM_BIDDING

-

Dflyway.domain.placeholders.obcfpm.bidding.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.bidding.domain.db.schemas=CFPM_BIDDING

-Dflyway.domain.placeholders.obcfpm.pricing.server.port=9045

-Dflyway.domain.placeholders.obcfpm.pricing.domain.db.password=CFPM_PRICING

-Dflyway.domain.placeholders.obcfpm.pricing.domain.db.username=CFPM_PRICING

-
Dflyway.domain.placeholders.obcfpm.pricing.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICE
NAME

-Dflyway.domain.placeholders.obcfpm.pricing.domain.db.schemas=CFPM_PRICING

-Dflyway.domain.placeholders.obcfpm.settlement.server.port=9041

-Dflyway.domain.placeholders.obcfpm.settlement.domain.db.password=CFPM_SETTLEMENT

-Dflyway.domain.placeholders.obcfpm.settlement.domain.db.username=CFPM_SETTLEMENT

-
Dflyway.domain.placeholders.obcfpm.settlement.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVI
CENAME

-Dflyway.domain.placeholders.obcfpm.settlement.domain.db.schemas=CFPM_SETTLEMENT

-Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.port=9135

-
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.password=CFPM_SCORING

-
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.username=CFPM_SCORIN
G

-
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.jdbcUrl=jdbc:oracle:thin:@se
rver:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.schemas=CFPM_SCORING

-Dflyway.domain.placeholders.platoui.db.password=CFPM_PLATOUI

-Dflyway.domain.placeholders.obcfpm.financialcodedefinition.port=9139

-Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.password=CFPM_SCORING

-Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.username=CFPM_SCORING

-
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.jdbcUrl=jdbc:oracle:thin:@server:
1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.schemas=CFPM_SCORING

-Dflyway.domain.placeholders.obcfpm.financialcategory.port=9143

-Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.password=CFPM_SCORING

-Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.username=CFPM_SCORING

-
Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/
SERVICENAME

-Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.schemas=CFPM_SCORING

-Dflyway.domain.placeholders.obcfpm.questionnairedefinition.server.port=9151

-Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.password=CFPM_SCORING

-Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.username=CFPM_SCORING

-
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.jdbcUrl=jdbc:oracle:thin:@server:
1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.schemas=CFPM_SCORING

-Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.server.port=9147

-
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.password=CFPM_SCORIN
G

-
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.username=CFPM_SCORI
NG

-
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.jdbcUrl=jdbc:oracle:thin:@s
erver:1521/SERVICENAME

-
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.schemas=CFPM_SCORIN
G

-Dflyway.domain.placeholders.obcfpm.policy.server.port=9049

-Dflyway.domain.placeholders.obcfpm.policy.domain.db.password=CFPM_POLICY

-Dflyway.domain.placeholders.obcfpm.policy.domain.db.username=CFPM_POLICY

-
Dflyway.domain.placeholders.obcfpm.policy.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICEN
AME

-Dflyway.domain.placeholders.obcfpm.policy.domain.db.schemas=CFPM_POLICY

-Dflyway.domain.placeholders.obcfpm.collateralprojection.server.port=9053

-Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.password=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.username=CFPM_COLLATERAL

-
Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.schemas=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.application.port=9115

-Dflyway.domain.placeholders.obcfpm.application.domain.db.password=CFPM_APPLICATIONS

-Dflyway.domain.placeholders.obcfpm.application.domain.db.username=CFPM_APPLICATIONS

-
Dflyway.domain.placeholders.obcfpm.application.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.application.domain.db.schemas=CFPM_APPLICATIONS

-Dflyway.domain.placeholders.obcfpm.policymaintenance.port=9057

-Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.password=CFPM_MAINTENANCE

-Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.username=CFPM_MAINTENANCE

-
Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.schemas=CFPM_MAINTENANCE

-Dflyway.domain.placeholders.obcfpm.collateral.server.port=9001

-Dflyway.domain.placeholders.obcfpm.collateral.domain.db.password=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.collateral.domain.db.username=CFPM_COLLATERAL

-
Dflyway.domain.placeholders.obcfpm.collateral.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.collateral.domain.db.schemas=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.externalcheck.server.port=9005

-Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.password=CFPM_EXTERNALCHECK

-Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.username=CFPM_EXTERNALCHECK

-
Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.schemas=CFPM_EXTERNALCHECK

-Dflyway.domain.placeholders.obcfpm.risk.server.port=9009

-Dflyway.domain.placeholders.obcfpm.risk.domain.db.password=CFPM_RISKEVALUATION

-Dflyway.domain.placeholders.obcfpm.risk.domain.db.username=CFPM_RISKEVALUATION

-

Dflyway.domain.placeholders.obcfpm.risk.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.risk.domain.db.schemas=CFPM_RISKEVALUATION

-Dflyway.domain.placeholders.obcfpm.fieldinvestigation.server.port=9013

-Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.password=CFPM_RISKEVALUATION

-Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.username=CFPM_RISKEVALUATION

-

Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.schemas=CFPM_RISKEVALUATION

-Dflyway.domain.placeholders.obcfpm.maintenance.port=9163

-Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.password=CFPM_MAINTENANCE

-Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.username=CFPM_MAINTENANCE

-

Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.schemas=CFPM_MAINTENANCE

-Dflyway.domain.placeholders.obcfpm.valuation.server.port=9017

-Dflyway.domain.placeholders.obcfpm.valuation.domain.db.password=CFPM_VALUATION

-Dflyway.domain.placeholders.obcfpm.valuation.domain.db.username=CFPM_VALUATION

-

Dflyway.domain.placeholders.obcfpm.valuation.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.valuation.domain.db.schemas=CFPM_VALUATION

-Dflyway.domain.placeholders.obcfpm.documentsafekeeping.server.port=9025

-

Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.password=CFPM_SAFEKEEPING

-
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.username=CFPM_SAFEKEEPING
G

-
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.jdbcUrl=jdbc:oracle:thin:@server:
1521/SERVICENAME

-
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.schemas=CFPM_SAFEKEEPING

-Dflyway.domain.placeholders.obcfpm.legal.port=9021

-Dflyway.domain.placeholders.obcfpm.legal.domain.db.password=CFPM_LEGAL

-Dflyway.domain.placeholders.obcfpm.legal.domain.db.username=CFPM_LEGAL

-
Dflyway.domain.placeholders.obcfpm.legal.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICEN
AME

-Dflyway.domain.placeholders.obcfpm.legal.domain.db.schemas=CFPM_LEGAL

-Dflyway.domain.placeholders.obcfpm.registration.server.port=9029

-Dflyway.domain.placeholders.obcfpm.registration.domain.db.password=CFPM_REGISTRATION

-Dflyway.domain.placeholders.obcfpm.registration.domain.db.username=CFPM_REGISTRATION

-
Dflyway.domain.placeholders.obcfpm.registration.domain.db.jdbcUrl=jdbc:oracle:thin:@server:1521/SERV
ICENAME

-Dflyway.domain.placeholders.obcfpm.registration.domain.db.schemas=CFPM_REGISTRATION

-Dflyway.domain.placeholders.obcfpm.collateralsummary.server.port=9033

-Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.password=CFPM_COLLATERAL

-Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.username=CFPM_COLLATERAL

-
Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.jdbcUrl=jdbc:oracle:thin:@server:152
1/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.schemas=CFPM_COLLATERAL

-Dflyway.domain.placeholders.analysis-services.server.port=9069

-Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=http://server:8097/plato-discovery-
service/eureka

-Dflyway.domain.placeholders.analysis-services.locations=db/migration/domain

-Dflyway.domain.placeholders.db.driver-class-name=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeholders.analysis-services.password=CFPM_ANALYSIS

-Dflyway.domain.placeholders.analysis-services.username=CFPM_ANALYSIS

-Dflyway.domain.placeholders.analysis-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.analysis-services.schemas=CFPM_ANALYSIS

-Dflyway.domain.placeholders.analysis-services.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.analysis-services.outOfOrder=true

-Dflyway.domain.placeholders.smsflyway.enabled=true

-Dflyway.domain.placeholders.sms.locations=db/migration/sms

-Dflyway.domain.placeholders.sms.driver-class-name=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeholders.sms.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.sms.outOfOrder=true

-Dflyway.domain.placeholders.sms.baselineOnMigrate=true

-Dflyway.domain.placeholders.platouifyway.enabled=true

-Dflyway.domain.placeholders.platoui.locations=db/migration/platoui

-Dflyway.domain.placeholders.platoui.driver-class-name=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeholders.platoui.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.platoui.outOfOrder=true

-Dflyway.domain.placeholders.platoui.baselineOnMigrate=

-Dflyway.domain.placeholders.platoflyway.enabled=true

-Dflyway.domain.placeholders.plato.locations=db/migration/plato

-Dflyway.domain.placeholders.plato.db.driver-class-name=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeholders.plato.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.plato.outOfOrder=true

-Dflyway.domain.placeholders.plato.baselineOnMigrate=true

-Dflyway.domain.placeholders.covenantmaster-services.server.port=9155

-Dflyway.domain.placeholders.covenantmaster-services.locations=db/migration/domain

-Dflyway.domain.placeholders.covenantmaster-services.password=CFPM_COVENANT

-Dflyway.domain.placeholders.covenantmaster-services.username=CFPM_COVENANT

-Dflyway.domain.placeholders.covenantmaster-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.covenantmaster-services.schemas=CFPM_COVENANT

-Dflyway.domain.placeholders.covenantmaster-services.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.covenantmaster-services.outOfOrder=true

-Dflyway.domain.placeholders.covenant-services.server.port=9065

-Dflyway.domain.placeholders.covenant-services.locations=db/migration/domain

-Dflyway.domain.placeholders.covenant-services.password=CFPM_COVENANT

-Dflyway.domain.placeholders.covenant-services.username=CFPM_COVENANT

-Dflyway.domain.placeholders.covenant-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.covenant-services.schemas=CFPM_COVENANT

-Dflyway.domain.placeholders.covenant-services.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.covenant-services.outOfOrder=true

-Dflyway.domain.placeholders.dashboard-services.server.port=9073

-Dflyway.domain.placeholders.dashboard-services.locations=db/migration/domain

-Dflyway.domain.placeholders.dashboard-services.password=CFPM_DASHBOARD

-Dflyway.domain.placeholders.dashboard-services.username=CFPM_DASHBOARD

-Dflyway.domain.placeholders.dashboard-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.dashboard-services.schemas=CFPM_DASHBOARD

-Dflyway.domain.placeholders.dashboard-services.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.dashboard-services.outOfOrder=true

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.server.port=7201

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.locations=db/migration/domain

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.password=CFPM_COVENANT

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.username=CFPM_COVENANT

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.schemas=CFPM_COVENANT

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.ignoreMissingMigrations=

-Dflyway.domain.placeholders.monitoringinformation-maintenance-services.outOfOrder=true

-Dflyway.domain.placeholders.policy-exception-tracking-services.server.port=9077

-Dflyway.domain.placeholders.policy-exception-tracking-services.locations=db/migration/domain

-Dflyway.domain.placeholders.policy-exception-tracking-services.password=CFPM_POLICYEXCEPTION

-Dflyway.domain.placeholders.policy-exception-tracking-services.username=CFPM_POLICYEXCEPTION

-Dflyway.domain.placeholders.policy-exception-tracking-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.policy-exception-tracking-services.schemas=CFPM_POLICYEXCEPTION

-Dflyway.domain.placeholders.policy-exception-tracking-services.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.policy-exception-tracking-services.outOfOrder=true

-Dflyway.domain.placeholders.policy-exception-publisher-services.server.port=9119

-Dflyway.domain.placeholders.cmc-corebanking-adapter-service.server.port=7201

-Dflyway.domain.placeholders.rabbitmq.password=admin

-Dflyway.domain.placeholders.rabbitmq.userid=admin

-Dflyway.domain.placeholders.rabbitmq.port=5601

-Dflyway.domain.placeholders.rabbitmq.host=whf00asq

-Dflyway.domain.placeholders.cmncore.username=CMNCORE

-Dflyway.domain.placeholders.cmncore.password=CMNCORE

-Dflyway.domain.placeholders.cmncore.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.cmncore.schemas=CMNCORE

-Dflyway.domain.placeholders.cmc-currency-services.server.port=7053

-Dflyway.domain.placeholders.cmc-account-services.server.port=7041

-Dflyway.domain.placeholders.cmc-advice-services.server.port=7093

-Dflyway.domain.placeholders.cmc-base-services.server.port=7045

-Dflyway.domain.placeholders.cmc-branch-services.server.port=7049

-Dflyway.domain.placeholders.cmc-businessoverrides-services.server.port=7115

-Dflyway.domain.placeholders.cmc-customer-services.server.port=7057

-Dflyway.domain.placeholders.cmc-datasegment-services.server.port=7017

-Dflyway.domain.placeholders.cmc-external-chart-account-services.server.port=7101

-Dflyway.domain.placeholders.cmc-external-system-services.server.port=7061

-Dflyway.domain.placeholders.cmc-external-virtual-account-services.server.port=7101

-Dflyway.domain.placeholders.cmc-facilities-services.server.port=7081

-Dflyway.domain.placeholders.cmc-report-services.server.port=7013

-Dflyway.domain.placeholders.weblogic.userid=weblogic

-Dflyway.domain.placeholders.weblogic.password=weblogic123

-Dflyway.domain.placeholders.runReportTemplate=

-Dflyway.domain.placeholders.emailTemplate=

-Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-service.server.port=7201

-Dflyway.domain.placeholders.cmc-screenclass-services.server.port=7021

-Dflyway.domain.placeholders.cmc-settlements-services.server.port=7065

-Dflyway.domain.placeholders.cmc-transactioncontroller-services.server.port=7025

-Dflyway.domain.placeholders.cmc-txn-code-services.server.port=7069

-Dflyway.domain.placeholders.moc.cmc-earmark-services.server.port=7097

-Dflyway.domain.placeholders.ELCM_HTTP_URL=

-Dflyway.domain.placeholders.earmark-services=

-Dflyway.domain.placeholders.elcmProduct=

-Dflyway.domain.placeholders.moc.cmc-comments-services.server.port=7033

-Dflyway.domain.placeholders.moc.cmc-document-services.server.port=7037

-Dflyway.domain.placeholders.dmsServiceUrl=

-Dflyway.domain.placeholders.dmsServiceUsrname=
-Dflyway.domain.placeholders.dmsServicePwd=
-Dflyway.domain.placeholders.cmc-applicationcategory-services.server.port=7005
-Dflyway.domain.placeholders.cmc-checklistmanagement-services.server.port=7009
-Dflyway.domain.placeholders.cmc-checklist-services.server.port=7029
-Dflyway.domain.placeholders.cmc-mailnotification.server.port=7073
-Dflyway.domain.placeholders.plato-config.url=jdbc:oracle:thin:@server:1521/SERVICENAME
-Dflyway.domain.placeholders.sms.url=jdbc:oracle:thin:@server:1521/SERVICENAME
-Dflyway.domain.placeholders.cmncore.db.password=CFPM_CMNCORE
-Dflyway.domain.placeholders.cmncore.db.username=CFPM_CMNCORE
-Dflyway.domain.placeholders.cmncore.db.url=jdbc:oracle:thin:@server:1521/SERVICENAME
-Dflyway.domain.placeholders.cmncore.db.schemas=CMNCORE
-Dflyway.domain.placeholders.cmc-kyccheck.server.port=7085
-Dflyway.domain.placeholders.server.port=7201
-Dflyway.domain.placeholders.plato-api-gateway.server.port=8090
-Dflyway.domain.placeholders.api-gateway.username=PLATOSEC
-Dflyway.domain.placeholders.api-gateway.password=PLATOSEC
-Dflyway.domain.placeholders.api-gateway.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME
-Dflyway.domain.placeholders.api-gateway.schemas=PLATOSEC
-Dflyway.domain.placeholders.customer-service.server.port=7057
-Dflyway.domain.placeholders.customer-service.username=CFPM_CMNCORE
-Dflyway.domain.placeholders.customer-service.password=CFPM_CMNCORE
-Dflyway.domain.placeholders.customer-service.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME
-Dflyway.domain.placeholders.customer-service.schemas=CFPM_CMNCORE
-Dflyway.domain.placeholders.plato-ui-config-services.server.port=8057
-Dflyway.domain.placeholders.plato-ui-config.username=PLATOUI
-Dflyway.domain.placeholders.plato-ui-config.password=PLATOUI

-Dflyway.domain.placeholders.plato-ui-config.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.plato-ui-config.schemas=PLATOUI

-Dflyway.domain.placeholders.apigateway.host=server

-Dflyway.domain.placeholders.apigateway.port=8090

-Dflyway.domain.placeholders.sms-core-services.server.port=8102

-Dflyway.domain.placeholders.biPublisher.host=

-Dflyway.domain.placeholders.biPublisher.port=

-Dflyway.domain.placeholders.dms.port=

-Dflyway.domain.placeholders.dms.host=

-Dflyway.domain.placeholders.eureka.port=8097

-Dapigateway.url=http://server.in.oracle.com:8090

-Dplato.service.logging.path=./work_area/application/logs

-Dplato.services.config.port=8080

-Dplato.services.config.uri=http://server:8080

-Dplato.service.logging.path=/scratch/work_area/application/logs

-Dplato.service.env=DEV

-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=tempval

-Dflyway.domain.placeHolders.cmc-batch-services.server.port=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailPassword=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerHost=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerPort=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollerInitialDelay=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingPath=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.postingPath=tempval

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=tempval

-Dflyway.domain.placeHolders.cmc-nlp-annotator-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-dashboard-widget-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-model-mngmnt-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-online-processing-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-tag-maint-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-text-extraction-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-txn-log-services.server.port=tempval
-Dflyway.domain.placeHolders.cmc-nlp-util-services.server.port=tempval
-Dflyway.domain.placeHolders.plato.eventhub.broker.hosts=tempval
-Dflyway.domain.placeHolders.plato.eventhub.zookeeper.hosts=tempval
-Dflyway.domain.placeHolders.plato-batch-server.jdbcUrl=tempval
-Dflyway.domain.placeHolders.plato-batch-server.password=tempval
-Dflyway.domain.placeHolders.plato-batch-server.schemas=tempval
-Dflyway.domain.placeHolders.plato-batch-server.username=tempval
-Dflyway.domain.placeHolders.platoui.db.password=tempval
-Dflyway.domain.placeHolders.plato-orchestrator.hostname=PLATO-O
-Dflyway.domain.placeHolders.plato-discovery-service.server.port=8097
-Dflyway.domain.placeHolders.plato-feed-services.username=tempval
-Dflyway.domain.placeHolders.plato-feed-services.password=tempval
-Dflyway.domain.placeHolders.plato-feed-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.plato-batch-server.server.port=tempval
-Dflyway.domain.placeHolders.plato-feed-services.schemas=tempval
-Dflyway.domain.placeHolders.plato-alerts-management-services.server.port=tempval
-Dflyway.domain.placeHolders.plato-alerts-management-services.username=tempval
-Dflyway.domain.placeHolders.plato-alerts-management-services.password=tempval
-Dflyway.domain.placeHolders.plato-alerts-management-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.plato-alerts-management-services.schemas=tempval

-Dflyway.domain.placeHolders.USER.STORE=tempval
-Dflyway.domain.placeHolders.LDAP.CORS.allowed.origin=tempval
-Dflyway.domain.placeHolders.LDAP.credential.SALT=tempval
-Dflyway.domain.placeHolders.JWT.EXPIRY.seconds=tempval
-Dflyway.domain.placeHolders.LDAP.url=tempval
-Dflyway.domain.placeHolders.LDAP.userId=tempval
-Dflyway.domain.placeHolders.LDAP.server.base=tempval
-Dflyway.domain.placeHolders.LDAP.server.credential=tempval
-Dflyway.domain.placeHolders.LDAP.usersearch.base=tempval
-Dflyway.domain.placeHolders.LDAP.user.prefix=tempval
-Dflyway.domain.placeHolders.LDAP.provider=tempval
-Dflyway.domain.placeHolders.TOKEN.autoregenerate=tempval
-Dflyway.domain.placeHolders.SSO.enabled=tempval
-Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=tempval
-Dflyway.domain.placeHolders.plato-config.sessionIdleTimeout=tempval
-Dflyway.domain.placeHolders.plato-config.sessionIdleWarningTime=tempval
-Dflyway.domain.placeHolders.plato-config.environment=tempval
-Dflyway.domain.placeHolders.plato-feed-services.feed.upload.directory=tempVal
-Dflyway.domain.placeHolders.plato-feed-services.server.port=tempVal
-Dplato.service.logging.path=/scratch/work_area/DEV/OBREMO/serverlogs
-Dflyway-task=migrate
-Dspringbootflyway.enabled=true
-Dflyway.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.placeHolders.kafka.host=whf00aqa.in.oracle.com
-Dflyway.domain.placeHolders.kafka.port=9092
-Dflyway.domain.placeHolders.zookeeper.host=whf00aqa.in.oracle.com

-Dflyway.domain.placeHolders.zookeeper.port=2181

-Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.HOST=tempval

-Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.PORT=tempval

-Dflyway.domain.placeHolders.rpm.hostuser=tempval

-Dflyway.domain.placeHolders.FCUBS.version=tempval

-Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.HOST=tempval

-Dflyway.domain.placeHolders.FCUBS_GW_HTTP_URL.PORT=v

-Dflyway.domain.placeHolders.plato.service.logging.path=tempval

-Dflyway.domain.placeHolders.plato.service.env=tempval

-Dflyway.domain.placeHolders.kafka.binder.brokers.host=tempval

-Dflyway.domain.placeHolders.kafka.binder.brokers.port=tempval

-Dflyway.domain.placeHolders.kafka.binder.zkNodes.host=tempval

-Dflyway.domain.placeHolders.kafka.binder.zkNodes.port=tempval

-Dflyway.domain.placeHolders.plato.orchestrator.host=tempval

-Dflyway.domain.placeHolders.plato.orchestrator.port=tempval

-Dflyway.domain.placeHolders.plato.transport.protocol=tempval

-Dflyway.domain.placeHolders.driver.className=oracle.jdbc.driver.OracleDriver

-Dflyway.domain.placeHolders.zipkin.host=server

-Dflyway.domain.placeHolders.zipkin.port=9902

-Dflyway.domain.placeHolders.apigateway.host=whf00bdm

-Dflyway.domain.placeHolders.plato-orch-service.server.port=8401

-Dflyway.domain.placeHolders.platoorch.domain.jndi=jndi_name

-Dflyway.domain.placeholders.platoorch.domain.schemas=schema_name

-Dflyway.domain.placeHolders.plato-ui-config.flywayTask=migrate

-Dflyway.domain.placeHolders.customer-service.server.port=7057

-Dflyway.domain.placeHolders.customer-service.username=CMNCORE

-Dflyway.domain.placeHolders.customer-service.password=CMNCORE

-Dflyway.domain.placeHolders.customer-service.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeHolders.customer-service.schemas=CMNCORE

-Dflyway.domain.placeHolders.midofccmc.username=CMNCORE

-Dflyway.domain.placeHolders.midofccmc.password=CMNCORE

-Dflyway.domain.placeHolders.midofccmc.jdbcUrl=CMNCORE

-Dflyway.domain.placeHolders.midofccmc.schemas=CMNCORE

-Dflyway.domain.placeHolders.cmncore.db.password=CMNCORE

-Dflyway.domain.placeHolders.cmncore.db.username=CMNCORE

-Dflyway.domain.placeHolders.cmncore.db.url=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeHolders.cmncore.db.schemas=CMNCORE

-Dflyway.domain.placeHolders.cmc-corebanking-adapter-service.server.port=7101

-Dflyway.domain.placeHolders.cmc-currency-services.server.port=7053

-Dflyway.domain.placeHolders.cmc-account-services.server.port=7041

-Dflyway.domain.placeHolders.cmc-advice-services.server.port=7093

-Dflyway.domain.placeHolders.server.port=8080

-Dflyway.domain.placeHolders.cmc-base-services.server.port=7045

-Dflyway.domain.placeHolders.cmc-branch-services.server.port=7049

-Dflyway.domain.placeHolders.cmc-businessoverrides-services.server.port=7115

-Dflyway.domain.placeHolders.cmc-customer-services.server.port=7057

-Dflyway.domain.placeHolders.cmc-datasegment-services.server.port=7017

-Dflyway.domain.placeHolders.cmc-external-chart-account-services.server.port=7101

-Dflyway.domain.placeHolders.cmc-external-system-services.server.port=7061

-Dflyway.domain.placeHolders.cmc-external-virtual-account-services.server.port=7101

-Dflyway.domain.placeHolders.cmc-facilities-services.server.port=7101

-Dflyway.domain.placeHolders.cmc-report-services.server.port=7013

-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-service.server.port=7101

-Dflyway.domain.placeHolders.cmc-screenclass-services.server.port=7021

-Dflyway.domain.placeHolders.cmc-settlements-services.server.port=7065

-Dflyway.domain.placeHolders.cmc-transactioncontroller-services.server.port=7025

-Dflyway.domain.placeHolders.cmc-txn-code-services.server.port=7069

-Dflyway.domain.placeHolders.rabbitmq.password=abcdef

-Dflyway.domain.placeHolders.rabbitmq.userid=abcdef

-Dflyway.domain.placeHolders.rabbitmq.port=1111

-Dflyway.domain.placeHolders.rabbitmq.host=1.1.1.1

-Dflyway.domain.placeHolders.cmncore.username=CMNCORE

-Dflyway.domain.placeHolders.cmncore.password=CMNCORE

-Dflyway.domain.placeHolders.cmncore.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeHolders.cmncore.schemas=CMNCORE

-Dflyway.domain.placeHolders.weblogic.userid=weblogic.userid

-Dflyway.domain.placeHolders.weblogic.password=weblogic.password

-Dflyway.domain.placeHolders.biPublisher.host=biPublisher.host

-Dflyway.domain.placeHolders.biPublisher.port=biPublisher.port

-Dflyway.domain.placeHolders.runReportTemplate=runReportTemplate

-Dflyway.domain.placeHolders.emailTemplate=emailTemplate

-Dflyway.domain.placeHolders.dms.host=dms.host

-Dflyway.domain.placeHolders.dms.port=dms.port

-Dflyway.domain.placeHolders.moc.cmc-earmark-services.server.port=tempVal

-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=tempVal

-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=tempVal

-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=tempVal

-Dflyway.domain.placeHolders.cmc-applicationcategory-services.server.port=tempVal

-Dflyway.domain.placeHolders.cmc-checklistmanagement-services.server.port=tempVal

-Dflyway.domain.placeHolders.cmc-checklist-services.server.port=tempVal

-Dflyway.domain.placeHolders.cmc-kyccheck.server.port=tempVal

-
Dflyway.domain.placeHolders.ELCM_HTTP_URL=jdbc:oracle:thin:@whf00pfh.in.oracle.com:1522/INFRAI
TR

- Dflyway.domain.placeHolders.earmark-services=earmark-services
- Dflyway.domain.placeHolders.elcmProduct=elcmProduct
- Dflyway.domain.placeHolders.platoui.username=PLATOUI
- Dflyway.domain.placeHolders.platoui.password=PLATOUI
- Dflyway.domain.placeHolders.platoui.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME
- Dflyway.domain.placeHolders.platoui.schemas=PLATOUI
- Dflyway.domain.placeHolders.dmsServiceUrl=dmsServiceUrl
- Dflyway.domain.placeHolders.dmsServicePwd=dmsServicePwd
- Dflyway.domain.placeHolders.dmsServiceUsrname=dmsServiceUsrname
- Dflyway.domain.placeHolders.obremo-srv-bcn-branchcommon-services.server.port=tempval
- Dflyway.domain.placeHolders.obremo-srv-bcn-branchcommon-services.username=tempval
- Dflyway.domain.placeHolders.obremo-srv-bcn-branchcommon-services.password=tempval
- Dflyway.domain.placeHolders.obremo-srv-bcn-branchcommon-services.jdbcUrl=tempval
- Dflyway.domain.placeHolders.obremo-srv-bcn-branchcommon-services.schemas=tempval
- Dflyway.domain.placeHolders.obremo-srv-cas-cash-services.server.port=tempval
- Dflyway.domain.placeHolders.obremo-srv-cas-cash-services.username=tempval
- Dflyway.domain.placeHolders.obremo-srv-cas-cash-services.password=tempval
- Dflyway.domain.placeHolders.obremo-srv-cas-cash-services.jdbcUrl=tempval
- Dflyway.domain.placeHolders.obremo-srv-cas-cash-services.schemas=tempval
- Dflyway.domain.placeHolders.obremo-srv-cmn-transaction-services.server.port=tempval
- Dflyway.domain.placeHolders.obremo-srv-cmn-transaction-services.username=tempval
- Dflyway.domain.placeHolders.obremo-srv-cmn-transaction-services.password=tempval
- Dflyway.domain.placeHolders.obremo-srv-cmn-transaction-services.jdbcUrl=tempval
- Dflyway.domain.placeHolders.obremo-srv-cmn-transaction-services.schemas=tempval
- Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.server.port=tempval

-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.username=tempval
-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.password=tempval
-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.schemas=tempval
-Dflyway.domain.placeHolders.obremo-srv-pay-payment-services.server.port=tempval
-Dflyway.domain.placeHolders.obremo-srv-pay-payment-services.username=tempval
-Dflyway.domain.placeHolders.obremo-srv-pay-payment-services.password=tempval
-Dflyway.domain.placeHolders.obremo-srv-pay-payment-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-srv-pay-payment-services.schemas=tempval
-Dflyway.domain.placeHolders.obremo-srv-tds-term-deposit-services.server.port=tempval
-Dflyway.domain.placeHolders.obremo-srv-tds-term-deposit-services.username=tempval
-Dflyway.domain.placeHolders.obremo-srv-tds-term-deposit-services.password=tempval
-Dflyway.domain.placeHolders.obremo-srv-tds-term-deposit-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-srv-tds-term-deposit-services.schemas=tempval
-Dflyway.domain.placeHolders.obremo-srv-adp-adapter-services.server.port=tempval
-Dflyway.domain.placeHolders.obremo-srv-adp-adapter-services.username=tempval
-Dflyway.domain.placeHolders.obremo-srv-adp-adapter-services.password=tempval
-Dflyway.domain.placeHolders.obremo-srv-adp-adapter-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-srv-adp-adapter-services.schemas=tempval
-Dflyway.domain.placeHolders.obremo-srv-prj-projection-services.server.port=tempval
-Dflyway.domain.placeHolders.obremo-srv-prj-projection-services.username=tempval
-Dflyway.domain.placeHolders.obremo-srv-prj-projection-services.password=tempval
-Dflyway.domain.placeHolders.obremo-srv-prj-projection-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-srv-prj-projection-services.schemas=tempval
-Dflyway.domain.placeHolders.obremoloanapplication.server.port=tempval
-Dflyway.domain.placeHolders.obremo-rpm-lo-loanapplications.username=tempval
-Dflyway.domain.placeHolders.obremo-rpm-lo-loanapplications.password=tempval

-Dflyway.domain.placeHolders.obremo-rpm-lo-loanapplications.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-rpm-lo-loanapplications.schemas=tempval
-Dflyway.domain.placeHolders.savaccount.server.port=tempval
-Dflyway.domain.placeHolders.obremo-rpm-sav-account-service.username=tempval
-Dflyway.domain.placeHolders.obremo-rpm-sav-account-service.password=tempval
-Dflyway.domain.placeHolders.obremo-rpm-sav-account-service.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-rpm-sav-account-service.schemas=tempval
-Dflyway.domain.placeHolders.processdriver.server.port=tempval
-Dflyway.domain.placeHolders.obremo-rpm-process-driver-services.username=tempval
-Dflyway.domain.placeHolders.obremo-rpm-process-driver-services.password=tempval
-Dflyway.domain.placeHolders.obremo-rpm-process-driver-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-rpm-process-driver-services.schemas=tempval
-Dflyway.domain.placeHolders.obremohostservices.server.port=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-hostservices.username=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-hostservices.password=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-hostservices.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-hostservices.schemas=tempval
-Dflyway.domain.placeHolders.commonscorecard.server.port=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-scorecardservices.username=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-scorecardservices.password=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-scorecardservices.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-rpm-cmn-scorecardservices.schemas=tempval
-Dflyway.domain.placeHolders.rpmmaintenance.server.port=tempval
-Dflyway.domain.placeHolders.obremo-rpm-maintenance-services.username=tempval
-Dflyway.domain.placeHolders.obremo-rpm-maintenance-services.password=tempval
-Dflyway.domain.placeHolders.obremo-rpm-maintenance-services.jdbcUrl=tempval
-Dflyway.domain.placeHolders.obremo-rpm-maintenance-services.schemas=tempval

-Dflyway.domain.placeHolders.commonapplicant.server.port=tempval

-Dflyway.domain.placeHolders.obremo-rpm-cmn-applicantservices.username=tempval

-Dflyway.domain.placeHolders.obremo-rpm-cmn-applicantservices.password=tempval

-Dflyway.domain.placeHolders.obremo-rpm-cmn-applicantservices.jdbcUrl=tempval

-Dflyway.domain.placeHolders.obremo-rpm-cmn-applicantservices.schemas=tempval

-Dflyway.domain.placeHolders.rpmbusinessproduct.server.port=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproduct-services.username=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproduct-services.password=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproduct-services.jdbcUrl=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproduct-services.schemas=tempval

-Dflyway.domain.placeHolders.rpmbusinessprocess.server.port=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessprocess-services.username=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessprocess-services.password=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessprocess-services.jdbcUrl=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessprocess-services.schemas=tempval

-Dflyway.domain.placeHolders.businessproductdetails.server.port=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproductdetails-services.username=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproductdetails-services.password=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproductdetails-services.jdbcUrl=tempval

-Dflyway.domain.placeHolders.obremo-rpm-businessproductdetails-services.schemas=tempval

-Dflyway.domain.placeHolders.partyadapter.server.port=tempval

-Dflyway.domain.placeHolders.party.server.port=tempval

-Dflyway.domain.placeHolders.partykyc.server.port=tempval

-Dflyway.domain.placeHolders.partystage.server.port=tempval

-Dflyway.domain.placeHolders.partybusinessprocess.server.port=tempval

-Dflyway.domain.placeHolders.partyhandoff.server.port=tempval

-Dflyway.domain.placeHolders.partypublisher.server.port=tempval

-Dflyway.domain.placeHolders.partymaintenance.server.port=tempval

-Dflyway.domain.placeHolders.party.username=tempval

-Dflyway.domain.placeHolders.party.password=tempval

-Dflyway.domain.placeHolders.party.jdbcUrl=tempval

-Dflyway.domain.placeHolders.party.schemas=tempval

-Dflyway.domain.placeHolders.party.schemas=tempval

-Dflyway.domain.placeHolders.ubsserver.host=tempval

-Dflyway.domain.placeHolders.ubsserver.port=tempval

-Dflyway.domain.placeHolders.ubsHandoffUser=tempval

-Dflyway.domain.placeHolders.ubsCustomerHandoffwsdlEndpoint=tempval

-Dflyway.domain.placeHolders.obremo-srv-cmn-ml-processing.jdbcUrl=tempval

-Dflyway.domain.placeHolders.obremo-srv-cmn-ml-processing.password=tempval

-Dflyway.domain.placeHolders.obremo-srv-cmn-ml-processing.schemas=tempval

-Dflyway.domain.placeHolders.obremo-srv-cmn-ml-processing.server.port=tempval

-Dflyway.domain.placeHolders.obremo-srv-cmn-ml-processing.username=tempval

-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.businessprocess.server.url=tempval

-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.conductor.server.url=tempval

-Dflyway.domain.placeHolders.obremo-srv-cus-customer-services.orchestrator.url=tempval

-Dflyway.domain.placeholders.obcfpm.party-credit-services.server.port=7101

-Dflyway.domain.placeholders.obcfpm.party-credit.username=CFPM_PARTYCREDIT

-Dflyway.domain.placeholders.obcfpm.party-credit.password=CFPM_PARTYCREDIT

-Dflyway.domain.placeholders.obcfpm.party-credit.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.party-credit.schemas=CFPM_PARTYCREDIT

-Dflyway.domain.placeholders.obcfpm.party-services.password=CFPM_PARTY

-Dflyway.domain.placeholders.obcfpm.party-services.username=CFPM_PARTY

-Dflyway.domain.placeholders.obcfpm.party-services.jdbcUrl=jdbc:oracle:thin:@server:1521/SERVICENAME

-Dflyway.domain.placeholders.obcfpm.party-services.schemas=CFPM_PARTY

-Dapigateway.url=http://server:8090

-Dflyway.domain.placeholders.obcfpm.party-services.server.port=9061 -
Dflyway.domain.placeholders.user.mapping.required=N

-Dflyway.domain.placeholders.obcfpm-project-services.schemas=CFPM_PROJECT

-Dflyway.domain.placeholders.obcfpm-project-services.ignoreMissingMigrations=true

-Dflyway.domain.placeholders.obcfpm-project-services.outOfOrder=true

-Dflyway.domain.placeholders.obcfpm-project-services.server.port=9341

-Dflyway.domain.placeholders.obcfpm-project-services.locations=db/migration/domain

-Dflyway.domain.placeholders.obcfpm.collateralcategory.server.port=9378

-Dflyway.domain.placeholders.cmc-obrh-services.server.port=9378

-Dflyway.domain.placeholders.obrh.db.jndi=jdbc/OBRH

-Dflyway.domain.placeholders.cmc-obrh-services.kafka.server.path=/scratch

-Dflyway.domain.placeholders.cmc-obrh-services.zookeeper.server.path=/scratch

-Dflyway.domain.placeholders.obcfpm.obcfpm-document-services.jndi=jdbc/CFPMDOC

-Dflyway.domain.placeholders.vam.schemas=TEMPVAL

-Dflyway.domain.placeholders.obcfpm.terms-maintenance-services.server.port=7783

-Dflyway.domain.placeholders.obcfpm.product-default-services.server.port=7763

-Dflyway.domain.placeholders.obcfpm.benchmark-services.server.port=7553

-Dflyway.domain.placeholders.obcfpm.benchmark.domain.db.schemas=CFPM_SCORING

-Dflyway.domain.placeholders.plato.alerts.cmc.userId=tempVal

-Dflyway.domain.placeholders.plato.alerts.cmc.branchCode=tempVal

-Dflyway.domain.placeholders.plato.alerts.cmc.appld=tempVal

-Dflyway.domain.placeholders.ELCM.ExternalSource=EXTSYS

-Dflyway.domain.placeholders.obcfpm.collateralcategory.server.port=9882

-Dflyway.domain.placeholders.vam.schemas=TEMPVAL

Configuration editing is enabled. Future changes will automatically be activated as you modify, add or delete items in this domain.

Domain Structure

- plato_domain
 - Domain Partitions
 - Environment
 - Servers**
 - Clusters
 - Coherence Clusters
 - Resource Groups
 - Resource Group Templates
 - Machines
 - Virtual Hosts
 - Virtual Targets
 - Work Managers
 - Concurrent Templates
 - Resource Management

How do I...

- Configure startup arguments for Managed Servers
- Start Managed Servers from the Administration Console
- Shut down a server instance

System Status

Health of Running Servers as of 3:40 PM

- Failed (0)
- Critical (0)
- Overloaded (0)
- Warning (0)
- OK (4)

Settings for PlatoConfigServer

Configuration Protocols Logging Debug Monitoring Control Deployments Services Security Notes

General Cluster Services Keystores SSL Federation Services Deployment Migration Tuning Overload Concurrency Health Monitoring **Server Start**

Web Services Coherence

Save

Node Manager is a WebLogic Server utility that you can use to start, suspend, shut down, and restart servers in normal or unexpected conditions. Use this page to configure the startup settings that Node Manager will use to start this server on a remote machine.

Java Home: The Java home directory (path on the machine running Node Manager) to use when starting this server. [More Info...](#)

Java Vendor: The Java Vendor value to use when starting this server. [More Info...](#)

BEA Home: The BEA home directory (path on the machine running Node Manager) to use when starting this server. [More Info...](#)

Root Directory: The directory that this server uses as its root directory. This directory must be on the computer that hosts Node Manager. If you do not specify a Root Directory value, the domain directory is used by default. [More Info...](#)

Class Path: The classpath (path on the machine running Node Manager) to use when starting this server. [More Info...](#)

Arguments: The arguments to use when starting this server. [More Info...](#)

Security Policy File: The security policy file (directory and filename on the machine running Node Manager) to use when starting this server. [More Info...](#)

User Name: The user name to use when booting this server. [More Info...](#)

Another alternative to configure -D parameters using SetUserOverrides.sh

```
#Base parameters starts#
#SPRINGBOOTFLYWAY_ENABLED="true" export SPRINGBOOTFLYWAY_ENABLED;
PLATO_SERVICE_LOGGING_PATH="/scratch/work_area/DEV/OBREMO/serverlogs" export PLATO_SERVICE_LOGGING_PATH;
APIGATEWAY_URL="http://gatewayserver:gatewayport" export APIGATEWAY_URL;
PLATO_SERVICES_CONFIG_PORT="7101" export PLATO_SERVICES_CONFIG_PORT;
PLATO_SERVICES_CONFIG_URI="http://server:port" export PLATO_SERVICES_CONFIG_URI;
PLATO_SERVICE_ENV="DEV" export PLATO_SERVICE_ENV;
FLYWAY_TASK="migrate" export FLYWAY_TASK;
FLYWAY_ENABLED="true" export FLYWAY_ENABLED;
FLYWAY_DOMAIN_LOCATIONS="db/migration/domain/plato,db/migration/domain/cmc,db/migration/domain/sms,db/migration/domain/moc,db/migration/domain/obtfpm" export FLYWAY_DOMAIN_LOCATIONS;
FLYWAY_DOMAIN_SCHEMAS="PLATO" export FLYWAY_DOMAIN_SCHEMAS;
FLYWAY_DOMAIN_BASELINEONMIGRATE="true" export FLYWAY_DOMAIN_BASELINEONMIGRATE;
FLYWAY_DOMAIN_IGNOREMISSINGMIGRATIONS="true" export FLYWAY_DOMAIN_IGNOREMISSINGMIGRATIONS;
FLYWAY_DOMAIN_OUTOFORDER="true" export FLYWAY_DOMAIN_OUTOFORDER;
FLYWAY_DOMAIN_DB_JDBCURL="jdbc:oracle:thin:@dbservice:port/SERVICENAME" export FLYWAY_DOMAIN_DB_JDBCURL;
FLYWAY_DOMAIN_DB_USERNAME="PLATO" export FLYWAY_DOMAIN_DB_USERNAME;
FLYWAY_DOMAIN_DB_PASSWORD="PLATO" export FLYWAY_DOMAIN_DB_PASSWORD;
FLYWAY_DOMAIN_DB_DRIVER_CLASS_NAME="oracle.jdbc.driver.OracleDriver" export FLYWAY_DOMAIN_DB_DRIVER_CLASS_NAME;
#Base parameters ends#

#Weblogic Host & Port Details starts
EUREKA_PORT="port" export EUREKA_PORT;
EUREKA_HOST="hostname" export EUREKA_HOST;
PLATO_CONFIG_SESSIONIDLETIMEOUT="tempval" export PLATO_CONFIG_SESSIONIDLETIMEOUT;
PLATO_CONFIG_SESSIONIDLEWARNINGTIME="tempval" export PLATO_CONFIG_SESSIONIDLEWARNINGTIME;
PLATO_CONFIG_ENVIRONMENT="tempval" export PLATO_CONFIG_ENVIRONMENT;
#Weblogic Host & Port Details Ends

#plato-api-gateway Starts
APIGATEWAY_SERVER_PORT="7012" export APIGATEWAY_SERVER_PORT;
APIGATEWAY_HOST="hostname" export APIGATEWAY_HOST;
```



```
APIGATEWAY_PORT="7012" export APIGATEWAY_PORT;
APIGATEWAY_JNDI="jdbc/PLATO_SECURITY" export APIGATEWAY_JNDI;
ZIPKIN_HOST="hostname" export ZIPKIN_HOST;
ZIPKIN_PORT="7012" export ZIPKIN_PORT;
PLATO_CONFIG_SCHEMAS="PLATO" export PLATO_CONFIG_SCHEMAS;
PLATO_CONFIG_JNDI="jdbc/PLATO" export PLATO_CONFIG_JNDI;
API_GATEWAY_SCHEMAS="PLATO_SECURITY" export API_GATEWAY_SCHEMAS;
USER_STORE="tempval" export USER_STORE;
LDAP_CORS_ALLOWED_ORIGIN="tempval" export LDAP_CORS_ALLOWED_ORIGIN;
LDAP_CREDENTIAL_SALT="tempval" export LDAP_CREDENTIAL_SALT;
JWT_EXPIRY_SECONDS="tempval" export JWT_EXPIRY_SECONDS;
LDAP_URL="tempval" export LDAP_URL;
LDAP_USERID="tempval" export LDAP_USERID;
LDAP_SERVER_BASE="tempval" export LDAP_SERVER_BASE;
LDAP_SERVER_CREDENTIAL="tempval" export LDAP_SERVER_CREDENTIAL;
LDAP_USERSEARCH_BASE="tempval" export LDAP_USERSEARCH_BASE;
LDAP_USER_PREFIX="tempval" export LDAP_USER_PREFIX;
LDAP_PROVIDER="tempval" export LDAP_PROVIDER;
TOKEN_AUTOREGENERATE="tempval" export TOKEN_AUTOREGENERATE;
SSO_ENABLED="tempval" export SSO_ENABLED;
TOKEN_REGENERATION_ENABLED="tempval" export TOKEN_REGENERATION_ENABLED;
#plato-api-gateway Ends

#plato-discovery-service starts
PLATO_DISCOVERY_SERVICE_SERVER_PORT="7012" export PLATO_DISCOVERY_SERVICE_SERVER_PORT;
#plato-discovery-service ends

#plato-ui-config-services starts
PLATO_UI_CONFIG_SERVICES_SERVER_PORT="7012" export PLATO_UI_CONFIG_SERVICES_SERVER_PORT;
PLATO_UI_CONFIG_SCHEMAS="PLATOUI" export PLATO_UI_CONFIG_SCHEMAS;
PLATO_UI_CONFIG_JNDI="jdbc/PLATO_UI_CONFIG" export PLATO_UI_CONFIG_JNDI;
PLATOUI_USERNAME="PLATOUI" export PLATOUI_USERNAME;
PLATOUI_PASSWORD="PLATOUI" export PLATOUI_PASSWORD;
PLATOUI_JDBCURL="jdbc:oracle:thin:@server:port/service" export PLATOUI_JDBCURL;
#plato-ui-config-services ends

#plato-orch-service starts
PLATO_ORCH_SERVICE_SERVER_PORT="7012" export PLATO_ORCH_SERVICE_SERVER_PORT;
PLATO_ORCHESTRATOR_HOSTNAME="hostname" export PLATO_ORCHESTRATOR_HOSTNAME;
#plato-orch-service ends

#sms-services starts
SMS_JNDI="jdbc/sms" export SMS_JNDI;
SMS_SCHEMAS="SMS_SCHEMA" export SMS_SCHEMAS;
SMS_USERNAME="SMS_SCHEMA" export SMS_USERNAME;
SMS_PASSWORD="SMS_SCHEMA" export SMS_PASSWORD;
SMS_JDBCURL="jdbc:oracle:thin:@server:port/service" export SMS_JDBCURL;
#sms-services ends

#plato-feed-services starts
PLATO_FEED_SERVICES_JNDI="jdbc/PLATOFEED" export PLATO_FEED_SERVICES_JNDI;
PLATO_FEED_SERVICES_FEED_UPLOAD_DIRECTORY="tempVal" export PLATO_FEED_SERVICES_FEED_UPLOAD_DIRECTORY;
PLATO_FEED_SERVICES_SERVER_PORT="tempVal" export PLATO_FEED_SERVICES_SERVER_PORT;
PLATO_FEED_SERVICES_SCHEMAS="tempVal" export PLATO_FEED_SERVICES_SCHEMAS;
#plato-feed-services ends

#plato-batch-server starts
PLATO_BATCH_SERVER_JNDI="jdbc/PLATOBATCH" export PLATO_BATCH_SERVER_JNDI;
PLATO_BATCH_SERVER_USERID="temp_Val" export PLATO_BATCH_SERVER_USERID;
PLATO_BATCH_SERVER_BRANCHCODE="temp_Val" export PLATO_BATCH_SERVER_BRANCHCODE;
PLATO_BATCH_SERVER_SERVER_PORT="tempval" export PLATO_BATCH_SERVER_SERVER_PORT;
PLATO_EVENTHUB_BROKER_HOSTS="tempval" export PLATO_EVENTHUB_BROKER_HOSTS;
PLATO_EVENTHUB_ZOOKEEPER_HOSTS="tempval" export PLATO_EVENTHUB_ZOOKEEPER_HOSTS;
```

```
PLATO_BATCH_SERVER_SCHEMAS="tempval" export PLATO_BATCH_SERVER_SCHEMAS;
#plato-batch-server ends

#plato-alerts-management-services starts
PLATO_ALERTS_MANAGEMENT_SERVICES_JNDI="jdbc/PLATOALERTS" export PLATO_ALERTS_MANAGEMENT_SERVICES_JNDI;
PLATO_ALERTS_MANAGEMENT_SERVICES_SERVER_PORT="tempval" export PLATO_ALERTS_MANAGEMENT_SERVICES_SERVER_PORT;
PLATO_ALERTS_MANAGEMENT_SERVICES_SCHEMAS="tempval" export PLATO_ALERTS_MANAGEMENT_SERVICES_SCHEMAS;
#plato-alerts-management-services ends

#sms-core-services starts
SMS_CORE_SERVICES_SERVER_PORT="7101" export SMS_CORE_SERVICES_SERVER_PORT;
#sms-core-services ends

#common core starts
CMNCORE_JNDI="jdbc/CMNCORE" export CMNCORE_JNDI;
CMNCORE_SCHEMAS="CFPM_CMNCORE" export CMNCORE_SCHEMAS;
CMNCORE_USERNAME="CFPM_CMNCORE" export CMNCORE_USERNAME;
CMNCORE_PASSWORD="CFPM_CMNCORE" export CMNCORE_PASSWORD;
CMNCORE_JDBCURL="jdbc:oracle:thin:@server:port/service" export CMNCORE_JDBCURL;

#cmc-advice-services starts

CMC_ADVICE_SERVICES_SERVER_PORT="7201" export CMC_ADVICE_SERVICES_SERVER_PORT;
#cmc-advice-services ends

#cmc-base-services starts
CMC_BASE_SERVICES_SERVER_PORT="7201" export CMC_BASE_SERVICES_SERVER_PORT;
#cmc-base-services ends

#cmc-branch-services starts
CMC_BRANCH_SERVICES_SERVER_PORT="7201" export CMC_BRANCH_SERVICES_SERVER_PORT;
#cmc-branch-services ends

#cmc-transactioncontroller-services starts
CMC_TRANSACTIONCONTROLLER_SERVICES_SERVER_PORT="7201" export CMC_TRANSACTIONCONTROLLER_SERVICES_SERVER_PORT;
#cmc-transactioncontroller-services ends

#cmc-txn-code-services starts
CMC_TXN_CODE_SERVICES_SERVER_PORT="7201" export CMC_TXN_CODE_SERVICES_SERVER_PORT;
#cmc-txn-code-services ends

#cmc-nlp-annotator-services starts
CMC_NLP_ANNOTATOR_SERVICES_SERVER_PORT="tempval" export CMC_NLP_ANNOTATOR_SERVICES_SERVER_PORT;
#cmc-nlp-annotator-services ends

#cmc-nlp-dashboard-widget-services starts
CMC_NLP_DASHBOARD_WIDGET_SERVICES_SERVER_PORT="tempval" export CMC_NLP_DASHBOARD_WIDGET_SERVICES_SERVER_PORT;
#cmc-nlp-dashboard-widget-services ends

#cmc-nlp-model-mngmnt-services starts
CMC_NLP_MODEL_MNGMNT_SERVICES_SERVER_PORT="tempval" export CMC_NLP_MODEL_MNGMNT_SERVICES_SERVER_PORT;
#cmc-nlp-model-mngmnt-services ends

#cmc-nlp-online-processing-services starts
CMC_NLP_ONLINE_PROCESSING_SERVICES_SERVER_PORT="tempval" export CMC_NLP_ONLINE_PROCESSING_SERVICES_SERVER_PORT;
#cmc-nlp-online-processing-services ends

#cmc-nlp-tag-maint-services starts
CMC_NLP_TAG_MAINT_SERVICES_SERVER_PORT="tempval" export CMC_NLP_TAG_MAINT_SERVICES_SERVER_PORT;
#cmc-nlp-tag-maint-services ends

#cmc-businessoverrides-services starts
CMC_BUSINESSOVERRIDES_SERVICES_SERVER_PORT="7201" export CMC_BUSINESSOVERRIDES_SERVICES_SERVER_PORT;
#cmc-businessoverrides-services ends
```

```
#cmc-customer-services starts
CMC_CUSTOMER_SERVICES_SERVER_PORT="7201" export CMC_CUSTOMER_SERVICES_SERVER_PORT;
#cmc-customer-services ends

#cmc-datasegment-services starts
CMC_DATASEGMENT_SERVICES_SERVER_PORT="7201" export CMC_DATASEGMENT_SERVICES_SERVER_PORT;
#cmc-datasegment-services ends

#cmc-external-chart-account-services starts
CMC_EXTERNAL_CHART_ACCOUNT_SERVICES_SERVER_PORT="7201" export CMC_EXTERNAL_CHART_ACCOUNT_SERVICES_SERVER_PORT;
#cmc-external-chart-account-services ends

#cmc-external-system-services starts
CMC_EXTERNAL_SYSTEM_SERVICES_SERVER_PORT="7201" export CMC_EXTERNAL_SYSTEM_SERVICES_SERVER_PORT;
#cmc-external-system-services ends

#cmc-external-virtual-account-services starts
CMC_EXTERNAL_VIRTUAL_ACCOUNT_SERVICES_SERVER_PORT="7201" export
CMC_EXTERNAL_VIRTUAL_ACCOUNT_SERVICES_SERVER_PORT;
#cmc-external-virtual-account-services ends

#cmc-facilities-services starts
CMC_FACILITIES_SERVICES_SERVER_PORT="7201" export CMC_FACILITIES_SERVICES_SERVER_PORT;
#cmc-facilities-services ends

#cmc-report-services starts
CMC_REPORT_SERVICES_SERVER_PORT="7201" export CMC_REPORT_SERVICES_SERVER_PORT;
WEBLOGIC_USERID="weblogic" export WEBLOGIC_USERID;
WEBLOGIC_PASSWORD="weblogic123" export WEBLOGIC_PASSWORD;
BIPUBLISHER_HOST="tempval" export BIPUBLISHER_HOST;
RUNREPORTTEMPLATE="tempval" export RUNREPORTTEMPLATE;
EMAILTEMPLATE="tempval" export EMAILTEMPLATE;
DMS_HOST="tempval" export DMS_HOST;
#cmc-report-services ends

#cmc-resource-segment-orchestrator-service starts
CMC_RESOURCE_SEGMENT_ORCHESTRATOR_SERVICE_SERVER_PORT="7201" export
CMC_RESOURCE_SEGMENT_ORCHESTRATOR_SERVICE_SERVER_PORT;
#cmc-resource-segment-orchestrator-service ends

#cmc-screenclass-services starts
CMC_SCREENCLASS_SERVICES_SERVER_PORT="7201" export CMC_SCREENCLASS_SERVICES_SERVER_PORT;
#cmc-screenclass-services ends

#cmc-settlements-services starts
CMC_SETTLEMENTS_SERVICES_SERVER_PORT="7201" export CMC_SETTLEMENTS_SERVICES_SERVER_PORT;
#cmc-settlements-services ends

#cmc-batch-services starts
CMC_BATCH_SERVICES_SERVER_PORT="tempval" export CMC_BATCH_SERVICES_SERVER_PORT;
#cmc-batch-services ends

#cmc-corebanking-adapter-service starts
CMC_COREBANKING_ADAPTER_SERVICE_SERVER_PORT="7201" export CMC_COREBANKING_ADAPTER_SERVICE_SERVER_PORT;
#cmc-corebanking-adapter-service ends

#cmc-currency-services starts
CMC_CURRENCY_SERVICES_SERVER_PORT="7201" export CMC_CURRENCY_SERVICES_SERVER_PORT;
#cmc-currency-services ends

#cmc-account-services starts
CMC_ACCOUNT_SERVICES_SERVER_PORT="7201" export CMC_ACCOUNT_SERVICES_SERVER_PORT;
#cmc-account-services ends
```

```
#cmc-nlp-text-extraction-services starts
CMC_NLP_TEXT_EXTRACTION_SERVICES_SERVER_PORT="tempval" export CMC_NLP_TEXT_EXTRACTION_SERVICES_SERVER_PORT;
#cmc-nlp-text-extraction-services ends
```

```
#cmc-nlp-txn-log-services starts
CMC_NLP_TXN_LOG_SERVICES_SERVER_PORT="tempval" export CMC_NLP_TXN_LOG_SERVICES_SERVER_PORT;
#cmc-nlp-txn-log-services ends
```

```
#cmc-nlp-util-services starts
CMC_NLP_UTIL_SERVICES_SERVER_PORT="tempval" export CMC_NLP_UTIL_SERVICES_SERVER_PORT;
#cmc-nlp-util-services ends
```

```
#cmc-fc-ai-ml-services starts
CMC_FC_AI_ML_SERVICES_SERVER_PORT="tempval" export CMC_FC_AI_ML_SERVICES_SERVER_PORT;
CMC_FC_AI_ML_SERVICES_POSTINGPATH="tempval" export CMC_FC_AI_ML_SERVICES_POSTINGPATH;
CMC_FC_AI_ML_SERVICES_POLLINGEMAIL="tempval" export CMC_FC_AI_ML_SERVICES_POLLINGEMAIL;
CMC_FC_AI_ML_SERVICES_EMAILSERVERPORT="tempval" export CMC_FC_AI_ML_SERVICES_EMAILSERVERPORT;
CMC_FC_AI_ML_SERVICES_EMAILSERVERHOST="tempval" export CMC_FC_AI_ML_SERVICES_EMAILSERVERHOST;
CMC_FC_AI_ML_SERVICES_POLLINGFREQUENCY="tempval" export CMC_FC_AI_ML_SERVICES_POLLINGFREQUENCY;
CMC_FC_AI_ML_SERVICES_POLLERINITIALDELAY="tempval" export CMC_FC_AI_ML_SERVICES_POLLERINITIALDELAY;
CMC_FC_AI_ML_SERVICES_EMAILPASSWORD="tempval" export CMC_FC_AI_ML_SERVICES_EMAILPASSWORD;
CMC_FC_AI_ML_SERVICES_POLLINGPATH="tempval" export CMC_FC_AI_ML_SERVICES_POLLINGPATH;
#cmc-fc-ai-ml-services ends
```

```
#cmc-obrh-services starts
CMC_OBRH_SERVICES_SERVER_PORT="tempval" export CMC_OBRH_SERVICES_SERVER_PORT;
CMC_OBRH_SERVICES_JNDI="tempval" export CMC_OBRH_SERVICES_JNDI
#cmc-obrh-services ends
```

```
#common core ends
```

```
#Mid Office common core starts
```

```
#cmc-applicationcategory-services starts
CMC_APPLICATIONCATEGORY_SERVICES_SERVER_PORT="7001" export CMC_APPLICATIONCATEGORY_SERVICES_SERVER_PORT;
#cmc-applicationcategory-services ends
```

```
#cmc-checklistmanagement-services starts
CMC_CHECKLISTMANAGEMENT_SERVICES_SERVER_PORT="7001" export CMC_CHECKLISTMANAGEMENT_SERVICES_SERVER_PORT;
#cmc-checklistmanagement-services ends
```

```
#cmc-checklist-services starts
CMC_CHECKLIST_SERVICES_SERVER_PORT="7001" export CMC_CHECKLIST_SERVICES_SERVER_PORT;
#cmc-checklist-services ends
```

```
#cmc-mailnotification-services starts
CMC_MAILNOTIFICATION_SERVER_PORT="7001" export CMC_MAILNOTIFICATION_SERVER_PORT;
#cmc-mailnotification-services ends
```

```
#kyccheck-service starts
CMC_KYC_CHECK_SERVER_PORT="7001" export CMC_KYC_CHECK_SERVER_PORT;
#kyccheck-service ends
```

```
#cmc-additional-attributes-services starts
ADDITIONAL_ATTRIBUTES_SERVER_PORT="7201 " export ADDITIONAL_ATTRIBUTES_SERVER_PORT;
#cmc-additional-attributes-services ends
```

```
#earmark-services starts
MOC_CMC_EARMARK_SERVICES_SERVER_PORT="7201 " export MOC_CMC_EARMARK_SERVICES_SERVER_PORT;
ELCM_HTTP_URL="tempval" export ELCM_HTTP_URL;
EARMARK_SERVICES="tempval" export EARMARK_SERVICES;
ELCM_PRODUCT="tempval" export ELCM_PRODUCT;
#earmark-services ends
```

```
#cmc-comments-services starts
MOC_CMC_COMMENTS_SERVICES_SERVER_PORT="7001" export MOC_CMC_COMMENTS_SERVICES_SERVER_PORT;
#cmc-comments-services ends
```

```
#cmc-document-services starts
MOC_CMC_DOCUMENT_SERVICES_SERVER_PORT="7001" export MOC_CMC_DOCUMENT_SERVICES_SERVER_PORT;
DMSSERVICEURL="tempval" export DMSSERVICEURL;
DMSSERVICEUSRNAME="tempval" export DMSSERVICEUSRNAME;
DMSSERVICEPWD="tempval" export DMSSERVICEPWD;
#cmc-document-services ends
```

```
#Mid Office common core ends
```

```
#OBCFPM services starts
```

```
EUREKA_CLIENT_SERVICEURL_DEFAULTZONE="tempval" export EUREKA_CLIENT_SERVICEURL_DEFAULTZONE;
PLATO_BASELINEONMIGRATE="tempval" export PLATO_BASELINEONMIGRATE;
PLATO_IGNOREMISSINGMIGRATIONS="tempval" export PLATO_IGNOREMISSINGMIGRATIONS;
PLATO_LOCATIONS="tempval" export PLATO_LOCATIONS;
PLATO_OUTOFORDER="tempval" export PLATO_OUTOFORDER;
PLATOUI_BASELINEONMIGRATE="tempval" export PLATOUI_BASELINEONMIGRATE;
PLATOUI_IGNOREMISSINGMIGRATIONS="tempval" export PLATOUI_IGNOREMISSINGMIGRATIONS;
PLATOUI_LOCATIONS="tempval" export PLATOUI_LOCATIONS;
PLATOUI_OUTOFORDER="tempval" export PLATOUI_OUTOFORDER;
SMS_BASELINEONMIGRATE="tempval" export SMS_BASELINEONMIGRATE;
SMS_IGNOREMISSINGMIGRATIONS="tempval" export SMS_IGNOREMISSINGMIGRATIONS;
SMS_LOCATIONS="tempval" export SMS_LOCATIONS;
SMS_OUTOFORDER="tempval" export SMS_OUTOFORDER;
PLATOFLYWAY_ENABLED="tempval" export PLATOFLYWAY_ENABLED;
PLATOUIFLYWAY_ENABLED="tempval" export PLATOUIFLYWAY_ENABLED;
SMSFLYWAY_ENABLED="tempval" export SMSFLYWAY_ENABLED;
```

```
#analysis-services starts
```

```
ANALYSIS_SERVICES_IGNOREMISSINGMIGRATIONS="tempval" export ANALYSIS_SERVICES_IGNOREMISSINGMIGRATIONS;
ANALYSIS_SERVICES_LOCATIONS="tempval" export ANALYSIS_SERVICES_LOCATIONS;
ANALYSIS_SERVICES_OUTOFORDER="tempval" export ANALYSIS_SERVICES_OUTOFORDER;
ANALYSIS_SERVICES_SCHEMAS="tempval" export ANALYSIS_SERVICES_SCHEMAS;
ANALYSIS_SERVICES_SERVER_PORT="tempval" export ANALYSIS_SERVICES_SERVER_PORT;
#analysis-services ends
```

```
#bidding-services starts
```

```
OBCFPM_BIDDING_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_BIDDING_DOMAIN_DB_SCHEMAS;
OBCFPM_BIDDING_SERVER_PORT="tempval" export OBCFPM_BIDDING_SERVER_PORT;
#bidding-services ends
```

```
#collateral-pool-services starts
```

```
OBCFPM_COLLATERALPOOL_SCHEMAS="tempval" export OBCFPM_COLLATERALPOOL_SCHEMAS;
OBCFPM_COLLATERALPOOL_SERVICES_SERVER_PORT="tempval" export OBCFPM_COLLATERALPOOL_SERVICES_SERVER_PORT;
#collateral-pool-services ends
```

```
#collateral-projection-services starts
```

```
OBCFPM_COLLATERALPROJECTION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_COLLATERALPROJECTION_DOMAIN_DB_SCHEMAS;
OBCFPM_COLLATERALPROJECTION_SERVER_PORT="tempval" export OBCFPM_COLLATERALPROJECTION_SERVER_PORT;
#collateral-projection-services ends
```

```
#collateral-services starts
```

```
OBCFPM_COLLATERAL_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_COLLATERAL_DOMAIN_DB_SCHEMAS;
OBCFPM_COLLATERAL_SERVER_PORT="tempval" export OBCFPM_COLLATERAL_SERVER_PORT;
#collateral-services ends
```

```
#collateral-summary-services starts
```

```
OBCFPM_COLLATERALSUMMARY_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_COLLATERALSUMMARY_DOMAIN_DB_SCHEMAS;
OBCFPM_COLLATERALSUMMARY_SERVER_PORT="tempval" export OBCFPM_COLLATERALSUMMARY_SERVER_PORT;
#collateral-summary-services ends
```

```
#covenantmaster-services starts
COVENANTMASTER_SERVICES_IGNOREMISSINGMIGRATIONS="tempval" export COVENANTMASTER_SERVICES_IGNOREMISSINGMIGRATIONS;
COVENANTMASTER_SERVICES_LOCATIONS="tempval" export COVENANTMASTER_SERVICES_LOCATIONS;
COVENANTMASTER_SERVICES_OUTOFORDER="tempval" export COVENANTMASTER_SERVICES_OUTOFORDER;
COVENANTMASTER_SERVICES_SCHEMAS="tempval" export COVENANTMASTER_SERVICES_SCHEMAS;
COVENANTMASTER_SERVICES_SERVER_PORT="tempval" export COVENANTMASTER_SERVICES_SERVER_PORT;
#covenantmaster-services ends

#covenant-services starts
COVENANT_SERVICES_IGNOREMISSINGMIGRATIONS="tempval" export COVENANT_SERVICES_IGNOREMISSINGMIGRATIONS;
COVENANT_SERVICES_LOCATIONS="tempval" export COVENANT_SERVICES_LOCATIONS;
COVENANT_SERVICES_OUTOFORDER="tempval" export COVENANT_SERVICES_OUTOFORDER;
COVENANT_SERVICES_SCHEMAS="tempval" export COVENANT_SERVICES_SCHEMAS;
COVENANT_SERVICES_SERVER_PORT="tempval" export COVENANT_SERVICES_SERVER_PORT;
#covenant-services ends

#credit-writeup-services starts
OBCFPM_CREDITWRITEUP_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_CREDITWRITEUP_DOMAIN_DB_SCHEMAS;
OBCFPM_CREDIT_WRITEUP_SERVICES_SERVER_PORT="tempval" export OBCFPM_CREDIT_WRITEUP_SERVICES_SERVER_PORT;
#credit-writeup-services ends

#dashboard-services starts
DASHBOARD_SERVICES_IGNOREMISSINGMIGRATIONS="tempval" export DASHBOARD_SERVICES_IGNOREMISSINGMIGRATIONS;
DASHBOARD_SERVICES_LOCATIONS="tempval" export DASHBOARD_SERVICES_LOCATIONS;
DASHBOARD_SERVICES_OUTOFORDER="tempval" export DASHBOARD_SERVICES_OUTOFORDER;
DASHBOARD_SERVICES_SCHEMAS="tempval" export DASHBOARD_SERVICES_SCHEMAS;
DASHBOARD_SERVICES_SERVER_PORT="tempval" export DASHBOARD_SERVICES_SERVER_PORT;
#dashboard-services ends

#documentsafekeeping-services starts
OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_JDBCURL="tempval" export OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_JDBCURL;
OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_PASSWORD="tempval" export OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_PASSWORD;
OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_USERNAME="tempval" export OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_USERNAME;
OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_SCHEMAS;
OBCFPM_DOCUMENTSAFEKEEPING_SERVER_PORT="tempval" export OBCFPM_DOCUMENTSAFEKEEPING_SERVER_PORT;
#documentsafekeeping-services ends

#exception-services starts
OBCFPM_ELCM_EARMARKURL="tempval" export OBCFPM_ELCM_EARMARKURL;
OBCFPM_ELCM_FACILITYURL="tempval" export OBCFPM_ELCM_FACILITYURL;
OBCFPM_FCUBS_EXTERNALUSERID="tempval" export OBCFPM_FCUBS_EXTERNALUSERID;
OBCFPM_EXCEPTION_SCHEMAS="tempval" export OBCFPM_EXCEPTION_SCHEMAS;
OBCFPM_EXCEPTION_SERVICES_SERVER_PORT="tempval" export OBCFPM_EXCEPTION_SERVICES_SERVER_PORT;
#exception-services ends

#externalcheck-services starts
OBCFPM_EXTERNALCHECK_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_EXTERNALCHECK_DOMAIN_DB_SCHEMAS;
OBCFPM_EXTERNALCHECK_SERVER_PORT="tempval" export OBCFPM_EXTERNALCHECK_SERVER_PORT;
#externalcheck-services ends

#facility-category-services starts
OBCFPM_FACILITY_CATEGORY_SERVICES_SERVER_PORT="tempval" export OBCFPM_FACILITY_CATEGORY_SERVICES_SERVER_PORT;
#facility-category-services ends

#facility-party-summary-services starts
OBCFPM_FACILITYPARTYSUMMARY_SCHEMAS="tempval" export OBCFPM_FACILITYPARTYSUMMARY_SCHEMAS;
OBCFPM_FACILITY_PARTY_SUMMARY_SERVICES_SERVER_PORT="tempval" export
OBCFPM_FACILITY_PARTY_SUMMARY_SERVICES_SERVER_PORT;
#facility-party-summary-services ends

#facility-services starts
OBCFPM_FACILITY_SCHEMAS="tempval" export OBCFPM_FACILITY_SCHEMAS;
OBCFPM_FACILITY_SERVICES_SERVER_PORT="tempval" export OBCFPM_FACILITY_SERVICES_SERVER_PORT;
```

```
#facility-services ends

#facility-template-maintenance-services starts
OBCFPM_FACILITY_SCHEMAS="tempval" export OBCFPM_FACILITY_SCHEMAS;
OBCFPM_FACILITY_SERVICES_SERVER_PORT="tempval" export OBCFPM_FACILITY_SERVICES_SERVER_PORT;
#facility-template-maintenance-services ends

#facility-template-maintenance-services starts
OBCFPM_FACILITY_TEMPLATE_MAINTENANCE_SERVICES_SERVER_PORT="tempval" export
OBCFPM_FACILITY_TEMPLATE_MAINTENANCE_SERVICES_SERVER_PORT;
#facility-template-maintenance-services ends

#fieldinvestigation-services starts
OBCFPM_FIELDINVESTIGATION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_FIELDINVESTIGATION_DOMAIN_DB_SCHEMAS;
OBCFPM_FIELDINVESTIGATION_SERVER_PORT="tempval" export OBCFPM_FIELDINVESTIGATION_SERVER_PORT;
#fieldinvestigation-services ends

#financial-category-definition-services starts
OBCFPM_FINANCIALCATEGORY_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_FINANCIALCATEGORY_DOMAIN_DB_SCHEMAS;
OBCFPM_FINANCIALCATEGORY_PORT="tempval" export OBCFPM_FINANCIALCATEGORY_PORT;
#financial-category-definition-services ends

#financial-code-definition-services starts
OBCFPM_FINANCIALCODEDEFINITION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_FINANCIALCODEDEFINITION_DOMAIN_DB_SCHEMAS;
OBCFPM_FINANCIALCODEDEFINITION_PORT="tempval" export OBCFPM_FINANCIALCODEDEFINITION_PORT;
#financial-code-definition-services ends

#financial-document-template-services starts
OBCFPM_FINANCIALDOCUMENTTEMPLATE_DOMAIN_DB_SCHEMAS="tempval" export
OBCFPM_FINANCIALDOCUMENTTEMPLATE_DOMAIN_DB_SCHEMAS;
OBCFPM_FINANCIALDOCUMENTTEMPLATE_PORT="tempval" export OBCFPM_FINANCIALDOCUMENTTEMPLATE_PORT;
#financial-document-template-services ends

#handOff-services starts
OBCFPM_ELCM_COLLATERALHANDOFFURL="tempval" export OBCFPM_ELCM_COLLATERALHANDOFFURL;
OBCFPM_ELCM_COLLATERALPOOLURL="tempval" export OBCFPM_ELCM_COLLATERALPOOLURL;
OBCFPM_FCUBS_CUSTOMERHANDOFFURL="tempval" export OBCFPM_FCUBS_CUSTOMERHANDOFFURL;
OBCFPM_ELCM_CVNTHANDOFFPARENTURL="tempval" export OBCFPM_ELCM_CVNTHANDOFFPARENTURL;
OBCFPM_ELCM_CVNTHANDOFFURL="tempval" export OBCFPM_ELCM_CVNTHANDOFFURL;
OBCFPM_CVNTINSTMAINGETENDPOINT="tempval" export OBCFPM_CVNTINSTMAINGETENDPOINT;
OBCFPM_CVNTLINKAGEGETENDPOINT="tempval" export OBCFPM_CVNTLINKAGEGETENDPOINT;
OBCFPM_HANDOFF_ELCMPRODUCTVERSION="tempval" export OBCFPM_HANDOFF_ELCMPRODUCTVERSION;
OBCFPM_FCUBS_EXTERNALSOURCE="tempval" export OBCFPM_FCUBS_EXTERNALSOURCE;
OBCFPM_ELCM_FACILITYHANDOFFURL="tempval" export OBCFPM_ELCM_FACILITYHANDOFFURL;
OBCFPM_HANDOFF_FCUBSPRODUCTVERSION="tempval" export OBCFPM_HANDOFF_FCUBSPRODUCTVERSION;
OBCFPM_HANDOFF_SCHEMAS="tempval" export OBCFPM_HANDOFF_SCHEMAS;
OBCFPM_ELCM_LIABILITYHANDOFFURL="tempval" export OBCFPM_ELCM_LIABILITYHANDOFFURL;
OBCFPM_ELCM_LIMITSVALIDLINESURL="tempval" export OBCFPM_ELCM_LIMITSVALIDLINESURL;
OBCFPM_HANDOFF_SERVICES_SERVER_PORT="tempval" export OBCFPM_HANDOFF_SERVICES_SERVER_PORT;
#handOff-services ends

#legal-services starts
OBCFPM_LEGAL_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_LEGAL_DOMAIN_DB_SCHEMAS;
OBCFPM_LEGAL_PORT="tempval" export OBCFPM_LEGAL_PORT;
#legal-services ends

#liability-services starts
OBCFPM_LIABILITY_SCHEMAS="tempval" export OBCFPM_LIABILITY_SCHEMAS;
OBCFPM_LIABILITY_SERVICES_SERVER_PORT="tempval" export OBCFPM_LIABILITY_SERVICES_SERVER_PORT;
#liability-services ends

#maintenance-services starts
OBCFPM_MAINTENANCE_PORT="tempval" export OBCFPM_MAINTENANCE_PORT;
#maintenance-services ends
```

```
#monitoringinformation-maintenance-services starts
MONITORINGINFORMATION_MAINTENANCE_SERVICES_IGNOREMISSINGMIGRATIONS="tempval" export
MONITORINGINFORMATION_MAINTENANCE_SERVICES_IGNOREMISSINGMIGRATIONS;
MONITORINGINFORMATION_MAINTENANCE_SERVICES_LOCATIONS="tempval" export
MONITORINGINFORMATION_MAINTENANCE_SERVICES_LOCATIONS;
MONITORINGINFORMATION_MAINTENANCE_SERVICES_OUTOFORDER="tempval" export
MONITORINGINFORMATION_MAINTENANCE_SERVICES_OUTOFORDER;
MONITORINGINFORMATION_MAINTENANCE_SERVICES_SCHEMAS="tempval" export
MONITORINGINFORMATION_MAINTENANCE_SERVICES_SCHEMAS;
MONITORINGINFORMATION_MAINTENANCE_SERVICES_SERVER_PORT="tempval" export
MONITORINGINFORMATION_MAINTENANCE_SERVICES_SERVER_PORT;
#monitoringinformation-maintenance-services ends

#obcfpm-application-service starts
OBCFPM_APPLICATION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_APPLICATION_DOMAIN_DB_SCHEMAS;
OBCFPM_APPLICATION_PORT="tempval" export OBCFPM_APPLICATION_PORT;
#obcfpm-application-service ends

#obcfpm-businessprocess-services starts
OBCFPM_BUSINESSPROCESS_SCHEMAS="tempval" export OBCFPM_BUSINESSPROCESS_SCHEMAS;
OBCFPM_BUSINESSPROCESS_SERVICES_SERVER_PORT="tempval" export OBCFPM_BUSINESSPROCESS_SERVICES_SERVER_PORT;
#obcfpm-businessprocess-services ends

#obpy-party-services starts
OBCFPM_PARTY_SERVICES_JDBCURL="tempval" export OBCFPM_PARTY_SERVICES_JDBCURL;
OBCFPM_PARTY_SERVICES_PASSWORD="tempval" export OBCFPM_PARTY_SERVICES_PASSWORD;
OBCFPM_PARTY_SERVICES_USERNAME="tempval" export OBCFPM_PARTY_SERVICES_USERNAME;
OBCFPM_PARTY_SERVICES_SCHEMAS="tempval" export OBCFPM_PARTY_SERVICES_SCHEMAS;
OBCFPM_PARTY_SERVICES_SERVER_PORT="tempval" export OBCFPM_PARTY_SERVICES_SERVER_PORT;
#obpy-party-services ends

#party-credit-services starts
OBCFPM_PARTY_CREDIT_SCHEMAS="tempval" export OBCFPM_PARTY_CREDIT_SCHEMAS;
OBCFPM_PARTY_CREDIT_SERVICES_SERVER_PORT="tempval" export OBCFPM_PARTY_CREDIT_SERVICES_SERVER_PORT;
#party-credit-services ends

#policy-exception-publisher-services starts
PLATO_EVENTHUB_KAFKA_BROKERS="tempval" export PLATO_EVENTHUB_KAFKA_BROKERS;
PLATO_EVENTHUB_ZK_NODES="tempval" export PLATO_EVENTHUB_ZK_NODES;
POLICY_EXCEPTION_PUBLISHER_SERVICES_SERVER_PORT="tempval" export POLICY_EXCEPTION_PUBLISHER_SERVICES_SERVER_PORT;
#policy-exception-publisher-services ends

#policy-exception-tracking-services starts
POLICY_EXCEPTION_TRACKING_SERVICES_IGNOREMISSINGMIGRATIONS="tempval" export
POLICY_EXCEPTION_TRACKING_SERVICES_IGNOREMISSINGMIGRATIONS;
POLICY_EXCEPTION_TRACKING_SERVICES_LOCATIONS="tempval" export POLICY_EXCEPTION_TRACKING_SERVICES_LOCATIONS;
POLICY_EXCEPTION_TRACKING_SERVICES_OUTOFORDER="tempval" export POLICY_EXCEPTION_TRACKING_SERVICES_OUTOFORDER;
POLICY_EXCEPTION_TRACKING_SERVICES_SCHEMAS="tempval" export POLICY_EXCEPTION_TRACKING_SERVICES_SCHEMAS;
POLICY_EXCEPTION_TRACKING_SERVICES_SERVER_PORT="tempval" export POLICY_EXCEPTION_TRACKING_SERVICES_SERVER_PORT;
#policy-exception-tracking-services ends

#policy-maintenance-services starts
OBCFPM_POLICYMAINTENANCE_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_POLICYMAINTENANCE_DOMAIN_DB_SCHEMAS;
OBCFPM_POLICYMAINTENANCE_PORT="tempval" export OBCFPM_POLICYMAINTENANCE_PORT;
#policy-maintenance-services ends

#policy-services starts
OBCFPM_POLICY_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_POLICY_DOMAIN_DB_SCHEMAS;
OBCFPM_POLICY_SERVER_PORT="tempval" export OBCFPM_POLICY_SERVER_PORT;
#policy-services ends

#pricing-services starts
OBCFPM_PRICING_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_PRICING_DOMAIN_DB_SCHEMAS;
OBCFPM_PRICING_SERVER_PORT="tempval" export OBCFPM_PRICING_SERVER_PORT;
```



```
#pricing-services ends

#questionnaire-definition-services starts
OBCFPM_QUESTIONNAIREDEFINITION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_QUESTIONNAIREDEFINITION_DOMAIN_DB_SCHEMAS;
OBCFPM_QUESTIONNAIREDEFINITION_SERVER_PORT="tempval" export OBCFPM_QUESTIONNAIREDEFINITION_SERVER_PORT;
#questionnaire-definition-services ends

#questionnaire-process-linkage-services starts
OBCFPM_QUESTIONNAIREPROCESSLINKAGE_DOMAIN_DB_SCHEMAS="tempval" export
OBCFPM_QUESTIONNAIREPROCESSLINKAGE_DOMAIN_DB_SCHEMAS;
OBCFPM_QUESTIONNAIREPROCESSLINKAGE_SERVER_PORT="tempval" export OBCFPM_QUESTIONNAIREPROCESSLINKAGE_SERVER_PORT;
#questionnaire-process-linkage-services ends

#registration-services starts
OBCFPM_REGISTRATION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_REGISTRATION_DOMAIN_DB_SCHEMAS;
OBCFPM_REGISTRATION_SERVER_PORT="tempval" export OBCFPM_REGISTRATION_SERVER_PORT;
#registration-services ends

#risk-services starts
OBCFPM_RISK_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_RISK_DOMAIN_DB_SCHEMAS;
OBCFPM_RISK_SERVER_PORT="tempval" export OBCFPM_RISK_SERVER_PORT;
#risk-services ends

#scoring-services starts
OBCFPM_SCORING_SCHEMAS="tempval" export OBCFPM_SCORING_SCHEMAS;
OBCFPM_SCORING_SERVICES_SERVER_PORT="tempval" export OBCFPM_SCORING_SERVICES_SERVER_PORT;
#scoring-services ends

#settlement-services starts
OBCFPM_SETTLEMENT_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_SETTLEMENT_DOMAIN_DB_SCHEMAS;
OBCFPM_SETTLEMENT_SERVER_PORT="tempval" export OBCFPM_SETTLEMENT_SERVER_PORT;
#settlement-services ends

#stage-services starts
OBCFPM_STAGE_SCHEMAS="tempval" export OBCFPM_STAGE_SCHEMAS;
OBCFPM_STAGE_SERVICES_SERVER_PORT="tempval" export OBCFPM_STAGE_SERVICES_SERVER_PORT;
#stage-services ends

#terms-conditions-services starts
OBCFPM_TERMSCONDITIONS_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_TERMSCONDITIONS_DOMAIN_DB_SCHEMAS;
FLYWAY_ENABLED="tempval" export FLYWAY_ENABLED;
FLYWAY_TASK="tempval" export FLYWAY_TASK;
OBCFPM_TERMS_CONDITIONS_SERVICES_SERVER_PORT="tempval" export OBCFPM_TERMS_CONDITIONS_SERVICES_SERVER_PORT;
#terms-conditions-services ends

#valuation-services starts
OBCFPM_VALUATION_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_VALUATION_DOMAIN_DB_SCHEMAS;
OBCFPM_VALUATION_SERVER_PORT="tempval" export OBCFPM_VALUATION_SERVER_PORT;
#valuation-services ends

#writeup-category-maintenance-services starts
OBCFPM_MAINTENANCE_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_MAINTENANCE_DOMAIN_DB_SCHEMAS;
OBCFPM_WRITEUP_CATEGORY_MAINTENANCE_SERVICES_SERVER_PORT="tempval" export
OBCFPM_WRITEUP_CATEGORY_MAINTENANCE_SERVICES_SERVER_PORT;
#writeup-category-maintenance-services ends
#obcfpm-document -services starts
OBCFPM_DOCUMENT_SERVICES_DOMAIN_DB_SCHEMAS="tempval" export OBCFPM_DOCUMENT_SERVICES_DOMAIN_DB_SCHEMAS;
OBCFPM_DOCUMENT_SERVICES_SERVER_PORT="tempval" export OBCFPM_DOCUMENT_SERVICES_SERVER_PORT;
#obcfpm-document -services ends

#OBCFPM services ends

#Base parameters starts#
#JAVA_OPTIONS="{JAVA_OPTIONS} -Dspringbootflyway.enabled=${SPRINGBOOTFLYWAY_ENABLED}" export JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.logging.path=${PLATO_SERVICE_LOGGING_PATH}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dapigateway.url=${APIGATEWAY_URL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.logging.path=${PLATO_SERVICE_LOGGING_PATH}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.services.config.port=${PLATO_SERVICES_CONFIG_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.services.config.uri=${PLATO_SERVICES_CONFIG_URI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.logging.path=${PLATO_SERVICE_LOGGING_PATH}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.service.env=${PLATO_SERVICE_ENV}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway-task=${FLYWAY_TASK}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.enabled=${FLYWAY_ENABLED}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.baselineOnMigrate=${FLYWAY_DOMAIN_BASELINEONMIGRATE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.locations=${FLYWAY_DOMAIN_LOCATIONS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.schemas=${FLYWAY_DOMAIN_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.baselineOnMigrate=${FLYWAY_DOMAIN_BASELINEONMIGRATE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.ignoreMissingMigrations=${FLYWAY_DOMAIN_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIO
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.outOfOrder=${FLYWAY_DOMAIN_OUTOFORDER}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.jdbcUrl=${FLYWAY_DOMAIN_DB_JDBCURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.username=${FLYWAY_DOMAIN_DB_USERNAME}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.password=${FLYWAY_DOMAIN_DB_PASSWORD}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.db.driver-class-name=${FLYWAY_DOMAIN_DB_DRIVER_CLASS_NAME}" export JAVA_OPTIONS;
#Base parameters ends#

#Weblogic Host & Port Details starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.eureka.host=${EUREKA_HOST}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.eureka.port=${EUREKA_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.sessionIdleTimeout=${PLATO_CONFIG_SESSIONIDLETIMEOUT}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.sessionIdleWarningTime=${PLATO_CONFIG_SESSIONIDLEWARNINGTIME
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.environment=${PLATO_CONFIG_ENVIRONMENT}" export JAVA_OPTIONS;
#Weblogic Host & Port Details Ends

#plato-api-gateway Starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.apigateway.host=${APIGATEWAY_HOST}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.apigateway.port=${APIGATEWAY_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-api-gateway.server.port=${APIGATEWAY_SERVER_PORT}" export JAVA_OPTION
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.api-gateway.jndi=${APIGATEWAY_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.api-gateway.schemas=${API_GATEWAY_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.jndi=${PLATO_CONFIG_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.schemas=${PLATO_CONFIG_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.flyway.plato.schema=${PLATO_CONFIG_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.zipkin.host=${ZIPKIN_HOST}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.zipkin.port=${ZIPKIN_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.USER.STORE=${USER_STORE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.CORS.allowed.origin=${LDAP_CORS_ALLOWED_ORIGIN}" export JAVA_OPTION
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.credential.SALT=${LDAP_CREDENTIAL_SALT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.JWT.EXPIRY.seconds=${JWT_EXPIRY_SECONDS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.url=${LDAP_URL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.userId=${LDAP_USERID}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.server.base=${LDAP_SERVER_BASE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.server.credential=${LDAP_SERVER_CREDENTIAL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.usersearch.base=${LDAP_USERSEARCH_BASE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.user.prefix=${LDAP_USER_PREFIX}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.LDAP.provider=${LDAP_PROVIDER}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.TOKEN.autoregenerate=${TOKEN_AUTOREGENERATE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.SSO.enabled=${SSO_ENABLED}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.TOKEN.regeneration.enabled=${TOKEN_REGENERATION_ENABLED}" export JAVA_O
#plato-api-gateway Ends

#plato-discovery-service starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-discovery-service.server.port=${PLATO_DISCOVERY_SERVICE_SERVER_PORT}
JAVA_OPTIONS;
#plato-discovery-service ends

#plato-ui-config-services starts
```

```
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-config-services.server.port=${PLATO_UI_CONFIG_SERVICES_SERVER_PORT}"
JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-config.jndi=${PLATO_UI_CONFIG_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-ui-config.schemas=${PLATO_UI_CONFIG_SCHEMAS}" export JAVA_OPTIONS;
#plato-ui-config-services ends

#plato-orch-service starts
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-orchestrator.hostname=${PLATO_ORCHESTRATOR_HOSTNAME}" export
JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-orch-service.server.port=${PLATO_ORCH_SERVICE_SERVER_PORT}" export
JAVA_OPTIONS;
#plato-orch-service ends

#sms-services starts
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.jndi=${SMS_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.schemas=${SMS_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.flyway.sms.schema=${SMS_SCHEMAS}" export JAVA_OPTIONS;
#sms-services ends

#plato-feed-services starts
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-services.jndi=${PLATO_FEED_SERVICES_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-
services.feed.upload.directory=${PLATO_FEED_SERVICES_FEED_UPLOAD_DIRECTORY}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-services.server.port=${PLATO_FEED_SERVICES_SERVER_PORT}" export
JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-feed-services.schemas=${PLATO_FEED_SERVICES_SCHEMAS}" export JAVA_OPTIONS;
#plato-feed-services ends

#plato-batch-server starts
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-server.jndi=${PLATO_BATCH_SERVER_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-server.userId=${PLATO_BATCH_SERVER_USERID}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-server.branchCode=${PLATO_BATCH_SERVER_BRANCHCODE}" export
JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-server.server.port=${PLATO_BATCH_SERVER_SERVER_PORT}" export
JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.eventhub.broker.hosts=${PLATO_EVENTHUB_BROKER_HOSTS}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=${PLATO_EVENTHUB_ZOOKEEPER_HOSTS}" export
JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-batch-server.schemas=${PLATO_BATCH_SERVER_SCHEMAS}" export JAVA_OPTIONS;
#plato-batch-server ends

#plato-alerts-management-services starts
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-services.jndi=${PLATO_ALERTS_MANAGEMENT_SERVICES_JNDI}"
export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.server.port=${PLATO_ALERTS_MANAGEMENT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-alerts-management-
services.schemas=${PLATO_ALERTS_MANAGEMENT_SERVICES_SCHEMAS}" export JAVA_OPTIONS;
#plato-alerts-management-services ends

#sms-core-services starts
JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.sms-core-services.server.port=${SMS_CORE_SERVICES_SERVER_PORT}" export
JAVA_OPTIONS;
#sms-core-services ends

#common core starts
    #cmc-advice-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.schemas=${CMNCORE_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-advice-services.server.port=${CMC_ADVICE_SERVICES_SERVER_PORT}"
export JAVA_OPTIONS;
    #cmc-advice-services ends

    #cmc-base-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-base-services.server.port=${CMC_BASE_SERVICES_SERVER_PORT}"
export JAVA_OPTIONS;
    #cmc-base-services ends
```

```
#cmc-branch-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-branch-services.server.port=${CMC_BRANCH_SERVICES_SERVER_PORT}"
export JAVA_OPTIONS;
#cmc-branch-services ends

#cmc-transactioncontroller-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-transactioncontroller-
services.server.port=${CMC_TRANSACTIONCONTROLLER_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.txncontroller.db.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;
#cmc-transactioncontroller-services ends
#cmc-charges-calculation-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-charges-calculation-
services.server.port=${CMC_TRANSACTIONCONTROLLER_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.flyway.domain.schema=${CMNCORE_SCHEMAS}" export JAVA_OPTIONS;
#cmc-charges-calculation-services ends

#cmc-txn-code-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-txn-code-
services.server.port=${CMC_TXN_CODE_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-txn-code-services ends

#cmc-nlp-annotator-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-annotator-
services.server.port=${CMC_NLP_ANNOTATOR_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-nlp-annotator-services ends

#cmc-nlp-dashboard-widget-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-dashboard-widget-
services.server.port=${CMC_NLP_DASHBOARD_WIDGET_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-nlp-dashboard-widget-services ends

#cmc-nlp-model-mngmnt-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-model-mngmnt-
services.server.port=${CMC_NLP_MODEL_MNGMNT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.db.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;

#cmc-nlp-model-mngmnt-services ends

#cmc-nlp-online-processing-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-online-processing-
services.server.port=${CMC_NLP_ONLINE_PROCESSING_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-nlp-online-processing-services ends

#cmc-nlp-tag-maint-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-tag-maint-
services.server.port=${CMC_NLP_TAG_MAINT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-nlp-tag-maint-services ends

#cmc-businessoverrides-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-businessoverrides-
services.server.port=${CMC_BUSINESSOVERRIDES_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-businessoverrides-services ends

#cmc-customer-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-customer-
services.server.port=${CMC_CUSTOMER_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-customer-services ends

#cmc-datasegment-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-datasegment-
services.server.port=${CMC_DATASEGMENT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-datasegment-services ends
```

```
#cmc-external-chart-account-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-chart-account-
services.server.port=${CMC_EXTERNAL_CHART_ACCOUNT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-external-chart-account-services ends

#cmc-external-system-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-system-
services.server.port=${CMC_EXTERNAL_SYSTEM_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-external-system-services ends

#cmc-external-virtual-account-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-external-virtual-account-
services.server.port=${CMC_EXTERNAL_VIRTUAL_ACCOUNT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-external-virtual-account-services ends

#cmc-facilities-services starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.facilities.db.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.db.jndi=${PLATO_CONFIG_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.db.jndi=${SMS_JNDI}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.db.jndi=${PLATO_UI_CONFIG_JNDI}" export JAVA_OPTIONS;
#cmc-facilities-services ends

#cmc-report-services starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-report-services.server.port=${CMC_REPORT_SERVICES_SERVER_PO
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.weblogic.userid=${WEBLOGIC_USERID}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.weblogic.password=${WEBLOGIC_PASSWORD}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.biPublisher.host=${BIPUBLISHER_HOST}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.runReportTemplate=${RUNREPORTTEMPLATE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.emailTemplate=${EMAILTEMPLATE}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dms.host=${DMS_HOST}" export JAVA_OPTIONS;
#cmc-report-services ends

#cmc-resource-segment-orchestrator-service starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-resource-segment-orchestrator-
service.server.port=${CMC_RESOURCE_SEGMENT_ORCHESTRATOR_SERVICE_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-resource-segment-orchestrator-service ends

#cmc-screenclass-services starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-screenclass-
services.server.port=${CMC_SCREENCLASS_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.screenclass.db.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;
#cmc-screenclass-services ends

#cmc-settlements-services starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-settlements-
services.server.port=${CMC_SETTLEMENTS_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;
#cmc-settlements-services ends

#cmc-batch-services starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-batch-services.server.port=${CMC_BATCH_SERVICES_SERVER_PORT}
JAVA_OPTIONS;
#cmc-batch-services ends

#cmc-corebanking-adapter-service starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-corebanking-adapter-
service.server.port=${CMC_COREBANKING_ADAPTER_SERVICE_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-corebanking-adapter-service ends

#cmc-currency-services starts
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-currency-
services.server.port=${CMC_CURRENCY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-currency-services ends
```

```

#cmc-account-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-account-services.server.port=${CMC_ACCOUNT_SERVICES_SERVER_PORT}"
export JAVA_OPTIONS;
#cmc-account-services ends

#cmc-nlp-text-extraction-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-text-extraction-services.server.port=${CMC_NLP_TEXT_EXTRACTION_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-nlp-text-extraction-services ends

#cmc-nlp-txn-log-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-txn-log-services.server.port=${CMC_NLP_TXN_LOG_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-nlp-txn-log-services ends

#cmc-nlp-util-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-nlp-util-services.server.port=${CMC_NLP_UTIL_SERVICES_SERVER_PORT}"
export JAVA_OPTIONS;
#cmc-nlp-util-services ends

#cmc-fc-ai-ml-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.server.port=${CMC_FC_AI_ML_SERVICES_SERVER_PORT}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.postingPath=${CMC_FC_AI_ML_SERVICES_POSTING_PATH}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingEmail=${CMC_FC_AI_ML_SERVICES_POLLING_EMAIL}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerPort=${CMC_FC_AI_ML_SERVICES_EMAILSERVERPORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerHost=${CMC_FC_AI_ML_SERVICES_EMAILSERVERHOST}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingFrequency=${CMC_FC_AI_ML_SERVICES_POLLINGFREQUENCY}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollerInitialDelay=${CMC_FC_AI_ML_SERVICES_POLLERINITIALDELAY}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.emailPassword=${CMC_FC_AI_ML_SERVICES_EMAILPASSWORD}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-fc-ai-ml-services.pollingPath=${CMC_FC_AI_ML_SERVICES_POLLING_PATH}"
export JAVA_OPTIONS;
#cmc-fc-ai-ml-services ends

#cmc-obrh-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-obrh.server.port=${CMC_OBRH_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obrh.db.jndi=${CMC_OBRH_SERVICES_JNDI}" export JAVA_OPTIONS;

#cmc-obrh-services ends

#common core ends

#Mid Office common core starts

#cmc-document-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.schemas=${CMNCORE_SCHEMAS}" export JAVA_OPTIONS;
#cmc-document-services ends

#cmc-applicationcategory-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-applicationcategory-services.server.port=${CMC_APPLICATIONCATEGORY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.username=${FLYWAY_DOMAIN_DB_USERNAME}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.password=${FLYWAY_DOMAIN_DB_PASSWORD}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato-config.jdbcUrl=${FLYWAY_DOMAIN_DB_JDBCURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.driver.className=${FLYWAY_DOMAIN_DB_DRIVER_CLASS_NAME}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.username=${SMS_USERNAME}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.password=${SMS_PASSWORD}" export JAVA_OPTIONS;

```

```

JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.jdbcUrl=${SMS_JDBCURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.username=${CMNCORE_USERNAME}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.password=${CMNCORE_PASSWORD}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.jdbcUrl=${CMNCORE_JDBCURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.username=${PLATOUI_USERNAME}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.password=${PLATOUI_PASSWORD}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.jdbcUrl=${PLATOUI_JDBCURL}" export JAVA_OPTIONS;
#cmc-applicationcategory-services ends

#cmc-checklistmanagement-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-checklistmanagement-
services.server.port=${CMC_CHECKLISTMANAGEMENT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.checklistmanagement-services.jndi=${CMNCORE_JNDI}" export JAVA_OPTIO
#cmc-checklistmanagement-services ends

#cmc-checklist-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-checklist-
services.server.port=${CMC_CHECKLIST_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-checklist-services.jndi=${CMNCORE_JNDI}" export JAVA_OPTIONS;
#cmc-checklist-services ends

#cmc-mailnotification-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-mailnotification.server.port=${CMC_MAILNOTIFICATION_SERVER_POR
export JAVA_OPTIONS;
#cmc-mailnotification-services ends

#kyccheck-service starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmc-kyccheck.server.port=${CMC_KYC_CHECK_SERVER_PORT}" export
JAVA_OPTIONS;
#kyccheck-service ends

#cmc-additional-attributes-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.server.port=${ADDITIONAL_ATTRIBUTES_SERVER_PORT}" export JAVA_O
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.db.password=${CMNCORE_PASSWORD}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.db.username=${CMNCORE_USERNAME}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.db.url=${CMNCORE_JDBCURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.cmncore.db.schemas=${CMNCORE_SCHEMAS}" export JAVA_OPTIONS;
#cmc-additional-attributes-services ends

#earmark-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.moc.cmc-earmark-
services.server.port=${MOC_CMC_EARMARK_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.ELCM_HTTP_URL=${ELCM_HTTP_URL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.earmark-services=${EARMARK_SERVICES}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.elcmProduct=${ELCMPRODUCT}" export JAVA_OPTIONS;
#earmark-services ends

#cmc-comments-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.moc.cmc-comments-
services.server.port=${MOC_CMC_COMMENTS_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#cmc-comments-services ends

#cmc-document-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.moc.cmc-document-
services.server.port=${MOC_CMC_DOCUMENT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dmsServiceUrl=${DMSSERVICEURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dmsServiceUsrname=${DMSSERVICEUSRNAME}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dmsServicePwd=${DMSSERVICEPWD}" export JAVA_OPTIONS;
#cmc-document-services ends

#Mid Office common core ends

#OBCFPM services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.eureka.client.serviceUrl.defaultZone=${EUREKA_CLIENT_SERVICEURL_DEFAULTZONE}" export JAVA_OPTIONS;

```

```
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.baselineOnMigrate={PLATO_BASELINEONMIGRATE}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.ignoreMissingMigrations={PLATO_IGNOREMISSINGMIGRATIONS}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.locations={PLATO_LOCATIONS}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.outOfOrder={PLATO_OUTOFORDER}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.baselineOnMigrate={PLATOUI_BASELINEONMIGRATE}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.ignoreMissingMigrations={PLATOUI_IGNOREMISSINGMIGRATIONS}"
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.locations={PLATOUI_LOCATIONS}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platoui.outOfOrder={PLATOUI_OUTOFORDER}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.baselineOnMigrate={SMS_BASELINEONMIGRATE}" export JAVA_OPT
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.ignoreMissingMigrations={SMS_IGNOREMISSINGMIGRATIONS}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.locations={SMS_LOCATIONS}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.sms.outOfOrder={SMS_OUTOFORDER}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.platouiflyway.enabled={PLATOUIFLYWAY_ENABLED}" export JAVA_OPTIO
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.smsflyway.enabled={SMSFLYWAY_ENABLED}" export JAVA_OPTIONS;

#analysis-services starts
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-
services.ignoreMissingMigrations={ANALYSIS_SERVICES_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-services.locations={ANALYSIS_SERVICES_LOCATIONS}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-services.outOfOrder={ANALYSIS_SERVICES_OUTOFORDER}" exp
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-services.schemas={ANALYSIS_SERVICES_SCHEMAS}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.analysis-services.server.port={ANALYSIS_SERVICES_SERVER_PORT}" exp
JAVA_OPTIONS;
#analysis-services ends

#bidding-services starts
    JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.bidding.domain.db.schemas={OBCFPM_BIDDING_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.bidding.server.port={OBCFPM_BIDDING_SERVER_PORT}" export
JAVA_OPTIONS;
#bidding-services ends

#collateral-pool-services starts
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.collateralpool.schemas={OBCFPM_COLLATERALPOOL_SCHEMAS}"
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.collateralpool-
services.server.port={OBCFPM_COLLATERALPOOL_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#collateral-pool-services ends

#collateral-projection-services starts
    JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateralprojection.domain.db.schemas={OBCFPM_COLLATERALPROJECTION_DOMAIN_DB_SCHEMAS}" export
JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateralprojection.server.port={OBCFPM_COLLATERALPROJECTION_SERVER_PORT}" export JAVA_OPTIONS;
#collateral-projection-services ends

#collateral-services starts
    JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateral.domain.db.schemas={OBCFPM_COLLATERAL_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
    JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.collateral.server.port={OBCFPM_COLLATERAL_SERVER_PORT}" e
JAVA_OPTIONS;
#collateral-services ends

#collateral-summary-services starts
    JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateralsummary.domain.db.schemas={OBCFPM_COLLATERALSUMMARY_DOMAIN_DB_SCHEMAS}" export
JAVA_OPTIONS;
```



```

        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.collateralsummary.server.port={OBCFPM_COLLATERALSUMMARY_SERVER_PORT}" export JAVA_OPTIONS;
        #collateral-summary-services ends

        #covenantmaster-services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.ignoreMissingMigrations={COVENANTMASTER_SERVICES_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.locations={COVENANTMASTER_SERVICES_LOCATIONS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.outOfOrder={COVENANTMASTER_SERVICES_OUTOFORDER}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-services.schemas={COVENANTMASTER_SERVICES_SCH
export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenantmaster-
services.server.port={COVENANTMASTER_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #covenantmaster-services ends

        #covenant-services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-
services.ignoreMissingMigrations={COVENANT_SERVICES_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-services.locations={COVENANT_SERVICES_LOCATIONS}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-services.outOfOrder={COVENANT_SERVICES_OUTOFORDER}" e
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-services.schemas={COVENANT_SERVICES_SCHEMAS}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.covenant-services.server.port={COVENANT_SERVICES_SERVER_PORT}" e
JAVA_OPTIONS;
        #covenant-services ends

        #credit-writeup-services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.creditWriteup.domain.db.schemas={OBCFPM_CREDITWRITEUP_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.credit-writeup-
services.server.port={OBCFPM_CREDIT_WRITEUP_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #credit-writeup-services ends

        #dashboard-services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-
services.ignoreMissingMigrations={DASHBOARD_SERVICES_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-services.locations={DASHBOARD_SERVICES_LOCATIONS}" exp
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-services.outOfOrder={DASHBOARD_SERVICES_OUTOFORDER
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-services.schemas={DASHBOARD_SERVICES_SCHEMAS}" expo
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.dashboard-services.server.port={DASHBOARD_SERVICES_SERVER_PORT
export JAVA_OPTIONS;
        #dashboard-services ends

        #documentsafekeeping-services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.jdbcUrl={OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_JDBCURL}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.password={OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_PASSWORD}" expo
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.username={OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_USERNAME}" expo
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.domain.db.schemas={OBCFPM_DOCUMENTSAFEKEEPING_DOMAIN_DB_SCHEMAS}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.documentsafekeeping.server.port={OBCFPM_DOCUMENTSAFEKEEPING_SERVER_PORT}" export JAVA_OPTIONS;
        #documentsafekeeping-services ends

        #exception-services starts

```

```
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.elcm.earmarkURL=${OBCFPM_ELCM_EARMARKURL}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.elcm.facilityURL=${OBCFPM_ELCM_FACILITYURL}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.fcubs.externaluserId=${OBCFPM_FCUBS_EXTERNALUSERID}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.exception.schemas=${OBCFPM_EXCEPTION_SCHEMAS}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.exception-
services.server.port=${OBCFPM_EXCEPTION_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #exception-services ends

        #externalcheck-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.externalcheck.domain.db.schemas=${OBCFPM_EXTERNALCHECK_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.externalcheck.server.port=${OBCFPM_EXTERNALCHECK_SERVER_
PORT}" export JAVA_OPTIONS;
        #externalcheck-services ends

        #facility-category-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.facility-category-
services.server.port=${OBCFPM_FACILITY_CATEGORY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #facility-category-services ends

        #facility-party-summary-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.facilityPartySummary.schemas=${OBCFPM_FACILITYPARTYSUMMARY_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.facility-party-summary-
services.server.port=${OBCFPM_FACILITY_PARTY_SUMMARY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #facility-party-summary-services ends

        #facility-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.facility.schemas=${OBCFPM_FACILITY_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.facility-
services.server.port=${OBCFPM_FACILITY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #facility-services ends

        #facility-template-maintenance-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.facility-template-maintenance-
services.server.port=${OBCFPM_FACILITY_TEMPLATE_MAINTENANCE_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #facility-template-maintenance-services ends

        #fieldinvestigation-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.domain.db.schemas=${OBCFPM_FIELDINVESTIGATION_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.fieldinvestigation.server.port=${OBCFPM_FIELDINVESTIGATION_SERVER_PORT}" export JAVA_OPTIONS;
        #fieldinvestigation-services ends

        #financial-category-definition-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcategory.domain.db.schemas=${OBCFPM_FINANCIALCATEGORY_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.financialcategory.port=${OBCFPM_FINANCIALCATEGORY_PORT}" export
JAVA_OPTIONS;
        #financial-category-definition-services ends

        #financial-code-definition-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.domain.db.schemas=${OBCFPM_FINANCIALCODEDEFINITION_DOMAIN_DB_SCHEMAS}" export
JAVA_OPTIONS;
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialcodedefinition.port=${OBCFPM_FINANCIALCODEDEFINITION_PORT}" export JAVA_OPTIONS;
        #financial-code-definition-services ends

        #financial-document-template-services starts
        JAVA_OPTIONS="${JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.domain.db.schemas=${OBCFPM_FINANCIALDOCUMENTTEMPLATE_DOMAIN_DB_SCHEMAS}" export
JAVA_OPTIONS;
```

```
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.financialdocumenttemplate.port={OBCFPM_FINANCIALDOCUMENTTEMPLATE_PORT}" export JAVA_OPTIONS;
#financial-document-template-services ends

#handOff-services starts
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.elcm.collateralHandOffUrl={OBCFPM_ELCM_COLLATERALHANDOFFURL}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.elcm.collateralPoolUrl={OBCFPM_ELCM_COLLATERALPOOLURL}"
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.fcubs.customerHandOffUrl={OBCFPM_FCUBS_CUSTOMERHANDOFFURL}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.elcm.cvntHandOffParentUrl={OBCFPM_ELCM_CVNTHANDOFFPARENTURL}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.elcm.cvntHandOffUrl={OBCFPM_ELCM_CVNTHANDOFFURL}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.cvntInstMainGetEndpoint={OBCFPM_CVNTINSTMAINGETENDPOINTURL}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.cvntLinkageGetEndpoint={OBCFPM_CVNTLINKAGEGETENDPOINTURL}"
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.elcmProductVersion={OBCFPM_HANDOFF_ELCMPRODUCTVERSION}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.fcubs.externalSource={OBCFPM_FCUBS_EXTERNALSOURCE}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.elcm.facilityHandOffUrl={OBCFPM_ELCM_FACILITYHANDOFFURL}"
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -
Dflyway.domain.placeholders.obcfpm.handOff.fcubsProductVersion={OBCFPM_HANDOFF_FCUBSPRODUCTVERSION}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.handOff.schemas={OBCFPM_HANDOFF_SCHEMAS}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.elcm.liabilityHandOffUrl={OBCFPM_ELCM_LIABILITYHANDOFFURL}"
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.elcm.limitsValidLinesURL={OBCFPM_ELCM_LIMITSVALIDLINESURL}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.handOff-
services.server.port={OBCFPM_HANDOFF_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#handOff-services ends

#legal-services starts
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.legal.domain.db.schemas={OBCFPM_LEGAL_DOMAIN_DB_SCHEMAS}"
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.legal.port={OBCFPM_LEGAL_PORT}" export JAVA_OPTIONS;
#legal-services ends

#liability-services starts
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.liability.schemas={OBCFPM_LIABILITY_SCHEMAS}" export
JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.liability-
services.server.port={OBCFPM_LIABILITY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#liability-services ends

#maintenance-services starts
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.obcfpm.maintenance.port={OBCFPM_MAINTENANCE_PORT}" export
JAVA_OPTIONS;
#maintenance-services ends

#monitoringinformation-maintenance-services starts
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.monitoringinformation-maintenance-
services.ignoreMissingMigrations={MONITORINGINFORMATION_MAINTENANCE_SERVICES_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.monitoringinformation-maintenance-
services.locations={MONITORINGINFORMATION_MAINTENANCE_SERVICES_LOCATIONS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.monitoringinformation-maintenance-
services.outOfOrder={MONITORINGINFORMATION_MAINTENANCE_SERVICES_OUTOFORDER}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.monitoringinformation-maintenance-
services.schemas={MONITORINGINFORMATION_MAINTENANCE_SERVICES_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS}" -Dflyway.domain.placeholders.monitoringinformation-maintenance-
services.server.port={MONITORINGINFORMATION_MAINTENANCE_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#monitoringinformation-maintenance-services ends

#obcfpm-application-service starts
```

```
JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.application.domain.db.schemas=${OBCFPM_APPLICATION_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.application.port=${OBCFPM_APPLICATION_PORT}" export JAVA_OPTIONS;
#obcfpm-application-service ends

#obcfpm-businessprocess-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.businessprocess.schemas=${OBCFPM_BUSINESSPROCESS_SCHEMAS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.businessprocess-services.server.port=${OBCFPM_BUSINESSPROCESS_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#obcfpm-businessprocess-services ends

#obpy-party-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-services.jdbcUrl=${OBCFPM_PARTY_SERVICES_JDBCURL}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-services.password=${OBCFPM_PARTY_SERVICES_PASSWORD}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-services.username=${OBCFPM_PARTY_SERVICES_USERNAME}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-services.schemas=${OBCFPM_PARTY_SERVICES_SCHEMAS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-services.server.port=${OBCFPM_PARTY_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
#obpy-party-services ends

#party-credit-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-credit.schemas=${OBCFPM_PARTY_CREDIT_SCHEMAS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.party-credit-services.server.port=${OBCFPM_PARTY_CREDIT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#party-credit-services ends

#policy-exception-publisher-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.eventhub.kafka.brokers=${PLATO_EVENTHUB_KAFKA_BROKERS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.plato.eventhub.zk.nodes=${PLATO_EVENTHUB_ZK_NODES}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-publisher-services.server.port=${POLICY_EXCEPTION_PUBLISHER_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#policy-exception-publisher-services ends

#policy-exception-tracking-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-services.ignoreMissingMigrations=${POLICY_EXCEPTION_TRACKING_SERVICES_IGNOREMISSINGMIGRATIONS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-services.locations=${POLICY_EXCEPTION_TRACKING_SERVICES_LOCATIONS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-services.outOfOrder=${POLICY_EXCEPTION_TRACKING_SERVICES_OUTOFORDER}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-services.schemas=${POLICY_EXCEPTION_TRACKING_SERVICES_SCHEMAS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.policy-exception-tracking-services.server.port=${POLICY_EXCEPTION_TRACKING_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
#policy-exception-tracking-services ends

#policy-maintenance-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.policymaintenance.domain.db.schemas=${OBCFPM_POLICYMAINTENANCE_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.policymaintenance.port=${OBCFPM_POLICYMAINTENANCE_PORT}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
#policy-maintenance-services ends

#policy-services starts
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.policy.domain.db.schemas=${OBCFPM_POLICY_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.policy.server.port=${OBCFPM_POLICY_SERVER_PORT}" export JAVA_OPTIONS;
export JAVA_OPTIONS;
#policy-services ends
```

```

#pricing-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.pricing.domain.db.schemas=${OBCFPM_PRICING_DOMAIN_DB_SCHEMA}"
export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.pricing.server.port=${OBCFPM_PRICING_SERVER_PORT}" export
JAVA_OPTIONS;
#pricing-services ends

#questionnaire-definition-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.domain.db.schemas=${OBCFPM_QUESTIONNAIREDEFINITION_DOMAIN_DB_SCHEMAS}" exp
JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnairedefinition.server.port=${OBCFPM_QUESTIONNAIREDEFINITION_SERVER_PORT}" export JAVA_OPTIONS;
#questionnaire-definition-services ends

#questionnaire-process-linkage-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.domain.db.schemas=${OBCFPM_QUESTIONNAIREPROCESSLINKAGE_DOMAIN_DB_SCHEMA}"
export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.questionnaireprocesslinkage.server.port=${OBCFPM_QUESTIONNAIREPROCESSLINKAGE_SERVER_PORT}" export
JAVA_OPTIONS;
#questionnaire-process-linkage-services ends

#registration-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.registration.domain.db.schemas=${OBCFPM_REGISTRATION_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.registration.server.port=${OBCFPM_REGISTRATION_SERVER_PORT}"
export JAVA_OPTIONS;
#registration-services ends

#risk-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.risk.domain.db.schemas=${OBCFPM_RISK_DOMAIN_DB_SCHEMAS}"
JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.risk.server.port=${OBCFPM_RISK_SERVER_PORT}" export JAVA_OPTIONS;
#risk-services ends

#scoring-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.scoring.schemas=${OBCFPM_SCORING_SCHEMAS}" export
JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.scoring-
services.server.port=${OBCFPM_SCORING_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#scoring-services ends

#settlement-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.settlement.domain.db.schemas=${OBCFPM_SETTLEMENT_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.settlement.server.port=${OBCFPM_SETTLEMENT_SERVER_PORT}"
JAVA_OPTIONS;
#settlement-services ends

#stage-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.stage.schemas=${OBCFPM_STAGE_SCHEMAS}" export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.stage-
services.server.port=${OBCFPM_STAGE_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#stage-services ends

#terms-conditions-services starts
  JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.termsConditions.domain.db.schemas=${OBCFPM_TERMSCONDITIONS_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.enabled=${FLYWAY_ENABLED}" export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway-task=${FLYWAY_TASK}" export JAVA_OPTIONS;
  JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.terms-conditions-
services.server.port=${OBCFPM_TERMS_CONDITIONS_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
#terms-conditions-services ends

#valuation-services starts

```

```

        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.valuation.domain.db.schemas={OBCFPM_VALUATION_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.valuation.server.port={OBCFPM_VALUATION_SERVER_PORT}" exp
JAVA_OPTIONS;
        #valuation-services ends

        #writeup-category-maintenance-services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -
Dflyway.domain.placeholders.obcfpm.maintenance.domain.db.schemas={OBCFPM_MAINTENANCE_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.writeup-category-maintenance-
services.server.port={OBCFPM_WRITEUP_CATEGORY_MAINTENANCE_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #writeup-category-maintenance-services ends
        #obcfpm-document -services starts
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-document-
services.domain.db.schemas={OBCFPM_DOCUMENT_SERVICES_DOMAIN_DB_SCHEMAS}" export JAVA_OPTIONS;
        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm.obcfpm-document-services.server.port
={OBCFPM_DOCUMENT_SERVICES_SERVER_PORT}" export JAVA_OPTIONS;
        #obcfpm-document-services ends
        #collateral-category-service starts
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.obcfpm.collateralcategory.server.port=9378}"
        #collateral-category-service ends

        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.vam.schemas=TEMPVAL}"

        #obcfpm-project-services starts

        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-services.schemas=CFPM_PROJECT" export JAVA_OPTIONS;

        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-services.ignoreMissingMigrations=true" export JAVA_OPTIONS;

        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-services.outOfOrder=true" export JAVA_OPTIONS;

        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-services.server.port=7201" export JAVA_OPTIONS;

        JAVA_OPTIONS="{JAVA_OPTIONS} -Dflyway.domain.placeholders.obcfpm-project-services.locations=db/migration/domain" export JAVA_OPTIONS;#obcfpm-
services ends

        #OBCFPM services ends

        #September 2020 Starts
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.obcfpm.collateralcategory.server.port=9882}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.vam.schemas=TEMPVAL}"
        #September 2020 Ends

        #November 2020 starts
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.obcfpm.terms-maintenance-services.server.port=7783}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.obcfpm.product-default-services.server.port=7763}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.obcfpm.benchmark-services.server.port=7553}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.obcfpm.benchmark.domain.db.schemas=CFPM_SCORING}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.plato.alerts.cmc.userId=tempVal}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.plato.alerts.cmc.branchCode=tempVal}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.plato.alerts.cmc.appld=tempVal}"
        export CATALINA_OPTS="{CATALINA_OPTS -Dflyway.domain.placeholders.ELCM.ExternalSource=EXTSYS}"
        #November 2020 Ends

```

3.1.2 Domain Server Parameterization

The below domain server parametrization should be done for all the domain servers which are created in the server where the micro services are going to be deployed.

1. Go to the weblogic installation path (FMW installation path) in the weblogic server where the plato, sms, common core, mid office core and OBCFPM services are installed
3.
2. Go to location : Middleware/Oracle_Home/user_projects/domains/plato_domain/bin
4.
3. Modify the setDomainEnv.sh file and add the JAVA_OPTIONS parameter as explained below:

```
JAVA_OPTIONS="{JAVA_OPTIONS} -DflywayTask=migrate -Dflyway.enabled=true -  
Dspringbootflyway.enabled=true -Dspring.flyway.enabled=false -  
Dplato.services.config.uri=http://whf00ixg.in.oracle.com:7005 -  
Dplato.service.logging.path=/scratch/Oracle/Middleware/Oracle_Home/user_projects/domains/  
plato_domain/logs -Dplato.service.env=OSDC"
```

```
export JAVA_OPTIONS
```

4. New -D Parameter in this Patchset:

The below -D parameter is newly introduced.

```
-Dflyway.domain.placeholders.cmc-obrh-services.kafka.server.path
-Dflyway.domain.placeholders.cmc-obrh-services.zookeeper.server.path
-Dflyway.domain.placeholders.platoorch.domain.jndi
-Dflyway.domain.placeholders.platoorch.domain.schemas
-Dflyway.domain.placeholders.report-service.server.port
-Dflyway.domain.placeholders.report-service.username
-Dflyway.domain.placeholders.report-service.password
-Dflyway.domain.placeholders.report-service.jdbcUrl
-Dflyway.domain.placeholders.report-service.schemas
-Dflyway.domain.placeholders.cmcemailnotification.SECRET_KEY
-Dflyway.domain.placeholders.cmcemailnotification.server.port
-Dflyway.domain.placeholders.cmcemailcore.SECRET_KEY
-Dflyway.domain.placeholders.cmcemailcore.server.port
-Dflyway.domain.placeholders.cmcemailcorelistener.server.port
-Dflyway.domain.placeholders.cmcemailcorelistener.username
-Dflyway.domain.placeholders.cmcemailcorelistener.branchcode
-Dflyway.domain.placeholders.cmcemailcorelistener.SECRET_KEY
-Dflyway.domain.placeholders.appetite.db.jndi
-Dflyway.domain.placeholders.maintenance.db.jndi
-Dflyway.domain.placeholders.maintenance.schemas
-Dflyway.domain.placeholders.cmc-nlp-opennlp-services.server.port
-Dflyway.domain.placeholders.appetite.server.port
-Dflyway.domain.placeholders.plato-config.db.jndi
-Dflyway.domain.placeholders.cmc-nlp-maintenance-services.server.port
-Dflyway.domain.placeholders.cmc-nlp-pipeline-services.server.port
-Dflyway.domain.placeholders.cmc-nlp-docview-services.server.port
-Dflyway.domain.placeholders.appetite.schemas
```