Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada (OFS REG REP OSFI)

Installation Guide

Release 8.1.2.0.0

June 2022





OFS Regulatory Reporting for Office of Superintendent of Financial Institutes Canada (OFS REG REP OSFI) Installation Guide

Copyright © 2022 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click <u>here</u>.

Document Control

Version Number	Revision Date	Change Log
02	June 22, 2022	Updated: Final version published
01	May 04, 2022	Created: Draft published

Table of Contents

1 Pr	reface	5
1.1	Audience	5
1.2	Scope	6
1.3	Prerequisites for the Audience	6
1.4	How this Guide is Organized	6
1.5	Access to Oracle Support	6
1.6	Related Documents	
1.7	Conventions and Acronyms	7
2 Ha	ardware and Software Requirements and Specifications	8
3 Pr	reparing for Installation	8
3.1	Obtaining the Software	8
3.2	Prerequisites for Installation	8
3.3	Installing OFS REG REP OSFI Canada 8.1.2.0.0 Release	9
3.4	Post-installation Steps	10
4 De	eploying Config Package	12
5 De	eploving Template Package	13

1 Preface

The Office of the Superintendent of Financial Institutions (OSFI) is an independent agency of the Government of Canada, established in 1987 to contribute to the safety and soundness of the Canadian financial system. OSFI supervises and regulates federally registered banks and insurers, trust and loan companies, as well as private pension plans subject to federal oversight. It provides a regulatory framework of guidance and rules that meets or exceeds international minimums for financial institutions.

In addition to issuing guidance, OSFI provides input into the development of federal legislation and regulations affecting federally regulated financial institutions (FRFIs), and comments on accounting, auditing, and actuarial standards development, and determines how to incorporate them into our regulatory framework. It regulates by developing rules, interpreting legislation and regulations, and providing regulatory approvals types of transactions. It also contributes to new accounting, auditing, and actuarial standards.

OSFI supervises by analyzing financial and economic trends to identify emerging issues that could adversely affect institutions. It assesses an institution's financial condition, material risks, and the quality of its governance, risk management, and compliance. It reports to Parliament through the Minister of Finance on various formal and informal processes that are used to ensure the effective execution of OSFI's mandate. For example, the Financial Institutions Supervisory Committee, whose members are OSFI, the Department of Finance, the Bank of Canada, the Canada Deposit Insurance Corporation, and the Financial Consumer Agency of Canada, meets at least quarterly to share information on matters relating to the supervision of federally regulated financial institutions.

OSFI also works with the Financial Transactions and Reports Analysis Centre of Canada (FINTRAC), which is responsible for ensuring compliance with Canada's Proceeds of Crime (money laundering) and Terrorist Financing Act.

This document provides step-by-step instructions to install the Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI) Release 8.1.2.0.0.

Topics:

- Audience
- Scope
- Prerequisites for the Audience
- How this Guide is Organized
- Access to Oracle Support
- Related Documents
- Conventions and Acronyms

1.1 Audience

This document is meant for Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI) Authority System Administrator. It

provides step-by-step instructions necessary for installing the OFS REG REP OSFI Application Components.

1.2 Scope

This document provides a stepwise instruction to install Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI).

1.3 Prerequisites for the Audience

The document assumes you have experience in installing Enterprise Components. Basic knowledge about the Oracle Financial Services Data Foundation Application Pack components, OFSAA Architecture, UNIX Commands, Database Concepts, and Web Server or Web Application Server is recommended.

1.4 How this Guide is Organized

The Installation Manual is organized into the following chapters:

- Prerequisites Section identifies the hardware and base software environment that is required
 for a successful installation and functioning of the Oracle Financial Services Regulatory
 Reporting for the European Banking Authority.
- **Preparing for the Installation** Section details the steps to be followed during the installation and post-installation.
- **Deploying** Package Section details the steps to deploy Config and Template Packages after the successful installation of Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI).

1.5 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info

OR visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

1.6 Related Documents

This section identifies additional documents related to Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI). You can access Oracle documentation online from OHC Documentation Library:

- OFS Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI) User Guide Release 8.1.2.0.0
- OFS Analytical Applications Infrastructure Installation Guide 8.1.2.0.0
- OFS Data Foundation Installation Manual Release 8.1.2.0.0
- OFS AgileREPORTER Installation Manual Release 8.1.0.0.2

• OFS Analytical Applications Infrastructure Environment Check Utility

1.7 Conventions and Acronyms

The following conventions and acronyms are used in this document.

Table 1: Conventions and Descriptions

Conventions	Description
References to sections or chapters in the manual are indicated in <i>Italics</i> .	
Screen names are indicated in the following manner: Introduction Screen	
Options and buttons are indicated in Bold .	
Code related text is indicated in Monospace.	
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure
OFS AAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack
RHEL	Red Hat Enterprise Linux
Atomic Schema	Database Schema where the application data model is uploaded
Config Schema	Database Schema which contains setup related configurations and metadata
OFS REG REP OSFI	Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada (OFS REG REP OSFI)

2 Hardware and Software Requirements and Specifications

This section describes the various Operating System, Database, Web Server, and Web Application Server version and other variant details on which this release of the OFS Regulatory Reporting for Office of Superintendent of Financial Institutes, Canada (OFS REG REP OSFI) application has qualified.

See the <u>OFS Analytical Applications Technology Matrix</u> for Hardware and Software requirements for this release.

3 Preparing for Installation

This chapter provides the necessary information to review before installing the OFS REG REP OSFI Canada Application v8.1.2.0.0.

Topics:

- Obtaining the Software
- Prerequisites for Installation
- Installing OFS REG REP OSFI 8.1.2.0.0 Release
- Post-installation Steps

3.1 Obtaining the Software

This release of OFS REG REP OSFI v8.1.2.0.0 can be downloaded from the My Oracle Support website. Log in and search for **34112979** under the Patches and Updates Tab and download the OFS_REG_REP_OSFI_8.1.2.0.0_GENERIC.zip archive file.

You must have a valid Oracle account to download the software.

3.2 Prerequisites for Installation

The following are the prerequisites to install the OFS REG REP OSFI Canada Application:

- Install and Configure Oracle Financial Services Analytical Applications Infrastructure (OFSAAI) v8.1.2.0.0 (patch 32791983) and other prerequisite OFSAAI Patches (see Section 4 Pre-installation of OFS AAI Installation and Configuration Guide) on your machine.
- Install and Configure Oracle Financial Services Data Foundation (OFSDF) Application Pack Release v8.1.2.0.0 (patch 32820351) and other prerequisite OFSDF Patches (see Section 4.1 Preinstallation Checklist of the OFSDF Installation and Configuration Guide) on your machine.
- AgileREPORTER version 22.1.0
- AgileREPORTER Templates version OSFI2_v1.1.0-b83
- Ensure that you have executed the .profile file before you trigger the installation.

3.3 Installing OFS REG REP OSFI Canada 8.1.2.0.0 Release

Perform the following instructions to copy, extract, and install this release:

- 1. Copy the downloaded archive file to your OFSAA Server in **Binary** Mode.
- 2. Shut down all the OFSAA Services.

 For more information, see the *Stopping Infrastructure Services* section in <u>OFS Advanced Analytical Applications Infrastructure Pack Installation Guide</u>.
- 3. Execute chmod -R 750 \$FIC HOME
- **4.** If you have an Unzip utility, skip to the next step.

Download the Unzip utility (OS-specific) <code>unzip_<os>.Z</code> from the location https://updates.oracle.com/unzips/unzips.html and copy it in **Binary** Mode to the directory that is included in your PATH variable, typically **\$HOME** path or directory in which you have copied the 8.1.2.0.0 patch.

Uncompress the unzip installer file using the command:

uncompress unzip_<os>.Z

NOTE

If you notice an error message "uncompress: not found [No such file or directory]", contact your UNIX Administrator.

- 5. Execute unzip <name of the file to be unzipped>
 For example: unzip OFS RROSFI 8.1.2.0.0 GENERIC.zip
- **6. Execute** chmod 751 OFS RROSFI
- 7. Navigate to the appsLibConfig/conf directory containing the Silent.template file.
- 8. Create a copy of this file and rename the copy as Silent.props.
- **9.** Edit the Silent.props file and specify the parameters as per the requirements.

The following table lists all the properties that must be specified.

Table 2: List of Properties and Parameters for the Silent.props File

Property Name	Description of Property	Permissible Values	Comments
LOG_MODE	Mode for logging.	1 = Debug 0 = General	OPTIONAL. The default is 0.
INFODOM_NA ME	Specify the name of Information Domain (Infodom) into which you wish to install.	For example: FSDF809INF	MANDATORY. Specify Infodom Name Value where the FSDF Application is installed.
APPFTP_LOG_P ATH	Specify the Infodom App Maintenance log path.	For example: /scratch/ofsaadb/ftpshare/ FSDF809INF/logs	MANDATORY. Path Value must be the same as the path which was given during the FSDF Installation.
DBFTP_LOG_P ATH	Specify the Infodom DB Maintenance log path.	For example:	MANDATORY. Path value must be the

Property Name	Description of Property	Permissible Values	Comments
		/scratch/ofsaadb/ftpshare/ FSDF809INF/logs	same as the path which was given during the FSDF Installation.
SEGMENT_1_C ODE	Specify the European Banking Authority Segment Code.	For example: EBASEG	MANDATORY.
ETL_APPSRC_T YPE	Specify if you want to create a new ETL App or Src pair or use an existing one.	0 = If you want to create a new ETL Source 1 = If you want to use an existing Source	MANDATORY. The default is 0.
ETL_SRC_1_NA ME	Specify the ETL Source Name where ETL Area Definitions are deployed.	For example: EBAPROC	MANDATORY.
ETL_SRC_1_DES C	Specify the description for the ETL Source.	For example: EBADESC	MANDATORY when ETL_APPSRC_TYPE = 0.
ENABLE_CONC URRENCY	Specify if you want to Enable Parallel Processing.	0 = No 1 = Yes	OPTIONAL
CONCURRENCY _LEVEL	Specify if you want to Enable Parallel Processing.	For example: CONCURRENCY_LEVEL=10, which means 10 threads created for parallelism	MANDATORY when ENABLE_CONCURRENCY=1.

- **10.** Execute the user .profile file.
- **11.** Navigate to the OFS_RROSFI/bin directory and execute ./setup.sh SILENT
- **12.** The installation progress can be viewed by periodically refreshing the log file under the OFS_RROSFI/logs directory.
- **13.** After installation is completed, verify the log file for any Errors or Warnings. Contact My Oracle Support in case of any issues.

NOTE	This Patch Installation has taken approximately 10 minutes to complete in Oracle Labs.
NOTE	There are no specific steps applicable for the installation on ADW in OFSAA for OFS REG REP OSFI. However, if you need more information on ADW, see the <i>Installation Notes Specific to ADW</i> Section in the FSDF 8.1.2.0.0. Installation and Configuration Guide.

3.4 Post-installation Steps

The post-installation steps required for this release are as follows:

- **1.** See the log file in the <code>/OFS_RROSFI/logs</code> directory to ensure that there are no errors reported. Contact My Oracle Support in case of any issues.
- Generate the application EAR or WAR file and redeploy the application on the configured Web Application Server.
 For more information on generating and deploying the EAR or WAR file, see the *Post*

Installation Configuration Section in the OFS Advanced Analytical Applications Infrastructure Pack Installation Guide.

3. Restart all the OFSAA Services. For more information, see the *Starting Infrastructure Services* Section in the <u>OFS Advanced Analytical Applications Infrastructure Pack Installation Guide</u>.

The Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutes Canada is now ready for use.

4 Deploying Config Package

This section describes the steps to deploy the Config Package after saving the derived entities:

- 1. To deploy the product configuration on Lombard AgileREPORTER using the package OFSAA_REG_REP_OSFI_81200.zip bundled inside the Config_Package folder of the installer:
 - **a.** Navigate to the <LombardAgileREPORTER>/bin directory under the installed location.
 - **b.** Add a new configuration with the following command:

```
./config.sh -a <Config Package Full Path>
```

For example:

```
./config.sh -a /scratch/kit/810/OFS_REG_REP_OSFI/Config_Package/
OFSAA_REG_REP_OSFI_81200.zip
```

c. Activate the configuration with the following command:

```
./config.sh -t OFSAA_REG_REP_OSFI -iv 8.1.2.0.0
```

d. Update the Alias with the following command:

```
./config.sh -ea OFSAA_REG_REP_OSFI -iv 8.1.2.0.0 -alias "OFSAA OSFI DATA SOURCE" -aif <LombardAgileREPORTER>/bin/aliasinfo.properties
```

If you encounter any problems during deployment, contact My Oracle Support.

5 Deploying Template Package

This section describes the steps to deploy the Template Package:

- 1. To deploy the product configuration on AgileREPORTER using the package OSFI2_v1.1.0-b83 sign.lrm bundled inside the Template Package directory of the installer:
 - **a.** Navigate to the <AgileREPORTER>/bin directory under the installed directory.
 - **b.** Add a new configuration with the following command:

```
./config.sh -p -a <Template_Package Full Path>/<.lrm file>
For example:
./config.sh -p -a <Template_Package Full Path>/
OSFI2 v1.1.0-b83 sign.lrm
```

If you encounter any problems during deployment, contact My Oracle Support.

OFSAA Support

Raise a Service Request (SR) in My Oracle Support (MOS) for queries related to the OFSAA Applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised/recently released documents.

