

**Oracle Financial Services Regulatory Reporting
for Office of Superintendent of Financial
Institutions Canada (OFS REG REP OSFI)**

Installation Guide

Release 8.1.2.10.0

June, 2026

ORACLE
Financial Services

ORACLE

Oracle Legal Notices

Copyright Notice

Copyright © 1994, 2026, Oracle and/or its affiliates.

License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and

the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Pre-General Availability Draft Label and Publication Date

Pre-General Availability: 2026-MM-DD

Pre-General Availability Draft Documentation Notice

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

Oracle Confidential Label

ORACLE CONFIDENTIAL. For authorized use only. Do not distribute to third parties.

Revenue Recognition Notice

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

.

Document Control

Version Number	Revision Date	Change Log
01	06-03-2026	Updated the bug details.
02	31-03-2026	Updated the Pre-Installation Steps for Systems with OSFI Application Pack v8.1.2.8.0 Installed
03	08-04-2026	Added the BASEL Integration for OSFI Reporting (OSFI930) and Process Modelling Framework for Basel Integration in OFSAAI sections.
04	April 17, 2026	Attached the updated CR.
05	June 5, 2026	Updated the Model Extension Attachment.

Table of Contents

1	Preface.....	7
1.1	Audience	7
1.2	Scope	8
1.3	Prerequisites for the Audience	8
1.4	How this Guide is Organized	8
1.5	Access to Oracle Support	8
1.6	Related Documents	8
1.7	Conventions and Acronyms.....	9
2	Hardware and Software Requirements and Specifications	10
3	Preparing for Installation.....	10
3.1	Obtaining the Software	10
3.2	Prerequisites for Installation.....	10
3.3	Pre-Installation Steps for Systems with OSFI Application Pack v8.1.2.10.0 Installed	11
3.3.1	<i>Model Extension Request Summary</i>	<i>11</i>
3.4	Installing OFS REG REP OSFI Canada 8.1.2.10.0 Release	11
3.5	Post-installation Steps	13
3.5.1	<i>BASEL Integration for OSFI Reporting (OSFI930)</i>	<i>13</i>

1 Preface

The Office of the Superintendent of Financial Institutions (OSFI) is an independent agency of the Government of Canada, established in 1987 to contribute to the safety and soundness of the Canadian financial system. OSFI supervises and regulates federally registered banks and insurers, trust and loan companies, as well as private pension plans subject to federal oversight. It provides a regulatory framework of guidance and rules that meets or exceeds international minimums for financial institutions.

In addition to issuing guidance, OSFI provides input into the development of federal legislation and regulations affecting federally regulated financial institutions (FRFIs), and comments on accounting, auditing, and actuarial standards development, and determines how to incorporate them into our regulatory framework. It regulates by developing rules, interpreting legislation and regulations, and providing regulatory approval types of transactions. It also contributes to new accounting, auditing, and actuarial standards.

OSFI supervises by analyzing financial and economic trends to identify emerging issues that could adversely affect institutions. It assesses an institution's financial condition, material risks, and the quality of its governance, risk management, and compliance. It reports to Parliament through the Minister of Finance on various formal and informal processes that are used to ensure the effective execution of OSFI's mandate. For example, the Financial Institutions Supervisory Committee, whose members are OSFI, the Department of Finance, the Bank of Canada, the Canada Deposit Insurance Corporation, and the Financial Consumer Agency of Canada, meets at least quarterly to share information on matters relating to the supervision of federally regulated financial institutions.

OSFI also works with the Financial Transactions and Reports Analysis Centre of Canada (FINTRAC), which is responsible for ensuring compliance with Canada's Proceeds of Crime (money laundering) and Terrorist Financing Act.

This document provides step-by-step instructions to install the Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI) Release 8.1.2.10.0.

Topics:

- [Audience](#)
- [Scope](#)
- [Prerequisites for the Audience](#)
- [How this Guide is Organized](#)
- [Access to Oracle Support](#)
- [Related Documents](#)
- [Conventions and Acronyms](#)

1.1 Audience

This document is meant for Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI) Authority System Administrator. It provides step-by-step instructions necessary for installing the OFS REG REP OSFI Application Components.

1.2 Scope

This document provides a stepwise instruction to install Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI).

1.3 Prerequisites for the Audience

The document assumes you have experience in installing Enterprise Components. Basic knowledge about the Oracle Financial Services Data Foundation Application Pack components, OFSAA Architecture, UNIX Commands, Database Concepts, and Web Server or Web Application Server is recommended.

1.4 How this Guide is Organized

The Installation Manual is organized into the following chapters:

- **Prerequisites** Section identifies the hardware and base software environment that is required for a successful installation and functioning of the Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI).
- **Preparing for the Installation** Section details the steps to be followed during the installation and post-installation.
- **Deploying Package** Section details the steps to deploy Config and Template Packages after the successful installation of Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI).

1.5 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info>

OR visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.6 Related Documents

This section identifies additional documents related to Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI). You can access Oracle documentation online from [OHC](#) Documentation Library:

- *OFS Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI) User Guide Release 8.1.2.0.0*
- *OFS Analytical Applications Infrastructure Installation Guide 8.1.2.5.0*
- *OFS Data Foundation Installation Manual Release 8.1.2.10.0*
- *OFS Analytical Applications Infrastructure Environment Check Utility*

1.7 Conventions and Acronyms

The following conventions and acronyms are used in this document.

Table 1: Conventions and Descriptions

Conventions	Description
References to sections or chapters in the manual are indicated in <i>Italics</i> . Screen names are indicated in the following manner: Introduction Screen Options and buttons are indicated in Bold . Code related text is indicated in Monospace.	
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure
OFS AAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack
RHEL	Red Hat Enterprise Linux
Atomic Schema	Database Schema where the application data model is uploaded
Config Schema	Database Schema which contains setup related configurations and metadata
OFS REG REP OSFI	Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions Canada (OFS REG REP OSFI)

2 Hardware and Software Requirements and Specifications

This section describes the various Operating System, Database, Web Server, and Web Application Server version and other variant details on which this release of the OFS Regulatory Reporting for Office of Superintendent of Financial Institutions, Canada (OFS REG REP OSFI) application has qualified.

See the [OFS Analytical Applications Technology Matrix](#) for Hardware and Software requirements for this release.

3 Preparing for Installation

This chapter provides the necessary information to review before installing the OFS REG REP OSFI Canada Application v8.1.2.10.0.

Topics:

- [Obtaining the Software](#)
- [Prerequisites for Installation](#)
- [Installing OFS REG REP OSFI 8.1.2.10.0 Release](#)
- [Post-installation Steps](#)

3.1 Obtaining the Software

This release of OFS REG REP OSFI v8.1.2.10.0 can be downloaded from the [My Oracle Support](#) website. Log in and search for **39025947** under the **Patches and Updates** Tab and download the OFS_RROSFI_8.1.2.10.0_GENERIC.zip archive file.

You must have a valid Oracle account to download the software.

3.2 Prerequisites for Installation

The following are the prerequisites to install the OFS REG REP OSFI Canada Application:

- Install and Configure Oracle Financial Services Analytical Applications Infrastructure (OFSAAI) v8.1.2.5.0 (patch **36420089**) and other prerequisite OFSAAI Patches (see Section 4 Pre-installation of [OFS AAI Installation and Configuration Guide](#)) on your machine.
- Install and Configure Oracle Financial Services Data Foundation (OFSDF) Application Pack Release (v8.1.2.10.0 or higher) (**38273408**) and other prerequisite OFSDF Patches (see *Section 4.1 Pre-installation Checklist* of the [OFSDF Installation and Configuration Guide](#)) on your machine.
- Ensure that you have executed the .profile file before you trigger the installation.

3.3 Pre-Installation Steps for Systems with OSFI Application Pack v8.1.2.8.0 Installed

If the OSFI Application Pack v8.1.2.8.0 (full installer) is already installed on the system before installing OSFI Application Pack v8.1.2.10.0, follow the pre-installation steps below to address the Primary Key and NOT NULL column changes in the affected tables.

A	<p>Create a backup table if you upgrade from OSFI 8.1.2.8</p> <ul style="list-style-type: none"> • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_LEXINDCP • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_A_CCTPLDCCOLLAGGLEXCP • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_A_CCTAGGLEXCP • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_A_CCTMITAGGLEXCP • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_A_CCTMITAGGCRMLEXCP • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL • FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_A_DJ 	<ul style="list-style-type: none"> • The backup table of: FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_LEXINDCP can be FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_LEXINDCP_BKP
B	Truncate the original tables.	<p>Truncate all the mentioned tables:</p> <ul style="list-style-type: none"> • Truncate FSI_RR_PUBLISH_OSFI_OSFI930_INDIVIDUAL_LEXINDCP

3.3.1 Model Extension Request Summary

Additional columns for OSFI 930 have been added to the [OFS RROSFI 930](#) table.

3.4 Installing OFS REG REP OSFI Canada 8.1.2.10.0 Release

Perform the following instructions to copy, extract, and install this release:

1. Copy the downloaded archive file to your OFSAA Server in **Binary** Mode.
2. Shut down all the OFSAA Services.
For more information, see the *Stopping Infrastructure Services* section in [OFS Advanced Analytical Applications Infrastructure Pack Installation Guide](#).
3. `Execute `chmod -R 750 $FIC_HOME`
4. If you have an Unzip utility, skip to the next step.

Download the Unzip utility (OS-specific) `unzip_<os>.Z` from the location <https://updates.oracle.com/unzips/unzips.html> and copy it in **Binary** Mode to the directory that is included in your PATH variable, typically **\$HOME** path or directory in which you have copied the 8.1.2.10.0 patch.

Uncompress the unzip installer file using the command:

uncompress unzip_<os>.Z

NOTE If you notice an error message “*uncompress: not found [No such file or directory]*”, contact your UNIX Administrator.

5. Execute `unzip -a <filename>`
For example: `unzip -a OFS_RROSFI_8.1.2.10.0_GENERIC.zip`
6. Execute `chmod 751 OFS_RROSFI`
7. Navigate to the `appsLibConfig/conf` directory containing the `params.conf` file.
8. Edit the `params.conf` file and specify the parameters as per the requirements.
9. Edit the `params.conf` file and specify `UPLOAD_MODEL`, `MODEL_TYPE`, and `DM_DIRECTORY` parameters as per the requirements.

Table 2: List of Parameters for the params.conf File

Property Name	Description of Property
UPLOAD_MODEL	<ul style="list-style-type: none"> • 0 = If you have already performed Model Upload and want to skip model upload process • 1 = If you want to perform Model Upload
MODEL_TYPE	<ul style="list-style-type: none"> • 0 = If you want to upload the released datamodel • 1 = If you want to upload the customized datamodel
DM_DIRECTORY	<ul style="list-style-type: none"> • Specify the path(<code>DM_DIRECTORY</code>) and file (<code>DATAMODEL</code>) name for the customized datamodel • Mandatory only if you want to upload the customized datamodel <ul style="list-style-type: none"> ▪ For example you have specified <code>MODEL_TYPE=1</code> <code>DATAMODEL=</code> <code>DM_DIRECTORY=</code>

10. Execute the user `.profile` file.
11. Navigate to the `OFS_RROSFI/bin` directory and execute `./setup.sh`
12. The installation progress can be viewed by periodically refreshing the log file under the `OFS_RROSFI/logs` directory.
13. After installation is completed, verify the log file for any Errors or Warnings.
Contact [My Oracle Support](#) in case of any issues.

NOTE This Patch Installation has taken approximately 10 minutes to complete in Oracle Labs.

NOTE

There are no specific steps applicable for the installation on ADW in OFSAA for OFS REG REP OSFI. However, if you need more information on ADW, see the *Installation Notes Specific to ADW* Section in the [FSDf 8.1.2.0.0. Installation and Configuration Guide](#).

3.5 Post-installation Steps

The post-installation steps required for this release are as follows:

1. See the log file in the /OFS_RROSFI/logs directory to ensure that there are no errors reported. Contact [My Oracle Support](#) in case of any issues.
2. Generate the application EAR or WAR file and redeploy the application on the configured Web Application Server.
For more information on generating and deploying the EAR or WAR file, see the *Post Installation Configuration* Section in the [OFS Advanced Analytical Applications Infrastructure Pack Installation Guide](#).
3. Restart all the OFSAA Services. For more information, see the *Starting Infrastructure Services* Section in the [OFS Advanced Analytical Applications Infrastructure Pack Installation Guide](#).
4. The Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions Canada is now ready for use.
5. If the customer opts for BASEL Integration for the OSFI930 report, refer to [BASEL Integration for OSFI Reporting \(OSFI930\)](#) section.

3.5.1 BASEL Integration for OSFI Reporting (OSFI930)

If a customer is using OFSAA Basel, you need to ensure the following prerequisites are met.

- Install and Configure Oracle Financial Services Data Foundation (OFSDf) Application Pack Release (v8.1.2.8.0 or higher) (**37470996**) and other prerequisite OFSDf Patches (see Section 4.1 Preinstallation Checklist of the [OFSDf Installation and Configuration Guide](#)) on your machine.
- Install and Configure Oracle Financial Services Capital Adequacy Application Pack version 8.1.2.0.0 ML Release v5.8.1.2.7.0 (**37515678**). Refer [Oracle Financial Services Basel Regulatory Compliance for US](#) User Guide.

Below are the steps to the Basel Integration process for OSFI930 reporting:

Step 1:


1. Enable Integration T2Ts for FSDf. For more information, refer to Section 2.2.4.2.3 in the [OFSAA FSDf Application Pack Installation and Configuration Guide](#) (Release 8.1.2.7.0).
2. Follow all the instructions in this section to enable Integration T2Ts in FSDf.
3. Double-check each step to ensure that the integration settings are properly enabled.

Step 2: Execute Atomic and Configuration Scripts

1. **Run the Scripts:**
Execute the provided atomic scripts and configuration scripts.

- [Run exe parameters](#)
 - [Run parameters lov](#)
 - [Run parameter details](#)
 - [pmf osfi basel int aom insert](#)
2. **Modify Placeholders:**
Replace placeholders in the scripts with appropriate values specific to OSFI.
3. **Schema Validation:**
Ensure the scripts are executed in the correct database schema to avoid any misconfigurations.

NOTE After running the above scripts, the Basel Execution Identifier option will be displayed in the parameters window for the OSFI Regulatory Reporting Run OSFI930.



NOTE If the *Intra Company Elimination* drop-down does not populate with any values, check whether the necessary entries exist in the **AAI_AOM_STATIC** table. If they are missing, execute the [insert script](#).

Note: For more information on Process Modelling Framework for Basel Integration, see [Process Modelling Framework for Basel Integration in OFSAAI](#).

3.5.1.1.1 Process Modelling Framework for Basel Integration in OFSAAI

Step 1: Login to OFSAAI Applications.

1. Access the OFSAAI Applications page using your credentials.

Step 2: Navigate to Regulatory Reporting.

1. From the main menu, go to Regulatory Reporting.
2. Select **Oracle Financial Services Regulatory Reporting for Office of Superintendent of Financial Institutions Canada**.

Step 3: Access the Process Modelling Framework.


1. Within the OSFI section, locate and select Process Modelling Framework.
2. Click on **Process Modeller**.

Step 4: Open the OSFI Regulatory Reporting Process.

1. Find and open the OSFI Regulatory Reporting Run OSFI930 process.

Step 5: Delete an Existing Link in Process Modeller

1. Right-click on PMF_REGCA_BASEL_INT_LOAD_PROCESS within the Process Modeller.
2. Select Delete Link to remove the existing integration link.

**Step 6:** Create Nodes for Basel Integration

1. Click on the Create Node option in the Process Modeller.



2. For the new node, enter the following values:

Field Name	Enter
Activity Name	Basel Reporting Tables Population
Activity Desc	Basel Reporting Tables Population
Activity Type	Defines the type of activity. In this case, it is a Sub Pipeline, indicating it is a reusable or dependent pipeline.

Field Name	Enter
Status	Indicates the current status of the activity (e.g., Active, Inactive, Draft).
App Package ID	Basel Analytics
Process Id	PMFBASEL0001 – Basel Reporting Table Population
Object ID	Basel Run Execution Identifier
Object Type	Basel Run Execution Identifier
Data Field Pass	No
Calling Mode	Defines how the sub-pipeline is invoked.
Exclude Task	No

3. Save the node configuration.

Step 7: Create Links for Basel Integration

1. After saving the new node configuration, click on Create Links to establish connections between the nodes.
2. Save the configuration after creating the necessary links.

Step 8: Verify the Basel Integration

1. Ensure that the Basel Integration Data Load Process is correctly configured.
2. Click the **Search** icon (visible when you hover over a node) to search within or locate related nodes, configurations, or references associated with the selected node.

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to the OFSAA Applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised/recently released documents.