

SEPKS_SECURITY_UPLOAD_NEW Package

Extensible Hook Details

Release 14.5.0.0.0

Part No. F43223-01

May 2021

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2020, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_AUTHORIZE/1/1	1
2. FN_AUTHORIZE/1/2	1
3. FN_COPY_REDEMPTION/3/1	2
4. FN_COPY_REDEMPTION/3/2	2
5. FN_COPY_SECURITY_INTEREST_REC/5/1	2
6. FN_COPY_SECURITY_INTEREST_REC/5/2	3
7. FN_COPY_SECURITY_MASTER_REC/6/1	3
8. FN_COPY_SECURITY_MASTER_REC/6/2	4
9. FN_CREATE_NEW_SECURITY/13/1	4
10. FN_CREATE_NEW_SECURITY/13/2	4
11. FN_SAVE_NEW_SECURITY/2/1	5
12. FN_SAVE_NEW_SECURITY/2/2	5
13. FN_SUBSYSTEM_PICKUP/10/1	6
14. FN_SUBSYSTEM_PICKUP/10/2	6
15. FN_SUBSYST_MIS_UPLOAD/2/1	6
16. FN_SUBSYST_MIS_UPLOAD/2/2	7
17. FN_VALIDATE_DCOUNT_DMR_METHOD/1/1	7
18. FN_VALIDATE_DCOUNT_DMR_METHOD/1/2	8
19. FN_VALIDATE_DCOUNT_NMR_METHOD/2/1	8
20. FN_VALIDATE_DCOUNT_NMR_METHOD/2/2	8
21. FN_VALIDATE_MAIN/2/1	9
22. FN_VALIDATE_MAIN/2/2	9
23. FN_ZOOM_SECURITY/13/1	10
24. FN_ZOOM_SECURITY/13/2	10

Parameter	Description
Function	FN_AUTHORIZE
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_AUTHORIZE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_AUTHORIZE
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_AUTHORIZE</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710
Parameter	Description
Function	FN_AUTHORIZE
No of Parameters	1
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_AUTHORIZE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_AUTHORIZE
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_AUTHORIZE</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_COPY_REDEMPTION
No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COPY_REDEMPTION
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_REDEMPTION
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_REDEMPTION</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_COPY_REDEMPTION
No of Parameters	3
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_COPY_REDEMPTION
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_COPY_REDEMPTION
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_COPY_REDEMPTION</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_COPY_SECURITY_INTEREST_REC
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COPY_SECURITY_INTEREST_
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_SECURITY_INTEREST_REC
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_SECURITY_INTEREST_REC</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_COPY_SECURITY_INTEREST_REC
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_COPY_SECURITY_INTEREST_
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_COPY_SECURITY_INTEREST_REC
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_COPY_SECURITY_INTEREST_REC</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_COPY_SECURITY_MASTER_REC
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COPY_SECURITY_MASTER_RE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_SECURITY_MASTER_REC
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_SECURITY_MASTER_REC</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_COPY_SECURITY_MASTER_REC
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_COPY_SECURITY_MASTER_RE
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_SECURITY_MASTER_REC
Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_COPY_SECURITY_MASTER_REC All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	31581710

Parameter	Description
Function	FN_CREATE_NEW_SECURITY
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_CREATE_NEW_SECURITY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_CREATE_NEW_SECURITY
Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_CREATE_NEW_SECURITY All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	31581710

Parameter	Description
Function	FN_CREATE_NEW_SECURITY
No of Parameters	13
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_CREATE_NEW_SECURITY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_CREATE_NEW_SECURITY
Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_CREATE_NEW_SECURITY All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	31581710

Parameter	Description
Function	FN_SAVE_NEW_SECURITY
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SAVE_NEW_SECURITY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SAVE_NEW_SECURITY
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SAVE_NEW_SECURITY</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_SAVE_NEW_SECURITY
No of Parameters	2
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_SAVE_NEW_SECURITY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_SAVE_NEW_SECURITY
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_SAVE_NEW_SECURITY</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_SUBSYSTEM_PICKUP
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SUBSYSTEM_PICKUP
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SUBSYSTEM_PICKUP
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SUBSYSTEM_PICKUP</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_SUBSYSTEM_PICKUP
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_SUBSYSTEM_PICKUP
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SUBSYSTEM_PICKUP
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SUBSYSTEM_PICKUP</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_SUBSYST_MIS_UPLOAD
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SUBSYST_MIS_UPLOAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SUBSYST_MIS_UPLOAD
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_SUBSYST_MIS_UPLOAD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_SUBSYST_MIS_UPLOAD
No of Parameters	2
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_SUBSYST_MIS_UPLOAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_SUBSYST_MIS_UPLOAD
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_SUBSYST_MIS_UPLOAD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_VALIDATE_DCOUNT_DMR_METHOD
No of Parameters	1
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_VALIDATE_DCOUNT_DMR_MET
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_VALIDATE_DCOUNT_DMR_METHOD
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_VALIDATE_DCOUNT_DMR_METHOD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_VALIDATE_DCOUNT_DMR_METHOD
No of Parameters	1
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_VALIDATE_DCOUNT_DMR_MET
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_VALIDATE_DCOUNT_DMR_METHOD
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_VALIDATE_DCOUNT_DMR_METHOD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_VALIDATE_DCOUNT_NMR_METHOD
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_VALIDATE_DCOUNT_NMR_MET
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_VALIDATE_DCOUNT_NMR_METHOD
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_VALIDATE_DCOUNT_NMR_METHOD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_VALIDATE_DCOUNT_NMR_METHOD
No of Parameters	2
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_VALIDATE_DCOUNT_NMR_MET
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_VALIDATE_DCOUNT_NMR_METHOD
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_VALIDATE_DCOUNT_NMR_METHOD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_VALIDATE_MAIN
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_VALIDATE_MAIN
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_VALIDATE_MAIN
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_VALIDATE_MAIN</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_VALIDATE_MAIN
No of Parameters	2
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_VALIDATE_MAIN
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_VALIDATE_MAIN
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_VALIDATE_MAIN</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_ZOOM_SECURITY
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ZOOM_SECURITY
Additional parameters	None
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_ZOOM_SECURITY
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CUSTOM.FN_PRE_ZOOM_SECURITY</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710

Parameter	Description
Function	FN_ZOOM_SECURITY
No of Parameters	13
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_ZOOM_SECURITY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_ZOOM_SECURITY
Description	<p>Hook is provided in SEPKS_SECURITY_UPLOAD_NEW_CLUSTER.FN_PRE_ZOOM_SECURITY</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	31581710