

ISPKS_TR_ADV1 Package
Extensible Hook Details
Release 14.5.2.0.0

August 2021

Oracle Financial Services Software Limited

Oracle Park

Off Western Express
Highway Goregaon (East)
Mumbai, Maharashtra 400
063 India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2020, 2021 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_GET_RTGS_RECEIVER/7/1	1
2. FN_INSERT/7/1	1
3. FN_MT101/4/1	2
4. FN_MT102/3/1	2
5. FN_MT102/3/2	3
6. FN_MT103/4/1	3
7. FN_MT103/4/2	4
8. FN_MT103/4/3	4
9. FN_MT103/4/4	5
10. FN_MT103/4/5	6
11. FN_MT103/4/6	6
12. FN_MT103/4/7	7
13. FN_MT103/4/8	7
14. FN_MT103/4/10	8
15. FN_MT103/4/14	8
16. FN_MT103/4/15	9
17. FN_MT103/4/16	9
18. FN_MT103/4/17	10
19. FN_MT103/4/18	11
20. FN_MT103/4/25	11
21. FN_MT103/4/26	12
22. FN_MT103/4/28	12
23. FN_MT103/0/32	13
24. FN_MT103/0/33	13
25. FN_MT103/0/34	13
26. FN_MT103/0/35	14
27. FN_MT202/4/1	14
28. FN_MT202/4/3	15
29. FN_MT202/4/4	16
30. FN_MT202/4/5	16
31. FN_MT202/4/6	17
32. FN_MT202/4/7	17

Parameter	Description
Function	FN_GET_RTGS_RECEIVER
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_GET_RTGS_RECEIVER
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to support changes in fedwire fund service (rtgs)
Description	<p>Hook provided to support changes in fedwire fund service (rtgs)</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18804641
Parameter	Description
Function	FN_INSERT
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_INSERT
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements in Russian rubble (RUB).
Description	<p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements in Russian rubble (RUB).</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20125470

Parameter	Description
Function	FN_MT101
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_MT101
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided
Description	<p>Hook Provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17861835

Parameter	Description
Function	FN_MT102
No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_MT102
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data(l_recvcorr_flag)
Received from Extensible layer	l_Tb_Cluster_Data(l_recvcorr_flag)
Hook Description	<p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements</p>
Description	<p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20125470

Parameter	Description
Function	FN_MT102
No of Parameters	3

Function Call Id	2
Cluster/Custom Function Name	FN_MT102
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements
Description	Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	20125470

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_MT103
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data(Module)
Received from Extensible layer	None
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17861835

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_MT103
Additional parameters	l_tb_cluster_data

Sent to Extensible layer	I_Tb_Cluster_Data(l_20_Ref) I_Tb_Cluster_Data(p_Modproc_Rec) I_Tb_Cluster_Data(l_Fldval)
Received from Extensible layer	I_Tb_Cluster_Data(l_Fldval)
Hook Description	Hook Provided in ISPKS_ADV1 for Tag 20 Enhancement For MM module Changes.
Description	Hook Provided in ISPKS_ADV1 for Tag 20 Enhancement For MM module Changes. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17566048

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	3
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(l_amt_tag) I_Tb_Cluster_Data(l_Dcn) I_Tb_Cluster_Data(l_Fldtag) I_Tb_Cluster_Data(l_Loopno) I_Tb_Cluster_Data(l_module) I_Tb_Cluster_Data(l_Fldval)
Received from Extensible layer	I_Tb_Cluster_Data(l_amt_tag) I_Tb_Cluster_Data(l_Dcn) I_Tb_Cluster_Data(l_Fldtag) I_Tb_Cluster_Data(l_Loopno) I_Tb_Cluster_Data(l_module) I_Tb_Cluster_Data(l_Fldval)
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17472969

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	4

Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval)
Received from Extensible layer	I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval)
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17472969

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	5
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval)
Received from Extensible layer	I_Tb_Cluster_Data(I_amt_tag) I_Tb_Cluster_Data(I_Dcn) I_Tb_Cluster_Data(I_Fldtag) I_Tb_Cluster_Data(I_Loopno) I_Tb_Cluster_Data(I_module) I_Tb_Cluster_Data(I_Fldval)
Hook Description	Hook Provided

Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17472969

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	6
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(AMTTAG) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(MODULE) I_Tb_Cluster_Data(FLD50K)
Received from Extensible layer	None
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17861835

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	7
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(AMTTAG) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(MODULE) I_Tb_Cluster_Data(FLD50K) I_Tb_Cluster_Data(LOOPNO)
Received from Extensible layer	None
Hook Description	Hook Provided

Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17861835

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	8
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(AMTTAG) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(MODULE) I_Tb_Cluster_Data(FLD50K)
Received from Extensible layer	None
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17861835

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	10
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(I_Final_Receiver)

Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(I_Final_Receiver)
Hook Description	Hook Provided for FEW ADDITIONAL FIELDS.
Description	Hook Provided for FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18722579
Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	14
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(32A)
Received from Extensible layer	I_Tb_Cluster_Data(32A)
Hook Description	Corrected code to display System generated MT202 cover with incomplete message details
Description	Corrected code to display System generated MT202 cover with incomplete message details All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18730087

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	15
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(amttag) I_Tb_Cluster_Data(module) I_Tb_Cluster_Data(esn)
Received from Extensible layer	I_Tb_Cluster_Data(amttag) I_Tb_Cluster_Data(esn)

Hook Description	Hook Provided so that amount_tag can be stored as part of insertion of data into ISTB_MSGHO and can be used while selecting data from ISTBS_CONTRACT_DETAILS for message generation.
Description	Hook Provided so that amount_tag can be stored as part of insertion of data into ISTB_MSGHO and can be used while selecting data from ISTBS_CONTRACT_DETAILS for message generation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18775671

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	16
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(I_Final_Receiver) I_Tb_Cluster_Data(I_Module)
Received from Extensible layer	I_Tb_Cluster_Data(LOOPNO)
Hook Description	Hook Provided to introduce an extra slash in the 57A of MT103
Description	Hook Provided to introduce an extra slash in the 57A of MT103 All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19537385

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	17
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data

Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(L_ORG_MSG_TYPE) I_Tb_Cluster_Data(I_Module) I_Tb_Cluster_Data(L_FT.DR_CCY) I_Tb_Cluster_Data(L_FT.DR_AMOUNT) I_Tb_Cluster_Data(L_RCVR_CHG_AMT) I_Tb_Cluster_Data(L_SNDR_CHG_AMT)
Received from Extensible layer	I_Tb_Cluster_Data(LOOPNO)
Hook Description	Hook Provided to skip the tags 33B and 36 in MT103.
Description	Hook Provided to skip the tags 33B and 36 in MT103. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19855568

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	18
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(I_Module) I_Tb_Cluster_Data(I_ft.upload_flag) I_Tb_Cluster_Data(I_ft.internal_remarks) I_Tb_Cluster_Data(I_org_msg_type) I_Tb_Cluster_Data(I_sndr_chg_amt) I_Tb_Cluster_Data(I_gen_191) I_Tb_Cluster_Data(I_rcvr_chg_amt) I_Tb_Cluster_Data(I_esn) I_Tb_Cluster_Data(I_amt_tag)
Received from Extensible layer	None
Hook Description	Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements

Description	<p>Hook Provided for a functional capability enhancement to use SWIFT-RUR6 standards for processing financial notifications considering rules of Russian Payment system in order to perform settlements</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20125470

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	25
Cluster/Custom Function Name	FN_MT103
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data(l_103_user_header)
Received from Extensible layer	l_Tb_Cluster_Data(l_103_user_header)
Hook Description	Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108
Description	<p>Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23653428

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	26
Cluster/Custom Function Name	FN_MT103
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data(l_103_user_header)
Received from Extensible layer	l_Tb_Cluster_Data(l_103_user_header)
Hook Description	Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108

Description	<p>Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23653428

Parameter	Description
Function	FN_MT103
No of Parameters	4
Function Call Id	28
Cluster/Custom Function Name	FN_MT103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(I_swift_addr) I_Tb_Cluster_Data(I_fidval)
Received from Extensible layer	I_Tb_Cluster_Data(I_fidval)
Hook Description	Hook Provided so that MT103 MESSAGE cab be SENT FOR PROCESSING IN A PARTICULAR FORM
Description	<p>Hook Provided so that MT103 MESSAGE cab be SENT FOR PROCESSING IN A PARTICULAR FORM</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23652458

Parameter	Description
Function	FN_MT103
No of Parameters	0
Function Call Id	32
Cluster/Custom Function Name	FN_MT103
Additional parameters	
Sent to Extensible layer	I_tb_cluster_data('33B'):=I_fidval;
Received from Extensible layer	I_Fldval := I_tb_cluster_data('33B');
Hook Description	Hook required in ispks_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispks_adv1.

Description	Hook required in ispks_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispks_adv1. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28204509

Parameter	Description
Function	FN_MT103
No of Parameters	0
Function Call Id	33
Cluster/Custom Function Name	FN_MT103
Additional parameters	
Sent to Extensible layer	I_tb_cluster_data('33B'):=I_flgval;
Received from Extensible layer	I_flgval := I_tb_cluster_data('33B');
Hook Description	Hook required in ispks_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispks_adv1.
Description	Hook required in ispks_adv1.fn_mt103 after deriving the field value for :33B: tag.Hook has been provided in function Fn_Mt103 in package ispks_adv1. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28204509

Parameter	Description
Function	FN_MT103
No of Parameters	0
Function Call Id	34
Cluster/Custom Function Name	FN_MT103
Additional parameters	
Sent to Extensible layer	I_tb_cluster_data('L_OPTION') := I_option;
Received from Extensible layer	I_Option := I_tb_cluster_data('L_OPTION');
Hook Description	Inline Hook provided in function fn_mt103 in package Ispks_Adv1.
Description	Inline Hook provided in function fn_mt103 in package Ispks_Adv1. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28176176

Parameter	Description
Function	FN_MT103
No of Parameters	0
Function Call Id	35
Cluster/Custom Function Name	FN_MT103
Additional parameters	
Sent to Extensible layer	I_tb_cluster_data('I_Fldval') := I_Fldval;
Received from Extensible layer	I_Fldval := I_tb_cluster_data('I_Fldval');
Hook Description	Hook has been provided in function Fn_Mt103 in package ispks_adv1.
Description	Hook has been provided in function Fn_Mt103 in package ispks_adv1. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28665028

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(I_Fldval) I_Tb_Cluster_Data(I_benef_flag)
Received from Extensible layer	I_Tb_Cluster_Data(I_Fldval) I_Tb_Cluster_Data(I_benef_flag)
Hook Description	Hook Provided for TAG20, 21 ENHANCEMENT FOR MM AND LD MODULES
Description	Hook Provided for TAG20, 21 ENHANCEMENT FOR MM AND LD MODULES All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17566048

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	3
Cluster/Custom Function Name	FN_MT202

Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE)
Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE)
Hook Description	Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.
Description	Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18722930

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	4
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(I_Final_Receiver) I_Tb_Cluster_Data(p_Is_Msgho_Rec.Acc_With_Instn1) I_Tb_Cluster_Data(I_Benef_Inst1_For_Cover) I_Tb_Cluster_Data(Cnt1) I_Tb_Cluster_Data(L_ACC_WITH_INST) I_Tb_Cluster_Data(L_INTERMEDIARY)
Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(L_ACC_WITH_INST) I_Tb_Cluster_Data(L_INTERMEDIARY)
Hook Description	Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.

Description	<p>Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18722579

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	5
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE)
Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(MODULE)
Hook Description	Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.
Description	<p>Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18722930

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	6
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL)

Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(FLDVAL)
Hook Description	Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS.
Description	Hook Provided so that UAEFTS & QATCH MESSAGING SYSTEMS can have FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18722930

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	7
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(32A)
Received from Extensible layer	I_Tb_Cluster_Data(32A)
Hook Description	Corrected code to display System generated MT202 cover with incomplete message details
Description	Corrected code to display System generated MT202 cover with incomplete message details All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18730087

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	8
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None

Hook Description	Hook Provided for generating new reference number and that should be populated into user reference number during new /copy action for FTDTRONL
Description	Hook Provided for generating new reference number and that should be populated into user reference number during new /copy action for FTDTRONL All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19928402

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	12
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(I_202_User_Header) I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO) I_Tb_Cluster_Data(I_rtgs_nw_service_identifier)
Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDTAG) I_Tb_Cluster_Data(LOOPNO)
Hook Description	Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108
Description	Hook Provided to check that if a payment is not through RTGS network but resulting in Bifurcation then MT202 header should be appended or populated with the value BIFURCATED in tag 108 All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23653428

Parameter	Description
Function	FN_MT202
No of Parameters	4
Function Call Id	18
Cluster/Custom Function Name	FN_MT202
Additional parameters	I_tb_cluster_data

Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Automation of MT 103 and MT 202 as per bank requirement.
Description	Automation of MT 103 and MT 202 as per bank requirement. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28176283

Parameter	Description
Function	FN_MT203
No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_MT203
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(LOOPNO)
Received from Extensible layer	None
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17861835

Parameter	Description
Function	FN_MT203
No of Parameters	3
Function Call Id	2
Cluster/Custom Function Name	FN_MT203
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(LOOPNO)
Received from Extensible layer	I_Tb_Cluster_Data(DCN) I_Tb_Cluster_Data(FLDVAL) I_Tb_Cluster_Data(LOOPNO)
Hook Description	Hook Provided for FEW ADDITIONAL FIELDS.

Description	Hook Provided for FEW ADDITIONAL FIELDS. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18722930

Parameter	Description
Function	FN_SNDR_CORRESP
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_SNDR_CORRESP
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided sa that GCB can have different criteria for the field 53A for MT103.
Description	Hook Provided sa that GCB can have different criteria for the field 53A for MT103. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18989665

Parameter	Description
Function	FN_VALIDATE_103
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_103
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided
Description	Hook Provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17861835

Parameter	Description
Function	FN_VALIDATE_103
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_VALIDATE_103
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided for iban validation for country at to be skipped in favour of iban
Description	Hook Provided for iban validation for country at to be skipped in favour of iban All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18694488

Parameter	Description
Function	FN_VALIDATE_103P
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_103P
Additional parameters	l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided for iban validation for country at to be skipped in favor of iban
Description	Hook Provided for iban validation for country at to be skipped in favor of iban All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18694488

Parameter	Description
Function	FN_VALIDATE_IS_INFO
No of Parameters	10
Function Call Id	1

Cluster/Custom Function Name	FN_VALIDATE_IS_INFO
Additional parameters	I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided for the MELOCAL common customization project
Description	<p>Hook Provided for the MELOCAL common customization project</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17861835