Product Release Features - Delta Security Guide Oracle Banking Trade Finance Process Management Release 14.5.2.0.0 Part No. F45916-01 [August] [2021]



Delta Security Guide



# **Table of Contents**

1.	ABOUT THIS MANUAL	1
1.1		
1.2 1.3		
2.	EXPORT DOCUMENTARY COLLECTION BOOKING	2
2.1		
2.2 2.3		
2.5		
3.	EXPORT DOCUMENTARY COLLECTION UPDATE	
3.1	DESCRIPTION	4
3.2	•	
3.3		
3.4		
4.	EXPORT DOCUMENTARY COLLECTION LIQUIDATION	6
4.1		
4.2		
4.3 4.4		
5.	EXPORT DOCUMENTARY COLLECTION RETURN/CLOSE	
5.1		
5.2		
5.3		
5.4	SECURITY IMPACT	8
6.	IMPORT DOCUMENTARY COLLECTION UPDATE	
6.1		
6.2		
6.3 6.4		
7.	IMPORT DOCUMENTARY COLLECTION LIQUIDATION	
7.1		
7.2		
7.3		
7.4	SECURITY IMPACT	
8.	IMPORT DOCUMENTARY COLLECTION RETURN/CLOSE	14
8.1		
8.2 8.3		
8.3 8.4		
9.	IMPORT LC CLOSURE	16
9.1	DESCRIPTION	
9.2	CATEGORY	16
9.3		
9.4	SECURITY IMPACT	



10.	ADDITIONAL ATTRIBUTES	
10.1	DESCRIPTION	
10.2	CATEGORY	
10.3	DOCUMENT REFERENCES	
10.4	SECURITY IMPACT	
11.	SETTLEMENT DETAILS	20
11.1	DESCRIPTION	
11.2	CATEGORY	
11.3	DOCUMENT REFERENCES	20
11.4	SECURITY IMPACT	20
12.	TRACER FACILITY IN IMPORT AND EXPORT PROCESS	22
12.1	DESCRIPTION	
12.2	CATEGORY	
12.3	DOCUMENT REFERENCES	
12.4	SECURITY IMPACT	



## 1. About this Manual

#### 1.1 Introduction

This document provides security-related considerations / recommendations for Oracle Banking Trade Finance Process Management (OBTFPM). This guide may outline procedures required to implement or secure certain features, but it is also not a general-purpose configuration manual.

#### 1.2 Purpose

This document provides security-related considerations / recommendations for Oracle Banking Trade Finance Process Management (OBTFPM). This guide may outline procedures required to implement or secure certain features, but it is also not a general-purpose configuration manual.

#### 1.3 Audience

This guide is primarily intended for Security Team and Product Development teams.



# 2. Export Documentary Collection Booking

## 2.1 Description

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to forward documents related to the export of goods to a buyer's bank with a request to present these documents to the buyer (or importer) for payment, indicating when and on what conditions these documents can be released to the buyer. In the process, the exporter hands over the task of collecting payment for goods supplied to his bank.

The exporter or seller is the originator of the documentary collection. This user story describes how the Remitting Bank handles the documentary collection-booking request from the exporter.

#### 2.2 Category

New Functional requirement

## 2.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action?page Id=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/ UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/ DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication &	Hard authorizations are introduced for each
Session Management	REST service calls.
	Session management is not applicable for REST
	services as they are stateless.
	JWT token based authentication is used for UI to
	consume Web APIs only for the known Users /
	Roles
	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the
	principle of least privilege



SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# **3. Export Documentary Collection Update**

#### 3.1 Description

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to forward documents related to the export of goods to a buyer's bank with a request to present these documents to the buyer (or importer) for payment, indicating when and on what conditions these documents can be released to the buyer. In the process, the exporter hands over the task of collecting payment for goods supplied to his bank.

This user story describes how the Remitting Bank handles acceptance/non- acceptance or non-payment notification received from the collecting bank.

# 3.2 Category

New Functional requirement

## 3.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.



	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles
	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# **4. Export Documentary Collection Liquidation**

#### 4.1 **Description**

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to forward documents related to the export of goods to a buyer's bank with a request to present these documents to the buyer (or importer) for payment, indicating when and on what conditions these documents can be released to the buyer. In the process, the exporter hands over the task of collecting payment for goods supplied to his bank.

This user story describes how the Remitting Bank handles payment received from the collecting bank.

## 4.2 Category

New Functional requirement

## 4.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/ UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles



	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# **5. Export Documentary Collection Return/Close**

#### 5.1 **Description**

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to forward documents related to the export of goods to a buyer's bank with a request to present these documents to the buyer (or importer) for payment, indicating when and on what conditions these documents can be released to the buyer. In the process, the exporter hands over the task of collecting payment for goods supplied to his bank.

This user story describes how the Remitting Bank handles Return of documents due to nonacceptance/non-payment received from the collecting bank/importer.

## 5.2 Category

New Functional requirement

## 5.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles



	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# 6. Import Documentary Collection Update

#### 6.1 **Description**

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to forward documents related to the export of goods to a buyer's bank with a request to present these documents to the buyer (or importer) for payment, indicating when and on what conditions these documents can be released to the buyer. In the process, the exporter hands over the task of collecting payment for goods supplied to his bank.

This user story describes how the Collecting Bank handles acceptance/non- acceptance or nonpayment notification received from the importer and the same is communicated to the Remitting Bank.

## 6.2 <u>Category</u>

New Functional requirement

## 6.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/ DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.



	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles
	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# 7. Import Documentary Collection Liquidation

#### 7.1 Description

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to forward documents related to the export of goods to a buyer's bank with a request to present these documents to the buyer (or importer) for payment, indicating when and on what conditions these documents can be released to the buyer. In the process, the exporter hands over the task of collecting payment for goods supplied to his bank.

This user story describes how the Collecting Bank handles payment under documentary collection received from the importer and the same is remitted to the Remitting Bank.

## 7.2 Category

New Functional requirement

## 7.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles



	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# 8. Import Documentary Collection Return/Close

#### 8.1 **Description**

Documentary collection is one of the common payment techniques used in international trade to facilitate import/export operations.

A documentary collection is a trade transaction in which the seller (or exporter) instructs his bank to

forward documents related to the export of goods to a buyer's bank with a request to present these

documents to the buyer (or importer) for payment, indicating when and on what conditions these

documents can be released to the buyer. In the process, the exporter hands over the task of

collecting payment for goods supplied to his bank.

This user story describes how the Collecting Bank handles Return of documents as instructed by Remitting Bank due to non-acceptance/non-payment of the importer.

## 8.2 Category

New Functional requirement

## 8.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles



	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# 9. Import LC Closure

## 9.1 Description

Letters of Credit (LC) are one of the most versatile and secure instruments available to international traders. A letter of credit is a commitment by a bank on behalf of the importer (foreign buyer) that payment will be made to the beneficiary (exporter), provided the terms and conditions stated in the letter of credit have been met, as evidenced by the presentation of specified documents.

LC issued by a Foreign Bank (Issuing Bank) can be advised, confirmed by the Beneficiary's Bank called as the Advising Bank.

During the validity of the Letter of Credit the beneficiary can initiate/request closure of the LC. This user story describes how the Issuing Bank handles Import LC closure in OBTFPM.

#### 9.2 Category

New Functional requirement

#### 9.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls. Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege



SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



# **10. Additional Attributes**

#### 10.1 Description

In Trade Finance products, as per the bank's requirements additional fields can be incorporated. Such additional attributes are captured under Additional fields section in OBTFPM.

This user story describes how such additional attributes can created and used in OBTFPM

#### 10.2 Category

Enhancement

## 10.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session	Hard authorizations are introduced for each REST
Management	service calls.
	Session management is not applicable for REST
	services as they are stateless.
	JWT token based authentication is used for UI to
	consume Web APIs only for the known Users / Roles
	OAuth is introduced for Channel Integration to access
	the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries
	are used and follow general coding best practices as
	per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application
	server (Docker, WebLogic server, SOA server, etc.)



DATA TAMPERING	Application has proper server side validations in
	place.



## 11. Settlement Details

#### 11.1 Description

Settlement accounts are accounts to be used for particular charges, LC/Bill value to be debited. The settlement accounts for different components are defined in the back office system. The same is simulated and displayed in OBTFPM. The user can check the details and if required, can change the corresponding payment details including the correspondent bank accounts.

This user story describes how the settlement details are handled in OBTFPM.

## 11.2 Category

Enhancement

#### 11.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls.
	Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles
	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.



Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)
DATA TAMPERING	Application has proper server side validations in place.



## **12. Tracer Facility in Import and Export Process**

#### 12.1 Description

Tracers are intimation or follow up messages sent to various parties in a Trade Finance transaction. This user story describes how tracers can be created and used in OBTFPM.

## 12.2 Category

Enhancement

#### 12.3 Document References

Business Requirement document	https://confluence.oraclecorp.com/confluence/pages/viewpageattachments.action? pageId=1918734652&metadataLink=true
User story board	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/F436E8DA224897EBF8A 5AF81F6C3FF17C1177A968060/_UserStories
Design document	https://oradocs- corp.documents.us2.oraclecloud.com/documents/folder/FCADF4E6D941D8258C C653D1F6C3FF17C1177A968060/_DesignDocs

SECURITY RISK	MITIGATION
SECURITY VULNERABILITIES	Input /output validations would be in place within the services, though it is INFRA component responsibility where ever required.
Broken Authentication & Session Management	Hard authorizations are introduced for each REST service calls.
	Session management is not applicable for REST services as they are stateless.
	JWT token based authentication is used for UI to consume Web APIs only for the known Users / Roles
	OAuth is introduced for Channel Integration to access the services
API Security	All the API requests are authenticated and used the principle of least privilege
SQL INJECTION	Features would ensure only parameterized queries are used and follow general coding best practices as per SCS guidelines.
Security configuration on servers	Proper configurations are in place on application server (Docker, WebLogic server, SOA server, etc.)



DATA TAMPERING	Application has proper server side validations in
	place.



Security Delta Guide [May] [2021] Version 14.5.0.0.0 Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2021, 2021 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.