Common Core User Guide Oracle Banking Trade Finance Process Management

Release 14.5.2.0.0

Part No. F45916-01

August 2021



Oracle Banking Common Core User Guide Oracle Banking Trade Finance Process Management Oracle Financial Services Software Limited

Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

elcome to Core Maintenance U	ser Guide	
Advice		
View Advice		
Create Advice		
Amount Text Language		
View Amount Text Language		
Create Amount Text Language		
BIC Directory		
View BIC Directory		
Create BIC Directory		
Branch EOD		
Invoke EOD		
Country Code		
View Country Code		
-		
-		
-		
•		
, ,		
, ,		
-		
•		
-		
5 51		
5 5.		
View Customer Category		
0,		
-		
-		
-		
	rs	
	15	



Create External Customer	
External Customer Account	28
View External Customer Account	
Create External Customer Account	28
Forget Process	30
View Forgotten Customers	
Forget Customer	
Host Code	31
View Host Code	31
Create Host Code	32
Language Code	33
View Language Code	33
Create Language Code	33
Local Holiday	34
View Local Holiday	
Create Local Holidays	
Media	
View Media	
Create Media	
System Dates	
View System Dates	
Transaction Code	
View Transaction Code	
Create Transaction Code	
Upload Source	
View Upload Source	
Create Upload Source	
Upload Source Preference	
View Upload Source Preference	
Create Upload Source Preference	40
Reference and Feedback	
References	43
Documentation Accessibility	43
Feedback and Support	43



Welcome to Core Maintenance User Guide

This user guide is designed to help you quickly get acquainted with the many functions routinely executed everyday in Oracle Banking.

This section contains the following topics:

Advice	Amount Text Language
BIC Directory	Branch EOD
Country Code	Currency Definition
Currency Exchange Rate	Currency Holiday Master
Currency Pair Definition	Currency Rate Type
Customer Category	ECA System
External Bank Parameters	External Branch Parameters
External Chart Account	External Customer
External Customer Account	Forget Process
Host Code	Language Code
Local Holiday	Media
System Dates	Transaction Code
Upload Source	Upload Source Preference

Advice

You can configure various BIP advices that are available for the process.

View Advice

The summary screen provides a list of configured advice. You can configure an advice for a process using the Create Advice.

How to reach here:

Core Maintenance > Advice > View Advice



View Advice			,, ¹² ×
ч с +			
Advice Name:	Advice Name:	Advice Name:	Advice Name:
GTEEREJ	CAGRE	LoanApproval	COAGR
Advice Description: GTEEREJ	Advice Description: Collateral Agreeme	Advice Description: Loan Approval Advi	Advice Description: COAGR
Micro Service Name:	Micro Service Name:	Micro Service Name: loanapplication-se	Micro Service Name:
Authorized 🔒 Open	Authorized 🔒 Open	🏠 Authorized 🔒 Open	Authorized 🔒 Open
Advice Name:	Advice Name:	Advice Name:	Advice Name:
CFPM1	CFP7	LoanRejection	CF03
Advice Description: CFPM1	Advice Description: CFP7	Advice Description: Loan Rejection Adv	Advice Description: CF03
Micro Service Name:	Micro Service Name:	Micro Service Name: loanapplication-se	Micro Service Name:
Authorized 🔒 Open	💫 Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open

Field	Description
Advice Name	Displays the name of the advice.
Advice Description	Displays information about the advice.
Micro Service Name	Displays the name of the micro service.
Status	Displays the status of the record.

Create Advice

The maintenance screen allows you to configure advices.

How to reach here:

Core Maintenance > Advice > Create Advice

Create Advice				$_{\mu }^{\mu } \ \times$
New				
Advice Name *				
Advice Description *	Micro Service Name	Swift Micro Service	Micro Service Endpoint	
Application Name *	Application Description *			
¥ 1 +				
Media *	Branch *	Currency *	Report Locale *	
9	Q	9		
Report Absolute Path *	Format *	Swift Endpoint		
	PDF 🔻			
			Save	Cancel

How to add an advice:

1. In the **Create Advice** screen, provide the required details:

- Advice Name: Enter a name for the advice.
- Advice Description: Enter additional information about the advice.
- Micro Service Name: Enter the micro service name generating the advice.



- Swift Micro Service: Enter the information about the swift micro service.
- Micro Service Endpoint: Enter an endpoint micro service.
- Application Name: Enter an application name for which advice is generated.
- Application Description: Enter additional information about the application.

Media Details

By default, fields that require an media details appear. You can click + to add multiple media details and click - to remove a media details.

- Media: Click **Search** to view and select the required media.
- Branch: Click Search to view and select a branch.
- Currency: Click Search to view and select a currency.
- Report Locale: Enter a locale report details.
- Report Absolute Path: Enter a report absolute path.
- Format: Select a download file format for an advice from the dropdown list. The formats available are, PDF, PPTX, HTML, XLS, and RTF.
- Swift Endpoint: Enter a swift endpoint.
- 2. Click Save. You can view the confirmation advice details in the View Advice.

Amount Text Language

You can configure an amount text language.

View Amount Text Language

The summary screen provides a list of configured amount text language. You can configure an amount text language using the Create Amount Text Language.

How to reach here:

Core Maintenance > Amount Text Language > View Amount Text Language

View Amount Text Language			2 ¹⁶ - 2
ч с +			
Language Code: F38	Language Code: ENG	Language Code: F41	Language Code: F74
Language Code: F38	Language Code: ENG	Language Code: F41	Language Code: F74
🖹 Unauthorized 🔒 Open	🖹 Unauthorized 🔒 Open	🔂 Unauthorized 🔒 Open	<table-cell> Unauthorized 🔒 Open</table-cell>
Language Code: KAN	Language Code: F85	Language Code: ARA	Language Code: F77
Language Code: KAN	Language Code: F85	Language Code: ARA	Language Code: F77
🗟 Unauthorized 🔒 Open	📸 Unauthorized 🔒 Open	Unauthorized 🎧 Open	Authorized 🔒 Open

Field	Description
Language Code	Displays the language code associated with the amount word.
Status	Displays the status of the record.

Create Amount Text Language

The maintenance screen allows you to configure amount text language.



How to reach here:

Core Maintenance > Amount Text Language > Create Amount Text Language

Create Amount	t Text Language							$_{\mu}^{a^{a^{a}}}$ \times
New								
Language Code	*							
Amount Word	Currency List							
								- +
	CCY Symbol	Decimals As Fraction	Final Text	CCY	Post Decimal	Pre Decimal	Text Before	Text Between
No data to di	splay.							
Page 1 (0 of	f 0 items) K < 1	. > ж						
Amount Word	Text List							
			+	1.1				
	Amount	One Flag	Text					
No data to di	splay.							
Page 1 (0 of	f 0 items) K < 1	к <						
								Sava Cancol

How to add an amount text language:

1. In the Create Amount Text Language screen, provide the required details:

• Language Code: Click Search to view and select the required language code.

Amount Word Currency List

2. Click + to add a row and provide the required details:

- CCY Symbol: Enter the CCY symbols.
- Decimals As Fraction: Select a decimals as fraction value from the dropdown list.
- Final Text: Enter the final text for the amount word currency list.
- CCY: Click Search to view and select the CCY.
- Post Decimal: Enter the post decimal details.
- Pre Decimal: Enter the pre decimal details.
- Text Before: Select an option for the before text.
- Text Between: Enter the text that must appear between the amount word currency list.

Amount Word Text List

3. Click + to add a row and provide the required details.

- Amount: Select the amount details.
- One Flag: Select an option for the amount word text list.
- Text: Enter a text for the amount word.
- 4. Click **Save**. You can view the configured amount text language details in the View Amount Text Language.

BIC Directory

As part of setting up basic information, you must maintain Bank Identifier Codes (BIC). You can configure the BIC directory for a customer.



View BIC Directory

The summary screen provides a list of configured BIC directory. You can configure the BIC directory using the Create BIC Directory.

How to reach here:

,* × View BIC Directory Customer Number: 00093594 00093594 Sub Type Code: Sub Type Code: Sub Type Code: Sub Type Code: BIC Code: IOBAINBBA63 BIC Code: ALLAINBBKHA BIC Code: ALLAINBBFOR Bank Name: ALLAHABAD BANK Bank Name: FUTURA BANK Bank Name: FUTURA BANK Bank Name: SBI Authorized 🔒 Open Authorized 🔒 Open Authorized 🔒 Open 🗟 Unauthorized 🛛 🔒 Open

Core Maintenance > BIC Directory > View BIC Directory

Field	Description
Customer Number	Displays the number of the customer.
Sub-type Code	Displays the sub-type code associated with the customer number.
BIC Code	Displays the defined BIC code for the associated customer number.
Bank Name	Displays the name of the bank.
Status	Displays the status of the record.

Create BIC Directory

The maintenance screen allows you to configure a BIC directory for a customer.

How to reach here:

Core Maintenance > BIC Directory > Create BIC Directory

Create BIC Directory			*	×
New				
BIC Code *	Bank Name *	Customer Number	Customer Name Not Selected	
Bank Address 1	Bank Address 2	Bank Address 3	SWIFT Key	
Not Selected	Not Selected	Not Selected		
Telex Key	SWIFT Key Arrangement	Relationship	Sub Type Code	
	×.	No Mail Keys	0,	
BEI Indicator	ADB Member			
Not Selected	*			
Payment Message MT103+ Preferred Update During Upload	Blacklisted	CUG Member	Remit Member	
Multi-Customer Credit Transfer				
Multi-Customer Credit Transfer	Generate 102+	Maximum Size in Bytes		
Request for Transfer				
Generate MT101	Number of Transactions Per Page			
			Save Cance	1



How to add a BIC directory:

- 1. In the **Create BIC Directory** screen, provide the required details:
 - BIC Code: Enter a unique BIC Code by which the bank is identified by SWIFT.
 - Bank Name: Enter a name for the bank.
 - Customer Number: Click **Search** to view and select the required customer number.
 - Customer Name: Based on the Customer Number selected, the information is auto-populated.
 - Bank Address 1-3: Based on the Customer Number selected, the information is auto-populated.
 - SWIFT Key: Enter a unique SWIFT key for the BIC directory.
 - Telex Key: Enter a unique telex key for the BIC directory.
 - SWIFT Key Arrangement: Select a SWIFT key arrangement from the dropdown list,
 - Relationship: Select one of the following options:
 - No: If selected, indicates that the BIC Entity is not a customer of your bank
 - Mail: If selected, the BIC entity is not a recognized SWIFT entity but an address internal to your bank. In such cases, all correspondence directed to the particular BIC entity is sent as mail messages.
 - Keys: If selected, a SWIFT/Telex connectivity exists between your bank and the bank for which you are maintaining details. Subsequently, you must specify the SWIFT/Telex Key in the adjacent field.
 - Sub-type Code: Click Search to view and select the required sub-type code.
 - BEI Indicator: Based on the Sub-type Code selected, the information is auto-populated.
 - ADB Member: Select an ADB member from the dropdown list.

Payment Message

- MT103+ Preferred: By default, this is disabled. If selected, indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format.
- Blacklisted: By default, this is disabled. If selected, indicates the BIC entity is blacklisted.
- CUG Member: By default, this is disabled. If selected, indicates the BIC entity is a closed user group member.
- Remit Member: By default, this is disabled. If selected, indicates the customer is registered with MT 103 extended remittance information multiple user group.
- Update During Upload: By default, this is disabled. If selected, updated the BIC directory during an upload.

Multi-Customer Credit Transfer

- Multi-Customer Credit Transfer: By default, this is disabled. If selected, indicates multiple credit transfer feature [MT102 support] exists between the bank and the BIC entity.
- Generate 102+: By default, this is disabled. If selected, generates 102+ message.
- Maximum Size in Bytes: Enter the maximum size.

Request for Transfer

- Generate MT101: By default, this is disabled. If selected, indicates MT101 can be sent/received from this BIC. Select to generate MT101 message.
- Number of Transactions Per Page: Enter the number of transactions to view per page. If you do not specify a value it is defaulted to 10.
- Real Customer Number: Click **Search** to view and select the required real customer number.
- Real Customer Name: Based on the Real Customer Number selected, the information is autopopulated.
- 2. Click Save. You can view the configure BIC directory in the View BIC Directory.



Branch EOD

You can invoke End of Day (EOD) to indicate that all the activities for the day are complete. Activities can be performed on the system only after the system date is changed to the next working day and authorized.

Most of the automated functions are part of the beginning of day operations. Thereafter, some of them must be executed when the system is in the EOTI (End of Transaction Input) stage.

Invoke EOD

The maintenance screen allows you to invoke the branch EOD details.

How to reach here:

Core Maintenance > Branch EOD > Invoke EOD

Invoke EOD				$_{\mu}^{\mu}$ \times
Mark EOFI	Change Date			
Branch Code		Current Branch Date	Status	
004		Jan 24, 2019	Not Available	

How to invoke a branch EOD:

- In the Invoke EOD screen, you can perform the following actions:
 - Mark EOFI (End of Financial Input): Click to initiate the EOD process.
 - Change Date: Click to change the current application date to next working day.
 - Branch Code: Displays the branch code that is associated with the logged in user.
 - Current Branch Date: Displays the logged in application date.
 - Status: Based on the operation performed the status is updated.



Use the **Reset** option to reset all the configured details to current application's configured details.

Country Code

You can configure a country code.

View Country Code

The summary screen provides a list of configured country code. You can configure a country code using the Create Country Code.

How to reach here:

Core Maintenance > Country Code > View Country Code



View Country Code Country Code: USA AUS GB Country Name: United States Country Name: AUSTRALIA Country Name: Great Britain Country Name: INDIA ISO Numeric Code: USA ISO Numeric Code: AUS ISO Numeric Code: GBR ISO Numeric Code: IND Authorized 🔒 Open 🔂 Authorized 🛛 🔒 Open 🔥 Authorized 🛛 🔒 Open 🔥 Authorized 🛛 🔒 Open Country Name: India Country Name: Singapore

Field	Description
Country Code	Displays the country code details.
Country Name	Displays the name of the country.
ISO Numeric Code	Displays the ISO numeric code details of the country code.
Status	Displays the status of the record.

Create Country Code

ISO Numeric Code: IND

🗟 Unauthorized 🛛 🔒 Closed

The maintenance screen allows you to configure a country code.

ISO Numeric Code: SGP

Authorized 🔒 Open

How to reach here:

Core Maintenance > Country Code > Create Country Code

Create Country Code				μ^{tr} ×
New				
Country code *				
Country Name *	Alternate Country code *	Region Code	ISO Country code	
ISD code	Limit Currency	Overall Limit *	Blacklist	
EU Member	Generate 205	IBAN Check Required *	BIC Cleaning Code	
Intra European				
				Save Cancel

How to add a country code:

- 1. In the Create Country Code screen, provide the required details:
 - Country Code: Enter the country code.
 - Country Name: Enter the name of the country.
 - Alternate Country Code: Enter an alternate country code.
 - Region Code: Enter the region code.
 - ISO Country Code: Enter the ISO country code.
 - ISO Code: Enter the ISO code.
 - Limit Currency: Enter the limit currency.



" X

- Overall Limit: Enter an overall limit.
- Blacklist: By default, this is disabled. If selected, indicates the country is blacklisted.
- EU Member: By default, this is disabled. If selected, indicates the country is recognized by Swift as a part of the Intra European countries.
- Generate 205: By default, this is disabled. If selected, indicates the cover message 205COV or 205 need to be generated for transactions involving this country. If you do not select this option, RTGS, 202 or 202COV message is generated.
- IBAN Check Required: By default, this is disabled. If selected, indicates check required for an IBAN is mandatory.
- BIC Clearing Code: By default, this is disabled. If selected, indicates the National ID in the BIC plus file is the clearing code. During upload of clearing codes from BIC plus file, the records belong to countries against which this box is selected.
- Intra European: By default, this is disabled. If selected, indicates the country is an intra European country.
- 2. Click Save. You can view the configured country code details in the View Country Code.

Currency Definition

You can define the attributes of the currencies in which the bank can deal. For each currency, you can define attributes such as, the SWIFT code for the currency, the country the currency belongs, the interest method, the spot days, the settlement days, and so on.

Currencies can be maintained only at the Head Office. The list of currencies are available to the branches based on the currencies defined for the country linked to the branch.

View Currency Definition

The summary screen provides a list of defined currency. You can define a currency using the Create Currency Definition.

How to reach here:

Core Maintenance > Currency Definition > View Currency Definition

View Currency Definition				" st ×
ч с +				
Currency Code: LDP	42	Currency Code: LOP	Currency Code: USD	Currency Code:
Currency Name: Alternate Currency Code: Country: SG Maintenance Country: GB		Currency Name: Alternate Currency Code: Country: GB Maintenance Country: GB	Currency Name: United States Dollar Alternate Currency Code: USD Country: USA Maintenance Country: GB	Currency Name: Alternate Currency Code: Country: GB Maintenance Country: GB
Authorized 🔒 Open		Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open
Currency Code: KLO	45	Currency Code:		
Currency Name: mob Alternate Currency Code: Country: IN Maintenance Country: GB		Currency Name: Pound Alternate Currency Code: EURO Country: GB Maintenance Country: GB		
Authorized 🔒 Open		🗟 Unauthorized 🔒 Closed		
Field		Description		
Currency Code		Displays the code	of the currency.	



Field	Description
Currency Name	Displays the name of the currency.
Alternate Currency Code	Displays the code of the alternate currency.
Country	Displays the country associated with the currency.
Maintenance Country	Displays the maintenance country.
Status	Displays the status of the record.

Create Currency Definition

The maintenance screen allows you to define currency.

How to reach here:

Core Maintenance > Currency Definition > Create Currency Definition

Create Currency Definition										
Currency Code *	Ma	internetion Country *								
			9							
Currency Name	Alte	mate Currency Code	C		Currency Type		DX.	Numerical Currency Code		
					Currency Interest Method		1.0402			
Currency Country	1.00	ency Decimals.*	- A		30-Euro/360			nency Spot Days	~	
Forwign Eachange Netting Days	Sett	lement Message De			Pomition GL		Ptr	etant Equivalent GL		
- A			~ ~			- Q.			9	
Currency Tolerance Comit	Inde	to Save Currency			Commodity Code					
			9.		0					
Cut OH Time										
Cut Off Days	- Eu	Off Hour *	1003828		Est Dil Mer*		-	5 Currentey		
~ ~			- A			•		2		
Generate 101+	Inc	ien Mag			Luce Convenion Required		11	ew Cover Message Torma	Required	
0	(28			0			0		
Validate 1ag-539										
0										
Rounding										
Currency Recard Itale *	Curr	ency Round Unit								
Truncate •			~ ~							
Clatterny Format Mark										
Currency Format Mask										
DISCONCIONAL (
Surp Dype										
Currency Store Type										
D EURO Currency										
In Europey										
D Dut Currency										
Euro climed										
Auto tastunge ltate										
Credit Auto Escharoje Nate Limit	Deb	d Auto Eschange Ila	te Limit							
Currency Country Mapping										
Pression in the second se										÷
	Circentry code			Country Name		Curren	ry Cride			
No data to display										
Page 1 (5 of 1) items) = (1 + +										
									8 - St	-
									Save Care	

How to define a currency:

1. In the Create Current Definition screen, provide the required details:

- Currency Code: Enter the currency code.
- Maintenance Country: Click **Search** to view and select the required maintenance country.
- Currency Name: Enter the name of the currency.



- Alternate Currency Code: Enter the code of the alternate currency.
- Currency Type: Enter the currency type.
- ISO Numerical Currency Code: Enter the International Standardization Organization numerical currency code.
- Currency Country: Click Search to view and select the required currency country.
- Currency Decimals: Select the currency decimals.
- Currency Interest Method: Select the currency interest method from the dropdown list.
- Currency Spot Days: Select the number of spot working days applicable for the currency.
- Foreign Exchange Netting Days: Select the number of days for the foreign exchange netting.
- Settlement Message Days: Select the settlement message days.
- Position GL: Click Search to view and select the required position GL.
- Position Equivalent GL: Click Search to view and select the required position equivalent GL.
- Currency Tolerance Limit: Enter the currency tolerance limit.
- Index Base Currency: Click Search to view and select the required index base currency.
- Commodity Code: By default, this is disabled. If selected, enables a commodity code.

Cut Off Time

Refers to the time by which all transactions involving a currency should be generated. For a currency, you can indicate the cut-off hour and minute. This time should be expressed in the local time of the bank.

The maintenance of a cut-off time for a currency has particular reference to outgoing funds transfers involving it.

Example: The value date of a funds transfer transaction (incoming payment) involving USD, is 3rd June 2018. The number of cut-off days specified for the currency is 2. This means that the payment must be received on or before 1st June 2018. If the payment is received on 1st June, it must be received before the cut-off time specified for USD.

If the USD cut-off time is 1200 hrs, if the payment is received on 1st June 2018, it must be received before 1200 hrs.

- Cut Off Days: Select the cut off days for the payment transaction involving the currency.
- Cut Off Hour: Select the hour of the day for the cut off.
- Cut Off Min: Select the minute of the hour for the cut off.
- CLS Currency: By default, this is disabled. If selected, allow customers of your bank to settle their FX deals via the CLS (Continuous Linked Settlements) Bank, you can identify the currency to be a CLS Currency. FX deals in the CLS currency is only eligible to be routed through the CLS bank.
- Generate 103+: By default, this is disabled. If selected, generate outgoing MT 103 messages in the MT 103 + format.
- Index Flag: By default, this is disabled. If selected, derives index rate of the currency.
- Euro Conversion Required: By default, this is disabled. If selected, indicates the Euro conversion is required.
- New Cover Message Format Required: By default, this is disabled. If selected, indicates a new cover message format is required.
- Validate Tag-50F: By default, this is disabled. If selected, indicates validations must be performed for the 50F details captured for the ordering customer during contract input.

Rounding

- Currency Round Rule: Select the currency round rule from the dropdown list.
- Currency Round Unit: Select the currency round unit.



Currency Format Mask

• Select one of the currency format.

Euro Type

• Currency Euro Type: Select one of the currency Euro type.

Auto Exchange Rate

- Credit Auto Exchange Rate Limit: Enter the credit automatic exchange rate limit.
- Debit Auto Exchange Rate Limit: Enter the debit automatic exchange rate limit.

Currency Country Mapping

2. Click + to add a row and provide the required details:

- Country Code: Click Search to view and select the required country code.
- Country Name: Enter the name of the country.
- Currency Code: Click **Search** to view and select the required currency code.
- 3. Click Save. You can view the defined currency in the View Currency Definition.

Currency Exchange Rate

You can maintain exchange rates for a currency pair, the rates at which you buy and sell one currency for another. A bank determines its buy and sell rate for a currency pair by applying a spread (that is, its profit margin) to the mid-rate of the currency pair. Mid rate is the basic rate at which a currency pair is exchanged.

The spread applied for a currency pair varies with the transaction type, while the mid-rate usually remains constant. Consequently, different rates are applicable to different transaction types. For instance dollars in currency are purchased at a certain rate, while USD traveller's checks are bought at a different rate. You can define a rate type which you would like to associate with a transaction type example: CASH, TRAVCHKS, and so on.

You can define the mid-rate, buy and sell spread applicable to each rate type; the buy and sell exchange rates are computed by the system. Buy rates and sell rates can either be maintained by individual branches or can be input by the HO and propagated to all the branches.

If the branch for which the rate is being uploaded or maintained is the head office branch, then the rate would be copied to all those branches that have the same country code as the head office branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch, but it has the same country code as the head office branch, then the rate being uploaded or maintained would be specific to the branch and would not be copied to any other branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch and also does not have the same country code as the head office branch, then the rate being maintained would be copied to all the branches that has the same country code linked as the branch for which the rate is being maintained or uploaded.

View Currency Exchange Rate

The summary screen provides a list of configured currency exchange rates. You can configure a currency exchange rate using the Create Currency Exchange Rate.

How to reach here:

Core Maintenance > Currency Exchange Rate > View Currency Exchange Rate



View Currency Exchange Rate			$_{\mu}^{\mu'}$ \times
९ с +			II =
Branch code:	Branch code:	Branch code:	Branch code:
861	003	000	003
Currency1: LDP	Currency1: USD	Currency1: MNP	Currency1: MNP
Currency2: GBP	Currency2: SGD	Currency2: GBP	Currency2: GBP
Authorized 🔒 Open	🗟 Unauthorized 🔒 Open	🗟 Unauthorized 🔒 Open	Unauthorized 🔒 Open
Branch code:	Branch code:	Branch code:	Branch code:
000	000	861	000
Currency1: USD	Currency1: USD	Currency1: USD	Currency1: LDP
Currency2: SGD	Currency2: GBP	Currency2: SGD	Currency2: GBP
Authorized 🔒 Closed	🂫 Authorized 🔒 Open	🗟 Unauthorized 🔒 Closed	Authorized 🔒 Open

Field	Description
Branch Code	Displays the code of the branch.
Currency 1-2	Displays the currency associated with the branch code
Status	Displays the status of the record.

Create Currency Exchange Rate

The maintenance screen allows you to configure a currency exchange rate.

How to reach here:

Core Maintenance > Currency Exchange Rate > Create Currency Exchange Rate

Create Currend	cy Exchange Rate									^{nt} >
New										
Branch code *			Currency1 *		C	urrency2 *				
	0			0						
Currency Ra	te									
									+	
	Rate Type	Buy Rate	Buy Spread	Mid Rate	Sale Spread		Sale Rate	Rate Date		
No data to d	lisplay.									
Page 1 (0 o	of 0 items) K < 1	> >								
								1		

How to add a currency exchange rate:

1. In the Create Currency Exchange Rate screen, provide the required details:

- Branch Code: Click Search to view and select the required branch code.
- Currency 1: Click **Search** to view and select the required currency.
- Currency 2: Click **Search** to view and select the required currency.

Currency Rate

2. Click + to add a row and provide the required details.

• Rate Type: Select a rate type from the dropdown list.



- Buy Rate: Enter the buy rate details.
- Buy Spread: Enter the buy spread details.
- Mid Rate: Enter the mid rate details.
- Sale Spread: Enter the sale spread details.
- Sale Rate: Enter the sale rate details.
- Rate Date: Select a rate date from the dropdown calendar.
- 3. Click **Save**. You can view the configured currency exchange rate details in the View Currency Exchange Rate.

Currency Holiday Master


You can configure a yearly list of holidays, for the currencies, defined in the currency screen. The system uses the information maintained to check if any settlement involving a foreign currency (in the foreign Exchange, Money market, Funds Transfer, Loans and Deposit modules) falls on that currency's holiday. If yes, the system displays a message stating and ask the user for an override.

For any schedule or contract maturing at a future date, five years hence, you can input the future date, only if the calendar for that year is maintained. The currency holiday is maintained at the bank level by the Head Office.

View Currency Holiday Master

The summary screen provides a list of configured currency holiday. You can configure a currency holiday using the Create Currency Holiday Master.

How to reach here:



Core Maintenance > Currency Holiday Master > View Currency Holiday Master

Field	Description
Currency	Displays the currency details.
Weekly Holidays	Displays the weekly holidays associated with the currency.
Status	Displays the status of the record.

Create Currency Holiday Master

The maintenance screen allows you to configure a currency holiday.

L



How to reach here:

	e Cui	rency	у ног	day I	Maste	er																						
urrer	псу							γ	ear *								We	ekly H	Holida	ys								
						0											C))										
	j	lanua	ary	201	9			F	ebru	ary	201	19				Mare	ch	2019)				Apr	il 2	2019			
S	М	Т	W	T	F	S	S	М	т	W	Т	F	S	S	Μ	Т	W	Т	F	S	S	Μ	Т	W	Т	F	S	
		1	2	3	4	5						1	2						1	2		1	2	3	4	5	6	
6	7	8	9	10	11	12	3	4	5	6	7	8	9	3	4	5	6	7	8	9	7	8	9	10	11	12	13	
	14							11			14		10	10	11	12	13	14	15	16	14	15	16	17	18	19	20	
13	14		16					11			14			17	18	19	20	21	22	23	21	22	23	24	25	26	27	
20	21	22	23	24	25	26	17	18	19	20	21	22	23	24	25	26	27	28	29	30	28	29	30					
27	28	29	30	31			24	25	26	27	28			31														
		Ma	y 2	019					Jun	e 2	2019					July	/ 2	019				1	Augu	ıst	2019	9		
S	Μ	Т	W	т	F	S	S	Μ	т	W	т	F	S	S	Μ	Т	W	Т	F	S	S	Μ	Т	W	Т	F	S	
			1	2	3	4							1		1	2	3	4	5	6					1	2	3	
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13	4	5	6	7	8	9	10	
12	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17	
••		~	~~	~~	~ ·	~~	16	17	18	19	20	21	22	~	~~	~~	~ ·	~~	~~			**	~~	~*	~~	~~	~ ·	

Core Maintenance > Currency Holiday Master > Create Currency Holiday Master

How to add a currency holiday

1. In the Create Currency Holiday Master screen, provide the required details:

- Currency: Click Search to view and select the required currency.
- Year: Enter the year details.
- Weekly Holidays: By default, this is disabled. If selected, indicates the weekly holidays.
- 2. Select the dates using the calendar. The selected dates appear in blue highlighted circle.
- 3. Click Save. You can view the configured currency holidays in the View Currency Holiday Master.

Currency Pair Definition

In the foreign exchange markets, the exchange rates for some currency pairs such as the USD-GBP or USD-JPY are easily obtainable, since these are frequently traded. The exchange rates of other currencies such as the ZAR-INR (South African Rand - Indian Rupee), which is not traded very often, is determined through a third currency. The third currency is usually the US dollar, since the US dollar is quoted in all trading centres.

You can define the static attributes of currency pairs for which a regular market quote is readily available. For other pairs, which do not have a regular market quote, you need to specify the third currency through which the system should compute the exchange rate. The currency pair is maintained at the bank level by the Head Office branch.

View Currency Pair Definition

The summary screen provides a list of define a currency pair. You can define a currency pair using the Create Currency Pair Definition.

How to reach here:

Core Maintenance > Currency Pair Definition > View Currency Pair Definition



९ с +			
Maintenance Country:	Maintenance Country:	Maintenance Country:	Maintenance Country:
Number of Units:	Number of Units: 1	Number of Units: 2	Number of Units: 1
Currency 1: LLS	Currency 1: GBP	Currency 1: LDP	Currency 1: USD
Currency 2: LKJ	Currency 2: LOP	Currency 2: GBP	Currency 2: SGD
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open

Field	Description
Maintenance Country	Displays the maintenance country details.
Number of Units	Displays the number of units.
Currency 1-2	Displays the currency associated with the country.
Status	Displays the status of the record.

Create Currency Pair Definition

The maintenance screen allows you to define currency pair.

How to reach here:

Core Maintenance > Currency Pair Definition > Create Currency Pair Definition

Create Currency Pair Definiti	ion				2 ¹⁰
New					
Currency 1		Currency 2	Mainte	enance Country	
	9		٩	٩	
Checkthrough Currency	Through Cu	rrency	Number of Units One Hundred	Points Multiplier	
			O Thousand		
Quotation *	Spread Defin	nition *			
O Direct	O Percenta	ige			
O Indirect	O Points				
				Save	e Cancel

How to define a currency pair:

1. In the Create Currency Pair Definition screen, provide the required details:

• Currency 1-2: Click **Search** to view and select the required currency. A currency pair (specified as currency 1 and currency 2, in the currency pair) represents the two currencies for which you need to maintain exchange rates.

To specify the pair, choose from the list provided against Currency 1. Select the pair for which you want to maintain parameters. The pair must be selected according to the quotation method followed by the market, which can be direct or indirect. Exchange rates can be defined for currency 1 against currency 2 or currency 2 against currency 1.

- Maintenance Country: Click **Search** to view and select the required maintenance country.
- Check through Currency: By default, this is disabled. If selected, indicates a check through currency.



- Through Currency: Click **Search** to view and select the required through currency for which the exchange rate between the currencies must be calculated.
- Number of Units: Select one of the number of units.
- Points Multiplier: Select the points multiplier.
- Quotation: Select one of the required quotation:
 - Direct method the exchange rate for the currency pair is quoted as follows:
 Buy rate = mid rate buy spread
 Sell rate = mid rate + sell spread
 Ccy 1 = Rate x Ccy 2
 - Indirect method the exchange rate for the currency pair is quoted as follows:
 Buy rate = mid rate + buy spread
 Sell rate = mid rate sell spread
 Ccy 2 = Rate x Ccy 1
- Spread Definition: Select one spread definition. The effective spread can be calculated using any of the following two methods:
 - Percentage: Spread/100 x mid rate
 - Points: Spread x points multiplier

The method of spread definition that you specify applies to two instances:

- While maintaining exchange rates for the currency pair
- While maintaining customer spread for the currency pair
- 2. Click Save. You can view the defined currency pair details in the View Currency Pair Definition.

Currency Rate Type

You can configure a currency rate type.

View Currency Rate Type

The summary screen provides a list of configured currency rate type. You can configure a currency rate type using the Create Currency Rate Type.

How to reach here:

Core Maintenance > Currency Rate Type > View Currency Rate Type

View Currency Rate Type			$_{\mu}^{\nu}$ \times
९ с +			
Currency Rate Type: F41	Currency Rate Type: F33	Currency Rate Type: F31	Currency Rate Type: F37
Description: Forward Rate Type	Description: Forward Rate Type	Description: Forward Rate Type	Description: Forward Rate Type
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open
Currency Rate Type: STAND	Currency Rate Type: F40	Currency Rate Type: STANDARD	Currency Rate Type: F42
Description: abcd	Description: Forward Rate Type	Description: Standard Rate Types	Description: Forward Rate Type
🗟 Unauthorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open

Field	Description
Currency Rate Type	Displays the currency rate type.
Description	Displays additional information about the currency rate type.



Field	Description
Status	Displays the status of the record.

Create Currency Rate Type

The maintenance screen allows you to configure currency rate type.

How to reach here:

Core Maintenance > Currency Rate Type > Create Currency Rate Type

Create Currency Rate Type	$_{\mu}^{x}$ \times
New	
Currency Rate Type *	
Currency Rate Type Description	>
	Save Cancel

How to add a currency rate type:

1. In the Create Currency Rate Type screen, provide the required details:

- Currency Rate Type: Enter a currency rate type.
- Currency Rate Type Description: Enter additional information about the currency rate type.
- 2. Click **Save**. You can view the configured currency rate type details in the View Currency Rate Type.

Customer Category

You can configure a customer category.

View Customer Category

The summary screen provides a list of configured customer category. You can configure a customer category using the Create Customer Category.

How to reach here:

Core Maintenance > Customer Category > View Customer Category



View Customer Category			
≪ c +			
Customer Category: C	Customer Category: R88	Customer Category: R95	Customer Category: R127
Description: Corporate	Description: Virtual Accounts Creation	Description: Virtual Accounts Creation	Description: Virtual Accounts Creation
Authorized 🔒 Open	💫 Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open
Customer Category: R84	Customer Category: CORP	Customer Category: R87	Customer Category: R118
Description: Virtual Accounts Creation	Description: Corporate	Description: Virtual Accounts Creation	Description: Virtual Accounts Creation
Authorized 🔒 Open	Authorized 🔒 Open	🖹 Unauthorized 🔒 Open	Authorized 🔒 Open

Field	Description
Customer Category	Displays the customer category.
Description	Displays additional information about the customer category.
Status	Displays the status of the record.

Create Customer Category

The maintenance screen allows you to configure a customer category.

How to reach here:

Core Maintenance > Customer Category > Create Customer Category

Create Customer Category		$_{\mu}^{e}$ \times
New		
Customer Category *		
Customer Category Description	Populate Changes	
		Save Cancel

How to add a customer category:

1. In the Create Customer Category screen, provide the required details:

- Customer Category: Enter a customer category.
- Customer Category Description: Enter additional information about the customer category.
- Populate Changes: By default, this is disabled. If selected, displays the changes.
- 2. Click Save. You can view the configured customer category details in the View Customer Category.

ECA System

You can configure the External Credit Approval (ECA) system.



View ECA System

The summary screen provides a list of configured ECA system. You can configure the ECA system details using the Create ECA System.

How to reach here:

Core Maintenance > ECA System > View ECA System

View	ECA S	ystem

/iew ECA System			,×*
९ с +			II =
Description: FCUBS description	Description: ORACLE BANKING	Description:	Description:
ECA System: FCUBS	ECA System: OBVAM12	ECA System: ECA41	ECA System: ECA74
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open
Description:	Description:	Description:	Description:
ECA System: ECA85	ECA System: ECA135	ECA System: ECA72	ECA System: ECA37
🄀 Authorized 🔒 Open	Authorized 🔒 Open	💫 Authorized 🔒 Open	Authorized 🔒 Open

Field	Description
Description	Displays any additional information of the ECA system.
ECA System	Displays the name of the ECA system.
Status	Displays the status of the record.

Create ECA System

The maintenance screen allows you to configure ECA system details.

How to reach here:

Core Maintenance > ECA System > Create ECA System

Create ECA System			,, ¹² ×
New			
Source System *	Description		
		Save	Cancel

How to add an ECA system:

1. In the Create ECA System screen, provide the required details:

- Source System: Enter the source system.
- Description: Enter additional information about the ECA system.
- 2. Click Save. You can view the configure ECA system details in the View ECA System.



External Bank Parameters

You can configure bank level parameters.

View External Bank Parameters

The summary screen provides a list of configured external bank parameters. You can configure the external bank parameters using the Create External Bank Parameters.

How to reach here:

Core Maintenance > External Bank Parameters > View External Bank Parameters

View External Bank Parameters	,** ×
« с +	=
Head Office branch: 000	
Maker: ROHIT1 OnceAuthorized: Y	
Bank Code: 0000 Bank Name: OBVAM UNIVERSAL BANK	
Authorized 🔒 Open	

Field	Description
Head Office Branch	Displays the head office branch details.
Maker	Displays the name of the user who has configured the bank details.
Once Authorized	Indicates if the record is authorized once or not.
Bank Code	Displays the code of the bank.
Bank Name	Displays the name of the bank.
Status	Displays the status of the record.

Create External Bank Parameters

The maintenance screen allows you to configure external bank parameters.

How to reach here:

Core Maintenance > External Bank Parameters > Create External Bank Parameters



Create External Bank Parameters

New		
Bank Code *	Bank Name	
Head Office Branch	Branch Description	
٩	Not Selected	
No of Days to Forget Customer		
		Save Cancel

How to configure a external bank parameter:

1. In the Create External Bank Parameter screen, provide the required details:

- Bank Code: Enter the code for the bank.
- Bank Name: Enter the name of the bank.
- Head Office Branch: Click Search to view and select the required head office branch.
- Branch Description: Based on the Head Office Branch selected, the information is auto-populated.
- Number of Days to Forget Customer: Enter the number of days to inactive/forget the customer.
- 2. Click **Save**. You can view the configure core bank parameter details in the View External Bank Parameters.

External Branch Parameters

You can configure branch level parameters.

View External Branch Parameters

The summary screen provides a list of configured external branch parameters. You can configure the external branch parameters using the Create External Branch Parameters.

How to reach here:

Core Maintenance > External Branch Parameters > View External Branch Parameters

ч с +				
Branch Code: 005	\$	Branch Code:	Branch Code:	Branch Code:
Branch Name: Flexcube Local Currency: INR Source Branch Code: 0045345454535		Branch Name: Bannerghata Local Currency: GBP Source Branch Code: 003	Branch Name: sbi Local Currency: GBP Source Branch Code: 242	Branch Name: FLEXCUBE UNIVERSAL BR Local Currency: GBP Source Branch Code: AT1
Authorized 🔒 Open		Authorized 🔒 Open	💫 Authorized 🔒 Open	Authorized 🔒 Open
Branch Code: 861	49	Branch Code:	Branch Code: 099 45	Branch Code:
Branch Name: Atlanta Bank Local Currency: GBP Source Branch Code: 861		Branch Name: Demo Bank Local Currency: GBP Source Branch Code: 004	Branch Name: KHALIKOT Local Currency: USD Source Branch Code: 999	Branch Name: test1 Local Currency: GBP Source Branch Code: AT2
Authorized 🔒 Open		Authorized 🔒 Open	Authorized A Open	Unauthorized A Open



,* ×

Field	Description
Branch Code	Displays the code of the branch associated with the bank.
Branch Name	Displays the name of the branch associated with the bank.
Local Currency	Displays the local currency details.
Source Branch Code	Displays the code of the source branch.
Status	Displays the status of the record.

Create External Branch Parameters

The maintenance screen allows you to configure the branch parameters.

How to reach here:

Core Maintenance > External Branch Parameters > Create External Branch Parameters

Create External Branch Parameters			,,* ×
New			
Branch Details			
Branch Code *	Branch Name *	Local Currency * Source System	
Source Branch Code *		۵ ۵	
Branch Address			
Address Line 1	Address Line 2	Address Line 3	
Other Details		SWIFT Address	
Host Code *	Country Code	SWIFT Address * Default BIC	
9	Not Selected		
Host Name	Walk-in Customer	No data to display.	
	٩,		
Weekly Holiday 1	Weekly Holiday 2		
· · · · · · · · · · · · · · · · · · ·	•		
Auto Authorization	Report DSN		
0)			
DSN Name			
4 <u></u>		Page 1 (0 of 0 items) K < 1 > X	
		Sav	re Cancel

How to configure an external branch parameter:

1. In the Create External Branch Parameters screen, provide the required details:

Branch Details

- Branch Code: Enter a branch code.
- Branch Name: Enter a name for the branch.
- Local Currency: Click Search to view and select the required local currency.
- Source System: Click Search to view and select the required source system.
- Source Branch Code: Enter a source branch code.

Branch Address

• Address Line 1-3: Enter the address details.



Other Details

- Host Code: Click Search to view and select the required host code.
- Country Code: Based on the Host Code selected, the information is auto-populated.
- Host Name: Enter a name for the host.
- Walk-in Customer: Click Search to view and select the required walk-in customer.
- Weekly Holiday 1-2: Select a weekly holiday from the dropdown list.



There are two days of weekly holiday depending on the geographical zone.

- Auto Authorization: By default, it is disabled. If selected, the record is automatically authorized.
- Report DSN: Enter the details of the report DSN.
- DSN Name: Enter the name for the DSN report.

SWIFT Address

2. Click + to add a row and provide the required details:

- SWIFT Address: Click Search to view and select the required SWIFT address.
- Default BIC: If selected, indicates the selected SWIFT address as the default BIC.
- 3. Click **Save**. You can view the configure branch parameter details in the View External Branch Parameters.

External Chart Account

You can configure an external charts.

View External Chart Account

The summary screen provides a list of configured external chart accounts. You can configure an external chart account using the Create External Chart Account.

How to reach here:

Core Maintenance > External Chart Account > View External Chart Account

/iew External Chart Account			, st
९ с +			=
General Ledger Code: 200000111	General Ledger Code:	General Ledger Code: 45	General Ledger Code: 45
Source System: FCUBS Source System GL Code: 200000111	Source System: OBVAM Source System GL Code: 200000112	Source System: OBVAM Source System GL Code: 200000112	Source System: OBVAM Source System GL Code: 2000001127
Authorized 🔒 Open	🗟 Unauthorized 🔒 Open	🗟 Unauthorized 🔒 Open	Authorized 🔒 Open
General Ledger Code: 2000001122	General Ledger Code: 2000001138	General Ledger Code: 45	General Ledger Code: 45
Source System: OBVAM Source System GL Code: 2000001122	Source System: OBVAM Source System GL Code: 2000001138	Source System: OBVAM Source System GL Code: 200000190	Source System: OBVAM Source System GL Code: 200000197
Authorized 🔒 Open	Authorized 🔒 Open	Ruthorized 🔒 Open	Authorized 🔒 Open
Field	Description		
General Ledger Code	Displays the code of	of the general ledger.	



Field	Description	
Source System	Displays the source system.	
Source System GL Code	Displays the GL code of the source system.	
Status	Displays the status of the record.	

Create External Chart Account

The maintenance screen allows you to configure external chart accounts.

How to reach here:

Core Maintenance > External Chart Account > Create External Chart Account

Create External Chart Account					× -
New					
General Ledger Code					
General Ledger Description	Source System		Source System GL Code	Category	
		9			
Blocked					
					Save Cancel

How to add an external chart account:

1. In the Create External Chart Account screen, provide the required details:

- General Ledger Code: Enter a general ledger code.
- General Ledger Description: Enter additional information about the general ledger.
- Source System: Click Search to view and select the required source system.
- Source System GL Code: Enter the source system GL code.
- Category: Select a category from the dropdown list.
- Blocked: By default, this is disabled. If selected, indicates the external chart account is blocked.
- 2. Click Save. You can view the configured external chart details in the View External Chart Account.

External Customer

You can configure the external customer details.

View External Customer

The summary screen provides a list of configured external customer details. You can configure the external customers using the Create External Customer.

How to reach here:

Core Maintenance > External Customer > View External Customer

ч с +			
Customer Name: Ideal Trading Corpor	Customer Name: A1 property Managers 45	Customer Name: Future Motor Inc	Customer Name: Global Shipping Cor 🖘
Source System: FCUBS Customer Type: C	Source System: FCUBS Customer Type: C	Source System: FCUBS Customer Type: C	Source System: FCUBS Customer Type: C
Customer Number: 001734	Customer Number: 001736	Customer Number: 001735	Customer Number: 000039
Source Customer ID: 001734	Source Customer ID: 001736	Source Customer ID: 001735	Source Customer ID: 000039
🂫 Authorized 🔒 Open	🗟 Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open
Customer Name:	Customer Name:		
tata motors 💦 🍸	Child Care Organizat		
Source System: OBVAM	Source System: FCUBS		
Customer Type: C	Customer Type: C		
Customer Number: tata1234	Customer Number: 001762		
Source Customer ID: tata1234	Source Customer ID: 001762		

Field	Description
Customer Name	Displays the name of the customer.
Source System	Displays the source system details.
Customer Type	Displays the type of the customer.
Customer Number	Displays the customer number associated with the customer name.
Source Customer ID	Displays the source of the customer ID associated with the customer name.
Status	Displays the status of the record.

Create External Customer

The maintenance screen allows you to configure the external customer details.

How to reach here:

Core Maintenance > External Customer > Create External Customer



Create External Customer				$_{\mu}^{st}$ \times
New				
Customer Details				
Customer Number *	Customer Name *	Short Name	Customer Type	
Source Customer ID *	Source System *	Customer Category	Individual Corporate Bank Relationship Manager ID	
Address				
Address Line 1	Address Line 2	Address Line 3	Address Line 4	
Country	Postal Code			
Other Details Deceased Walk-in Customer	Frozen Language *	Whereabouts Unkown Nationality	Sanction Check Required	
			Save	Cancel

How to add an external customer:

1. In the Create External Customer screen, provide the required details:

Customer Details

- Customer Number: Enter a number for the customer.
- Customer Name: Enter a name for the customer.
- Short Name: Enter a short name for the customer.
- Customer Type: Select one of the options:
 - Individual: If selected, the customer is an individual customer.
 - Corporate: If selected, the customer is a corporate customer.
 - Bank: If selected, the customer is a bank employee.
- Source Customer ID: Enter the source customer ID.
- Source System: Click Search to view and select the required source system.
- Customer Category: Click Search to view and select the required customer category.
- Relationship Manager ID: Enter the relationship manager ID.

Address

- Address Line 1-4: Enter the customer address details.
- Country: Click Search to view and select the required country.
- Postal Code: Enter the postal code details.

Other Details

- Deceased: By default, this is disabled. If selected, indicates the customer is deceased.
- Frozen: By default, this is disabled. If selected, indicates the customer account is frozen.
- Whereabouts Unknown: By default, this is disabled. If selected, indicates the customer's whereabouts are unknown.
- Sanction Check Required: By default, this is disabled. If selected, indicates the sanction check is required.
- Walk-in Customer: By default, this is disabled. If selected, indicates a walk-in customer.
- Language: Click **Search** to view and select the required language.



- Nationality: Click **Search** to view and select the required nationality.
- 2. Click Save. You can view the configure external customer details in the View External Customer.

External Customer Account


You can configure the external customer account details.

View External Customer Account

The summary screen provides a list of configured external customer accounts. You can configure the external customer accounts using the Create ECA System.

How to reach here:

Core Maintenance > External Customer Account > View External Customer Account



Field	Description
Customer Number	Displays the customer number associated with the account name.
Customer Account Number	Displays the customer account number associated with the account name.
Account Name	Displays the name of the account.
Status	Displays the status of the record.

Create External Customer Account

The maintenance screen allows you to configure external customer account details.

How to reach here:

Core Maintenance > External Customer Account > Create External Customer Account



Create External Customer Account			,,** ×
New			
Account Details			
Customer Account Number *	Account Name *	Customer Number *	Customer Name
		0,	Not Selected
Account Class	Account Currency	Source Account Branch *	Source Customer Account *
Nostro Account 👻	0	9	
Account IBAN			
Address			
Address Line 1	Address Line 2	Address Line 3	Address Line 4
Country			
٩			
Other Details			
No Credit	No Debit	Blocked	Frozen
		\bigcirc	
Dormant	External Credit Approval Required	External Credit Approval System *	Host Code *
	\bigcirc	Q	9
Account Open Date	0		
mmm d, y			
			Save Cancel

How to add an external customer account:

1. In the Create External Customer Account screen, provide the required details:

Account Details

- Customer Account Number: Enter the customer account number.
- Account Name: Enter the name for an account.
- Customer Number: Click Search to view and select the required customer number.
- Customer Name: Based on the Customer Number selected, the information is auto-populated.
- Account Class: Select the account class from the dropdown list.
- Account Currency: Click Search to view and select the required account currency.
- Source Account Branch: Click Search to view and select the required source account branch.
- Source Customer Account: Based on the Source Account Branch selected, the information is autopopulated.
- Account IBAN: Enter the account IBAN details.

Address

- Address Line 1-4: Enter the address details.
- Country: Click Search to view and select the required country.

Other Details

- No Credit: By default, this is disabled. If selected, indicates the account does not have any credit facility.
- No Debit: By default, this is disabled. If selected, indicates the account does not have any debit facility.
- Blocked: By default, this is disabled. If selected, indicates the account status is blocked.
- Frozen: By default, this is disabled. If selected, indicates the account status is frozen.
- Dormant: By default, this is disabled. If selected, indicates the account status is dormant.
- External Credit Approval Required: By default, this is disabled. If selected, indicates ECA check is
 required for the external customer account.
- External Credit Approval System: Click Search to view and select the required external credit approval system.



- Host Code: Enter the host code details.
- Account Open Date: Select an effective date for the account from the dropdown calendar.
- 2. Click **Save**. You can view the configure external customer account details in the View External Customer Account.

Forget Process

The Personally identifiable information (PII) is any data that could potentially identify a specific individual. PII data access can be controlled based on the user role and you can configure details of a customer who wants to be forgotten if the customer withdraws/does not avail the virtual account facility.

View Forgotten Customers

The summary screen provides a list of configured customer to be forgotten. You can configure a customer detail who wants to be forgotten using the Forget Customer.

How to reach here:

View Forgotten Customers × × Process Type: cess Type CUSTOMER_INITIATED CUSTOMER_INITIATED BANK_INITIATED BANK_INITIATED Process ID: 90eda611-e9aa-4bde-9e92-.. Process ID: d4d46cd4-1afe-4604-bd0e-5... Process ID: 28c808ec-e5a6-4fee-8406-6.. Process ID: fc152611-2074-4893-b698-7... Maker: ROHIT Maker: ROHIT Maker: ROHIT Maker: ROHIT Authorized 🔒 Open 🗟 Unauthorized 🛛 🔒 Open 💦 Authorized 🛛 🔒 Open 💦 Authorized 🛛 🔒 Open CUSTOMER_INITIATED BANK_INITIATED BANK_INITIATED BANK_INITIATED Process ID: 58331221-8066-4c58-9280-0... Process ID: a1946ce7-97b5-47ae-a66c-5... Process ID: 47fdfa71-7d41-42a7-8af8-22... Process ID: e7b44912-0687-4b84-99ba-c. Maker: ROHIT Maker: ROHIT Maker: ROHIT Maker: ROHIT 🗟 Unauthorized 🛛 🔒 Open 🗟 Unauthorized 🛛 🔒 Open 🗟 Unauthorized 🛛 🔒 Open Authorized 🔒 Open

Core Maintenance > Forget Process > View Forgotten Customers

Field	Description
Process Type Indicates if the process is initiated by the customer/bank.	
Process ID	Displays the forgotten customer's process ID.
Maker	Displays the name of the user who has configured the forgotten customer details.
Status	Displays the status of the record.

Forget Customer

The maintenance screen allows you to configure a customer to be forgotten.

How to reach here:

Core Maintenance > Forget Process > Forget Customer



Forget Custo	omer			,,** ×
New				
Forget Custome	er Process ID *	Forget Customer Pro	ocess Type	
		Customer Initiat	Bank Initiated	
				+ -
	Customer Number	1	Process Status	
No data to dis	play.			
Page 1 (0 of 0	Ditems) K < 1 > >			
			Sa	ve Cancel

How to add details to forget a customer:

1. In the Forget Customer screen, provide the required details:

- Forget Customer Process ID: Enter a forget customer process ID.
- Forget Customer Process Type: Select one of the options:
 - Customer Initiated: If selected, indicates the customer has initiated the process.
 - Bank Initiated: If selected, indicates the bank has initiated the process.
- 2. Click + to add a row and provide the customer/bank details.
- 3. Click Save. You can view the configured forgotten customers in the View Forgotten Customers.

Host Code

You can group branches in the same zone or region under a host for specific processing. You can have multiple hosts depending on processing requirements.

View Host Code

The summary screen provides a list of configured host codes. You can configure the host code using the Create Host Code

How to reach here:

Core Maintenance > Host Code > View Host Code

View Host Code								×.
९ с +								i.
Default Branch Code: 000	45	Default Branch Code: 000	45	Default Branch Code: 000	>	Default Branch Code: 000	45	
Processing Time Zone: GMT Host Code: RL01 Country Code: USA		Processing Time Zone: GMT Host Code: HCODE Country Code: USA		Processing Time Zone: GMT+5.30 Host Code: H0534 Country Code: GB		Processing Time Zone: GMT+5.30 Host Code: HOS22 Country Code: GB		
Authorized 🔒 Open		Authorized 🔒 Closed		🂫 Authorized 🔒 Open		🗟 Unauthorized 🔒 Open		
Default Branch Code: 000	45	Default Branch Code: 000	45	Default Branch Code: 000	>	Default Branch Code: 000	45	
Processing Time Zone: GMT+5.30 Host Code: HOS38 Country Code: GB		Processing Time Zone: GMT+5.30 Host Code: HOS25 Country Code: GB		Processing Time Zone: GMT+5.30 Host Code: HOS28 Country Code: GB		Processing Time Zone: GMT+5.30 Host Code: HOS31 Country Code: GB		
💫 Authorized 🔒 Open		🖒 Authorized 🔒 Open		🂫 Authorized 🔒 Open		💫 Authorized 🔒 Open		

Field	Description
Default Branch Code	Displays the default branch code associated with the host code.
Processing Time Zone	Displays the processing time zone.
Host Code	Displays the host code details.
Country Code	Displays the country code details.
Status	Displays the status of the records.

Create Host Code

The maintenance screen allows you to configure host code.

.

How to reach here:

Core Maintenance > Host Code > Create Host Code

New Host Code * Description *		
Country Code * Processing Time Zone *	Default Branch Code *	
٩	Q	

How to add a host code:

1. In the Create Host Code screen, provide the required details:

- Host Code: Enter the host code details.
- Description: Enter additional information about the host code.
- Country Code: Click Search to view and select the required country code.
- Processing Time Zone: Enter the processing time zone details.
- Default Branch Code: Click Search to view and select the required default branch code.

2. Click Save. You can view the configured host code details in the View Host Code.



Language Code

You can configure a language code.

View Language Code

The summary screen provides a list of configured language code. You can configure a language code using the Create Language Code.

How to reach here:

Core Maintenance > Language Code > View Language Code

х с +			
Language ISO Code:	Language ISO Code:	Language ISO Code:	Language ISO Code:
KN	FR	HI	FR
Language Code: KAN	Language Code: F45	Language Code: HIN	Language Code: F38
Language Name: KANNADA	Language Name: FRENCH	Language Name: HINDI	Language Name: FRENCH
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open
Language ISO Code:	Language ISO Code:	Language ISO Code:	Language ISO Code:
FR	FR	FR	FR
Language Code: F43	Language Code: F46	Language Code: F47	Language Code: FR1
Language Name: FRENCH	Language Name: FRENCH	Language Name: FRENCH	Language Name: FRENCH
💫 Authorized 🛛 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	🗟 Unauthorized 🎧 Open

Field	Description
Language ISO Code	Displays the ISO code of the language.
Language Code	Displays the code of the language.
Language Name	Displays the name of the language.
Status	Displays the status of the record.

Create Language Code

The maintenance screen allows you to configure a language code.

How to reach here:

Core Maintenance > Language Code > Create Language Code

Create Language Code			,, ¹⁶ ×
New Language Code *			
Language Name	Display Direction	Language ISO Code	
			Save Cancel



How to add a language code:

1. In the Create Language Code screen, provide the required details:

- Language Code: Enter a code for the language.
- Language Name: Enter a name for the language associated with the language code.
- Display Direction: Enter the display direction.
- Language ISO Code: Enter the language ISO code.

2. Click Save. You can view the configured language code details in the View Language Code.

Local Holiday

You can configure a local holiday.

View Local Holiday

The summary screen provides a list of configured local holidays. You can configure a local holiday using the Create Local Holidays.

How to reach here:

Core Maintenance > Local Holiday > View Local Holiday

View Local Holiday			$_{\mu}^{\mu}$ \times
ч с +			II =
Branch Code:	Branch Code:	Branch Code:	Branch Code:
018	000	AT2	000
Unexpected Holiday: Y	Unexpected Holiday: N	Unexpected Holiday:	Unexpected Holiday:
Year: 2018	Year: 2018	Year: 2018	Year: 2000
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	🗟 Unauthorized 🔒 Open
Branch Code:	Branch Code:	Branch Code:	
000	861	000	
Unexpected Holiday:	Unexpected Holiday:	Unexpected Holiday:	
Year: 2010	Year: 2018	Year: 2002	
🂫 Authorized 🔒 Open	Authorized 🔒 Open	🖹 Unauthorized 🔒 Open	

Field	Description
Branch Code	Displays the code of the branch.
Unexpected Holiday	Indicates if the record is an unexpected holiday.
Year	Displays the year of the holiday.
Status	Displays the status of the record.

Create Local Holidays

The maintenance screen allows you to configure local holidays.

How to reach here:

Core Maintenance > Local Holiday > Create Local Holiday



Create Local Holiday

ancl	n Cod	e				0		Y	'ear *								We	ekly F	lolida	ys						Une	expected Holid
		anua	ary	201	9			F	ebru	ary	201	9				Mare	ch	2019					Apr	il 2	2019		
i.	М	Т	W	T	F	S	S	М	Т	W	Т	F	S	S	М	Т	W	Т	F	S	S	М	Т	W	Т	F	S
		1	2	3	4	5						1	2						1	2		1	2	3	4	5	6
	7	8	9	10	11	12	3	4	5	6	7	8	9	3	4	5	6	7	8	9	7	8	9	10	11	12	13
3	14	15	16	17	18	19	10	11	12	13	14	15	16	10	11	12	13	14	15	16	14	15	16	17	18	19	20
														17	18	19	20	21	22	23	21	22	23	24	25	26	27
20	21	22	23	24	25	26	17	18	19	20	21	22	23	24	25	26	27	28	29	30	28	29	30				
7	28	29	30	31			24	25	26	27	28			31													
		Ma	y 2	2019					Jun	e 2	019					July	/ 2	019				1	Augu	ist	2019	9	
S	М	Т	W	Т	F	S	S	М	Т	W	т	F	S	S	М	т	W	Т	F	S	S	М	Т	W	Т	F	S
			1	2	3	4							1		1	2	3	4	5	6					1	2	3
5	6	7	8	9	10	11	2	3	4	5	6	7	8	7	8	9	10	11	12	13	4	5	6	7	8	9	10
2	13	14	15	16	17	18	9	10	11	12	13	14	15	14	15	16	17	18	19	20	11	12	13	14	15	16	17
_		~ ~	~~	~~	~ ·	~~	16	17	18	19	20	21	22	~	~~		~ .	~~	~~				~~	~ *	~~	~~	~.

How to add a local holiday:

- 1. In the Create Local Holiday screen, provide the required details:
 - Branch Code: Click Search to view and select the required branch code.
 - Year: Enter the year details.
 - Weekly Holidays: By default, this is disabled. If selected, you can define weekly holidays.
 - Unexpected Holidays: By default, this is disabled. If selected, you can define unexpected holidays.
- 2. Select the dates using the calendar. The selected dates appear in pink highlighted circle.
- 3. Click **Save**. You can view the configured local holiday details in the View Local Holiday.

Media

You can configure media information.

View Media

The summary screen provides a list of configured media. You can configure a media using the Create Media.

How to reach here:

Core Maintenance > Media > View Media





"* ×

Field	Description
Media	Displays the name of the media.
Media Number	Displays the number of the media.
Status	Displays the status of the record.

Create Media

The maintenance screen allows you to configure media.

How to reach here:

Core Maintenance > Media > Create Media

Create Media				$_{\mu}^{x}$ \times
New				
Media Code *				
Media Description *				
Media Number	Message Terminator	Message Suffix	Stop Process	
Padding Required	TW Required Status	Media Priority *	No Of Character	
▲ 1 + Media Code *	Compatible Media *			
			Save	Cancel

How to add media:

- 1. In the Create Media screen, provide the required details:
 - Media Code: Enter a unique media code to identify while associating with an advice.
 - Media Description: Enter additional information about the media.
 - Media Number: Enter a unique number for the media type.
 - Message Terminator: Enter the padded characters to mark the end of an incoming messages.
 - Message Suffix: Enter the padding characters to mark the end of an outgoing messages.
 - Stop Process: By default, this option is disabled. If selected, halts the processing of incoming and outgoing messages.
 - Padding Required: By default, this option is disabled. If selected, pads the characters in every outgoing messages.
 - TW (Test Word) Required Status: By default, this option is disabled. If selected, enables the option for word testing.
 - Media Priority: Select a media priority from the spin box. When a message is dispatched to the customers, the media type used for sending the messages will be the one that is on high priority.
 - Number of Character: Select a number the padding characters should be repeated for the advice from the spin box.



Media Details

By default, fields that require an media details appear. You can click + to add multiple media details and click - to remove a media details.

- Media Code: Enter a unique media code to identify while associating with an advice.
- Compatible Media: By default, this option is disabled. If selected, indicates the media is compatible.

2. Click Save. You can view the configured media details in the View Media.

System Dates

You can view the system date details.

View System Dates

The summary screen provides a list of configured system date.

How to reach here:

Core Maintenance > System Dates > View System Dates

View System Dates							
९ c			∎ ≡				
Branch Code: 018	Branch Code:	Branch Code: AT2	Branch Code:				
Today's Date: 2018-06-21 Today's Date in Text:	Today's Date: 2018-06-21 Today's Date in Text:	Today's Date: 2018-07-02 Today's Date in Text:	Today's Date: 2018-06-24 Today's Date in Text:				
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open				

Field	Description
Branch Code	Displays the code of the branch.
Today's Date	Displays system's current date.
Today's Date in Text	Displays the system's current date in words.
Status	Displays the status of the record.

Transaction Code

You can configure the transaction code.

View Transaction Code

The summary screen provides a list of configured transaction code. You can configure a transaction code using the Create Transaction Code.

How to reach here:

Core Maintenance > Transaction Code > View Transaction Code



/iew Transaction Code						,	×
ч с +							=
Source System: EXTSYS	\$	Source System: FCUBS	\$	Source System:	Source System: FCUBS	\$	
Transaction Code: 000 Source Transaction Code: 000		Transaction Code: 103 Source Transaction Code: AT1		Transaction Code: T68 Source Transaction Code: AT1	Transaction Code: T73 Source Transaction Code: AT1		
💫 Authorized 🔒 Open		Authorized 🔒 Open		🗟 Unauthorized 🔒 Open	Authorized 🔒 Open		
Source System: FCUBS	φ	Source System: FCUBS	45	Source System:	Source System: FCUBS	45	
Transaction Code: T74		Transaction Code: 175		Transaction Code: 134	Transaction Code: T87		
Source Transaction Code: AT1		Source Transaction Code: AT1		Source Transaction Code: AT1	Source Transaction Code: AT1		
🔥 Authorized 🛛 🔒 Open		🂫 Authorized 🔒 Open		💫 Authorized 🔒 Open	🂫 Authorized 🔒 Open		

Field	Description
Source System	Displays the source system details.
Transaction Code	Displays the transaction code details.
Source Transaction Code	Displays the source transaction code associated with the transaction code.
Status	Displays the status of the record,

Create Transaction Code

The maintenance screen allows you to configure transaction code details.

How to reach here:

Core Maintenance > Transaction Code > Create Transaction Code

Create Transaction Code		"* ×
New		
Transaction Code *	Description	
Source System	Source Transaction Code	
		Save Cancel

How to add a transaction code:

1. In the Create Transaction Code screen, provide the required details:

- Transaction Code: Enter the transaction code details.
- Description: Enter additional information about the transaction code.
- Source System: Click Search to view and select the required source system.
- Source Transaction Code: Enter the source transaction code details.
- 2. Click Save. You can view the configured transaction code details in the View Transaction Code.



Upload Source

You can upload a source code.

View Upload Source

The summary screen provides a list of configured source code. You can upload a source code using the Create Upload Source.

How to reach here:

Core Maintenance > Upload Source > View Upload Source

/iew Upload Source							
« с +			II =				
Upload Source: EXTSYS	Upload Source: KISO05	Upload Source: VAM194	Upload Source: VAM1127				
Source Description: External System	Source Description: INDIVIDUAL ACCOU	Source Description: Virtual Accounts Cr	Source Description: Virtual Accounts Cr				
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open				
Upload Source: VAM152	Upload Source: VAM192	Upload Source: VAM1110	Upload Source: VAM1138				
Source Description: Virtual Accounts Cr							
Authorized 🔒 Open	Authorized 🔒 Open	💫 Authorized 🔒 Open	Authorized 🔒 Open				

Field	Description
Upload Source	Displays the upload source details.
Source Description	Displays information about the source code.
Status	Displays the status of the record.

Create Upload Source

The maintenance screen allows you to upload source.

How to reach here:

Core Maintenance > Upload Source > Create Upload Source

Create Upload Source			$_{\mu }^{a\ell } \ \times \\$
New			
Source Code			
Source Description	Base Data From Flexcube	System Authorization Required	
		Save	Cancel

How to upload source:

- 1. In the Create Upload Source screen, provide the required details:
 - Source Code: Enter the source code details.



- Source Description: Enter additional information of the source code.
- Base Data from Flexcube: By default, this is disabled. If selected, indicates the base data is from Flexcube.
- System Authorization Required: By default, this is disabled. If selected, indicates the system requires authorization.
- 2. Click Save. You can view the configured upload source details in the View Upload Source.

Upload Source Preference

You can configure upload source preference.

View Upload Source Preference

The summary screen provides a list of configured upload source preferences. You can configure an upload source preference using the Create Upload Source Preference.

How to reach here:

Core Maintenance > Upload Source Preference > View Upload Source Preference

View Upload Source Preference		$_{\mu}^{e}$ \times
ч с +		
Source Code: OBVAM001	Source Code: VAM180	
Status: A	Status: A	
Purge Days: 2	Purge Days: 2	
Authorized 🔒 Open	🖹 Unauthorized 🔒 Open	

Field	Description
Source Code	Displays the code of the source.
Status	Displays the status of the post upload.
Purge Days	Displays the number of purge days.
Status	Displays the status of the record.

Create Upload Source Preference

The maintenance screen allows you to configure upload source preference.

How to reach here:

Core Maintenance > Upload Source Preference > Create Upload Source Preference



Create Upload Source Preference			"* ×
New			
Source code			
Error Handling			
On Error	On Override	On Repairable Exception	On Queue Exception
Reject	Ignore 💌	Reject 💌	Reject 💌
Post Upload			
Status	Purge Days	Allow Deferred Processing	Allow EOD with Deferred
Authorize 💌	~ ~	\bigcirc	
Deletion Allowed	Reverse Allowed	Ammend Allowed	Proceed with EOD
\bigcirc	\bigcirc	\bigcirc	\bigcirc
			Save Cancel

How to add an upload source preference:

1. In the Create Upload Source Preference screen, provide the required details:

• Source Code: Click **Search** to view and select the required source code.

Error Handling

- On Error: Select an error from the dropdown list.
- On Override: Select an override from the dropdown list.
- On Repairable Exception: Select a repairable exception from the dropdown list.
- On Queue Exception: Select a queue exception from the dropdown list.

Post Upload

- Status: Select a status from the dropdown list.
- Purge Days: Enter the purging days if you want to maintain any days to be purged while processing interface.
- Allow Deferred Processing: By default, this is disabled. If selected, defers process the upload source preference.
- Allow EOD with Deferred: By default, this is disabled. If selected, processes the EOD with deferred.
- Deletion Allowed: By default, this is disabled. If selected, deletes the upload source preferences.
- Reverse Allowed: By default, this is disabled. If selected, reverses the upload source preferences.
- Amend Allowed: By default, this is disabled. If selected, amends the upload source preferences.
- Proceed with EOD: By default, this is disabled. If selected, proceeds with the EOD.
- 2. Click **Save**. You can view the configured upload source preference details in the View Upload Source Preference.



Index

A

Advice1	
Amount Text Language1, 3	
Amount Text Language Maintenance2, 3	
Amount Text Language Summary1, 3	

В

BIC Directory4
BIC Directory Maintenance5
BIC Directory Summary5

С

Country Code	7
Country Code Maintenance	8
Country Code Summary	
Currency Definition	24
Currency Definition Maintenance	10
Currency Definition Summary	9
Currency Exchange Rate	12
Currency Exchange Rate Maintenance	13
Currency Exchange Rate Summary	12
Currency Holiday	14
Currency Holiday Maintenance	14
Currency Holiday Summary	14
Currency Pair Definition	15
Currency Pair Definition Maintenance	
Currency Pair Definition Summary	15
Currency Rate Type	17
Currency Rate Type Maintenance	18
Currency Rate Type Summary	17
Customer Category	18
Customer Category Maintenance	19
Customer Category Summary	

Е

7
21
21
21
22
23
22
24
25
24
19
20
20
25, 31

External Customer Maintenance	26
External Customer Summary	25
External Customer Account	28
External Customer Account Maintenance	28
External Customer Account Summary	28

F

Forget Customer	37
Forget Customer Maintenance	30

н

Host Code	31
Host Code Maintenance	32
Host Code Summary	31

L

Language Code	33
Language Code Maintenance	
Language Code Summary	
Local Holiday	34, 35
Local Holiday Summary	
35	
Local Holidays Maintenance	
36	

S

System Date	
System Date Maintenance	
System Date Summary	

т

Transaction Code	24
Transaction Code Maintenance	38
Transaction Code Summary	37

U

Upload Source	39
Upload Source Maintenance	39
Upload Source Summary	39
Upload Source Preference	40
Upload Source Preference Maintenance Upload Source Preference Summary	



Reference and Feedback

References

For more information on any related features, you can refer to the following documents:

- Oracle Banking Security Management System User Guide
- Oracle Banking Getting Started User Guide

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/us/corporate/accessibility/index.html.

Feedback and Support

Oracle welcomes customers' comments and suggestions on the quality and usefulness of the document. Your feedback is important to us. If you have a query that is not covered in this user guide or if you still need assistance, please contact documentation team.

