GWPKS_NEWMANUALMATCH Package
Extensible Hook Details
Release 14.5.2.0.0
Part No.F45976-01

August 2021

ORACLE®

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Contents

Parameter	Description
Function	FN_BUILD_EXTERNAL_ENTRY
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_NEWMNLMATCH_PROC_MSG
Additional parameters	
Sent to Extensible layer	l_tb_cluster_data('P_EQUERY') := P_EQUERY; l_tb_cluster_data('L_CURR_LEVEL') := L_CURR_LEVEL;
Received from Extensible layer	L_CURR_LEVEL := l_Tb_Cluster_Data('L_CURR_LEVEL');
Hook Description	Hook has been provided in function fn_build_external_entry in package gwpks_newmanualmatch.Call has been given to function fn_mnlmatch_bld_new_ext_entry of package gwpkss_ext_Reservice.

Description	Hook has been provided in function fn_build_external_entry in package gwpks_newmanualmatch.Call has been given to function fn_mnlmatch_bld_new_ext_entry of package gwpkss_ext_Reservice.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	28176190

Parameter	Description
Function	FN_BUILD_INTERNAL_ENTRY
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_MNLMATCH_BLD_NEW_INT_ENTRY
Additional parameters	
Sent to Extensible layer	l_tb_cluster_data('P_IQUERY') := P_IQUERY; l_tb_cluster_data('L_CURR_LEVEL') := L_CURR_LEVEL;
Received from Extensible layer	L_CURR_LEVEL := l_Tb_Cluster_Data('L_CURR_LEVEL');
Hook Description	Hook has been provided in function fn_build_internal_entry in package gwpks_newmanualmatch.Call has been given to function fn_mnlmatch_bld_new_int_entry of package gwpkss_ext_Reservice.

Description	Hook has been provided in function fn_build_internal_entry in package gwpks_newmanualmatch.Call has been given to function fn_mnlmatch_bld_new_int_entry of package gwpkss_ext_Reservice.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	28204506

Parameter	Description
Function	PR_PROCESS_MSG
No of Parameters	0

ORACLE®

Function Call Id	1
Cluster/Custom Function Name	FN_NEWMNLMATCH_PROC_MSG
Additional parameters	
Sent to Extensible layer	l_tb_custom_data('l_tag_name') := l_tag_name; l_tb_custom_data('l_tag_value') := l_tag_value;
Received from Extensible layer	l_tag_name:=l_tb_custom_data('l_tag_name'); l_tag_value:=l_tb_custom_data('l_tag_value');
Hook Description	Hook has been provided in function pr_process_msg in package gwpks_newmanualmatch. Call has been given to function fn_newmnlmatch_proc_msg of package gwpks_ext_Reservice.

Description	Hook has been provided in function pr_process_msg in package gwpks_newmanualmatch. Call has been given to function fn_newmnlmatch_proc_msg of package gwpks_ext_Reservice.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	28385441

ORACLE®