

Pre-Installation Guide
Oracle Banking Electronic Data Exchange for Corporates
Release 14.5.0.0.0

Part No. F46661-01

September 2021

ORACLE®

Pre-Installation Guide

September 2021

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway

Goregaon (East)

Mumbai, Maharashtra 400 063

India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2006, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

1. Preface	1-1
1.1 Intended Audience.....	1-1
1.2 Documentation Accessibility.....	1-1
1.3 Access to Oracle Support.....	1-1
1.4 Structure	1-1
1.5 Related Information Sources	1-1
2. Installation Process	2-1
2.1 Execution Order of Installation Manual.....	2-1
2.2 Supporting Documents	2-1
2.3 Prerequisite.....	2-1
2.4 Annexure	2-3

1. Preface

1.1 Intended Audience

This document is intended for the following audience:

- Customers
- Partners

1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Structure

This manual is organized into the following categories:

Preface gives information on the intended audience. It also describes the overall structure of the User Manual.

The subsequent chapters describes following details:

- Introduction
- Preferences & Database
- Configuration / Installation.

1.5 Related Information Sources

For more information on Oracle Banking Electronic Data Exchange for Corporates Release 14.5.0.0.0, refer to the following documents:

- Oracle Banking Electronic Data Exchange for Corporates Installation Manuals

2. Installation Process

This document details out the order (sequence) in which the user must carry on the installation process. The common services required by OBEDXC application are also listed

2.1 **Execution Order of Installation Manual**

Oracle Banking Electronic Data Exchange for Corporates Installer Guide proceeds with other installations guide:

- Oracle Banking Microservices Platform Foundation Installation Guide
- Oracle Banking Security Management System Services Installation Guide
- Oracle Banking Common Core Services Installation Guide
- Oracle Banking Electronic Data Exchange for Corporates Service Installation Guide

2.2 **Supporting Documents**

- Oracle Banking Microservices Platform Foundation – ANNEXURE-1 (for LDAP Setup)

2.3 **Prerequisite**

OSDC package consists of 5 zip files. Before proceeding with installation, you have to unzip them into the same common folder.

OBEDX_14.5.0.0.0_CD1.zip

OBEDX_14.5.0.0.0_CD2.zip

OBEDX_14.5.0.0.0_CD3.zip

OBEDX_14.5.0.0.0_CD4.zip

OBEDX_14.5.0.0.0_CD5.zip

2.3.1 **Software Prerequisite List**

- Oracle Database Enterprise Edition
- Oracle WebLogic Server Standard Edition
- LDAP server
- Apache Kafka
- Apache ZooKeeper
- Conductor Server

2.3.2 PLATO Installation

2.3.2.1 List of Services required for Electronic Data Exchange for Corporates

1. PLATO-CONFIG-SERVICE
2. PLATO-API-GATEWAY
3. PLATO-DISCOVERY-SERVICE
4. PLATO-UI-CONFIG-SERVICES
5. PLATO-BATCH-SERVER
6. PLATO-ORCH-SERVICE

Refer 'Oracle Banking Plato Infrastructure Services Installation Guide' for further details on deployments.

2.3.3 SMS Installation

2.3.3.1 List of Services required for Electronic Data Exchange for Corporates

1. SMS-CORE-SERVICES

2.3.4 COMMON CORE Installation

2.3.4.1 List of Services required for Electronic Data Exchange for Corporates

1. CMC-BASE-SERVICE
2. CMC-BRANCH-SERVICE
3. CMC-CURRENCY-SERVICE
4. CMC-CUSTOMER-SERVICE
5. CMC-DATASEGMENT-SERVICES
6. CMC-RESOURCE-SEGMENT-ORCHESTRATOR-SERVICE
7. CMC-SCREENCLASS-SERVICES
8. CMC-TRANSACTIONCONTROLLER-SERVICES
9. CMC-ACCOUNT-SERVICE

2.4 Annexure

2.4.1 plato-config-deploy.env

The below properties have fixed values and should not be changed.

#	Property	Value
1	flywayTask	migrate
2	flyway.enabled	true
3	flyway.outOfOrder	true
4	flyway.ignoreMissingMigrations	true
5	spring.flyway.baselineOnMigrate	true
6	spring.flyway.enabled	true
7	plato-config.flyway.jndi.datasource.enabled	true
8	flyway.domain.locations	db/migration/domain/plato, db/migration/domain/sms, db/migration/domain/cmc, db/migration/domain/obedx
9	flyway.domain.placeholders.plato-config.jndi	jdbc/PLATO
10	flyway.domain.placeholders.api-gateway.jndi	jdbc/PLATO_SECURITY
11	flyway.domain.placeholders.cmc.jndi	jdbc/CMNCORE
12	flyway.domain.placeholders.cmncore.db.jndi	jdbc/CMNCORE
13	flyway.domain.placeholders.cmncore.jndi	jdbc/CMNCORE
14	flyway.domain.placeholders.facilities.db.jndi	jdbc/CMNCORE
15	flyway.domain.placeholders.obrh.db.jndi	jdbc/CMNCORE
16	flyway.domain.placeholders.plato-alerts-management-services.jndi	jdbc/PLATOALERTS
17	flyway.domain.placeholders.plato-batch-server.jndi	jdbc/PLATOBATCH
18	flyway.domain.placeholders.plato-feed-services.jndi	jdbc/PLATOFEED
19	flyway.domain.placeholders.plato-ui-config.jndi	jdbc/PLATO_UI_CONFIG
20	flyway.domain.placeholders.plato.db.jndi	jdbc/PLATO

#	Property	Value
21	flyway.domain.placeholders.platoui.db.jndi	jdbc/PLATO_UI_CONFIG
22	flyway.domain.placeholders.screenclass.db.jndi	jdbc/CMNCORE
23	flyway.domain.placeholders.sms.db.jndi	jdbc/sms
24	flyway.domain.placeholders.sms.jndi	jdbc/sms
25	flyway.domain.placeholders.txncontroller.db.jndi	jdbc/CMNCORE
26	flyway.domain.placeholders.checklistmanagement-services.jndi	jdbc/CMNCORE
27	flyway.domain.placeholders.cmc-checklist-services.jndi	jdbc/CMNCORE
28	flyway.domain.placeholders.report-service.domain.jndi	jdbc/REPORTSERVICE
29	flyway.domain.placeholders.platoorch.domain.jndi	jdbc/PLATO-O
30	flyway.domain.placeholders.plato-config.db.jndi	jdbc/PLATO
31	flyway.domain.placeholders.platorule.domain.jndi	jdbc/PLATORULE
32	flyway.domain.placeholders.obremo-csr-cus-customer-services.jndi	jdbc/CMNCORE
33	flyway.domain.placeholders.obremo-dsr-tds-term-deposit-services.jndi	jdbc/CMNCORE
34	flyway.domain.placeholders.obremo-lsr-loan-services.jndi	jdbc/CMNCORE
35	flyway.domain.placeholders.obedx.db.jndi	jdbc/OBEDX

You should provide appropriate values for the below fields

#	Property	Value
1	PLATO_CONFIG_MANAGED_SERVER_NAME	<plato config managed server name>
2	flyway.domain.placeholders.plato-config.environment	<plato environment>
3	flyway.domain.placeholders.plato-config.schemas	<plato schema password>
4	plato-config.flyway.domain.schemas	<plato schema password>
5	flyway.domain.placeholders.plato-config.sessionIdleTimeout	<session idle timeout>
6	flyway.domain.placeholders.plato-config.sessionIdleWarningTime	<session idle warning time>
7	flyway.domain.placeholders.flyway.plato.schema	<plato schema password>
8	flyway.domain.placeholders.flyway.domain.schema	<plato schema password>
9	flyway.domain.placeholders.plato.eventhub.broker.hosts	<kafka host>:<kafka port>
10	flyway.domain.placeholders.plato.eventhub.zookeeper.hosts	<zookeeper host>:<zookeeper port>
11	flyway.domain.placeholders.cmc-obrh-services.kafka.server.path	<kafka server path>
12	flyway.domain.placeholders.cmc-obrh-services.zookeeper.server.path	<zookeeper server path>
13	flyway.domain.placeholders.cmc-obrh-services.kafka.enabled	<kafka enabled> example true false
14	flyway.domain.placeholders.obedx.kafka.servers	<kafka host>:<kafka port>
15	flyway.domain.placeholders.obedx.zookeeper.servers	<zookeeper host>:<zookeeper port>
16	flyway.domain.placeholders.kafka.broker.brokers.host	<kafka host>
17	flyway.domain.placeholders.kafka.broker.brokers.port	<kafka port>

#	Property	Value
18	flyway.domain.placeholders.kafka.binder.zkNodes.host	<zookeeper host>
19	flyway.domain.placeholders.kafka.binder.zkNodes.port	<zookeeper port>
20	flyway.domain.placeholders.kafka.broker.host	<kafka host>
21	flyway.domain.placeholders.kafka.broker.password	<kafka password>
22	flyway.domain.placeholders.kafka.broker.port	<kafka port>
23	flyway.domain.placeholders.kafka.broker.username	<kafka username>
24	flyway.domain.placeholders.kafka.host	<kafka host>
25	flyway.domain.placeholders.kafka.port	<kafka port>
26	flyway.domain.placeholders.kafka.ssl.truststore.location	<ssl location>
27	flyway.domain.placeholders.kafka.ssl.truststore.password	<ssl password>
28	eureka.client.serviceUrl.defaultZone	http://<discovery service host name>:<discovery service port number>/plato-discovery-service/eureka
29	flyway.domain.placeholders.eureka.host	<discovery service host name>
30	flyway.domain.placeholders.eureka.port	<discovery service port number>
31	flyway.domain.placeholders.zipkin.host	<zipkin host name>
32	flyway.domain.placeholders.zipkin.port	<zipkin host port>
33	flyway.domain.placeholders.api-gateway.schemas	<Plato Security Schema Name>
34	flyway.domain.placeholders.plato-api-gateway.server.port	<Plato managed server port>
35	flyway.domain.placeholders.USER.STORE	TABLE

#	Property	Value
36	flyway.domain.placeholders.LDAP.CORS.allowed.origin	<LDAP cors allowed origins with comma separated list>
37	flyway.domain.placeholders.LDAP.credential.SALT	<salt>
38	flyway.domain.placeholders.JWT.EXPIRY.seconds	<expiry seconds>
39	flyway.domain.placeholders.LDAP.url	<LDAP url>
40	flyway.domain.placeholders.LDAP.userid	<LDAP userid>
41	flyway.domain.placeholders.LDAP.server.base	<LDAP server base>
42	flyway.domain.placeholders.LDAP.server.credential	<LDAP server credential>
43	flyway.domain.placeholders.LDAP.usersearch.base	<LDAP user search base>
44	flyway.domain.placeholders.LDAP.user.prefix	<LDAP user prefix>
45	flyway.domain.placeholders.LDAP.provider	Allowed values are: EMBEDDED_WEBLOGIC, PLATO. If LDAP is running in weblogic then value should be EMBEDDED_WEBLOGIC, else if spring based LDAP (which is run through a jar provided) is used, then the value should be PLATO
46	flyway.domain.placeholders.TOKEN.autoregenerate	<autogenerate token>
47	flyway.domain.placeholders.SSO.enabled	<is SSO enabled>
48	flyway.domain.placeholders.TOKEN.regeneration.enabled	<is token regeneration enabled>
49	flyway.domain.placeholders.plato-ui-config.schemas	<plato-ui Schema name>
50	flyway.domain.placeholders.platoui.schemas	<plato-ui Schema name>

#	Property	Value
51	flyway.domain.placeholders.plato-ui-config-services.server.port	<Plato managed server port>
52	flyway.domain.placeholders.apigateway.host	<api-gateway host>
53	flyway.domain.placeholders.apigateway.port	<api-gateway port>
54	flyway.domain.placeholders.plato-discovery-service.server.port	<discovery service port number>
55	flyway.domain.placeholders.platoorch.domain.schemas	<plato-orch schema name>
56	conductor.properties	<config properties path>/config.properties
57	flyway.domain.placeholders.plato-orch-service.server.port	<Plato-orch service port>
58	flyway.domain.placeholders.plato-orchestrator.hostname	<plato-orch host name>:<plato-orch service port>
59	orchestrator.server.uri	http://<plato-orch host name>:<plato-orch service port>/plato-orch/api/
60	flyway.domain.placeholders.orch.cmc.branch	<cmc branch>
61	flyway.domain.placeholders.orch.cmc.user	<cmc user>
62	flyway.domain.placeholders.orch.enableDynamicAllocation	false
63	flyway.domain.placeholders.orch.enableSLA	false
64	flyway.domain.placeholders.orch.usingRuleEngine	false
65	flyway.domain.placeholders.plato-feed-services.schemas	<plato-feed schema name>
66	flyway.domain.placeholders.plato-feed-services.feed.upload.directory	<plato-feed upload directory>
67	flyway.domain.placeholders.plato-feed-services.server.port	<plato-feed service port number>

#	Property	Value
68	flyway.domain.placeholders.plato.feed.email.auth	<plato-feed email auth>
69	flyway.domain.placeholders.plato.feed.email.password	<plato-feed email password>
70	flyway.domain.placeholders.plato.feed.email.smtp.host	<plato-feed email smtp host>
71	flyway.domain.placeholders.plato.feed.email.smtp.out.port	<plato-feed email smtp out port>
72	flyway.domain.placeholders.plato.feed.email.socketfactory.port	<plato-feed email socketfactory port>
73	flyway.domain.placeholders.plato.feed.email.userId	<plato-feed email userId>
74	flyway.domain.placeholders.plato.feed.sms.appld	<plato-feed sms appld>
75	flyway.domain.placeholders.plato.feed.sms.branchCode	<plato-feed sms branchCode>
76	flyway.domain.placeholders.plato.feed.sms.multiEntityAdmin	<plato-feed sms multiEntityAdmin>
77	flyway.domain.placeholders.plato.feed.sms.userId	<plato-feed sms userId>
78	flyway.domain.placeholders.plato-batch-server.branchCode	<batch server branch code>
79	flyway.domain.placeholders.plato-batch-server.server.port	<Plato managed server port>
80	flyway.domain.placeholders.plato-batch-server.userId	<batch server user id>
81	flyway.domain.placeholders.plato-batch-server.schemas	<plato batch schema name>
82	flyway.domain.placeholders.plato-alerts-management-services.schemas	<Alerts Schema NAME>
83	flyway.domain.placeholders.plato-alerts-management-services.server.port	<Alerts service port number>
84	flyway.domain.placeholders.plato.alerts.cmc.appld	<plato-alerts cmc appld>

#	Property	Value
85	flyway.domain.placeholders.plato.alerts.cmc.branchCode	<plato-alerts cmc branchCode>
86	flyway.domain.placeholders.plato.alerts.cmc.userId	<plato-alerts cmc userId>
87	flyway.domain.placeholders.plato.alerts.email.password	<plato-alerts email password>
88	flyway.domain.placeholders.plato.alerts.email.userId	<plato-alerts email userId>
89	flyway.domain.placeholders.plato.alerts.email.auth	<plato-alerts email auth>
90	flyway.domain.placeholders.plato.alerts.email.smtp.host	<plato-alerts email smtp host>
91	flyway.domain.placeholders.plato.alerts.email.smtp.out.port	<plato-alerts email smtp out port>
92	flyway.domain.placeholders.plato.alerts.email.socketfactory.port	<plato-alerts email socketfactory port>
93	flyway.domain.placeholders.platorule.domain.schemas	<plato-rule schema name>
94	flyway.domain.placeholders.plato.services.rule.uri	<plato-rule uri>
95	flyway.domain.placeholders.plato-rule-service.server.port	<plato-rule service port number>
96	flyway.domain.placeholders.plato-rule.hostname	<plato-rule service hostname>
97	flyway.domain.placeholders.sms-core-services.server.port	<Plato managed server port>
98	flyway.domain.placeholders.flyway.sms.schema	<SMS Schema name>
99	flyway.domain.placeholders.sms.schemas	<SMS Schema name>
100	flyway.domain.placeholders.cmncore.schemas	<cmncore schema username>
101	flyway.domain.placeholders.cmncore.db.schemas	<cmncore schema username>

#	Property	Value
102	flyway.domain.placeholders.cmc-obcbs-services.schemas	<cmncore schema username>
103	flyway.domain.placeholders.cmc-opds-services.schemas	<cmncore schema username>
104	flyway.domain.placeholders.cmc.schemas	<cmncore schema username>
105	flyway.domain.placeholders.obpy-businessprocess-services.schemas	<cmncore schema username>
106	flyway.domain.placeholders.obremo-csr-cus-customer-services.schemas	<cmncore schema username>
107	flyway.domain.placeholders.obremo-dsr-tds-term-deposit-services.schemas	<cmncore schema username>
108	flyway.domain.placeholders.obremo-lsr-loan-services.schemas	<cmncore schema username>
109	flyway.domain.placeholders.obremo-rpm-businessprocess-services.schemas	<cmncore schema username>
110	flyway.domain.placeholders.obremo-rpm-businessproduct-services.schemas	<cmncore schema username>
111	flyway.domain.placeholders.obremo-rpm-businessproductdetails-services.schemas	<cmncore schema username>
112	flyway.domain.placeholders.obremo-rpm-cmn-applicantservices.schemas	<cmncore schema username>
113	flyway.domain.placeholders.obremo-rpm-cmn-collateralservices.schemas	<cmncore schema username>
114	flyway.domain.placeholders.obremo-rpm-cmn-hostservices.schemas	<cmncore schema username>
115	flyway.domain.placeholders.obremo-rpm-cmn-ipaservices.schemas	<cmncore schema username>
116	flyway.domain.placeholders.obremo-rpm-cmn-scorecardservices.schemas	<cmncore schema username>
117	flyway.domain.placeholders.obremo-rpm-lo-loanapplications.schemas	<cmncore schema username>
118	flyway.domain.placeholders.obremo-rpm-maintenance-services.schemas	<cmncore schema username>

#	Property	Value
119	flyway.domain.placeholders.obremo-rpm-process-driver-services.schemas	<cmncore schema username>
120	flyway.domain.placeholders.obremo-rpm-projection-services.schemas	<cmncore schema username>
121	flyway.domain.placeholders.obremo-rpm-rule-configurationservice.schemas	<cmncore schema username>
122	flyway.domain.placeholders.obremo-rpm-sav-account-service.schemas	<cmncore schema username>
123	flyway.domain.placeholders.obremo-rpm-term-deposit-service.schemas	<cmncore schema username>
124	flyway.domain.placeholders.obremo-srv-adp-adapter-services.schemas	<cmncore schema username>
125	flyway.domain.placeholders.obremo-srv-bcn-branchcommon-services.schemas	<cmncore schema username>
126	flyway.domain.placeholders.obremo-srv-cas-cash-services.schemas	<cmncore schema username>
127	flyway.domain.placeholders.obremo-srv-cmn-ml-processing.schemas	<cmncore schema username>
128	flyway.domain.placeholders.obremo-srv-cmn-transaction-services.schemas	<cmncore schema username>
129	flyway.domain.placeholders.obremo-srv-cmn-transaction-services.schemas	<cmncore schema username>
130	flyway.domain.placeholders.obremo-srv-cus-customer-services.schemas	<cmncore schema username>
131	flyway.domain.placeholders.obremo-srv-pay-payment-services.schemas	<cmncore schema username>
132	flyway.domain.placeholders.obremo-srv-prj-projection-services.schemas	<cmncore schema username>
133	flyway.domain.placeholders.obremo-srv-tds-term-deposit-services.schemas	<cmncore schema username>
134	flyway.domain.placeholders.party.schemas	<cmncore schema username>
135	flyway.domain.placeholders.midofccmc.schemas	<cmncore schema username>

#	Property	Value
136	flyway.domain.placeholders.obremo-srv-cmn-utils-services.schemas	<cmncore schema username>
137	flyway.domain.placeholders.cmc-account-services.server.port	<cmncore managed server port>
138	flyway.domain.placeholders.cmc-account-services.server.port	<cmncore managed server port>
139	flyway.domain.placeholders.cmc-advice-services.server.port	<cmncore managed server port>
140	flyway.domain.placeholders.cmc-base-services.server.port	<cmncore managed server port>
141	flyway.domain.placeholders.cmc-batch-services.server.port	<cmncore managed server port>
142	flyway.domain.placeholders.cmc-branch-services.server.port	<cmncore managed server port>
143	flyway.domain.placeholders.cmc-businessoverrides-services.server.port	<cmncore managed server port>
144	flyway.domain.placeholders.cmc-charges-calculation-services.server.port	<cmncore managed server port>
145	flyway.domain.placeholders.cmc-corebanking-adapter-service.server.port	<cmncore managed server port>
146	flyway.domain.placeholders.cmc-currency-services.server.port	<cmncore managed server port>
147	flyway.domain.placeholders.cmc-customer-services.server.port	<cmncore managed server port>
148	flyway.domain.placeholders.cmc-datasegment-services.server.port	<cmncore managed server port>
149	flyway.domain.placeholders.cmc-external-chart-account-services.server.port	<cmncore managed server port>
150	flyway.domain.placeholders.cmc-external-system-services.server.port	<cmncore managed server port>
151	flyway.domain.placeholders.cmc-external-virtual-account-services.server.port	<cmncore managed server port>

#	Property	Value
152	flyway.domain.placeholders.cmc-facilities-services.server.port	<cmncore managed server port>
153	flyway.domain.placeholders.cmc-fc-ai-ml-services.server.port	<cmncore managed server port>
154	flyway.domain.placeholders.cmc-nlp-annotator-services.server.port	<cmncore managed server port>
155	flyway.domain.placeholders.cmc-nlp-dashboard-widget-services.server.port	<cmncore managed server port>
156	flyway.domain.placeholders.cmc-nlp-model-mngmnt-services.server.port	<cmncore managed server port>
157	flyway.domain.placeholders.cmc-nlp-online-processing-services.server.port	<cmncore managed server port>
158	flyway.domain.placeholders.cmc-nlp-tag-maint-services.server.port	<cmncore managed server port>
159	flyway.domain.placeholders.cmc-nlp-text-extraction-services.server.port	<cmncore managed server port>
160	flyway.domain.placeholders.cmc-nlp-txn-log-services.server.port	<cmncore managed server port>
161	flyway.domain.placeholders.cmc-nlp-util-services.server.port	<cmncore managed server port>
162	flyway.domain.placeholders.cmc-obrh-services.server.port	<cmncore managed server port>
163	flyway.domain.placeholders.cmc-report-services.server.port	<cmncore managed server port>
164	flyway.domain.placeholders.cmc-resource-segment-orchestrator-service.server.port	<cmncore managed server port>
165	flyway.domain.placeholders.cmc-screenclass-services.server.port	<cmncore managed server port>
166	flyway.domain.placeholders.cmc-settlements-services.server.port	<cmncore managed server port>
167	flyway.domain.placeholders.cmc-transactioncontroller-services.server.port	<cmncore managed server port>

#	Property	Value
168	flyway.domain.placeholders.cmc-txn-code-services.server.port	<cmncore managed server port>
169	flyway.domain.placeholders.cmc-ml-indb-services.server.port	<cmncore managed server port>
170	flyway.domain.placeholders.cmc-applicationcategory-services.server.port	<cmncore managed server port>
171	flyway.domain.placeholders.cmc-checklist-services.server.port	<cmncore managed server port>
172	flyway.domain.placeholders.cmc-checklistmanagement-services.server.port	<cmncore managed server port>
173	flyway.domain.placeholders.cmc-kyccheck.server.port	<cmncore managed server port>
174	flyway.domain.placeholders.cmc-mailnotification.server.port	<cmncore managed server port>
175	flyway.domain.placeholders.cmc-sla-services.server.port	<cmncore managed server port>
176	flyway.domain.placeholders.obcbs.server.port	<cmncore managed server port>
177	flyway.domain.placeholders.opds.server.port	<cmncore managed server port>
178	flyway.domain.placeholders.cmc-nlp-opennlp-services.server.port	<cmncore managed server port>
179	flyway.domain.placeholders.cmc-nlp-maintenance-services.server.port	<cmncore managed server port>
180	flyway.domain.placeholders.cmc-nlp-pipeline-services.server.port	<cmncore managed server port>
181	flyway.domain.placeholders.cmc-nlp-docview-services.server.port	<cmncore managed server port>
182	flyway.domain.placeholders.moc.cmc-comments-services.server.port	<cmncore managed server port>
183	flyway.domain.placeholders.moc.cmc-document-services.server.port	<cmncore managed server port>
184	flyway.domain.placeholders.moc.cmc-earmark-services.server.port	<cmncore managed server port>

#	Property	Value
185	flyway.domain.placeholders.obremo-csr-cus-customer-services.server.port	<cmncore managed server port>
186	flyway.domain.placeholders.obremo-dsr-tds-term-deposit-services.server.port	<cmncore managed server port>
187	flyway.domain.placeholders.obremo-lsr-loan-services.server.port	<cmncore managed server port>
188	flyway.domain.placeholders.obremo-rpm-rule-configurationservice.port	<cmncore managed server port>
189	flyway.domain.placeholders.obremo-srv-adp-adapter-services.server.port	<cmncore managed server port>
190	flyway.domain.placeholders.obremo-srv-bcn-branchcommon-services.server.port	<cmncore managed server port>
191	flyway.domain.placeholders.obremo-srv-cas-cash-services.server.port	<cmncore managed server port>
192	flyway.domain.placeholders.obremo-srv-cmn-ml-processing.server.port	<cmncore managed server port>
193	flyway.domain.placeholders.obremo-srv-cmn-transaction-services.server.port	<cmncore managed server port>
194	flyway.domain.placeholders.party.server.port	<cmncore managed server port>
195	flyway.domain.placeholders.partyadapter.server.port	<cmncore managed server port>
196	flyway.domain.placeholders.partybusinessprocess.server.port	<cmncore managed server port>
197	flyway.domain.placeholders.partycorporateview.server.port	<cmncore managed server port>
198	flyway.domain.placeholders.partyhandoff.server.port	<cmncore managed server port>
199	flyway.domain.placeholders.partykyc.server.port	<cmncore managed server port>
200	flyway.domain.placeholders.partymaintenance.server.port	<cmncore managed server port>

#	Property	Value
201	flyway.domain.placeholders.partypublisher.server.port	<cmncore managed server port>
202	flyway.domain.placeholders.partystage.server.port	<cmncore managed server port>
203	flyway.domain.placeholders.ubsserver.port	<cmncore managed server port>
204	flyway.domain.placeholders.cmc-deprecation-service.server.port	<cmncore managed server port>
205	flyway.domain.placeholders.server.port	<cmncore managed server port>
206	flyway.domain.placeholders.obremosrv-cmn-utils-services.server.port	<cmncore managed server port>
207	flyway.domain.placeholders.obremosrv-cus-customer-services.server.port	<cmncore managed server port>
208	flyway.domain.placeholders.obremosrv-pay-payment-services.server.port	<cmncore managed server port>
209	flyway.domain.placeholders.obremosrv-prj-projection-services.server.port	<cmncore managed server port>
210	flyway.domain.placeholders.obremosrv-tds-term-deposit-services.server.port	<cmncore managed server port>
211	flyway.domain.placeholders.obremohostservices.server.port	<cmncore managed server port>
212	flyway.domain.placeholders.obremoloanapplication.server.port	<cmncore managed server port>
213	flyway.domain.placeholders.obremorpmcmnipaservices.server.port	<cmncore managed server port>
214	flyway.domain.placeholders.obremorpmcollateralservices.server.port	<cmncore managed server port>
215	flyway.domain.placeholders.obremorpmprojectionservices.server.port	<cmncore managed server port>
216	flyway.domain.placeholders.cmc-fc-ai-ml-services.emailPassword	<cmc-fc-ai-ml-services emailPassword>
217	flyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerHost	<cmc-fc-ai-ml-services emailServerHost>

#	Property	Value
218	flyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerPort	<cmc-fc-ai-ml-services emailServerPort>
219	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollerInitialDelay	<cmc-fc-ai-ml-services pollerInitialDelay>
220	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollingEmail	<cmc-fc-ai-ml-services pollingEmail>
221	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollingFrequency	<cmc-fc-ai-ml-services pollingFrequency>
222	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollingPath	<cmc-fc-ai-ml-services pollingPath>
223	flyway.domain.placeholders.cmc-fc-ai-ml-services.postingPath	<cmc-fc-ai-ml-services postingPath>
224	flyway.domain.placeholders.obremo-srv-cmn-utils-services.emailPassword	<obremo-srv-cmn-utils-services emailPassword>
225	flyway.domain.placeholders.obremo-srv-cmn-utils-services.emailServerHost	<obremo-srv-cmn-utils-services emailServerHost>
226	flyway.domain.placeholders.obremo-srv-cmn-utils-services.emailServerPort	<obremo-srv-cmn-utils-services emailServerPort>
227	flyway.domain.placeholders.obremo-srv-cmn-utils-services.poller.fixedRate	<obremo-srv-cmn-utils-services poller fixedRate>
228	flyway.domain.placeholders.obremo-srv-cmn-utils-services.poller.initialDelay	<obremo-srv-cmn-utils-services poller initialDelay>
229	flyway.domain.placeholders.obremo-srv-cmn-utils-services.pollerInitialDelay	<obremo-srv-cmn-utils-services pollerInitialDelay>
230	flyway.domain.placeholders.obremo-srv-cmn-utils-services.pollingEmail	<obremo-srv-cmn-utils-services pollingEmail>
231	flyway.domain.placeholders.obremo-srv-cmn-utils-services.pollingFrequency	<obremo-srv-cmn-utils-services pollingFrequency>
232	flyway.domain.placeholders.obremo-srv-cmn-utils-services.pollingPath	<obremo-srv-cmn-utils-services pollingPath>
233	flyway.domain.placeholders.obremo-srv-cmn-utils-services.postingPath	<obremo-srv-cmn-utils-services postingPath>
234	flyway.domain.placeholders.party.ho.branch	<party branch>

#	Property	Value
235	flyway.domain.placeholders.party.ho.us erid	<party username>
236	flyway.domain.placeholders.weblogic.pa ssword	<weblogic password>
237	flyway.domain.placeholders.weblogic.us erid	<weblogic usernae>
238	flyway.domain.placeholders.biPublisher. host	<bipublisher host>
239	flyway.domain.placeholders.biPublisher. port	<Plato managed server port>
240	flyway.domain.placeholders.runReportT emplate	<is runreporttemplate>
241	flyway.domain.placeholders.emailTempl ate	<email template path>
242	flyway.domain.placeholders.dms.host	<dms host>
243	flyway.domain.placeholders.dms.port	<cmncore managed server port>
244	flyway.domain.placeholders.report- service.schemas	<report-service schema name>
245	flyway.domain.placeholders.report- service.server.port	<report-service server port>
246	flyway.domain.placeholders.report- service.hostname	<report service hostname>
247	flyway.domain.placeholders.report- service.template-metadata-directory	<template meta data directory>
248	flyway.domain.placeholders.report- service.output-directory	<output directory>
249	flyway.domain.placeholders.report- service.fop-config-file	<fop config file>
250	flyway.domain.placeholders.obedx.sche mas	<OBEDXC Schema name>
251	flyway.domain.placeholders.obedx- maintenance-services.server.port	<OBEDXC managed server port>
252	flyway.domain.placeholders.obedx.base .service.server.port	<OBEDXC managed server port>

#	Property	Value
253	flyway.domain.placeholders.obedx.filepolling.scheduler.server.port	<OBEDXC managed server port>
254	flyway.domain.placeholders.obedx.transaction.service.server.port	<OBEDXC managed server port>
255	flyway.domain.placeholders.obedx.format.service.server.port	<OBEDXC managed server port>
256	flyway.domain.placeholders.obedx.filename.service.server.port	<OBEDXC managed server port>
257	flyway.domain.placeholders.obedx.channel.service.server.port	<OBEDXC managed server port>
258	flyway.domain.placeholders.obedx.corporate.service.server.port	<OBEDXC managed server port>
259	flyway.domain.placeholders.obedx.duplicate.rules.service.server.port	<OBEDXC managed server port>
260	flyway.domain.placeholders.obedx.correlation.rules.service.server.port	<OBEDXC managed server port>
261	flyway.domain.placeholders.obedx.delayq.service.server.port	<OBEDXC managed server port>
262	flyway.domain.placeholders.obedx.workflow.service.server.port	<OBEDXC managed server port>
263	flyway.domain.placeholders.obedx.dbmodel.service.server.port	<OBEDXC managed server port>
264	flyway.domain.placeholders.obedx.parser.service.server.port	<OBEDXC managed server port>
265	flyway.domain.placeholders.obedx.inquiry.service.server.port	<OBEDXC managed server port>
266	flyway.domain.placeholders.obedx.task.router.service.server.port	<OBEDXC managed server port>
267	flyway.domain.placeholders.obedx.approval.router.service.server.port	<OBEDXC managed server port>
268	flyway.domain.placeholders.obedx.approval.service.server.port	<OBEDXC managed server port>
269	flyway.domain.placeholders.obedx.action.delegator.service.server.port	<OBEDXC managed server port>

#	Property	Value
270	flyway.domain.placeholders.obedx.canonical.service.router.server.port	<OBEDXC managed server port>
271	flyway.domain.placeholders.apigateway.protocol	<api gateway protocol> example http, https
272	apigateway.url	http://\${AppServerHostName}:<Plato managed server port>
273	plato.service.env	<environment>example: DEV, TEST
274	plato.service.logging.environment	<environment>example: DEV, TEST
275	flyway.domain.placeholders.plato.service.env	<environment>example: DEV, TEST
276	plato.service.logging.path	<application debug logs path>
277	flyway.domain.placeholders.plato.service.logging.path	<application debug logs path>
278	plato.service.logging.rolling.maxFileSize	<log file size> example 10MB
279	plato.services.config.port	<plato-config service port number>
280	plato.services.config.uri	http://<config server host name>:<config service port number>
281	plato.services.entityservices.port	<Plato managed server port>
282	spring.cloud.config.uri	http://<config server host name>:<config service port number>/config-service
283	flyway.domain.placeholders.plato.samlSSOEnabled	false
284	flyway.domain.placeholders.user.mapping.required	true
285	flyway.domain.placeholders.INTEGRATION.ENABLED	false

2.4.2 domain-config-deploy.env

The below properties have fixed values and should not be changed.

#	Property	Value
1	plato-config.flyway.jndi.datasource.enabled	true
2	flywayTask	migrate
3	flyway.enabled	true
4	flyway.outOfOrder	true
5	flyway.ignoreMissingMigrations	true
6	spring.flyway.baselineOnMigrate	true
7	spring.flyway.enabled	true
8	flyway.domain.placeholders.user.mapping.required	true
9	flyway.domain.placeholders.INTEGRATION.ENABLED	false

You should provide appropriate values for the below fields

#	Property	Value
1	eureka.client.serviceUrl.defaultZone	http://<discovery service host name>:<discovery service port number>/plato-discovery-service/eureka
2	plato.service.logging.environment	<environment>example: DEV, TEST
3	plato.service.logging.path	<application debug logs path>
4	plato.service.logging.rolling.maxFileSize	<log file size> example 10MB
5	plato.services.entityservices.port	<Plato server port>
6	apigateway.url	http://\${AppServerHostName}:<Plato managed server port>
7	plato-config.flyway.domain.schemas	<plato schema password>
8	plato.services.config.port	<plato-config server port>
9	spring.cloud.config.uri	http://<config server host name>:<config service port number>/config-service
10	conductor.properties	<config properties path>/config.properties

[Home](#)