

Patchset Installation Guide

Oracle Banking Virtual Account Management

Release 14.5.2.0.0

Part Number F46758-01

August 2021

Table of Contents

- 1. ABOUT THIS MANUAL..... 1-1
 - 1.1 PURPOSE 1-1
 - 1.2 AUDIENCE..... 1-1
 - 1.3 LIST OF CHAPTERS 1-1
 - 1.4 DOCUMENTATION ACCESSIBILITY 1-1
- 2. PREREQUISITE 2-1
- 3. INSTALLATION..... 3-1
 - 3.1 ALREADY ON THE BASE RELEASE..... 3-1
 - 3.2 FRESH / NEW INSTALLATION..... 3-1
- 4. ANNEXURE..... 4-1
 - 4.1 PLATO-CONFIG-DEPLOY.ENV 4-1
 - 4.2 DOMAIN-CONFIG-DEPLOY.ENV 4-6

1. About this Manual

1.1 Purpose

This guide is to help you to install the Oracle Banking Virtual Account Management patchset on designated environment.

1.2 Audience

This guide is primarily intended for the following user/user roles:

Role	Function
WebLogic Admin or Ops-web Team	Installation of OFSS banking products.

1.3 List of Chapters

Chapters	Description
Chapter 1	Provides information on the intended audience. It also lists the various chapters covered in this guide.
Chapter 2	This chapter helps you to install Oracle Banking Virtual Account Management patchset on designated environment.

1.4 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

2. Prerequisite

The patchset package will contain one or multiple zip files. Before proceeding with installation, you have to unzip them into the same common folder.

3. Installation

Installation procedure is classified in the following two scenarios:

1. [Already on the base release](#)
2. [Fresh / New Installation](#)

3.1 Already on the base release

- Undeploy all the wars.
- Refer the Annexure section below and update plato-config-deploy.env and domain-config-deploy.env files.
- Restart all Managed Servers.
- Deploy wars from the above patchset folder.

3.2 Fresh / New Installation

- Patchset Oracle Banking Virtual Account Management 14.5.2.0.0 should be directly deployed, without having to deploy the base release.
- Follow the “Oracle Banking Virtual Account Management Installation guide” on OTN and deploy the patchset
- Use plato-config-deploy.env and domain-config-deploy.env files under pre_deployment_setup folder in the patchset. Refer the Annexure section below for the property details.

Initial setup

- Run the following files in their respective schemas:
 - cmc_initial_setup.sql (Common core schema)
 - sms_initial_setup.sql (SMS schema)
 - plato_sec_me_admin_user_creation.sql (Plato Security schema)

4. Annexure

4.1 plato-config-deploy.env

The properties mentioned in the below table have fixed values and should not be changed.

Serial Number	Property	Value
1	flywayTask	migrate
2	flyway.enabled	true
3	spring.flyway.enabled	false
4	plato-config.flyway.domain.locations	db/migration/domain/plato, db/migration/domain/sms, db/migration/domain/cmc, db/migration/domain/obvam
5	flyway.domain.ignoreMissingMigrations	true
6	flyway.domain.outOfOrder	true
7	flyway.domain.placeholders.plato-feed-services.jndi	jdbc/PLATOFEED
8	flyway.domain.placeholders.plato-batch-server.jndi	jdbc/PLATOBATCH
9	plato-config.flyway.domain.db.jndi	jdbc/PLATO
10	flyway.domain.placeholders.plato.jndi	jdbc/PLATO
11	flyway.domain.placeholders.plato-config.jndi	jdbc/PLATO
12	flyway.domain.placeholders.plato-sec.jndi	jdbc/PLATO_SECURITY
13	flyway.domain.placeholders.plato-ui-config.jndi	jdbc/PLATO_UI_CONFIG
14	flyway.domain.placeholders.sms.jndi	jdbc/sms
15	flyway.domain.placeholders.cmc.jndi	jdbc/CMNCORE
16	flyway.domain.placeholders.eie.jndi	jdbc/EIE
17	flyway.domain.placeholders.elm.jndi	jdbc/ELM
18	flyway.domain.placeholders.vam.jndi	jdbc/VAM
19	flyway.domain.placeholders.vac.jndi	jdbc/VAC
20	flyway.domain.placeholders.vab.jndi	jdbc/VAB
21	flyway.domain.placeholders.vae.jndi	jdbc/VAE
22	flyway.domain.placeholders.eda.jndi	jdbc/EDA
23	flyway.domain.placeholders.vai.jndi	jdbc/VAI
24	flyway.domain.placeholders.van.jndi	jdbc/VAN
25	flyway.domain.placeholders.vap.jndi	jdbc/VAP
26	flyway.domain.placeholders.vas.jndi	jdbc/VAS
27	flyway.domain.placeholders.vat.jndi	jdbc/VAT

You should provide appropriate values for the properties mentioned in the table below.

Serial Number	Property	Value
1	PLATO_CONFIG_MANAGED_SERVER_NAME	<plato config managed server name>
2	flyway.domain.placeholders.plato-batch-server.userId	<plato batch server userid>
3	flyway.domain.placeholders.plato-batch-server.branchCode	<plato batch server branch code>
4	flyway.domain.placeholders.plato.eventhub.broker.hosts	<kafka url>
5	flyway.domain.placeholders.plato.eventhub.zookeeper.hosts	<zookeeper url>
6	flyway.domain.placeholders.driver.className	oracle.jdbc.driver.OracleDriver
7	flyway.domain.placeholders.eureka.host	<eureka host>
8	flyway.domain.placeholders.eureka.port	<eureka port>
9	flyway.domain.placeholders.zipkin.host	<zipkin host>
10	flyway.domain.placeholders.zipkin.port	<zipkin port>
11	flyway.domain.placeholders.plato-config.sessionIdleTimeout	<session idle timeout>
12	flyway.domain.placeholders.plato-config.sessionIdleWarningTime	<session idle warning time>
13	flyway.domain.placeholders.plato-config.environment	<plato environment>
14	flyway.domain.placeholders.api-gateway.host	<api-gateway host>
15	flyway.domain.placeholders.plato-api-gateway.server.port	<api-gateway server port>
16	flyway.domain.placeholders.USER.STORE	<user store>
17	flyway.domain.placeholders.LDAP.CORS.allowed.origin	<LDAP cors allowed origins with comma separated list>
18	flyway.domain.placeholders.LDAP.credential.SALT	<salt>
19	flyway.domain.placeholders.JWT.EXPIRY.seconds	<expiry seconds>
20	flyway.domain.placeholders.LDAP.url	<LDAP url>
21	flyway.domain.placeholders.LDAP.userId	<LDAP userid>
22	flyway.domain.placeholders.LDAP.server.base	<LDAP server base>
23	flyway.domain.placeholders.LDAP.server.credential	<LDAP server credential>
24	flyway.domain.placeholders.LDAP.usersearch.base	<LDAP user search base>
25	flyway.domain.placeholders.LDAP.user.prefix	<LDAP user prefix>

Serial Number	Property	Value
26	flyway.domain.placeholders.LDAP.provider	Allowed values are: EMBEDDED_WEBLOGIC, PLATO. If LDAP is running in weblogic then value should be EMBEDDED_WEBLOGIC, else if spring based LDAP(which is run through a jar provided) is used, then the value should be PLATO
27	flyway.domain.placeholders.TOKEN.autoregenerate	<autogenerate token>
28	flyway.domain.placeholders.SSO.enabled	<is SSO enabled>
29	flyway.domain.placeholders.TOKEN.regeneration.enabled	<is token regeneration enabled>
30	flyway.domain.placeholders.plato-ui-config-services.server.port	<plato-ui service port>
31	flyway.domain.placeholders.apigateway.host	<api-gateway host>
32	flyway.domain.placeholders.apigateway.port	<api-gateway port>
33	flyway.domain.placeholders.plato-discovery-service.server.port	<plato-discovery service port>
34	flyway.domain.placeholders.plato-orch-service.server.port	<plato-orch service port>
35	flyway.domain.placeholders.plato-orchestrator.hostname	<plato-orchestrator hostname>
36	flyway.domain.placeholders.plato-feed-services.feed.upload.directory	<plato-feed upload directory>
37	flyway.domain.placeholders.plato-feed-services.server.port	<plato-feed service port>
38	flyway.domain.placeholders.plato-batch-server.server.port	<plato-batch server port>
39	flyway.domain.placeholders.plato-batch-server.plato.eventhub.kafka.brokers	<plato-batch kafka url>
40	flyway.domain.placeholders.plato-batch-server.plato.eventhub.zk.nodes	<plato-batch zookeeper url>
41	flyway.domain.placeholders.plato-alerts-management-services.server.port	<plato-alerts-management schema port>
42	flyway.domain.placeholders.sms-core-services.server.port	<sms-core server port>
43	flyway.domain.placeholders.cmc-corebanking-adapter-service.server.port	<cmc-corebanking-adapter server port>
44	flyway.domain.placeholders.cmc-currency-services.server.port	<cmc-currency server port>
45	flyway.domain.placeholders.cmc-account-services.server.port	<cmc-account server port>
46	flyway.domain.placeholders.cmc-base-services.server.port	<cmc-base server port>

Serial Number	Property	Value
47	flyway.domain.placeholders.cmc-external-virtual-account-services.server.port	<cmc-external-virtual-account server port>
48	flyway.domain.placeholders.cmc-branch-services.server.port	<cmc-branch server port>
49	flyway.domain.placeholders.cmc-customer-services.server.port	<cmc-customer server port>
50	flyway.domain.placeholders.cmc-external-chart-account-services.server.port	<cmc-external-chart-account server port>
51	flyway.domain.placeholders.cmc-external-system-services.server.port	<cmc-external-system server port>
52	flyway.domain.placeholders.cmc-advice-services.server.port	<cmc-advice server port>
53	flyway.domain.placeholders.cmc-facilities-services.server.port	<cmc-facilities server port>
54	flyway.domain.placeholders.cmc-txn-code-services.server.port	<cmc-txn-code server port>
55	flyway.domain.placeholders.cmc-settlement-services.server.port	<cmc-settlement server port>
56	flyway.domain.placeholders.cmc-businessoverrides-services.server.port	<cmc-businessoverrides server port>
57	flyway.domain.placeholders.cmc-resource-segment-orchestrator-service.server.port	<cmc-resource-segment-orchestrator server port>
58	flyway.domain.placeholders.cmc-screenclass-services.server.port	<cmc-screenclass server port>
59	flyway.domain.placeholders.cmc-datasegment-services.server.port	<cmc-datasegment server port>
60	flyway.domain.placeholders.cmc-settlements-services.server.port	<cmc-settlements server port>
61	flyway.domain.placeholders.cmc-transactioncontroller-services.server.port	<cmc-transactioncontroller server port>
62	flyway.domain.placeholders.cmc-report-services.server.port	<cmc-report server port>
63	flyway.domain.placeholders.cmc-nlp-annotator-services.server.port	<cmc-nlp-annotator server port>
64	flyway.domain.placeholders.cmc-nlp-dashboard-widget-services.server.port	<cmc-nlp-dashboard-widget server port>
65	flyway.domain.placeholders.cmc-nlp-model-mngmnt-services.server.port	<cmc-nlp-model-mngmnt server port>
66	flyway.domain.placeholders.cmc-nlp-online-processing-services.server.port	<cmc-nlp-online-processing server port>
67	flyway.domain.placeholders.cmc-nlp-tag-maint-services.server.port	<cmc-nlp-tag-maint server port>

Serial Number	Property	Value
68	flyway.domain.placeholders.cmc-nlp-text-extraction-services.server.port	<cmc-nlp-text-extraction server port>
69	flyway.domain.placeholders.cmc-nlp-txn-log-services.server.port	<cmc-nlp-txn-log server port>
70	flyway.domain.placeholders.cmc-nlp-util-services.server.port	<cmc-nlp-util server port>
71	flyway.domain.placeholders.cmc-batch-services.server.port	<cmc-batch server port>
72	flyway.domain.placeholders.cmc-fc-ai-ml-services.server.port	<cmc-fc-ai-ml server port>
73	flyway.domain.placeholders.cmc-fc-ai-ml-services.postingPath	<cmc-fc-ai-ml service postingPath>
74	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollingEmail	<cmc-fc-ai-ml service pollingEmail>
75	flyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerPort	<cmc-fc-ai-ml service emailServerPort>
76	flyway.domain.placeholders.cmc-fc-ai-ml-services.emailServerHost	<cmc-fc-ai-ml service emailServerHost>
77	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollingFrequency	<cmc-fc-ai-ml service pollingFrequency>
78	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollerInitialDelay	<cmc-fc-ai-ml service pollerInitialDelay>
79	flyway.domain.placeholders.cmc-fc-ai-ml-services.emailPassword	<cmc-fc-ai-ml service emailPassword>
80	flyway.domain.placeholders.cmc-fc-ai-ml-services.pollingPath	<cmc-fc-ai-ml service pollingPath>
81	flyway.domain.placeholders.weblogic.userid	<weblogic userid>
82	flyway.domain.placeholders.weblogic.password	<weblogic password>
83	flyway.domain.placeholders.biPublisher.host	<biPublisher host>
84	flyway.domain.placeholders.biPublisher.port	<biPublisher port>
85	flyway.domain.placeholders.runReportTemplate	<run report template>
86	flyway.domain.placeholders.emailTemplate	<email template>
87	flyway.domain.placeholders.dms.host	<dms host>
88	flyway.domain.placeholders.dms.port	<dms port>
89	flyway.domain.placeholders.eie.server.port	<eie server port>
90	flyway.domain.placeholders.elm.server.port	<elm server port>
91	flyway.domain.placeholders.vam.server.port	<vam server port>
92	flyway.domain.placeholders.vac.server.port	<vac server port>
93	flyway.domain.placeholders.vab.server.port	<vab server port>
94	flyway.domain.placeholders.vae.server.port	<vae server port>
95	flyway.domain.placeholders.eda.server.port	<eda server port>
96	flyway.domain.placeholders.vai.server.port	<vai server port>

Serial Number	Property	Value
97	flyway.domain.placeholders.van.server.port	<van server port>
98	flyway.domain.placeholders.vap.server.port	<vap server port>
99	flyway.domain.placeholders.vas.server.port	<vas server port>
100	flyway.domain.placeholders.vat.server.port	<vat server port>
101	flyway.domain.placeholders.vaj.server.port	<vaj server port>
102	spring.cloud.config.uri	<config service uri>
103	apigateway.url	<apigateway url>
104	service.logging.environment	<environment> example: DEV, TEST
105	service.logging.path	<application debug logs path>
106	plato-config.flyway.domain.db.username	<plato schema username>
107	plato-config.flyway.domain.db.password	<plato schema password>
108	plato-config.flyway.domain.db.jdbcUrl	<plato schema jdbcUrl>
109	plato-config.flyway.domain.schemas	<plato schema>

4.2 domain-config-deploy.env

The properties mentioned in the below table have fixed values and should not be changed.

Serial Number	Property	Value
1	flywayTask	migrate
2	flyway.enabled	true
3	spring.flyway.enabled	false

You should provide appropriate values for the properties mentioned in the table below.

Serial Number	Property	Value
1	spring.cloud.config.uri	<config service uri>
2	apigateway.url	<apigateway url>
3	service.logging.environment	<environment> example: DEV, TEST
4	service.logging.path	<application debug logs path>
5	flyway.domain.placeholders.event.vas.server.host	<VAS server host>
6	flyway.domain.placeholders.event.vas.server.port	<VAS server port>
7	flyway.domain.placeholders.event.vas.brncode	<VAS branch code>
8	flyway.domain.placeholders.event.vas.userid	<VAS user id>
9	flyway.domain.placeholders.user.mapping.required	<User mapping required>



Patchset Installation Guide

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
<https://www.oracle.com/industries/financial-services/index.html>

Copyright © 2018, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.