Development Workbench – Screen Customizer Oracle Banking Corporate Lending Release 14.5.3.0.0 [Nov] [2021]



Contents

1	Pre	face	3
	1.1	Audience	3
	1.2	Related Documents	3
2	Intro	oduction	3
3	Scr	een Customizer	4
	3.1	DataBlocks	4
	3.1.	1 Data Block Field	4
	3.2	Screens	5
	3.3	FieldSet	6
4		nerated Units	
5	Exa	mples	7

1 Preface

This document describes the Screen Customizer functionality available in Oracle FLEXCUBE Development Workbench for Universal Banking and guides the developers on how to use this feature.

1.1 Audience

This document is intended for FLEXCUBE Application developers/users that use Development Workbench to develop various FLEXCUBE components.

To Use this manual, you need conceptual and working knowledge of the below:

Proficiency	Resources
FLEXCUBE Functional Architecture	Training programs from Oracle Financial Software Services.
FLEXCUBE Technical Architecture	Training programs from Oracle Financial Software Services.
FLEXCUBE Object Naming conventions	Development Overview Guide
Working knowledge of Web based applications	Self Acquired
Working knowledge of Oracle Database	Oracle Documentations
Working knowledge of XML files	Self Acquired
Working Knowledge of Oracle FLEXCUBE Development Workbench for Universal Banking	User Manuals

1.2 Related Documents

<u>04-Development_WorkBench_Screen_Development-I.docx</u> <u>05-Development_WorkBench_Screen_Development-II.docx</u>

2 Introduction

This document gives information about the following topics:

- <u>Chapter 2 , "Introduction"</u>
- Chapter 3 , "Screen Customizer"
- <u>Chapter 4</u>, "File Generation"

3 Screen Customizer

The Oracle FLEXCUBE Development Workbench Screen Customizer allows users to do UI changes on a screen. If only the screen layout of the function id has to be modified, developer can use the Screen Customizer feature rather than Function Generation feature.

Only the screen layout changes and UI field properties will be allowed to change in the Screen Customizer

Note : Only Load action is possible in Screen Customizer.

Only three nodes will be present in Screen Customizer as shown in the figure

creen Customization					
				🖬 🗶 🗏 7	9
Action Load 👻	Function Type	Parent 👻	Function Category Maintenance	-	
Function Id STDCIF	Parent Function		Header Template None 🔻		
Save XML Path STDCIF_RAD.	BROWSE Parent Xml		Footer Template Maint Audit	•	
irch					
DataBlocks					
Creens Screens					
i FieldSets					

Fig 3.1: Screen Customizer Screen

3.1 DataBlocks

Data Block properties would not be allowed to change in Screen Customizer. New Data Blocks and Block Fields also cannot be added. Deletion/Renaming of blocks and fields are also not allowed in Screen Customizer

3.1.1 Data Block Field

Screen Customization				
				🔚 🗶 🗏 7 🤤
Action Load ~ Function Id STDCIF Save XML Path STDCIF_RAD.	Function Type Parent Parent Function BROWSE Parent Xml Block Field Properties	•	Function Category Ma Header Template No Footer Template Ma	aint Audit 👻
Search DataBlocks BLK_CUSTOMER BLK_CUSTCORP BLK_CUSTCORPOIR BLK_CUSTCORPOIR BLK_CUSTCORPOIR BLK_CUSTGRP BLK_CUSTGRP BLK_CUSTGRP BLK_CUSTGRP BLK_CUSTGRP BLK_CUSTGRP BLK_CUSTROF BLK_LISSUERLMTS BLK_LIAB_SCORE BLK_LIAB_RATING BLK_LIAB_NENAGE BLK_LIAB_UDF ELONAM FLOVAL DATATYP VALTYP BLK_CUSTSEGMENT SCREens BLK_ISSUERLMTS BLK_LIAB_NENAGE BLK_CUSTSEGMENT BLK_CUSTSEGMENT BLK_SCRENA	Block Field Properties	XSD Tag XSD Annotation Field Size • Maximum Length Maximum Value Maximum Value Maximum Decimals TextArea Columns Default Value Wask Id Attribute Value	FLDNAM Image: Constraint of the second sec	Required Visible Read Only Calender Text Popup Edit Require Uppercase Only COV Validation Required Input by LOV Only Not Required In Xac Report Parameter

User will be allowed to change below properties at data block field level.

- Display Type
- Field Size
- Preview Value
- Popup Edit Required
- Visible
- Upper Case only
- Read Only

3.2 Screens

All the actions can be performed in the Screen level. Developer can add, modify, delete, and rename the screens, tabs and sections.

Note that deletion and renaming will be allowed only if the element is created in the working release.

3.3 FieldSet

			7
			E 77 🧐
Action Load 👻	Function Type Parent	Function Category Maintenance	
Function Id STDCIF	Parent Function	Header Template None	
Save XML Path STDCIF_RAD.	BROWSE Parent Xml	Footer Template Maint Audit	
earch	Fieldset Properties		- A 🧳
	Fieldset reported Fieldset Name FST_HEADER1 Fieldset Label Data Block BLK_CUSTOMER Multi Record No ~ View Type Single ~ Fieldset Height Data Block Fields CIFCREATIONDT BTN_SIN BTN_SI	Screen Portion Header	ontal Fieldset Only ation Button

Fig 3.3.1: Field sets in Screen Customizer

In fieldset developer can change screen properties, display type from Vertical to Horizontal, read-only property etc. *Data Block to which field set is attached cannot be changed*.

Field set fields can be re arranged as per requirement.

4 Generated Units

Development Workbench will generate only UI related units in Screen Customizer 1. Radxml

2. Screen Xml (i.e. Lang Xml)

3. System JS (JavaScript File)

Deploy language xml and system JavaScript file in FLEXCUBE application server to reflect the changes done to the function id in Screen Customizer

Screen Cust Generate	omizatio	0																			8	4 🔳 1	 7 🍕 4
	Front-End	Files			System Pa	aokages			Hook	Paokages					Meta Da	a					Others		*
Screen	n Xrril			Main P	stion Trigi Package	ody gers ⊱Spec		Chu Chu Chu Chu	mel Pack: ister Pack ister Pack stom Pac	age Spec age Body age Spec age Body kage Spe kage Bod	c	Da LO Blo Sc	nu Detail Iasource V Delails ock Detail reen Dela sendable	Details S		Label Det Block PK Function (Gateway I Notification Function I	Columns Call Form Details in Details	IS	0 0 0	ed Wilh A creen Htt pload Ta pload Ta	nnotations ni ble Trigge bles Delini ble Delini	r ilion	
							Informat	tion										×					
	No								En	ror Desci	ription				E	rror Code	e	^			tatus		
1		STE	CIF.xml					Req	lest succ	cessfully	Processe	ed			R	D-SAVE-	007				URIUS		
2			CIF SYS	Lis																	-		
3		STE	ICIF_RAD).xml															Genera		•		
																	0						
																							w.
																					Gene	rate	Exit
		D	o you wa	nt to open	or save F	RAD.ZIP f	rom 10.1	84.132.10	0?							Open		ave	•	ancel	×		

Fig 4.1: Generation of files in Screen Customizer

5 Examples

Example 1:

Requirement: Hide a Field in the screen Below screenshots shows how Screen Customizer can be used for this purpose.

◆ Customer			× 🖬 🗶 🗏 1
🕞 New 🔄 Enter Query			Ţ
Type 💿 Individual	Full Name	Customer Category *	
 Corporate 	Short Name *	Private Customer	
S 💿 Bank	Branch Code		
Customer No *			- <u>A:</u>
la Personal Corporate Additional Director Auxilia	ary Check List		
Per Domicile Address	Status	Identifier	
C1			
C\ Same as Permanen Address		Name	
Address 1	Deceased	Value	
Address 2	Whereabouts U	- Relationship Manager	
CV Address 3	Eligible for AR-A	P RM ID	+
Address 4	Tracking	RM Name	
CV Pin Code	CRM Customer Mailers Require	d a transformer	eld Active
C Country	CLS Participant		E 👻 Yes 💌
	Issuer Custome	Auto Generated Statem Plan	ient Yes 👻
Misc Details	Treasury Custor	_	
SWIFT Code	Joint Customer	Statement Day	
CV Credit Rating	MT920	olatomon bay	
C\ Group Code	Relationship Pri	cipa	
Charge Group	✓ ELCM Custome		
Clearing Group	ELCM Customer		
Tax Group	Number		
Exposure	CIF Status		
Exposure Category	Since		
Customer			
Classification External Reference			
Number			
Location			
FX Netting Customer			
Media			
SSN			*
Group MIS Joint Standing Instructions	Linked Entities Text Fields Image I	Limits CLS Restrictions MT920 Domestic Professi	onal 🛋
Issuer Cards Linked Account KYC De	tails Joint Venture Account Details NSF Bla	ck list status Documents Change Log	
Maker	Date Time: Mod		

Fig 3.3.1: A preview with 'Whereabouts Unknown' checkbox set as visible

If *Whereabouts Unknown* field is not required, uncheck the visible flag.

en Customization						
						Image: Image: Image
Action Load 👻	Function Ty	rpe Parent 👻	Function	Category Ma	iintenance 👻	
Function Id STDCIF	Parent Functi	ion	Header T	emplate No	ne 🔻	
Save XML Path STDCIF_R	AD. BROWSE Parent X	[m]	Footer T	emplate Ma	iint Audit 👻	
ch	Block Field Properties					Q
ADDRLN3	•					
DDRLN2	Field Name * WHRUNKN		XSD Tag WHRUNKN			equired
DDRLN4	Field Label LBL_WHRUNKN	×E	XSD Annotation	\sim		sible
COUNTRY	DataSource STTMS_CUSTOME	ER	Field Size *	_		ead Only
SNAME	Column Name * WHEREABOUTS_					alender Text
NLTY		onnavon	Maximum Length		-	
LBRN	Data Type * Char 👻		Minimum Value			opup Edit Requ
CCATEG	E Display Type CheckBox	•	Maximum Value		□ U	ppercase Only
FULLNAME CIFCREATIONDT	Item Type Database Item 👻	r	Maximum Decimals			OV Validation
ISELCMCUST	Parent Field	Ŧ	TextArea Rows		R	equired
ELCMCUSTNO	Related Block	~			E In	put by LOV Only
AR_AP_TRACKING	Related Field		TextArea Columns		L N	ot Required In 3
EXPONTRY			Default Value N	* E		eport Paramete
	LOV Name		Preview Value			
	Off Line LOV Name	~	MaskId	* E		
FROZEN	Fieldset Name FST_STATUS		indon ra			
DEAD	Custom Attributes Events					
🚞 WHRUNKN	Custom Autobiles Events					
CRRATE						+ -
i MEDIA	Attribute Name		Attribute Value	Active	Position	-
i SSN			Attribute value	Active	rosidon	
C SWIFTCD	OFF	MI N		Yes 🔻	1	
🚞 LOC					0	
🚞 MAILRSREQD	I ON	×≣ Y		Yes 🔻	2	
GRPCD						
EXPCAT						
CUSTCLASSEN						
CIFSTATSNC						
CUSTCLGGRP TAXGROUP						
CLSPARTICIPANT						-
FXNETTCUST						

Fig 3.3.2: Setting the field invisible

ĺ	zation						××	8	7 🚱
							<u> </u>		
	🖹 New 🦻 Enter Quen	1							
F	Туре	Individual	Full Name		Customer Category *		Â		
Save		Corporate	Short Name	*		Private Customer			
0.848		Bank	Branch Code						
h	Customer No *	P						A	
🛄 DalaBloc	Personal Corporate A	dditional Director Auxiliary C	Check List						
Screens	Domicile Address		- Status		Identifier				
CVS_ 	2000000000	Same as Permanent	otatao	- F	Name				
1 (10 CVS_1		Address		Frozen					
CVS_	Address 1			Liereasen	Value				
) 🧰 CVS_)	Address 2			Eligible for AR-AP	-Relationship Manager-				
) 🛅 CVS_(Address 3			Tracking	RM ID			+	_
CVS_6	Address 4			CRM Customer	RM Name		2	ctive	
	Pin Code			Mailers Required					
CVS_	Country			CLS Participant	-Combined Statement Pla		= Ye)S ♥	
				Issuer Customer		Auto Generated Statement	Ye	95 *	
CVS_L	Misc Details			Treasury Customer	Frequency	Plan Select -			
) 🧰 CVS_(SWIFT Code			Joint Customer					
	Credit Rating			MT920	Statement Day	_			
I CVS_I FieldSeld	Group Code			Relationship Pricing					
Presido en	Charge Group		FLOW Quelense	ELCM Customer					
	Clearing Group		ELCM Customer Number						
	Tax Group		CIF Status						
	Exposure		Since						
	Exposure Category								
	Customer								
	Classification								
	External Reference								
	Number Location								
	FX Netting Customer								
	Media								
	SSN								
	Group MIS Joint	Standing Instructions	Linked Entities Text I	Fields Image Limits	CLS Restrictions MT920	Domestic Professional	1 📤		
	Issuer Cards Lir	nked Account KYC Details	Joint Venture Accour	nt Details NSF Black list s	status Documents Chang	ge Log			
	Maker	[ate Time:	Mod No					
	Checker			Record Status		Exi	it		
		C	ate Time:	Authorization Status		EX			

Fig 3.3.3: The field invisible on screen after deploying units generated from screen customizer

Example 2:

Requirement: Adding a new Tab to the Screen. Move fields from one tab to another

As shown in below screenshot Main Tab contains Unique Identifier Field set. This field has to be moved to a new tab

♦ Customer					×
🖹 New 🦻 Enter Query	1				
Type Customer No *	 Individual Corporate Bank 	Full Name Short Name * Branch Code		Customer Category *	Private Customer
Personal Corporate Ad	dditional Director Auxiliar	V Check List			
Domicile Address		- Status		Identifier	
Address 1 Address 2 Address 3 Address 4 Pin Code Country Misc Details SWIFT Code Credit Rating Group Code Charge Group Clearing Group Clearing Group Tax Group Exposure Exposure Category Classification External Reference Number	Same as Permanent Address	ELCM Customer Number CIF Status Since	 Frozen Deceased Whereabouts Unknown Eligible for AR-AP Tracking CRM Customer Mailers Required CLS Participant Issuer Customer Treasury Customer Joint Customer MT920 Relationship Pricing ✓ ELCM Customer 		Auto Generated Statement Plan Select v
Location FX Netting Customer Media SSN Group MIS Joint	Standing Instructions	Linked Entities Text F	ields Image Limits	CLS Restrictions MT920	Domestic Professional 🍝
Issuer Cards Lin Maker Checker	nked Account KYC Deta	ails Joint Venture Account Date Time: Date Time:	Details NSF Black list stat Mod No Record Status Authorization Status	tus Documents Change	e Log Exit

Fig 3.3.4: The section 'Unique Identifier'

In Screen Customizer, developer can add the new tab. Modify the properties of the field set .i.e. attach to this new tab.




Fig 3.3.5: Section 'Unique Identifier' moved to a new tab



Development Workbench - Screen Customizer [Nov] [2021] Version 14.5.3.0.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax:+91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2007, 2021, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.