

**Oracle® Communications  
Diameter Signaling Router Full Address Resolution**

**SDS 8.5 Disaster Recovery User's Guide**

Release 8.5

F34188-02

January 2024

**ORACLE®**

Oracle® Communications Diameter Signaling Router Full Address Resolution, SDS 8.5 Disaster Recovery User's Guide, Release 8.5

Copyright © 2020 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.



**CAUTION: Use only the Upgrade procedure included in the Upgrade Kit. Before upgrading any system, please access [My Oracle Support \(MOS\)](https://support.oracle.com) (<https://support.oracle.com>) and review any Technical Service Bulletins (TSBs) that relate to this upgrade.**

My Oracle Support (MOS) (<https://support.oracle.com>) is your initial point of contact for all product support and training needs. A representative at Customer Access Support (CAS) can assist you with MOS registration.

Call the CAS main number at 1-800-223-1711 (toll-free in the US), or call the Oracle Support hotline for your local country from the list at <http://www.oracle.com/us/support/contact/index.html>.

See more information on MOS in the Appendix section.

Oracle® Communications Diameter Signaling Router Full Address Resolution, SDS 8.5 Disaster Recovery User's Guide, Release 8.5

Copyright © 2020 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.



**CAUTION: Use only the Upgrade procedure included in the Upgrade Kit. Before upgrading any system, please access [My Oracle Support \(MOS\)](https://support.oracle.com) (<https://support.oracle.com>) and review any Technical Service Bulletins (TSBs) that relate to this upgrade.**

My Oracle Support (MOS) (<https://support.oracle.com>) is your initial point of contact for all product support and training needs. A representative at Customer Access Support (CAS) can assist you with MOS registration.

Call the CAS main number at 1-800-223-1711 (toll-free in the US), or call the Oracle Support hotline for your local country from the list at <http://www.oracle.com/us/support/contact/index.html>.

See more information on MOS in the Appendix section.

**CHANGE HISTORY**

<b>Date</b>	<b>EN G Ver.</b>	<b>ECN Rev.</b>	<b>Author</b>	<b>Description</b>	<b>Approved (Yes/No)</b>
09/07/2017	1		Kawal Sapra	8.2 draft	No
12/25/2017	2		Kawal Sapra	Bug 27294758 fix	No
01/08/2018	3		Kawal Sapra	Review comments	No
01/10/2018	4		Kawal Sapra	Approved for 8.2	Yes
05/09/2018	5		Saurabh Chandra	Initial Draft for 8.3	Yes
07/26/2018	6		Saurabh Chandra	BUG fix - 27305398 - SDS Disaster Recovery User's Guide updates to replace a single Cisco Switch	Yes
09/27/2018	7		Saurabh Chandra	Initial Draft for 8.4	Yes
02/25/2019	7.1		Pallavi Manikere	Bug Fix – 29369329: Added the step <i>Add SDS Software Images to PMAC Servers</i> to Recovery Steps for SOAM Server	Yes
02/27/2019	7.2		Pallavi Manikere	Bug Fix – 29412940: Added a Note under 2.1.2 Recovery Steps	No
03/06/2019	7.3		Pallavi Manikere	Bu Fix- 29383102: Added a line under step 8 in 2.7.2 Recovery Steps	No
08/06/2020	8		Biswaranjan Shreensysk	Final document for DSR 8.5 release	No

**TABLE OF CONTENTS**

1.0	INTRODUCTION .....	9
1.1	Purpose and Scope .....	9
1.2	References.....	9
1.3	Acronyms.....	10
1.4	Assumptions .....	10
1.5	How to use this Document.....	10
2.0	DISASTER RECOVERY SCENARIOS .....	11
2.1	Complete connectivity loss of Primary SDS NOAM Servers.....	11
2.1.1	Pre Condition .....	11
2.1.2	Recovery Steps .....	11
2.1.3	Post Condition .....	11
2.2	Replacement of a DP server.....	12
2.2.1	Pre Condition .....	12
2.2.2	Recovery Steps .....	12
2.2.3	Post Condition .....	13
2.3	Replacement of a SOAM Server.....	14
2.3.1	Pre Condition .....	14
2.3.2	Recovery Steps .....	14
2.3.3	Post Condition .....	15
2.4	Replacement of a Query server.....	16
2.4.1	Pre Condition .....	16
2.4.2	Recovery Steps .....	16
2.4.3	Post Condition .....	16
2.5	Replacement of a SDS NOAM Server.....	18
2.5.1	Pre Condition .....	18
2.5.2	Recovery Steps .....	18
2.5.3	Post Condition .....	19
2.6	Replacement of Primary SDS NOAM Server pair .....	20
2.6.1	Pre Condition .....	20
2.6.2	Recovery Steps .....	20
2.6.3	Post Condition .....	22
2.7	Replacement of SOAM server pair .....	24
2.7.1	Pre Condition .....	24
2.7.2	Recovery Steps .....	24
2.7.3	Post Condition .....	25
2.8	Replacement of DR SDS NOAM Server pair.....	26
2.8.1	Pre Condition .....	26
2.8.2	Recovery Steps .....	26
2.8.3	Post Condition .....	27
2.9	Replacement of SDS frame.....	28
2.9.1	Pre Condition .....	28
2.9.2	Recovery Steps .....	28
2.9.3	Post Condition .....	28
2.10	Replacement of SOAM frame .....	29
2.10.1	Pre Condition .....	29
2.10.2	Recovery Steps .....	29
2.10.3	Post Condition .....	29
2.11	Replacement of a Failed 4948/4948E/4948E-F Switch (RMS System, No PMAC Installed) (netConfig).....	29
2.11.1	Pre Condition .....	29
2.11.2	Recovery Steps .....	30

2.11.3	Post Condition .....	40
APPENDIX A:	MY ORACLE SUPPORT (MOS) .....	41
APPENDIX B:	INSTALL NETBACKUP CLIENT .....	42
APPENDIX C:	RESTORE PROVISIONING DATABASE .....	43
APPENDIX D:	RECOVER PDBRELAY .....	48
APPENDIX E:	BACKUP DIRECTORY .....	49

**List of Tables**

<b>Table 1 - Acronyms</b> .....	10
---------------------------------	----



## 1.0 INTRODUCTION

### 1.1 Purpose and Scope

This document describes procedures to use during disaster scenarios related to SDS 8.5 product.

The disaster scenarios covered in document are:

1. Connectivity loss to Primary SDS NOAM Servers and DR SDS site activation.
2. A defective DP server
3. A defective Query Server
4. A defective SOAM server
5. A defective SDS NOAM Server
6. A defective SDS NOAM Server pair
7. A defective SOAM server pair
8. A defective CISCO switch
9. Total loss of SDS frame.
10. Total loss of SOAM frame.

This document is intended for execution by My Oracle Support (MOS) on fielded SDS systems.

It also could be used at Oracle by PV and development team.

### 1.2 References

**External** (*Customer Facing*):

- [1] SDS Initial Installation Guide
- [2] TPD Initial Product Manufacture, Software Installation Procedure
- [3] Oracle@ Communication Tekelec Platform Configuration Guide
- [4] DSR 3-Tier Disaster Recovery Guide
- [5] DSR Disaster Recovery Guide
- [6] DSR / SDS 8.x NOAM Failover User's Guide
- [7] Cabinet Assembly Instructions, 910-6083-001

### 1.3 Acronyms

Acronym	Meaning
CSV	Comma Separated Values
DP	Database Processor
IMI	Internal Management Interface
ISL	Inter-Switch-Link
MP	Message Processor
NE	Network Element
NOAM	Network Operations, Administration & Maintenance
OAM	Operations, Administration & Maintenance
SDS	Subscriber Data Server
RMM	Remote Management Module
SOAM	Systems Operations, Administration & Maintenance
TPD	Tekelec Platform Distribution (Linux OS)
VIP	Virtual IP
XMI	External Management Interface

**Table 1 - Acronyms**

### 1.4 Assumptions

This procedure assumes the following;

- The user conceptually understands the topology of SDS and the network configuration.
- The user has at least an intermediate skill set with command prompt activities on an open systems computing environment such as Linux or TPD.

### 1.5 How to use this Document

When executing this document, understanding the following helps to ensure that the user understands the manual's intent:

- 1) Before beginning a procedure, completely read the instructional text (it appears immediately after the Section heading for each procedure) and all associated procedural WARNINGS or NOTES.
- 2) Before execution of a STEP within a procedure, completely read the left and right columns including any STEP specific WARNINGS or NOTES.

If a procedural step fails to execute successfully, then please STOP and contact My Oracle Support (as described in **Appendix A**:).

## 2.0 DISASTER RECOVERY SCENARIOS



### !!WARNING!!

Whenever there is need to restore the database backup for NOAM and SOAM servers in any of below Recovery Scenarios, the backup directory may not be there in the system as system will be DRed.

In this case, refer to Appendix E:: Backup directory, this will provide steps to check and create the backup directory.

### 2.1 Complete connectivity loss of Primary SDS NOAM Servers

#### 2.1.1 Pre Condition

- User cannot access Primary SDS site GUI
- User can access DR SDS GUI
- Provisioning clients are disconnected from the primary SDS
- Provisioning has stopped

#### 2.1.2 Recovery Steps

In order to quickly make SDS GUI accessible and provisioning to continue, Follow the below instructions:

1. Promoting the DR NOAM from Secondary to Primary follow reference [6]
2. Recover Primary NOAM as DRNO follow reference [6]

**Note:** The Active Network server allows SNMP administration. Global SNMP configuration cannot be modified if DR site is made Primary. It can be updated once original site becomes Primary again.

#### 2.1.3 Post Condition

- GUI on the new Primary SDS is accessible
- Provisioning clients are connected to the new Primary SDS
- Database provisioning resumes
- A new DR SDS GUI is accessible
- Replication and collection alarms have cleared

**NOTE:** To swap new Primary SDS and new DR SDS sites back to their original roles, execute Step 8 on new-Primary SDS (old-DR SDS) and step 2 on new-DR SDS (old-Primary SDS) from Procedure 1 (Demoting the Active NOAM from Primary to Secondary) in reference [6].

## 2.2 Replacement of a DP server

### 2.2.1 Pre Condition

- DP server has stopped processing traffic
- It has been determined the DP server is defective and needs replacement
- New DP server is available

### 2.2.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Prepare the defective DP server for the replacement.	Identify the defective DP server that needs to be replaced  Defective DP server hostname = _____
2 <input type="checkbox"/>	Stop the application on the defective DP server.	<ol style="list-style-type: none"> <li>1. Using VIP address, login to SOAM GUI site where defective DP server is located.</li> <li>2. Navigate to GUI screen [Main Menu: Status &amp; Manage → Server]</li> <li>3. Select the defective DP server by its hostname.</li> <li>4. Click the 'Stop' button followed by the 'Ok' button on confirmation screen.</li> </ol>
3 <input type="checkbox"/>	Verify that no signaling traffic is processed at the defective DP server	<ol style="list-style-type: none"> <li>1. Go to [Main Menu: Status &amp; Manage --&gt; KPIs] screen.</li> <li>2. Click the KPI Filter icon on the right edge of the screen.</li> <li>3. Select "DP" for Group and click the GO dialogue button.</li> <li>4. Select the tab of the DP server to be recovered.</li> <li>5. Verify that the "Total Queries/Sec" KPI is now showing "0" for this DP.</li> </ol>
4 <input type="checkbox"/>	Power down the defective DP server.	<p>Power down the defective DP server.</p> <p><b>Note:</b> If HW replacement is deemed necessary, physically remove defective DP blade and install new replacement blade</p> <ol style="list-style-type: none"> <li>1. Power down the defective DP server.</li> <li>2. Label all cables connected to defective DP server.</li> <li>3. Physically remove defective DP server from the frame.</li> <li>4. To install the new DP blade use below step from reference [7] <ul style="list-style-type: none"> <li>- Upgrade firmware on the Blade</li> <li>- Upgrade the BIOS of the blade</li> <li>- Set the iLO credentials userid/password of the blade</li> </ul> </li> <li>5. Power up the new DP server.</li> </ol>
5 <input type="checkbox"/>	Install SDS application on the new DP server	Execute procedure 10, steps 1 through 22 (DP Installation ) as described in reference [1]
6 <input type="checkbox"/>	Configure the new DP server	Execute procedure 10, steps 38 - 65 (Applying TKLCCConfigData.sh file on the new DP server) as described in reference [1].
7 <input type="checkbox"/>	Disable hyperthreading on the new DP server	Execute steps as described in Appendix I (Disable Hyperthreading) from [1].
8 <input type="checkbox"/>	Restart the application on the new DP server	Execute procedure 10, steps 86 through 91 (Restarting the application on the new DP server) as described in reference [1]

<b>STEP #</b>	<b>Procedure</b>	<b>Description</b>
<b>9</b> <input type="checkbox"/>	Verify status and traffic.	<ol style="list-style-type: none"> <li>1. Go to [Main Menu: Status &amp; Manage --&gt; KPIs] screen.</li> <li>2. Click the KPI Filter icon on the right edge of the screen.</li> <li>3. Select "DP" for Group and click the GO dialogue button.</li> <li>4. Select the tab of the DP server to be recovered.</li> <li>5. Verify that the "Total Queries/Sec" KPI now showing a non-zero value for this DP</li> </ol>
<b>10</b> <input type="checkbox"/>	Verify comAgent connections	<ol style="list-style-type: none"> <li>1. Navigate to GUI Screen [<b>Main Menu: Communication Agent --&gt; Maintenance --&gt; Connection Status</b>].</li> <li>2. Verify comAgent connections (Automatic &amp; Configured).</li> </ol>

### 2.2.3 Post Condition

- DP server is processing traffic

## 2.3 Replacement of a SOAM Server

### 2.3.1 Pre Condition

- SOAM server has stopped functioning
- It has been determined to replace the blade hosting SOAM server
- New blade replacement is available
- SDS GUI is accessible

### 2.3.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Prepare for server replacement.	Identify the SOAM server that needs replacement  Defective SOAM server hostname = _____
2 <input type="checkbox"/>	Make SOAM server's Max Allowed HA Role "Standby" so it does not become active.	<ol style="list-style-type: none"> <li>1. Login to the Primary SDS NOAM GUI as admin user using VIP address.</li> <li>2. Navigate to GUI screen <b>[Main Menu: Status &amp; Manage → HA]</b></li> <li>3. Click 'Edit' button</li> <li>4. Change "Max Allowed HA Role" of the defective SOAM server to 'Standby'</li> <li>5. Click OK button</li> </ol>
3 <input type="checkbox"/>	Remove SOAM server from the server group.	<ol style="list-style-type: none"> <li>1. Navigate to GUI screen <b>[Main Menu: Configuration → Server Groups]</b>.</li> <li>2. Select SOAM's server group.</li> <li>3. Click the "Edit" button.</li> <li>4. Under "SG Inclusion", uncheck the defective SOAM server.</li> <li>5. Click the "OK" button.</li> </ol>
4 <input type="checkbox"/>	Replace hardware and Recover DSR services	Replace OAM blade hardware and restore TVOE network configuration in accordance with the DSR Disaster Recovery Guide [5].
5 <input type="checkbox"/>	Add SDS Software Images to PMAC Servers	Execute Procedure 7, steps 1 through 15 (Add SDS Software Images to PMAC Servers) from reference [1].
6 <input type="checkbox"/>	Install SDS application on the new SOAM server	Execute Procedure 8, steps 1 through 22 (Installing the SDS Application) from reference [1].
7 <input type="checkbox"/>	Prepare the new SOAM server	Execute Procedure 8, steps 45 through 74 (Applying TKLCCConfigData.sh file on the new SOAM server) from reference [1].
8 <input type="checkbox"/>	Add the new SOAM server back to the server group	Execute procedure 9, steps 14 through 20 (Adding new SOAM server back to the Server Group) from reference [1].
9 <input type="checkbox"/>	Restart the application on the new SOAM server	Execute procedure 9, steps 26 through 32 (Restarting application on new SOAM server) from reference [1].

### **2.3.3 Post Condition**

- SOAM server is back in the service

## 2.4 Replacement of a Query server

### 2.4.1 Pre Condition

- Query server has stopped functioning
- It has been determined to replace the Query server
- New Query server replacement is available

### 2.4.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Prepare for Query server replacement.	Identify the defective Query server that needs replacement  Defective Query server hostname = _____
2 <input type="checkbox"/>	Remove the defective Query Server from the server group.	<ol style="list-style-type: none"> <li>1. Go to the SDS GUI.</li> <li>2. Navigate to GUI screen [<b>Main Menu: Configuration</b> → <b>Server Groups</b>]</li> <li>3. Select Query Server's server group.</li> <li>4. Click the "Edit" button.</li> <li>5. Under "SG Inclusion", uncheck the defective Query server.</li> <li>6. Click the "OK" button.</li> </ol>
3 <input type="checkbox"/>	Power down and replace Query Server	<ol style="list-style-type: none"> <li>1. Power down the defective Query server.</li> <li>2. Label all cables connected to the defective Query server.</li> <li>3. Physically remove the defective Query server from the frame</li> <li>4. All connections should be made to the replacement server according to the labels attached in <b>sub-step 2</b> of the same step</li> <li>5. Power up the new Query server</li> <li>6. To install the new Query Server use below step from reference [7] <ul style="list-style-type: none"> <li>- check/upgrade firmware on the Blade</li> <li>- upgrade the BIOS of the blade</li> <li>- set the iLO credentials userid/password of the blade</li> </ul> </li> </ol>
4 <input type="checkbox"/>	Install SDS application on the new Query server	Execute Procedure 1 (Installing the SDS Application on the new Query server) as described in reference [1].
5 <input type="checkbox"/>	Prepare the new Query server	Execute procedure 4, steps 17 through 43 (Applying TKLCCConfigData.sh file on the new Query server) as described in reference [1].
6 <input type="checkbox"/>	Add the new Query server back to SDS NOAM Server group	Execute procedure 4, steps 44 through 50 (Adding query server back to SDS NOAM Server group) as described in reference [1].
7 <input type="checkbox"/>	Restart the application on the new Query server	Execute procedure 4, steps 51 through 56 (Restarting SDS application on the query server) as described in reference [1].

### 2.4.3 Post Condition



- Query server is back in service

## 2.5 Replacement of a SDS NOAM Server

### 2.5.1 Pre Condition

- SDS NOAM Server has stopped functioning
- It has been determined to replace the defective SDS NOAM Server
- New SDS NOAM Server replacement is available

### 2.5.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Prepare for server replacement.	Identify the defective SDS NOAM Server that needs replacement  Defective SDS NOAM Server hostname = _____
2 <input type="checkbox"/>	Make the defective SDS NOAM Server "Standby" so it does not become active.	<ol style="list-style-type: none"> <li>1. Login to the Primary SDS GUI as admin user using VIP address.</li> <li>2. Navigate to GUI screen [<b>Main Menu: Status &amp; Manage → HA</b>]</li> <li>3. Click 'Edit' button</li> <li>4. Change "Max Allowed HA Role" of the defective SDS NOAM Server to 'Standby'</li> <li>5. Click OK button</li> </ol>
3 <input type="checkbox"/>	Remove SDS NOAM Server from the server group.	<ol style="list-style-type: none"> <li>1. Navigate to GUI screen [<b>Main Menu: Configuration → Server Groups</b>]</li> <li>2. Select SDS's server group.</li> <li>3. Click the "Edit" button.</li> <li>4. Under "SG Inclusion", uncheck the defective SDS NOAM Server</li> <li>5. Click the OK button.</li> </ol>
4 <input type="checkbox"/>	Power down and replace SDS NOAM Server	<ol style="list-style-type: none"> <li>1. Power down the defective SDS NOAM Server.</li> <li>2. Label all cables connected to the defective SDS NOAM Server.</li> <li>3. Physically remove the defective SDS NOAM Server from the frame</li> <li>4. All connections should be made to the replacement server according to the labels attached in <b>sub-step 2</b> of the same step.</li> <li>5. Power up the new SDS NOAM Server</li> <li>6. To install the new NOAM Server use below step from reference [7] <ul style="list-style-type: none"> <li>- check/upgrade firmware on the Blade</li> <li>- upgrade the BIOS of the blade</li> <li>- set the iLO credentials userid/password of the blade</li> </ul> </li> </ol>
5 <input type="checkbox"/>	Install the SDS application on new SDS NOAM Server	Execute Procedure 1 (Installing the SDS Application) from reference [1].
6 <input type="checkbox"/>	Prepare SDS NOAM Server	Execute procedure 2, steps 26 through 49 , then Steps 52-55. (Applying TKLCConfigData.sh file on the new SDS NOAM Server) from reference [1].
7 <input type="checkbox"/>	Add the new SDS NOAM Server back to the server group	Execute procedure 3, steps 1, 13 through 25 (Pairing SDS NOAM Servers) from reference [1].

STEP #	Procedure	Description
<b>8</b> <input type="checkbox"/>	Restart the application on new SDS NOAM Server	Execute procedure 3, steps 26 through 40 (Paring the SDS NOAM Servers SDS NOAM Server) from reference [1].
<b>9</b> <input type="checkbox"/>	Re-exchange SSH keys for Remote Import, Remote Export, and Data Export features	<ol style="list-style-type: none"> <li>1. Login to the Primary SDS GUI as admin user using VIP address.</li> <li>2. Perform SSH key exchange for Remote Export using this screen [<b>Main Menu: SDS → Configuration → Options</b>]</li> <li>3. Perform SSH key exchange for Remote Import using this screen [<b>Main Menu: SDS → Configuration → Options</b>]</li> </ol> <ol style="list-style-type: none"> <li>1. Perform SSH key exchange for Data Export using this screen [<b>Main Menu: Administration → Remote Servers → Data Export</b>]</li> </ol>
<b>10</b> <input type="checkbox"/>	Install Netbackup Client Software  (optional)	<ol style="list-style-type: none"> <li>1. Execute steps as described in Appendix B:</li> </ol>

### 2.5.3 Post Condition

- SDS NOAM Server is back in service

## 2.6 Replacement of Primary SDS NOAM Server pair

### 2.6.1 Pre Condition

- Primary SDS-A, Primary SDS-B, and Primary SDS Query servers have stopped functioning
- DR SDS NOAM Servers are NOT available or are NOT installed
- It has been determined to replace Primary SDS NOAM Servers
- New Primary SDS NOAM Servers for replacement are available
- Recent backup archives of SDS configuration and provisioning databases are available

**NOTE:** If DR SDS NOAM Servers are available, then follow recovery steps from Section 2.1 of this document

### 2.6.2 Recovery Steps

STEP #	Procedure	Description
1 □	Determine SDS backup archive files	<p>Make sure that you have access to SDS Configuration and Provisioning backup archive files</p> <p>Configuration backup archive file</p> <hr/> <p>Provisioning backup archive file</p> <hr/> <p>1. Note: The backup archive files should be in uncompressed format. If it is not uncompressed then please execute following commands.</p> <p><b>For gunzip file:</b>  <code>\$ gunzip Backup.sds.sds1-noa-1191038.Configuration.NETWORK_OAMP.20160609_021511.AUTO.tar.gz</code></p> <p><code>\$ gunzip Backup.sds.sds1-noa-1191038.Provisioning.NETWORK_OAMP.20160609_021511.AUTO.tar.gz</code></p> <p><b>For bunzip file:</b>  <code>\$ bunzip2 Backup.sds.sds1-noa-1191038.Configuration.NETWORK_OAMP.20160609_021511.AUTO.tar.bz2</code></p> <p><code>\$ bunzip2 Backup.sds.sds1-noa-1191038.Provisioning.NETWORK_OAMP.20160609_021511.AUTO.tar.bz2</code></p>

STEP #	Procedure	Description
2 □	Power down and remove all defective Primary SDS NOAM Servers. Replace them with new SDS NOAM Servers.	<ol style="list-style-type: none"> <li>1. Power down all defective SDS NOAM Servers.</li> <li>2. Label all cables connected to defective SDS NOAM Servers.</li> <li>3. Physically remove defective SDS NOAM Servers from the frame.</li> <li>4. Follow reference [7] for the physical installation of new SDS NOAM Servers.</li> <li>5. Wire in the new SDS NOAM Servers according to the cables you labeled and removed from the old servers.</li> <li>6. To install the new NOAM Server use below step from reference [7] <ul style="list-style-type: none"> <li>- check/upgrade firmware on the Blade</li> <li>- upgrade the BIOS of the blade</li> <li>- set the iLO credentials userid/password of the blade</li> </ul> </li> </ol>
3 □	Install the SDS application on the new Primary SDS-A server	Execute Procedure 1 on the new Primary SDS-A server (Installing the SDS Application) from reference [1].
4 □	Configure temporary IP address	Configure temporary external IP address on the new Primary SDS-A server, as described in Appendix C of [1].
5 □	Copy SDS backup archive files to the new Primary SDS-A server.	<ol style="list-style-type: none"> <li>1. Login via SSH to the console of the new Primary SDS-A server.</li> <li>2. Execute following commands on console: <pre> <b>sudo su -</b> <b>cd /var/TKLC/db/filemgmt</b> <b>mkdir backup</b> <b>chown awadmin:awadm backup</b> <b>chmod 775 backup</b> </pre> </li> <li>3. Copy the uncompressed backup archive files identified in step 1 to <b>/var/TKLC/db/filemgmt/backup</b> area on newly installed Primary SDS-A server.</li> <li>4. Execute this command to stop running applications. Leave database running. <pre> <b># prod.stop</b> </pre> </li> <li>5. Restore the configuration DB by executing this command <pre> <b># idb.restore -n -t /var/TKLC/db/filemgmt/backup/ -v &lt;full path to configuration archive file name&gt;</b> </pre> </li> <li>6. SDS database is now restored. Start application by executing <pre> <b># prod.start</b> </pre> </li> <li>7. Exit out of root: <pre> <b># exit</b> </pre> </li> </ol>
6 □	Prepare the new Primary SDS-A server	Execute procedure 2, steps 26 through 49 and steps 53 through 55 on the new Primary SDS-A server (Applying TKLCConfigData.sh file) from reference [1].

STEP #	Procedure	Description
7 <input type="checkbox"/>	Install the SDS application on the new Primary SDS-B server	Execute Procedure 1 on the new Primary SDS-B server (Installing the SDS Application) from reference [1].
8 <input type="checkbox"/>	Prepare the new Primary SDS-B server	Execute procedure 2, steps 26 through 49 and steps 53 through 56 on the new Primary SDS-B server (Applying TKLCConfigData.sh file) from reference [1].
9 <input type="checkbox"/>	Restore Provisioning Database	Follow steps in <b>Appendix C</b> .
10 <input type="checkbox"/>	Install the SDS application on the new Primary SDS Query server	To install the new Query Server use below step from reference [1] - check/upgrade firmware on the Blade - upgrade the BIOS of the blade - set the iLO credentials userid/password of the blade  Execute Procedure 1 on the new Primary SDS Query server (Installing the SDS Application) from reference [1].
11 <input type="checkbox"/>	Prepare the new Primary SDS Query server	Execute procedure 4, steps 17 through 43 and steps 52 through 57 on the new Primary SDS Query server (Applying TKLCConfigData.sh file) from reference [1].
12 <input type="checkbox"/>	Restart the application on all new Primary SDS NOAM Servers	<ol style="list-style-type: none"> <li>1. Login to the Primary SDS GUI as admin user using VIP address</li> <li>2. Navigate to GUI screen <b>[Main Menu: Status &amp; Manage → Server]</b></li> <li>3. Select the Primary SDS-A server</li> <li>4. Click the "Restart" button</li> <li>5. In pop-up window, click the "OK" button to confirm</li> </ol> <p>Repeat all above for Primary SDS-B server, and Primary SDS Query server</p>
13 <input type="checkbox"/>	Install Netbackup Client Software on Primary SDS-A and Primary SDS-B servers (optional)	Execute steps as described in Appendix B:
14 <input type="checkbox"/>	Re-exchange SSH keys for Remote Import, Remote Export, and Data Export features	<ol style="list-style-type: none"> <li>1. Login to the Primary SDS GUI as admin user using VIP address.</li> <li>2. Perform SSH key exchange for Remote Export using this screen <b>[Main Menu: SDS → Configuration → Options]</b></li> <li>3. Perform SSH key exchange for Remote Import using this screen <b>[Main Menu: SDS → Configuration → Options]</b></li> <li>4. Perform SSH key exchange for Data Export using this screen <b>[Main Menu: Administration → Remote Servers → Data Export]</b></li> </ol>

### 2.6.3 Post Condition

- Primary SDS-A, Primary SDS-B, and Primary SDS Query servers are back in service
- Provisioning clients are connected to SDS VIP address
- Provisioning continues

## 2.7 Replacement of SOAM server pair

### 2.7.1 Pre Condition

- Both SOAM-A and SOAM-B servers have stopped functioning
- It has been determined to replace both blades that host SOAM servers
- New blades for replacement are available
- Access to Primary SDS GUI is available
- DPs are not receiving provisioning database updates.

### 2.7.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Prepare for server replacement.	Identify the SOAM-A and SOAM-B servers that needs replacement  SOAM-A Server: _____ SOAM-B Server: _____ SOAM Network Element name _____
2 <input type="checkbox"/>	Inhibit database replication for defective SOAM servers and DP servers associated with this SOAM network element.  <b>NOTE:</b> It is expected that each SOAM and subtending DP will have a DB Level of "UNKNOWN" until the SOAMs are restored.	<ol style="list-style-type: none"> <li>1. Go to the NOAMP GUI.</li> <li>2. Select <b>[Main Menu: Status &amp; Manage → Database]</b> screen</li> <li>3. Filter on the SOAM Network Element name.</li> <li>4. Record the DP server hostnames (Role: MP).</li> <li>5. Click "Inhibit Replication" button for each DP server until all DP servers associated with this SOAM Network Element have been inhibited</li> <li>6. "Inhibiting" SOAM server: Click "Inhibit Replication" button for each defective SOAM servers identified in the above step 1</li> </ol>
3 <input type="checkbox"/>	Remediate OAM blade hardware and restore TVOE network configuration.	Remediate OAM blade hardware and restore TVOE network configuration in accordance with the DSR Disaster Recovery Guide [5].
4 <input type="checkbox"/>	Install SDS application on the new SOAM-A server	Execute Procedure 8, steps 1 through 22 (Installing the SDS Application on SOAM server) from reference [1].



<b>5</b> <input type="checkbox"/>	Install SDS application on the new SOAM-B server	Execute Procedure 8, steps 1 through 22 (Installing the SDS Application on SOAM server) from reference [1].
<b>6</b> <input type="checkbox"/>	Prepare the new SOAM-A server	Execute Procedure 8, steps 45 through 76 (Applying TKLCConfigData.sh file on SOAM server) from reference [1].
<b>7</b> <input type="checkbox"/>	Prepare the new SOAM-B server	Execute Procedure 8, steps 45 through 48, 50 through 70 and 72 through 76 (Applying TKLCConfigData.sh file on SOAM server) from reference [1].
<b>8</b> <input type="checkbox"/>	Allow database replication for SOAM-A and SOAM-B servers and DP servers associated with this SOAM network element.	<ol style="list-style-type: none"> <li>1. Go to the NOAMP GUI.</li> <li>2. Select <b>[Main Menu: Status &amp; Manage → Database]</b> screen</li> <li>3. Filter on the SOAM Network Element name.</li> <li>4. Record the DP server hostnames (Role: MP).</li> <li>5. Allowing Replication: Click “Allow Replication” button for each newly replaced SOAM-A and SOAM-B servers</li> <li>6. Wait until audit becomes active on SOAM's. Allowing Replication: Click “Allow Replication” button for each DP server until all DP servers associated with this SOAM Network Element have been inhibited</li> </ol>
<b>9</b> <input type="checkbox"/>	Restart the application on the new SOAM-A server	Execute procedure 9, steps 26 through 32 (Restarting application on SOAM server) from reference [1].
<b>10</b> <input type="checkbox"/>	Restart the application on the new SOAM-B server	Execute procedure 9, steps 26 through 29 and 33 through 35 (Restarting application on SOAM server) from reference [1].
<b>11</b> <input type="checkbox"/>	Verify that SOAM servers receive SDS provisioning	<ol style="list-style-type: none"> <li>1. Login to active SOAM GUI using VIP address.</li> <li>2. Select <b>[Main Menu: Status &amp; Manage → Servers]</b> screen.</li> <li>3. Make sure that new SOAM servers show ‘Norm’ for DB, Reporting Status and Appl State.</li> </ol>
<b>12</b> <input type="checkbox"/>	Verify that SOAM servers showing valid DB level	<ol style="list-style-type: none"> <li>1. Go to the SOAM GUI.</li> <li>2. Select <b>[Main Menu: Status &amp; Manage → Database]</b> screen</li> <li>3. Verify that a valid DB Level is now showing for each SOAM and subtending DP.</li> </ol>

### 2.7.3 Post Condition

- Both SOAM servers are back in service
- DPs are now receiving provisioning updates

## 2.8 Replacement of DR SDS NOAM Server pair

### 2.8.1 Pre Condition

- DR SDS-A, DR SDS-B, and DR SDS Query servers have stopped functioning
- It has been determined to replace DR SDS NOAM Servers
- New DR SDS NOAM Servers for replacement are available
- Access to Primary SDS GUI is functional

### 2.8.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Prepare for server replacement.	Identify the DR SDS NOAM Servers that needs replacement  DR SDS-A Server: _____ DR SDS-B Server: _____ DR SDS Query Server: _____
2 <input type="checkbox"/>	Power down and remove all defective DR SDS NOAM Servers. Replace them with new servers.	<ol style="list-style-type: none"> <li>1. Power down all defective DR SDS NOAM Servers.</li> <li>2. Label all cables connected to defective DR SDS NOAM Servers.</li> <li>3. Physically remove defective DR SDS NOAM Servers from the frame.</li> <li>4. Wire in the new DR SDS NOAM Servers according to the cables you labeled and removed from the old servers.</li> <li>5. To install the new DR SDS NOAM Server use below step from reference [1]                             <ul style="list-style-type: none"> <li>- check/upgrade firmware on the Blade</li> <li>- upgrade the BIOS of the blade</li> <li>- set the iLO credentials userid/password of the blade.</li> </ul> </li> </ol>
3 <input type="checkbox"/>	Install the SDS application on the new DR SDS-A server	Execute Procedure 1 on the new DR SDS-A server (Installing the SDS Application) from reference [1].
4 <input type="checkbox"/>	Prepare the new DR SDS-A server	Execute procedure 5, steps 22 through 45 on the new DR SDS-A server (Applying TKLCConfigData.sh file) from reference [1]. And then execute Procedure 6, steps 26 through 32 (Restarting application on DR SDS NOAM server) from reference [1].
5 <input type="checkbox"/>	Install the SDS application on the new DR SDS-B server	Execute Procedure 1 on the new DR SDS-B server (Installing the SDS Application) from reference [1].
6 <input type="checkbox"/>	Prepare the new DR SDS-B server	Execute procedure 5, steps 22 through 45 on the new DR SDS-B server (Applying TKLCConfigData.sh file) from reference [1]. And then execute Procedure 6, steps 26 through 32 (Restarting application on DR SDS NOAM server) from reference [1].
7 <input type="checkbox"/>	Install the SDS application on the new DR SDS Query server	Execute Procedure 1 on the new DR Query server (Installing the SDS Application) from reference [1].
8 <input type="checkbox"/>	Prepare the new DR SDS Query server	Execute procedure 4, steps 17 through 43 on the new Query server (Applying TKLCConfigData.sh file) from reference [1] and then execute Procedure 4 (Configuring the Query Server), steps 54 through 56 (Restarting application on DR SDS Queryserver) from reference [1].

<b>9</b> <input type="checkbox"/>	Verify DB level	Navigate to the <b>[Main Menu: Status &amp; Manage --&gt; Database]</b> screen to verify that a valid DBLevel is now showing for each DR NOAM and DR site Query Server.  NOTE: Any value except "UNKNOWN" and "0" is valid for DB level.
<b>10</b> <input type="checkbox"/>	Install Netbackup Client Software on DR SDS-A, and DR SDS-B servers (optional)	Execute steps as described in Appendix B:
<b>11</b> <input type="checkbox"/>	Re-exchange SSH keys for Remote Import, Remote Export, and Data Export features	<ol style="list-style-type: none"> <li>1. Login to the Primary SDS GUI as admin user using VIP address.</li> <li>2. Perform SSH key exchange for Remote Export using this screen <b>[Main Menu: SDS → Configuration → Options]</b></li> <li>3. Perform SSH key exchange for Remote Import using this screen <b>[Main Menu: SDS → Configuration → Options]</b></li> <li>4. Perform SSH key exchange for Data Export using this screen <b>[Main Menu: Administration → Remote Servers → Data Export]</b></li> </ol>

### 2.8.3 Post Condition

- All DR SDS NOAM Servers are back in service

## 2.9 Replacement of SDS frame

### 2.9.1 Pre Condition

- SDS frame is destroyed
- A replacement SDS frame with 2 SDS NOAM Servers and a Query Server is available
- DR SDS NOAM Servers are available
- Access to DR SDS GUI is functional

### 2.9.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Determine SDS site and status of provisioning	If the destroyed SDS frame was the Primary SDS frame, then execute procedure from referenrece [6] to activate DR SDS site as a new Primary SDS site.  This allows provisioning to continue and makes the defective frame as a defective DR SDS frame.
2 <input type="checkbox"/>	Install new replacement DR SDS frame	Follow reference [2] to install new DR SDS frame.
3 <input type="checkbox"/>	Install DR SDS NOAM Servers in new DR SDS frame	Install new DR SDS NOAM Servers into new DR SDS frame by following instructions in reference [7].
4 <input type="checkbox"/>	Install switches in new DR SDS frame	Install new switches into new DR SDS frame by following instructions in reference [7]
5 <input type="checkbox"/>	Connect DR SDS NOAM Servers	Wire in the new DR SDS NOAM Servers by following instructions in reference[7].
6 <input type="checkbox"/>	Recover DR SDS NOAM Server pair	Follow recovery steps from <b>Section 2.8</b> of this document.
7 <input type="checkbox"/>	Recover Query server	Follow recovery steps from <b>Section 2.4</b> of this document.

### 2.9.3 Post Condition

- DR SDS frame is back in the service

## 2.10 Replacement of SOAM frame

### 2.10.1 Pre Condition

- SOAM frame is destroyed
- A replacement SOAM frame with 2 SOAM servers and DP servers is available

### 2.10.2 Recovery Steps

STEP #	Procedure	Description
1 <input type="checkbox"/>	Install new SOAM frame	Follow procedures in reference [4] to install new SOAM frame.
2 <input type="checkbox"/>	Install SOAM Cabinet	Follow reference [5] for installation of HP BladeSystem enclosure.
3 <input type="checkbox"/>	Install DSR	Execute Recovery Scenario 1, of reference [4], DSR Disaster Recovery Guide, to restore DSR services.
4 <input type="checkbox"/>	Recover SOAM server pair	Follow recovery steps from <b>Section 2.7</b> of this document.
5 <input type="checkbox"/>	Recover DP servers	For each DP server, follow recovery steps from <b>Section 2.2</b> of this document.

### 2.10.3 Post Condition

- SOAM frame is back in service

## 2.11 Replacement of a Failed 4948/4948E/4948E-F Switch (RMS System, No PMAC Installed) (netConfig)

This procedure assumes a Platform 7.5 interconnect. If the system being configured follows a different platform interconnect, then the appropriate platform procedures should be followed.

### 2.11.1 Pre Condition

- A fully configured and operational redundant switch must be in operation. If this is not ensured, connectivity may be lost to the end devices.
- Application username and password for creating switch backups must be configured on the management server before executing this procedure.
- Each switch pair must be configured the same at each SDS deployment
- The xml file packaged with the SDS ISO must be used instead of a switch backup file

### 2.11.2 Recovery Steps

Recovery steps of Cisco 4948E-F Switch1A for all SDS NOAM sites.

Step	Procedure	Result
1. <input type="checkbox"/>	<b>Cabinet:</b> Power off failed switch	If the failed switch is DC powered, power off using the cabinet breakers, then remove the DC power and ground cables.  If the failed switch is AC powered, remove the AC power cords from the unit.
2. <input type="checkbox"/>	<b>Cabinet:</b> Find and prepare to replace switch	Determine whether switch1A or switch1B failed, locate the failed switch, and detach all network and console cables from the failed switch. <b>Note:</b> If needed label cables before removal.
3. <input type="checkbox"/>	<b>Cabinet:</b> Replace switch	Remove failed switch and replace with new switch of same model.
4. <input type="checkbox"/>	<b>Cabinet:</b> Power on replacement switch	If the switch is DC powered, attach the DC power and ground cables, then power on the replacement switch using the appropriate cabinet breakers; otherwise, connect the AC power cords to the unit (AC).
5. <input type="checkbox"/>	<b>Cabinet:</b> Attach cable to new switch	Connect all network and console cables to the new switch. Ensure each cable is connected to the same ports of the replacement switch as they were in the failed switch.
6. <input type="checkbox"/>	<b>SERVER A:</b>  Verify the switch netConfig xml files exist of the server	<pre>\$ ls -l /usr/TKLC/plat/etc/switch/xml/</pre> <p>Verify the following files are listed:</p> <pre>DR_switch1A_SDS_4948E_E-F_configure.xml DR_switch1B_SDS_4948E_E-F_configure.xml Primary_switch1A_SDS_4948E_E-F_configure.xml Primary_switch1B_SDS_4948E_E-F_configure.xml switch1A_SDS_4948E_E-F_init.xml switch1B_SDS_4948E_E-F_init.xml</pre> <p>If any file does not exist, contact Customer Care Center for assistance.</p>

Step	Procedure	Result
7. <input type="checkbox"/>	<p><b>Server A:</b> Determine the IOS image required for the switch.</p> <p><b>Note:</b> Both switches must use the same IOS.</p>	<p>If the appropriate image does not exist, copy the image to the management server.</p> <p><b>Note:</b> Check the FW version on the mate switch and select the matching FW image from the backup directory/TFTP directory.</p> <p>To check the FW on the mate switch, use the following command:</p> <p>If replacing switch1A:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1B getFirmware</pre></p> <p>If replacing switch1B:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1A getFirmware</pre></p> <p>Version: 122-54.WO  License: entservicesk9  Flash: cat4500e-entservicesk9-mz.122-54.WO.bin</p>
8.	<p><b>Server A:</b> Verify IOS image is on system</p>	<p>Determine if the IOS image for the 4948/4948E/4948E-F is on the server:</p> <pre>\$ sudo /bin/ls -l /var/lib/tftpboot/&lt;IOS_image_file&gt;</pre> <p>If the file exists and is in the TFTP directory, skip the remainder of this step and continue with the next step.</p> <p>If the file does not exist, copy the file from the firmware media.</p>
9. <input type="checkbox"/>	<p><b>Server A:</b> Enable tftp on the system for tftp transfer of IOS upgrade file</p>	<pre>\$ sudo /usr/TKLC/plat/bin/tpdProvd --client --noxml -- ns=Xinetd startXinetdService service tftp</pre> <p>Login on Remote: platcfg  Password of platcfg: &lt;platcfg_password&gt;  1</p>
10. <input type="checkbox"/>	<p><b>Server A:</b> Configure the firewall to allow tftp</p>	<pre>\$ sudo iptablesAdm insert --type=rule --protocol=ipv4 - -domain=10platnet --table=filter --chain=INPUT -- persist=yes --match="-s 169.254.1.0/24 -p udp --dport 69 -j ACCEPT" --location=1</pre>

Step	Procedure	Result
11. <input type="checkbox"/>	<b>Server A:</b> Verify firewall is configured	<pre>\$ sudo iptablesAdm show --type=rule --protocol=ipv4 --chain=INPUT --domain=10platnet --table=filter</pre> <p>Output:</p> <pre>Persist Domain      Table Chain Match ----- Yes      10platnet filter INPUT -s 169.254.1.0 -p udp -dport 69 -j ACCEPT</pre>
12. <input type="checkbox"/>	<b>Server A:</b> Manipulate the server physical interfaces	<p>Ensure the interface of the server connected to the switch being recovered is the only interface up by performing the following commands:</p> <pre>\$ sudo /sbin/ifup &lt;NIC to switch&gt; \$ sudo /sbin/ifdown &lt;NIC to mate switch&gt;</pre> <p><b><i>If switch1A is being recovered, ensure eth01 is up and eth11 is down.</i></b></p> <p><b><i>If switch1B is being recovered, ensure eth11 is up and eth01 is down.</i></b></p>
13. <input type="checkbox"/>	<b>Server A:</b> Determine server's management IP address	<p>Obtain the management IP address of the server's management interface (typically bond0.2).</p> <pre>\$ sudo /sbin/ip addr show bond0.2   grep inet</pre> <p>The command output should contain the IP address NOAM's management IP address.</p> <p><b><i>If the IP address is 169.254.1.11 use templates for the Primary Site.</i></b></p> <p><b><i>If the IP address is 169.254.1.14 use templates for the DR Site.</i></b></p>



Step	Procedure	Result
14. <input type="checkbox"/>	<b>Server A:</b> Get PROM information	<p><b>Note:</b> ROM and PROM are intended to have the same meaning for this procedure.</p> <p>Connect to the switch and check the PROM version.</p> <p>If replacing switch1A: Connect serially to switch1A by issuing the following command.</p> <pre>\$ sudo /usr/bin/console -M &lt;noam_mgmt_IP_address&gt; -l platcfg switch1A_console</pre> <p>If replacing switch1B: Connect serially to switch1B by issuing the following command.</p> <pre>\$ sudo /usr/bin/console -M &lt;noam_mgmt_IP_address&gt; -l platcfg switch1B_console</pre> <pre>Enter platcfg@pmac5000101's password: &lt;platcfg_password&gt; [Enter '^Ec?' for help] Press Enter Switch&gt; show version   include ROM ROM: 12.2(31r)SGA1 System returned to ROM by reload</pre> <p><b>Note:</b> If the console command fails, contact My Oracle Support (MOS). Note the IOS image and ROM version for comparison in a following step. Exit from the console by pressing <b>&lt;Ctrl-e&gt;&lt;c&gt;&lt;.&gt;</b> and you are returned to the server prompt. Verify the version from the previous command against the version from the release notes referenced. If the versions are different, perform the procedure in <b>Appendix G Upgrade Cisco 4948 PROM</b> of the <b>Platform Management and Configuration Guide, Release 7.6 (E93270-01)</b>, to upgrade the PROM.</p>

Step	Procedure	Result
<p>15. □</p>	<p><b>Server A:</b> Reset switch to factory defaults</p>	<p>Connect serially to the switch and reload the switch by issuing the following commands:</p> <pre>Switch&gt;en Switch#write erase Erasing the nvram filesystem will remove all configuration files! Continue? [confirm] [OK] Erase of nvram: complete Switch#reload Proceed with reload? [confirm]</pre> <p>Wait until the switch reloads, then exit from console; press <b>&lt;Ctrl-e&gt;&lt;c&gt;&lt;. &gt;</b> and you are returned to the server prompt. Wait for the first switch to finish before repeating this process for the second switch.</p> <p><b>Note:</b> There might be messages from the switch. If asked to confirm, press <b>Enter</b>. If asked yes or no, type in <b>no</b> and press <b>Enter</b>.</p>

Step	Procedure	Result
16. <input type="checkbox"/>	<b>SERVER A:</b> Initialize switch	<p>If replacing switch1A, issue the following command:</p> <pre>sudo netConfig -- file=/usr/TKLC/plat/etc/switch/xml/switch1A_SDS_4948 E_E-F_init.xml</pre> <p>If replacing switch1B, issue the following command:</p> <pre>sudo netConfig -- file=/usr/TKLC/plat/etc/switch/xml/switch1B_SDS_4948 E_E-F_init.xml</pre> <p>Sample output from command:</p> <pre>Processing file: =/usr/TKLC/plat/etc/switch/xml/switch1A_SDS_4948E_E- F_init.xml</pre> <p><b>Note:</b> This step takes about 5-10 minutes to complete. Check the output of this command for any errors. If this fails for any reason, stop this procedure and contact My Oracle Support (MOS)</p> <p>A successful completion of netConfig returns you to the prompt.</p> <p>Use netConfig to get the hostname of the switch, to verify the switch was initialized properly, and to verify netConfig can connect to the switch.</p> <p>For switch1A:</p> <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1A getHostname Hostname: switch1A</pre> <p>For switch1B:</p> <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1B getHostname Hostname: switch1B</pre> <p><b>Note:</b> If the correct hostname was not returned the switch was not successfully initialized. Stop this procedure and troubleshoot the issue and/or contact My Oracle Support (MOS)</p>

<p>17. □</p>	<p><b>SERVER A:</b> Configure the switches</p>	<p><b>To determine if Primary or DR templates are to be used, refer to step 12.</b></p> <p>If replacing switch1A at the Primary site, issue the following command:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- file=/usr/TKLC/plat/etc/switch/xml/Primary_switch1A_SDS_4948E_E-F_configure.xml</pre></p> <p>If replacing switch1A at the DR site, issue the following command:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- file=/usr/TKLC/plat/etc/switch/xml/DR_switch1A_SDS_4948E_E-F_configure.xml</pre></p> <p>If replacing switch1B at the Primary site, issue the following command:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- file=/usr/TKLC/plat/etc/switch/xml/Primary_switch1B_SDS_4948E_E-F_configure.xml</pre></p> <p>If replacing switch1B at the DR site, issue the following command:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- file=/usr/TKLC/plat/etc/switch/xml/DR_switch1B_SDS_4948E_E-F_configure.xml</pre></p> <p>Sample Output:  <pre>Processing file: /usr/TKLC/plat/etc/switch/xml/DR_switch1B_SDS_4948E_E-F_configure.xml</pre></p> <p><b>Note:</b> This step takes about 5-10 minutes to complete. Check the output of this command for any errors. If this fails for any reason, stop this procedure and contact My Oracle Support (MOS).</p> <p>A successful completion of netConfig returns you to the prompt.</p> <p>Use netConfig to display the configuration of the switch. To verify the switch was configured properly, and to verify netConfig can connect to the switch.</p> <p>For switch1A:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1A showConfiguration</pre></p> <p>For switch1B:  <pre>\$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1B showConfiguration</pre></p> <p><b>Note:</b> The configuration of both switches should be very similar. As a guideline, the configuration of the recovered switch can be compared to the existing configuration of the mate switch.</p>
------------------	--	--

Step	Procedure	Result
18. <input type="checkbox"/>	<b>Server A:</b> : Verify switch is using proper IOS image per Firmware Release Notes	Verify the switch is using the proper IOS image by issuing the following commands:  For switch1A: \$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1A getFirmware  For switch1B: \$ sudo /usr/TKLC/plat/bin/netConfig -- device=switch1B getFirmware  Version: 122-54.WO License: entservicesk9 Flash: cat4500e-entservicesk9-mz.122-54.WO.bin
19. <input type="checkbox"/>	<b>Server A:</b> Disable TFTP	\$ sudo /usr/TKLC/plat/bin/tpdProvd --client --noxml --ns=Xinetd stopXinetdService service tftp force yes  Login on Remote: platcfg Password of platcfg: <platcfg_password> 1
20. <input type="checkbox"/>	<b>Server A:</b> Verify TFTP is disabled	Ensure the tftp service is not running by executing the following command:  A zero is expected.  \$ sudo /usr/TKLC/plat/bin/tpdProvd --client --noxml --ns=Xinetd getXinetdService service tftp  Login on Remote: platcfg Password of platcfg: <platcfg_password> 0  If a 1 is returned, repeat this step until getXinetdService returns a zero.
21. <input type="checkbox"/>	<b>Server A:</b> Remove the iptables rule to allow TFTP	\$ sudo iptablesAdm delete --type=rule --protocol=ipv4 --domain=10platnet --table=filter --chain=INPUT --persist=yes --match "-s 169.254.1.0/24 -p udp --dport 69 -j ACCEPT"
22. <input type="checkbox"/>	<b>Server A:</b> Verify Firewall rules to allow TFTP has been removed.	\$ sudo iptablesAdm show --type=rule --protocol=ipv4 --chain=INPUT --domain=10platnet --table=filter  <u>Persist Domain Table Chain Match</u>

Step	Procedure	Result
23. <input type="checkbox"/>	<b>Server A:</b> Bring the bond0 interface back up.	Ensure the interface of the server connected to the switch being recovered is the only interface up by performing the following commands:  <pre>\$ sudo /sbin/ifup &lt;NIC to switch&gt;</pre> <p><i>If switch1A is being recovered, bring eth11 up</i></p> <p><i>If switch1B is being recovered, bring eth01 up.</i></p>
24. <input type="checkbox"/>	<b>Server A:</b> Ensure both interfaces of bond0 are up	Ensure the bond0 interfaces are both up by executing the following command: <pre>\$ sudo cat /proc/net/bonding/bond0</pre> <p>Sample output:</p> <pre>[admusr@rlghnc-sds-NO-a ~]\$ sudo cat /proc/net/bonding/bond0 Ethernet Channel Bonding Driver: v3.7.1 (April 27, 2011)  Bonding Mode: fault-tolerance (active-backup) Primary Slave: None Currently Active Slave: eth01 MII Status: up MII Polling Interval (ms): 100 Up Delay (ms): 200 Down Delay (ms): 200  Slave Interface: eth01 MII Status: up Speed: 1000 Mbps Duplex: full Link Failure Count: 3 Permanent HW addr: ac:16:2d:7b:93:f0 Slave queue ID: 0  Slave Interface: eth11 MII Status: up Speed: 1000 Mbps Duplex: full Link Failure Count: 0 Permanent HW addr: ac:16:2d:83:43:67 Slave queue ID: 0 [admusr@rlghnc-sds-NO-a ~]\$</pre>
25. <input type="checkbox"/>	<b>Server A:</b> Verify ping to both switches	Ping each of the switches' SVI (router interface) addresses to verify switch configuration. <pre>\$ /bin/ping 169.254.1.1 \$ /bin/ping 169.254.1.2</pre>

Step	Procedure	Result
<p>26. <input type="checkbox"/></p>	<p><b>Primary SDS VIP:</b></p> <p>Launch an approved web browser and connect to the XMI Virtual IP Address (VIP) of the Active SDS site</p> <p><b>NOTE:</b> <i>If presented with the "security certificate" warning screen shown to the right, choose the following option: "Continue to this website (not recommended)".</i></p>	
<p>27. <input type="checkbox"/></p>	<p><b>Primary SDS VIP:</b></p> <p>The user should be presented the login screen shown on the right.</p> <p>Login to the GUI using the default user and password.</p>	

Step	Procedure	Result
<p>28.</p> <p><input type="checkbox"/></p>	<p><b>SDS VIP:</b> Select...</p> <p><b>Main Menu</b> → <b>Alarms &amp; Events</b> → <b>View Active</b></p> <p>...as shown on the right.</p> <p>Verify no alarms are exits that are reporting device interface or replication issues.</p>	
<p><b>THIS PROCEDURE HAS BEEN COMPLETED</b></p>		

**2.11.3 Post Condition**

- The switch 4948 is replaced and back in service



## APPENDIX A: MY ORACLE SUPPORT (MOS)

MOS (<https://support.oracle.com>) is your initial point of contact for all product support and training needs.

A representative at Customer Access Support (CAS) can assist you with MOS registration.

Call the CAS main number at **1-800-223-1711** (toll-free in the United States), or call the Oracle Support hotline for your local country from the list at <http://www.oracle.com/us/support/contact/index.html>.

When calling, there are multiple layers of menu selections.

Make the selections in the sequence shown below on the Support telephone menu:

1. For the first set of menu options, select:

2, "New Service Request".

You will hear another set of menu options.

2. In this set of menu options, select:

3, "Hardware, Networking and Solaris Operating System Support".

A third set of menu options begins.

3. In the third set of options, select:

2, " Non-technical issue".

Then you will be connected to a live agent who can assist you with MOS registration and provide Support Identifiers. Simply mention you are one of Oracle's Tekelec Customers new to MOS.

## APPENDIX B: INSTALL NETBACKUP CLIENT

STEP #	Procedure	Description
1. <input type="checkbox"/>	Install Netbackup Client Software	<p>Execute <i>Section 3.10.5 Application NetBackup Client Install/Upgrade Procedures</i> of reference [3] to complete this step.</p> <p><b>NOTE:</b> Location of the <code>bpstart_notify</code> and <code>bpend_notify</code> scripts is required for the execution of this step. These scripts are located as follows:</p> <p><code>/usr/TKLC/appworks/sbin/bpstart_notify</code></p> <p><code>/usr/TKLC/appworks/sbin/bpend_notify</code></p> <p><b>NOTE:</b> Netbackup client software must be installed on each SDS NOAM Server</p>
2. <input type="checkbox"/>	Link notify scripts to well-known path stated in the above step	<p>Link the notify scripts to well-known path stated in the above step</p> <p><b>In -s &lt;path&gt;/bpstart_notify /usr/opensv/netbackup/bin/bpstart_notify</b></p> <p><b>In -s &lt;path&gt;/bpend_notify /usr/opensv/netbackup/bin/bpend_notify</b></p>
3. <input type="checkbox"/>	Verify if the Netbackup port 1556 is opened for IPv4 protocol	<p>Verify if the NetBackup port 1556 is opened on IPv4 protocol:</p> <p><b>iptables -L 60sds-INPUT -n   grep 1556</b></p> <p>If there is no output, then enable the port 1556 for NetBackup on IPv4:</p> <p><b>iptablesAdm append --type=rule --protocol=ipv4 --domain=60sds --table=filter -chain=INPUT --match='-m state --state NEW -m tcp -p tcp --dport 1556 -j ACCEPT' --persist=yes</b></p>
4. <input type="checkbox"/>	Verify if the Netbackup port 1556 is opened for IPv6 protocol	<p>Verify if the NetBackup port 1556 is opened on IPv6 protocol:</p> <p><b>ip6tables -L 60sds -INPUT -n   grep 1556</b></p> <p>If there is no output, then enable the port 1556 for NetBackup on IPv6 protocol:</p> <p><b>iptablesAdm append --type=rule --protocol=ipv6 --domain=60sds --table=filter -chain=INPUT --match='-m state --state NEW -m tcp -p tcp --dport 1556 -j ACCEPT' --persist=yes</b></p>
<b>THIS PROCEDURE HAS BEEN COMPLETED</b>		

**APPENDIX C: RESTORE PROVISIONING DATABASE**

STEP #	Procedure	Description												
1. <input type="checkbox"/>	Log into Primary SDS NOAM GUI	Log into Primary SDS NOAM GUI using its static IP (not the VIP).												
2. <input type="checkbox"/>	Place the newly recovered Standby NOAM into Forced Standby	<p>1. Navigate to <b>Main Menu: Status &amp; Manage-&gt; HA</b></p> <p>2. Click on <b>“Edit”</b></p> <p>3. Move the newly recovered standby server to forced standby.</p> <p><b>Main Menu: Status &amp; Manage -&gt; HA [Edit]</b></p> <hr/> <p>Modifying HA attributes</p> <table border="1"> <thead> <tr> <th>Hostname</th> <th>Max Allowed HA Role</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>righnc-sds-NO-a</td> <td>Active</td> <td>The maximum desired HA Role for righnc-sds-NO-a</td> </tr> <tr> <td>righnc-sds-NO-b</td> <td>Standby</td> <td>The maximum desired HA Role for righnc-sds-NO-b</td> </tr> <tr> <td>righnc-sds-QS</td> <td>Observer</td> <td>The maximum desired HA Role for righnc-sds-QS</td> </tr> </tbody> </table>	Hostname	Max Allowed HA Role	Description	righnc-sds-NO-a	Active	The maximum desired HA Role for righnc-sds-NO-a	righnc-sds-NO-b	Standby	The maximum desired HA Role for righnc-sds-NO-b	righnc-sds-QS	Observer	The maximum desired HA Role for righnc-sds-QS
Hostname	Max Allowed HA Role	Description												
righnc-sds-NO-a	Active	The maximum desired HA Role for righnc-sds-NO-a												
righnc-sds-NO-b	Standby	The maximum desired HA Role for righnc-sds-NO-b												
righnc-sds-QS	Observer	The maximum desired HA Role for righnc-sds-QS												

3.  Restore Provisioning data

1. Navigate to **Main Menu: Status & Manage -> Database**
2. Select Select Active NOAM and click the Restore button.

**Main Menu: Status & Manage -> Database** Mon Mar 20 16:38:03 2017 UTC

Filter\* Info\* Tasks

Network Element	Server	Role	OAM Max HA Role	Application Max HA Role	Status	DB Level	OAM Repl Status	SIG Repl Status	Repl Status	Repl Audit Status
NO_RLGHNC	rlghnc-sds-NO-b	Network OAM&P	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable
NO_MRSVNC	mrsvnc-sds-NO-b	Network OAM&P	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable
SDS_SO_Nassau	nassau-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable
SDS_SO_Turks	turks-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable
SDS_SO_Turks	turks-sds-so-b	System OAM	Standby	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable
SDS_SO_Nassau	nassau-sds-so-b	System OAM	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable
NO_RLGHNC	rlghnc-sds-NO-a	Network OAM&P	Standby	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable
SDS_SO_Freemont	freemont-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable

Copyright © 2010, 2017, Oracle and/or its affiliates. All rights reserved.

3. Select Provisioning backup file from the list (which was previously placed in /var/TKLC/db/filemgr Step 5 of Section 2.6.2) and click the OK button.

**Note: Must use a Provisioning only backup file. Combined backup files containing Configuration data will cause catastrophic issues which could lead to complete re-installation.**

**Main Menu: Status & Manage -> Database [Restore]**

**Database Restore**

Select archive to Restore on server: mrsvnc-sds-NO-a

Archive \*

- backup/Backup.sds.rlghnc-sds-NO-b.Configuration.NETWORK\_OAMP.20170316\_021512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Provisioning.NETWORK\_OAMP.20170316\_031512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Configuration.NETWORK\_OAMP.20170317\_021512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Provisioning.NETWORK\_OAMP.20170317\_031512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Configuration.NETWORK\_OAMP.20170318\_021512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Provisioning.NETWORK\_OAMP.20170318\_031511.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Configuration.NETWORK\_OAMP.20170319\_021512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Provisioning.NETWORK\_OAMP.20170319\_031511.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Configuration.NETWORK\_OAMP.20170320\_021512.AUTO.tar.gz
- backup/Backup.sds.rlghnc-sds-NO-b.Provisioning.NETWORK\_OAMP.20170320\_031511.AUTO.tar.gz

Select the archive to restore on mrsvnc-sds-NO-a

4. Verify Compatibility and select Ok to restore.

STEP #	Procedure	Description
		<p><b>Main Menu: Status &amp; Manage -&gt; Database [Restoreconfirm]</b></p> <p style="text-align: right;">Mon Mar 20 16:56:47 2017 L</p> <hr/> <p>Database Restore Confirm</p> <p>Compatible archive.</p> <div style="border: 2px solid red; padding: 5px;"> <pre style="background-color: #e0ffe0; padding: 10px;"> The selected database came from rlgnc-sds-NO-b on 03/17/2017 at 02:15:12 EDT and contains the following comment: Nightly  Archive Contents Configuration data  Database Compatibility                     </pre> </div> <p>Confirm archive "backup/Backup.sds.rlgnc-sds-NO-b.Configuration.NETWORK_OAMP20170317_021512.AUTO.tar.gz" to Restore on server: rlgnc-sds-NO-b</p> <p>Force Restore? <input type="checkbox"/> Force Force restore on rlgnc-sds-NO-b, despite compare errors.</p> <p><input type="button" value="Ok"/> <input type="button" value="Cancel"/></p>
<p>4.</p> <input type="checkbox"/>	<p>Wait for the restore to begin</p>	<p>Wait 60 seconds for the restore to begin.</p>
<p>5.</p> <input type="checkbox"/>	<p>Track Progress of Restore</p>	<p>Monitor the "Info" tab under the <b>[Status &amp; Manage --&gt; Database]</b> screen and look for the following message:</p> <p><b>NOTE:</b> - Restore on &lt;Active_NO_hostname&gt; status MAINT_IN_PROGRESS.</p>
<p>6.</p> <input type="checkbox"/>	<p>Wait for the restore to complete</p>	<p>Continue to monitor the "Info" tab under the <b>[Status &amp; Manage --&gt; Database]</b> screen until the following message is received:</p> <p>Success: - Restore on rlgnc-sds-NO-b status MAINT_CMD_SUCCESS. Success</p> <p><b>NOTE:</b> The "Info" tab may require manual refresh to see updated status. To refresh the "Info" tab, re-select <b>Manage --&gt; Database</b> from the Main Menu, then reselect the "Info" tab.</p>

STEP #	Procedure	Description																																																																																																			
7. <input type="checkbox"/>	Uninhibit servers	Uninhibit All servers in the following staggered arrangement:  1. Uninhibit Active NOAM.  2. Refresh/monitor the [Status & Manage --> Database] screen until a valid "DB Level" appears for the Query Server.  3. Uninhibit Standby NOAM / Query Server.  4. Refresh/monitor the [Status & Manage --> Database] screen until a valid "DB Level" appears for the Query Server.  5. Uninhibit Active SOAMs.  6. Refresh/monitor the [Status & Manage --> Database] screen until a valid "DB Level" appears for the Query Server.  7. Uninhibit Standby SOAMs / DPs.  8. Refresh/monitor the [Status & Manage --> Database] screen until a valid "DB Level" appears for the Query Server.																																																																																																			
8. <input type="checkbox"/>	Enable Provisioning	Navigate to: [Status & Manage --> Database] and click "Enable Provisioning"  <div style="border: 1px solid #ccc; padding: 5px;"> <p><b>Main Menu: Status &amp; Manage -&gt; Database</b></p> <p style="text-align: right;">Mon Mar 20 17:09:34</p> <p>Filter* Info* Tasks</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Network Element</th> <th>Server</th> <th>Role</th> <th>OAM Max HA Role</th> <th>Application Max HA Role</th> <th>Status</th> <th>DB Level</th> <th>OAM Repl Status</th> <th>SIG Repl Status</th> <th>Repl Status</th> <th>Repl A Status</th> </tr> </thead> <tbody> <tr> <td>SDS_SO_Turks</td> <td>turks-sds-so-a</td> <td>System OAM</td> <td>Active</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>NotApplicable</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>NO_RLOHNC</td> <td>rlohnc-sds-NO-b</td> <td>Network OAM&amp;P</td> <td>Active</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>NotApplicable</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>NO_MRSVNC</td> <td>mrsvnc-sds-NO-b</td> <td>Network OAM&amp;P</td> <td>Active</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>NotApplicable</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>SDS_SO_Nassau</td> <td>nassau-dp-2</td> <td>MP</td> <td>Active</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>Normal</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>SDS_SO_Turks</td> <td>turks-dp-2</td> <td>MP</td> <td>Active</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>Normal</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>SDS_SO_Turks</td> <td>turks-sds-so-b</td> <td>System OAM</td> <td>Standby</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>NotApplicable</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>SDS_SO_Nassau</td> <td>nassau-sds-so-b</td> <td>System OAM</td> <td>Active</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>NotApplicable</td> <td>Allowed</td> <td>NotApplicable</td> </tr> <tr> <td>NO_RLOHNC</td> <td>rlohnc-sds-NO-a</td> <td>Network OAM&amp;P</td> <td>Standby</td> <td>N/A</td> <td>Normal</td> <td>7261273</td> <td>Normal</td> <td>NotApplicable</td> <td>Allowed</td> <td>NotApplicable</td> </tr> </tbody> </table> <p style="margin-top: 5px;"> <input type="button" value="Enable Provisioning"/> <input type="button" value="Report"/> <input type="button" value="Inhibit/Allow Replication"/> <input type="button" value="Backup..."/> <input type="button" value="Compare..."/> <input type="button" value="Restore..."/> <input type="button" value="Man Audit"/> <input type="button" value="Resume Auto Audit"/> </p> <p style="text-align: right; font-size: small;">Copyright © 2010, 2017, Oracle and/or its affiliates. All rights reserved.</p> </div>	Network Element	Server	Role	OAM Max HA Role	Application Max HA Role	Status	DB Level	OAM Repl Status	SIG Repl Status	Repl Status	Repl A Status	SDS_SO_Turks	turks-sds-so-a	System OAM	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable	NO_RLOHNC	rlohnc-sds-NO-b	Network OAM&P	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable	NO_MRSVNC	mrsvnc-sds-NO-b	Network OAM&P	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable	SDS_SO_Nassau	nassau-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable	SDS_SO_Turks	turks-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable	SDS_SO_Turks	turks-sds-so-b	System OAM	Standby	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable	SDS_SO_Nassau	nassau-sds-so-b	System OAM	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable	NO_RLOHNC	rlohnc-sds-NO-a	Network OAM&P	Standby	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable
Network Element	Server	Role	OAM Max HA Role	Application Max HA Role	Status	DB Level	OAM Repl Status	SIG Repl Status	Repl Status	Repl A Status																																																																																											
SDS_SO_Turks	turks-sds-so-a	System OAM	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable																																																																																											
NO_RLOHNC	rlohnc-sds-NO-b	Network OAM&P	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable																																																																																											
NO_MRSVNC	mrsvnc-sds-NO-b	Network OAM&P	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable																																																																																											
SDS_SO_Nassau	nassau-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable																																																																																											
SDS_SO_Turks	turks-dp-2	MP	Active	N/A	Normal	7261273	Normal	Normal	Allowed	NotApplicable																																																																																											
SDS_SO_Turks	turks-sds-so-b	System OAM	Standby	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable																																																																																											
SDS_SO_Nassau	nassau-sds-so-b	System OAM	Active	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable																																																																																											
NO_RLOHNC	rlohnc-sds-NO-a	Network OAM&P	Standby	N/A	Normal	7261273	Normal	NotApplicable	Allowed	NotApplicable																																																																																											
9. <input type="checkbox"/>	Recover Pdbrelay (IF NEEDED)	Verify whether PDB Relay is Enabled by following the instructions in Appendix D.																																																																																																			

STEP #	Procedure	Description												
10. <input type="checkbox"/>	Remove NO from forced standby.	1. Navigate to <b>Main Menu: Status &amp; Manage -&gt; HA</b> , click Edit. 2. Select the server which was moved to forced standby in <b>step 2</b> , change Max HA Role to Active and click Save.  <b>Main Menu: Status &amp; Manage -&gt; HA [Edit]</b> <div style="text-align: right; font-size: small;">Mon Mar 20 17:17:43 2017</div> <hr/> Modifying HA attributes  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Hostname</th> <th style="width: 25%;">Max Allowed HA Role</th> <th style="width: 50%;">Description</th> </tr> </thead> <tbody> <tr> <td>rlghnc-sds-NO-a</td> <td>Active</td> <td>The maximum desired HA Role for rlghnc-sds-NO-a</td> </tr> <tr> <td>rlghnc-sds-NO-b</td> <td>Active</td> <td>The maximum desired HA Role for rlghnc-sds-NO-b</td> </tr> <tr> <td>rlghnc-sds-QS</td> <td>Observer</td> <td>The maximum desired HA Role for rlghnc-sds-QS</td> </tr> </tbody> </table>	Hostname	Max Allowed HA Role	Description	rlghnc-sds-NO-a	Active	The maximum desired HA Role for rlghnc-sds-NO-a	rlghnc-sds-NO-b	Active	The maximum desired HA Role for rlghnc-sds-NO-b	rlghnc-sds-QS	Observer	The maximum desired HA Role for rlghnc-sds-QS
Hostname	Max Allowed HA Role	Description												
rlghnc-sds-NO-a	Active	The maximum desired HA Role for rlghnc-sds-NO-a												
rlghnc-sds-NO-b	Active	The maximum desired HA Role for rlghnc-sds-NO-b												
rlghnc-sds-QS	Observer	The maximum desired HA Role for rlghnc-sds-QS												
<p><b>THIS PROCEDURE HAS BEEN COMPLETED</b></p>														

## APPENDIX D: RECOVER PDBRELAY

If, system fails to re-establish pdbrelay connection, follow the instructions:

STEP #	Procedure	Description
1. <input type="checkbox"/>	Determine if pdbrelay is enabled	Execute following command on console of Active NOAM server (accessed via the VIP) and compare the output:  <b>\$ iqt -zhp -fvalue ProvOptions where "var='pdbRelayEnabled'"</b> <b>TRUE</b> <b>\$</b>  <b>Proceed to next step only if the result of above command is true.</b>
2. <input type="checkbox"/>	Disable pdbrelay	Uncheck PDB Relay Enabled checkbox under the <b>[SDS --&gt; Configuration --&gt; Options]</b> screen and Apply the change.
3. <input type="checkbox"/>	Emergency Restart (Start from Beginning of Cmd Log)	Execute following commad on console:  <b>\$ iset -fvalue=0 ProvOptions where "var='pdbRelayMsgLogTimeStamp'"</b>
4. <input type="checkbox"/>	Enable pdbrelay	Recheck PDB Relay Enabled checkbox under the <b>[SDS --&gt; Configuration --&gt; Options]</b> screen and Apply the change.
<b>THIS PROCEDURE HAS BEEN COMPLETED</b>		



## APPENDIX E: BACKUP DIRECTORY

This workaround helps to create backup directory with correct permissions if required.

STEP #	Procedure	Description
1 <input type="checkbox"/>	<b>NOAM/SOAM VIP console:</b> Determine if backup directory is created	<p>Execute following command on console of Active NOAM/SOAM server (accessed via the VIP) and compare the output:</p> <pre>\$ cd /var/TKLC/db/filemgmt/ \$ ls -ltr</pre> <p>Look for backup directory in the output. Check if directory is already created with correct permission. Directory will look like:-</p> <pre>drwxrwx--- 2 awadmin awadm 4096 Dec 19 02:15 backup</pre> <p>In case, directory is already there with right permissions then skip steps 2 and 3. If directory is not with right permissions then execute step 3. Otherwise go to next step.</p>
2 <input type="checkbox"/>	<b>NOAM/SOAM VIP console:</b> Create backup directory	<p>Assuming present working directory is <code>/var/TKLC/db/filemgmt/</code> Otherwise, do <code>cd /var/TKLC/db/filemgmt/</code></p> <pre>#Create backup directory \$mkdir backup</pre> <p><b>Verify directory is created:-</b> <code>\$ ls -ltr /var/TKLC/db/filemgmt/backup</code></p> <p>Error should not come "No such file or directory". Rather it will show the directory, as directory will be empty it will show total 0 as content.</p>
3 <input type="checkbox"/>	<b>NOAM/SOAM VIP console:</b> Change permissions of backup directory	<p>Assuming backup directory is created</p> <p><b>Verify directory is created:-</b> <code>\$ ls -ltr /var/TKLC/db/filemgmt/backup</code></p> <p>Error should not come "No such file or directory". Rather it will show the directory, as directory will be empty it will show total 0 as content. If directory is not created go to step 2. Else proceed.</p> <pre>#Change permissions of backup directory \$ chmod 770 /var/TKLC/db/filemgmt/backup</pre> <pre>#Change ownership of backup directory \$ sudo chown -R awadmin:awadm /var/TKLC/db/filemgmt/backup</pre> <p>After changing the permissions and ownership of the backup directory.</p> <p><b>Directory will look like</b> <code>drwxrwx--- 2 awadmin awadm 4096 Dec 22 02:15 backup</code></p>

<p><b>4</b> □</p>	<p><b>NOAM/SOAM VIP console:</b> Copy the backup file which we need to restore in backup directory</p>	<p>Copy the backup file to backup directory  <b>\$ cp BACKUPFILE /var/TKLC/db/filemgmt/backup</b></p> <p>Provide permissions to backup file inside backup directory.</p> <p># Make sure about present working directory.  <b>\$cd /var/TKLC/db/filemgmt/backup</b></p> <p>#Change permissions of files inside backup directory  <b>\$chmod 666 Backup.*</b></p> <p># Change ownership of files inside backup directory  <b>\$ sudo chown -R awadmin:awadm Backup.*</b></p>
-----------------------	--	--