
PeopleSoft FSCM 9.2: PeopleSoft Financial Gateway

March 2022

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://docs.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <https://docs.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <https://docs.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Contents

Preface: Preface.....	vii
Understanding the PeopleSoft Online Help and PeopleBooks.....	vii
Hosted PeopleSoft Online Help.....	vii
Locally Installed Help.....	vii
Downloadable PeopleBook PDF Files.....	vii
Common Help Documentation.....	vii
Field and Control Definitions.....	viii
Typographical Conventions.....	viii
ISO Country and Currency Codes.....	viii
Region and Industry Identifiers.....	ix
Translations and Embedded Help.....	ix
Using and Managing the PeopleSoft Online Help.....	x
PeopleSoft FSCM Related Links.....	x
Contact Us.....	x
Follow Us.....	x
Chapter 1: Getting Started with PeopleSoft Financial Gateway.....	13
Financial Gateway Business Processes.....	13
PeopleSoft Financial Gateway Integrations.....	13
PeopleSoft Financial Gateway Implementation.....	13
Chapter 2: Defining Financial Gateway Integration Options.....	15
Understanding the Financial Gateway Integration Process.....	15
Registering a Source Application with Financial Gateway.....	17
Page Used to Register Source Applications with Financial Gateway.....	17
Understanding the Registration Process.....	17
Source Registration Page.....	17
Chapter 3: Setting Up Electronic Banking Using Financial Gateway.....	25
Understanding Electronic Banking.....	25
Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing.....	33
Pages Used to Set Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing.....	34
Components Common to Bank Statement, Payment, and Payment Acknowledgment Processing.....	34
Understanding the Layout Catalog.....	35
Understanding Code Mapping.....	42
Understanding File Encryption.....	44
Layout Catalog Page.....	44
Code Mappings Page.....	52
Event Code Definition Page.....	54
Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements.....	55
Pages Used to Set Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements.....	55
Understanding PeopleSoft Integration Broker Setup for Bank Statements, Payments, and Payment Acknowledgements.....	56
Defining Integration Broker Settings for Payments.....	59

Defining Integration Broker Settings for Bank Statements and Payment Acknowledgments.....	61
Setting Up Bank Statement Processing.....	63
Pages Used to Set Up Bank Statement Processing.....	64
Components Used to Set Up Bank Statement Processing.....	64
Defining Bank Statement Balance Codes.....	65
Defining Transaction Codes.....	66
Setting Up Payment Processing.....	68
Pages Used to Set Up Payment Processing.....	68
Understanding Payment Processing in Financial Gateway.....	69
Payment Grouping Rules Page.....	70
Bank Integration Layouts Page.....	72
Creating Payment Layouts.....	76
External Command Page.....	78
Setting Up Payment Acknowledgment Processing.....	79
Reviewing Event Log Information.....	80
Page Used to Review Event Log Information.....	80
Review Event Log Page.....	80
Using a Communications Partner for Electronic Banking.....	82
Using Remittance Advice in Financial Gateway.....	83
Pages Used to Send Remittance Advice in Financial Gateway.....	83
Understanding Remittance Advice in Financial Gateway.....	83
Remittance Advice Attributes Page.....	83
Advance Payment Notification Page.....	84
Resend Notification Page.....	85
Chapter 4: Setting Up Payment Security.....	87
Understanding Payment Security.....	87
Activating Payment Security.....	88
Page Used to Activate Payment Security.....	88
Security Options Page.....	89
Creating Payment Security Rules.....	90
Page Used to Create Payment Security Rules.....	91
Security Rules Page.....	91
Assigning Payment Security Rules.....	92
Pages Used to Assign Payment Security Rules.....	92
Security Role Assignment Page and Security User Assignment Page.....	92
Chapter 5: Processing Bank Statements in Financial Gateway.....	93
Understanding Statement Updates.....	93
Technical Overview of Bank Statement Data Transmittal.....	93
Prerequisites.....	94
Common Elements Used in Processing Bank Statements in Financial Gateway.....	94
Importing Bank Statements.....	95
Pages Used to Import Bank Statements.....	95
Import Bank Statements Page.....	96
Reviewing Bank Statement Files.....	100
Pages Used to Review Bank Statement Files.....	100
Review Bank Statement Files Page.....	101
Chapter 6: Working with Payments in Financial Gateway.....	103
Understanding the Payment Process in Financial Gateway.....	103
Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications.....	110
Page Used to Import Payment and Payment Cancellation Flat Files.....	110

Understanding Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications.....	111
Import Payment Flat Files Page.....	111
Reviewing the Results of the Payment Load Process.....	115
Pages Used to Review the Results of the Payment Load Process.....	115
Review Payment Requests Page.....	115
Reviewing and Changing Payments in Financial Gateway.....	116
Pages Used to Review Payments in Financial Gateway.....	117
Understanding Payment Status Changes in Financial Gateway.....	117
Review Payments - Payments Page.....	117
Payment Preferences Page.....	121
Review Payment Details Page.....	122
Override Payment Status Page.....	125
Reviewing High-Value Payments on the PeopleSoft Fluid User Interface.....	127
Pages Used to Review High-Value Payments on the PeopleSoft Fluid User Interface.....	127
Understanding the Cash Management Home Page.....	127
Top Payments Tile.....	129
My Preferences - Top Payments Page.....	130
Top Payments Page.....	130
Understanding Generating Payment Files for Dispatch.....	132
Dispatching Payments in Financial Gateway.....	133
Pages Used to Dispatch Payments in Financial Gateway.....	134
Payment Dispatch Page.....	134
Understanding How to Use the Data Export Import Utility for Payment Dispatch.....	138
Setting Up the Data Export Import Utility for Payment Dispatch.....	139
Reviewing Payment Files.....	143
Pages Used to Review Payment Files.....	143
Understanding Reviewing Bank Payment Files.....	143
Payment Files Page.....	144
Override Payment File Status Page.....	146
Importing Bank Acknowledgments.....	147
Pages Used to Import Bank Acknowledgments.....	147
Understanding Acknowledgments.....	148
Import Acknowledgement Files Page.....	148
Review Payments - Acknowledgement Files Page.....	152
Chapter 7: Defining SEPA Requirements and Transactions.....	155
Understanding SEPA.....	155
SEPA Glossary.....	155
SEPA BIC Requirements.....	158
SEPA Credit Transfer and Direct Debit Initiation.....	159
SEPA Credit Transfer.....	161
SEPA Direct Debit.....	162
SEPA Payment Cancellations and Reversals.....	164
Implementing the EBICS Protocol with SEPA Payments.....	166
Pages Used to Implement the EBICS Protocol with SEPA Payments.....	167
Understanding Using the EBICS Protocol with SEPA Payments.....	167
EBICS Information Page.....	175
EBICS Item List Page.....	177
Entering and Managing Direct Debit Mandates.....	177
Pages Used to Enter and Manage Direct Debit Mandates.....	177
Print Direct Debit Mandate Form Page.....	178

Direct Debit Mandate for Counterparties Page.....179

Direct Debit Mandate for Customers Page.....184

Amending a Direct Debit Mandate.....186

Approve Direct Debit Mandates Page.....187

Cancel Direct Debit Mandates Page.....188

Cancel Unused Mandates Page.....189

Integrating with PeopleSoft Global Payroll.....191

Chapter 8: Financial Gateway Reports.....197

Financial Gateway Reports: A to Z.....197

Preface

Understanding the PeopleSoft Online Help and PeopleBooks

The PeopleSoft Online Help is a website that enables you to view all help content for PeopleSoft applications and PeopleTools. The help provides standard navigation and full-text searching, as well as context-sensitive online help for PeopleSoft users.

Hosted PeopleSoft Online Help

You can access the hosted PeopleSoft Online Help on the [Oracle Help Center](#). The hosted PeopleSoft Online Help is updated on a regular schedule, ensuring that you have access to the most current documentation. This reduces the need to view separate documentation posts for application maintenance on My Oracle Support. The hosted PeopleSoft Online Help is available in English only.

To configure the context-sensitive help for your PeopleSoft applications to use the Oracle Help Center, see [Configuring Context-Sensitive Help Using the Hosted Online Help Website](#).

Locally Installed Help

If you're setting up an on-premise PeopleSoft environment, and your organization has firewall restrictions that prevent you from using the hosted PeopleSoft Online Help, you can install the online help locally. See [Configuring Context-Sensitive Help Using a Locally Installed Online Help Website](#).

Downloadable PeopleBook PDF Files

You can access downloadable PDF versions of the help content in the traditional PeopleBook format on the [Oracle Help Center](#). The content in the PeopleBook PDFs is the same as the content in the PeopleSoft Online Help, but it has a different structure and it does not include the interactive navigation features that are available in the online help.

Common Help Documentation

Common help documentation contains information that applies to multiple applications. The two main types of common help are:

- Application Fundamentals
- Using PeopleSoft Applications

Most product families provide a set of application fundamentals help topics that discuss essential information about the setup and design of your system. This information applies to many or all applications in the PeopleSoft product family. Whether you are implementing a single application, some combination of applications within the product family, or the entire product family, you should be familiar with the contents of the appropriate application fundamentals help. They provide the starting points for fundamental implementation tasks.

In addition, the *PeopleTools: Applications User's Guide* introduces you to the various elements of the PeopleSoft Pure Internet Architecture. It also explains how to use the navigational hierarchy, components, and pages to perform basic functions as you navigate through the system. While your application or implementation may differ, the topics in this user's guide provide general information about using PeopleSoft applications.

Field and Control Definitions

PeopleSoft documentation includes definitions for most fields and controls that appear on application pages. These definitions describe how to use a field or control, where populated values come from, the effects of selecting certain values, and so on. If a field or control is not defined, then it either requires no additional explanation or is documented in a common elements section earlier in the documentation. For example, the Date field rarely requires additional explanation and may not be defined in the documentation for some pages.

Typographical Conventions

The following table describes the typographical conventions that are used in the online help.

<i>Typographical Convention</i>	<i>Description</i>
Key+Key	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For Alt+W , hold down the Alt key while you press the W key.
. . . (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ().
[] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object. Ampersands also precede all PeopleCode variables.
⇒	This continuation character has been inserted at the end of a line of code that has been wrapped at the page margin. The code should be viewed or entered as a single, continuous line of code without the continuation character.

ISO Country and Currency Codes

PeopleSoft Online Help topics use International Organization for Standardization (ISO) country and currency codes to identify country-specific information and monetary amounts.

ISO country codes may appear as country identifiers, and ISO currency codes may appear as currency identifiers in your PeopleSoft documentation. Reference to an ISO country code in your documentation does not imply that your application includes every ISO country code. The following example is a country-specific heading: "(FRA) Hiring an Employee."

The PeopleSoft Currency Code table (CURRENCY_CD_TBL) contains sample currency code data. The Currency Code table is based on ISO Standard 4217, "Codes for the representation of currencies," and also relies on ISO country codes in the Country table (COUNTRY_TBL). The navigation to the pages where you maintain currency code and country information depends on which PeopleSoft applications you are using. To access the pages for maintaining the Currency Code and Country tables, consult the online help for your applications for more information.

Region and Industry Identifiers

Information that applies only to a specific region or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a region-specific heading: "(Latin America) Setting Up Depreciation"

Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in the PeopleSoft Online Help:

- Asia Pacific
- Europe
- Latin America
- North America

Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in the PeopleSoft Online Help:

- USF (U.S. Federal)
- E&G (Education and Government)

Translations and Embedded Help

PeopleSoft 9.2 software applications include translated embedded help. With the 9.2 release, PeopleSoft aligns with the other Oracle applications by focusing our translation efforts on embedded help. We are not planning to translate our traditional online help and PeopleBooks documentation. Instead we offer very direct translated help at crucial spots within our application through our embedded help widgets. Additionally, we have a one-to-one mapping of application and help translations, meaning that the software and embedded help translation footprint is identical—something we were never able to accomplish in the past.

Using and Managing the PeopleSoft Online Help

Select About This Help in the left navigation panel on any page in the PeopleSoft Online Help to see information on the following topics:

- Using the PeopleSoft Online Help
- Managing Hosted online help
- Managing locally installed PeopleSoft Online Help

PeopleSoft FSCM Related Links

[Oracle Help Center](#)

[Hosted Online Help](#)

[PeopleSoft Information Portal](#)

[My Oracle Support](#)

Financial and Supply Chain Management information for Search Framework search engine can be found in PeopleSoft Application Fundamentals documentation. For application specific information, see the "Understanding Search Pages within Components " (Application Fundamentals) topic.

[PeopleSoft Training from Oracle University](#)

[PeopleSoft Video Feature Overviews on YouTube](#)

[PeopleSoft Business Process Maps \(Microsoft Visio format\)](#)

[PeopleSoft Spotlight Series](#)

Contact Us

Send your suggestions to pssoft-infodev_us@oracle.com.

Please include the applications update image or PeopleTools release that you're using.

Follow Us

<i>Icon</i>	<i>Link</i>
	YouTube

<i>Icon</i>	<i>Link</i>
	<u>Twitter@PeopleSoft_Info.</u>
	<u>PeopleSoft Blogs</u>
	<u>LinkedIn</u>

Chapter 1

Getting Started with PeopleSoft Financial Gateway

Financial Gateway Business Processes

PeopleSoft Financial Gateway provides the following business processes:

- Payment processing.
- Bank statement processing.
- Payment acknowledgment processing.

This documentation covers these business processes in the business process topics.

PeopleSoft Financial Gateway Integrations

PeopleSoft Financial Gateway integrates with the following PeopleSoft applications:

- Cash Management
- Deal Management
- Accounts Receivable
- Accounts Payable
- eSettlements
- Expenses
- Global Payroll

This documentation covers integration considerations for both PeopleSoft applications and third-party applications in the implementation topics.

Supplemental information about third-party application integrations is located on Oracle's My Oracle Support website.

PeopleSoft Financial Gateway Implementation

Financial Gateway is a component of PeopleSoft Cash Management. The setup tasks for Financial Gateway are included among the components that you must set up for PeopleSoft Cash Management.

In the planning phase of your implementation, take advantage of all Oracle sources of information, including the installation guides and troubleshooting information.

In addition, refer to the product documentation for the following:

- *PeopleTools: Setup Manager*
- *PeopleTools: Component Interfaces*
- *PeopleSoft Cash Management*

Related Links

"Establishing Cash Management Options" (PeopleSoft Cash Management)

Defining Financial Gateway Integration Options

Understanding the Financial Gateway Integration Process

Source applications can easily integrate with Financial Gateway to take advantage of its payment processing functionality. Financial Gateway is delivered with Cash Management and can integrate with:

- Treasury Management (Cash Management and Deal Management)
- Receivables
- Payables (Pay Cycle Manager)
- eSettlements
- Expenses (through Payables/Pay Cycle Manager)
- Global Payroll
- Third-party applications

For integrating with third-party applications, users can take advantage of the robust integration functionality of Financial Gateway that provides the options of using flat files, component interfaces, or PeopleSoft Integration Broker to bring payments into the system.

These are the integration methods for integrating with Financial Gateway:

- Application Class

Application classes are the most efficient method for integrating data between Financial Gateway and other PeopleSoft source applications sharing the same database. This method employs a set of objects that use message structures as parameters, and it initiates Financial Gateway processing.

See the product documentation for *PeopleTools: PeopleCode API Reference*.

- Integration Broker (IB)

Integration Broker can be used for non-PeopleSoft source applications that are capable of generating XML-based messages. For non-PeopleSoft source applications, the payment message structure is the same as those that are used with application classes, but Financial Gateway processes them differently. Because third-party source applications cannot call application classes, Integration Broker is used. Third-party source systems publish messages to the Integration Broker that are then routed to subscription PeopleCode. These subscription events call the same application classes that are used in the application class method. Both an application class call from a PeopleSoft source application and the execution of subscription code by a message in the Integration Broker carry out the same logic that is used to pass the message structure to Financial Gateway and trigger processing logic.

The PAYMENT_REQUEST service operation is sent from the third-party application and calls the Payment Load Application Engine process (PMT_LOAD) that loads payments into the Financial Gateway system.

The REQUEST_PAYMENT_STATUS service operation is sent from the third-party applications to request the status of a payment from Financial Gateway.

The PAYMENT_CANCEL service operation is sent from the third-party application to cancel payments and sends a message asynchronously where supported. The CANCEL_PAYMENT service operation sends a message synchronously.

The PAYMENT_RESPONSE service operation is sent from Financial Gateway to the third-party application in response to any of the messages described previously. The PAYMENT_RESPONSE_OUT_ASYNC service operation is sent asynchronously from Financial Gateway to the third-party application in response to a payment status request.

The PAYMENT_ACKNOWLEDGE message is used to load acknowledgement files received from the non-PeopleSoft source application. The PAYMENT_ACKNOWLEDGE_FILE service operation is used to load acknowledgement files received from the non-PeopleSoft source application via Integration Broker node. The acknowledgment message is published to the Integration Broker and routed to the source application. The node name of the source application may need to be captured to specifically route messages; however, a generic publish can also be used if more than one source application exists. In such cases, all involved source applications receive every acknowledgment. Hence, the file communication method depends on the connector that is used in the Integration Broker.

Each service operation has an operation type associated to it that makes it either synchronous or asynchronous.

See the product documentation for *PeopleTools: Integration Broker*.

- Flat File

For third-party source applications that are unable to create XML messages, Financial Gateway provides the Import Flat File component, which loads flat files in either predefined, comma-separated value (CSV), or fixed length field formats.

- Component Interface

Component interfaces are another alternative method for sending payments to Financial Gateway from third-party source applications that lack the ability to create XML messages. This method enables the user to write custom programs using Java or C and send payments to Financial Gateway without using flat files. PeopleSoft provides a component interface to populate payment request staging tables and submit a PAYMENT_REQUEST IP message that calls the PaymentHandler application class to process the request.

See the product documentation for *PeopleTools: Component Interfaces*.

Related Links

[Understanding the Payment Process in Financial Gateway](#)

Registering a Source Application with Financial Gateway

This topic provides an overview of the registration process and discusses how to register source applications that are to be integrated with Financial Gateway.

Page Used to Register Source Applications with Financial Gateway

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
<u>Source Registration Page</u>	PMT_REGISTRATION	Register a source application by defining the high-level information that is needed to process payments using Financial Gateway.

Understanding the Registration Process

To establish integration, you must first register the source applications with Financial Gateway. The registration process defines the methods and data structures that are employed to send payments from source applications to Financial Gateway and payment acknowledgments from Financial Gateway back to the source applications. Registration also defines information to be included with the payment message that is used for validating the payment, creating a unique payment ID, and determining the status of the payment during the settlement process. Integration with PeopleSoft applications is accomplished using a delivered set of integration modules.

Source Registration Page

Use the Source Registration page (PMT_REGISTRATION) to register a source application by defining the high-level information that is needed to process payments using Financial Gateway.

Navigation:

Financial Gateway > Administration > Source Registration

This example illustrates the fields and controls on the Source Registration page with Financials source system (1 of 2). You can find definitions for the fields and controls later on this page.

Source Registration

Source System: AP

*Description: Payables

Integration Details

*Inbound Integration Type: Application Class ☐ External Source

Inbound Node: ☐ External Publish

*Outbound Integration Type: Application Class ☐ Financial Sanctions Validation

*Root Package ID: AP ☐ Dispatch on Load

*Path: Payment

*Application Class ID: EFTPaymentAck

Status Integration Details

*Dispatch Status		
1	Error	+ -
2	Flagged for Hold	+ -
3	Awaiting Dispatch	+ -
4	Paid	+ -

☐ Send Load Response Errors Only

☒ Send Remittance Advise

Report Definition ID: AP_REMIT_ADV

Remittance Email ID: SMTP-User_us@oracle.com

This example illustrates the fields and controls on the Source Registration page with Financials source system (2 of 2). You can find definitions for the fields and controls later on this page.

Payment Numbering Properties

*Payment ID Prefix: AP Last Payment Number: 0000000004

Drill Back Details

*Drill to Source Transaction: Component ☒ Open In New Window

Menu Name: CREATE_PAYMENTS

Component Name: PYMNT_INQ_SRCH

Source System Key Information

Personalize | Find | View All | | First 1-9 of 9 Last

*Source Fieldname	*Destination Field	Include in URL	Field Label ID	Display in Payment Details	Seq		
BANK_SETID	KEY_CHAR_40_01	☒	BANK_SETID	☒	30	+	-
BANK_CD	KEY_CHAR_40_02	☒	BANK_CD	☒	40	+	-
BANK_ACCT_KEY	KEY_CHAR_40_03	☒	BANK_ACCT_KEY	☒	50	+	-
PYMNT_ID_REF	KEY_CHAR_40_04	☒	PYMNT_ID_REF	☒	70	+	-
PAY_CYCLE	KEY_CHAR_40_05	☒	PAY_CYCLE	☒	10	+	-
STL_THROUGH	KEY_CHAR_40_06	☒	STL_THROUGH	☐	80	+	-
PYMNT_ID	KEY_CHAR_40_07	☐	PYMNT_ID	☐	90	+	-
PYMNT_METHOD	KEY_CHAR_40_08	☒	PYMNT_METHOD	☒	60	+	-
PAY_CYCLE_SEQ_N	KEY_SIGN_01	☒	PAY_CYCLE_SEQ	☒	20	+	-

Integration Details

The **Integration Details** field values are preconfigured for integration between Financial Gateway and other PeopleSoft applications. Changes should only be made for registering third-party applications.

<i>Field or Control</i>	<i>Description</i>
Inbound Integration Type and Outbound Integration Type	Choose from the following options: • <i>Application Class</i>: Select to perform integrations by calling application classes. If this value is selected, then a root package, path, and class ID are required. • <i>Integration Broker</i>: Select to use Integration Broker to pass data between the source application and Financial Gateway. If this option is selected, you must enable the service operation used to pass the data. For example, for integration with Global Payroll, you must enable the service operation PAYMENT_RESPONSE_OUT_ASYNC to pass the data. See the product documentation for <i>PeopleTools: Integration Broker</i>. Note: The asynchronous response message PMT_RESPONSE will be published only when the Outbound Integration Type is <i>Integration Broker</i>. • <i>Flat File</i>: Select this option for making or canceling payments in predefined, comma-separated value (.csv) file format or a fixed-length field format from a third-party application. If this option is selected, a directory must be specified in the File Path field. • <i>None</i>: Select if payment acknowledgment functionality is not enabled. This option is available only for outbound integration. • <i>Component Interface</i>: Select this option for using a component interface to load transactions into Financial Gateway. This option is available only for inbound integration.
Inbound Node	Select the integration node to use if the External Publish check box is selected.
Root Package ID	Enter an application-class, package name. This field appears only if <i>Application Class</i> is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.

Field or Control	Description
Path	This field appears only if <i>Application Class</i> is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.
Application Class ID	This field appears only if <i>Application Class</i> is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.
Node Name	Select a node to be used for communication between the source application and Financial Gateway using the Integration Broker. This field appears only if <i>Integration Broker</i> is selected as an outbound integration type.
External Source	Select to enable the Execute Edit functionality that provides an additional level of data validation when you are importing payments from third-party applications.
External Publish	Select to send the PAYMENT_REQUEST message from the source application to Financial Gateway using an Integration Broker node. This field is available only if Application Class is selected as the inbound integration type. See Defining Integration Broker Settings for Payments. See Understanding the Payment Process in Financial Gateway.
Financial Sanctions Validation	Select to require financial sanctions validation of payees for payments from this source application before they can be loaded into Financial Gateway. See "Understanding the Financial Sanctions Service" (PeopleSoft Banks Setup and Processing).
Dispatch on Load	Click to enable lights-out processing for payment dispatch in Financial Gateway. If the Dispatch on Load check box is selected, the system schedules payment dispatch for each PMT_MSG_ID upon payment load. Note: PeopleSoft Global Payroll sends multiple PMT_MSG_IDs in a payroll run, so selecting this option will create multiple payment files. If Global Payroll does not want to generate multiple files, deselect this check box and dispatch payment separately.

Field or Control	Description
Send Load Response Errors Only	Select to receive errors only during the Payment Load process. The default is to receive all response messages. This option is available only when <i>Integration Broker</i> is selected in the Outbound Integration Type field.
Send Remittance Advice	Select to indicate that Financial Gateway will send a remittance notification based on the entered Report Definition ID and Remittance Email ID as sender's address for each source system. This functionality is currently available only for PeopleSoft Financials source applications. See Understanding Electronic Banking .
Report Definition ID (report definition identification)	Enter the remittance advice report ID.
Report Email ID (report email identification)	Enter the email address of the sender of the remittance advice report.

Status Integration Details

The **Status Integration Details** group box enables you to select the number and types of payment statuses for determining the progress or state of each payment that is sent to a bank from a source application through Financial Gateway. This group box does not appear if *None* is selected as the outbound integration type. Select from the following choices:

- *Canceled*: Identifies a payment that has been canceled. This status can be sent only in response to a request to cancel a payment by a source application.
- *Error*: An error message can be generated and returned during any phase of the processing. If Financial Gateway cannot resolve the error, then the error message is returned to the source system to identify that the payment will not be executed without source application rework. An error message could be returned before a loaded status. Error messages consist of an error code and a description.
- *Flagged for Hold*: The payment is being held from further processing until a manager or other approving authority gives approval to process it further.
- *Awaiting Dispatch*: The status after the payment is successfully persisted in the Financial Gateway database. A unique ID is generated in Financial Gateway and is returned to the source application with this status.

In Process: Payment is currently in the process of being sent to the bank by the Dispatch Payment Application Engine.

- *Dispatched to Bank*: Payment has been sent to bank. When a payment progresses to this status, it can no longer be canceled.
- *Received by Bank*: Payment has been received by bank and is being processed.

- *Paid*: Payment has been settled.

Payment Numbering Properties

<i>Field or Control</i>	<i>Description</i>
Payment ID Prefix	Designate an alphanumeric prefix to use to identify the source application of the payment.
Last Payment Number	Represents the payment identification number of the last payment that was sent by the source application. This value is automatically updated as payments are sent to Financial Gateway.

Drill Back Details

This functionality defines how the user can drill back to the source application to view details of a payment in Financial Gateway.

Note: Drill back functionality is currently available only in PeopleSoft Financials source applications. The **Drill to Source Transaction** field defaults to *None* for Global Payroll.

Field or Control	Description
Drill to Source Transaction	Choose a method for drilling back to the source application to view transaction details. Select from the following values: • <i>Component</i>: Use to drill back to a selected PeopleSoft source component using PeopleTools Transfer functionality. Using this method enables users to drill back to the source application using links on the Review Payment page and the Dispatch Payments page for users who have security access to the destination page. • <i>DoModal Component</i>: Also used to drill back to a selected PeopleSoft source component. When you select this option, a shared work record is populated that contains the Financial Gateway ID of the transaction. This shared work record is used with the DoModal component call. Using this method, users can click a return button in Financial Gateway to drill back to the page of origin in the source application, providing they have security access to the source application page. • <i>External URL</i>: This option enables the user to specify an external URL to view detailed transaction information that is contained outside of the PeopleSoft system. This method launches a new browser and passes the Financial Gateway transaction ID and the key information that is specified in the Source Key Information grid as a parameter in the URL to the desired destination. • <i>None</i>: Select this option to disable the inquiry component and the drill-to-source-application functionality.
Menu Name	Enter a valid PeopleTools object menu name. This field appears only if <i>Component</i> or <i>DoModal Component</i> is selected in the Drill to Source Transaction field.
Component Name	Enter a valid PeopleTools object component. This field appears only if <i>Component</i> or DoModal Component is selected in the Drill to Source Transaction field.
Open in New Window	Select to view transaction details in another Web browser when drilling back into a source application. This option is available only if <i>External URL</i> or Component is selected in the Drill to Source Transaction field.

Source System Key Information

Specify the metadata that are used by Financial Gateway to retrieve payment information from the source application. The retrieved payment data can be selected for display in Financial Gateway on the [Review Payment Requests Page](#) and the Review Payment Details Page. These field values are delivered preconfigured for PeopleSoft source applications.

Field or Control	Description
Source Fieldname	Select a field from the source application that contains payment data to be displayed in Financial Gateway.
Destination Field	Select the field in the Payment Gateway records that stores the corresponding information found in the source field that is listed in the Source Fieldname field.
Include in URL	Select to include the field within the URL that is generated to pass control back to the source system. This provides the source system with navigation to the appropriate page and the appropriate content.
Field Label ID	Enter a label that is used to display the destination field.
Display in Payment Details	Select to display field values on the Review Payment Requests page and Review Payment Details page.
Seq (sequence)	Enter numbers that specify the order in which the fields are displayed on the Payment Details page.

Chapter 3

Setting Up Electronic Banking Using Financial Gateway

Understanding Electronic Banking

Financial Gateway provides the layouts and functionality needed to process electronic payments and load electronic bank statements and payment acknowledgments. You can also edit and expand the delivered functionality to suit your organization's needs.

You will probably want to implement both the bank statement import and payment dispatch functionality; however, you can implement just one or the other. When the payment processing is implemented, users can implement payment acknowledgment functionality as well. This topic discusses the delivered functionality and configuration instructions.

You can import a variety of bank formatted files by using:

- A file transfer protocol (FTP) file server.
- PeopleSoft Integration Broker.
- Hypertext transfer protocol (HTTP) using a uniform resource locator (URL).

See "External Accounts - Payment Methods Page" (PeopleSoft Banks Setup and Processing).

Transformation Architecture

Transformation programs (or Transforms) are application classes, PeopleSoft Application Engine (AE) programs, and BI Publisher templates that contain logic to convert source data into new output layouts. Transforms use Integration Point (IP) messages either as the source data or the transform output, depending on the direction. By using an AE for transformations, any PeopleTools technology, such as PeopleCode, Rowsets, File Layout Object, and XSLT, can be used to facilitate the creation of output layouts. Using these tools, you can create new layouts and maintain them in the standard PeopleSoft Application Designer environment. After you create a transformation program, you can register the program in the Layout Catalog for use in the processes.

For bank statement processing, the transformation program processes the bank statement as the data source. The formatting logic of the transformation AE or application class then converts the data into the BANK_STATEMENT_LOAD_VERSION_2 or BANK_ACCT_ANALYSIS_LOAD IP message that is then loaded into the system.

Payment Transformation programs do the opposite by processing the data that are contained in the PAYMENT_DISPATCH IP message into a new payment layout.

The Payment Acknowledgment Transformation Application Engine program processes the inbound data from the bank into the PAYMENT_ACKNOWLEDGE message.


Note: The delivered transformations, though developed to industry standards, are designed to be customized to meet the specific requirements of individual financial institutions.

See the product documentation for *PeopleTools: Integration Broker*.

Bank Statement Import Infrastructure

This diagram illustrates the Bank Statement Import process in which a bank's bank statement data file is imported and transformed appropriately by a corresponding transformation program, which contains all the formatting data to stage the files for the Bank Statement Load Process. This load process picks up and transfers the data to the PeopleSoft application tables and makes it available for viewing and editing on the various bank statement pages.

Bank Statement Import process flow from bank to PeopleSoft application



The Bank Statement Import process involves the following steps:

1. A bank administrator enters information pertaining to a bank statement data file.

This initiates the File Import Application Engine process (IMPORT_FILES), which functions as an interface or shell to define the necessary commands for the system to import bank statements.

2. The File Import Application Engine reads the file's layout definition data (which is stored in the Layout Catalog) and calls the appropriate transformation process that corresponds to the file layout.

3. Each transformation Application Engine or application class handler has corresponding application classes that, combined with the balance and transaction codes (defined on the Balance Code and Transaction Code pages) and code mapping information (defined on the Code Mappings page), contain all of the required formatting logic to stage the data.

Using the appropriate IP message, the transformation Application Engine loads the data into the staging tables.

4. After the data are loaded into the staging tables, the Bank Statement Load Application Engine process (TR_BSP_LOAD) transfers the data from the staging tables to the application tables. This process also checks for duplicate entries and verifies that the data will load into the application tables properly.

When the data are in the application tables, they are available for viewing and editing on the various bank statement pages.


Using the Import Bank Statements page, you can configure the File Import Application Engine process to manage various import methods. The functionality can load data from a flat file or transmit file data from an FTP or HTTP server by using PeopleSoft Integration Broker. If you decide to import the bank statement data by using FTP or HTTP, you must also set up the standard and bank statement import-specific settings for Integration Broker. After you define the Integration Broker settings, you can select the **Use Integration Broker** check box under **Advanced Options** on the Import Bank Statements page to send the bank statement to other processes after it has been loaded.

See [Defining Integration Broker Settings for Bank Statements and Payment Acknowledgments](#).

Bank Payment Infrastructure

This diagram illustrates the Payment Dispatch process, which provides the functionality to generate payment files in a variety of layouts and securely transmit them to the financial institution or place the files in a directory for another system to transmit.

Payment dispatch process



The Payment Dispatch process provides a flexible infrastructure that enables the user to define a variety of payment layouts, and encryption algorithms that are compatible with the financial institution. It also provides a structure that enables you to easily create new layouts or modify existing ones.

When you dispatch settlements for processing, you activate the Dispatch Payments Application Engine process (PMT_DISPATCH). This process uses metadata that are defined at the bank setup level, the payment dispatch IP message (PAYMENT_DISPATCH), and payment layout transformation Application Engine programs to create formatted payment files. This overall process is called the Payment Dispatch process.

The Payment Dispatch process brings together all the payment file processing features to:

1. Gather the bank setup metadata, such as bank integration information, payment method, payment layout, bank communication and encryption information, and payment grouping rules.
2. Generate the PAYMENT_DISPATCH IP message.

The outbound Payment Dispatch IP is used as a data source for the transformation process. File layouts are created from the data that are contained within this message.

3. Transform the Payment Dispatch IP to the appropriate PeopleSoft Financials, global, payment layout or Oracle Payments layout that the bank can receive in its raw form and use to settle payments. Payment layouts have an associated Application Engine program, application class, or BI Publisher template that generates a formatted file.
4. Encrypt data by using PeopleTools security encryption.
5. Transmit the final formatted file, by publishing it to PeopleSoft Integration Broker functionality, or writing to a file and calling an external command to transmit the file.

The PAYMENT_DISPATCH IP message is a structure to facilitate publishing payments. The supported payment methods are Automated Clearing House (ACH), Electronic Funds Transfer (EFT), direct debits (DD), and wire transfers (WIR). The IP message contains a superset of all information that is needed to settle multiple payment types on a global scale. This information includes representative parties, such as the payment originator, bank of origin, destination, destination bank, and the various settlement identification information that is required in different countries. The IP message can be received directly by the financial institution for processing in its raw format, with no transformation work required. Conversely, the IP message can be processed by a transformation program that transforms the IP message into an industry-standard, payment file layout.

The system uses the PAYMENT_DISPATCH IP as the data source for file transformation programs—BI Publisher templates, Application Engine, or application classes—to format payment output files. You set up the transformation program in the Layout Catalog. There you specify layout information, such as the BI Publisher template, transformation Application Engine, or application class that contains the logic to generate the layout, layout-specific parameters, and supported payment methods.

Note: You can configure transformation Application Engine programs to use a combination of PeopleCode, file layouts, application classes, and XSLT to format files.

Prenotifications

A payment prenotification (prenote) is a zero-dollar, payment file sent to a debtor's bank to test if payments can be made to a creditor through that bank account. Financial Gateway processes prenotes similar to other payment files. Although prenotes can be sent using various payment methods, they are most often used as a prelude to ACH payment processing.

ACH prenotes:

- Are zero-dollar, payment files.
- Can be sent alone or included among payments from the same debtor to different creditors.
- Have the transaction entry code of "28," signifying a prenotification of payment.


EFT layouts are also used for transmitting direct debit prenotes in Financial Gateway. You must select the **Supports Prenotes** check box in the Bank Integration Layout Component to enable Financial Gateway to transmit prenotes. (**Banking > Administer Bank Integration > Bank Integration Layout**)

See "Selecting EFT Layouts" (PeopleSoft Receivables).

Bank Payment Acknowledgments Infrastructure

The infrastructure of the payment acknowledgments functionality is similar, though less complex, to the bank statement import infrastructure. This diagram illustrates the transmission of four types of payment acknowledgement data from a bank that received the payments from the PeopleSoft Dispatch Payments program to the PeopleSoft application that sent that payments.

Payment acknowledgment import process flow from receiving bank to PeopleSoft applications



The Payment Acknowledgment Import process involves the following steps:

1. The File Import Application Engine process (IMPORT_FILES) downloads the payment acknowledgment into the system. Four types of acknowledgement are possible.
 - The first acknowledgment—file acknowledgement—is sent after the payment file has been received and has passed basic bank validation involving checking for required fields and valid bank ID numbers. After the file has passed bank validation, and before actual settlement of the payment contents, an acknowledgement is generated to confirm whether the file is valid to continue processing or is in error.
 - The second acknowledgement—payment acknowledgement—is sent after the actual payment has been processed by a clearing network or settlement process. The second acknowledgement can take the form of either a paid confirmation or an error message. Depending on the type of payment, a bank reference to the transaction, such as a federal reference number, may be included.
 - A third type of acknowledgment notifies the sender of payment errors that resulted in a failed processing attempt.

- The fourth type of acknowledgment notifies the sender of prenotification errors. A prenotification is a file sent to the debtor's bank to test if payments may be made to a creditor through the debtor's bank account.
2. The Payment Acknowledgment Import Application Engine reads the file's layout definition data (which is stored in the Layout Catalog) and calls the transformation program—application class or the Payment Acknowledgment Transformation Application Engine (PMT_ACK_EIP)—to convert it into a PAYMENT_ACKNOWLEDGE message and load the data into the application tables.
 3. Payments and payment files in the Financial Gateway system are updated in accordance with the contents of the acknowledgements. If the source systems are set up to handle payment status updates, then the payments and payment files are also updated in the source systems as well.
- Tracking the status of prenotes between a debtor's bank account and a particular creditor is the responsibility of the source system. Financial Gateway does not track prenote status.
4. Users access the Review Acknowledgment Files page to view a listing of the payment acknowledgment files.

Methods of Bank Communications

You can use various methods of communications to send payments to banks and receive bank statements and payment acknowledgements. Certain setup tasks are required based on the method that you use.

You can send payments that are outbound from Financial Gateway using:

- File Server

Financial Gateway sends the payment files to a specified directory on a file server. The bank uses a third-party communications tool kit to transfer the payment files from the server to the bank.

- Integration Broker

Financial Gateway sends the payment files to an Integration Broker node, which communicates with the bank using a specified connector—FTP, AS2, or HTTP.

You can import bank statements and payment acknowledgements from a bank using:

- File Server

The bank uses third-party communications tool kit to transfer the bank statement or payment acknowledgement files to a specified directory on a file server. Financial Gateway uses the IMPORT_FILES Application Engine processes to import them into the system.

- Integration Broker

The bank sends the bank statement or payment acknowledgement files to an Integration Broker node, which communicates with the Financial Gateway using a specified connector—FTP, AS2, or HTTP.

Use this table as a guide to determine the application page that you must set up to transmit a particular file type.

<i>File Type</i>	<i>Transmission Method</i>	<i>Application Page</i>
Payment	File Server	Bank Integration Layout
Payment	Integration Broker	Bank Integration Layout
Bank Statement	File Server	Import Bank Statements (Import Type: File)
Bank Statement	Integration Broker using FTP connector	Import Bank Statements (Import Type: FTP)
Bank Statement	Integration Broker using connector other than FTP	Bank Integration Layout
Payment Acknowledgment	File Server	Import Acknowledgement Files (Import Type: File)
Payment Acknowledgment	Integration Broker using FTP connector	Import Acknowledgement Files (Import Type: FTP)
Payment Acknowledgment	Integration Broker using connector other than FTP	Bank Integration Layout

Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing

To define event code notification, use the Enter Event Code Definition component (TR_EVENT_CD_DEF_GBL).

This topic discusses how to set up components that are used to import bank statements, dispatch payments, and import bank acknowledgments.

Pages Used to Set Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
Layout Catalog Page	PMT_FORMAT_CATLOG	Create new or modify existing bank statement, payment, and payment acknowledgment layouts by defining transformation processing details, payment methods, parameters, and properties.
Allowable Format Properties Page	PMT_FORMAT_VALUES	Select the type of list option to apply as the allowed format property. See the Layout Catalog Page for more information.
Code Mappings Page	TR_CODE_MAPPINGS	Define input and output values for mappings of a selected code map group.
Event Code Definition Page	TR_EVENT_CD_DEF_PG	Enter codes for system events, and define actions for the system to perform when they occur.
Encryption Profile Page	ENCRYPTION_PREFL	Define encryption standards to be used to protect data when communicating with banks. Determine algorithms and store public and private keys that are used in encryption. For complete instructions on setup and configuration, see <i>PeopleTools: Security Administration</i> .

Components Common to Bank Statement, Payment, and Payment Acknowledgment Processing

These application pages are common to setting up the three electronic banking processes:

- Layout Catalog

The Layout Catalog is a repository of information that is used for establishing how data should be formatted when processing bank statements, payments, and payment acknowledgements.

- Code Mappings

For Bank Statement Import processing, you map external bank codes to their internal PeopleSoft equivalents to ensure efficient statement processing.

For Dispatch Payment processing, the Code Mappings page is used to associate PeopleSoft input code values with external bank output code values.

- (Optional) Event Code Definition

You can setup events that can occur during Bank Statement Import and Dispatch Payment processing so that interested parties will be notified by email of those events.

- (Optional) Encryption Profile

You can use encryption algorithms to secure statement and payment files that are sent between your organization and your bank.

Understanding the Layout Catalog

The Layout Catalog is the central repository for information regarding all supported bank payment, payment acknowledgment, and bank statement layouts. After a layout is added to this component, it is available for use within the system. The component contains all the information about a layout—such as the transformation Application Engine program or Application Class that contains the logic to process the layout—that the system needs at setup and runtime. This component can be configured to meet each bank's specific formatting needs.

Note: PeopleSoft also provides additional miscellaneous layouts in the layout catalog that are used for importing various kinds of data.

See [Layout Catalog Page](#).

Delivered Payment Layouts

You can view these layouts by accessing the Layout Catalog page (**Banking >Administer Bank Integration >Layout Catalog >Layout Catalog**).

PeopleSoft delivers these bank payment layouts:

<i>Layout ID</i>	<i>Layout Name</i>	<i>Supported Payment Method</i>
820	EDI 820 payment layout	Wire Transfer (WIR)
820 ACH	EDI 820 payment layout for ACH	Automated Clearing House (ACH) Direct Debit (DD)
CCD	NACHA CCD payment layout	ACH DD
CCD+	NACHA CCD+ payment layout	ACH DD

Layout ID	Layout Name	Supported Payment Method
CTX	NACHA CTX payment layout	ACH DD
DEU_INTL	German International EFT (Used with BI Publisher template)	Electronic Funds Transfer (EFT)
DEU_DOM	German Domestic Payments (Used with BI Publisher template)	WIR
DIRDEB	Edifact version 96A payment layout	DD
ESP_EFT	Spanish EFT payment (Used with BI Publisher template)	EFT
FRA_EFT	French EFT payment format. (Used with BI Publisher template)	EFT
FUNDTRNFR	Funds Transfer	WIR
IAT	NACHA IAT payment format	ACH DD
ISO_CT_03	ISO 20022 Credit Transfer V3, Pain.001.001.03 This layout is used for generic credit transfers.	ACH EFT WIR
ISO_CT_05	ISO 20022 Credit Transfer V5, Pain.001.001.05 This layout is used to dispatch payments electronically as XML messages.	ACH EFT WIR
ISO_DD_02	ISO Direct Debit Pain.008.001.02 This layout is used for generic direct debits.	DD

Layout ID	Layout Name	Supported Payment Method
ISOV2	ISO 20022 Credit Transfer V2, Pain.001.001.02 This layout is used for generic credit transfers.	ACH EFT WIR
ISOV2_DD	ISO 20022 Direct Debit Pain.008.001.01 This layout is used for generic direct debits.	DD
JPN_ZENGIN	Japanese Zengin Format (Used with BI Publisher template)	EFT
MT101	SWIFT MT101 payment layout	WIR EFT
MT103	SWIFT MT103 payment layout	WIR EFT
MT103 BULK	Multi 103 payment layout	WIR EFT
NLD_INTL	Netherlands International EFT (Used with BI Publisher template)	EFT
PAYMENTEIP	PeopleSoft XML layout, PAYMENT_DISPATCH IP Message	ACH DD WIR EFT
PAYMUL	Edifact Version 96A payment layout	EFT
CORECRDTRN	ISO 20022 Payment Initiation	WIR

Layout ID	Layout Name	Supported Payment Method
PPD	NACHA PPD Payment Format	ACH DD
SEPA_CT	SEPA Credit Transfer, Pain.001.001.02	ACH EFT WIR
SEPA_CT_03	SEPA Credit Transfer V3, Pain.001.001.03 Adheres to Rulebook version 6.0.	ACH EFT WIR
SEPA_CT_CH	SEPA Credit Transfer, Pain.001.001.03.ch.02	ACH EFT WIR
SEPA_DD	SEPA Direct Debit, Pain.008.001.01	DD
SEPA_DD_02	SEPA Direct Debit V2, Pain.008.001.02 Adheres to Rulebook version 6.0.	DD
SEPA_DD_2B	SEPA Direct Debit B2B, Pain.008.001.02 (Business to Business Version)	DD
STPCREDTRN	ISO 20022 STP Credit Transfer	WIR

Note: Application-specific requirements may use slightly different versions of the above formats.

Delivered system-defined payment layout properties:

Layout ID	Layout Name	Description
ISO_CNCL	ISO Payment Cancellation Layout	This layout is defined with document type <i>Payment Cancellation</i> and is used to send payment cancellation request to the bank. It is associated with corresponding payment layout through layout property.

Layout ID	Layout Name	Description
ISO_RVSL	ISO Payment Reversal	This layout is defined with document type <i>Payment Reversal</i> and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.
ISO_RVS_2	ISO Payment Reversal	This layout is defined with document type <i>Payment Reversal</i> and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.
SEPA_RVSL	Payment Reversal	This layout is defined with document type <i>Payment Reversal</i> and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.
SEPA_RVS_2	Payment Reversal - Pain 007.001.02	This layout is defined with document type <i>Payment Reversal</i> and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.

Delivered Bank Statement Layouts

You can view these layouts by accessing the Layout Catalog page (**Banking >Administer Bank Integration >Layout Catalog >Layout Catalog**).

PeopleSoft delivers these bank statement layouts:

Layout ID	Layout Name	Document Type
BAI2	BAI2 bank statement layout	Bank Statement
EDI822	EDI 822 account analysis	Bank Statement
FINSTA	FINSTA bank statement layout	Bank Statement
PSBD1	PeopleSoft Business Document version 1	Bank Statement

Layout ID	Layout Name	Document Type
PSBD2	PeopleSoft Business Document version 2	Bank Statement (for PeopleSoft FMS 8.8 and later - see note)
MT940	SWIFT MT940 bank statement layout	Bank Statement
MT942	SWIFT MT942 bank statement layout	Bank Statement

Note: You can import bank-statement, data files using the PSBD2 layout if you have Cash Management 8.8 or a later version installed and are using a third-party communication toolkit that has the capability of processing files in XML format. Sample files that can be used as guidelines for transforming bank statement data files into the PSBD2 layout can be found on Oracle's My Oracle Support website.

Delivered Bank Payment Acknowledgment Layouts

You can view these layouts by accessing the Layout Catalog page (**Banking >Administer Bank Integration >Layout Catalog >Layout Catalog**).

PeopleSoft delivers these Payment Acknowledgment layouts:

Layout ID	Layout Name	Document Type
ACHNOC	ACH Notification of Change	Payment Return (notification that the payment contains errors)
ACHRETURN	NACHA acknowledgment	Payment Return (payment or prenotification error – statement of changes to be made before payments can be processed)
BANSTA	Edifact Version 96A Acknowledgment layout	Payment Acknowledgment (bank payment acknowledgment)
CONTRL	Edifact Version 96A Acknowledgment layout	Payment Acknowledgment (bank payment file acknowledgment)
EDI997/824	EDI X12 997/824	Payment Acknowledgment (payment validated and payment complete)

Layout ID	Layout Name	Document Type
EDI 827	EDI Functional return layout	Functional Return (payment error – statement of changes to be made before payment is allowed)
PMTACKEIP	PeopleSoft Acknowledgment layout	Payment Acknowledgment
PMTINITACK	ISO 20022 payment status XML	Payment Acknowledgment
PMT_STATV2	ISO 20022 payment status V2, Pain.002.001.002	Payment Acknowledgment
PMT_STATV3	ISO 20022 payment status V3, Pain.002.001.003	Payment Acknowledgment
PAYREQEIP	Inbound Payment Request	PeopleSoft Inbound Payment layout in CSV or fixed-length, flat-file format.

Delivered Miscellaneous Layouts

You can view these layouts by accessing the Layout Catalog page (Banking, Administer Bank Integration, Layout Catalog, Layout Catalog).

PeopleSoft delivers these additional layouts:

Layout ID	Layout Name	Document Purpose
POOL	Pool Import	Importing investment pool data in Cash Management
STOCK	Stock Import	Importing stock quotes for Deal Management.
SEC_MARKET	Security Values	Importing security market values
OFAC	OFAC sanctions list	Importing list of Specially Designated Nationals (SDN)
EU	EU sanctions list	Importing European Union SDN list
SDN_LOAD	Enterprise sanctions list	Importing SDN list from within an enterprise

Layout ID	Layout Name	Document Purpose
SECURITY	Security Definition Import	Importing the security definition.

See "Understanding the Financial Sanctions Service" (PeopleSoft Banks Setup and Processing).

See "Maintaining Pool Positions" (PeopleSoft Cash Management).

See "Maintaining Equities" (PeopleSoft Deal Management).

Related Links

"Importing Security Definitions and Market Values" (PeopleSoft Deal Management)

Understanding Code Mapping

Code Mappings enable you to define the mappings between external system codes with their equivalent internal PeopleSoft codes. For example, PeopleSoft stores *03* account types as checking accounts, and the required code for the EDI 820 bank statement layout is *DA* for deposit account. Code mappings are used to map these hard-coded field values to each other so that the transformation program component can use them. This allows a single transformation program to be used across multiple banks even though the program may need different code mappings.

Code mappings are most useful for fields that may change for every bank. Bank statement processing uses mappings for three fields: bank statement codes, reconciliation or "recon" codes, and statement activity types. For example, a bank identifies certain miscellaneous fees with the numeric code *564*. If you define it as a *Bank Fee*, you can assign the input value of *564* to the output value of *BKFEE*. Other banks may use a different value to identify bank fee.

See "Defining Statement Activities" (PeopleSoft Banks Setup and Processing).

There are three levels to the code mapping data-structure hierarchy:

- **Code Map Group:** The highest level, this is a container for all the fields for a given code map set. For instance, a code map group could represent all the code mappings for a particular bank.
- **Code Map Header:** The second level, this represents a particular field for which the transformation Application Engine obtains the code map.
- **Code Map Items:** The items contain all the possible input and output values for a particular field or header.

To access Code Mappings defined in the database, use an application class entitled *CodeMapper* within the transformation program.

Class CodeMapper

To access Code Mappings, which is defined in the database, use an application class entitled *CodeMapper* within the transformation program. This table provides the details of the *CodeMapper* Application Class (Package - TR_CODE_MAPPING.Utilities).

Note: The CodeMapper application class should only be accessed by advanced users to customize their layouts or create a new layout program.

Method	Description
public CodeMapper ()	The constructor for this class.
public String getDefault(String groupId, String fieldName)	Obtains the default value for a code map field based on the group ID and field name.
public String getInput(String groupId, String fieldName, String outputVal)	Obtains an input value based on the group ID, field name, and output value that are passed into the method.
public String getOutput(String groupId, String fieldName, String inputVal)	Obtains an output value based on the group ID, field name, and input value that are passed into the method.
initializeRowset(String groupId)	Initializes the rowset that is used by the component. In essence, this method will obtain all the possible mappings for the given group ID. This minimizes the number of trips to the database and in turn decreases the amount of time to search for a value. This method must be called prior to any of the previous methods being called.

The following code sample illustrates how to use the CodeMapper class within PeopleCode:

```
/* Import the code mapping class into the people code where it is to be
called */

import TR_CODE_MAPPING:Utilities:CodeMapper;

/* Initialize the object (this initiates the constructor for the class */
&oMapper = create CodeMapper();

/* Initializes the object to contain the data for the given Group */
&oMapper.initializeRowset(&strGroupID);

/* Obtain the output value for the given Group ID, the field called
"BANK_STMT_CODE" and the value in &strInput */
&strOutput = &oMapper.getOutput(&strGroupID, "BANK_STMT_CODE", &strInput);
```

Understanding File Encryption

The files that are sent to and received from your bank during the Dispatch Payment and Bank Statement processes can be encrypted and decrypted. This functionality is provided by the PeopleSoft Encryption Technology (PET), which supports several industry standard encryption formats that are used by a large number of banks. To enable encryption and decryption, you need to create encryption profiles in PeopleTools (**PeopleTools >Security >Encryption >Encryption Profile**). For complete instructions on setup and configuration, see *PeopleTools: Security Administration*.

The general steps for setting up an encryption profile are:

1. Consult your bank to determine a common algorithm to use.
2. Install the required toolkit to produce the encryption format.
3. Load public and private keys into the PeopleTools PET Keyset store.

Layout Catalog Page

Use the Layout Catalog page (PMT_FORMAT_CATLOG) to create new or modify existing bank statement, payment, and payment acknowledgment layouts by defining transformation processing details, payment methods, parameters, and properties.

Navigation:

Banking > Administer Bank Integration > Layout Catalog

This example illustrates the fields and controls on the Layout Catalog page (1 of 2). You can find definitions for the fields and controls later on this page.

The screenshot displays the 'Layout Catalog' page with the following details:

- Layout:** 820
- Document Type:** Payment
- Copy** button
- *Layout Name:** EDI 820 Payment Format
- Description:** 820 Payment Order/Remittance Advice for Wires
- Layout Details** section:
 - *Transformation Program Type:** Application Class
 - Root Package ID:** TR_FORMAT
 - Qualified Package/Class Path:** Payment.TransformHandler
 - Application Class ID:** EDI820Handler
 - Result Message Name:** PMT_FLAT_FILE
 - Grouping Rule:** BANK
 - Default Max Payments per File:** 10000
 - [View Grouping Rule](#)
- Supported Payment Methods** section:
 - *Payment Method:** Wire Transfer
 - Buttons: +, -

This example illustrates the fields and controls on the Layout Catalog page (2 of 2). You can find definitions for the fields and controls later on this page.

Layout Properties									
Personalize Find View All First 1-13 of 13 Last									
Property Code	Type	Property Level	Required	Read Only	Max Length	Allowed Values	Default Value	Sequence	
FILENAME	String	Bank	☐	☐	50			1	
FILEEXT	String	Bank	☐	☐	8			5	
FILEPATH	String	Bank	☐	☐	50			10	
CODE_MAP_GROUP	String	Bank	☒	☐	10		EDI 820	15	
STD_ID_NUM_QUAL	String	Bank	☐	☐	4			20	
SENDER_ID_QUAL	String	Bank	☒	☐	2			20	
SENDER_ID	String	Bank	☒	☐	15			25	
RECVER_ID_QUAL	String	Bank	☒	☐	2			30	
RECVER_ID	String	Bank	☒	☐	15			35	
APP_SENDER_ID	String	Bank	☒	☐	15			40	
APP_RECVER_ID	String	Bank	☒	☐	15			45	
COMPANYID	String	Account	☐	☐	10			55	
EDI_USAGE	String	Bank	☒	☐	1		P	70	

Define the file layouts, output type, and integration options that a particular bank supports. The catalog stores information about the layout, the program name containing the logic to generate or process the layout, and additional required setup or processing parameters that the layout requires.

If the bank does not support any of the delivered layouts or has a modified version of a delivered layout, you can create a new layout or edit a delivered layout. After a new or modified layout is added to the Layout Catalog, it is available for use in the system.

If you are adding new layouts or editing existing layouts for an organization's payment processing requirements, you must first create the new layout before you can continue this setup procedure. Follow the procedures to create a new layout that are outlined in the sections [Defining Payment Grouping Rules](#), [Defining Code Mappings for Banks Statements, Payments, and Payment Acknowledgments](#), and [Creating Payment Layouts](#). Then add the new layout to the Layout Catalog.

See [Understanding the Layout Catalog](#).

See [Code Mappings Page](#).

See [Creating Payment Layouts](#).

Layout Details

Field or Control	Description
Transformation Program Type	Select the method used to create or process a file layout. The options are: • <i>AE Transform</i>: Select to perform transformations by calling an Application Engine. • <i>Application Class</i>: Select to perform transformations by calling application classes. If selected, then a Root Package, Path, and Class ID are required. • <i>BI Publisher</i>: Select to generate payment files using a BI Publisher template. This option is used to support the five international payment layouts delivered by the Oracle Payments product. See Understanding the Layout Catalog. • <i>Data Mapper</i>: Select to use the Data Export Import Utility transformation program to generate payment files. This option is available for SEPA_CT_03, SEPA_CT_CH, SEPA_DD_02 and ISO_CT_05 layouts only. These layouts are delivered with the value in the Transformation Program Type field value set to <i>SQL Transform</i>. You must select <i>Data Mapper</i> to use the Data Export Import Utility transformation program. See the product documentation for <i>PeopleSoft Application Fundamentals</i> for more information about configuring PeopleSoft Documents and Map Definitions for the Data Export Import Utility. See also the product documentation for <i>PeopleTools: Documents Technology</i>. • <i>SQL Transform</i>: Selected in the system as the default transformation type. For payments, this transformation program will process the PAYMENT_DISPATCH IP into a payment file layout. For bank statements, this transformation will process a bank-statement file layout into the BANK_STATEMENT_LOAD or BANK_ACCT_ANALYSIS_LOAD IP.
Report Name	Select the BI Publisher report name used to generate the payment file. This field appears only if <i>BI Publisher</i> is selected in the Transformation Program Type field.

Field or Control	Description
Source Document Name	Select the source document used to map the PAYMENT_DISPATCH IP to the BI Publisher template. The source is a message object with the name IBY_PPIOUT_1_0. This field appears only if <i>BI Publisher</i> is selected in the Transformation Program Type field.
Root Package ID	Enter an application class package name. This field appears only if <i>Application Class</i> is selected as the transformation type. This value is delivered for integration with other PeopleSoft source applications.
Qualified Package/Class Path	This field appears only if <i>Application Class</i> is selected as the transformation type. This value is delivered for integration with other PeopleSoft source applications.
Application Class ID	This field appears only if <i>Application Class</i> is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.

Field or Control	Description
Result Message Name	This field is used during communication with the Integration Broker. It is the name of the message that publishes the file layouts to the Integration Broker. For example, many of the payment layouts are delivered with the PMT_FLAT_FILE message. This means that the file layout will be published into the Integration Broker under the message name PMT_FLAT_FILE. In the message monitor, you will see instances of the PMT_FLAT_FILE message. This value can be changed to any unstructured message to help distinguish different layouts in the Integration Broker and control the communication properties for a message. When communicating with a bank's FTP server, for example, you may want files to be sent to different directories. For example, if you use the EDI 820 layout for wires and the CCD+ layout for ACH payments with the same bank, you may want to create a new message called PMT_CCD_FILE and set it as the Result Message Name for the CCD+ layout. In the Integration Broker, you can then assign communication properties to the PMT_FLAT_FILE and then assign different communication properties to the PMT_CCD_FILE. If both layouts were communicated under the same message name, you could only specify one set of communication properties or one directory in this case. For payment acknowledgments, the required message is PAYMENT_ACKNOWLEDGE. For bank statements, this field displays the name of the output IP message from the transformation program. For all delivered bank statement layouts except EDI 822, the IP message is BANK_STATEMENT_LOAD_VERSION_2. Bank statement layout EDI 822 uses the IP message BANK_ACCT_ANALYSIS_LOAD.
Grouping Rule	This field appears only for payment layouts. Specify a payment grouping rule for the layout. Only one grouping rule can be applied to a payment layout.
Default Max Payment Per File	Enter the maximum number of payments allowed in a payment file of this type. This field appears only for payment layouts.

Supported Payment Methods

This group box appears only for payment layouts and is used for defining the specific payment methods that are supported by the payment layout.

Select a layout payment method. Values are:

- *Automated Clearing House*
- *Direct Debit*
- *Electronic Funds Transfer*
- *Wire Transfer*

See the payment layout table for a list of delivered layouts and their corresponding payment methods.

See [Understanding the Layout Catalog](#).

Layout Properties

Layout Properties are information that is needed by a transformation program to successfully create and process a layout. A layout property can be anything, but generally is either a data value that is needed by a layout that is not captured in the system or a processing flag that is needed by a transformation program. These properties are defined at design time, bound with values at setup time, and available to the transformation program at runtime. The values for these defined properties are captured at setup time for every bank.

For example, the layout property `SENDER_ID`, which is used by the EDI 820 payment layout, identifies the ID of the party that is sending the file. No field is defined in Financial Gateway to store this value, yet this layout requires the property at runtime. Adding `SENDER_ID` to the layout properties allows this value to be set up for every bank. At runtime, this value is available to the transformation program to be included in the 820 layout.

Field or Control	Description
Property Code	Displays the name of the layout field. For the SEPA_CT_03 layout, the following details are available: • SWIFT_INTERACT (Optional) • SWIFT_SENDER (Optional) • SWIFT_RECEIVER (Optional) • SWIFT_PRIORITY (Optional) • SEPA_CHAR_CONV Important! If you specify a default, file-extension value for the <i>FILEEXT</i> property code, you must enter a period before the file extension. For example, you enter <i>.TXT</i>, not <i>TXT</i>. Note: A specific layout property FS_MAP_ID is available for configuration when the selected value in the Transformation Program Type field is <i>Data Mapper</i> . The property level for this property is set at the bank level. The property value is identified on the Bank Integration Layouts page, and it should match the Map Definition value setup in the Data Export Import Utility.
Type	Specify the property code data type: <i>Date</i> , <i>Number</i> , <i>String</i> , <i>Time</i> , or <i>Yes/No</i> .

Field or Control	Description
Property Level	This determines where the property will be set up: <i>bank</i>, <i>account</i>, or <i>system</i> level. For payment layouts, this also determines where in the PAYMENT_DISPATCH IP this value is available to the transform program. System and bank level properties are available in the PMT_HEADER_PROP record. Account level properties are available in the PMT_BATCH_PROP record. For payment files, the layout property values are included in the PAYMENT_DISPATCH IP for use in transformation programs at runtime. The records PMT_HEADER_PROP and PMT_BATCH_PROP contain these values. If you are creating a new transformation program and need to capture some setup information, such as company TAXID, a layout property would be added to the Layout Catalog. It would be set up at bank or account level. You can then use this information in the PAYMENT_DISPATCH message of the transformation program.
Required	Select to indicate that this property code is required.
Read Only	Select to make this property code a display-only value. This type is good for system settings that need to be captured, but do not vary by bank.
Max Length (maximum length)	Enter the maximum character length. At setup time, the entered value is validated to ensure that it is not longer than the maximum length and is the type specified (for example, string, number, yes/no, and so on).

Field or Control	Description
	Click the Allowed Values icon to access the Allowable Format Properties page (PMT_FORMAT_VALUES), where you can select the type of list option to apply as the allowed format property. Select one of these list options: <i>All Code Map Groups</i> A code map group defines the mapping between external bank codes with their equivalent internal PeopleSoft codes for both bank statement and bank payment processing. <i>List of Values</i> This list limits the choice of allowable values for a property code. For example, the PAYREQEIP layout limits the FILETYPE property values to either a CSV or FIXED format.
Default Value	Enter a property-code, default value. You can override this value when defining integration layouts for a bank or account.
Sequence	Enter sequence numbers to prioritize the property codes. Properties with lower numbers will be displayed first at setup time. During the transformation process, the system processes property codes from the lowest to the highest value.

Code Mappings Page

Use the Code Mappings page (TR_CODE_MAPPINGS) to define input and output values for mappings of a selected code map group.

Navigation:

Banking > Administer Bank Integration > Bank Integration Code Map

This example illustrates the fields and controls on the Code Mappings page. You can find definitions for the fields and controls later on this page.

Code Mappings

Code Map Group EDI ACK

Description EDI Bank Acknowledgements Copy

Mappings Find | View All First 1 of 6 Last

*Mapping Name 824CODES + -

Default Value ☐ Return Input if No Match

Field Values ? Personalize | Find | View All + - First 1-5 of 21 Last

Input Value	Output Value		
006	DUPLICATE ISA06 AND TRN02 OR ISA06 ISA08 GS02 GS03 GS0	+	-
009	INVALID DATE	+	-
012	INVALID COMBINATION	+	-
013	REMIT NOT SENT; MISSING SUBSIDIARY ADDRESS FOR	+	-
801	INVALID TRANSACTION HANDLING CODE BPR01	+	-

This page enables you to define the mapping between external bank codes with their equivalent internal PeopleSoft codes for both bank statement and bank payment processing.

Bank statement processing uses mappings for three fields: **Bank Statement Codes**, **Reconciliation Codes**, and **Statement Activity Types**.

For example, a financial organization identifies certain miscellaneous fees with the numeric code 564. If you define a statement activity type of *Bank Fee (BNKFEE)*, you can assign the input value of 564 to the output value of *BNKFEE*.

Field or Control	Description
Copy	Click to create a new mapping group based on the parameters of the current, code map group.
Mapping Name	Enter a mapping name.
Default Value	Enter a default value for the specific map. The system uses this defined default value if it cannot match the existing mapping input value and you do not select the Return Input if No Match check box.
Return Input if No Match	Select to indicate that the system should use the input value as the map-to value if the system cannot match the existing mapping-input value with a defined input value.

Field or Control	Description
Field Values	Enter the Input Values and the corresponding Output Values to which they are to be mapped. For bank statement processing, the Input Values are the external bank codes, and the Output Values are the PeopleSoft codes. For bank payments, the Input Values are the PeopleSoft codes, and the Output Values are the external bank codes.

Event Code Definition Page

Use the Event Code Definition page (TR_EVENT_CD_DEF_PG) to enter codes for system events, and define actions for the system to perform when they occur.

Navigation:

Set Up Financials/Supply Chain > Product Related > Treasury > Enter Event Code Definition

This example illustrates the fields and controls on the Event Code Definition page. You can find definitions for the fields and controls later on this page.

Event Code Definition

Event Code BSDUPBAL

Description Duplicate Balance Entry Found

☐ Notify Flag Recipient Type ▼

Notify Template 

Notify To

Field or Control	Description
Notify Flag	Select for the system to send an email or workflow message to the specified party if this event occurs.
Recipient Type	Select <i>Person</i> if the message recipient is a specific employee. Select <i>Role</i> if the message recipients should include all users in a specific role, such as a manager.
Notify Template	Select the message text template.

Field or Control	Description
Notify To	This field is dependent on the selected Person/Role field value. If you select <i>Person</i>, enter the email address of the person to notify. If you select <i>Role</i>, enter the role name. Note: To enable this email notification functionality, you must setup and configure the PeopleTools Simple Mail Transfer Protocol (SMTP) functionality. See the product documentation for <i>PeopleTools: Workflow Technology</i>.

Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements

This topic discusses how to set up PeopleSoft Integration Broker for bank statements, payments, and payment acknowledgements. For more information, refer to the product documentation for *PeopleTools: Integration Broker* and *PeopleTools: Integration Broker Administration*.

Pages Used to Set Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements

Page Name	Definition Name	Usage
Service Operations - General Page	IB_SERVICE	Define and activate a service operation.
Service Operations - Handlers Page	IB_SERVICEHDLR	Activate one or more service operation handlers.
Service Operations - Routings Page	IB_SERVICERTNGS	Define and activate routing definitions on the service operation.
Queue Definitions Page	IB_QUEUEDEFN	Activate the queue used by the service operation.
Routings - Parameters Page	IB_ROUTINGDEFNDOC	Verify the external service alias names used by this routing.
Node Definitions Page	IB_NODE	Activate node used by the service operation.
Nodes - Connectors Page	IB_NODECONN	For an outbound service operation, verify the node is connected to the correct network.

Page Name	Definition Name	Usage
Full Data Publish Rules Page	EO_MSGPUBFULL	Activate the full data publish rule for the service operations using the full data publish rules.
Batch Publish Rules Page	EO_MSGPUBATCH	Activate the batch publish rule for the service operations using the batch publish utility.
File Inbound Page	EO_FILE_INBOUND	Define the parameters to receive inbound flat files from third-party systems.

Understanding PeopleSoft Integration Broker Setup for Bank Statements, Payments, and Payment Acknowledgements

PeopleSoft Integration Broker is delivered with many integration points to send and receive data with a third-party system. These integration points are implemented using service operations. PeopleSoft delivers the service operations in PeopleSoft Integration Broker with a default status of *Inactive*. You must activate each service operation before attempting to send or receive data from a third-party source.

The service operations for PeopleSoft Cash Management's Financial Gateway include:

Service Operation	Description	Direction and Type	Handlers
BANK STATEMENT FILE	Receives non-XML or unstructured bank statements into the Financial Gateway.	Inbound Asynchronous	ProcessFile
CANCEL PAYMENT	Sends request from the third-party source to Financial Gateway to cancel a payment. Sends message synchronously.	Inbound Synchronous	REQUESTHDLR
LOAD PAYMENT	Receives payments into the Financial Gateway.	Inbound Synchronous	REQUESTHDLR
REQUEST PAYMENT STATUS	Sends request from the third-party source for the status of a payment ID. The Financial Gateway responds with the payment status.	Inbound Synchronous	REQUESTHDLR

Service Operation	Description	Direction and Type	Handlers
PAYMENT_RESPONSE_OUT_ASYNC	Financial Gateway sends a response message asynchronously for the incoming payment request.	Outbound Asynchronous Note: The PMT_RESPONSE message is published only when the Outbound Integration Type is <i>Integration Broker</i> on the Source Registration page.	(none)
PMT_ACKNOWLEDGE	Sends a payment acknowledgement status that the payment was received.	Outbound Asynchronous	(none)
PAYMENT ACKNOWLEDGE FILE	Sends an unstructured acknowledgement from PeopleSoft that the payment was received.	Inbound Asynchronous	ProcessFile
PAYMENT CANCEL	Sends request from the third-party source to Financial Gateway to cancel a payment. Sends message asynchronously.	Inbound Asynchronous	ProcessCancel
PAYMENT_REQUEST	Sends a payment status request from the source asynchronously.	Inbound Asynchronous	ProcessPayments
PMT FLAT FILE	Sends a payment message from the Financial Gateway using a flat file structure.	Outbound Asynchronous	(none)
PMT FLAT FILE INBOUND	Sends a payment message to the Financial Gateway using a flat file structure.	Inbound Asynchronous	ProcessFile

Setting Up Service Operations

To activate a service operation, complete the following steps in PeopleSoft Integration Broker:

1. Activate the service operation.

On the General tab of the Service Operations component, select the Active check box for the applicable service operation version. If the desired version is not the default version for the service operation, the default version must also be activated.

2. For asynchronous service operations only, verify the queue is running.

On the General tab of the Service Operations component, select the View Queue link at the bottom of the page. On the Queue Definitions page, verify the Queue Status field has a value of *Run*.

3. Activate the service operation handlers.

Note: This step does not apply to all service operations.

On the Handlers tab of the Service Operations component, select the value of *Active* in the Status field for all needed handlers.

- For inbound asynchronous service operations, activate the OnNotify handler.
- For inbound synchronous service operations, activate the OnRequest handler.
- If you are using chunking on an outbound service operation, activate the OnRoute handler.

4. Activate the service operation routings.

On the Routings tab of the Service Operations component, activate a routing definition for each node that will send or receive data. To activate a routing, select the check box next to the routing definition and click the Activate Selected Routings button.

- Activate an inbound routing to receive data into PeopleSoft Financial Gateway.
- Activate an outbound routing for sending data to a third-party system or another PeopleSoft product.
- Activate a local routing for sending data using an effective-dated outbound service operation.
- Activate a local routing to receive inbound flat files.
- You must activate at least one routing if the data are being sent in an XML format.
- You can skip this step if a batch publish rule is set up to post to a flat file only.

5. Verify the routing definition parameters.

On the Routings page of the Service Operations component, select the link attached to the routing definition name. This link accesses the Routing Definitions component. Select the Parameters tab and complete the following steps:

- Confirm the external alias name in the External Alias field for the routing is correct. When sending or receiving data, the Integration Broker determines which routing to use by referring to the external alias name, not the routing name.
- Add or verify the transform programs on this routing definition. A routing definition defines the sending and receiving nodes for a transaction and specifies any inbound and outbound transformations to invoke. A transform program is a type of PeopleSoft Application Engine program that can convert data from one format to another; for example, from XML to a flat file. Use a transform program when one node sends a request or response message with a data structure different from the structure required by the other node. Many predefined routings are delivered with transform programs. You must decide, based on your unique situation, to change, remove, and add transform programs. For example, some delivered transform programs convert

data to the EDI format, if you are not using EDI then you will want to use a different routing definition or remove that transform program from the routing definition.

6. Verify the node from the routing is active.

Go to the Node Definitions page and verify the Active Node check box has been selected for any sender or receiver nodes used in the routings that you activated on your Service Operations - Routings page. Financial Gateway communicates with the third-party bank using an Integration Broker node with a specified connector. The Integration Broker contains a set of communication connectors that will provide connectivity with most banks. The most common connectors used are the FTP, FTPs, AS2, HTTP, HTTPS, FILE, and JMS.

7. For an outbound service operation, verify the node or routing is connected to the correct network.
8. For inbound service operations using a flat file, define the inbound file rule and run control parameters:
 - For X.12 formatted EDI files, use the Inbound File Loader Rules page and the Inbound File Processing run control under the Integration Broker menu.
 - For PeopleSoft formatted files, use the File Inbound page and the Inbound File run control under the Enterprise Components menu.

Note: For complete information on the setup and use of service operations, see the product documentation for *PeopleTools: Integration Broker* your PeopleTools release.

Defining Integration Broker Settings for Payments

Use the Node Definitions page (IB_NODE) to activate node used by the service operation.

Navigation:

PeopleTools >Integration Broker >Integration Setup >Nodes >Node Definitions

This example illustrates the fields and controls on the Node Definitions page.

The screenshot shows the 'Node Definitions' page with the following fields and controls:

- Node Name:** BANK STATEMENT IMPORT
- *Description:** Import Bank Statement
- *Node Type:** PIA
- *Authentication Option:** None
- *Default User ID:** (empty field with search icon)
- Hub Node:** (empty field with search icon)
- Master Node:** (empty field with search icon)
- Company ID:** (empty field)
- IB Throttle Threshold:** (empty field)
- Image Name:** (empty field with search icon)
- Codeset Group Name:** (empty field with search icon)
- Default Local Node:** ☐
- Local Node:** ☐
- Active Node:** ☒
- Non-Repudiation:** ☐
- Segment Aware:** ☐
- Contact/Notes:** (link)
- Properties:** (link)
- Save:** (button)

Payment files can be sent to the Integration Broker for communication with your bank. The Integration Broker contains a set of communication connectors that will provide connectivity with most banks. The most common connectors used are the FTP, FTPs, AS2, HTTP, HTTPS, FILE, and JMS.

The Bank Integration Layouts component enables you to specify an output type for payment files. If you select Integration Broker, then a node must be entered. At runtime, the payment will be asynchronously published to this node in the Integration Broker. Integration Broker then provides the communication functionality.

Before you begin enabling Integration Broker service operations, you must set up the basic Integration Broker settings, such as Gateway, and application server with service operations enabled, domain active, channels active, messages active, and so on.

Define the settings to process payment files through PeopleSoft Integration Broker using an output-type service operation.

1. Create a node definition that represents the bank on the Node Definitions page.
2. Activate a corresponding outbound, asynchronous service operation routing for the node definition on the Service Operations - Routings page.

PeopleSoft delivers the PMT_FLAT_FILE service operation for the delivered layouts. Both the layouts and the corresponding service operation are configured to be published to the Integration Broker. To implement payment processing functionality, select the PMT_FLAT_FILE service operation.

3. Complete the Nodes - Connectors page.

Define connector properties information at the node or node transaction level on the Connectors page.

Integration Broker comes with a variety of connectors that can be used. The primary connector for use with banks is the FTPTARGET connector. This enables you to send files using FTP and FTPs to your bank.

If you use Integration Broker with the FTP connector ID FTPTARGET and leave the FILENAME parameter blank, the PMT_DISPATCH process will override this property and generate a unique filename for each message using the Bank Integration Layout properties FILENAME and FILEEXT to generate this value.

Some banks, however, require all files to be sent under the same filename. Therefore, define the connector property FILENAME with a value to ensure that all files are delivered to the bank with the same filename.

Note: You can configure your Integration Broker node to use an AS2 connector.

See the product documentation for *PeopleTools: Integration Broker* and *PeopleTools: Integration Broker Administration*.

Defining Integration Broker Settings for Bank Statements and Payment Acknowledgments

Use the Integration Broker - Connectors page (IB_NODECONN) to for an outbound service operation, verify the node is connected to the correct network.

Navigation:

PeopleTools >Integration Broker >Integration Setup >Nodes >Connectors

This example illustrates the fields and controls on the Integration Broker - Connectors page. You can find definitions for the fields and controls later on this page.

The screenshot shows the 'Connectors' tab in the Integration Broker interface. The 'Node Name' is 'BANK STATEMENT IMPORT' and there is a 'Ping Node' button. The 'Details' section shows 'Gateway ID' as 'LOCAL' and 'Connector ID' as 'FTPTARGET'. The '*Delivery Mode' is set to 'Guaranteed Delivery'. Below this is the 'Properties' section, which includes a table of properties for the 'FTPTARGET' connector. The table has columns for Property ID, Property Name, Required, and Value. The properties listed are FTPMODE (ACTIVE), FTPS (N), HOSTNAME, METHOD (PUT), PASSWORD, TYPE (ASCII), USERNAME, and sendUncompressed (Y). There is also a 'Password Encryption' section and a 'Save' button at the bottom.

*Property ID	*Property Name	Required	Value
1 FTPTARGET	FTPMODE	☒	ACTIVE
2 FTPTARGET	FTPS	☒	N
3 FTPTARGET	HOSTNAME	☒	
4 FTPTARGET	METHOD	☒	PUT
5 FTPTARGET	PASSWORD	☒	
6 FTPTARGET	TYPE	☒	ASCII
7 FTPTARGET	USERNAME	☒	
8 HEADER	sendUncompressed	☒	Y

Note: This section describes how to set up an Integration Broker node for importing bank statement files and payment acknowledgment files from an FTP server. Files can also be imported from a bank using a file server—a method that neither employs Integration Broker nor requires setting up an Integration Broker node.

To set up an Integration Broker node for importing files from an FTP server:

1. Create a new node, name it, and enter a description for the node.
Leave the default values for all the other fields.
2. On the Connectors page, select *FTPTARGET* in the **Connector ID** field.
The appropriate properties for the FTP Target connector are displayed.
3. Enter the appropriate property values:

Field or Control	Description
FTPS	A yes (Y) or no (N) value. Determines whether the target FTP server requires a secured FTP connection or not.

Field or Control	Description
HOSTNAME	The host name of the FTP server. For example, for the URL ftp://www.hostname.com, the host name would be www.hostname.com.
METHOD	The FTP method that is being used. Enter either <i>PUT</i> or <i>GET</i> . The system will always use GET when importing a bank statement regardless of which value is entered in this field.
PASSWORD	The password that corresponds to the USERNAME value to access the FTP server. This value must be encrypted. To obtain an encrypted version of the password, use the Password Encryption Utility at the bottom of the page.
TYPE	The type of files that are to be transferred— <i>ASCII</i> or <i>BINARY</i> .
USERNAME	The user name that is used to access the FTP server.
Send Uncompressed	A yes (Y) or no (N) value. Determines whether to send files compressed or not.

Note: The system uses values that are defined on the Bank Statement Import page to automatically override two node connector properties, DIRECTORY and FILENAME.

Note: You can configure your Integration Broker node to use an AS2 connector.

See the product documentation for *PeopleTools: Integration Broker* and *PeopleTools: Integration Broker Administration*.

Setting Up Bank Statement Processing

This section describes the components that you use for setting up the Bank Statement Import process and discusses how to define balance codes and transaction codes.

Pages Used to Set Up Bank Statement Processing

Page Name	Definition Name	Usage
Balance Codes Page	BSP_BAL_CODES	Define bank statement code information. Also select three favorite statement codes for display in online inquiry pages. See the "Balance Codes Page" (PeopleSoft Banks Setup and Processing) for more information.
Transaction Codes Page	BSP_TXN_CODES	Define bank statement, transaction code information, such as activity type and payment method. See the "Transaction Codes Page" (PeopleSoft Banks Setup and Processing) for more information.

Components Used to Set Up Bank Statement Processing

Use these application pages to set up the Bank Statement Import process.

- Balance Codes
Define codes that are used for bank statement balances.
See [Defining Bank Statement Balance Codes](#).
- Transaction Codes
Define codes that are used for bank statement transaction information.
See [Defining Transaction Codes](#).
- Code Mappings
Define the mappings between external system codes with their equivalent internal PeopleSoft codes.
See [Code Mappings Page](#).
- Layout Catalog
See [Layout Catalog Page](#).
- (Optional) Event Code Definition
See [Event Code Definition Page](#).
- Node Definition (required only if you are using Integration Broker)
See [Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements](#).

- (Optional) Encryption Profile
- See [Understanding File Encryption](#).

Note: If you create new layouts or modify existing ones for an organization's bank-statement-processing requirements, you must add them to the Layout Catalog.

Defining Bank Statement Balance Codes

Use the Balance Codes page (BSP_BAL_CODES) to define bank statement code information.

Also select three favorite statement codes for display in online inquiry pages.

Navigation:

Banking > Administer Bank Statements > Bank Statement Codes

This example illustrates the fields and controls on the Bank Statement Codes - Balance Codes page. You can find definitions for the fields and controls later on this page.

Balance CodesTransaction Codes

Bank Statement Codes

PersonalizeFindView 1001-10 of 230Last

Balance CodesLong Description

*Statement Code	*Type Code	*CR / DB	Display Balance	Short Description		
010	Status	NA	☒	OPENING LEDGER	+	-
011	Status	NA	☐	AVERAGE OPENING LEDG	+	-
012	Status	NA	☐	AVERAGE OPENING LEDG	+	-
015	Status	NA	☒	CLOSING LEDGER	+	-
020	Status	NA	☐	AVERAGE CLOSING LEDG	+	-
021	Status	NA	☐	AVERAGE CLOSING LEDG	+	-
022	Status	NA	☐	AGGREGATE BALANCE AD	+	-
024	Status	NA	☐	AVERAGE CLOSING LEDG	+	-
025	Status	NA	☐	AVERAGE CLOSING LEDG	+	-
030	Status	NA	☐	CURRENT LEDGER	+	-

Assign balance codes to each balance line and determine how the reconciliation process manages them. Assign a balance code to each balance entry that is received electronically or entered manually.

Field or Control	Description
Statement Code	Enter a three-digit statement code that is to be defined.
Type Code	Indicate whether the code is a <i>Status</i> or <i>Summary</i> code.
CR/DB (credit/debit)	Indicate whether the code is a <i>CR</i> (credit) or <i>DB</i> (debit), or select <i>NA</i> (not applicable) if this categorization does not apply.

Field or Control	Description
Display Balance	Select to indicate that the balance is a favorite balance. The system automatically displays the favorite balances on certain pages, such as the Bank Balance Inquiry page. You can select no more than three bank balances, however, you can change these selections at any time.

Defining Transaction Codes

Use the Bank Statement Codes - Transaction Codes page (BSP_TXN_CODES) to define bank-statement, transaction-code information, such as activity type and payment method.

Navigation:

Banking > Administer Bank Statements > Bank Statement Codes > Transaction Codes

This example illustrates the fields and controls on the Bank Statement Codes - Transaction Codes page. You can find definitions for the fields and controls later on this page.

*Statement Code	Type Code	*CR / DB	Trans Code	Activity	Payment Method	Short Description
108	Transaction Detail	CR				CREDIT (ANY TYPE)
115	Transaction Detail	CR			System Check	LOCKBOX DEPOSIT
116	Transaction Detail	CR				ITEM IN LOCKBOX DEPO
118	Transaction Detail	CR				LOCKBOX ADJUSTMENT C
121	Transaction Detail	CR				EDI TRANSACTION CRED
122	Transaction Detail	CR				EDIBANX CREDIT RECEI
123	Transaction Detail	CR				EDIBANX CREDIT RETUR
135	Transaction Detail	CR				DTC CONCENTRATION CR
136	Transaction Detail	CR				ITEM IN DTC DEPOSIT
142	Transaction Detail	CR			Automated Clearing House	ACH CREDIT RECEIVED

The system assigns transaction codes to each bank-statement-transaction line during electronic load or manual entry. The transaction code determines how reconciliation processes the specific line item.

Field or Control	Description
Trans Code (transaction code)	Identifies the type of transaction in a bank statement. Select from: • <i>Automated Clearing House</i> • <i>Bank Adjustments</i> • <i>Bill of Exchange - Disburse</i> • <i>Bill of Order - Disburse</i> • <i>Check</i> • <i>Deposits</i> • <i>Direct Debit</i> • <i>Direct Debit - Disburse</i> • <i>Drafts</i> • <i>Electronic Funds Transfer</i> • <i>Fee Expense</i> • <i>Funding Receipt</i> • <i>General Transaction</i> • <i>Interest Expense</i> • <i>Manual Check</i> • <i>Miscellaneous Transaction</i> • <i>Payment</i> • <i>Stop Pay (stop payment)</i> • <i>Trade Receipt</i> • <i>Voided Payment</i> • <i>Wire - Disbursement</i> • <i>Wire - Incoming</i>
Activity	Select a bank-statement activity type.

Field or Control	Description
Payment Method	Identifies the payment method that is specified for a transaction code. Select from: • <i>ACH</i>: Automatic clearing house. • <i>Check</i> • <i>Cust Draft</i>: Customer draft. • <i>Direct Debit</i> • <i>EFT</i>: Electronic funds transfer. • <i>EFT Drafts</i>: Electronic funds transfer drafts. • <i>Giro-EFT</i>: Giro-electronic funds transfer. • <i>Giro-Manual</i> Giro-manual. • <i>LC</i>: Letter of credit. • <i>Manual</i>: Manual check. • <i>Wire</i>: Wire transfer. • <i>Vndr Draft</i>: Vendor draft. • <i>Wire</i>: Wire disbursement.

Related Links

"Defining Statement Activities" (PeopleSoft Banks Setup and Processing)

Setting Up Payment Processing

This topic discusses the pages and functionality that are involved in Financial Gateway electronic banking payment processing.

Pages Used to Set Up Payment Processing

Page Name	Definition Name	Usage
<u>Payment Grouping Rules Page</u>	PMT_CHUNK_DEFN	Define fields to include for a specified payment grouping rule.
<u>Bank Integration Layouts Page</u>	BANK_INTEGRATION	Define layouts and transformation programs for a specific bank.

Page Name	Definition Name	Usage
External Accounts - Payment Methods	PYMNT_BANK	Define the payment methods that are supported for an account, payment processing options, and EFT file attributes. For each account, you can enter multiple payment methods. See the "External Accounts - Payment Methods Page" (PeopleSoft Banks Setup and Processing) for more information.
<u>External Command Page</u>	PMT_EXT_COMM_PG	Optional if output type is <i>File</i> . Define command line information to carry out an external toolkit.

Understanding Payment Processing in Financial Gateway

To define external commands, use the External Command component (PMT_EXT_COMM_CMP_GBL).

This list describes the pages and functionality that are involved in Financial Gateway electronic banking payment processing:

- Payment Grouping Rules

Definitions of rules that determine what payments can be grouped together in the same file.

See [Payment Grouping Rules Page](#).

- Layout Catalog

See [Layout Catalog Page](#).

- Code Mappings

See [Code Mappings Page](#).

- (Optional) Event Code Definition

See [Event Code Definition Page](#).

- Node Definition (required only if you are using Integration Broker to transmit payment files)

See [Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements](#).

- (Optional) Encryption Profile

See [Understanding File Encryption](#).

- (Optional) External Commands

Captures the setup information that is needed to call third-party toolkits to provide encryption and communication of payment files. External commands can be used when you are transmitting payment files using FTP.

See [External Command Page](#).

- Bank Integration Layouts

This component is the main setup component where file layouts, output type, and integration options are associated with a bank.

See [Bank Integration Layouts Page](#).

- External Accounts - Payment Methods - Electronic Layouts

The Payment Methods page (**Banking > Bank Accounts > External Accounts > Payment Methods**) captures how each account's payment method is settled and in what layout. Payments can be settled through the Financial Gateway Dispatch Payments or the Payables Pay Cycle Manager.

See "External Accounts - Payment Methods Page" (PeopleSoft Banks Setup and Processing).

How you set up the payment processing functionality depends on the implementation. Because each organization or bank has differing payment layout requirements, delivering all possible layout variations to suit all needs would be exceedingly difficult. If you use the delivered functionality and do not need to make any modifications or changes, you have fewer setup tasks.

If you are creating new layouts or editing existing layouts for an organization's payment processing requirements, you need to first create the payment layout and all its supporting functionality. Specifically, you need to define payment grouping rules and code mappings, and you must also create the file layout objects and formatting logic for new (or modified) payment layouts.

Note: If you create new layouts or modify existing ones for an organization's payment processing requirements, you must add them to the Layout Catalog.

Payment Grouping Rules Page

Use the Payment Grouping Rules page (PMT_CHUNK_DEFN) to define fields to include for a specified payment grouping rule.

Navigation:

Banking > Administer Bank Integration > Payment Grouping Rules

This example illustrates the fields and controls on the Payment Grouping Rules page.

Payment Grouping Rules

Grouping Rule BANK

***Description** All payments from a bank.

Payment File Grouping Rules
Personalize | Find | View All |
First 1-2 of 2 Last

*Field Name		
BANK_CD		
BANK_SETID		

Payment Batch Grouping Rules
Personalize | Find | View All |
First 1-4 of 4 Last

*Field Name		
AMOUNT_CURRENCY_CD		
BANK_ACCT_KEY		
BUSINESS_UNIT		
PYMNT_DT		

Each payment layout specification defines rules for grouping payments into the file. Grouping rules determine how payments are grouped together into payment files. Certain layouts require a different file for every payment, and other layouts require a separate file for each different business date in a file. For example, the SWIFT MT103 payment layout requires that only one payment exist in a file; therefore, the associated grouping rule is SINGLEPAYMENT.

Other layouts have different rules. For example, CCD+ files can contain payments from multiple accounts and multiple processing dates, so the grouping rule is BANK, and payments for this bank can be included in the same file. For layouts requiring payments to be processed on the same day, you can use the BANKDATE file grouping rule. You can change file grouping rules to accommodate a layout with a specific bank's requirement. To define a file grouping rule, enter the fields to group for a payment type.

There are essentially three layers of filtering that determines how payments are grouped together:

1. Initially the system groups all payments by bank code, SetID, payment layout, and payment method.

This level of filtering is hard coded in the system and cannot be changed or overwritten.

2. Next, the payment file grouping rules, entered in the top grid, further define how the payments are grouped together, thus determining how many payment files are ultimately created during the payment load process.

3. Finally, the payment batch grouping rules define how payments within a file are grouped together.

PeopleSoft delivers the following grouping rules:

<i>Payment File Grouping Rule</i>	<i>Description</i>
BANK	All payments from a bank.
BANKACCOUNT	All payments from a specified bank account.
BANKACCOUNTDATE	All payments from a bank account and on a payment date.
BANKDATE	All payments from a bank and on a payment date.
SINGLEPAYMENT	One payment per file.

Payment Batch Grouping Rules

This set of fields adds an additional level of filtering that further defines how payment lines and payments are grouped together in a file. Because some payment layouts have additional requirements, this feature allows users to further define the logic for grouping payments. An example is the payment layout using ISO 20022 XML messages (credit transfer initiation and STP credit transfer). After the payments have been grouped together in a file based on the file grouping rules, they can be further grouped by fields such as business unit, source system, currency code, payment date, and payment ID. The maximum number of additional grouping fields is ten.

Bank Integration Layouts Page

Use the Bank Integration Layouts page (BANK_INTEGRATION) to define layouts and transformation programs for a specific bank.

Navigation:

Banking > Administer Bank Integration > Bank Integration Layout

This example illustrates the fields and controls on the Bank Integration Layouts page. You can find definitions for the fields and controls later on this page.

Bank Integration Layouts

SetID: SHARE Bank Code: CHBK2 Credit Suisse

Supported Layouts Find | View All First 1 of 2 Last

Document Type: Payment Layout: ISOV2 ISO 20022 Credit Transfer V2 View Layout Details + -

Maximum Payments per File: 10000

File Output Type

☐ Integration Broker Bank Node:

☒ File External Command ID:

☐ EBICS

Layout Options

Encryption Profile:

☐ Supports Acknowledgements ☐ Supports Prenotes

Supported Payment Methods

Payment Method

Automated Clearing House

Electronic Funds Transfer

Wire Transfer

Layout Properties Personalize | Find | View All First 1-15 of 23 Last

Property Code	Required	Read Only	Type	Max Length	Value	Allowed Values	Description
FILENAME	☐	☐	String	50			
FILEEXT	☐	☒	String	8	xml		
FILEPATH	☐	☐	String	50			
CODE_MAP_GROUP	☐	☐	String	10			
STD_ID_NUM_QUAL	☐	☐	String	50			Enter Standard ID Qualifier of ID to use with format.
FILE_TYPE	☒	☒	String	5	BASE		
IBEI	☐	☐	String	11			
BEI	☐	☐	String	9			
EANGLN	☐	☐	String	9			
CHIPS	☐	☐	String	9			
DUNS	☐	☐	String	9			

Field or Control	Description
Layout	Select a layout from the Layout Catalog to enable for this bank. Values that are defined for the layout automatically populate the Layout Properties region.
View Layout Details	Click to access the Layout Catalog page and view details of the payment layout.

File Output Type

Field or Control	Description
Integration Broker	Select to publish the layout as an IP message to the Integration Broker.
File	Select to send the layout to a file. Requires that the FILENAME, FILEEXT, and FILEPATH layout properties be defined.

Field or Control	Description
EBICS	Select to indicate this layout follows EBICS protocol requirements. For more information about using the EBICS protocol for SEPA payments, see Understanding SEPA.
Bank Node	The node to which the Integration Broker Node message will be published. Required if <i>Message</i> output type is selected.
External Command ID (optional)	An option that is active only if the output layout type is <i>File</i>. This is the external command to carry out after the file is sent. External commands are a way to carry out a third-party communication or security toolkit. They enable the output FILEPATH and FILENAME to be passed to a third-party application to initiate additional processing.

Layout Options

Field or Control	Description
Encryption Profile (optional)	Select an encryption profile to apply to this payment layout's data before sending to a message or file. The profile must be one that was designed to encrypt or digitally sign files. Use the Encryption Profile page (ENCRYPTION_PRFL) (PeopleTools > Security > Encryption > Encryption Profile) to define encryption standards to be used to protect data when communicating with banks and determine algorithms and store public and private keys that are used in encryption. See the product documentation for <i>PeopleTools: Security Administration</i>.

Field or Control	Description
Supports Acknowledgments	Select to enable functionality for receiving files containing payment acknowledgment messages from the specified bank. When payments are dispatched for this bank and layout, they will be set to a status of "Dispatched to Bank." Once a payment acknowledgement is received from the bank, the status to set to "Paid." Note: Because no successful payment acknowledgments are sent for ACH payments, the Supports Acknowledgments functionality is never enabled for them. Therefore, when ACH payments are dispatched, the status of the payment changes to <i>Paid</i>, not to <i>Dispatched to Bank</i>. The only types of acknowledgments for ACH payments are ACH Returns and ACH Notifications of Change (NOC), which are the results of payment errors. In the case of ACH Returns, once they are imported into Financial Gateway, the payment status is reset from <i>Paid</i> to <i>Error</i>. ACH NOCs are statements of payment errors that are minor in nature and did not prevent the payment from being processed. Hence, the payment status does not change in Financial Gateway for and ACH NOC. The details of the error for ACH Returns and NOCs can be viewed from the Acknowledgment Files page.
Supports Prenotes	Select to enable the functionality for creating and processing zero-dollar, prenotification payment files using this layout. See Understanding the Payment Process in Financial Gateway.

Supported Payment Methods

This group box displays payment methods that are supported by this layout.

Layout Properties

A payment layout can have a number of layout properties. Three layout properties are available, however, that all payment layouts contain. This table provides examples of how to set up each of them.

Field	Description
FILENAME	Determines the filename when data are sent to a file or published into the Integration Broker. You can leave this property blank and the default will be BANKNAME + FILEID, or you can override and create your own naming convention. For example: <pre>BANKNAME_%FILEID%_%yyyyMMdd_HHmss%</pre> At runtime the FILEID (%FILEID%) and Date bind variables will be bound to create a filename of: <pre>BANKNAME_00000017_20031118_104316</pre> The date bind value is flexible and can be altered to change the date format. Refer to the PeopleTools PeopleCode documentation on the <code>DateTimeToLocalizedString</code> function, specifically the pattern formats available. For another example: <pre>BANKNAME_%FILEID%_%ddMMyyyy_HHmss%</pre> At runtime equals: <pre>BANKNAME_00000018_18112003_105448</pre>
FILEEXT	File extension to add to the filename. Do not include a dot (.) in this field; the system will automatically add one between FILENAME and FILEEXT.
FILEPATH	The output directory to which the files are written. If this field is left blank, the system will send it to the default Process Scheduler file output location. Use this option only when layouts have an output type of File. The value must end in a back slash or forward slash (\ or /), depending on your operating system. For example, using Windows, "c:\temp" is invalid; it must be "c:\temp\".

Creating Payment Layouts

To create a new payment layout:

1. Work with the organization or financial institution and develop the requirements for the payment layout.

If a usable file layout object is delivered by PeopleSoft, analyze the gap between the delivered file layout object and the layout requirements.

2. Define a new file layout object.

You can save a delivered file layout object with another file name and then edit it, or you can create a new file layout object.

3. Implement the formatting logic.

PeopleSoft delivers the formatting logic in application classes that are included in the TR_FORMAT Payment package. Use the delivered application classes, extending the logic of an existing class (or extend from the BaseFormatter application class) so as to take advantage of the delivered logic.

For example, suppose that you want to create a new CDDFormatter file layout object that includes PeopleSoft-delivered logic and also enters a value in an optional field, **Individual ID**, in the entry detail record for tracing purposes. To do this, use the following code for the application class NewCCDFormatter:

```
import TR_FORMAT:Payment:CCDFormatter;
class NewCCDFormatter extends CCDFormatter
  method populateEntryDetail (&rec as Record);
end-class

/* constructor */
method NewCCDFormatter
  %Super = create CCDFormatter ();
end-method

/* override parent method here */
method populateEntryDetail
  /* &rec as Record */

  %Super.populateEntryDetail (&rec);

  Local &myIndividualIDVal;

  /* add logic to get your &myIndividualIDVal here */

  &rec.ACH_INDIVIDUAL_ID.Value = &myIndividualIDVal;

end-method;
```

4. You can either create an Application Engine to call the new formatter class or specify in the layout to use the new formatter class. If choosing the Application Engine approach, write a wrapper Application Engine to invoke the new formatter class and pass in your File Layout object name.

To do this, you can copy an application class invoker Application Engine, changing the payment formatter name (such as CCDFormatter) to the new payment layout name, and changing the file layout object name to the new file layout object name.

5. Define a new Layout Catalog entry.

In addition to any parameters that you must define for this new Layout Catalog entry, define a transformation program name to the wrapper Application Engine or the new formatter class that you created in step 4.

6. To use the new layout, set up a bank account payment method (on the Banking, Administer Bank Integration, External Accounts, Payment Method page).

Related Links

"External Accounts - Payment Methods Page" (PeopleSoft Banks Setup and Processing)

External Command Page

Use the External Command page (PMT_EXT_COMM_PG) to define command line information to carry out an external toolkit.

Optional if output type is *File*. This is the external command to carry out after the file is output. This enables you to integrate with third-party toolkits (such as security and communications toolkits) and define command parameters that call executable files, batch files, and command-line functions.

Navigation:

Banking > Administer Bank Integration > External Command

This example illustrates the fields and controls on the External Command page. You can find definitions for the fields and controls later on this page.

External Command

External Command ID TREAS

***Description**

***Process Type**

***Command Line**

Enter the appropriate external command to process the selected payment file, including the absolute path. Use %FILENAME% and %FILEPATH% as a placeholder; the actual filename and path is passed in when the command is invoked.
For example:
C:\FtpClient\SendFile.bat %FILEPATH% %FILENAME%

Optional if output type is file. This is the external command to execute after the file is created. External commands are a way to execute a third-party communication or security toolkit. They allow the output Filepath and Filename to be passed to a third party to initiate additional processing.

Field or Control	Description
Process Type	Select a value: <i>Asynchronous:</i> If selected, the calling process runs the external command, then immediately continues to the next step, without waiting for the external command to complete processing. The benefit of this method is faster processing speed. The disadvantage is that status or error messages generally cannot be relayed to the calling program; however, many external processing programs do not have the functionality to relay error messages to a calling program. <i>Synchronous:</i> If selected, the calling program waits for each step of the called (external) process to finish before beginning the next step. The benefit of this method is comprehensive processing. Status or error messages can be sent to the calling program. The disadvantage is the slower processing time.
Command Line	Enter the actual command line code for the system to perform at runtime. External commands can contain two bind variables, <code>%FILENAME%</code> and <code>%FILEPATH%</code>. At system runtime, these bind variables are bonded with the location of the output file for the external command to process.

Setting Up Payment Acknowledgment Processing

This section lists the pages and functionality that are used to process payment acknowledgments in Financial Gateway:

- Code Mappings
See [Code Mappings Page](#).
- Layout Catalog
See [Layout Catalog Page](#).
- (Optional) Event Code Definition
See [Event Code Definition Page](#).
- Node Definition (required only if you are using Integration Broker)
See [Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements](#).
- (Optional) Encryption Profile

See [Understanding File Encryption](#).

Reviewing Event Log Information

This topic discusses how to review event log information.

Page Used to Review Event Log Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
Review Event Log Page	TR_EVENT_LOG_INQ	Search and review system event information.

Review Event Log Page

Use the Review Event Log page (TR_EVENT_LOG_INQ) to search and review system event information.

Navigation:

Set Up Financials/Supply Chain > Product Related > Treasury > Review Event Log

This example illustrates the fields and controls on the Review Event Log page. You can find definitions for the fields and controls later on this page.

Review Event Log

Search Criteria

Search Name

Search

Save Search Criteria

Delete Saved Search

Source

Investment Pools - Participant

Event Code

begins with

Event Severity

in

Event Tracking ID

=

Event Date

=

04/15/2005

User ID

=

SetID

=

Participant ID

=

Events

Personalize | Find | View All | 1-5 of 5 | First | Last

Event Detail

Change Detail

	SetID	Participant ID	Event Description	Event Date Time	Event Tracking ID	User ID	Severity
◆	SHARE	PT003	Created by operator SAMPLE	04/15/2005 6:17:19PM	95	SAMPLE	Information
◆	SHARE	PT003	Updated by operator SAMPLE	04/15/2005 6:17:26PM	95	SAMPLE	Information
◆	SHARE	PT003	Updated by operator SAMPLE	04/15/2005 6:17:26PM	95	SAMPLE	Information
◆	SHARE	PT003	Updated by operator SAMPLE	04/15/2005 6:17:26PM	95	SAMPLE	Information
◆	SHARE	PT004	Created by operator SAMPLE	04/15/2005 6:18:14PM	96	SAMPLE	Information

Enter the search parameters and click **Search**. Results appear in the **Review Event Details** grid.

Search Criteria

Field or Control	Description
Search Name	Select a name that will display specifically selected search criteria. You can set up the search criteria in many different ways and assign a name to create a template of search criteria that you can reuse, eliminating the need to set up the criteria again.
Search	Click to search for event logs that match your search criteria. You can click this button before or after you have saved the search criteria.

Field or Control	Description
Save Search Criteria	Select the criteria to refine your search for specific event logs. You must select at least one of the search criteria fields. Once you have defined the search criteria click the Save Search Criteria link to access the Save Search As page, where you assign a name to the search criteria you are saving. Click the Save button on this page to save the search criteria under the assigned name. You can now select the assigned search criteria name in the Search Name field to re-display these search criteria.
Delete Search Criteria	Select the name of the search criteria that you want to delete in the Search Name field and click this link to delete this specific search criteria template.

Using a Communications Partner for Electronic Banking

To establish the integration between Financial Gateway banking functionality and financial institutions, refer to the installation and implementation materials that the chosen bank's communications provider provides.

PeopleSoft provides the following set of IP messages that enable data to pass between PeopleSoft applications and a communications partner:

- **BANK_STATEMENT_LOAD_VERSION_2**: Used for inbound or outbound previous and same-day bank statements.
- **BANK_ACCT_ANALYSIS_LOAD**: Used for inbound and outbound fee analysis.
- **PAYMENT_DISPATCH**: Used for outbound payment information.
- **PAYMENT_ACKNOWLEDGE**: Used for inbound bank payment acknowledgments.

Note: You and the bank's third-party communications partner are responsible for complying with the PeopleSoft inbound and outbound IP message formats, and for ensuring data encryption, security, and communication between the organization and its banks. PeopleSoft is not responsible for this aspect of the implementation. In addition, the performance time to retrieve and submit bank statement information is limited by the bank communication partner's software. PeopleSoft is responsible only for the performance time of the generation and receipt of the publish/subscribe Application Messaging.

See the product documentation for *PeopleTools: Integration Broker* and *PeopleTools: Integration Broker Administration*.

Using Remittance Advice in Financial Gateway

Pages Used to Send Remittance Advice in Financial Gateway

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
Source Registration Page	PMT_REGISTRATION	Enable remittance advice functionality for each source application. See the Source Registration Page for more information.
Remittance Advice Attributes Page	PMT_ADVISE_ATTR	Create the remittance notification report definition.
Advance Payment Notification Page	ADVANCE_NOTICE	Send remittance advice for SEPA direct debit collections.
Resend Notification Page	RESEND_NOTICE	Resend advice notification.

Understanding Remittance Advice in Financial Gateway

Financial Gateway enables users to send remittance advice for direct debit and EFT requests to an assigned customer contact. Both Cash Management and Deal Management leverage Financial Gateway to settle Treasury payments and can utilize remittance advice functionality.

Remittance Advice functionality in Financial Gateway is based off of the Payment Detail Entry table (PMT_DETAIL_TBL) and additional remittance advice attributes entered on the Remittance Advice Attributes page.

The remittance notification process generates reports using BI Publisher's bursting feature to send an email message.

If a supplier or customer requires a change to the notification template, the user must add the new template in the Report Definition ID field on the Source Registration page and also add it to the Bursting page in BI Publisher.

See [Registering a Source Application with Financial Gateway](#).

See the product documentation for *PeopleTools: BI Publisher for PeopleSoft*.

Remittance Advice Attributes Page

Use the Remittance Advice Attributes page (PMT_ADVISE_ATTR) to create the remittance notification report definition.

Navigation:

- **Banking > Bank Accounts > Settlement Instructions > Beneficiary Bank**

Click the Remittance Advice Attributes link.

- **Cash Management > Fees and Transfers > Enter Transfer Templates > Destination**

Click the Remittance Advice Attributes link.

- **Cash Management > Fees and Transfers > EFT Request > Destination**

Click the Remittance Advice Attributes link.

Enter the remittance destination email address, an optional second email address, the remittance report name, template ID, and language preference for the XML report.

See "Beneficiary Bank Page" (PeopleSoft Banks Setup and Processing).

Related Links

"Enter Transfer Templates - Destination Page" (PeopleSoft Cash Management)

"EFT Request - Destination Page" (PeopleSoft Cash Management)

Advance Payment Notification Page

Use the Advance Payment Notification page (ADVANCE_NOTICE) to send remittance advice for SEPA direct debit collections.

Navigation:

Financial Gateway > Process Payments > Advance Payment Notification > Advance Payment Notification

This example illustrates the fields and controls on the Advance Payment Notification page.

Advance Payment Notification

Run Control ID: ADVANCE_PMT Report Manager Process Monitor Run

Parameters Find | View All First 1 of 1 Last

*Request Number: 1

*Business Unit: [Search Icon]

As of Date: [Calendar Icon] Days in Advance: [Field]

Advance payment notifications are sent for future collections to satisfy the SEPA requirement to send prior notification of intended collection instructions to the bank. You can choose to send the notification on a specific date or a specified number of days in advance of payment. Processing instructions are sent to the ADV_NOTICE Application Engine program.

Resend Notification Page

Use the Resend Notification page (RESEND_NOTICE) to resend advice notification.

Navigation:

Financial Gateway > Process Payments > Resend Advice Notification > Resend Notification

This example illustrates the fields and controls on the Resend Notification page. You can find definitions for the fields and controls later on this page.

The screenshot shows the 'Resend Notification' page. At the top, there is a title 'Resend Notification' in blue. Below the title, there is a 'Run Control ID' field with the value 'ADV_RESEND'. To the right of this field are two links: 'Report Manager' and 'Process Monitor'. Further right is an orange 'Run' button. Below these elements is a 'Parameters' section. This section has a header bar with 'Parameters' on the left, 'Find | View All' in the center, and 'First 1 of 1 Last' on the right. Below the header bar are several input fields: '*Request Number' (with a search icon), '*Business Unit' (with a search icon), 'Payment ID', 'Payment Date' (with a calendar icon), 'Payee ID', 'Pay Cycle', and 'Pay Cycle Sequence Number'. There are also '+' and '-' buttons next to the 'Find | View All' text.

Enter the parameters and click Run.

Setting Up Payment Security

Understanding Payment Security


Because payments contain sensitive information, access to them should be restricted so that users can access only the payments that are needed to fulfill their job function. For example, a user whose job is to process payments for Payables should have access to only those payments that are associated with the Payables application. To address this issue, the Financial Gateway system enables an administrator to specify which types of payments users can view or process.

On all payment search pages, the payment security functionality limits the list of prompt values for secured fields to only those that meet the defined security-rule criteria. The prompt values are determined based on the rule definitions that are assigned to a given user or role.

The setup involves an administrator enabling the functionality and creating security rules that define what payments can be accessed. Next, the administrator assigns rules to user IDs or roles so that when users attempt to query payments, only those payments that comply with their assigned rules appear. Payment inquiries, whether online or in a report, filter out payments that are based on the requesting user and the criteria that are specified for them based on their user ID or their role.

This diagram defines the steps and related application pages that are necessary for setting up payment security. The Security Options page, where payment security is enabled and a user ID or role is designated. You then select the Security Rules page, where you establish rules based on the previously selected security options. Once the security rules are established, you move to either the Payment Security User Assignment page, if user ID was selected on the Security Options page, where the security rules are assigned to a user ID, or to the Payment Security Role Assignment page, if role was selected on the Security Options page, where the security rules are assigned by role.

Steps and related application pages that are necessary for setting up payment security



Activating Payment Security

To define security user assignments, use the Security User Assignment component (PMT_SEC_USER_GBL).

To define payment security rules, use the Payment Security Rules component (PMT_SEC_RULE_GBL).

This topic discusses how to enable payment security.

Page Used to Activate Payment Security

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
<u>Security Options Page</u>	PMT_SEC_OPTIONS	Activate payment security based on user or role and enable payment fields.

Security Options Page

Use the Security Options page (PMT_SEC_OPTIONS) to activate payment security based on user or role and enable payment fields.

Navigation:

Financial Gateway > Security > Security Options

This example illustrates the fields and controls on the Security Options page. You can find definitions for the fields and controls later on this page.

Security Options

Enable Payment Security

☐ On
 ☒ Off

Apply Rules Based On

☒ User
 ☐ Role

Secured Fields	
Field Name	Enabled
BANK_ACCOUNT_NUM	☒
BANK_ACCT_KEY	☒
BANK_CD	☒
BANK_SETID	☒
BNK_ID_NBR	☒
BUSINESS_UNIT	☒
CREATED_BY_USER	☒
FROM_BNK_ACCT_NUM	☒
FROM_BNK_ID_NBR	☒
PMT_SOURCE	☒

Field or Control	Description
Enable Payment Security	The options are: • <i>On</i>: Select to activate payment security. When payment security is activated, payment security options can be used to more narrowly define aspects of payment security. • <i>Off</i>: Select to disable payment security. Doing so allows users that have access to the payment review and processing pages to access all payment information in the Financial Gateway.
Apply Rules Based On	If payment security is enabled, determine whether the security rules are enforced based on the user identity or role. This is a system-wide option and is not based on business unit or SetID. In addition, it is not possible to base security on a combination of role and user; you must base it on role or identity.
Secured Fields	Lists the fields on which you want to base your system's payment security. For example, by enabling the <code>BANK_ACCT_KEY</code> field, you can then define a user's access to payment information based on specific bank accounts (on the Security Rules page), limiting them to payment information for only those accounts. Fields not enabled on this page will not be available for selection in the Field Name field of the Security Rules page. The options are: • <i>BANK_ACCT_KEY</i>: Bank Account to which the payments are being sent. • <i>BANK_CD</i>: Bank code • <i>BUSINESS_UNIT</i>: Business unit. • <i>CREATED_BY_USER</i>: User that created the payment. • <i>FROM_BNK_ACCT_NUM</i>: The originating bank account. • <i>FROM_BNK_ID_NBR</i>: The originating bank's ID number. • <i>PMT_SOURCE</i>: Payment Source—application from which the payment originated.

Creating Payment Security Rules

The topic discusses how to define security rules.

Page Used to Create Payment Security Rules

Page Name	Definition Name	Usage
Security Rules Page	PMT_SEC_RULE	Define payment security rules that can be assigned to users or roles.

Security Rules Page

Use the Security Rules page (PMT_SEC_RULE) to define payment security rules that can be assigned to users or roles.

Navigation:

Financial Gateway > Security > Security Rule > Security Rules

This example illustrates the fields and controls on the Security Rules page. You can find definitions for the fields and controls later on this page.

Security Rules

Rule ID

*Rule Name

Rule Criteria

Q

1-2 of 2

View All

Sequence	Open	*Field Name	Operation	Value	Close	Operator		
1	v	BUSINESS_UNIT Q	Equals v	US001	v	AND v	+	-
2	v	BANK_CD Q	In v	('USBNK', 'TRBNK')	v	v	+	-

[Event Log](#)

Use the **Sequence**, **Field Name**, **Operation**, **Value**, **Operator**, and **Open** and **Close** fields to create rules that specifically define which payments are accessible to the roles or users to which the rules are assigned.

Use the open and close columns fields for parentheses around SQL statements.

From PUM Image 42, the *Value* field is unavailable for editing for BANK_ACCOUNT_NUM and FROM_BNK_ACCT_NUM field names.

This example illustrates the fields and controls on the Security Rules page with bank account number field name.

Security Rules

Rule ID

*Rule Name

Rule Criteria

Q

1-2 of 2

Sequence	Open	*Field Name	Operation	Select Account #	Value	Close	Operator
1	v	BNK_ID_NBR Q	Equals v		121042882	v	AND v
2	v	BANK_ACCOUNT_NUM Q	In v	Select Account #	('0742-256458', '0005-802902')	v	v

[Event Log](#)

Field or Control	Description
Test Rule	Click to run a test on the validity of the rule's logic.
Select Account #	Click to view the list of account numbers. This link is available only for BANK_ACCOUNT_NUM and FROM_BNK_ACCT_NUM field names.

Assigning Payment Security Rules

This topic discusses how to assign security rules.

Pages Used to Assign Payment Security Rules

Page Name	Definition Name	Usage
Security Role Assignment Page and Security User Assignment Page	PMT_SEC_ROLE PMT_SEC_USER	Assign payment security rules to a role. Assign payment security rules to a user.

Security Role Assignment Page and Security User Assignment Page

Use the Security Role Assignment page (PMT_SEC_ROLE) to assign payment security rules to a role.

Navigation:

Financial Gateway > Security > Security Role Assignment

Use the Security User Assignment page (PMT_SEC_USER) to assign payment security rules to a user.

Navigation:

Financial Gateway > Security > Security User Assignment

This example illustrates the fields and controls on the Security User Assignment page.

Security User Assignment

User ID AMA1

☒ View All Payments

*Rule ID	Rule Name
PMT_RULE_01	US001 AND USBNK, TRBNK

Personalize | Find | View All | | First 1 of 1 Last

Use this page to assign rules that define the payments to which the user will have access.

Processing Bank Statements in Financial Gateway

Understanding Statement Updates

The loading of bank statement information is an integral part of the reconciliation, bank statement accounting, and cash position processes. The system processes previous-day statements that it uses for reconciliation and accounting, current-day statements for cash position worksheets, and account analysis statements for bank fee analysis. PeopleSoft enables you to enter bank statement information in one of three ways.

The first method to enter bank statement information is to import a bank statement. Using one of the many PeopleSoft-supported bank statement formats, the statement can be imported using:

- The file system in conjunction with the files name and path to it.
- A file transfer protocol (FTP) file server.
- A hypertext transfer protocol (HTTP) using a uniform resource locator (URL).

The second method, used if you receive only hardcopy statements from a bank, requires you to manually enter the statement information online using the following entry pages:

- Enter Bank Balances
- Enter Bank Statements
- Enter Internal Bank Balances
- Same Day Bank Statement

The third method of entering bank statement data is to integrate with a bank or bank communications partner by using PeopleSoft Integration Broker. See the product documentation for *PeopleTools: Integration Broker*.

Related Links

[Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing](#)

Technical Overview of Bank Statement Data Transmittal

When you import bank statements, the data are transmitted to the PeopleSoft system, which automatically loads the data to the production tables.

To import data, you run the File Import Application Engine process (IMPORT_FILES) from the Import Bank Statements page; this automatically loads bank statements from a file. You specify information that the system needs to retrieve the files, such as file location, layout, and type, and run the process. The process obtains the file contents, converts the content to a PeopleSoft standard layout, and loads the data into staging tables. After the files are loaded into the staging tables, the Treasury Bank Statement Load Application Engine process (TR_BSP_LOAD) copies the information from the staging tables into the production tables. It also determines whether a statement is a duplicate statement. Information for duplicate statements appears on the PeopleTools Process Monitor Process List (PMN_PRCSLIST) and Message Log (PMN_BAT_MSGLOG) pages.

Note: The system considers previous day statements as duplicates if a statement already exists with the same bank ID, bank account, and as of date.

Prerequisites

Prior to importing bank statements, you must perform the following tasks, as required by the particular bank integration:

1. Define bank statement codes.
2. Define transaction codes.
3. Define code mappings.
4. Review delivered bank statement layouts.
5. (Optional) Define event notification.
6. Define bank node and encryption profile settings in PeopleSoft Integration Broker.
7. Define bank integration layouts.

Common Elements Used in Processing Bank Statements in Financial Gateway

<i>Field or Control</i>	<i>Description</i>
Request Number	Displays the unique identification number for each request row. The system automatically numbers this field when you add multiple request rows to a run control ID. This number does not determine processing order.

Field or Control	Description
Statement Type	Select from the following options: • <i>Current Day</i> • <i>Previous Day</i> • <i>Statement Analysis</i> The system places the imported file contents into specific database tables for the statement type that you select. For example, if you select <i>Current Day</i>, the system retrieves current-day statement information and stores it on the current day tables. If you select Statement Analysis, the system loads a list of fees that were charged. This provides the ability to compare the fees charged by the bank to what was defined in the system, as well as to compare them with the fees charged by other banks.
View Layout Details	Click to access the Layout Catalog page, and view detailed processing information about the selected layout.

Importing Bank Statements

This topic discusses how to import bank statements.

Pages Used to Import Bank Statements

Page Name	Definition Name	Usage
Import Bank Statements Page	BSP_IMPORT	Import bank statement data using the PSBD1 layout (or PSBD2 layout for Cash Management) into the Bank Statement staging tables. Define the file import information and run the Bank Statement Import Application Engine process (IMPORT_FILE). This process imports any file from any bank if the statement type complies with the accepted layouts.
Bank Node Details Page	BSP_IMPORT_BNKNODE	Review bank node property details. See the Import Bank Statements Page for more information.

Related Links

[Setting Up the Bank Statement Import Process](#)

Import Bank Statements Page

Use the Import Bank Statements page (BSP_IMPORT) to import bank statement data using the PSBD1 layout (or PSBD2 layout for Cash Management) into the Bank Statement staging tables. Define the file import information and run the Bank Statement Import Application Engine process (IMPORT_FILE).

This process imports any file from any bank if the statement type complies with the accepted layouts.

You can import bank statement data files using the PSBD2 layout if you have Cash Management installed and are using a third-party communication toolkit that has the capability of processing files in XML format. Sample files that can be used as guidelines for transforming bank statement data files into the PSBD2 layout can be found on Oracle's My Oracle Support website: <https://support.oracle.com>.

Navigation:

Banking > Bank Statements > Import Bank Statement

This example illustrates the fields and controls on the Import Bank Statements page. You can find definitions for the fields and controls later on this page.

Import Bank Statements

Run Control ID TEST3333
Report Manager
Process Monitor
Run

Parameters ?
Find | View All
First 1 of 1 Last

*Request Number 1
*Import Type File
File Location /test_data/Demo
File Path /Ack/
File Name CM0000000145_ACK_1.xml
*Statement Type Previous Day
*Layout PSBD1
File Selection Help
Select File
View Layout Details

Advanced Options

Encryption Profile
Use Integration Broker
*Post Process File Action None
Post Process File Directory

Layout Properties
Personalize | Find | View All
First 1-3 of 3 Last

Property Code	Allowed Values	Value
AMOUNT_LENGTH		28
CODE_MAP_GROUP		PSBD1
DECIMAL_PLACES		2

Review Bank Statement Files

Parameters

<i>Field or Control</i>	<i>Description</i>
Import Type	Options are: • <i>FTP</i> (file transfer protocol): Select if you are importing the file by using file transfer protocol, and enter a bank node through which to transfer the data. • <i>File</i>: Select if you are importing a file located on a shared server directory within your network. • <i>HTTP</i>: Select if you are importing a file using a URL that is included as part of the node configuration. No file path or file name is required.
File Location	Appears when using the <i>File</i> import type only. Displays the file location entered on the configuration page by a bank integration administrator. Users have access only to the folders below the base path displayed in the File Location field. For more information, see Managing Import File Locations.
Bank Node	Enter the bank node that was used to transfer the data. This field appears only if <i>FTP</i> or <i>HTTP</i> is selected as the import type.
View Bank Node Details	Click this link to access the Bank Node Details page (BSP_IMPORT_BNKNODE) and review the property details of the selected node. This link is available only if FTP or HTTP is selected in the Import Type field.

Field or Control	Description
File Path	Enter a file path according to the import type selected: <i>File</i> Import Type: Leave this field blank to select a file in the base path shown in the File Location field, or enter a folder name with trailing backslash below the base path, for example, /Bank02/. Wildcard characters are not supported when using the <i>File</i> import type. <i>FTP</i> Import Type: Enter the complete file path location. To select files by using the Select File button, you must include a trailing backslash (\) in the file path. You can also load all files in a given directory by using the *.* notation or search for files of a specific type by entering an asterisk and the extension suffix. For example, to search all files with an .xxx suffix, enter *.xxx. <i>HTTP</i> Import Type: Does not require a file path and the field is unavailable. Note: Be sure that the application server and the Process Scheduler have access to the directory, FTP node, or HTTP node where the files are staged for import.
File Selection Help	Click to view help information on specifying file paths and file names.
File Name	Select the specific file to import. If you want to import multiple files based on extension for the <i>FTP</i> import type, leave this field blank.
Statement Type	Select one of the supported bank statement types. Options include: <i>Current Day</i> , <i>Previous Day</i> , and <i>Statement Analysis</i> .

Field or Control	Description
Layout	Select the file layout of the bank statement file being imported. Unless Cash Management is installed, select <i>PSBD1</i> or <i>PSBD2</i>. Note: You can import bank statement data files using the PSBD2 layout if you have Cash Management installed and are using a third-party communication toolkit that has the capability of processing files in XML format. Sample files that can be used as guidelines for transforming bank statement date files into the PSBD2 layout can be found on My Oracle Support.

Advanced Options

Field or Control	Description
Encryption Profile	Select an encryption profile to decrypt bank statements. Encryption profiles contain both encryption and decryption information.
Use Integration Broker	Select this check box to format the files and publish the formatted document to PeopleSoft Integration Broker. Integration Broker then processes the formatted file accordingly. You select this option if you want to use the bank statement information as a trigger to Integration Broker, as an indication to perform other processes or integrate with other systems.
Post Process File Action	Select what action, if any, to perform on the bank statement files after the data has been processed. The options are: • <i>Copy</i>: Copy the file to the directory that is entered in the Post Process File Directory field. • <i>Delete</i>: Delete the file after the data in it is processed. • <i>Move</i>: Move the file to the directory that is entered in the Post Process File Directory field. • <i>None</i>: Take no action.
Post Process File Directory	Enter a file path to the directory to which the file will be moved or copied if either option is selected as the post process file action.

Layout Properties

Field or Control	Description
	Click the Allowed Values icon to access the Allowed Values page and select the values that you want to use for this layout. You select list values or code map values on the Layout Properties section of the Layout Catalog. See information about the "Layout Catalog Page" (PeopleSoft Financial Gateway).
Value	Property codes and values appear by default from values that are defined on the selected format ID. If you configure unique code mappings for a format (on the Code Mappings page), you must modify the displayed CODE_MAP_GROUP value with the appropriate unique map value. See information about the "Code Mappings Page" (PeopleSoft Financial Gateway).

Note: If you are importing multiple files for a single run control ID, you must add requests (by clicking the Add button) for each file that you are requesting. Do not enter a file name, run the import process, then edit the file name and run the import process again. Doing this can result in duplicate statement loading errors.

Reviewing Bank Statement Files

This topic discusses how to review bank statement files.

Pages Used to Review Bank Statement Files

Page Name	Definition Name	Usage
Review Bank Statement Files Page	BSP_FILE_INQUIRY	Review summary and detail information about the import status of bank files.
View Bank Statement File Log Page	BSP_FILE_INFO	View summary information of system events that were logged for a specific bank statement file. See the Review Bank Statement Files Page for more information.

Page Name	Definition Name	Usage
View Bank Statement File Page	BSP_FILEDATA_SP	View the bank statement file that is transmitted from the bank. See the Review Bank Statement Files Page for more information.

Review Bank Statement Files Page

Use the Review Bank Statement Files page (BSP_FILE_INQUIRY) to review summary and detail information about the import status of bank files.

Navigation:

Banking > Bank Statements > Review Bank Statement Files

This example illustrates the fields and controls on the Review Bank Statement Files page. You can find definitions for the fields and controls later on this page.

The Review Bank Statement Files page enables you to review the imported bank statement files. You can see whether the system successfully loads a file. And if a file does not load successfully, use the View Bank Statement File Log page to determine exactly where the system encounters a file loading error.

Important! Any user with access to these pages can view the file details. Restrict user access by using PeopleTools Security functionality.

See the product documentation for *PeopleTools: Security Administration*.

Enter search parameters on the Review Bank Statement Files page and click the **Search** button.


Field or Control	Description
File Status	Options are: • <i>Error:</i> Appears if the file is not successfully loaded. A red square also appears next to the file name. You must correct the error and then reimport the file. • <i>Formatting:</i> Appears if the system is still transforming the file to a PeopleSoft-readable layout. • <i>Reading:</i> Appears if the system is still reading the file data before loading the data to the staging tables. • <i>Staged:</i> Appears if the system has loaded the transformed data to the staging tables. A green circle also appears next to the file name. • <i>Warning:</i> Appears if the file is loaded with errors. A yellow, inverted triangle also appears next to the file name.
View File	Click to access the View Bank Statement File page, where you can review bank statement file transmittal information.
View Event Log	Click to access the View Bank Statement File Log page, where you can review event log information for a bank statement file.

Working with Payments in Financial Gateway

Understanding the Payment Process in Financial Gateway

This diagram illustrates the steps involved in payment and payment acknowledgment processing using Financial Gateway. PeopleSoft Treasury Management, PeopleSoft Receivables, PeopleSoft Payables, PeopleSoft Global Payroll, and certain third-party applications import payment requests to the Financial Gateway system, where users can review the payment requests and load any payment exceptions on the Payment Load Exceptions page (see [Reviewing the Results of the Payment Load Process](#)). Financial Gateway users review the payments and payment details and the Financial Gateway system dispatches the payments to the bank, which in turn reviews and sends acknowledgement of the receipt and contents of the payment files to the Financial Gateway system.

Steps involved in payment and payment acknowledgment processing using Financial Gateway



In the diagram above, the payment path is represented by the arrows with the dash/dot lines. The payment acknowledgment file path is represented by the arrows with the continuous dotted lines.

1. Payments are loaded into Financial Gateway from:

- PeopleSoft source applications using the delivered integration, which involves the application class component.

See [Understanding the Financial Gateway Integration Process](#).

- Third-party applications using a component interface.

- Third-party applications using Integration Broker.
- Third-party applications sending payments in flat-file format using the Import Payment Flat Files page.
- SQL staging tables using the Import Staged Payments page. Users can use a variety of technologies to insert the data into the SQL staging tables.

Regardless of the method used to import payments, the Payment Load Application Engine (PMT_LOAD) process loads payments from source applications into Financial Gateway. If the payments originated from a source application for which financial sanctions validation is required, the system compares the Name and Address fields from the To Account on the payment against the Financial Sanctions list. If a potential match is found, the payment status changes to *Flagged for Hold*.

Note: The financial sanctions validation service is enabled at the source application level by selecting Require Payee Validation on the Source Registration page.

See [Source Registration Page](#).

2. You can view results of the payment load process on the [Review Payment Requests Page](#). Details of errors that are encountered during the payment load process can be viewed on the Payment Load Exceptions page.
3. When the payments are in the Financial Gateway tables, you can review them using the Review Payment pages. Here payments can be approved for or held from further processing. Payments flagged by the financial-sanctions, data search are designated as a "Potential Sanction Violation" on the Payment Notes page. Administrators can perform a manual search of the financial sanctions data to verify the accuracy of the held payment, after which they can either cancel the payment or clear the flag on the payment thereby changing the status to "Awaiting Dispatch."

See [Reviewing Payment Files](#).

4. After the optional review process, payments are sent to the bank as payment files using the Dispatch Payment Application Engine. This process can be run manually from the Dispatch Payments page or set up to run automatically using the Schedule Payment Dispatch page.
5. You can obtain a variety of information using the Payment Files page.
6. Depending on the bank and whether your system is set up appropriately, you can download files acknowledging that the payment was received, processed, and completed, or that the payment file contained errors that must be corrected. Importing payment acknowledgment files can also be set up to run automatically using the Integration Broker. After the acknowledgment files have been downloaded, they can be reviewed for pertinent information.
7. If the payment files were imported using flat files, you can import a flat file for payment cancellation and cancel a payment file using the layout file, PAYCANEIP.

See [Understanding Electronic Banking](#).

See [Understanding the Financial Gateway Integration Process](#).

Integration Points


This table lists the integration points that are used in the payment process.

<i>Integration Point</i>	<i>Purpose</i>	<i>Method of Integration</i>
PAYMENT_REQUEST	Sends a Payment Status request from the source asynchronously.	Used by all source applications that can integrate with Financial Gateway.
PAYMENT_STATUS_REQUEST	Used to request the status of payments.	Used by all source applications that can integrate with Financial Gateway. Message uses the payment ID as defined by the source application or Financial Gateway depending on how it is defined on the Source Registration page.
PAYMENT_RESPONSE	Used to send the status of payments one-way from Financial Gateway to the source application.	Can be used by Cash Management, Receivables, Payables, Global Payroll, and third-party source applications that use Integration Broker to integrate with Financial Gateway. Message uses the payment ID and payment sequence number as defined by the source application or Financial Gateway depending on how it is defined on the Source Registration page.
PAYMENT_CANCEL	Used by Financial Gateway to cancel payments in the source application. Also used when associated with the PAYCANEIP layout to import a flat file for payment cancellation and to perform the cancel action. payment.	Can be used by Cash Management, Receivables, Payables, Global Payroll, and third-party source applications that use Integration Broker to integrate with Financial Gateway.
PMT_ACKNOWLEDGE	Used by the bank to send payment acknowledgement status to Financial Gateway.	Used by all source applications that can integrate with Financial Gateway. Message uses the payment ID and payment sequence number as defined by the source application or Financial Gateway depending on how it is defined on the Source Registration page.

Integration with Global Payroll

This diagram illustrates the steps involved in payment and payment acknowledgment processing using Financial Gateway to process Global Payroll transactions:

Steps involved in payment and payment acknowledgment processing using Financial Gateway to process Global Payroll transactions



Financial Gateway receives a message from Global Payroll, and Financial Gateway then formats the SEPA XML file to send to the bank. The SEPA Credit Transfer (SEPA_CT layout, Pain.001.001.02) is the only payment format supported from Global Payroll through Financial Gateway. After the bank sends a payment acknowledgement status to Financial Gateway, Financial Gateway sends the payment response message to Global Payroll. If Financial Gateway returns an error status for a payment, Global Payroll can change the *Error* status to *Canceled* to indicate that no further processing will occur.

See [Integrating with PeopleSoft Global Payroll](#).


ACH Prenotes and Returns

An ACH prenote is a zero-dollar, payment sent to a debtor's bank to test if payments may be made to a creditor's bank account. If no response is sent back to the debtor, within a reasonable amount of time, it is assumed that payments can be made. If an ACH Return file is received from the creditor's bank, it will contain information that the prenote had errors that must be corrected before the creditor will accept payments from the debtor. The creditor should send a new, corrected prenote.

Financial Gateway processes prenotes similar to other ACH payments. However, tracking the status of prenotes between a debtor's bank account and a particular creditor is the responsibility of the source system.

This diagram illustrates the steps involved in the ACH prenote process in which the source system, such as PeopleSoft Payables or Receivables, sends a zero-dollar payment file (prenote) as a test to the Financial Gateway system. The Financial Gateway system dispatches the prenote file to the debtor's Financial Institution. Financial Institution sends acknowledgement that can be imported into the Financial Gateway system. The Financial Gateway system then sends this acknowledgement of payment status to the source system.

Steps involved in the ACH prenote process in which the source system, such as PeopleSoft Payables or Receivables, sends a zero-dollar payment file (prenote) as a test to the Financial Gateway system



These steps correspond to the prenotification process illustrated in the above diagram:

1. The source system sends a prenote request to Financial Gateway.
2. Financial Gateway imports the prenote and creates a payment file.
3. The payment file is dispatched to the bank using the Dispatch Payment Application Engine.
4. Financial Institution sends an acknowledgement file.
5. Financial Gateway imports the acknowledgment files.
6. Financial Gateway transmits the payment status based on acknowledgment file back to the source system. The source system updates the status of the prenote. If the prenote was rejected, the source system can make the changes and resend another prenote.

Note: For prenotes, Financial Gateway only tracks the status of the payment transaction. Financial Gateway does not track the status of a prenote for a customer or vendor. That is the responsibility of the source system.

Payment Statuses

This table lists the various statuses that a payment can have as it moves through the Financial Gateway payment process:

<i>Payments Status</i>	<i>Details</i>
Canceled	Payment was canceled in Financial Gateway. Can be resent from source application. Note: Global Payroll uses the <i>Canceled</i> status to indicate that no further processing will occur in Financial Gateway.

<i>Payments Status</i>	<i>Details</i>
Error	An error was encountered when Financial Gateway attempted to process the payment. Details of the error can be viewed on the Payment Load Exceptions page.
Flagged for Hold	Payment is being held for review and cannot be dispatched.
Awaiting Dispatch	Payment is loaded into Financial Gateway. If selected, the payment will be dispatched to the bank the next time the Dispatch Payment Application Engine is run.
In Process	The Dispatch Payment Application Engine is processing the payment.
Dispatched to Bank	The payment has been sent to the bank by the Dispatch Payment Application Engine.
Received by Bank	The bank has received the payment and has sent an acknowledgment.
Paid	The bank has received the payment, processed it, and sent a payment acknowledgment file back to Financial Gateway.
Pending Cancellation	When the Accounts Payable subsystem sends a transaction to Financial Gateway, the payment status will be <i>Awaiting Dispatch</i> . Financial Gateway will dispatch this transaction and set the payment status to <i>Paid</i> . If Account Payable wants to cancel this transaction, the Accounts Payable subsystem uses the Payables Payment Cancellation process to cancel this transaction and set the payment status to <i>Pending Cancellation</i> in Financial Gateway.
Cancelled with Message	Once the status is changed to <i>Pending Cancellation</i> in Financial Gateway, Financial Gateway will execute the Payment Cancellation process for this Accounts Payable transaction and set the payment status to <i>Cancelled with Message</i> . Financial Gateway will send cancellation message in compliance with SEPA to the bank.

Payments Status	Details
Pending Reversal	Similarly when the Accounts Receivable subsystem sends a transaction to Financial Gateway, the payment status will be <i>Awaiting Dispatch</i> . Financial Gateway will dispatch this transaction to the bank and set the payment status is set to <i>Paid</i> in Accounts Receivable. If the Accounts Receivable subsystem reverses this transaction, it sets the payment status to <i>Pending Reversal</i> in Financial Gateway.
Reversed with Message	Using the Payment Dispatch process, Financial Gateway will execute the Reversal Process for this transaction, generate a reversal message in compliance with SEPA to the bank and set the payment status to <i>Reversed with Message</i> .

Note: When a layout is not set up to support acknowledgements, the payment status is set to paid when the payment is dispatched.

Related Links

[Understanding the Financial Gateway Integration Process](#)

Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications

This topic presents an overview and discusses how to import payment and payment cancellation flat files from third-party applications.

Note: This topic provides information that is necessary for importing payments and payment cancellations into Financial Gateway from third-party applications only in flat file format.

Page Used to Import Payment and Payment Cancellation Flat Files

Page Name	Definition Name	Usage
Import Payment Flat Files Page	BSP_IMPORT	Download payments and payment cancellations as flat files from third-party applications into Financial Gateway.

Related Links

[Understanding the Payment Process in Financial Gateway](#)

Understanding Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications

You can load third-party cancel payments into Financial Gateway by using the Import Payment Flat Files component functionality. When you load canceled payments from a third-party flat file into Financial Gateway, the payment status in Financial Gateway is *Pending Cancellation*. Once the cancel file is loaded, using the PMT_DISP_BT process, Financial Gateway executes the Payment Cancellations process, generates a cancellation message in compliance with SEPA, and sets the payment status to *Cancelled with Message*.

Import Payment Flat Files Page

Use the Import Payment Flat Files page (BSP_IMPORT) to download payments and payment cancellations as flat files from third-party applications into Financial Gateway.

Navigation:

Financial Gateway > Import Payments > Import Payment Flat Files

This example illustrates the fields and controls on the Import Payment Flat Files page. You can find definitions for the fields and controls later on this page.

Import Payment Flat Files

Run Control ID gfgf

Report Manager

Process Monitor

Run

Parameters ?

Find | View All

First 1 of 1 Last

*Request Number1

*Import TypeFile

File Location /test_data/Demo

File Path/

File NameThirdparty_1Payment_sepa03.txt

*LayoutPAYREQEIP

View Layout Details

EIP For Payment Request File

File Selection Help

Select File

Advanced Options

Encryption Profile

Use Integration Broker

*Post Process File ActionNone

Post Process File Directory

Layout Properties

Personalize | Find | View All

First 1 of 1 Last

Property Code	Allowed Values	Value
FILETYPE		FIXED

Parameters

Field or Control	Description
Import Type	Select from the following options: • <i>FTP</i>: Select if you are importing the file by using file transfer protocol, and enter a bank node through which to transfer the data. • <i>File</i>: Select if you are importing a file, and complete the File Path and File Name fields. • <i>HTTP</i>: Select if you are importing an XML file using a URL that is included as part of the node configuration. No file path or file name is required.
File Location	Appears when using the <i>File</i> import type only. Displays the file location entered on the configuration page by a bank integration administrator. Users have access only to the folders below the base path displayed in the File Location field. For more information, see Managing Import File Locations.
Bank Node	Enter the bank node that was used to transfer the data. This field appears only if <i>FTP</i> or <i>HTTP</i> is selected as the import type.
View Bank Node Details	Click to access the Bank Node Details page and review property details of the selected node. This link appears only if <i>FTP</i> or <i>HTTP</i> is selected as the import type.

Field or Control	Description
File Path	Enter a file path according to the import type selected: File Import Type: Leave this field blank to select a file in the base path shown in the File Location field, or enter a folder name with trailing backslash below the base path, for example, /Bank02/. Wildcard characters are not supported when using the <i>File</i> import type. FTP Import Type: Enter the complete file path location. To select files by using the Select File button, you must include a trailing backslash (\) in the file path. You can you can also load all files in a given directory by using the *.* notation or search for files of a specific type by entering an asterisk and the extension suffix. For example, to search all files with an .xxx suffix, enter *.xxx. HTTP Import Type: Does not require a file path and the field is unavailable. Note: Be sure that the application server and the Process Scheduler have access to the directory, FTP node, or HTTP node where the files are staged for import.
File Selection Help	Click to view help information about specifying file paths and file names.
File Name	Select the specific file to import. If you want to import multiple files based on extension for the <i>FTP</i> import type, leave this field blank.
Layout	Select: PAYREQEIP As the layout that is used to request a payment file. PAYCANEIP As the layout used to request a payment cancellation.

Field or Control	Description
View Layout Details	Click this link to access the details of the selected layout catalog on the Layout Catalog page. See "Define Layout Properties Page" (PeopleSoft Banks Setup and Processing).

Advanced Options

Field or Control	Description
Encryption Profile	Select an encryption profile to decrypt bank statements. Encryption profiles contain both encryption and decryption information.
Use Integration Broker	Select to format the files and publish the formatted document to PeopleSoft Integration Broker. Integration Broker then processes the formatted file accordingly. You select this option if you want to use the bank statement information as a trigger to Integration Broker, as an indication to perform other processes, or to integrate with other systems.
Post Process File Action	Select what action, if any, to perform on bank statement files after the data has been processed. The options are: • <i>Copy</i>: Copy the file to the directory that is entered in the Post Process File Directory field. • <i>Delete</i>: Delete the file after the data in it is processed. • <i>Move</i>: Move the file to the directory that is entered in the Post Process File Directory field. • <i>None</i>: Take no action.
Post Process File Directory	Enter a file path to the directory to which the file will be moved or copied if either option is selected as the post process file action.

Layout Properties

<i>Field or Control</i>	<i>Description</i>
Value	Specify the type of flat file to be imported. Enter: • <i>CSV</i>: For comma-separated values. • <i>Fixed</i>: For fixed-length field values.

Reviewing the Results of the Payment Load Process

The Payment Load Application Engine process (PAYMENT_LOAD) loads payments from source applications into Financial Gateway, regardless of the method that is used to import payments. This topic covers how to review payment requests.

Pages Used to Review the Results of the Payment Load Process

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
Review Payment Requests Page	PMT_REQUEST_LOG	Review payment requests that were downloaded from source applications. This page is used primarily as an administration page to view payment requests residing in the staging tables.
Payment Load Exceptions	PMT_EXCEPTION_LOG	View details of problems that occurred during attempts to load payment requests from source applications. See the Review Payment Requests Page for more information.

Review Payment Requests Page

Use the Review Payment Requests page (PMT_REQUEST_LOG) to review payment requests that were downloaded from source applications.

This page is used primarily as an administration page to view payment requests residing in the staging tables.

Navigation:

Financial Gateway > Import Payments > Review Payment Requests

This example illustrates the fields and controls on the Review Payment Requests page.

Review Payment Requests

Payment Message ID:	161	Payment Request Status:	Complete
Source System:	Cash Management	Number of Payments:	12
Request Date:	04/11/2005 11:27AM	Message Group Details	
User ID:	SAMPLE	Message Number:	1 of 1
Process Instance:	4301	Group ID:	

Payments

[Personalize](#) | [Find](#) | [View All](#) | |

First 1-10 of 12 Last

Payment Information	Payment Details			
Transaction ID	Dispatch Status	Source Code	Treasury Source ID	Business Date
CM0000000070	Awaiting Dispatch	EFT Requests	DEMO_EFT_001	01/03/2005
CM0000000071	Awaiting Dispatch	EFT Requests	DEMO_EFT_004	01/03/2005
CM0000000072	Paid	EFT Requests	DEMO_EFT_007	01/03/2005
CM0000000073	Awaiting Dispatch	EFT Requests	DEMO_EFT_010	01/03/2005
CM0000000074	Awaiting Dispatch	EFT Requests	DEMO_EFT_013	01/03/2005
CM0000000075	Awaiting Dispatch	EFT Requests	DEMO_EFT_016	01/03/2005
CM0000000076	Paid	EFT Requests	DEMO_EFT_019	01/03/2005
CM0000000077	Paid	EFT Fees	DEMO_EFT_001	01/03/2005
CM0000000078	Paid	Bank Transfers	DEMO_BAX_001	01/03/2005
CM0000000079	Awaiting Dispatch	Bank Transfers	DEMO_BAX_004	01/03/2005

Use this page to view a listing and the status of payment requests that were made from source applications. The fields that appear in the Payments group section are source-specific key fields that were specified on the Source Registration page to appear here.

Field or Control	Description
View Payment Load Exceptions	Click to access the Payment Load Exceptions page (PMT_EXCEPTION_LOG), and view details of problems that occurred during attempts to load payment requests from source applications.

Related Links

[Registering a Source Application with Financial Gateway](#)

Reviewing and Changing Payments in Financial Gateway

This topic presents an overview and discusses how to review payments and payment details as well as change payment status.

Pages Used to Review Payments in Financial Gateway

Page Name	Definition Name	Usage
Review Payments - Payments Page	PMT_INQUIRY	Inquire on payments that were received by Financial Gateway from source applications.
Payment Preferences Page	PMT_PREFERENCE	Define the search criteria and information to be displayed on the Payments page.
Save Search As Page	PMT_SEARCH	Define and save a transaction query using predefined search criteria for future use. See the Review Payments - Payments Page for more information.
Delete Saved Search Page	PMT_SRCH_DEL	Delete a defined set of transaction search criteria. See the Review Payments - Payments Page for more information.
Payment Notes Page	PMT_NOTES	View events and add comments regarding a particular transaction. See the Review Payments - Payments Page for more information.
Review Payment Details Page	PMT_LIFE_CYCLE_INQ	View a payment's details and progress through the payment life cycle, and drill down to application pages that are related to payment events.
Override Payment Status Page	PMT_STAT_OVR	Change the status of payments.

Understanding Payment Status Changes in Financial Gateway

Financial Gateway has an option to change the payment status to different values using the Override Payment Status component. This component enables you to change the payment status values for accounts payable, accounts receivable, and third-party transactions.

See [Override Payment Status Page](#).

Review Payments - Payments Page

Use the Review Payments - Payments page (PMT_INQUIRY) to inquire on payments that were received by Financial Gateway from source applications.

Navigation:

Financial Gateway > Review Payments > Review Payments

This example illustrates the fields and controls on the Review Payments - Payments page (1 of 2). You can find definitions for the fields and controls later on this page.

Payments [Edit User Preferences](#)

Search Fields **Payment Analytics**

Saved Searches

Business Unit Dispatch Status

Transaction ID % Payment Method

Source ID % Source System

Payment Type Currency Code

Bank ID Number Bank Account #

Bank SetID Bank Code

Bank Account DFID

Prenotification Batch Name

Party Type Payee Name

Party SetID Payee ID

Pay Cycle Pay Cycle Number

From Date 01/11/2013 To Date 01/15/2013

Payment Totals [Personalize](#) | [View All](#) | [First](#) | [1-2 of 2](#) | [Last](#)

Total Payments	Amount	Currency
11	143,124.00	EUR
1	650,000.00	USD

Payment Analytics

*Select a Chart Payments by Method

Number of Payments by Payment Method for Today

Payment Method

ACH DD WIR

Automated Clearing House Wire Transfer

This example illustrates the fields and controls on the Review Payments - Payments page (2 of 2). You can find definitions for the fields and controls later on this page.

Payments

Personalize | Find | First 1-12 of 12 Last

Payment Information

Additional Detail

Bank Details

Payee Details

Payee Bank

Select	Flagged Payment	Source ID	Date	Amount	Currency	Bank Code	Account	Method	Payee Name	Dispatch Status	Payment Notes	Transfer to Source	Dispatch	Payment Details	View Payment File
☐		000001	01/15/2013	4,242.00	EUR	FRBNK	CHQ1	ACH	Axis Systems	Cancelled with Message					
☐		10	01/14/2013	1,196.00	EUR	FRBNK	CHQ1	DD	ITN Wholesale, France	Paid					
☐		11	01/14/2013	1,196.00	EUR	FRBNK	CHQ1	DD	ITN Wholesale, France	Pending Reversal					
☒		12	01/14/2013	1,000.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Flagged for Hold					
☐		13	01/14/2013	55,555.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid					
☐		14	01/14/2013	55,555.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Reversed with Message					
☐		16	01/15/2013	4,646.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid					
☐		17	01/15/2013	7,373.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid					
☐		18	01/15/2013	7,373.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Pending Reversal					
☐		19	01/15/2013	2,494.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid					
☐		20	01/15/2013	2,494.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Reversed with Message					
☒		TRW000000016	01/15/2013	650,000.00	USD	USBNK	CHCK	WIR	Erici & Co Inc.	Awaiting Dispatch					

☒ Select All

☐ Clear All

0 Payments Selected

Flag for Hold

Clear Flag

Review Payment Files

Process Monitor

Notify

Field or Control	Description
Edit User Preferences	Click to access the Payment Preferences page, which you use to define the search criteria and information that are displayed on the Payments page. Note: Edit User Preferences link appears in the upper far right corner of the page.

Search Fields

Use these fields to narrow your search for specific payments, or leave them blank to view all payments that were sent to Financial Gateway.

Note: If Financial Gateway security is enabled, users will see only the payments that meet their access criteria based on the specified security rules.

See [Understanding Payment Security](#).

Field or Control	Description
Saved Searches	Displays a list of previously saved search criteria (if any).
Save Search	Click to access the Save Search As page to save the search parameters for future inquiries.
Delete Search	Click to access the Delete Saved Search page to delete a defined set of transaction search criteria.

Payment Analytics

This group box provides a graphic representation of the criteria that are listed in the **Select a Chart** field. Use the Payment Preferences page to enable this functionality as well as to define the default chart to be displayed. The chart can display:

- *Total Payments by Method:* A graph of the total number of payments by payment method for the current date.
- *Payments on Hold by Source:* A graph of the total number of payments that were put on hold, grouped by source applications.
- *Payment Aging:* A graph of the total number of payments within Financial Gateway that were sent within the last five days.
- *Payments by Bank:* A graph of all payments by bank for the current day.
- *Payments in Error:* A graph of all payments within Financial Gateway that contain erroneous data.

- *Payments Awaiting Response:* A graph of all payments within Financial Gateway that have been sent to the bank, but have not yet been acknowledged.

Note: The chart may not display data properly if a large amount of data is selected. Because of size constraints within the page, the labels will be truncated.

Payment Totals

This group box displays the number of payments that were sent to Financial Gateway grouped by currency type. If more than one type of currency is displayed, the total for each currency appears as a link. Clicking a link regenerates the rows in the **Review Payments** grid to display only transactions belonging to that specific currency type.

Payments – Payment Information

<i>Field or Control</i>	<i>Description</i>
Select	Use this box to select transactions: • With a status of <i>Awaiting Dispatch</i> to be held for approval. After you have selected transactions, click the Flag for Hold button to assign a hold status to the selected transactions. • With a status of <i>Hold</i> to be cleared for further processing. After you have selected transactions, click the Clear Flag button to clear the hold status on the selected transactions, freeing them for further processing.
	Indicates that the transaction is on hold status pending further approval.
Source ID	The unique identifier that is assigned to the transaction by the source application.
Transaction ID	The unique identifier that is assigned to the transaction by Financial Gateway. Settlement ID nomenclature is defined on the Source Registration page.

<i>Field or Control</i>	<i>Description</i>
	Click the Payment Notes icon to access the Payment Notes page, which you use to add and view comments about the specified transaction. This is useful for such things as describing reason transactions that are in hold status. Notes that you add here appear in the Events for Current Payment grid at the bottom of the page and are also replicated in the Events grid of the Review Payment Details page.
	Click the Transfer to Source icon to access the source application to view detailed information about the specified transaction.
	Click the Dispatch Payment icon to access the Dispatch Payment run control page to manually send the payment to the bank.
	Click the Review Payment Details icon to access the Review Payment Details page to view the payment progress, events, and detailed information on the transaction.
	Click the View Payment File icon to access the Payment Files page to view payment file, transmittal information.

Bank Details

<i>Field or Control</i>	<i>Description</i>
Cutoff Time and Cutoff Date	Payments arriving by this time and date are processed by the bank that day. Payments arriving afterwards are processed on the next business day.

Payment Preferences Page

Use the Payment Preferences page (PMT_PREFERENCE) to define the search criteria and information to be displayed on the Payments page.

Navigation:

Click the **Edit User Preferences** link on the Review Payments - Payments page.

This example illustrates the fields and controls on the Payment Preferences page. You can find definitions for the fields and controls later on this page.

Use this page to define search criteria for the Payments page.

Field or Control	Description
Default Saved Search	Select a previously defined set of search criteria to be designated as the default search settings on the Payments page.
Execute Search on Load	Select to automatically query the database for the data matching the default search criteria for the current day.
Display Totals	Select to display the number of payments that were sent to Financial Gateway categorized by currency or by bank depending on which radio button you select.

Review Payment Details Page

Use the Review Payment Details page (PMT_LIFE_CYCLE_INQ) to view a payment's details and progress through the payment life cycle, and drill down to application pages that are related to payment events.

Navigation:

Click the **Review Payment Details** icon on the Review Payments - Payments page, the Dispatch Payments page, or the Payment File Data page.

This example illustrates the fields and controls on the Review Payment Details page (1 of 2).

Review Payment Details






Awaiting Dispatch
Dispatched to Bank
Acknowledged by Bank
Payment Completed

Payment Details

Transaction ID	CM0000000076	Source ID	DEMO_EFT_019
Business Unit	US001	Source System	CM Cash Management
Dispatch Status	Paid	Payment Date	01/03/2005
Amount	1,900.00 USD	Layout	CORECRDTRN
Payment Method	Wire Transfer	Payment File ID	00000005 View Payment File
Type	EFT Request	☐ Drawdown Transfer	
Repetitive Transfer Code		☐ Prenotification	
		Addenda Information	EFT Options

Payee/Payee Bank Information

Payee Type	Beneficiary	Payee Setid/ID	
Payee Name		Payee Detail/Address	
Country	USA United States	Payee Bank Address	
Bank Name	USA BANK		
Branch Name			
Bank ID Qualifier	001 United States Bank	Account Type	Bus Acct
Bank ID	121042882	Branch ID	
Bank Account Number	0742-556702	Check Digit	
DFI Qualifier	01 Transit Number	DFI ID	121042882
IBAN Digit	IBAN		

This example illustrates the fields and controls on the Review Payment Details page (2 of 2).

Bank Account

Bank Code DEMO1

Bank ID 071000039

Bank Account CHK1 Demo - Checking Account

Account # 987654123

DFI Qualifier Mutually Defined

DFI ID

Source Reference Information

Source Code EFT Requests

Treasury Source ID DEMO_EFT_019

Business Date 01/03/2005

Key Char 40/11

Key Char 40/12

Key Char 40/13

Key Char 40/14

Key Char 40/15

Key Char 40/16

Intermediary Routings

Personalize | Find | View All |

First 1 of 1 Last

Seq	Routing	SetID	Bank Code	Bank Account	Method	DFI ID	Intermediary Payment Message

Events

Personalize | Find | View All |

First 1-4 of 4 Last

Date Time	User ID	Severity	Event Description	Change Detail
04/11/05 11:27:32AM	SAMPLE	Information	Payment Awaiting Dispatch	
04/11/05 11:33:49AM	SAMPLE	Information	Payment Scheduled to be Dispatched.	
04/11/05 11:34:27AM	SAMPLE	Information	Payment Added to Payment File.	
04/11/05 11:34:50AM	SAMPLE	Information	Payment Delivered	

This page provides a graphical representation of the current payment's progress through the payment life cycle. The icons at the top of the page—**Awaiting Dispatch**, **Dispatched to Bank**, **Acknowledged by Bank**, **Payment Processed**, and **Payment Completed**—change from black and white to color as each specific event occurs, and they become enabled buttons that act as links to application pages that are related to the payment and the event. Click a button to access the associated page and view the indicated lifecycle information.

Field or Control	Description
Awaiting Dispatch	The transaction is ready to be dispatched to bank. Click to access the Dispatch Payments page.
Dispatched to Bank	The transaction has been dispatched to the bank. Click to access the Dispatch page to view more details about when and how this transaction was dispatched, and the payment file that was created and dispatched.
Acknowledged by Bank	The acknowledgement of payment has been received from the bank and downloaded to your system. Click to view the downloaded acknowledgement file.

Field or Control	Description
Payment Completed	The bank has paid the transaction. Click to view the paid file and acknowledgement.

Override Payment Status Page

Use the Override Payment Status page (PMT_STAT_OVR) to change the status of payments.

Navigation:

Financial Gateway > Administration > Override Payment Status

This example illustrates the fields and controls on the Override Payment Status page.

Override Payment Status

Search Fields

Business Unit Dispatch Status Payment Method

Transaction ID Source System Source ID

Payment Type Batch Name Currency Code

Bank ID Bank Account # DFI ID

Bank SetID Bank Code Bank Account

Party Type Party SetID Payee ID

Pay Cycle Pay Cycle Number Payee Name

From Date To Date Prenotification

Payments Personalize | Find | View All | | First 1-10 of 22 Last

Payment Information **Bank Details** **Payee Details** **Payee Bank**

Source ID	Transaction ID	Unit	Date	Amount	Currency	Current Status	New Status	Payment Notes	Transfer to Source	Review Payment Details
000001	AP0000000003	US001	05/16/2005	1250.00	USD	Awaiting Dispatch				
000002	AP0000000004	US007	05/27/2005	100000.00	USD	Awaiting Dispatch				
TRW0000000008	CM0000000001	US001	02/01/2005	650000.00	USD	Awaiting Dispatch				
TRW0000000009	CM0000000002	US001	02/01/2005	650000.00	USD	Awaiting Dispatch				
TRW0000000010	CM0000000003	US001	02/01/2005	650000.00	USD	Awaiting Dispatch				
TRW0000000011	CM0000000004	US001	02/01/2005	650000.00	USD	Paid				
TRW0000000013	CM0000000005	US001	02/01/2005	500000.00	USD	Awaiting Dispatch				
TRW0000000012	CM0000000006	US001	02/01/2005	1000000.00	USD	Awaiting Dispatch				
DEMO_EFT_001	CM0000000070	US001	01/03/2005	100.00	USD	Awaiting Dispatch				
DEMO_EFT_004	CM0000000071	US001	01/03/2005	400.00	USD	Awaiting Dispatch				

Note: Access to this page and the ability to change the payment status is limited to users assigned to the administrator role.

The options for changing the status of a payment are limited and depend on the current status of the payment. This table lists the options that are available for each payment status.

Financial Gateway does not allow any cancellation from its side for internal source systems, such as Deals. The onus is on the internal subsystem to cancel the payment from their module and modify the status of the payment in Financial Gateway as well.

Current Status	Available Status Options
Canceled	Awaiting Dispatch

Current Status	Available Status Options
Error	Canceled Paid Awaiting Dispatch
Flagged for Hold	Canceled (available for payments from an external source)
Awaiting Dispatch	Canceled (available for payments from an external source)
In Process	Can be changed to Awaiting Dispatch if the payment is still in the queue, and the Dispatch Payment Application Engine process has not been run. This may occur if Process Scheduler was set to run at a later time.
Dispatched to Bank	Error Paid
Acknowledged by Bank	Error Paid
Paid	Error Awaiting Dispatch
For Accounts Payable transactions: Pending Cancellation	Error Paid
For Accounts Payable transactions: Cancellation with Message	Pending Cancellation Error
For Accounts Receivable transactions: Reversal with Message	Error Paid
For Accounts Receivable transactions: Reversed with Message	Pending Reversal Error

Note: For prenotes, Financial Gateway only tracks the status of the actual transaction. Financial Gateway does not track the status of a prenote for a customer or vendor. That is the responsibility of the source system.

Reviewing High-Value Payments on the PeopleSoft Fluid User Interface

This topic discusses reviewing high-value payments on the PeopleSoft Fluid User Interface.

Pages Used to Review High-Value Payments on the PeopleSoft Fluid User Interface

Page/Tile Name	Definition Name	Usage
<u>Top Payments Tile</u>	EP_TR_HV_PAYMENT_FL	View a total amount and count of high-value payments over the threshold you define, as of the current date.
<u>My Preferences - Top Payments Page</u>	TR_USER_PREF_FL	Set up user preferences for the Top Payments tile and Top Payments page. Define a threshold amount individually for each currency. Select the currency to display on the Top Payments tile and select the exchange rate to use to convert amounts in different currencies to display the amount on the Top Payments tile.
<u>Top Payments Page</u>	TR_HV_PAYMENT_FL	View a list of high-value payments based on the threshold you define. Access payment details for the listed high-level payments.


Understanding the Cash Management Home Page

Based on PeopleSoft Fluid User Interface technology, the Cash Management Home page offers smart phone, tablet, and laptop users access to Cash Position/Cash Forecast, Overdraft Balances, Top Payments, and Investment data. This information can be used by Cash Managers, Deal Managers, and Treasury Managers to handle their treasury tasks performed throughout the day.

Note: The tiles on the Cash Management homepage and associated pages were designed using PeopleSoft Fluid User Interface technology. They can be accessed from a mobile device. See "Understanding PeopleSoft Fluid User Interface" (Application Fundamentals) and *PeopleTools: Fluid User Interface Developer's Guide* for more information.

Click to watch these short videos about [PeopleSoft Fluid User Interface - Getting Started](#) and [PeopleSoft Fluid User Experience in Financials and Supply Chain Management](#).

This example illustrates the fields and controls on the Cash Management Home page. You can find definitions for the fields and controls later on this page.



From the Cash Management Home page, users can review these areas:

- Available Balance versus Forecasted Balance by Bank

Here the Cash Manager can check the daily cash position with available bank balances. After reviewing the numbers, he can follow up with the trading desk based on the surplus or deficit.

For more information, see the "Available vs Forecast Balance Tile" (PeopleSoft Cash Management) and "Available vs Forecast Page (Fluid)" (PeopleSoft Cash Management).

- Cash Forecast

In this scenario, a Cash Manager checks the daily cash position in the morning. After reviewing the numbers, she makes a call to draw a line of credit or borrow money from the market.

For more information, see the "Cash Forecast Tile" (PeopleSoft Cash Management) and the "Cash Forecast - Summary Page (Fluid)" (PeopleSoft Cash Management).

- Overdrawn Accounts

For example, a Cash Manager reviews overdraft accounts after the current day bank statement is loaded.

For more information, see the Bank Balances Tile and the "NavBar: Bank Balances Page" (PeopleSoft Banks Setup and Processing).

- Daily High-Value Payments

The Cash Manager can review the high dollar payments going out on a daily basis.

For more information, see the [Top Payments Tile](#) and the [Top Payments Page](#).

- Investments and Debt

For example, a Deal Manager reviews the Investment and Debt mix and the market value of the investments and provides data to the trading desk for suitable adjustments in the Investment Portfolio.

For more information, see the "Investment and Debt Tile" (PeopleSoft Cash Management) and the "Investment and Debt Page" (PeopleSoft Cash Management).

- Bank Transfer

The Cash Manager can view or update existing bank transfer details and create new bank transfers.

For more information, see "Working with Bank Transfers on the PeopleSoft Fluid User Interface" (PeopleSoft Cash Management).

- Treasury Workcenter

For more information, see "Using the PeopleSoft Fluid Treasury WorkCenter" (PeopleSoft Cash Management)

For more information about the PeopleSoft Fluid User Interface, see the product documentation for *PeopleTools: Fluid User Interface Developer's Guide*.

Top Payments Tile

Use the Top Payments tile (EP_TR_HV_PAYMENT_FL) to view a total amount and count of high-value payments over the threshold you define, as of the current date.

Navigation:

View the tile on the Cash Management Home page.

This example illustrates the fields and controls on the Top Payments tile.



If you see a gear icon on the tile, go to the [My Preferences - Top Payments Page](#) to complete setup.

Related Links

"Adding Homepages and Tiles" (Application Fundamentals)

My Preferences - Top Payments Page

Use the My Preferences - Top Payments page (TR_USER_PREF_FL) to set up user preferences for the Top Payments tile and Top Payments page. Define a threshold amount individually for each currency. Select the currency to display on the Top Payments tile and select the exchange rate to use to convert amounts in different currencies to display the amount on the Top Payments tile.

Navigation:

Select the Top Payments tile on the Cash Management Home page, then select the Actions List icon. Select *My Preferences* from the list.

This example illustrates the fields and controls on the My Preferences - Top Payments page. You can find definitions for the fields and controls later on this page.

Field or Control	Description
Display Currency	Enter a currency for display on the Cash Management Top Payments tile and Top Payments page.
Rate Type	Enter the market rate type.
Market Rate Index	Enter the market rate index.
Currency Code and Amount	Enter the threshold amount for currencies.

Top Payments Page

Use the Top Payments page (TR_HV_PAYMENT_FL) to view a list of high-value payments based on the threshold you define.

Access payment details for the listed high-level payments.

Navigation:

Select the Top Payments tile on the Cash Management Home page.

This example illustrates the fields and controls on the Top Payments page. You can find definitions for the fields and controls later on this page.

< My Homepage

Top Payments









Thresholds

Name	Currency	Amount	Payment Method	Business Unit	Bank Code	Reference	Details
Erici Inc.	USD	250,000.00	Wire Transfer	US001	USBNK	CM000000088	>
Erici Inc.	USD	650,000.00	Wire Transfer	US001	USBNK	HV_EFT_01	>
French,Dave	USD	120,000.00	Wire Transfer	US001	USBNK	HV_EFT_02	>
Oracle Canada	CAD	12,000.00	Automated Clearing House	US001	CNBK	HV_EFT_001	>

Field or Control	Description
Thresholds	Click to view the thresholds defined on the My Preferences - Top Payments Page .

The list of high-value payments appears in a grid with the following details:

Field or Control	Description
Name	Displays the name of the customer associated with the payment due.
Currency	Displays the currency associated with the Payables or Treasury payment.
Amount	Displays payment amount due as of the current date.
Payment Method	Displays the payment method associated with the Payables or Treasury payment.
Business Unit	Displays the business unit associated with the Payables or Treasury payment.
Bank Code	Displays the bank code associated with the Payables or Treasury payment.
Reference	Displays the reference value associated with the Payables or Treasury payment.

<i>Field or Control</i>	<i>Description</i>
Details	Click to view payment details for the last calendar year for the particular supplier or Treasury counterparty.

Understanding Generating Payment Files for Dispatch


Users can choose from the following methods to create payment files for dispatch through Financial Gateway:

1. Financial Gateway layout transformation programs.
2. Data Export Import Utility layout transformation processing.

Financial Gateway provides transformation programs to generate payment files in various payment formats and also supports the use of the Data Export Import Utility, which provides an alternative method of layout transformation using configurable map definitions.

The following diagram shows the layout transformation processing logic during payment dispatch:

Upon payment dispatch, processing uses the Financial Gateway transformation program or the DEIU mapper API, depending on setup options. Both methods process file contents and create payment files for dispatch.



Upon payment dispatch, processing uses the Financial Gateway transformation program or the Data Export Import Utility mapper API, depending on setup options. Both methods process file contents and create payment files for dispatch.

For more information, see "Understanding the Data Export Import Utility" (Application Fundamentals).

Dispatching Payments in Financial Gateway

This topic covers how to dispatch payments.

You dispatch payments in Financial Gateway by running the Payment Dispatch Application Engine process (PMT_DISPATCH). You can run this process manually or schedule it to run at a specified time using PeopleSoft Process Scheduler.

When the Dispatch on Load check box is selected on the Source Registration page, the payment dispatch process is executed for each message ID upon payment load.

Pages Used to Dispatch Payments in Financial Gateway

Page Name	Definition Name	Usage
Schedule Payment Dispatch Page	PMT_BATCH_DISPATCH	Use PeopleSoft Process Scheduler to automate the payment dispatch process by scheduling the Dispatch Payment process to run in batch mode as the payments arrive in Financial Gateway. Use the Parameter fields to define the payment batches. See the product documentation for <i>PeopleTools: Process Scheduler</i> .
<u>Payment Dispatch Page</u>	PMT_INQUIRY	Manually send selected payments to a bank from Financial Gateway.
Payment Preferences Page	PMT_PREFERENCE	Modify functionality and define how data are displayed on the Dispatch Payments page. See the <u>Payment Preferences Page</u> for more information.
Addenda Page	PMT_ADDENDA_SP	Add instructional information that will appear in the actual payment file for a specified payment. See the "Enter Transfer Templates - Addenda Page" (PeopleSoft Cash Management) for more information.
Payment Dispatch Results Page	PMT_DISP_RESULT	View details of a particular payment dispatch. See the <u>Payment Dispatch Page</u> for more information.

Payment Dispatch Page

Use the Payment Dispatch page (PMT_INQUIRY) to manually send selected payments to a bank from Financial Gateway.

Navigation:

Financial Gateway > Process Payments > Payment Dispatch

This example illustrates the fields and controls on the Payment Dispatch page (1 of 2). You can find definitions for the fields and controls later on this page.

Payment Dispatch [Edit User Preferences](#)

Search Fields **Payment Analytics**

Saved Searches
 Business Unit
 Transaction ID %
 Source ID %
 Payment Type
 Bank ID Number
 Bank SetID
 Bank Account
 Prenotification
 Party Type
 Party SetID
 Pay Cycle
 From Date 01/11/2013

Dispatch Status
 Payment Method
 Source System
 Currency Code
 Bank Account #
 Bank Code
 DFI ID
 Batch Name
 Payee Name
 Payee ID
 Pay Cycle Number
 To Date 01/15/2013

*Select a Chart Payments by Method
 Number of Payments by Payment Method for Today

 Number of Payments
 Payment Method
 Automated Clearing House
 Direct Deposit
 Wire Transfer

Payment Totals [Personalize](#) | [View All](#) | [First](#) | 1-2 of 2 | [Last](#)

Total Payments	Amount	Currency
11	143,124.00	EUR
1	650,000.00	USD

This example illustrates the fields and controls on the Payment Dispatch page (2 of 2). You can find definitions for the fields and controls later on this page.

Payments [Personalize](#) | [Find](#) | [First](#) | 1-12 of 12 | [Last](#)

[Payment Information](#) | [Additional Detail](#) | [Bank Details](#) | [Payee Details](#) | [Payee Bank](#)

Select	Flagged Payment	Source ID	Date	Amount	Currency	Bank Code	Account	Method	Payee Name	Dispatch Status	Payment File ID	Payment Notes	Addenda Information	Transfer to Source	Payment Details	View Payment File
☐		000001	01/15/2013	4,242.00	EUR	FRBNK	CHQ1	ACH	Axis Systems	Cancelled with Message	00000018					
☐		10	01/14/2013	1,196.00	EUR	FRBNK	CHQ1	DD	ITN Wholesale, France	Paid	00000010					
☐		11	01/14/2013	1,196.00	EUR	FRBNK	CHQ1	DD	ITN Wholesale, France	Pending Reversal	00000011					
☐		12	01/14/2013	1,000.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Flagged for Hold						
☐		13	01/14/2013	55,555.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid	00000012					
☐		14	01/14/2013	55,555.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Reversed with Message	00000013					
☐		16	01/15/2013	4,646.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid	00000014					
☐		17	01/15/2013	7,373.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid	00000015					
☐		18	01/15/2013	7,373.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Pending Reversal						
☐		19	01/15/2013	2,494.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Paid	00000016					
☐		20	01/15/2013	2,494.00	EUR	FRBNK	CHQ3	DD	ITN Wholesale, France	Reversed with Message	00000017					
☐		TRW0000000016	01/15/2013	650,000.00	USD	USBK	CHCK	WIR	Erici & Co Inc.	Awaiting Dispatch						

☒ Select All ☐ Clear All
 0 Payments Selected

Dispatch Results [Personalize](#) | [View All](#) | [First](#) | 1-5 of 7 | [Last](#)

Process Instance	Run Status	Request Date/Time		
14692	Success	01/15/2013 7:40:45AM	Refresh	Results
14683	Success	01/15/2013 6:23:15AM	Refresh	Results
14664	Success	01/15/2013 5:45:01AM	Refresh	Results
14646	Success	01/15/2013 1:56:09AM	Refresh	Results
14627	Success	01/15/2013 1:41:46AM	Refresh	Results

[Review Payment Files](#) [Process Monitor](#)

Field or Control	Description
Edit User Preferences	Click to access the Payment Preferences page, which you use to define how certain elements of the Dispatch Payments page are displayed and function.

Search Fields

Use these fields to query the tables in Financial Gateway for specific payment transactions.

Payment Totals

Displays the number of payments and the monetary total for each currency type.

Payments

<i>Field or Control</i>	<i>Description</i>
Select	Select the payments to be dispatched or flagged for hold. This field is unavailable for entry for payments that have already been dispatched
Dispatch	Click to send selected payments to the banks.
Flagged for Hold	Click to hold selected payments for further review and approval.
Payments Selected	Displays the number of payment rows that have been selected for dispatching or placing on hold.
Flagged for Clear	Click to remove the hold on selected payments.
	Click the Payment Notes icon to access the Payment Notes page, which you use to add and view comments about the specified transaction. Comments added here appear only online within the Financial Gateway system— including the event log—for the particular payment.
	Click the Addenda Information icon to access the Addenda page, which you use to add additional instructions for the specified payment. Instructions here will appear within the actual payment file.
	Click the Transfer to Source icon to access the source application to view detailed information about the specified transaction.
	Click the Review Payment Details icon to access the Review Payment Details page to view the payment progress, events, and detailed information on the transaction. See Review Payment Details Page .

Field or Control	Description
Review Payment File	Click to access the Review Payment Files page to review payment file transmittal information. See Payment Files Page .

Bank Details Tab

Field or Control	Description
Cutoff Time and Cutoff Date	Payments arriving by this time and date are processed by the bank that day. Payments arriving afterwards are processed on the next business day.

Manually Dispatching a Payment

To manually dispatch a payment:

1. Select a payment.
2. Click the **Dispatch** button.
3. If prompted, confirm that you are an authorized user by typing your system sign-in password on the Verify Identity page.

The system displays a message stating that the Payment Dispatch Application Engine is scheduled to process the payment. If the process is successful, a payment file is created.

Dispatch Results


This grid provides a view of payment dispatch processes.

Field or Control	Description
Refresh	Click to update the grid and view the results of more recent dispatch processes.
Results	Click to access the Payment Dispatch Results page and view details of a particular payment dispatch.

Understanding How to Use the Data Export Import Utility for Payment Dispatch

The Data Export and Import Utility tool is based on People Tools Document Technology and supports transformation through an online mapping definition that allows the user to map a source document to a target document. You should be familiar with PeopleSoft documents, as well as Data Export Import Utility map definitions and document relationships.

This diagram illustrates the three layers of processing payment formats through the Data Export Import Utility tool, beginning with the foundation based on a PeopleSoft Document, corresponding mapping definition, through processing in Financial Gateway.



PeopleSoft Document

A PeopleSoft document is a managed object. It consists of two components, a logical component and a physical component or representation. PeopleSoft provides a Document Builder for creating and managing documents. PeopleSoft delivers a source PeopleSoft Document and a target PeopleSoft Document for processing Financial Gateway payment files.

Note: Changes to PeopleSoft documents delivered for use with Financial Gateway affect the payment file. Users should be familiar with creating and managing PeopleSoft Documents. For more detail about PeopleSoft Documents, see the product documentation for *PeopleTools: Documents Technology*.

Financial Gateway delivers one source document and two target documents for payment dispatch as shown in this table:

Package	Document Name	Version Name	Object Owner ID	Map Definition
FINANCIAL_ GATEWAY	Payment	V1	Treasury	Source
FINANCIAL_ GATEWAY	SEPA_DD_02	pain_008_001_02	Treasury	Target
FINANCIAL_ GATEWAY	SEPA_CT_03	pain_001_001_03	Treasury	Target

Package	Document Name	Version Name	Object Owner ID	Map Definition
FINANCIAL_ GATEWAY	SEPA_CT_CH	pain_001_001_03.ch.02	Treasury	Target

Source document “Payment” is delivered based on the source records that the system populates during processing. The target documents are delivered to process Financial Gateway SEPA payments:

- SEPA_CT_03 - SEPA Credit Transfer Payment File
- SEPA_CT_CH - SEPA Credit Transfer Payment File
- SEPA_DD_02 - SEPA Direct Debit Collection File

For more information about PeopleSoft documents, see the product documentation for *PeopleTools: Documents Technology*.

Data Export Import Map

The Data Export Import Utility provides a horizontal navigation, also known as “train stops,” to define a map that links the source document and target document at the detail element level. It also allows you to define document relationships for the PeopleSoft document based on a database record. There are two types of relationships: Parent-Child and Sibling. The system requires you to define the correct Parent-Child relationship for each level. Sibling tables provide additional information.

Note: Changes to the system-delivered Map Definition and Document Relationship Definition affect the payment file. Users should be familiar with creating and managing map definitions and document relationships. For more details, see "Mapping File Layouts and Document Relationships" (Application Fundamentals).

PeopleSoft delivers map definitions to support standard SEPA payments in pain.001.001.03 and SEPA collections in pain.008.001.02 layouts. The system-delivered map definitions for payment dispatch are:

- MAP_SCT_03 - SEPA Credit Transfer
- MAP_SDD_02 - SEPA Direct Debit

Financial Gateway

The Layout Catalog provides the *Data Mapper* transformation program type value to support the use of the Data Export Import Utility with SEPA_CT_03, SEPA_CT_CH, SEPA_DD_02 and ISO_CT_05 layouts. The transformation uses the layout property FS_MAP_ID, which appears on the Layout Properties grid. This property value can be configured for each bank on the Bank Integration Layouts page.

Setting Up the Data Export Import Utility for Payment Dispatch

Before using the Data Export Import Utility for payment dispatch, review PeopleSoft Documents and document relationships delivered for use with Financial Gateway payment dispatch. You must also

ensure that the map definition has been associated with the bank. Finally, select *Data Mapper* as the transformation type to create payment files using the Data Export Import Utility.

To set up payment dispatch through Financial Gateway using the mapping utility:

1. Review the PeopleSoft documents delivered for use with Financial Gateway:

- Source Document: FINANCIAL_GATEWAY, Payment.
- Target Documents: FINANCIAL_GATEWAY, SEPA_CT_03, SEPA_CT_CH or SEPA_DD_02.

Navigate to **PeopleTools >Documents >Document Builder >Document**.

For more information, see "Mapping File Layouts and Document Relationships" (Application Fundamentals).

This example illustrates the fields and controls on the PeopleSoft Document page for the SEPA Direct Debit Target Document.

The screenshot shows the PeopleSoft Document Builder interface for the SEPA Direct Debit Target Document. The interface is divided into several sections:

- Document Information:** Package: FINANCIAL_GATEWAY, Document Name: SEPA_DD_02, Version Name: pain_008_001_02.
- XML Schema Details:**
 - Root Tag: Document
 - *XML Type: Standard
 - *Default Primitive Type: Element
 - Target Namespace: Prefix (empty), No Namespace (checked), URI: urn:iso:std:iso:20022:tech:xsd:pain.008.001.02
- Imported Namespace:**
 - Prefix: FINANCIAL_GATEWAY, URI: http://xmlns.oracle.com/Enterprise/Tools/schemas/FINANCIAL_GATEWAY.CstmrDrctDbtInItN.pain_008_001_02
 - Buttons: Personalize, Find, View All, First, 1 of 1, Last
 - Options: Include XSD in header (unchecked), Include Description as Comment (unchecked), Trim Whitespace (unchecked), Filter Blank Elements (checked)
- Left | Right:** A tree view showing the document structure:
 - Document
 - CstmrDrctDbtInItN
 - GrpHdr
 - PmtInItN
 - PmtInItId
 - PmtMtd
 - BtchBookg
 - NbOfTxS
 - CtrlSum
 - PmtTpInf
 - ReqdCollnInD
 - Cdtr
 - CdtrAcct
 - CdtrAgt
 - ChrcBt
 - DrctDbtTxInf

At the bottom, there are buttons for **Validate** and **Save**.

2. Review the document relationship. The document relationship for the payment source document is delivered to support Financial Gateway payments.

Navigate to **Set Up Financials/Supply Chain >Common Definitions >Data Export Import Utility >Document Relationship**.

For more information, see "Mapping File Layouts and Document Relationships" (Application Fundamentals).

This example illustrates the fields and controls on the Document Relationship page for the Payment Source Document.

Package: FINANCIAL_GATEWAY

Document: Payment

Version: v1

Level: 1

Refresh Document

Search

Criteria Group Find | View All First 1 of 4 Last

Node: Payment.PMT_HEADER_MAP.PMT_BATCH_MAP

Add Criteria Level: 1 ☒ Anchor

Logical	Expression 1	Condition Type	Expression 2	Edit		
	Payment.PMT_HEADER_MAP.PMT_BATCH_MAP.HEADER_ID	equal to	Payment.PMT_HEADER_MAP.HEADER_ID	Edit	+	-

- Review the map definition. The status of the map definition should always be Ready. If the status is Modified, then click the **Validate** button and then click the **Submit** button.

Navigate to **Set Up Financials/Supply Chain >Common Definitions >Data Export Import Utility >DEIU Map Definition**.

Note: If your business needs require you to generate alternate SEPA payment files, you can create similar PeopleSoft target documents and map definitions and associate the map definition with layout property FS_MAP_ID for the bank on the Bank Integration Layouts page.

For more information, see "Defining the Data Source and Target" (Application Fundamentals).

This example illustrates the fields and controls on the Map Definition - Summary Page for the SEPA Direct Debit Map (1 of 2).

Map Source Target Detail Filter Summary

Summary - Step 6 of 6

Exit Validate Previous Submit

Map Definition		Status
Map ID	MAP_SDD_02	Ready
Description	SEPA Direct Debit	☒ Active
Version	1	☐ System
		☒ Public

Source Definition	Target Definition
Type PS Document	Type PS Document
Physical Type DB Table	Physical Type XML File
Package FINANCIAL_GATEWAY	Package FINANCIAL_GATEWAY
Document Payment	Document SEPA_DD_02
Version v1	Version pain_008_001_02
	Character Set UTF-8

This example illustrates the fields and controls on the Map Definition - Summary Page for the SEPA Direct Debit Map (2 of 2).

Map Detail							Find	View All			First	1-10 of 68	Last
Target Field Name	Level	Source Field Name	Level	Transform	Parameter 1	Parameter 2							
1 Document.CstmrDrctDbtInItm.GrpHdr.MsgId	0	Payment.PMT_HEADER_MAP.H	0										
2 Document.CstmrDrctDbtInItm.GrpHdr.CreDtTm	0	Payment.PMT_HEADER_MAP.IS	0										
3 Document.CstmrDrctDbtInItm.GrpHdr.NbOfTx	0	Payment.PMT_HEADER_MAP.T	0										
4 Document.CstmrDrctDbtInItm.GrpHdr.CtrSum	0	Payment.PMT_HEADER_MAP.T	0										
5 Document.CstmrDrctDbtInItm.PmtInf.NbOfTx	0	Payment.PMT_HEADER_MAP.P	1										
6 Document.CstmrDrctDbtInItm.PmtInf.PmtInfId	0	Payment.PMT_HEADER_MAP.P	1										
7 Document.CstmrDrctDbtInItm.PmtInf.PmtMtd	0		0	Constant	DD								
8 Document.CstmrDrctDbtInItm.PmtInf.BtchBookg	0	Payment.PMT_ORG_BNK_MAP	0										
9 Document.CstmrDrctDbtInItm.PmtInf.CtrSum	0	Payment.PMT_HEADER_MAP.P	1										
10 Document.CstmrDrctDbtInItm.GrpHdr.InitgPty.Nm	1	Payment.PMT_ORG_INF_MAP.	0										

Filter					Find	View All			First	1 of 1	Last
Logical	Expression 1	Condition Type	Expression 2								
1											

Exit
Validate
Previous
Submit

- Configure the SEPA_CT_03, SEPA_CT_CH, SEPA_DD_02 and ISO_CT_05 layouts to use the Data Export Import Utility transformation by changing the transformation type to *Data Mapper* on the Layout Catalog page. A FS_MAP_ID layout property is associated with the layout when using *Data Mapper*.

Navigate to **Banking >Administer Bank Integration >Layout Catalog**

For more information, see [Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing](#).

- Populate the Map Definition value for the FS_MAP_ID property on the Bank Integration Layouts page. This enables you to create separate map definitions for each bank and assign the appropriate map ID to a bank.

Navigate to **Banking >Administer Bank Integration >Bank Integration Layouts**.

For more information, see [Setting Up Payment Processing](#).

Reviewing Payment Files

This topic discusses how to review payment files and change payment file status.

Pages Used to Review Payment Files

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
Payment Files Page	PMT_FILE_DEFN	Review payment file transmittal information.
Payment File Details Page	PMT_FILE_DETAILS	View summary information about the payments that are included in the specified payment file. See the Payment Files Page for more information.
Payment File Events Page	PMT_FILE_EVENT	View summary information of system events that occurred to the payment file during transmittal. See the Payment Files Page for more information.
Payment File Data Page	PMT_FILEDATA_SP	View detailed payment file data (display-only) that were transmitted to the bank. See the Payment Files Page for more information.
Override Payment File Status Page	PMT_FILE_DEFN	Change the status of a payment file.

Understanding Reviewing Bank Payment Files

The Review Bank Payment Files pages enable you to review the status of the transmitted payment files. You can see whether the system successfully transmitted a file. And if a file was not successfully transferred, use the Payment File Events page to determine exactly where the system encountered a file transmittal error.

Important! Any user with access to these pages can view the file details. Restrict user access to these pages by using PeopleTools Security functionality.
See the product documentation for *PeopleTools: Security Administration*.

Note: The Process Monitor message log will not provide the cause of an error that occurred as the result of a payment dispatch process involving BI Publisher template layouts. In such cases, you must inspect the content of the payment file for the cause of the error by accessing the Payment File Data page. See [Understanding the Layout Catalog](#).

Payment Files Page

Use the Payment Files page (PMT_FILE_DEFN) to review payment file transmittal information.

Navigation:

- Click the **Review Payment Files** link on the Payment Dispatch page.
- **Financial Gateway > Review Payments > Payment Files**

This example illustrates the fields and controls on the Payment Files page. You can find definitions for the fields and controls later on this page.

Payment Files

Search Files

Bank SetID

Bank Code

Layout

Transaction ID %

File ID %

File Status

From Date 01/10/2013

To Date 01/15/2013

Search

Clear

Payment Files

Personalize | Find | View All | First 1-13 of 13 Last

Payment Information

File Output Info

Messaging Info

File ID	Bank Code	Layout	Status	Output Type	# of Payments	Created	Created By				
00000019	FRBNK	ISO_CNCL	Complete	File	1	01/15/2013 7:48AM	DVP1				
00000018	FRBNK	SEPA_CT_03	Complete	File	1	01/15/2013 7:41AM	DVP1				
00000017	FRBNK	SEPA_RVSL	Complete	File	1	01/15/2013 6:49AM	DVP1				
00000016	FRBNK	SEPA_DD_02	Complete	File	1	01/15/2013 5:45AM	DVP1				
00000015	FRBNK	SEPA_DD_02	Complete	File	1	01/15/2013 1:42AM	DVP1				
00000014	FRBNK	SEPA_DD_02	Complete	File	1	01/15/2013 1:23AM	DVP1				
00000013	FRBNK	SEPA_RVSL	Complete	File	1	01/14/2013 9:52PM	DVP1				
00000012	FRBNK	SEPA_DD_02	Complete	File	1	01/14/2013 9:14PM	DVP1				
00000011	FRBNK	SEPA_RVSL	Complete	File	1	01/14/2013 1:51AM	DVP1				
00000010	FRBNK	SEPA_DD_02	Complete	File	1	01/14/2013 1:12AM	DVP1				
00000009	USBK	820	Error	Integration Broker	1	01/10/2013 11:05PM	DVP1				
00000008	USBK	PAYMENTEIP	Complete	File	1	01/10/2013 10:58PM	DVP1				
00000007	USBK	ISO_CT_03	Complete	File	1	01/10/2013 1:07AM	DVP1				

[Dispatch Payments](#)
[Process Monitor](#)

Notify

Enter the search parameters and click **Search**.

Field or Control	Description
File Status	Options are: • <i>(None)</i> • <i>Complete</i>: Indicates that the payment process is complete. • <i>Canceled</i>: Indicates that the settlement is canceled (or voided) by a user. You generally see this status displayed for files with a clerical error, such as an incorrectly entered amount. When you cancel files, the system resets the file's payments back to their original <i>Loaded</i> state on the Dispatch Payments page, where they can again be selected and dispatched. • <i>Error</i>: Indicates that the payment dispatch process failed. A red square also appears next to the file name. You can either cancel the payment file or recreate it. • <i>In Process</i>: Indicates that the system is still transforming the file. • <i>Received</i>: Indicates that the payment file was received by bank. • <i>Sent</i>: Indicates that the payment file was sent to bank.
File ID	Click the payment file ID link to access the Payment File Details page, and review all payments that are included in this payment file.
	Appears only if the payment has an error status. After making the corrections, click the Recreate File icon to recreate the selected payment file. See Understanding Electronic Banking.
	Click the Cancel File icon to cancel a selected payment file and reset its payments. This conditional field appears only if the payment has an error status.
	Click the View Event Log icon to access the Payment File Events page (PMT_FILE_EVENT) and view summary event log information. Colored icons indicate the transmittal status of the file. A green circle indicates that the file was successfully transmitted; a red square indicates that the file was not successfully transmitted.
	Click the View File icon to access the Payment File Data page (PMT_FILEDATA_SP), and view payment file data that are transmitted to the bank. The system encrypts stored payment file data. This page cannot be edited.

Field or Control	Description
Dispatch Payments	Click to access the Dispatch Payments page, and select payments for electronic transmittal to a financial institution. See Payment Dispatch Page .
Process Monitor	Click to access the Process List page, and review processing results for the Payment Dispatch Application Engine process (PMT_DISPATCH).

Override Payment File Status Page

Use the Override Payment File Status page (PMT_FILE_DEFN) to change the status of a payment file.

Navigation:

Financial Gateway > Administration > Override Payment File Status

This example illustrates the fields and controls on the Override Payment File Status page. You can find definitions for the fields and controls later on this page.

Override Payment File Status

Search Files

Bank SetID
Bank Code
Layout

Transaction ID %
File ID %
File Status

From Date 01/01/2005
To Date 11/13/2012

Search Clear

Payment Files

Personalize | Find | View All |
First 1-6 of 6 Last

Payment Information | File Output Info | Messaging Info

File ID	Bank Code	Layout	Current Status	New Status	Output Type	# of Payments	Created	Created By		
00000009	USBNK	SEPA_CT	Complete		File	1	11/07/2012 11:44AM	DVP1		
00000008	USBNK	SEPA_CT	Complete		File	1	11/07/2012 11:44AM	DVP1		
00000005	DEMO1	CORECRDTRN	Complete		File	1	04/11/2005 11:34AM	SAMPLE		
00000003	DEMO1	MT101	Complete		File	2	04/11/2005 11:34AM	SAMPLE		
00000002	DEMO1	820 ACH	Complete		File	2	04/11/2005 11:34AM	SAMPLE		
00000001	USBNK	820	Complete		File	1	02/01/2005 3:31PM	SAMPLE		

Note: Access to this page and the ability to change the payment file status is limited to users who are assigned to the administrator role.

The options for changing the status of a payment file are limited and depend on the current status of the payment file. This table lists the options that are available for each payment file status.

Current Status	Available Status
Canceled	No change allowed.
Complete	Error
Complete with Errors	Complete Error
Error	Complete Canceled
In Process	No change allowed.
Received by Bank	Complete Error
Sent to Bank	Complete Error

Importing Bank Acknowledgments

This topic discusses how to import and view payment acknowledgement files.

Pages Used to Import Bank Acknowledgments

Page Name	Definition Name	Usage
Import Acknowledgement Files Page	BSP_IMPORT	Import bank payment acknowledgments (or payment error messages) into the application tables.
Review Payments - Acknowledgement Files Page	PMT_FILE_ACK_DEFN	View a listing of imported payment acknowledgement files.
Acknowledgment File Contents Page	PMT_FILE_ACK_DTL	View the details of a specific payment acknowledgment file. See the Review Payments - Acknowledgement Files Page for more information.

Understanding Acknowledgments

Acknowledgment files are imported from financial institutions into Financial Gateway. They contain data that are used to:

- Verify the receipt of a payment.
- Acknowledge that a payment was processed successfully.
- Notify the sender of problems with a payment.

PeopleSoft provides a variety of layouts designed specifically importing this type of payment data.

Import Acknowledgement Files Page

Use the Import Acknowledgment Files page (BSP_IMPORT) to import bank payment acknowledgments (or payment error messages) into the application tables.

Navigation:

Financial Gateway > Process Payments > Import Acknowledgment Files

This example illustrates the fields and controls on the Import Acknowledgement Files page. You can find definitions for the fields and controls later on this page.

Import Acknowledgement Files

Run Control ID: IMPORT_ACK_FILE | Report Manager | Process Monitor | [Run](#)

Parameters | Find | View All | First 1 of 1 Last

*Request Number: | [View Bank Node Details](#)

*Import Type: | Bank Node: | [View Bank Node Details](#)

File Path: | [File Selection Help](#)

File Name: | [Select File](#)

*Layout: | [View Layout Details](#)

Advanced Options

Layout Properties | Personalize | Find | View All | [\[?\] \[X\]](#) | First 1 of 1 Last

Property Code	Value
CODE_MAP_GROUP	ACHNOC

Parameters

Field or Control	Description
Import Type	Select a method for importing the acknowledgment files. The options are: • <i>File</i>: Select if you are importing a file, and complete the File Path and File Name fields. • <i>FTP</i>: Select if you are importing the file by using file transfer protocol, and enter a bank node through which to transfer the data. • <i>HTTP</i>: Select if you are importing an XML file using a URL that is included as part of the node configuration. No file path or file name is required.
Bank Node	Enter the node that will be used to relay the payment acknowledgment files from the bank to your system. This field appears only if FTP or HTTP is selected as the import type.
View Bank Node Details	Click to access the Bank Node Details page and review property details of the selected node. This field appears only if FTP or HTTP is selected as the import type.
File Location	Appears when using the <i>File</i> import type only. Displays the file location entered on the configuration page by a bank integration administrator. Users have access only to the folders below the base path displayed in the File Location field. For more information, see Managing Import File Locations.

Field or Control	Description
File Path	Enter a file path according to the import type selected: File Import Type: Leave this field blank to select a file in the base path shown in the File Location field, or enter a folder name with trailing backslash below the base path, for example, /Bank02/. Wildcard characters are not supported when using the <i>File</i> import type. FTP Import Type: Enter the complete file path location. To select files by using the Select File button, you must include a trailing backslash (\) in the file path. You can also load all files in a given directory by using the *.* notation or search for files of a specific type by entering an asterisk and the extension suffix. For example, to search all files with an .xxx suffix, enter *.xxx. HTTP Import Type: Does not require a file path and the field is unavailable. Note: Be sure that the application server and the Process Scheduler have access to the directory, FTP node, or HTTP node where the files are staged for import.
File Selection Help	Click to view help information about specifying file paths and file names.
File Name	Select the specific file to import. If you want to import multiple files based on extension for the <i>FTP</i> import type, leave this field blank.
Layout ID	Select an acknowledgment file layout.
View Layout Details	Click to access the Layout Catalog page to view details of the acknowledgment file layout.

Advanced Options

<i>Field or Control</i>	<i>Description</i>
Encryption Profile	Select an encryption profile to decrypt payment acknowledgments. Encryption profiles contain both encryption and decryption information.
Use Integration Broker	Select to format the files and publish the formatted document to PeopleSoft Integration Broker. Integration Broker then processes the formatted file accordingly. You select this option if you want to use the payment acknowledgment information to trigger Integration Broker to perform other processes or integrate with other systems.
Post Process File Action	Select what action, if any, is to be performed on the payment acknowledgment files after the data has been processed. The options are: • <i>Copy</i>: Copy the file to the directory that is entered in the Post Precess File Directory field. • <i>Delete</i>: Delete the file after the data in it is processed. • <i>Move</i>: Move the file to the directory that is entered in the Post Precess File Directory field. • <i>None</i>: Take no action.
Post Process File Directory	Enter a file path to the directory to which the file will be moved or copied if either option is selected as the post process file action.

Layout Properties

<i>Field or Control</i>	<i>Description</i>
Value	Property codes and values appear by default from values that are defined on the selected layout ID. If you configure unique code mappings for a layout (on the Code Mappings page) you need to modify the displayed CODE_MAP_GROUP value with the appropriate unique map value. See Code Mappings Page.

Note: If you are importing multiple files for a single run control ID, you must add requests (by using the **Add** button) for each file that is being requested. Do not enter a file name; run the import process, and then edit the file name and run the import process again. Doing this can result in duplicate acknowledgment loading errors.

Review Payments - Acknowledgement Files Page

Use the Review Payments - Acknowledgment Files page (PMT_FILE_ACK_DEFN) to view a listing of imported payment acknowledgement files.

Navigation:

Financial Gateway > Review Payments > Acknowledgment Files

This example illustrates the fields and controls on the Review Payments - Acknowledgement Files page. You can find definitions for the fields and controls later on this page.

Acknowledgement Files

Search Files

Bank SetID Bank Code Layout

Transaction ID Payment File ID File Status

From Date To Date

Acknowledgement Files Personalize | Find | View All | First 1 of 1 Last

Ack File ID	Bank Code	Layout	Load Datetime	File Status

[Dispatch Payments](#) [Process Monitor](#)

Enter the search parameters and click the **Search** button.

Field or Control	Description
Ack File ID	Click the acknowledgment file ID link to view the contents of the payment acknowledgement file.
File Status	Options are: <i>Complete</i>: Indicates that the Bank Acknowledgment Import process is complete. <i>Error</i>: Indicates that the Bank Acknowledgment Import process failed. A red square also appears next to the file name. You can either cancel the payment file or recreate it.
	Click the View Event Log icon to access the Payment File Events page, and view summary event log information.

<i>Field or Control</i>	<i>Description</i>
	Click the View File icon to access the Payment File Data page, and view payment file data that are transmitted from the bank. The system encrypts stored payment acknowledgment files.
Dispatch Payments	Click to access the Payment Dispatch page to search for, and dispatch, payments.

Chapter 7

Defining SEPA Requirements and Transactions

Understanding SEPA

The European Commission (EC), and the European Central Bank (ECB) working with the Eurosystem, created the Single Euro Payments Area (SEPA). The Eurosystem is supported by the European Payments Council (EPC), which is charged with bringing together the European payments industry. SEPA enables citizens, companies, and other economic actors to make and receive payments in euros (EUR) between and within national boundaries in Europe with the same basic conditions, rights, and obligations, regardless of their location.

Oracle's PeopleSoft applies SEPA rules and standards to these specific areas of functionality:

- The enforcement of SEPA rules and standards that apply to the storage and use of BIC, which is assigned by the Society for Worldwide Interbank Financial Telecommunication (SWIFT) and same as Swift Code along with International Bank Identifier Number (IBAN) in the system.
- The application of SEPA rules and standards to the initiation and processing of SEPA credit transfers used for single, bulk, and repetitive payments.
- The application of SEPA rules and standards to the initiation and processing of SEPA direct debits.

SEPA Glossary

<i>Field or Control</i>	<i>Description</i>
Basic Bank Account Number (BBAN)	The identifier used by financial institutions in individual countries as part of a National Account Numbering Scheme (s) which uniquely identifies an account of a customer at a financial institution. This is also known as the Domestic Bank Account Number.
Bank Identifier Code (BIC)	An 8 or 11 character ISO code assigned by the Society for Worldwide Interbank Financial Telecommunication (SWIFT), which is used to identify a financial institution in financial transactions. It is based on ISO 9362. Note: In Oracle's PeopleSoft applications, BIC is entered in the DFI ID qualifier field when the DFI qualifier value is set at 02.

Field or Control	Description
Creditor	ISO definition: The party to which an amount of money is due. For example, the seller of goods or services or a collection agency.
Creditor Agent	ISO definition: The financial institution servicing an account for the creditor.
Debtor	ISO definition: Party that owes an amount of money to the (Ultimate) Creditor. For example, the debtor could be the party ordering the services or goods, shared service centers, the buyer of services or goods.
Debtor Agent	ISO definition: The financial institution servicing an account for the debtor.
Direct Debit	A request for payment of an amount to be collected from the debtor's bank account by an originator (the creditor).
DFI Qualifier (depository financial institution qualifier) and DFI ID (depository financial institution identification)	DFI qualifier indicates the format—the number of characters and numerics—that is used in the bank's DFI ID, which identifies a bank. If you use intermediary routings, this bank represents the final bank into which funds are transferred. Each type has a specific number of digits that you can enter: • Transit Number: Enter exactly nine numerics, plus check digit calculation. • Swift ID: Enter 8 or 11 characters; positions 5 and 6 must be a valid two-character country code. • CHIPS ID: Enter three or four numerics for a CHIPS ID (CHIPS Participant ID). • CHIPS UID (CHIPS universal identification number): Enter six numerics for a CHIPS UID. Canadian Bank Branch/Institute: No validation. Mutually Defined: No validation. • BIC: If the DFI qualifier is 02, enter the BIC code which is assigned by SWIFT.
EBICS Protocol	The EBICS (Electronic Banking Internet Communication Standard) protocol is SEPA compliant and can transmit new ISO 20022 standard messages in XML format. The system issues SEPA Credit Transfer payment files.

Field or Control	Description
Forwarding Agent	ISO definition: The financial institution that receives the instruction from the initiating party and forwards it to the next agent in the payment chain for execution. The forwarding agent could be the same as debtor agent or it could be different, such as the debtor's bank or the concentration bank.
Initiating Party	ISO definition: The party initiating the payment. This can either be the debtor or the party that initiates the payment on behalf of the debtor.
Intermediary Bank	ISO definition: The agent between the debtor agent and creditor agent, such a correspondent bank.
International Bank Identifier Number (IBAN)	A bank account number that is assigned according to international ISO standards, and uniquely identifies a bank account in cross-border financial transactions between European and other international countries.
International Standards Organization (ISO)	A worldwide federation of National Standards Bodies.
ISO 20022 (International Standards Organization 20022)	A Universal Financial Industry message scheme (UNIFI) that was prepared by Technical Committee ISO TC68 Financial Services and defines various financial messages that are used by the global financial services community. SEPA messages are based on this standard.
ISODateTime (International Standards Organization Date Time)	The date and time within a particular calendar year represented by YYYY-MM-DDThh:mm:ss, which is based on ISO 8601.
Mandate	An authorization and expression of consent given by the debtor to the creditor, which enables the creditor to initiate collections by debiting the specified debtor's bank account and enables the debtor's bank to comply with these instructions in accordance with the SEPA Rulebook.
Single Euro Payments Area (SEPA)	Enables citizens, companies, and other economic actors to make and receive payments in euros (EUR) between and within national boundaries in Europe with the same basic conditions, rights, and obligations, regardless of their location.
Society for Worldwide Interbank Financial Telecommunication (SWIFT)	A cooperative owned by the financial services industry, which operates a financial messaging network through which financial services companies can exchange messages.
Ultimate Creditor	ISO definition: The ultimate party to which an amount of money is due. The ultimate creditor could be the same as creditor or it could be different, such as the seller.

Field or Control	Description
Ultimate Debtor	ISO definition: The ultimate party that owes an amount of money to the (ultimate) creditor, such as the buyer of services or goods.

SEPA BIC Requirements

SEPA usage rules require the use of BIC, which is assigned by SWIFT, and IBAN (International Bank Identifier Number) to identify the banks and bank accounts of the creditor and debtor in all euro cross-border payments. It is imperative that the IBAN and BIC codes are correct to avoid repair fees that the bank charges due to processing errors. In addition, the validation of the IBAN and BIC codes avoids delays in processing payments and collections due to the time-consuming correction of these errors. IBAN also makes it easier to validate foreign account numbers. The IBAN format is an internationally agreed upon standard that is defined in ISO 13616.

Depending on how the IBAN is formatted for a country, the IBAN can be manually entered or the system will display the code after a user enters the first two check digits of the code.

The BIC value is defined when you select *02* as the DFI Qualifier (Depository Financial Institution Qualifier), which is set up for SWIFT/BIC. Once you select *02* for the qualifier, you can enter the BIC code in the DFI ID field, which can be 8 or 11 characters, where positions 5 and 6 must be a valid two-character country code.

The DFI Qualifier and DFI ID fields and the IBAN fields appear on these PeopleSoft application pages:

- **Cash Management > Fees and Transfers > Enter Transfer Template > Destination**

Note: The DFI Qualifier, DFI ID, and IBAN fields only appear for EFT transfer templates.

See "Enter Transfer Templates - Destination Page" (PeopleSoft Cash Management).

- **Cash Management > Fees and Transfers > EFT Request > Destination**

See "EFT Request - Destination Page" (PeopleSoft Cash Management).

- Banking, Bank Accounts, Settlement Instructions, Beneficiary Bank page

See "Defining Settlement Instructions" (PeopleSoft Banks Setup and Processing).

- Suppliers, Supplier Information, Add/Update, Supplier, Location, click the Payables link to access the Payables Options page, open the Supplier Bank Account Options section.

See "Defining Supplier Locations" (PeopleSoft Source to Settle Common Information).

- Customers, Customer Information, MICR Information, Customer Bank page.

See "MICR Information - Customer Bank Page" (PeopleSoft Order to Cash Common Information).

- Employee Self-Service, Travel and Expenses, Review/Edit Profile, Bank Accounts page, click the Bank icon, Pay to Bank Accounts page; or Travel and Expenses, Manage Employee Information, Update Profile, Bank Accounts, click the Bank icon, Pay to Bank Accounts page.

See "Maintaining Employee Bank Account Data" (PeopleSoft Expenses).

- eSettlements, Supplier Information, Review Supplier Details, Create a New Supplier, Locations, Add a New Location or Maintain Locations, and click the Update Bank Information link in the Payment Terms and Remitting Options group box on the Maintain Locations page.

See "Understanding Bank Setup" (PeopleSoft Banks Setup and Processing).

See "Defining External Account Information" (PeopleSoft Banks Setup and Processing).

SEPA Credit Transfer and Direct Debit Initiation

To initiate a SEPA Credit Transfer or SEPA Direct Debit, PeopleSoft Financial Gateway delivers predefined payment layouts in the Layout Catalog.

- Credit transfer initiation layouts for SEPA include these:
 - SEPA_CT (SEPA Credit Transfer, Pain.001.001.02)
 - SEPA_CT_03 (SEPA Credit Transfer V3, Pain.001.001.03; adheres to Rulebook 6.0)
 - SEPA_CT_CH (Swiss Specific Customer Credit Transfer, Pain.001.001.03.ch.02)
- Direct debit initiation layouts for SEPA include these:
 - SEPA_DD (SEPA Direct Debit, Pain.008.001.01)
 - SEPA_DD_02 (SEPA Direct Debit V2, Pain.008.001.02; adheres to Rulebook 6.0)
 - SEPA_DD_2B (SEPA Direct Debit B2B, Pain.008.001.02, Business to Business Version)

PeopleSoft Financial Gateway also delivers predefined ISO payment formats in the Layout Catalog. ISO 20022 layouts are generic layouts, which are used for credit transfers and direct debits that are not related to SEPA.

- Generic credit transfer initiation layouts include these:
 - ISOV2 (ISO 20022 Credit Transfer V2, Pain.001.001.02)
 - ISO_CT_03 (ISO 20022 Credit Transfer V3, Pain.001.001.03)
 - ISO_CT_05 (ISO 20022 Credit Transfer V5, Pain.001.001.05)
- Generic direct debit initiation layouts include these:
 - ISOV2_DD (ISO 20022 Direct Debit, Pain.008.001.01)
 - ISO_DD_02 (ISO 20022 Direct Debit, Pain.008.001.02)

For a complete list of delivered payment layouts, including SEPA, ISO, and miscellaneous formats:


See [Understanding the Layout Catalog](#).

These SEPA layouts dispatch payments electronically as XML messages from PeopleSoft Financial Gateway using the Credit Transfer Initiation Message or the Customer Direct Debit Initiation Message. The PeopleSoft payment methods ACH (Automated Clearing House), WIR (Treasury Wire), and EFT (Electronic File Transfer) support the SEPA credit transfer layouts and the direct debit payment method supports the SEPA direct debit layouts.

To enable PeopleSoft Financial Gateway to perform SEPA credit transfers and direct debits, you must access the Bank Integration Layouts page and associate each layout with an existing bank. Once the layouts are set up for a selected bank, they can be used with any bank accounts associated with that bank. You must access one or more external bank accounts that you want to set up to perform SEPA credit transfers or direct debits and attach the layouts to the bank account.

For example, you might access the Collections page of a bank account associated with a French bank, select Direct Debit as the Payment Method, and select SEPA_DD as the payment layout. This is also where you indicate that you want to dispatch the direct debit transaction electronically using PeopleSoft Financial Gateway.

Process flow for payment layouts



Using InterAct to Initiate Payments Through SWIFTNet

If you use InterAct to send payments through SWIFTNet, you have the option to generate an envelope around selected ISO and SEPA messages. The envelope is provided as a layout property, and the layout property indicates whether the InterAct version is required or not.

The Financial Gateway system creates a message header envelope in addition to the existing message body upon payment dispatch for these layouts:

- Credit Transfer messages: ISOV2, ISO_CT_03, ISO_CT_05, SEPA_CT, SEPA_CT_03 and SEPA_CT_CH.
- Direct Debit messages: ISOV2_DD, ISO_DD_02, SEPA_DD, and SEPA_DD_02

SEPA Credit Transfer

SEPA schemes, rules, and standards enable the providers of payment services to offer credit transfer services throughout SEPA for single, bulk, and repetitive payments. The standards for the scheme facilitate payment initiation, processing, and reconciliation based on straight-through processing. The scheme permits the end-to-end carrying of remittance data on a structured and unstructured basis appropriate to the nature of payment.

The SEPA credit transfer scheme defines a common set of rules and processes for credit transfers denominated in the euro currency. The scheme defines a common service level and a time frame under which financial institutions participating in the scheme must, at a minimum, conduct SEPA credit transfers.

To enable a SEPA credit transfer to occur, PeopleSoft does this:


- Predefines SEPA credit transfer layouts, which adhere to ISO 20022 credit transfer standards and are in compliance with SEPA rules.
- Provides the functionality to initiate an input message with SEPA compliant information to PeopleSoft Financial Gateway.
- Provides the functionality to accept the SEPA format for rejecting and returning a message and store the format in PeopleSoft Financial Gateway.

SEPA credit transfers begin with the initiation of SEPA credit transfer payments by the payment originator. To transfer the funds, the payment originator instructs the bank in which the originator holds a bank account to move the funds to the account of the beneficiary. The originator's bank then processes the SEPA credit transfer payment instruction according to the SEPA credit transfer scheme and transfers the funds using clearing and settlement mechanisms to the beneficiary's bank. The beneficiary's bank then credits the account of the beneficiary.

The initiation process of the funds transfer typically affects PeopleSoft Payables, because payments are most often triggered by the purchase of goods and services. However, this process may also be initiated from PeopleSoft Cash Management if funds are transferred between accounts or payments that are made to a Treasury counterparty or from a third-party application.

The XML message, which is sent by the payment originator to the bank, contains all of the relevant information related to the payment instruction. Based on SEPA, the bank and customer can agree on how to transfer payment instructions and in which format. However, the banks will typically follow the EPC recommendation.

Message structure for a SEPA Credit Transfer




SEPA Direct Debit

The SEPA direct debit instrument is designed to act as a local collection instrument for SEPA regions that transcend national borders. SEPA implementation guidelines for direct debits are based on the adoption of the ISO 20022 or UNIFI standard. A SEPA direct debit pulls funds from the debtors bank account into the creditors bank account. The pull is based on a direct debit mandate provided by the debtor to the creditor.

A mandate is a form given by the debtor to the creditor that authorizes the creditor to initiate collections on a debt. The mandate allows a debit from the debtor's specified account and enables the debtor's bank to comply with the instructions in accordance with the SEPA Rulebook. The collections are separate transactions from the underlying contract on which they are based. The underlying contract is agreed on between the creditor and the debtor. PeopleSoft Financial Gateway enables the creditor to print the mandate form with a reference number assigned by the system.

Process flow for using mandates



The debtor can be a Treasury counterparty or a customer. After the debtor completes and signs the mandate form, the debtor must return the completed mandate to the creditor. The creditor must enter the mandate information from the paper form in PeopleSoft Financial Gateway on the Direct Debit for Counterparties page if the debtor is a Treasury counterparty, or on the Direct Debit Mandate for Customers page if the debtor is a customer. The mandate must be signed by the debtor.

The debtor can amend the mandate form by informing the creditor of any necessary changes and state the reason for the amendment. The creditor selects a reason code on the amendment section of the form, which appears when the creditor makes the change and saves the change to the form in the system.

You can amend an approved mandate. Once you have amended the mandate, it must be approved again. Each mandate line must be approved. If you amend a mandate before it is approved, then two lines must be approved—the original line and the amended line.


You set up these pages to assist in performing SEPA direct debits:

- **Transfer Template page:** Identify the SEPA Direct Debit layout where the payment method is Direct Debit, select an external account that supports direct debit, and fill in the mandate information.

- EFT Transfer page: Select the SEPA Direct Debit Transfer Template, or you can identify payment method as Direct Debit and an external account that supports direct debit collection, and fill in the mandate information.
- Treasury Counterparties page: View direct debit mandates and their status.

The initiating party sends the Customer Direct Debit Initiation message to the forwarding agent or creditor agent using PeopleSoft Financial Gateway. The message requests a single or bulk collection of funds from one or more of the debtor's accounts for a creditor. A prenotification of the collection must be issued fourteen days before initiating the direct debit.

Message structure for a SEPA Direct Debit



SEPA direct debits can be initiated from PeopleSoft Receivables or by creating an EFT request in PeopleSoft Cash Management, which treats direct debits as collection items. Both products must identify the SEPA direct debit layout and euro (EUR) as the currency, and capture the BIC/IBAN and mandate information.

SEPA Payment Cancellations and Reversals

PeopleSoft predefines layouts in the system to handle cancellations and reversals for SEPA credit transfers and direct debits.

- SEPA layouts:
 - SEPA_RVSL (Payment Reversal, Pain 007.001.01)
 - SEPA_RVS_2 (Payment Reversal, Pain 007.001.02)
- ISO 20022 layouts: (generic)
 - ISO_CNCL (ISO Payment Cancellation Layout)
 - ISO_RVSL (ISO Payment Reversal, Pain 007.001.01)
 - ISO_RVS_2 (ISO Payment Reversal, Pain 007.001.02)

See [Understanding the Layout Catalog](#).


These layouts are used to cancel or reverse payment messages electronically as XML messages from PeopleSoft Financial Gateway.

These layout properties will be attached to the existing SEPA layouts to help identify the layouts to use for cancellation or reversal messages electronically as XML messages from PeopleSoft Financial Gateway.

In PeopleSoft Payables, you can cancel a SEPA cash transfer payment and reverse the cancellation. However, in PeopleSoft Receivables, you can reverse a SEPA direct debit, but you cannot cancel it.

Users can define their own reason codes and reasons for payment cancellation and reversals.

Statuses for AP and AR payment cancellations and reversals



You must run the Payment Cancellation process to send the cancellation message to the bank, which will change the current status to Cancelled with Message for PeopleSoft Payables SEPA cash transfer transactions.

You must run the Payment Reversal process, which will change the current status to Reversed with Message for PeopleSoft Receivables SEPA direct debit transactions.

SEPA Payment Cancellation and SEPA Payment Reversal messages can be sent for payments received from third-party systems into Financial Gateway.

SEPA Credit Transfer Cancellation

Typically, when a SEPA cash transfer payment transaction is received by the bank and there are problems with the transactions, you use the PeopleSoft Payables cancellation process to cancel the payment. The PaymentCancellationRequest message is sent by the initiating party or any agent to the next party in the payment chain. It is used to request the cancellation of a previously sent instruction.

SEPA Direct Debit Reversal

You perform a SEPA direct debit reversal in PeopleSoft Receivables the same way you perform a non-SEPA direct debit reversal. You can cancel a direct debit with a status of Paid, which transmits a reversal to PeopleSoft Financial Gateway. This action ends the life cycle of a direct debit in PeopleSoft

Receivables and you cannot change it back again. However, when a direct debit is canceled in Receivables, this reopens the item and the item can then be processed through the Direct Debit system again and generate a new direct debit, which can eventually be paid through PeopleSoft Financial Gateway.

The Direct Debit Customer Payment Reversal message is sent by the initiating party to the next party in the payment chain. It is used to reverse a payment that was previously executed. The message is exchanged between a non-financial institution customer and an agent to reverse a CustomerDirectDebitInitiation message that has been settled. The result will be a credit on the debtor's account.

Payment Status Report

PeopleSoft predefines layouts in the Layout Catalog for the document type Payment Acknowledge. This layout will be used to import the Payment Status report XML file that is sent by the bank. The file that will be imported is an acknowledgement file sent by the bank adhering to ISO 20022 XML standards.

- PMT_STATV2 (ISO 20022 payment status V2, Pain.002.001.002)
- PMT_STATV3 (ISO 20022 payment status V3, Pain.002.001.003)

See [Understanding the Layout Catalog](#).

The PaymentStatusReport message is exchanged between an agent and a non-financial institution customer to provide status information on instructions previously sent. Its usage is governed by a bilateral agreement between the agent and the non-financial institution customer.

The PaymentStatusReport message provides information about the status (rejection or acceptance) of the initiation of a SEPA credit transfer, a SEPA direct debit, or other customer instructions, such as a SEPA payment cancellation or reversal request.

The Acknowledgement Files page in PeopleSoft Financial Gateway enables the user to select the bank, bank account, the PMT_STATV2 and PMT_STATV3 layouts, specific transaction ID, Payment file ID, and a date range to view this PaymentStatusReport message.

Implementing the EBICS Protocol with SEPA Payments

PeopleSoft Financial Gateway supports the use of EBICS to send SEPA files to the bank. This topic discusses using the EBICS protocol.

The EBICS (Electronic Banking Internet Communication Standard) protocol is SEPA compliant and can transmit ISO 20022 standard messages in XML format. The system issues SEPA Credit Transfer payment files.

Important! As of Update Image 39, Oracle PeopleSoft no longer supports any version of EBICS (Electronic Banking Internet Communication Standard) protocol.

Pages Used to Implement the EBICS Protocol with SEPA Payments

<i>Page Name</i>	<i>Definition Name</i>	<i>Usage</i>
<u>EBICS Information Page</u>	EBICS_INFO	Initialize and manage user keys and bank public keys. See also <u>Understanding Using the EBICS Protocol with SEPA Payments</u> .
<u>EBICS Item List Page</u>	EBICS_ITEM_LIST	Manage the EBICS information item list.

Understanding Using the EBICS Protocol with SEPA Payments

PeopleSoft Financial Gateway supports the use of EBICS to send SEPA files to the bank.


EBICS implementation includes two main areas: key management and initialization, and file transmission.

These EBICS messages (versions H003 and H004) are supported for key management and initialization. They are constructed by the delivered EBICS code and are not predefined messages in Integration Broker:

1. INI (Initial transmit public key).
2. PUB (Transmit public key).
3. HIA (Initial transmit public key).
4. HCA (Transmit public key).
5. HPB (Download bank's public keys).

The following diagram illustrates EBICS in a PeopleSoft system:

Users can initialize and manage their keys and bank public keys through the EBICS Information setup page, and leverage the EBICS protocol for payment file upload through Financial Gateway Payment Dispatch.



Layout Properties

You must specify EBICS attributes on your bank integration layouts. Navigate to the Bank Integration Layouts page (**Banking >Administer Bank Integration >Bank Integration Layouts**). Set up the EBICS layout property codes as follows:

- EBICS_ID – Use the EBICS ID set up in the system.
- EBICS_ORD_TYPE – Enter string value *FUL*.
- EBICS_FORMAT – Use the order type value provided by the bank.

See [Setting Up Payment Processing](#).

Specifications

PeopleSoft Financial Gateway provides the following functionality for EBICS version 2.4.2:

- Supports EBICS XML messages, based on these schemas:
 - ebics_keymgmt_request.xsd
 - ebics_keymgmt_response.xsd
 - ebics_orders.xsd
 - ebics_request.xsd

- ebics_response.xsd
 - ebics_types.xsd
 - xmldsig-core-schema.xsd
- Supports ZIP compression of order data.
 - Encrypts order data (E002).
 - Provides BASE64 coding of order data.
 - Provides segmentation of order data.
 - Adds an electronic signature for the order data (A005).
 - Identifies and authenticates the signature (X002).
 - Offers key management.
 - Supports EBICS upload transactions.

Integrating Your PeopleSoft System with EBICS

EBICS depends on HTTPS over TLS which must be fully functional on PeopleTools. Your PeopleSoft system administrator and PeopleSoft application developer must do the following to integrate EBICS with your PeopleSoft system:

1. Establish application server settings where the EBICS gateway will be set up.
2. Use PeopleSoft Integration Broker's local gateway as the default gateway or create a new one.
3. Obtain and import the EBICS certification files from the SSL certification authority (CA), Entrust.
4. Modify Web server environment and Integration Gateway properties files.
5. Add Integration Broker node and routing definitions for EBICS under service operation
EBICS_SERVICE_OPR.

All transaction messages sent though Integration Broker to the bank are synchronous messages. In order to troubleshoot a transactional issue between the Peoplesoft system and EBICS, you need to turn on logging for the SAMPLE_ROUTING routing definition.

EBICS return codes are defined in the message catalog as shown in this table:

<i>Message Number</i>	<i>Return Code</i>	<i>Short Description</i>	<i>Long Description</i>
1	000000	EBICS transaction OK	No technical errors occurred during processing of the EBICS request

Message Number	Return Code	Short Description	Long Description
2	011101	Segment number not reached	The total number of segments transmitted during transaction initialization was not reached
3	061001	Authentication signature error	Verification of the authentication signature was not successful
4	061002	Message not EBICS conformant	The syntax of the received message does not conform with EBICS specifications
5	061099	Internal EBICS error	An internal error occurred during processing of the EBICS request
6	091008	Bank key invalid	The public bank key that is available to the subscriber is invalid
7	091011	The transmitted HostID is unknown	The transmitted HostID is unknown on the bank's side
8	091117	The bank system does not support the requested order size	Upload or download of an order file of improper size
9	091120	The partner ID of the ES file is not identical to the partner ID of the submitter.	On verifying the submitted signatures a partner ID was found in the document UserSignatureData that is not identical to the subscriber's partner ID in the request header
10	091201	The algorithm version of the bank-technical keys is not supported by the financial institution	The algorithm version of the bank-technical keys is not supported by the financial institution
11	091204	The key length of the bank technical key is not supported by the financial institution	Ask the financial institution for information on permitted key lengths, regenerate key

Message Number	Return Code	Short Description	Long Description
12	091208	Certificate is not valid because it has expired	Reject of the Request is mandatory if X509 v3 is supported. The user state remains unchanged.
13	091209	Certificate is not valid because it is not yet in effect	Reject of the Request is mandatory if X509 v3 is supported. The user state remains unchanged.
14	091218	The key or certificate sent is the same as the signature key/certificate	the key or certificate sent is the same as the signature key/certificate
17	100002	Bank response message signature verify fail	
18	091002	EBICS Invalid User or User State	Either the initiating party is not known to the bank system or the subscriber state that is stored in the bank of the initiating party is inadmissible with regard to the order type
19	090004	EBICS Invalid Order Data Format	The transferred order data does not correspond with the specified format
20	091203	EBICS Key Manager Unsupported Version Encryption	The algorithm version of the encryption key is not supported by the financial institution (order types HIA, HSA, and HCA)
21	091202	EBICS Key Manager Unsupported Version Authentication	The algorithm version of the authentication key is not supported by the financial institution (order types HIA, HSA, and HCA)

Message Number	Return Code	Short Description	Long Description
22	091205	EBICS Key Manager Key Length Error Authentication	The key length of the authentication key is not supported by the financial institution (order types HIA, HSA, HCS, and HCA)
23	091206	EBICS Key Manager Key Length Error Encryption	The key length of the encryption key is not supported by the financial institution (order types HIA, HSA, HCS, and HCA)
24	091003	EBICS User Unknown	The initiating party is not known to the bank system
25	091004	EBICS Invalid User State	The subscriber state of the initiating party that is stored in the bank system is inadmissible with regard to the order type
26	091103	EBICS Suspected Message Replay	A message replay has been identified (Nonce/Timestamp pair doubled) or the difference of clock time between client and server exceeds the (parametrisable) tolerance limit
27	091301	EBICS Signature Verification Failed	Verification of the ES has failed In the case of asynchronously implemented orders, the error can occur during preliminary verification.
28	091306	EBICS Duplicate Signature	The signatory has already signed the order on hand
29	091010	XML invalid according to EBICS XML schema	XML validation with EBICS schema failed or XML not well-formed

Message Number	Return Code	Short Description	Long Description
30	091113	Message Content Semantically not Compliant to EBICS	The received message complies syntactically EBICS XML schema, but not semantically to the EBICS guidelines, e.g. IZV upload with UZHNN requires NumSegments = 0
31	091005	EBICS Order Type Invalid	The order type is unknown or not approved for use with EBICS
32	091006	EBICS Order Type not Supported	The selected order type is optional with EBICS and is not supported by the financial institution
33	090003	EBICS Authorization Order Type Failed	The subscriber is not entitled to submit orders of the selected order type
34	091121	The specified order attribute is not compatible with the order in the bank system	For example, order attribute "UZHNN" for an order with order attribute "DZHNN", order attribute "DZHNN" for an order with order attribute "UZHNN" or "OZHNN"
35	091101	Transaction ID Invalid	The supplied transaction ID is invalid
36	091102	Transaction Cancelled	The transaction was cancelled at the server's end since recovery of the transaction is not supported or is no longer possible due to the recovery counter being too high
37	061101	Synchronisation Necessary	Recovery of the transaction requires synchronisation between the customer system and the bank system

Message Number	Return Code	Short Description	Long Description
38	091105	EBICS Recovery not Supported	The bank system does not support Recovery
39	091104	Segment Number Exceeded	The total segment number from transaction initialization was exceeded, i.e. the attribute @lastSegment was set to false when the last segment was transmitted
40	091009	Segment Size Exceeded	The specified size of an upload order data segment has been exceeded
41	091217	EBICS Only X509 Support	With respect to certificates, the bank system only supports the evaluation of X509 data
42	091214	EBICS X509 UNKNOWN CERTIFICATE AUTHORITY	The chain cannot be verified due to an unknown certificate authority (CA)

Entering Certificates Into the Keystore

When a customer uploads the keystore file to PeopleSoft, three certificates are required. These three certificates must have a corresponding alias name:

- authentication
- encryption
- signature

The PeopleSoft system recognizes the certificates based on their alias names.

The following rules apply:

1. The three certificates are not interchangeable. They each have a different purpose. For example, the authentication alias must correspond to the authentication certification.
2. You must use your own password and keystore name when creating the keystore.

This example shows how to create and add the three certificates into keystore:

```
keytool -genkeypair -keystore ebicskeystore -keyalg rsa -alias
authentication -sigalg SHA256withRSA
```

```
keytool -genkeypair -keystore ebicskeystore -keyalg rsa -alias
encryption -sigalg SHA256withRSA
```

```
keytool -genkeypair -keystore ebicskeystore -keyalg rsa -alias
signature -sigalg SHA256withRSA
```

EBICS Information Page

Use the EBICS Information page (EBICS_INFO) to initialize and manage keys and bank public keys.

Navigation:

Banking >Administer Bank Integration >EBICS >EBICS Information >EBICS Information

This example illustrates the fields and controls on the EBICS Information page. You can find definitions for the fields and controls later on this page.

EBICS Information

*EBICS ID

*Host ID

*Partner ID

*User ID

*Target Node

*Country Code

Connect Status

Status: Ready

*Version:

User Keys

Keystore File: ebicskeystore Upload Key Store Change Keys Get Bank keys

Owned Keys				
Alias	Effective Date	Active	Valid from	Valid to
Authentication Key	11/02/2012	Active	09/19/12 11:32:17PM	09/19/16 11:32:17PM
Encryption Key	11/02/2012	Active	09/19/12 11:15:12PM	09/19/16 11:15:12PM
Signature Key	11/18/2012	Active	09/19/12 11:15:35PM	09/19/16 11:15:35PM

Bank Keys

Bank Keys		
Alias	Effective Date	Active
Authentication Key	11/02/2012	Active
Encryption Key	11/02/2012	Active

Field or Control	Description
EBICS ID	Enter an EBICS ID.
Host ID	Enter the Host ID.
Partner ID	Enter the Partner ID.
User ID	Enter the User ID.

Field or Control	Description
Target Node	Select a target node. The lookup prompt shows the target nodes that have the routing attached to service operation EBICS_SERVICE_ORP.
Country Code	Select a country code.
Connect Status	Displays the connection status.
Version	Select <i>H003</i> or <i>H004</i> to indicate which EBICS standard version is supported for this EBICS ID.

User Keys

Field or Control	Description
Keystore File	Displays the name of the keystore file in the database.
Upload Key Store	Click this button to upload the key store file attachment. The selected file will be upload to database as a key store file. This process does <i>not</i> check the file type.
Initialization	Click this button to initialize a key for a new EBICS ID. Available only after the key store file has been successfully uploaded when setting up a new EBICS ID. Enter the key store password on the Load Key Store page and click the OK button. The process check the Upload Key Store file against the entered password. If the key store file is the correct type, the process checks out the public keys from key store file. Based on the number and type of the public keys, the system then populates the Load CERT List page, which contains these fields: • Signature Key Password • Authentication Key Password • Encrypt Key Password Select an action check box—Update Signature Key or Update AU and Encrypt Keys. Click the OK button to communicate the password to the bank, and save the successfully initialized keys to database. If any of the three keys is lost from the key store file, the related field and the Action check boxes are unavailable.

Field or Control	Description
Change Keys	Click this button to change keys for an existing EBICS ID.
Get Bank Keys	Click this button to send the HPB (download bank's public keys) message to the bank to get bank keys for X002 and E002.
Owned Keys grid	Displays user-owned keys.

Bank Keys

The Bank Keys grid shows the public bank keys, including an alias name, effective date, and active status.

EBICS Item List Page

Use the EBICS Item List page (EBICS_ITEM_LIST) to manage the EBICS information item list.

Navigation:

Banking >Administer Bank Integration >EBICS >EBICS Item List >EBICS Item List

This example illustrates the fields and controls on the EBICS Item List page.

EBICS Item List							
EBICS ID	Version	Host Name	Partner ID	User ID	Status	Target Node	Country Code
1 DEM02	H003	BNP4FRPP01G	30004BNPP	EDUWA1	Ready	EBICS_TARGET	France

Entering and Managing Direct Debit Mandates

This topic discusses how to work with direct debit mandates, including entering, updating, approving, canceling, and printing direct debit mandates.

Pages Used to Enter and Manage Direct Debit Mandates

Page Name	Definition Name	Usage
Maintain Mandate Sequence Number Page	PMT_SEQ_NUM_SEC	Identify the sequence type (mandate ID and reference number), beginning sequence number, maximum length and last auto-assigned number to apply to a mandate form. See the "Maintain Mandate Sequence Number Page" (PeopleSoft General Ledger) for more information.

Page Name	Definition Name	Usage
<u>Print Direct Debit Mandate Form Page</u>	RUN_PRT_MANDATE	Print the mandate paper form that must be completed by a debtor for a creditor.
<u>Direct Debit Mandate for Counterparties Page</u>	PMT_MANDATE_DTL	Enter and update direct debit mandate information.
<u>Direct Debit Mandate for Customers Page</u>	PMT_MANDATE_DTL	Enter and update direct debit mandate information for customers.
Mandate Attachments Page	PMT_MAN_ATTACH_SEC	Add attachments to a direct debit mandate. See the <u>Direct Debit Mandate for Counterparties Page</u> for more information.
<u>Approve Direct Debit Mandates Page</u>	PMT_APPR_MANDATE	Approve direct debit mandates.
<u>Cancel Direct Debit Mandates Page</u>	PMT_CAN_MANDATE	Cancel individual direct debit mandates.
<u>Cancel Unused Mandates Page</u>	PMT_CANCEL_MANDATE	Cancel unused mandates.

Print Direct Debit Mandate Form Page

Use the Print Direct Debit Mandate Form page (RUN_PRT_MANDATE) to print the mandate paper form that must be completed by a debtor for a creditor.

Navigation:

Financial Gateway > Maintain Mandate > Print Mandate Form > Print Direct Debit Mandate Form

This example illustrates the fields and controls on the Print Direct Debit Mandate Form page. You can find definitions for the fields and controls later on this page.

Print Direct Debit Mandate Form

Run Control ID

PRINT_MANDATE

Report Manager

Process Monitor

Run

Primary Language

Primary Language

ENG

Secondary Language

*Creditor Company

US001

Description

US001 NEW YORK OPERATIONS

Number Of Prints

1

Location

CHE01

Contract#

Contract Description

You can print a blank mandate form to send to the creditor to complete.

Field or Control	Description
Creditor Company	Select the company that issues the mandate to the debtor to complete. The creditor must provide a pre-numbered SEPA direct debit mandate either in a paper form or the pre-numbered blank form can be sent electronically to the debtor to complete. The creditor prints the SEPA Direct Debit Mandates on a paper form with a pre-numbered mandate reference number. The system stores the last number used and automatically generates the next number.

Note: Not all output types are supported for printing the form. Only the PDF output format is supported. On the Process Scheduler Request page, select *PDF* to print mandate forms.

Direct Debit Mandate for Counterparties Page

Use the Direct Debit Mandate for Counterparties page (PMT_MANDATE_DTL) to enter and update direct debit mandate information.

Navigation:

Financial Gateway > Maintain Mandate > Mandate for Counterparties > Direct Debit Mandate for Counterparties

This example illustrates the fields and controls on the Direct Debit Mandate for Counterparties page (1 of 2).

Direct Debit Mandate	
Direct Debit Mandate for Counterparties	
Business Unit FRAE1	Mandate ID 000000000000001
Contract CNTRCT001	Mandate Status Issued
Contract Description Fee Account Analysis	Mandate Type Paper Mandate
*Signed At ORACLE HEADQUARTERS	*Signed By OracleDevelopment
	*Signed On 09/01/2009
Mandate Scroll Area Find View All First 1 of 1 Last	
Effective Date 09/01/2009	Approval Status Approved
Sequence 1	*Mandate Reference # FRAE1MNDTREF01
Creditor Company	
*Creditor's Name ORACLE FRANCE OPERATIONS	Country FRA France
*Creditor's Identifier FRAE1CDTRID01	Address 1 Creditor Address 1
	Address 2 Creditor Address 2
	Address 3 Creditor Address 3
	Post Office GLBULOCFRA Post Office
	City Creditor City
	Postal
	Department 75 Paris
Payment Type ☒ Recurrence Payment ☐ One-Off Payment	

This example illustrates the fields and controls on the Direct Debit Mandate for Counterparties page (2 of 2).

Name of Debtor	
Debtor Type Treasury Counterparty	Country FRA France
Counterparty TFRA1	Address 1 Debtor Address 1
	Address 2 Debtor Address 2
	Address 3 Debtor Address 3
	Post Office
	City Debtor City
	Postal
	Department 75 Paris
Mandate Amendment Details	
Reason Code	Amended By
Amended On 09/25/2009	Amended At
Original Creditor ID	
Original IBAN	
Original BIC	
Original Mandate Ref. #	
Original Creditor Name	
Attachments (0)	

Field or Control	Description
Mandate ID	When you add a mandate and select a business unit, the next mandate ID is automatically generated based on the General Ledger business unit applied to this mandate. The Mandate ID appears on the form when the form is created or printed. This ID is used to track the mandate in the system and is automatically sequenced each time the mandate is modified or changed. See "General Ledger Definition - Definition Page" (PeopleSoft General Ledger).
Contract and Contract Description	Enter the contract number associated with this mandate.
Mandate Status	Default value when you add a new mandate to the system is <i>Issued</i>. This is a read-only field. If you cancel this mandate, this value changes to <i>Cancelled</i>.
Mandate Type	Default read-only value is <i>Paper</i> .
Signed By	Enter the name of the debtor who signed this direct debit mandate. This is a required field.
Signed At	Enter the city or town in which the creditor signed this direct debit mandate. This is a required field.
Signed On	Select the date on which this direct debit mandate form was signed. This is a required field.

Mandate Scroll Area

Field or Control	Description
Effective Date	Select the date from which the information entered on this mandate is effective.
Approval Status	The default value for a new mandate is <i>Pending For Approval</i>. This is a read-only field. Once the mandate is approved, this value changes to <i>Approved</i>.

Field or Control	Description
Sequence	The default value of a new mandate is <i>1</i> . Change this sequence number if you have added more than one mandate for a the same effective date.
Mandate Reference # (mandate reference number)	Enter the reference number provided on the mandate paper form signed by debtor. This is a required field.

Creditor Company

This section identifies the name and location of the creditor involved in the SEPA direct debit transaction.

Field or Control	Description
Creditor's Name	This name is derived from the business unit that you selected for this mandate. It is a read-only field.
Creditor's Identifier	The default value for this field is derived from the value that you entered on the GL Business Unit ID Numbers page. This value consists of : • The ISO country code (2 characters). • The check digit (2 characters). • The creditor's business code (3 characters). • The national identifier (up to 28 characters). This is a read-only field. Important! Make sure that the number that you enter for this field in the business unit is correct, because the system does not verify the accuracy of the number. See "Maintain Mandate Sequence Number Page" (PeopleSoft General Ledger).

Field or Control	Description
Payment Type	Select one of these payment types: • Recurrence Payment A payment that will be repeated more than once for a period of time. • One-Off Payment A one-time payment.
Country	Select the country code that represents the country in which this creditor is located.
Address 1, Address 2, Address 3, City, County, State, and Postal	Enter the address information for this creditor.

Name of Debtor

This section identifies the name and location of the debtor involved in the SEPA direct debt transaction. In this case the debtor is a Treasury counterparty.

Field or Control	Description
Debtor Type	Default value is Treasury Counterparty, which is read-only. You must set up a counterparty before you can enter mandate information. See "Defining Counterparty Information" (PeopleSoft Banks Setup and Processing).
Counterparty	Select the associated counterparty.
Debtor's Identifier	Enter the identifier associated with this debtor. For business users, enter any code in this field that you want to have quoted by your bank.
Debtor Party	Enter the name of the party that owes an amount of money to the creditor. This can be the debtor or identify a party on whose behalf the debtor proposes to make the payment. This is a required field.

Field or Control	Description
DFI ID (depository financial institution identification)	Enter the DFI ID (BIC) code for this debtor. All of the SWIFT validations for BIC are executed upon entering this code. This is a required field for SEPA direct debits.
IBAN (International Bank Identifier Number)	Enter the IBAN for this debtor in the IBAN field. This is a required field for SEPA direct debits. See SEPA Glossary.
Attachments	Click the attachment link to access the Mandate Attachments page where you can click the Add Attachments button to add documents to this form. This feature is primarily used to enable the creditor to attach a scanned image of the Direct Debit Mandate paper form to the online mandate.
Save	Click to save the page.

Direct Debit Mandate for Customers Page

Use the Direct Debit Mandate for Customers page (PMT_MANDATE_DTL) to enter and update direct debit mandate information for customers.

Navigation:

Financial Gateway >Maintain Mandate >Mandate for Customers >Direct Debit Mandate for Customers

See [Direct Debit Mandate for Counterparties Page](#).

This example illustrates the fields and controls on the Direct Debit Mandate for Customers page (1 of 2).

Direct Debit Mandate

Direct Debit Mandate for Customers

Business Unit

FRAE1

Contract

Contract Description

Signed At

Oracle

Mandate ID

MID0000101

Mandate Status

Issued

Mandate Type

Paper Mandate

Signed By

Development

Signed On

01/07/2013

Mandate Scroll Area

Find

View All

First

1 of 1

Last

Effective Date

01/07/2013

Approval Status

Approved

Sequence

1

Mandate Reference #

MRF0000101

Creditor Company

Creditor's Name

FRANCE - EURO BASE CURRENCY

Creditor's Identifier

FRAE1CDTRID01

Payment Type

Recurrence Payment

One-Off Payment

Country

FRA

France

Address 1

112, Avenue Kleber

Address 2

Address 3

Post Office

City

Paris

Postal

Department

75

Paris

This example illustrates the fields and controls on the Direct Debit Mandate for Customers page (2 of 2). You can find definitions for the fields and controls later on this page.

Name of Debtor

Debtor Type

Customer

Customer ID

FRA01

MICR ID

FRA01

Debtor Identifier

DBTRID01

Debtor Party

DBTRPTY01

DFI ID

FRBGRFP

IBAN

FR1420041010050500013M02606

Country

FRA

France

Address 1

MICR Address 1

Address 2

Address 3

Post Office

City

MICR City

Postal

Department

75

Paris

Mandate Amendment Details

Reason Code

Amended On

01/14/2013

Amended By

Amended At

Original Creditor ID

Original IBAN

Original BIC

Original Mandate Ref. #

Original Creditor Name

Attachments (0)

Most of the fields that appear on the Direct Debit Mandate for Customers page are identical to the fields on the Direct Debit for Mandate for Counterparties page with these exceptions:

Name of Debtor

Field or Control	Description
Debtor Type	Displays <i>Customer</i> as the read-only default value.
Customer ID	Select the customer ID for this debtor.

Field or Control	Description
MICR ID (magnetic ink character recognition)	Select the MICR ID for this debtor customer or search for and enter a new MICR ID for this customer. You must enter a MICR ID for this customer so that the DFI ID and IBAN values will display on the page.
Debtor Party	Enter the debtor party. This is a required field. This is the name of the party that owes an amount of money to the creditor. This can be the debtor or identify a party on whose behalf the debtor proposes to make the payment.
DFI ID (depository financial institution identification) and IBAN (International Bank Identifier Number)	Displays the DFI ID and IBAN values based on the values entered for the MICR ID associated with this customer (debtor). This fields are read-only and are not available for entry for a customer.

Amending a Direct Debit Mandate

Use the Mandate Amendment Details section of the Direct Debit Mandate for Customers (or Counterparties) page to amend an approved or pending approval mandate form.

This example illustrates the Mandate Amendment Details on the Direct Debit Mandate page.

Mandate Amendment Details	
Reason Code	Amended By
Amended On 09/25/2009	Amended At
Original Creditor ID	
Original IBAN	
Original BIC	
Original Mandate Ref. #	
Original Creditor Name	

To amend a mandate form, you must add a new row when you click the Add icon in the Mandate Scroll area. You can change the effective date to a future date or change the sequence number if you have more than one amendment for the same date.

Field or Control	Description
Reason Code	Enter a reason code that represents the reason for amending the mandate. Reason codes are set up in Set Up Financials/Supply Chain > Common Definitions > Codes and Auto Numbering > Create Reason Code
User ID	The user id of the user who amends the mandate appears in this field.

Field or Control	Description
Signed On	Select the date on which this mandate amendment was created. The default date is the system date.
Signed At	Enter the city (location) where the amendment was signed.
Original Creditor ID (original creditor identifier)	Displays the Creditor ID of the original creditor who issued the mandate and entered the mandate information. This value only appears if it was included in the amendment.
Original IBAN	Displays the creditor's original IBAN number. This value only appears if it was included in the amendment.
Original BIC	Displays the creditor's original BIC/SWIFT DFI ID code. This value only appears if it was included in the amendment.
Original Mandate Ref # (original mandate reference number)	Displays the original mandate reference number. Value only appears if mandate reference number is updated in the amendment.

Approve Direct Debit Mandates Page

Use the Approve Direct Debit Mandates page (PMT_APPR_MANDATE) to approve direct debit mandates.

Navigation:

Financial Gateway > Maintain Mandate > Approve Mandate > Approve Direct Debit Mandates,

This example illustrates the fields and controls on the Approve Direct Debit Mandates page. You can find definitions for the fields and controls later on this page.

Approve Direct Debit Mandates

Search Criteria

Company From
Company To

Date From
Date To

Mandate ID From
Mandate ID To

Mandate Ref From
Mandate Ref To

Search

Approval Details

Approve Mandate
Personalize | Find | View All | 1 of 1 | First | Last

Select	Business Unit	Mandate Reference #	Mandate ID	Name of Debtor	Date From	Approval Status
☐	FRAE1	RT56TYU	0000000000000002	FRENCH BANK	09/28/2009	Pending For Approval

☒ Select All
☐ Clear All

Approve

Field or Control	Description
Creditor's Company From and Creditor's Company To	Select the creditor's company in the From field. The company you selected also appears in the To field. If the company has more than one or a series of offices or branches, select the last company that you want to include in the search. The system will search through all creditor companies that have mandates associated with them based on the selected search criteria, if you leave these fields blank.
Date From and Date To	Select a single date or a date range that includes the mandates that you want to have approved. The system will search through all mandate dates that fall within the selected search criteria if you leave these fields blank.
Mandate ID From and Mandate ID To	Enter a single mandate ID or a range of mandate ID values. If you leave these fields blank, the system will list all mandate ID values that fall within the selected search criteria.
Mandate Reference Number From and Mandate Reference Number To	Select a single mandate reference number for which to search or select a range of reference numbers. The system searches for and lists the mandates based on your selection. You can leave this field blank and the system will search for and list all mandate reference numbers based on any other selected search criteria.
Search	Click button to search for and display mandates that match the selected search criteria in the Approval Details group box.
Approve	Select the mandates in the Approve Mandate grid that you want to approve and click this button. The Approval Status values in for the mandates that were selected for approval changes to <i>Approved</i> after you click the Approve button.

Cancel Direct Debit Mandates Page

Use the Cancel Direct Debit Mandates page (PMT_CAN_MANDATE) to cancel individual direct debit mandates.

Navigation:

Financial Gateway > Maintain Mandate > Mandate for Customers > Cancel Individual Mandate > Cancel Direct Debit Mandates

This example illustrates the fields and controls on the Cancel Individual Mandates page. You can find definitions for the fields and controls later on this page.

Cancel Individual Mandates

Search Criteria

Company From

AUS01

Company To

US001

Date From

Date To

Mandate ID From

Mandate ID To

Mandate Ref From

Mandate Ref To

Name of Debtor

Search

Cancellation Details

Mandate Information

Personalize | Find | View All |

First 1 of 1 Last

Select	Creditor Company	Mandate ID	Name of Debtor	Mandate Status	Cancellation Remarks
☐	FRAE1	0000000000000002	FRENCH BANK	Issued	

☒ Select All ☐ Clear All

Cancel Mandate

Field or Control	Description
Search	Enter one or more values in the search criteria fields and click this button to search and list the mandates based on the selected criteria.
Cancellation Remarks	Enter the reason for the cancellation or any additional remarks.
Cancel	Click this button to cancel the selected mandates. Canceling a mandate updates the Mandate Status field to <i>Cancelled</i> for each mandate that was canceled.

Cancel Unused Mandates Page

Use the Cancel Unused Mandates page (PMT_CANCEL_MANDATE) to cancel unused mandates.

Navigation:

Financial Gateway >Maintain Mandate >Mandate for Customers >Cancel Unused Mandates >Cancel Unused Mandates

This example illustrates the fields and controls on the Cancel Unused Mandates page. You can find definitions for the fields and controls later on this page.

Based on SEPA usage rules, if the creditor does not present a collection under a given valid mandate for a period of 36 months, the creditor must cancel the mandate. The creditor is no longer allowed to initiate collections based on this canceled mandate. The PMT_CANCEL process is used to cancel all unused mandates associated with the selected creditor. You can print a list of mandates that need to be canceled. You can also undo the cancellation of mandates executed by this process.

Field or Control	Description
Language	Select the language of the mandate that you want to cancel. English is the default language, which you can override.
Creditor Company	Select the creditor company associated with any unused mandates.
Date	Select the date on which you are canceling the mandates. This date is used as the basis for calculating the 36-month period, which is used to check for unused mandates eligible for cancellation.
Process	Select one of these processes: • <i>Cancel Unused Mandate and Print</i> • <i>Print Unused Mandate</i> • <i>Undo Cancel</i>
Process Instance	Select or enter the process instance number of an unused mandate that you have already canceled when you select <i>Undo Cancel</i> for the Process value.

Integrating with PeopleSoft Global Payroll

The PeopleSoft Global Payroll product is now integrated with PeopleSoft Cash Management to enable each country affected by SEPA regulations to comply with SEPA credit transfer requirements. While the PeopleSoft Global Payroll Core banking process prepares all the payment data, Financial Gateway provides this functionality:

- Formats the payment data based on Global Payroll Country setup.
- Produces the SEPA payment file.
- Sends the payment files to and receives responses from the banks.
- Sends acknowledgements back to Global Payroll.

The SEPA Credit Transfer layout (SEPA_CT, pain.001.001.02) is the only payment format currently supported from Global Payroll through Financial Gateway.

See [PeopleSoft Financial Gateway Integrations](#).

Setting Up Global Payroll for SEPA Processing

The delivered SEPA framework for HCM is an addition to the existing banking features in PeopleSoft Global Payroll Core and PeopleSoft Global Payroll Country Extensions for European countries. You must set up core and country extensions to prepare all the payment data for SEPA processing through Financial Gateway. For detailed information, see the product documentation for *PeopleSoft HCM: Global Payroll*.

1. Set up Global Payroll banking.

Bank data from Global Payroll must match the bank information defined in Financial Gateway. Bank ID as well as IBAN and BIC have to be identical on both HCM and FMS instances for a given bank and bank account. You must also set the default currency to euro (EUR) in both systems.

2. Set up IBAN and BIC for Global Payroll banking for each country.

Populate the IBAN Country Setup page **Set Up HCM >Common Definitions >Banking >IBAN Country Setup** for each country for which you want to process SEPA payments.

3. Enter a valid IBAN number for each employee in Global Payroll who will receive SEPA payments.

Employees can add this information on the Personal Bank Accounts - Add Account Details page.

4. Define banking at the country level in Global Payroll.

This involves these two steps:

- Define how the system populates the Global Payroll SEPA payment (GP_PAYMENT_FG) record for each country on the Banking Country Setup page (**Set Up HCM >Product Related >Global Payroll & Absence Mgmt >Banking >Banking Country Setup**).
- Set up and order country-specific SQL statements to populate the GP_PAYMENT_FG record according to your specific business process on the Banking Preparation Definition page (**Set**

Up HCM >Product Related >Global Payroll & Absence Mgmt >Banking >Banking Preparation Definition).

Setting Up Financial Gateway for Global Payroll SEPA Payments

To support payment transfer from Global Payroll through Financial Gateway, you must set up banking in Financials, map banks and accounts to the SEPA_CT payment layout, and register Global Payroll as a third-party source. In addition, you must associate Global Payroll with Integration Broker to pass the data and subscribe to the asynchronous, outbound service operation (PAYMENT_RESPONSE_OUT_ASYNC) to handle requests sent from Global Payroll.

1. Define banks and branches for payroll payments processing in PeopleSoft Financials.

Bank data from Financial Gateway must match the bank information defined in Global Payroll. Bank ID as well as IBAN and BIC have to be identical on both HCM and Financials instances for a given bank and bank account. You must set the default currency to euro (EUR) in both systems.

See "Defining General Bank Setup" (PeopleSoft Banks Setup and Processing).

2. Set up external bank accounts to be used by Global Payroll.

The GP check box on the "External Accounts Page" (PeopleSoft Banks Setup and Processing) (**Banking >Bank Accounts >External Accounts >External Accounts**) designates an account for use by Global Payroll for a SEPA credit transfer (SEPA_CT).

This example illustrates the fields and controls on the External Accounts page designated for Global Payroll. You can find definitions for the fields and controls later on this page.

The screenshot shows the 'External Accounts' page in PeopleSoft. The top navigation bar includes tabs: External Accounts, Signatories, Contacts, Reconciliation, Account Information, Collection Methods, Payment Methods, and Account Settlement. The main header displays 'SetID: SHARE', 'Bank: GPCHE Global Payroll Bank - Switzerland', and 'External Bank ID: 00301'.

The 'Account Information' section contains the following fields and controls:

- Bank Account: A301
- *Status: Active (dropdown)
- *GL Unit: CHE01 (lookup)
- *Description: GPCHE Account A301
- Short Desc: GPCHE A301
- *Branch: ZURICH (lookup)
- *Account #: 000000000301
- Sender DO: (empty)
- RFC: (empty)
- DFI Qualifier: 02 (lookup)
- Swift ID/BIC: (empty)
- DFI ID: GPSBCHZH (lookup)
- IBAN Digit: 40
- View IBAN button
- IBAN: CH40 0030 1000 0000 0030 1
- Other Identification: (empty)

The 'Valid Account Currencies' section shows:

- *Currency Code: EUR (lookup)
- *Rate Type: CRRNT (lookup)
- *Index: MODEL (lookup)

The 'Account Use' section includes checkboxes for:

- Acct Type: Check Acct (dropdown)
- BI, AR, AP, TR (checked), EX, GP (checked)
- DD/AR Draft Cash Ctrl, Cash Clearing, TRF Charge
- Drafts Payable, Stmt Accounting, Dep in Transit

The 'Bank Account Ledger Types' section shows a table with columns: Acct Type, *Account, Oper Unit, Fund, Dept, Program, and Class. The table contains one row: Cash, 100000, (empty), (empty), (empty), (empty), (empty).

Account data, including bank account number, from Financial Gateway must match the accounts defined in Global Payroll. IBAN and BIC have to be identical on both HCM and FMS instances for a given bank and account.

See "Defining External Account Information" (PeopleSoft Banks Setup and Processing).

3. Associate the SEPA_CT layout with the banks and bank accounts.

Before the SEPA_CT layout can be associated with external bank accounts, it must be set up for a selected bank on the Bank Integration Layouts Page (**Banking >Administer >Bank Integration >Bank Integration Layouts**).

Then you access one or more external bank accounts that you want to set up to perform SEPA credit transfers and attach the layout to the bank account. You also have to set up the payment method to dispatch the credit transfer transaction electronically using PeopleSoft Financial Gateway.

See "Defining External Account Information" (PeopleSoft Banks Setup and Processing).

4. Define a subsystem or transaction source to identify Global Payroll as the originator of the payment.

Although the GP source system is registered as system data, you assign attributes including payment status and payment numbering properties on the Source Registration page (Financial Gateway, Administration, Source Registration). For integration with Global Payroll, Integration Broker is selected to pass data between the source application and Financial Gateway.

This example illustrates the fields and controls on the Source Registration page for Global Payroll. You can find definitions for the fields and controls later on this page.

Source Registration

Source System: GP

*Description: Global Payroll

Integration Details

*Inbound Integration Type: Integration Broker ☐ External Source

Inbound Node:

*Outbound Integration Type: Integration Broker ☐ External Publish

*Node Name:

☐ Financial Sanctions Validation

☐ Dispatch on Load

☐ Send Load Response Errors Only

☐ Send Remittance Advise

Report Definition ID:

Remittance Email ID:

Status Integration Details

*Dispatch Status		
1	Canceled	+ -
2	Error	+ -
3	Awaiting Dispatch	+ -
4	Paid	+ -

Payment Numbering Properties

*Payment ID Prefix: GP Last Payment Number: 0000000020

Drill Back Details

*Drill to Source Transaction: None

Source System Key Information

*Source Fieldname	*Destination Field	Field Label ID	Display in Payment Details	Seq	
CAL_RUN_ID	KEY_CHAR_40_01	CAL_RUN_ID	☒	10	+ -
EMPLID	KEY_CHAR_40_02	EMPLOYEE_ID	☒	20	+ -
EMPL_RCD	KEY_CHAR_40_03	EMPL_RCD#	☒	30	+ -
GP_PAYGROUP	KEY_CHAR_40_04	GP_PAYGROUP	☒	40	+ -
RUN_TYPE	KEY_CHAR_40_05	RUN_TYPE	☒	50	+ -
INSTANCE	KEY_CHAR_40_06	INSTANCE	☒	60	+ -
ACCOUNT_ID	KEY_CHAR_40_07	ACCOUNT_ID	☒	70	+ -
RECIPIENT_TAG	KEY_CHAR_40_08	RECIPIENT_TAG	☒	80	+ -
RECIPIENT_ID	KEY_CHAR_40_09	RECIPIENT_ID	☒	90	+ -
PYMT_KEY1	KEY_CHAR_40_10	PYMT_KEY1	☒	100	+ -

Note: Financial Gateway delivers the GP source system with an additional override payment status option. On the [Override Payment Status Page \(Financial Gateway >Administration >Override Payment File Status\)](#), you can override erroneous payments with an *Error* status to mark them as *Canceled* so there is closure on the business process for that payment.

See [Registering a Source Application with Financial Gateway](#).

See [Override Payment File Status Page](#).

5. (Optional) Set up load error responses.

You can choose an option on the Source Registration page to receive errors only during the Payment Load process. The default is to receive all response messages.

See Registering a Source Application with Financial Gateway.

6. Enable the service operation PAYMENT_RESPONSE_OUT_ASYNC in Integration Broker to pass the data between Global Payroll and Financial Gateway.

See Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements.

See the product documentation for *PeopleTools: Integration Broker*.

Chapter 8

Financial Gateway Reports

Financial Gateway Reports: A to Z

This table lists the BI Publisher reports provided with Financial Gateway, sorted alphanumerically by report ID.

<i>Report ID and Report Name</i>	<i>Description</i>	<i>Navigation</i>	<i>Run Control Page</i>
FGX1000 Payment Activity	View a list of payments in the system based on user-specified criteria.	Financial Gateway > Reports > Payment Activity	RUN_FG1000
FGX1001 Payment Exceptions	View all payments that have been sent to the bank and are in error.	Financial Gateway > Reports > Payment Exceptions	RUN_FG1001
FGX1002 Stale Payments	View a list of payments that have been sent to the bank but remain unpaid after a specified number of days.	Financial Gateway > Reports > Stale Payments	RUN_FG1002
FGX1003 Payment Method Summary	View a list of payments in the system categorized by payment method. This report also provides the total number of payments per payment method.	Financial Gateway > Reports > Payment Method Summary	RUN_FG1003
FGX1004 High Value Payments	View a list of all payments that are greater than or equal to a specified amount.	Financial Gateway > Reports > High Value Payments	RUN_FG1004

