

BCPKS_MAIL2 Package
Extensible Hook Details
14.5.4.0.0

February 2022

Asset Management User Guide
Oracle Financial Services Software

Limited Oracle Park

Off Western Express
Highway Goregaon
(East)
Mumbai, Maharashtra 400
063 India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2020, 2022 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

| | |
|---|---|
| 1. FN_BCMAIL_ACCPTFATETRCR/1/1 | 1 |
| 2. FN_BCMAIL_BILLADVANCEADV/1/1 | 2 |
| 3. FN_BCMAIL_BILLPURCHASEDADV/1/1 | 2 |
| 4. FN_BCMAIL_DISCAPPRVLTRCR/1/1 | 3 |
| 5. FN_BCMAIL_DISCREPLTR/1/1 | 3 |
| 6. FN_BCMAIL_DOCARRIVALADV/1/1 | 4 |
| 7. FN_BCMAIL_LIQFADV/1/1 | 4 |
| 8. FN_BCMAIL_PAYADV/1/1 | 5 |
| 9. FN_BCMAIL_PAYADV/0/2 | 5 |
| 10. FN_BCMAIL_PAYMNTFATETRCR/1/1 | 6 |
| 11. FN_BCMAIL_REIMBURSCLM/1/1 | 6 |
| 12. FN_BCMAIL_RELRESTRCR/1/1 | 7 |
| 13. FN_BCMAIL_REMITTANCELTR/1/1 | 8 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_BCMAIL_ACCPTFATETRCR |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_ACCPTFATETRCR |
| Additional parameters | I_Fn_Call_Id I_tb_cluster_data |
| Sent to Extensible layer | I_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_ACCPTFATETRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_ACCPTFATETRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |
| | |
| Parameter | Description |
| Function | FN_BCMAIL_BILLADVANCEADV |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_BILLADVANCEADV |
| Additional parameters | I_Fn_Call_Id I_tb_cluster_data |
| Sent to Extensible layer | I_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_BILLADVANCEADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |

| | |
|-------------|--|
| Description | <p>Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags.</p> <p>Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_BILLADVANCEADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input.</p> <p>Additional DCN value passed.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_BCMAIL_BILLPURCHASEDADV |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_BILLPURCHASEDADV |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | <p>Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags.</p> <p>Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_BILLPURCHASEDADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input.</p> <p>Additional DCN value passed.</p> |
| Description | <p>Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags.</p> <p>Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_BILLPURCHASEDADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input.</p> <p>Additional DCN value passed.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|-----------------------------------|
| Function | FN_BCMAIL_DISCAPPRVLTRCR |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_DISCAPPRVLTRCR |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |

| | |
|------------------|--|
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_DISCAPPRVLTRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_DISCAPPRVLTRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_BCMAIL_DISCREPLTR |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_REMITTANCELTR |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_DISCREPLTR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_DISCREPLTR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|------------------------------|-------------------------|
| Function | FN_BCMAIL_DOCARRIVALADV |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_DOCARRIVALADV |

| | |
|--------------------------------|---|
| Additional parameters | I_Fn_Call_Id I_tb_cluster_data |
| Sent to Extensible layer | I_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_DOCARRIVALADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_DOCARRIVALADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_BCMAIL_LIQFADV |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_LIQFADV |
| Additional parameters | I_Fn_Call_Id I_tb_cluster_data |
| Sent to Extensible layer | I_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_LIQFADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_LIQFADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|-----------|------------------|
| Function | FN_BCMAIL_PAYADV |

| | |
|--------------------------------|--|
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_PAYADV |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_PAYADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_PAYADV with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 16391363 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_BCMAIL_PAYADV |
| No of Parameters | 0 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_BCMAIL_PAYADV |
| Additional parameters | |
| Sent to Extensible layer | |
| Received from Extensible layer | |
| Hook Description | Hook has been provided in function fn_bcmail_payadv in package bcpks_mail2. |
| Description | Hook has been provided in function fn_bcmail_payadv in package bcpks_mail2. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 28835454 |

| Parameter | Description |
|------------------|--------------------------|
| Function | FN_BCMAIL_PAYMNTFATETRCR |
| No of Parameters | 1 |
| Function Call Id | 1 |

| | |
|--------------------------------|--|
| Cluster/Custom Function Name | FN_BCMAIL_PAYMNTFATETRCR |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_PAYMNTFATETRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_PAYMNTFATETRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_BCMAIL_REIMBURSCLM |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_REIMBURSCLM |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_REIMBURSCLM with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_REIMBURSCLM with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_BCMAIL_RELRESTRCR |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_RELRESTRCR |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_RELRESTRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |
| Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_RELRESTRCR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 17212300 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_BCMAIL_REMITTANCELTR |
| No of Parameters | 1 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_BCMAIL_REMITTANCELTR |
| Additional parameters | l_Fn_Call_Id l_tb_cluster_data |
| Sent to Extensible layer | l_tb_cluster_data(DCN) |
| Received from Extensible layer | None |
| Hook Description | Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags. Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_REMITTANCELTR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input. Additional DCN value passed. |

| | |
|-------------|---|
| Description | <p>Hook required for BC Remittance Letter generation where there is a call to bcpkss_advserv.fn_bccontract_tags.</p> <p>Inline Hook is provided for BCPKS_MAIL2.FN_BCMAIL_REMITTANCELTR with Function Call Id 1 before calling bcpkss_in.fn_mstb_adv_input.</p> <p>Additional DCN value passed.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 17212300 |