Oracle Banking Common Core User Guide

Oracle Banking Supply Chain Finance

Release 14.5.4.0.0

Part Number F54343-01

February 2022



Oracle Banking Common Core User Guide

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inguiries:

Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 https://www.oracle.com/industries/financial-services/index.html

Copyright © 2018, 2021, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.



Contents

1	Pre	face		1
	1.1	Intro	oduction	1
	1.2	Audi	ience	1
	1.3	Doc	ument Accessibility	1
	1.4	Acro	onyms and Abbreviations	1
	1.5	List	of Topics	1
	1.6	Rela	ated Documents	2
	1.7	Sym	bols and Icons	2
	1.8	Basi	ic Actions	5
2	Mul	lti En	ntity Maintenance	7
	2.1	Prer	requisites	7
	2.2	Entit	ties	7
	2.2.	1	View Entities	7
	2.2.	2	Create Entity	8
	2.3	Use	rs1	0
	2.3.	1	View Users1	0
	2.3.	2	Create User1	1
3	Cor	re Ma	aintenance1	3
	3.1	Addi	itional Field Maintenance1	5
	3.2	Advi	ice1	7
	3.2.	1	Advice Summary1	7
	3.2.	2	Advice Maintenance1	8
	3.3	Amc	ount Text Language2	0
	3.3.	1	Amount Text Language Summary2	0
	3.3.	2	Amount Text Language Maintenance2	1
	3.4	BIC	Directory2	3
	3.4.	1	BIC Directory Summary2	3
	3.4.	2	BIC Directory Maintenance2	4
	3.5	Brar	nch EOD2	7
	3.5.	1	Branch EOD Summary2	7
	3.5.	2	Branch EOD Maintenance2	8
	3.5.	3	Branch EOD Invoke	9
	3.6	Cou	ntry Code3	1
	3.6.	1	Country Code Summary	1
	3.6.	2	Country Code Maintenance	2
	3.7		rency Definition	
	3.7.	1	Currency Definition Summary	4



3	.7.2	Currency Definition Maintenance	.35
3.8	Cur	rency Exchange Rate	.40
3	.8.1	Currency Exchange Rate Summary	.40
3	.8.2	Currency Exchange Rate Maintenance	.42
3.9	Cur	rency Holiday Master	.43
3	.9.1	Currency Holiday Master Summary	.43
3	.9.2	Currency Holiday Master Maintenance	.45
3.10) Cur	rency Pair Definition	.46
3	.10.1	Currency Pair Definition Summary	.46
3	.10.2	Currency Pair Definition Maintenance	.47
3.1 ⁻	1 Cur	rency Rate Type	.49
3	.11.1	Currency Rate Type Summary	.49
3	.11.2	Currency Rate Type Maintenance	.50
3.12	2 Cus	stomer Category	.51
3	.12.1	Customer Category Summary	.51
3	.12.2	Customer Category Maintenance	.52
3.13	B EC	A System	.53
3	.13.1	ECA System Summary	.53
3	.13.2	ECA System Maintenance	.54
3.14	4 Exte	ernal Bank Parameters	.55
3	.14.1	External Bank Parameters Summary	.55
3	.14.2	External Bank Parameters Maintenance	.56
3.1	5 Exte	ernal Branch Parameters	.57
3	.15.1	External Branch Parameters Summary	.57
3	.15.2	External Branch Parameters Maintenance	.58
3.16	6 Exte	ernal Chart Account	.61
3	.16.1	External Chart Account Summary	.61
3	.16.2	External Chart Account Maintenance	.62
3.17	7 Exte	ernal Customer	.63
3	.17.1	External Customer Summary	.63
3	.17.2	External Customer Maintenance	.64
3.18	B Exte	ernal Customer Account	.66
3	.18.1	External Customer Account Summary	.66
3	.18.2	External Customer Account Maintenance	.67
3.19	9 Exte	ernal Customer Account Structured Address	.70
3	.19.1	View External Customer Account Structured Address	.70
3	.19.2	Create External Customer Account Structured Address	.71
3.20) Exte	ernal Virtual Account Structured Address	.73
3	.20.1	View External Virtual Account Structured Address	.73



3.21	For	get Process	74
3.2	1.1	Forgotten Customers Summary	74
3.2	1.2	Forget Customer Maintenance	75
3.22	Hos	st Code	76
3.2	2.1	Host Code Summary	76
3.2	2.2	Host Code Maintenance	77
3.23	Lan	guage Code	78
3.2	3.1	Language Code Summary	78
3.2	3.2	Language Code Maintenance	79
3.24	Loc	al Holiday	80
3.2	4.1	Local Holiday Summary	80
3.2	4.2	Local Holidays Maintenance	81
3.25	Me	dia	82
3.2	5.1	Media Summary	82
3.2	5.2	Media Maintenance	83
3.26	Mul	ti-Currency Account Linkage	85
3.2	6.1	Create MCA Linkage	85
3.2	6.2	View MCA Linkage	86
3.27	Pro	cess Code	87
3.2	7.1	View Process Code	87
3.2	7.2	Process Code Maintenance	88
3.28	Sys	tem Dates	90
3.2	8.1	System Dates Summary	90
3.29	Tra	nsaction Code	91
3.2	9.1	Transaction Code Summary	91
3.2	9.2	Transaction Code Maintenance	92
3.30	Upl	oad Source	93
3.3	0.1	Upload Source Summary	93
3.3	0.2	Upload Source Maintenance	94
3.31	Upl	oad Source Preference	95
3.3	1.1	Upload Source Preference Summary	95
3.3	1.2	Upload Source Preference Maintenance	96
3.32	Pric	ing Source System	98
3.3	2.1	Pricing Source System Summary	98
3.3	2.2	Pricing Source System Maintenance	100
3.33	Inte	grating Bureau Integration Service with Oracle Banking Routing Hub	101
3.3	3.1	Oracle Banking Routing Hub Configuration	101
3.3	3.2	Service Providers	112
3.3	3.3	Experian Configuration	122



3.33	.4 Equifax Configuration	
3.33	.5 Document Configuration	124
3.33	.6 Troubleshooting	
3.34	Bureau Integration Service	
3.34	.1 Overview	
3.35	Credit Bureau Display	
3.35	.1 View Credit Bureau Report	
3.36	Lookup	134
3.36	.1 Create Lookup	
3.36	.2 View Lookup	
3.37	Criteria	
3.37	.1 Create Bureau Criteria	140
3.37	.2 View Bureau Criteria	142
3.38	System Parameter	147
3.38	.1 Create System Parameter	147
3.38	.2 View System Parameter	148
3.39	Integrating Decision Service with Oracle Banking Routing Hub	
3.39	.1 Oracle Banking Routing Hub Configuration	
3.39	.2 Service Providers	
3.39	.3 Oracle FLEXCUBE Onboarding to Decision Service Configuration	171
3.40	Decision Service	172
3.40	.1 Overview	172
3.40	.2 Process Flow	173
3.40	.3 Strategy Configuration	174
3.41	Product Processor	175
3.41	.1 Create Product Processor	175
3.41	.2 View Product Processor	176
3.42	Lookup	
3.42	.1 Create Lookup	
3.42	.2 View Lookup	
3.43	System Parameter	
3.43	.1 Create System Parameter	
3.43	.2 View System Parameter	
3.44	Strategy Configuration	
3.44	.1 Create Strategy Configuration	
3.44	.2 View Strategy Configuration	
3.45	Logical Model	
3.45	.1 Create Logical Model	
3.45	.2 View Logical Model	207



3.46 Bo	rrowing Capacity	212
3.46.1	Create Borrowing Capacity	213
3.46.2	View Borrowing Capacity	217
3.47 Qu	estionnaire	223
3.47.1	Create Questionnaire	224
3.47.2	View Questionnaire	226
3.48 Qu	alitative Scoring Model	231
3.48.1	Create Qualitative Scoring Model	231
3.48.2	View Qualitative Scoring Model	237
3.49 Sc	oring Feature	245
3.49.1	Create Scoring Feature	245
3.49.2	View Scoring Feature	247
3.50 Qu	antitative Scoring Model	249
3.50.1	Create Quantitative Scoring Model	250
3.50.2	View Quantitative Scoring Model	259
3.51 De	cision Grade Matrix	
3.51.1	Create Decision Grade Matrix	
3.51.2	View Decision Grade Matrix	274
3.52 Pri	cing	
3.52.1	Create Pricing Model	
3.52.2	View Pricing Model	
3.53 Vie	w Execution Summary	
3.53.1	View Execution Summary	
4 NLP Fr	amework	
4.1 To	olkit	
4.1.1	Use Case Definition	
4.1.2	Annotator	315
4.1.3	Model Training	
4.1.4	Model Management	
4.2 Op	eration	
4.2.1	Document Upload	
4.2.2	Transaction Log	
4.3 3P	Service Integration	
4.3.1	Classification Training Service	
4.3.2	NER Training Service	
4.3.3	Classification Processing Service	
4.3.4	NER Processing Service	
4.3.5	Service Mapping	
4.3.6	Business Service Mapping	



5	Μ	lachine	e Learning Framework	
Ę	5.1	Use	Case On-Boarding	
Ę	5.2	Frar	neworks Supported	
	5.	2.1	Timeseries	
	5.	.2.2	Timeseries Algorithms Supported	
	5.	2.3	Regression	
	5.	2.4	Regression Algorithms Supported	
	5.	2.5	Classification	
	5.	2.6	Classification Algorithms Supported	
ł	5.3	Part	itioned Model	
ł	5.4	On-l	Boarding Use Case	
	5.	4.1	Model Definition	
	5.	4.2	Model Training and Scoring	
Ę	5.5	Onli	ne Single Record Prediction	351
ł	5.6	Use	Case Modifications	351
Ę	5.7	Data	a Extensibility	
Ę	5.8	Mod	el Explainability	
Ę	5.9	Time	e Series Forecast	353
	5.	.9.1	Forecast REST Service	353
6	Fi	ile Upl	oad	354
6	5.1	Cou	ntry Code File Upload	354
6	5.2	Ban	k Core Parameters File Upload	
6	5.3	Brar	nch Core Parameters File Upload	357
6	5.4	Curr	ency Definition File Upload	359
6	6.5	BIC	Directory File Upload	
6	6.6	Loca	al Holiday File Upload	
6	6.7	Curr	ency Holiday File Upload	
6	5.8	Exte	rnal Customer File Upload	
(5.9	Exte	rnal Customer Account File Upload	
6	5.10) Excl	nange Rate File Upload	
7	E	rror Co	odes and Messages	374
8	G	lossar	у	
9	Li	ist of N	lenus	
10	R	eferen	ce and Feedback	400
	10.1	Refe	erences	400
	10.2	2 Doc	umentation Accessibility	
	10.3	B Fee	dback and Support	



1 Preface

1.1 Introduction

This user guide is designed to help you quickly get acquainted with the many functions routinely executed every day.

1.2 Audience

This user guide is intended for the central administrator of the Bank who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.

1.3 Document Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

1.4 Acronyms and Abbreviations

Following are some of the acronyms and abbreviations you are likely to find in this user manual:

Table 1: Acronyms and Abbreviations	Table 1:	Acronyms	and	Abbreviations
-------------------------------------	----------	----------	-----	---------------

Abbreviation	Description
System	Core Maintenance Module
NLP	Natural Language Processing
REST	Representational State Transfer

1.5 List of Topics

This user guide is organized as follow:

Table 2: List of Topics

Topics	Description
Multi Entity Maintenance	This topic describes about Multi Entity Maintenance module.
Core Maintenance	This topic describes about Core Maintenance module.
NLP Framework	This topic describes about NLP Framework.
Machine Learning Framework	This topic describes about Machine Learning Framework.
File Upload	This topic describes about the various file upload features supported in common core maintenances.



Topics	Description
Error Codes and Messages	This topic describes list of error codes and messages.
Glossary	This topic provides list of glossary and their definitions.
List of Menus	This topic has alphabetical list of Core Maintenance processes with page references for quick navigation.
Reference and Feedback	This topic provides the reference documents and information about feedback and support.

1.6 Related Documents

For more information on any related features, you can refer to the following documents:

- Oracle Banking Security Management System User Guide
- Getting Started User Guide

1.7 Symbols and Icons

The following are some of the Symbols you are likely to find in the guide:

Table 3: Symbols and Icons - Common

Symbol/Icon	Function
\rightarrow	Represents Results
p ^{ill}	Minimize
24 M	Maximize
×	Close
0	Perform Search
•	Open a list
+	Add a new record
К	Navigate to the first record
К	Navigate to the last record



Symbol/Icon	Function
<	Navigate to the previous record
>	Navigate to the next record
	Grid view
	List view
C	Refresh
*	Click this icon to add a new row.
	Click this icon to delete an existing row.
G	Click to view the created record.
δ	Click to modify the fields.
:	Click to unlock, delete, authorize or view the created record.

Table 4: Symbols and Icons – Audit Details

Symbol/Icon	Function
Ň	A user
Ē	Date and time
•	Unauthorized or Closed status
0	Authorized or Open status

Table 5: Symbols and Icons - Widget

Symbol/Icon	Function
a	Open status



Symbol/Icon	Function
	Unauthorized status
a	Closed status
6	Authorized status



1.8 Basic Actions

Most of the screens contain buttons to perform all or few of the basic actions. The table below gives a snapshot of them:

Actions	Description	
New	Click to add a new record. When you click New, system displays a new record enabling you to specify the required data. It is mandatory to specify details for the fields marked with '*' symbol.	
	NOTE: This button is displayed only for the records that are already created.	
Save	Click to save the details entered or selected in the screen.	
Unlock	Click to update the details of an existing record. System displays an existing record in editable mode.	
	NOTE: This button is displayed only for the records that are already created.	
Authorize	Click to authorize the record created. A maker of the screen is not allowed to authorize the same. Only a checker can authorize a record.	
	NOTE: This button is displayed only for the already	
	created records. For more information on the	
	process, see Authorization Process.	
Approve	Click to approve the initiated record.	
	NOTE: This button is displayed, once you click Authorize .	
Audit	Click to view the maker details, checker details of the particular record.	
	NOTE: This button is displayed only for the records that	
	are already created.	
Close	Click to close a record. This action is available only when a record is created.	
Confirm	Click to confirm the action you performed.	
Cancel	Click to cancel the action you performed.	



Actions	Description	
Compare	Click to view the comparison through the field values of old record and the current record.	
	NOTE: This button is displayed in the widget, once you click Authorize .	
View	Click to view the details in a particular modification stage.	
	NOTE: This button is displayed in the widget, once you click Authorize .	
View Difference only	Click to view a comparison through the field element values of old record and the current record, which has undergone changes.	
	NOTE: This button is displayed, once you click Compare.	
Expand All	Click to expand and view all the details in the sections.	
	NOTE: This button is displayed, once you click Compare.	
Collapse All	Click to hide the details in the sections.	
	NOTE: This button is displayed, once you click Compare.	
ок	Click to confirm the details in the screen.	

2 Multi Entity Maintenance

This section of the user guide is designed to help multi entity admins to create new entities, users and entity admins.

2.1 Prerequisites

Specify User ID and Password, and login Home screen.

 \rightarrow The **Home screen** is displayed.

Multi entity admin user creation scripts should be run and multi entity admin user should be created in the LDAP. Please refer *Oracle Banking Microservices Platform Foundation Installation Guide* for more details.

2.2 Entities

Multi entity admins can configure new entities.

2.2.1 View Entities

The summary screen provides a list of all entities.

- 1. From Home screen, click Entities. Under Entities, click View Entities.
 - → The View Entities screen is displayed.

Figure 1: View Entities

View Entities	, ² ×
Filter.	
Type to filter ×	
Entity Id	Entity Name



On **View Entities** screen, view the details. For more information on fields, refer to the field description table below.

Table 7: View E	Entities – Field	Description
-----------------	------------------	-------------

Field	Description	
Entity Id	Displays the entity Id of the entity.	
Entity Name	Displays the name of the entity.	

2.2.2 Create Entity

The maintenance screen allows multi entity admins to configure a new entity.

- 1. From Home screen, click Entities. Under Entities, click Create Entity.
 - \rightarrow The **Create Entity** screen is displayed.

Figure 2: Create Entity

Create Entity			$_{\mu^{st}}$ \times
Entity Creation			
Entity Id *	Entity Name *	HO Branch Code *	HO Branch Name *
Ho Branch Address *	Host Code *	Country *	Current HO Branch Posting Date *
		india	
Previous HO Branch Posting Date *	Next HO Branch Posting Date *	Bank Name *	Bank Code *
<u></u>			
Application JNDI Mapping			
Ap	plication Id		JNDI
No data to display.			1
Page 1 (0 of 0 items) K < 1 > 1			
Save			

On **Create Entity** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below. **Table 8: Create Entity – Field Description**

Field	Description
Entity Id	Specify the entity Id for the entity.
Entity Name	Specify the name of the entity.
HO Branch Code	Specify the head office branch code of the entity.
HO Branch Name	Specify the head office branch name of the entity.
HO Branch Address	Specify the head office branch address of the entity.



Field	Description
Host Code	Specify the host code.
Country	Select the head office branch country code.
Current HO Branch Posting Date	Select the head office branch current posting date.
Previous HO Branch Posting Date	Select the head office branch previous posting date.
Next HO Branch Posting Date	Select the head office branch next posting date.
Bank Name	Specify the bank name.
Bank Code	Specify the bank code.
Application JNDI Mapping	
By default, application Ids that require a JNDI appear. You can click + to add multiple	

application jndi mappings and click - to remove an application jndi mapping.

Application Id	Click Search and select the required application Ids from the list.
JNDI	Specify the JNDI for the application Id.

Click Save. You can view the confirmation entity details in the View Entities.



2.3 Users

Multi entity admins can create entity admins and users.

2.3.1 View Users

The summary screen provides a list of configured users.

- 1. From Home screen, click Users. Under Users, click View Users.
 - \rightarrow The **View Users** screen is displayed.

Figure 3: View Users

ter:		
ype to filter ×		
Jser Id	User Name	

On **View Users** screen, view the details. For more information on fields, refer to the field description table below.

Table 9: View Users – Field Description

Field	Description
User Id	Displays the User Id.
User Name	Displays the User Name.



2.3.2 Create User

The maintenance screen allows multi entity admins to configure a new entity.

- 1. From Home screen, click Users. Under Users, click Create User.
 - → The **Create User** screen is displayed.

Figure 4: Create User

Create User							$\times \ _{\mu }^{u}$
User Details							
User ID *		User Name *		Locale *		Email ID *	
Start Date *	***	End Date *	ά±1				
Entity Mapping	_						
	Entity ID		Home Entity		Entity Ad	dmin	
No data to display. Page 1 (0 of 0 items)	к < 1 > Э						I
Save							

On **Create User** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below. **Table 10: Create User – Field Description**

Field	Description
User Id	Specify the user Id.
User Name	Specify the user name.
Locale	Specify the user locale.
Email ID	Specify the user email ID.
Start Date	Select the user start date. The start date of the user should greater than the Current HO Branch Posting Date.
End Date	Select the user end date.
Entity Mapping	
Click + to add a row and provide the re	equired details.
Entity Id	Click Search and select the entity to which the user belongs.



Field	Description					
Home Entity	Select whether the entity is user's home entity. Only one entity can be selected as Home Entity for a user					
Entity Admin	 Select whether the user is an entity admin of the entity. Marking a user as Entity Admin will give rights to the user to perform the following actions when logged in to that entity. Modify the details of the users in the entity. Create branches in the entity Create roles in the entity. Assign the roles and branches to the users. 					

Click Save. You can view the confirmation entity details in the View Users.



3 Core Maintenance

This section is designed to help you quickly get acquainted with the many functions routinely executed everyday.

This section contains the following topics:

- 3.1 Additional Field Maintenance
- 3.2 Advice
- 3.3 Amount Text Language
- 3.4 BIC Directory
- 3.5 Branch EOD
- 3.6 Country Code
- 3.7 Currency Definition
- 3.8 Currency Exchange Rate
- 3.9 Currency Holiday Master
- 3.10 Currency Pair Definition
- 3.11 Currency Rate Type
- 3.12 Customer Category
- 3.13 ECA System
- 3.14 External Bank Parameters
- 3.15 External Branch Parameters
- 3.16 External Chart Account
- 3.17 External Customer
- 3.18 External Customer Account
- 3.19 External Customer Account Structured Address
- 3.20 External Virtual Account Structured Address
- 3.21 Forget Process
- 3.22 Host Code
- 3.23 Language Code
- 3.24 Local Holiday
- 3.25 Media



- 3.26 Multi-Currency Account Linkage
- 3.27 Process Code
- 3.28 System Dates
- 3.29 Transaction Code
- 3.30 Upload Source
- 3.31 Upload Source Preference
- 3.32 Pricing Source System
- 3.33 Integrating Bureau Integration Service with Oracle Banking Routing Hub
- 3.34 Bureau Integration Service
- 3.35 Credit Bureau Display
- 3.36 Lookup
- 3.37 Criteria
- 3.38 System Parameter
- 3.39 Integrating Decision Service with Oracle Banking Routing Hub
- 3.40 Decision Service
- 3.41 Scoring Feature and Scoring Model
- 3.42 Decision Grade Matrix
- 3.43 Pricing
- 3.44 Execution Summary



3.1 Additional Field Maintenance

This screen is used to configure and maintain the additional fields for the transaction screens. To process this screen, perform the following steps:

- 2. From Home screen, click Core Maintenance. Under Core Maintenance, click Additional Field Maintenance.
 - → The Additional Field Maintenance Summary screen is displayed.

Figure 5: Additional Field Maintenance Summary

Additional Field Maintenance		Mar 26.5.5.5	N	
< c +				
urkey: Fisght-ob-cmn-ds-ad 🍄	ui Key: Fsghttinb-ciminas-ad 🍄			
Application ID: COMPACE	Application ID: 100777PM			
Description: () (it lonal Fields)	Description: Wellitional fields			
Authorized 🔒 Open	🖹 Unauthorized 🔒 Open			
Page 1 of 1 (1-8 of 8 items)	к < 1 > »			

For more information on fields, refer to the field description table below.

Field	Description	
UI Key	Displays the UI key of the additional field.	
Application ID	Displays the related application ID of the additional field.	
Description	Displays the description of the additional field.	
Status	Displays the status of the record.	

Table 11: Additional Field Maintenance Summary – Field Description

- 3. On Additional Field Maintenance Summary screen, click 🕂 icon.
 - → The Additional Fields Maintenance screen is displayed.



Figure 6: Additional Fields Maintenance

Additional Fields Main	tenance									$_{\mu^{k'}}$ \times
New										
Component Name		Product Co	de		Product Name			Description		
	0		0,							
Application ID										
OBTEPM										
Construct Additional	Fields MetaData								· •	
Select	Field ID	Field Lab	el	Category		Field Type	Edi	it N	Mandatory	
No data to display.										
Construct Validation	MetaData								· •	
Select	Validation Name		Validation Template To Use			Custom Error Message		Edit	Arguments	
No data to display.										
									Save	Cancel

4. On **Additional Fields Maintenance** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description
Component Name	Click Search icon and select the component name from the list of
Product Code	Click Search icon and select the product code from the list of
Product Name	Displays the product name for the specified product code.
Description	Displays the description as Additional Fields , and it can be modified.
Application ID	Displays the Application ID.
Construct Additional Fields MetaData	Specify the details under this section to configure metadata for each field.
Select	Check this box to select/unselect a row.
Field ID	Specify the field ID.
Field Label	Specify the field label.
Category	Specify the category.
Field Type	Select the field type from the drop-down values.
Edit	Click this icon to edit the fields in the row.
Mandatory	Check this box if the field needs to be configured as mandatory.
Construct Validation MetaData	Specify the details under this section for validations to be applied on configured fields.

Table 12: Additional Fields Maintenance – Field Description



Field	Description
Select	Check this box to select/unselect a row.
Validation Name	Specify the validation name.
Validation Template To Use	Select the template to be used for the validation.
Custom Error Message	Specify the error message that needs to be displayed for the
Edit Arguments	Click this icon to edit the fields in the row.

5. Click **Save**. You can view the confirmation advice details in the Additional Field Maintenance Summary.

3.2 Advice

You can configure various BIP advices that are available for the process.

This section contains following subsections:

- 3.2.1 Advice Summary
- 3.2.2 Advice Maintenance

3.2.1 Advice Summary


The summary screen provides a list of configured advice. You can configure an advice for a process using the Advice Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Advice.
- 2. Under Advice, click View Advice.

 \rightarrow The View Advice screen is displayed.

Figure 7: View Advice

View Advice						л ^к	×
९ с +					:		
Advice Name:	÷	Advice Name:	:				
Advice Description: Micro Service Name:		Advice Description: Micro Service Name:					
Unauthorized	Closed	Unauthorized	? Open				





For more information on fields, refer to the field description table below.

 Table 13: View Advice – Field Description

Field	Description	
Advice Name	Displays the name of the advice.	
Advice Description	Displays information about the advice.	
Micro Service Name	Displays the name of the micro service.	
Status	Displays the status of the record.	

3.2.2 Advice Maintenance

The maintenance screen allows you to configure advices. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Advice.
- 2. Under Advice, click Create Advice.

→ The Create Advice screen is displayed.

Figure 8: Create Advice

Create Advice			, ² ×
New			
Advice Name *			
Advice Description *	Micro Service Name	Swift Micro Service	Micro Service Endpoint
Application Name *	Application Description *		
A 1 +			
Media *	Branch *	Currency *	Report Locale *
Report Absolute Path *	Format * Select an option	Swift Endpoint	
			Save Cancel

3. On **Create Advice** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Advice Name	Specify the name of the advice.	
Advice Description	Specify the information about the advice.	

Table 14: Create Advice – Field Description



Field	Description	
Micro Service Name	Specify the name of the micro service.	
Swift Micro Service	Specify the information about the swift micro service.	
Micro Service Endpoint	Specify the endpoint micro service.	
Application Name	Specify the application name for which advice is generated.	
Application Description	Specify the additional information about the application.	
Media	Search and select the required media.	
Branch	Search and select the required branch.	
Currency	Search and select the required currency.	
Report Locale	Specify the locale report details.	
Report Absolute Path	Specify the report absolute path.	
Format	Select a download file format for an advice from the dropdown list. The formats available are, PDF, PPTX, HTML, XLS, and RTF.	
Swift Endpoint	Specify the swift endpoint.	

4. Click **Save**. You can view the confirmation advice details in the Advice Summary.



3.3 Amount Text Language

You can configure an amount text language.

This section contains following subsections:

- 3.3.1 Amount Text Language Summary
- 3.3.2 Amount Text Language Maintenance

3.3.1 Amount Text Language Summary

The summary screen provides a list of configured amount text language. You can configure an amount text language using the Amount Text Language Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Amount Text Language.
- 2. Under Amount Text Language, click View Amount Text Language.
 - \rightarrow The View Amount Text Language screen is displayed.

Figure 9: View Amount Text Language

	$_{\mu}^{\mu}$ \times
	■ =
Language Code:	
Language Code:	
🔁 Unauthorized 🔒 Open	
	Language Code:

For more information on fields, refer to the field description table below.

Table 15: View Amount Text Language – Field Description

Field	Description	
Language Code Displays the language code associated with the amount work		
Status Displays the status of the record.		



3.3.2 Amount Text Language Maintenance

The maintenance screen allows you to configure amount text language. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Amount Text Language.
- 2. Under Amount Text Language, click Create Amount Text Language.
 - → The Create Amount Text Language screen is displayed.

Figure 10: Create Amount Text Language

Create Am	nount Text Languag	ge						,* ×
New								
Language Co	ode *							
		Q						
Amount V	Word Currency List							
	CCY Symbol	Decimals As Fraction	Final Text	CCY	Post Decimal	Pre Decimal	Text Before	Text Between
No data	a to display.							
Page 1	(0 of 0 items) K	< 1 > 3						
Amount W	Word Text List		_					
				-				
	Amount	One Flag	Text					
No data	a to display.	30						
Page 1	(0 of 0 items) K	< 1 > >						
							1	Save Cancel

3. On **Create Amount Text Language** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 16: Create Amount Text Language – Field Description

Field	Description	
Language Code	Search and select the required language code.	
Amount Word Currency List	Specify the amount word currency details.	
CCY Symbol	Specify the CCY symbols.	
Decimals As Fraction	Select a decimals as fraction value from the drop-down list.	



Field	Description	
Final Text	Specify the final text for the amount word currency list.	
ССҮ	Search and select the CCY.	
Post Decimal	Specify the post decimal details.	
Pre Decimal	Specify the pre decimal details.	
Text Before	Select an option for the before text.	
Text Between	Specify the text that must appear between the amount word currency list.	
Amount Word Text List	Specify the amount word text details.	
Amount	Select the amount details.	
One Flag	Select an option for the amount word text list.	
Text	Specify the text for the amount word.	

4. Click **Save**. You can view the configured amount text language details in the Amount Text Language Summary.



3.4 BIC Directory

As part of setting up basic information, you must maintain Bank Identifier Codes (BIC). You can configure the BIC directory for a customer.

This section contains following subsections:

- 3.4.1 BIC Directory Summary
- 3.4.2 BIC Directory Maintenance

3.4.1 BIC Directory Summary

The summary screen provides a list of configured BIC directory. You can configure the BIC directory using the BIC Directory Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click BIC Directory.
- 2. Under BIC Directory, click View BIC Directory.
 - \rightarrow The View BIC Directory screen is displayed.

Figure 11: View BIC Directory

View BIC Directory		$_{\mu}^{e}$ \times
९ c +		
Customer Number:	Customer Number:	
Sub Type Code:	Sub Type Code:	
BIC Code:	BIC Code:	
Bank Name:	Bank Name:	
Authorized 🔒 Open	Authorized 🔒 Open	

For more information on menus, refer to the field description table below. .

Field	Description	
Customer Number	Displays the number of the customer.	
Sub-type Code	Displays the sub-type code associated with the customer number.	
BIC Code	Displays the defined BIC code for the associated customer	
Bank Name	Displays the name of the bank.	
Status	Displays the status of the record.	



3.4.2 BIC Directory Maintenance

The maintenance screen allows you to configure a BIC directory for a customer. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click BIC Directory.
- 2. Under BIC Directory, click Create BIC Directory.
 - \rightarrow The Create BIC Directory screen is displayed.

Figure 12: Create BIC Directory

Create BIC Directory			1
New			
BIC Code *	Bank Name *	Customer Number	Customer Name
		٩,	Not Selected
Bank Address 1	Bank Address 2	Bank Address 3	SWIFT Key
Telex Key	SWIFT Key Arrangement	Relationship	Sub Type Code
	Ψ	No Mail Keys	0,
BEI Indicator	ADB Member		
Not Selected	Ŧ		
Payment Message			
MT103+ Preferred	Blacklisted	CUG Member	Remit Member
	\bigcirc	\bigcirc	\bigcirc
Update During Upload			
Multi-Customer Credit Transfer			
Multi-Customer Credit Transfer	Generate 102+	Maximum Size in Bytes	
Request for Transfer			
Generate MT101	Number of Transactions Per Page		
			Save Canoel
			June Canton

3. On **Create BIC Directory** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description			
BIC Code	Specify the unique BIC Code by which the bank is identified by SWIFT.			
Bank Name	Specify the name for the bank.			
Customer Number	Search and select the required customer number.			
Customer Name	Based on the Customer Number selected, the information is auto-populated.			
Bank Address 1-3	Based on the Customer Number selected, the information is auto-populated.			
SWIFT Key	Specify the swift key details.			
Telex Key	Specify the unique telex key for the BIC directory.			

Table 18: Create BIC Directory – Field Description



Field	Description			
SWIFT Key Arrangement	Select the SWIFT key arrangement from the drop-down list.			
Relationship	Select one of the following options:			
	 No: If selected, indicates that the BIC Entity is not a customer of your bank 			
	 Mail: If selected, the BIC entity is not a recognized SWIFT entity but an address internal to your bank. In such cases, all correspondence directed to the particular BIC entity is sent as mail messages. 			
	• Keys: If selected, a SWIFT/Telex connectivity exists between your bank and the bank for which you are maintaining details. Subsequently, you must specify the SWIFT/Telex Key in the adjacent field.			
Sub-type Code	Search and select the required sub-type code.			
BEI Indicator	Based on the Sub-type Code selected, the information is auto- populated.			
ADB Member	Select the ADB member from the drop-down list.			
Payment Message	Specify the payment message details.			
MT103+ Preferred	By default, this is disabled. If selected, indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format.			
Blacklisted	By default, this is disabled. If selected, indicates the BIC entity is blacklisted.			
CUG Member	By default, this is disabled. If selected, indicates the BIC entity is a closed user group member. Remit Member: By default, this is disabled. If selected, indicates the customer is registered with MT 103 extended remittance information multiple user group.			
Update During Upload	By default, this is disabled. If selected, updated the BIC directory during an upload.			
Multi-Customer Credit Transfer	Specify the Multi-Customer Credit Transfer details.			
Multi-Customer Credit Transfer	By default, this is disabled. If selected, indicates multiple credit transfer feature [MT102 support] exists between the bank and the BIC entity.			



Field	Description		
Generate 102+	By default, this is disabled. If selected, generates 102+ message.		
Maximum Size in Bytes	Specify the maximum size.		
Request for Transfer	Specify the Request for Transfer details.		
Generate MT101	By default, this is disabled. If selected, indicates MT101 can be sent/received from this BIC. Select to generate MT101 message.		
Number of Transactions Per Page	Specify the number of transactions to view per page. If you do not specify a value it is defaulted to 10.		
Real Customer Number	Search and select the required real customer number.		
Real Customer Name	Based on the Real Customer Number selected, the information is auto- populated.		

4. Click **Save**. You can view the configure BIC directory in the BIC Directory Summary.



3.5 Branch EOD

You can invoke End of Day (EOD) to indicate that all the activities for the day are complete. Activities can be performed on the system only after the system date is changed to the next working day and authorized.

Most of the automated functions are part of the beginning of day operations. Thereafter, some of them must be executed when the system is in the EOTI (End of Transaction Input) stage.

This section contains following subsections:

- 3.5.1 Branch EOD Summary
- 3.5.2 Branch EOD Maintenance
- 3.5.3 Branch EOD Invoke

3.5.1 Branch EOD Summary

The summary screen provides list of branch workflow mappings. You can configure branch workflow mapping using the Branch EOD Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click View EOD.

 \rightarrow The View EOD screen is displayed.

Figure 13: View EOD

View EOD					
९ с +					
Branch Code:		:	Branch Code:		÷
Maker: OnceAuthorized: Workflow Name:			Maker: OnceAuthorized: Workflow Name:		
Authorized	Open		Authorized	G Open	
Page 1 of 1 (1 - 2 of 2 ite	ms)	К < 1 >	К	

For more information on fields, refer to the field description table below.

Table 19: View EOD – Field Description

Field	Description			
Branch Code	Displays the branch code details.			
Workflow Name	Displays the name of the workflow.			
Status	Displays the status of the record.			



3.5.2 Branch EOD Maintenance

The maintenance screen allows you to create/configure the EOD workflow with a Branch. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click Configure EOD.
 - \rightarrow The **Configure EOD** screen is displayed.

Figure 14: Configure EOD

Configure EOD			
Branch Code *	Q	Description	Workflow Name *
			Save Cancel

3. On **Configure EOD** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 20: Configure EOD – Field Description

Field	Description		
Branch Code	Specify the branch code that is associated with the logged in user.		
Description	Displays the description of the branch.		
Workflow Name	Specify the workflow name that is already created.		

For more information on EOD Workflow creation and related terminologies please refer to **EOD Configuration Guide** of the respective products.



3.5.3 Branch EOD Invoke

The action screen allows you to invoke the branch EOD process as per branch and workflow mapping configured using Branch EOD Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click Invoke EOD.
 - → The Invoke EOD screen is displayed.

Figure 15: Invoke EOD

Invoke EOD		
Branch Code * Q. Start Burty Reset	Description	Current Branch Date
View End of Cycle Processes	Auto Refresh(15s)	
- MS-CHKAFTEREOTI	 EOD /CBATCH EOD /CBATCH 	

3. On **Invoke EOD** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 21: Invoke EOD – Field Description

Field	Description
Branch Code	Specify the branch code that is associated with the logged in user.
Description	Displays the description of the branch.
Current Branch Date	Displays the current branch date.

- Click Start to invoke EOD for selected branch and Click Refresh to view the current status of batch.
- 5. Click **Retry** to restart the EOD workflow from the failed task.

NOTE: Retry button will be enabled only if the failed task status is encountered.

- 6. Click **Reset** to clear the branch selected.
- 7. Click **Refresh** to view the current status of batch.
- 8. Mouse-hover on the task to view the relevant details such as Start time, End time and Error if any.

Table 22: EOD Task – Status Description

Status	Description
Green	Task is completed
Yellow	Task is in progress
Red	Task failed due to some error.
Grey	Task is scheduled but not executed
Diamond Shape	Task has reached a milestone stage where execution will be paused. Right-click on milestone stage and select "Proceed" to resume batch execution.

For more information on EOD stages, please refer to EOD Configurations Guide of the respective products.



3.6 Country Code

You can configure a country code.

This section contains following subsections:

- 3.6.1 Country Code Summary
- 3.6.2 Country Code Maintenance

3.6.1 Country Code Summary

The summary screen provides a list of configured country code. You can configure a country code using the Country Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Country Code.
- 2. Under Country Code, click View Country Code.

 \rightarrow The View Country Code screen is displayed.

Figure 16: View Country Code

View Currency Definition	
९ с +	
Currency Code:	Currency Code:
Currency Name: Alternate Currency Code: Country: Maintenance Country: Authorized Open	Currency Name: British Euro Alternate Currency Code: Country: Maintenance Country: Maintenance Country:

For more information on fields, refer to the field description table below.

Table 23: View Country Code – Field Description

Field	Description		
Country Code	Displays the country code details.		
Country Name	Displays the name of the country.		
ISO Numeric Code	Displays the ISO numeric code details of the country code.		
Status	Displays the status of the record.		



3.6.2 Country Code Maintenance

The maintenance screen allows you to configure a country code. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Country Code.
- 2. Under Country Code, click Create Country Code.
 - → The Create Country Code screen is displayed.

Figure 17: Create Country Code

Create Country Code			,* ×
New			
Country code *			
Country Name *	Alternate Country code *	Region Code	ISO Country code
ISD code	Limit Currency	Overall Limit *	Blacklist
EU Member	Generate 205	IBAN Check Required *	BIC Clearing Code
Intra European			
intra European			
			Save Cancel

3. On **Create Country Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 24: Create Country Code – Field Description

Field	Description
Country Code	Specify the country code.
Country Name	Specify the name of the country.
Alternate Country Code	Specify the alternate country code.
Region Code	Specify the region code.
ISO Country Code	Specify the ISO country code.
ISO Code	Specify the ISO code.
Limit Currency	Specify the limit currency.
Overall Limit	Specify the overall limit.



Field	Description
Blacklist	By default, this is disabled. If selected, indicates the country is blacklisted.
EU Member	By default, this is disabled. If selected, indicates the country is recognized by Swift as a part of the Intra European countries.
Generate 205	By default, this is disabled. If selected, indicates the cover message 205COV or 205 need to be generated for transactions involving this country. If you do not select this option, RTGS, 202 or 202COV message is generated.
IBAN Check Required	By default, this is disabled. If selected, indicates check required for an IBAN is mandatory.
BIC Clearing Code	By default, this is disabled. If selected, indicates the National ID in the BIC plus file is the clearing code. During upload of clearing codes from BIC plus file, the records belong to countries against which this box is selected.
Intra European	By default, this is disabled. If selected, indicates the country is an intra European country.

4. Click Save. You can view the configured country code details in the Country Code Summary.



3.7 Currency Definition

You can define the attributes of the currencies in which the bank can deal. For each currency, you can define attributes such as, the SWIFT code for the currency, the country the currency belongs, the interest method, the spot days, the settlement days, and so on.

Currencies can be maintained only at the Head Office. The list of currencies are available to the branches based on the currencies defined for the country linked to the branch.

This section contains following subsections:

- 3.7.1 Currency Definition Summary
- 3.7.2 Currency Definition Maintenance

3.7.1 Currency Definition Summary

The summary screen provides a list of defined currency. You can define a currency using the Currency Definition Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Definition.
- 2. Under Currency Definition, click View Currency Definition.

 \rightarrow The View Currency Definition screen is displayed.


Figure 18: View Currency Definition

Q C Currency Code: : Currency Name: Alternate Currency Code: Country: Maintenance Country: Maintenance Country: Currency Name: Authorized Open	View Currency Definition		
Currency Name: Currency Name: Alternate Currency Code: Alternate Currency Code: Country: Country: Maintenance Country: Maintenance Country:	< c +		
Alternate Currency Code: Alternate Currency Code: Country: Country: Maintenance Country: Maintenance Country:	Currency Code:	Currency Code:	
Country: Country: Maintenance Country: Maintenance Country:			
Maintenance Country: Maintenance Country:			
🗞 Authorized 🔒 Open	Maintenance Country:	Maintenance Country:	
	Authorized 🔒 Open	Authorized 🔒 Open	

For more information on fields, refer to the field description table below.

Table 25: View Currency Definition – Field Description

Field	Description
Currency Code	Displays the code of the currency.
Currency Name	Displays the name of the currency.
Alternate Currency Code	Displays the code of the alternate currency.





Field	Description
Country	Displays the country associated with the currency.
Maintenance Country	Displays the maintenance country.
Status	Displays the status of the record.

3.7.2 Currency Definition Maintenance

The maintenance screen allows you to define currency. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Definition.
- 2. Under Currency Definition, click Create Currency Definition.
 - $\rightarrow\,$ The Create Currency Definition screen is displayed.



Create Currency Definition							"* ×
New							
Currency Code *		Maintenance Country *					
		٩,					
Currency Name		Alternate Currency Code		Currency Type		ISO Numerical Currency Code	
Currency Country *		Currency Decimals *		Currency Interest Method *		Currency Spot Days *	
	0,	✓ A		contently interest method		V A	
Foreign Exchange Netting Days		Settlement Message Days *		Position GL		Position Equivalent GL	
	^	v A		Q.		Control Equivalent GC	
Currency Tolerance Limit		Index Base Currency		Commodity Code			
Cut Off Time							
Cut Off Days		Cut Off Hour *		Cut Off Min *		CLS Currency	
~	^	~ ^		~ ^		\bigcirc	
Generate 103+		Index Flag		Euro Conversion Required		New Cover Message Format Required	
\bigcirc		0		\bigcirc			
Validate Tag-50F							
Rounding							
_							
Currency Round Rule *		Currency Round Unit					
Currency Format Mask							
Currency Format Mask							
 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX							
0 0000000000							
Euro Type							
Currency Euro Type							
EURO Currency In Currency							
Out Currency							
C EUTO Closed							
Auto Exchange Rate							
Auto Exchange Rate Credit Auto Exchange Rate Limit		Debit Auto Exchange Rate Limit					
and a second second							
Currency Country Mapping							
			a				
	Country code		Country Name		Currency Code		
No data to display.							
Page 1 (0 of 0 items) K	< 1 > ×						
							Save Cancel
							and carde

Figure 19: Create Currency Definition

3. On **Create Currency Definition** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 26: Create Currency Definition – Field Description

Field	Description
Currency Code	Specify the currency code.
Maintenance Country	Search and select the required maintenance country.
Currency Name	Specify the name of the currency.
Alternate Currency Code	Specify the code of the alternate currency.
Currency Type	Specify the currency type.
ISO Numerical Currency Code	Specify the International Standardization Organization numerical currency code.
Currency Country	Search and select the required currency country.



Field	Description
Currency Decimals	Select the currency decimals.
Currency Interest Method	Select the currency interest method from the drop-down list.
Currency Spot Days	Select the number of spot working days applicable for the currency.
Foreign Exchange Netting Days	Select the number of days for the foreign exchange netting.
Settlement Message Days	Select the settlement message days.
Position GL	Search and select the required position GL.
Position Equivalent GL	Search and select the required position equivalent GL.
Currency Tolerance Limit	Specify the currency tolerance limit.
Index Base Currency	Search and select the required index base currency.
Commodity Code	By default, this is disabled. If selected, enables a commodity code.
Cut Off Time	Specify the cut off time details.
Cut Off Days	Select the cut off days for the payment transaction involving the currency.
Cut Off Hour	Select the hour of the day for the cut off.
Cut Off Min	Select the minute of the hour for the cut off.
CLS Currency	By default, this is disabled. If selected, allow customers of your bank to settle their FX deals via the CLS (Continuous Linked Settlements) Bank, you can identify the currency to be a CLS Currency. FX deals in the CLS currency is only eligible to be routed through the CLS bank.
Generate 103+	By default, this is disabled. If selected, generate outgoing MT 103 messages in the MT 103 + format.
Index Flag	By default, this is disabled. If selected, derives index rate of the currency.



Field	Description
Euro Conversion Required	By default, this is disabled. If selected, indicates the Euro conversion is required.
New Cover Message Format Required	By default, this is disabled. If selected, indicates a new cover message format is required.
Validate Tag-50F	By default, this is disabled. If selected, indicates validations must be performed for the 50F details captured for the ordering customer during contract input.
Rounding	Specify the Rounding details of currency.
Currency Round Rule	Select the currency round rule from the dropdown list.
Currency Round Unit	Select the currency round unit.
Currency Format Mask	Specify the currency format mask details.
Currency Format Mask	Select one of the currency format.
Euro Type	Specify the Euro Type details.
Currency Euro Type	Select one of the currency Euro type.
Auto Exchange Rate	Specify the Auto exchange rate details.
Credit Auto Exchange Rate Limit	Specify the credit automatic exchange rate limit.
Debit Auto Exchange Rate Limit	Specify the debit automatic exchange rate limit.
Currency Country Mapping	Specify the currency country mapping details.
Country Code	Search and select the required country code.
Country Name	Specify the name of the country.
Currency Code	Search and select the required currency code.



Cut Off Time

Refers to the time by which all transactions involving a currency should be generated. For a currency, you can indicate the cut-off hour and minute. This time should be expressed in the local time of the bank.

The maintenance of a cut-off time for a currency has particular reference to outgoing funds transfers involving it.

Example: The value date of a funds transfer transaction (incoming payment) involving USD, is 3rd June 2018. The number of cut-off days specified for the currency is 2. This means that the payment must be received on or before 1st June 2018. If the payment is received on 1st June, it must be received before the cut-off time specified for USD.

If the USD cut-off time is 1200 hrs, if the payment is received on 1st June 2018, it must be received before 1200 hrs.

4. Click Save. You can view the defined currency in the Currency Definition Summary.



3.8 Currency Exchange Rate

You can maintain exchange rates for a currency pair, the rates at which you buy and sell one currency for another. A bank determines its buy and sell rate for a currency pair by applying a spread (that is, its profit margin) to the mid-rate of the currency pair. Mid-rate is the basic rate at which a currency pair is exchanged.

The spread applied for a currency pair varies with the transaction type, while the mid-rate usually remains constant. Consequently, different rates are applicable to different transaction types. For instance dollars in currency are purchased at a certain rate, while USD traveler's checks are bought at a different rate. You can define a rate type which you would like to associate with a transaction type example: CASH, TRAVCHKS, and so on.

You can define the mid-rate, buy and sell spread applicable to each rate type; the buy and sell exchange rates are computed by the system. Buy rates and sell rates can either be maintained by individual branches or can be input by the HO and propagated to all the branches.

If the branch for which the rate is being uploaded or maintained is the head office branch, then the rate would be copied to all those branches that have the same country code as the head office branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch, but it has the same country code as the head office branch, then the rate being uploaded or maintained would be specific to the branch and would not be copied to any other branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch and also does not have the same country code as the head office branch, then the rate being maintained would be copied to all the branches that has the same country code linked as the branch for which the rate is being maintained or uploaded.

This section contains following subsections:

- 3.8.1 Currency Exchange Rate Summary
- 3.8.2 Currency Exchange Rate Maintenance

3.8.1 Currency Exchange Rate Summary

The summary screen provides a list of configured currency exchange rates. You can configure a currency exchange rate using the Currency Exchange Rate Maintenance. To process this screen, perform the following steps:

1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Exchange Rate.



2. Under Currency Exchange Rate, click View Currency Exchange Rate.

→ The View Currency Exchange Rate screen is displayed.

Figure 20: View Currency Exchange Rate

For more information on fields, refer to the field description table below.

Table 27: View Currency Exchange Rate – Field Description

Field	Description
Branch Code	Displays the code of the branch.
Currency 1-2	Displays the currency associated with the branch code
Status	Displays the status of the record.



3.8.2 Currency Exchange Rate Maintenance

The maintenance screen allows you to configure a currency exchange rate. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Exchange Rate.
- 2. Under Currency Exchange Rate, click Create Currency Exchange Rate.
 - → The Create Currency Exchange Rate screen is displayed.

Figure 21: Create Currency Exchange Rate

Create Cu	rrency Exchange Rate							$_{\mu}^{e}$ \times
New								
Branch code			Currency1 *		Currer	ncy2 *		
	٩,			٩,				
Currency	Rate							
								+ -
	Rate Type	Buy Rate	Buy Spread	Mid Rate	Sale Spread	Sale Rate	Rate Date	
	to display.							
Page 1	(0 of 0 items) K < 1 >	K						
							Save	Cancel

3. On Create Entity screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 28: Create Currency Exchange Rate – Field Description

Field	Description
Branch Code	Search and select the required branch code.
Currency 1	Search and select the required currency.
Currency 2	Search and select the required currency.
Currency Rule	Specify the currency rule details.
Rate Type	Select a rate type from the drop-down list.
Buy Rate	Specify the buy rate details.
Buy Spread	Specify the buy spread details.
Mid Rate	Specify the mid-rate details.



Field	Description
Sale Spread	Specify the sale spread details.
Sale Rate	Specify the sale rate details.
Rate Date	Select a rate date from the drop-down calendar.

4. Click **Save**. You can view the configured currency exchange rate details in the Currency Exchange Rate Summary.

3.9 Currency Holiday Master

You can configure a yearly list of holidays, for the currencies, defined in the currency screen. The system uses the information maintained to check if any settlement involving a foreign currency (in the foreign Exchange, Money market, and Funds Transfer, Loans and Deposit modules) falls on that currency's holiday. If yes, the system displays a message stating and ask the user for an override.

For any schedule or contract maturing at a future date, five years hence, you can input the future date, only if the calendar for that year is maintained. The currency holiday is maintained at the bank level by the Head Office.

This section contains following subsections:

- 3.9.1 Currency Holiday Master Summary
- 3.9.2 Currency Holiday Master Maintenance

3.9.1 Currency Holiday Master Summary

The summary screen provides a list of configured currency holiday. You can configure a currency holiday using the Currency Holiday Master Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Holiday Master.
- 2. Under Currency Holiday Master, click View Currency Holiday Master.
 - → The View Currency Holiday Master screen is displayed.



Figure 22: View Currency Holiday Master

/iew Currency H	loliday Master				
९ с +					
Currency:		:	Currency:		
Weekly Holidays: Year:			Weekly Holidays: Year:		
Authorized	🔒 Open		Authorized	P Open	
Page 1 of 1	(1 - 7 of 7 iten	ns)	К < 1 >	к	

For more information on fields, refer to the field description table below.

Table 29: View Currency Holiday Master – Field Description

Field	Description
Currency	Displays the currency details.
Weekly Holidays	Displays the weekly holidays associated with the currency.
Status	Displays the status of the record.



3.9.2 Currency Holiday Master Maintenance

The maintenance screen allows you to configure a currency holiday. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Holiday Master.
- 2. Under Currency Holiday Master, click Create Currency Holiday Master.
 - → The Create Currency Holiday Master screen is displayed.

Figure 23: Create Currency Holiday Master

Creat	e Cur	rency	/ Hol	iday I	Maste	er																							ŝ	,," ×
Nev																														
Currer	ю					٩,		Y	ear *								We	eekly H	Holida	ays										
		anua	ary	201	8			F	ebru	lary	201	.8				Mar	ch	2018	3				Apr	il 2	2018					
S	М	Τ	W	Т	F	S	S	М	Т	W	Т	F	S	S	М	Т	W	Ţ	F	S	S	М	Т	W	Т	F	S			
	1	2	3	4	5	6					1	2	3					1	2	3	1	2	3	4	5	6	7			
7	8	9	10	11	12	13	4	5	6	7	8	9	10	4	5	6	7	8	9	10	8	9	10	11	12	13	14			
14	15	16	17	18	19	20	11	12	13	14	15	16	17	11	12	13	14	15	16	17	15	16	17	18	19	20	21			
21	22	23	24	25	26	27	18	19	20	21	22	23	24	18	19	20	21	22	23	24	22	23	24	25	26	27	28			
28	29	30	31				25	26	27	28				25	26	27	28	29	30	31	29	30								
		Ma	y 2	2018					Jun	e 2	018					Jul	/ 2	018					Augu	ust	2018	3				
S	М	Т	W	T	F	S	S	М	Ť	W	Т	Ē	S	S	М	Ť	W	Ť	F	S	S	М	Т	W	T	F	S			
																												Save	G	ancel

3. On **Create Currency Holiday Master** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Currency	Search and select the required currency.	
Year	Specify the year details.	
Weekly Holidays	By default, this is disabled. If selected, indicates the weekly holidays.	

- 4. Select the dates using the calendar. The selected dates appear in blue highlighted circle.
- 5. Click **Save**. You can view the configured currency holidays in the Currency Holiday Master Summary.



3.10 Currency Pair Definition

In the foreign exchange markets, the exchange rates for some currency pairs such as the USD-GBP or USD-JPY are easily obtainable, since these are frequently traded. The exchange rates of other currencies such as the ZAR-INR (South African Rand - Indian Rupee), which is not traded very often, is determined through a third currency. The third currency is usually the US dollar, since the US dollar is quoted in all trading centers.

You can define the static attributes of currency pairs for which a regular market quote is readily available. For other pairs, which do not have a regular market quote, you need to specify the third currency through which the system should compute the exchange rate. The currency pair is maintained at the bank level by the Head Office branch.

This section contains following subsections:

- 3.10.1 Currency Pair Definition Summary
- 3.10.2 Currency Pair Definition Maintenance


3.10.1 Currency Pair Definition Summary

The summary screen provides a list of define a currency pair. You can define a currency pair using the Currency Pair Definition Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Pair Definition.
- 2. Under Currency Pair Definition, click View Currency Pair Definition.
 - → The View Currency Pair Definition screen is displayed.

Figure 24: View Currency Pair Definition

View Currency Pair Definition		
९ с +		
Maintenance Country:	Maintenance Country:	÷
Number of Units: Currency 1: Currency 2:	Number of Units: Currency 1: Currency 2:	
Authorized 🔒 Open	Authorized 🔒 Open	





For more information on fields, refer to the field description table below.

Field	Description	
Maintenance Country	Displays the maintenance country details.	
Number of Units	Displays the number of units.	
Currency 1-2	Displays the currency associated with the country.	
Status	Displays the status of the record.	

 Table 31: View Currency Pair Definition – Field Description

3.10.2 Currency Pair Definition Maintenance

The maintenance screen allows you to define currency pair. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Pair Definition.
- 2. Under Currency Pair Definition, click Create Currency Pair Definition.

→ The Create Currency Pair Definition screen is displayed.

Figure 25: Create Currency Pair Definition

Create Currency Pair Definition				$_{\mu}r' \times$
New				
Currency 1	Currency 2	2,	Maintenance Country	
Checkthrough Currency	Through Currency	Number of Units One Hundred Thousand	Points Muttiplier	
Quotation *	Sprad Definition * O Percentage Percentage Points			
			Sav	e Cancel

3. On **Create Currency Pair Definition** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.



Field	Description	
Currency 1-2	 Search and select the required currency. A currency pair (specified as currency 1 and currency 2, in the currency pair) represents the two currencies for which you need to maintain exchange rates. To specify the pair, choose from the list provided against Currency 1. Select the pair for which you want to maintain parameters. The pair must be selected according to the quotation method followed by the market, which can be direct or indirect. 	
	Exchange rates can be defined for currency 1 against currency 2 or currency 2 against currency 1.	
Maintenance Country	Search and select the required maintenance country.	
Check through Currency	By default, this is disabled. If selected, indicates a check through currency.	
Through Currency	Search and select the required through currency for which the exchange rate between the currencies must be calculated.	
Number of Units	Select one of the number of units.	
Points Multiplier	Select the points multiplier.	
Quotation	Select one of the required quotation:	
	• Direct method the exchange rate for the currency pair is quoted as follows: Buy rate = mid rate - buy spread	
	Sell rate = mid rate + sell spread	
	 Ccy 1 = Rate x Ccy 2 Indirect method the exchange rate for the currency pair is quoted as follows: Buy rate = mid rate + buy spread 	
	Sell rate = mid rate - sell spread	
	Ccy 2 = Rate x Ccy 1	
Spread Definition	Select one spread definition. The effective spread can be calculated using any of the following two methods:	
	 Percentage: Spread/100 x mid rate Points: Spread x points multiplier 	
	Points: Spread x points multiplier	



Field	Description
	The method of spread definition that you specify applies to two instances:
	While maintaining exchange rates for the currency pair
	While maintaining customer spread for the currency pair

4. Click **Save**. You can view the defined currency pair details in the Currency Pair Definition Summary.

3.11 Currency Rate Type

You can configure a currency rate type.

This section contains following subsections:

- 3.11.1 Currency Rate Type Summary
- 3.11.2 Currency Rate Type Maintenance

3.11.1 Currency Rate Type Summary

The summary screen provides a list of configured currency rate type. You can configure a currency rate type using the Currency Rate Type Maintenance. To process this screen, perform the following steps:

- From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Rate Type.
- 2. Under Currency Rate Type, click View Currency Rate Type.

→ The View Currency Rate Type screen is displayed.

Figure 26: View Currency Rate Type

View Currency Rate Type		, 1 ⁴	×
< c +			
Currency Rate Type:	Currency Rate Type:		
Description:	Description:		
Authorized 🔒 Open	Company Authorized Den		

For more information on fields, refer to the field description table below.

 Table 33: View Currency Rate Type – Field Description

Field	Description	
Currency Rate Type	Displays the currency rate type.	
Description	Displays additional information about the currency rate type.	



Status

Displays the status of the record.

3.11.2 Currency Rate Type Maintenance

The maintenance screen allows you to configure currency rate type. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Rate Type.
- 2. Under Currency Rate Type, click Create Currency Rate Type.

→ The Create Currency Rate Type screen is displayed.

Figure 27: Create Currency Rate Type

Create Currency Rate Type		," ×
New		
Currency Rate Type *		
Currency Rate Type Description		>
	Save Ca	incel

3. On **Create Currency Rate Type** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 34: Create Currency Rat	te Type – Field Description
-------------------------------	-----------------------------

Field	Description
Currency Rate Type	Specify the currency rate type.
Currency Rate Type Description	Specify additional information about the currency rate type.

4. Click **Save**. You can view the configured currency rate type details in the Currency Rate Type Summary.



3.12 Customer Category

You can configure a customer category.

This section contains following subsections:

- 3.12.1 Customer Category Summary
- 3.12.2 Customer Category Maintenance

3.12.1 Customer Category Summary

The summary screen provides a list of configured customer category. You can configure a customer category using the Customer Category Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Category.
- 2. Under Customer Category, click View Customer Category.
 - \rightarrow The View Customer Category screen is displayed.

Figure 28: View Customer Category

View Customer Category		$_{\mu }^{_{1\ell }}\times$
् c +		
Customer Category:	Customer Category:	
Description:	Description:	
Authorized 🔒 Open	C Authorized 🔒 Open	

For more information on fields, refer to the field description table below.

Field	Description
Customer Category	Displays the customer category.
Description	Displays additional information about the customer category.
Status	Displays the status of the record.



3.12.2 Customer Category Maintenance

The maintenance screen allows you to configure a customer category. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Category.
- 2. Under Customer Category, click Create Customer Category.
 - \rightarrow The Create Customer Category screen is displayed.

Figure 29: Create Customer Category


Create Customer Category			$_{\mu^{n'}}$ \times
New			
Customer Category *			
Customer Category Description	Populate Changes		
		Save	Cancel

3. On **Create Customer Category** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 36: Create Customer Category – Field Description

Field	Description
Customer Category	Specify the customer category.
Customer Category Description	Specify the additional information about the customer category.
Populate Changes	By default, this is disabled. If selected, displays the changes.

4. Click **Save**. You can view the configured customer category details in the Customer Category Summary.





3.13 ECA System

You can configure the External Credit Approval (ECA) system.

This section contains following subsections:

- 3.13.1 ECA System Summary
- 3.13.2 ECA System Maintenance

3.13.1 ECA System Summary

The summary screen provides a list of configured ECA system. You can configure the ECA system details using the ECA System Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click ECA System.
- 2. Under ECA System, click View ECA System.

 \rightarrow The View ECA System screen is displayed.

Figure 30: View ECA System

View ECA System					
९ с +					
Description:		÷	Description:		÷
ECA System:			ECA System:		
Authorized	Open		Authorized	🔒 Open	

For more information on fields, refer to the field description table below.

Table 37: View ECA System –	Field Description
-----------------------------	-------------------

Field	Description
Description	Displays any additional information of the ECA system.
ECA System	Displays the name of the ECA system.
Status	Displays the status of the record.



3.13.2 ECA System Maintenance

The maintenance screen allows you to configure ECA system details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click ECA System.
- 2. Under ECA System, click Create ECA System.
 - → The Create ECA System screen is displayed.

Figure 31: Create ECA System

Create ECA System		$\mu^{a^{\prime}}$ \times
New		
Source System *	Description	
		Save Cancel

3. On **Create ECA System** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 38:	Create ECA	System - Field	Description
-----------	------------	----------------	-------------

Field	Description
Source System	Specify the source system.
Description	Specify the additional information about the ECA system.

4. Click Save. You can view the configure ECA system details in the ECA System Summary.



3.14 External Bank Parameters

You can configure bank level parameters.

This section contains following subsections:

- 3.14.1 External Bank Parameters Summary
- 3.14.2 External Bank Parameters Maintenance

3.14.1 External Bank Parameters Summary

The summary screen provides a list of configured external bank parameters. You can configure the external bank parameters using the External Bank Parameters Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Bank Parameters.
- 2. Under External Bank Parameters, click View External Bank Parameters.
 - → The View External Bank Parameters screen is displayed.

Figure 32: View External Bank Parameters

View External Bank Parameters		$_{\mu^{k'}} \times$
९ с +		
Head Office branch:	Head Office branch:	
Maker:	Maker:	
OnceAuthorized:	OnceAuthorized:	
Bank Code:	Bank Code:	
Bank Name:	Bank Name:	
Authorized 🔒 Open	🔁 Authorized 🔒 Open	

For more information on fields, refer to the field description table below.

Field Description	
Head Office BranchDisplays the head office branch details.	
Maker Displays the name of the user who has configured the bank	
Once Authorized	Indicates if the record is authorized once or not.
Bank Code	Displays the code of the bank.
Bank Name	Displays the name of the bank.
Status	Displays the status of the record.

Table 39: View External Bank Parameters – Field Description



3.14.2 External Bank Parameters Maintenance

The maintenance screen allows you to configure external bank parameters. The Bank Code will be auto-created for an entity when the entity is created. Please refer the **View External Bank Parameters** screen for the bank code created. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Bank Parameters.
- 2. Under External Bank Parameters, click Create External Bank Parameters.
 - → The Create External Bank Parameters screen is displayed.

Create External Bank Parameters		,, ^e ×
New		
Bank Code *	Bank Name	
Head Office Branch	Branch Description	
٩	Not Selected	
No of Days to Forget Customer		
		Save Cancel

Figure 33: Create External Bank Parameters

3. On **Create External Bank Parameters** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Bank Code	Specify the code for the bank.
Bank Name	Specify the name of the bank.
Head Office Branch	Search and select the required head office branch.
Branch Description	Based on the Head Office Branch selected, the information is auto-populated.
Number of Days to Forget Customer	Specify the number of days to inactive/forget the customer.



4. Click **Save**. You can view the configure core bank parameter details in the External Bank Parameters Summary.

3.15 External Branch Parameters

You can configure branch level parameters.

This section contains following subsections:

- 3.15.1 External Branch Parameters Summary
- 3.15.2 External Branch Parameters Maintenance

3.15.1 External Branch Parameters Summary


The summary screen provides a list of configured external branch parameters. You can configure the external branch parameters using the External Branch Parameters Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Branch Parameters.
- 2. Under External Branch Parameters, click View External Branch Parameters.

→ The View External Branch Parameters screen is displayed.

Figure 34: View External Branch Parameters

View External Branch Parameters		$_{\mu}e^{\mu}$ \times
९ с +		
Branch Code:	Branch Code:	
Branch Name: Local Currency: Source Branch Code:	Branch Name: Local Currency: Source Branch Code:	
凌 Authorized 🔒 Open	💫 Authorized 🔒 Open	





For more information on fields, refer to the field description table below.

Field Description	
Branch Code Displays the code of the branch associated with the bank.	
Branch Name	Displays the name of the branch associated with the bank.
Local Currency Displays the local currency details.	
Source Branch Code	Displays the code of the source branch.
Status	Displays the status of the record.

 Table 41: View External Branch Parameters – Field Description

NOTE: The Branch Parameters for the Head Office (HO) Branch of the entity will get autocreated when the entity is defined in the Multi-Entity Maintenance. Further changes/configuration of the HO Branch can be performed by modifying the record for the HO Branch's Parameterrs

3.15.2 External Branch Parameters Maintenance

The maintenance screen allows you to configure the branch parameters. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Branch Parameters.
- 2. Under External Branch Parameters, click Create External Branch Parameters.
 - → The Create External Branch Parameters screen is displayed.



Figure	35:	Create	External	Branch	Parameters
i igaio		0.0410	Extornal	Branon	

Create External Branch Parameters			, × ×
Tarpa			
Branch Details			
tranch Code *	Branch Name *	Local Currency * Source System	
iource Branch Code *			
Branch Address			
Address Line 1	Address Line 2	Address Line 3	
Other Details		SWIFT Address	
lost Code *	Country Code	*	
0,	Not Selected	SWIFT Address * Default BIC	
fost Name	Walk-in Customer	No data to display.	
	٩		
Veekly Holiday 1	Weekly Holiday 2		
*	*		
Auto Authorization	Report DSN		
SN Name			
		Page 1 (0 of 0 items) 📧 < 1 > >	
			-

3. On **Create External Branch Parameters** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Branch Details	Specify the branch details.
Branch Code	Specify a branch code.
Branch Name	Specify a name for the branch.
Local Currency	Search and select the required local currency.
Source System	Search and select the required source system.
Source Branch Code	Specify a source branch code.
Branch Address	Specify the branch address details.
Address Line 1-3	Specify the address details.
Other Details	Specify the other details.
Host Code	Search and select the required host code.
Country Code	Based on the Host Code selected, the information is auto-populated.
Host Name	Specify the name for the host.

Table 42: Create External Branch Parameters – Field Description



Field	Description	
Walk-in Customer	Search and select the required walk-in customer.	
Weekly Holiday 1-2	Select a weekly holiday from the dropdown list.	
	Note There are two days of weekly holiday depending on the geographical zone.	
	 Auto Authorization: By default, it is disabled. If selected, the record is automatically authorized. 	
	Report DSN: Specify the details of the report DSN.	
Swift Address	Specify the swift address details.	
SWIFT Address	Search and select the required SWIFT address.	
Default BIC	If selected, indicates the selected SWIFT address as the default BIC.	

4. Click **Save**. You can view the configure branch parameter details in the External Branch Parameters Summary.



3.16 External Chart Account

You can configure an external chart.

This section contains following subsections:

- 3.16.1 External Chart Account Summary ٠
- 3.16.2 External Chart Account Maintenance •

3.16.1 External Chart Account Summary

The summary screen provides a list of configured external chart accounts. You can configure an external chart account using the External Chart Account Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click View External Chart Account.
 - → The View External Chart Account screen is displayed.

Figure 36: View External Chart Account

View External Chart Account		$_{\mu^{k'}}$ \times
९ с +		
General Ledger Code:	General Ledger Code:	
Source System: Source System GL Code:	Source System: Source System GL Code:	
Authorized 🔒 Open	💫 Authorized 🔒 Open	

For more information on fields, refer to the field description table below.

	•
Field	Description
Conorol Lodger Code	Displays the code of the general ledger

Field	Description
General Ledger Code	Displays the code of the general ledger.
Source System	Displays the source system.
Source System GL Code	Displays the GL code of the source system.
Status	Displays the status of the record.



3.16.2 External Chart Account Maintenance

The maintenance screen allows you to configure external chart accounts. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Create External Chart Account.
 - → The Create External Chart Account screen is displayed.

Figure 37: Create External Chart Account

Create External Chart Account				,, ⁴ ×
New				
General Ledger Code				
General Ledger Description	Source System	Source System GL Code	Category +	
Blocked				
				Save Cancel
				Carrier

3. On **Create External Chart Account** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description
General Ledger Code	Specify the general ledger code.
General Ledger Description	Specify the additional information about the general ledger.
Source System	Search and select the required source system.
Source System GL Code	Specify the source system GL code.
Category	Select the category from the drop-down list.
Blocked	By default, this is disabled. If selected, indicates the external chart account is blocked.

Table 44: Create External Chart Account – Field Description

4. Click **Save**. You can view the configured external chart details in the External Chart Account Summary.



3.17 External Customer

You can configure the external customer details.

This section contains following subsections:

- 3.17.1 External Customer Summary
- 3.17.2 External Customer Maintenance

3.17.1 External Customer Summary

The summary screen provides a list of configured external customer details. You can configure the external customers using the External Customer Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer.
- 2. Under External Customer, click View External Customer.
 - → The View External Customer screen is displayed.

Figure 38: View External Customer

 C + Customer Name: ∴ Control = Contro		
Customer Name: . Co		
· · · · · · · · · · · · · · · · · · ·	Eustomer Name:	
Source System: So	ource System:	
	ustomer Type:	
	ustomer Number:	
Source Customer ID: So	ource Customer ID:	
👌 Authorized 🔒 Open	💫 Authorized 🔒 Open	

For more information on fields, refer to the field description table below.

Table 45: View Externa	Il Customer – Field Descripti	on

Field	Description
Customer Name	Displays the name of the customer.
Source System	Displays the source system details.
Customer Type	Displays the type of the customer.
Customer Number	Displays the customer number associated with the customer name.
Source Customer ID	Displays the source of the customer ID associated with the customer name.
Status	Displays the status of the record.



3.17.2 External Customer Maintenance

The maintenance screen allows you to configure the external customer details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer.
- 2. Under External Customer, click Create External Customer.
 - \rightarrow The Create External Customer screen is displayed.

Figure 39: Create External Customer

Create External Customer			× *4
Customer Details			
Customer Number *	Customer Name *	Short Name	CustomerType
Source Customer ID *	Source System "	Customer Category	Individual Corpora. Bank Relationship Manager ID
	9	Q.	
Address			
Address Line 1	Address Line 2	Address Line 3	Address Line 4
Country	Postal Code		
٩,			
Other Details			
	Frozen	Whereabouts Unknown	Sanction Check Required
Walk-in Customer	Frozen	Language *	Nationality
		٩,	٩
			Save Cancel

3. On **Create External Customer** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 46: Create External Customer – Field Description

Field	Description
Customer Details	Specify the customer details.
Customer Number	Specify the number for the customer.
Customer Name	Specify the name for the customer.
Short Name	Specify the short name for the customer.



Field	Description
Customer Type	Select one of the options:
	 Individual: If selected, the customer is an individual customer.
	Corporate: If selected, the customer is a corporate customer.
	• Bank: If selected, the customer is a bank employee.
Source Customer ID	Specify the source customer ID.
Source System	Search and select the required source system.
Customer Category	Search and select the required customer category.
Relationship Manager ID	Specify the relationship manager ID.
Address	Specify the address details.
Address Line 1-4	Specify the customer address details.
Country	Search and select the required country.
Other Details	Specify the other details.
Postal Code	Specify the postal code details.
Deceased	By default, this is disabled. If selected, indicates the customer is deceased.
Frozen	By default, this is disabled. If selected, indicates the customer account is frozen.
Whereabouts Unknown	By default, this is disabled. If selected, indicates the customer's whereabouts are unknown.
Sanction Check Required	By default, this is disabled. If selected, indicates the sanction check is required.
Walk-in Customer	By default, this is disabled. If selected, indicates a walk-in customer.
Staff	By default, this is disabled. If selected, indicates a staff customer.



Field	Description	
Language	Search and select the required language.	
Nationality	Search and select the required nationality.	

4. Click **Save**. You can view the configured external customer details in the External Customer Summary. In addition, the external customers can be directly replicated from the host system using service API.

3.18 External Customer Account

You can configure the external customer account details.

This section contains following subsections:

- 3.18.1 External Customer Account Summary
- 3.18.2 External Customer Account Maintenance

3.18.1 External Customer Account Summary


The summary screen provides a list of configured external customer accounts. You can configure the external customer accounts using the External Customer Account Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account.
- 2. Under External Customer Account, click View External Customer Account.

→ The View External Customer Account screen is displayed.

Figure 40: View External Customer Account

Q C Customer Account Number: :
Customer Account Number:
Customer Number: Customer Number: Account Name: Account Name:
🖒 Authorized 🔒 Open 📄 Authorized 🔒 Open





Field	Description
Customer Number	Displays the customer number associated with the account name.
Customer Account Number	Displays the customer account number associated with the account name.
Account Name	Displays the name of the account.
Status	Displays the status of the record.

Table 47: View External Customer Account – Field Description

3.18.2 External Customer Account Maintenance

The maintenance screen allows you to configure external customer account details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account.
- 2. Under External Customer Account, click Create External Customer Account.

→ The Create External Customer Account screen is displayed.

Figure 41: Create External Customer Account

Create External Customer Account			, _p e ×
New			
Account Details			
Customer Account Number *	Account Name *	Customer Number *	Customer Name Not Selected
Account Class	Account Currency *	Source Account Branch *	Source Customer Account *
Nostro Account 👻	٩,	٩,	
Account IBAN			
Address			
Address Line 1	Address Line 2	Address Line 3	Address Line 4
Country			
Other Details			
No Credit Dormant Account Open Date	No Debit	Biocked Enternal Credit Approval System *	Freen Non Code *
			Save Cancel

3. On **Create External Customer Account** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.






Table 48: Create External Customer Acc	count – Field Description
--	---------------------------

FieldDescriptionAccount DetailsSpecify the account details.Customer Account NumberSpecify the customer account number.Account NameSpecify the name for an account.Customer NumberSearch and select the required customer number.Customer NameBased on the Customer Number selected, the information is auto-populated.Account CurrencySearch and select the required account currency.Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto-populated.AddressSpecify the address details.AddressSpecify the address details.AddressSpecify the address details.Address Line 1-4Specify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.		
Customer Account NumberSpecify the customer account number.Account NameSpecify the name for an account.Customer NumberSearch and select the required customer number.Customer NameBased on the Customer Number selected, the information is auto-populated.Account CurrencySearch and select the required account currency.Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto-populated.AddressSpecify the address details.AddressSpecify the address details.AddressSpecify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.	Field	Description
Account NameSpecify the name for an account.Customer NumberSearch and select the required customer number.Customer NameBased on the Customer Number selected, the information is auto-populated.Account CurrencySearch and select the required account currency.Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto-populated.AddressSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.	Account Details	Specify the account details.
Customer NumberSearch and select the required customer number.Customer NameBased on the Customer Number selected, the information is auto-populated.Account CurrencySearch and select the required account currency.Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto-populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.	Customer Account Number	Specify the customer account number.
Customer NameBased on the Customer Number selected, the information is auto-populated.Account CurrencySearch and select the required account currency.Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto-populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Account Name	Specify the name for an account.
auto-populated.Account CurrencySearch and select the required account currency.Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto- populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.	Customer Number	Search and select the required customer number.
Account ClassSelect the account class from the drop-down list.Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto- populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Customer Name	
Source Account BranchSearch and select the required source account branch.Source Customer AccountBased on the Source Account Branch selected, the information is auto- populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Account Currency	Search and select the required account currency.
Source Customer AccountBased on the Source Account Branch selected, the information is auto- populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Account Class	Select the account class from the drop-down list.
is auto- populated.Account IBANSpecify the account IBAN details.AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Source Account Branch	Search and select the required source account branch.
AddressSpecify the address details.Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account does not have any debit facility.FrozenBy default, this is disabled. If selected, indicates the account status is blocked.	Source Customer Account	
Address Line 1-4Specify the address details.CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Account IBAN	Specify the account IBAN details.
CountrySearch and select the required country.Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Address	Specify the address details.
Other DetailsSpecify the other details.No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Address Line 1-4	Specify the address details.
No CreditBy default, this is disabled. If selected, indicates the account does not have any credit facility.No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Country	Search and select the required country.
No DebitBy default, this is disabled. If selected, indicates the account does not have any debit facility.BlockedBy default, this is disabled. If selected, indicates the account status is blocked.FrozenBy default, this is disabled. If selected, indicates the account	Other Details	Specify the other details.
Blocked By default, this is disabled. If selected, indicates the account status is blocked. Frozen By default, this is disabled. If selected, indicates the account	No Credit	
Frozen By default, this is disabled. If selected, indicates the account	No Debit	
	Blocked	
	Frozen	



Field	Description
Dormant	By default, this is disabled. If selected, indicates the account status is dormant.
External Credit Approval Required	By default, this is disabled. If selected, indicates ECA check is required for the external customer account.
External Credit Approval System	Search and select the required external credit approval system.
Host Code	Specify the host code details.
Account Open Date	Select an effective date for the account from the dropdown calendar.

 Click Save. You can view the configured external customer account details in the External Customer Account Summary. In addition, the external customer accounts can be directly replicated from the host system using service API.



3.19 External Customer Account Structured Address

You can configure the external customer account structured address details.

This section contains following subsections:

- 3.19.1 View External Customer Account Structured Address
- 3.19.2 Create External Customer Account Structured Address

3.19.1 View External Customer Account Structured Address

The summary screen provides a list of configured external customer account structured addresses. You can configure the external customer account structured address using the Create External Customer Account Structured Address. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account Structured Address.
- 2. Under External Customer Account Structured Address, click View External Customer Account Structured Address.
 - → The View External Customer Account Structured Address screen is displayed.

Figure 42: View External Customer Account Structured Address

View External Cust	tomer Accour	nt Structure	d Address		
९ с +					
Customer Number:		: Custo	omer Number:		:
Town Name: Country:		Town	Name: trv:		
Unauthorized	🄒 Open		Authorized	🔒 Open	

For more information on fields, refer to the field description table below.

Table 49: View External Customer Account Structured Address – Field Description

Field	Description
Customer Number	Displays the customer number.
Town Name	Displays the town name of the customer.
Country	Displays the country of the customer.



3.19.2 Create External Customer Account Structured Address

The maintenance screen allows you to configure external customer account structured address. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account Structured Address.
- 2. Under External Customer Account Structured Address, click Create External Customer Account Structured Address.
 - → The Create External Customer Account Structured Address screen is displayed.

Figure 43: Create External Customer Account Structured Address

Create External Customer Account Structured Address					
New					
Customer Account *	Account Name *				
Structured Address					
Department	Sub Department	Street Name	Building Number		
Building Name	Floor	Post Box	Room		
Post Code	Town Name	Town Location Name	District Name		
Country Sub Division	Country	0			
			Sav	e Cancel	

3. On **Create External Customer Account Structured Address** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 50: Create External Customer Account Structured Address – Field Description

Field	Description
Account Details	Specify the account details.
Customer Account	Search and select the required customer account.
Account Name	Specify the name for an account.
Structured Address	Specify the structured address details.
Department	Specify the department.
Sub Department	Search and select the required country.
Street Name	Specify the street name.



Field	Description
Building Number	Specify the building number.
Building Name	Specify the building name.
Floor	Specify the floor.
Post Box	Specify the post box details.
Room	Specify the room number.
Post Code	Specify the post code.
Town Name	Specify the town name.
Town Location Name	Specify the town location name.
District Name	Specify the district name.
Country Sub Division	Specify the country sub division.
Country	Specify the country name.

4. Click **Save**. You can view the configured external customer structured address details in View External Customer Account Structured Address.



3.20 External Virtual Account Structured Address

You can view the external virtual account structured address details.

This section contains following subsections:

• 3.20.1 View External Virtual Account Structured Address

3.20.1 View External Virtual Account Structured Address

The summary screen provides a list of configured virtual account structured addresses. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Virtual Account Structured Address.
- 2. Under External Virtual Account Structured Address, click View External Virtual Account Structured Address.
 - → The View External Virtual Account Structured Address screen is displayed.

Customer Number: : Customer Number: : Town Name: Country: Country: Country: Country: Country: Authorized Open	Vie	ew External Virtual Account St	ructured Address	
Town Name: Country: Country:	Q	c		
Country: Country:	C	ustomer Number:	Customer Number:	:
🗞 Authorized 🔒 Open				
		Authorized 🔒 Open	Authorized 🔒 Ope	n


Figure 44: View External Virtual Account Structured Address

For more information on fields, refer to the field description table below.

Table 51: View External Virtual Account Structured Address – Field Description

Field	Description	
Customer Number	Displays the customer number.	
Town Name	Displays the town name.	
Country	Displays the country name.	

Click on the specific tile to view the structured address details.





3.21 Forget Process

The Personally identifiable information (PII) is any data that could potentially identify a specific individual. PII data access can be controlled based on the user role and you can configure details of a customer who wants to be forgotten if the customer withdraws/does not avail the virtual account facility.

This section contains following subsections:

- 3.21.1 Forgotten Customers Summary
- 3.21.2 Forget Customer Maintenance

3.21.1 Forgotten Customers Summary

The summary screen provides a list of configured customer to be forgotten. You can configure a customer detail who wants to be forgotten using the Forget Customer Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Forget Process.
- 2. Under Forget Process, click View Forgotten Customer.

 \rightarrow The View Forgotten Customer screen is displayed.

Figure 45: View Forgotten Customers

View Forgotten C	Customers					
ч с +						
Process Type:		Process Type:	:			
Process ID:		Process ID:				
Maker:		Maker:				
Authorized	P Open	Unauthorized	🔒 Open			

For more information on fields, refer to the field description table below.

Table 52: View Forgotten Customers – Field Description

Field	Description
Process Type	Indicates if the process is initiated by the customer/bank
Process ID	Displays the forgotten customer's process ID.
Maker	Displays the name of the user who has configured the forgotten customer details.
Status	Displays the status of the record.



3.21.2 Forget Customer Maintenance

The maintenance screen allows you to configure a customer to be forgotten. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Forget Process.
- 2. Under Forget Process, click Forget Customer.
 - \rightarrow The Forget Customer screen is displayed.

Figure 46: Forget Customer

Forget Customer		"* ×
New		
Forget Customer Process ID *	Forget Customer Process Type Customer Folds. Eark Industed	
0	Customer Number	Process Status
No data to display.		
Page 1 (0 of 0 items) K < [1]	х х	
		Save Cancel

3. On **Forget Customer** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 53: Forget Customer – Field Description

Field	Description	
Forget Customer Process ID	Specify a forget customer process ID.	
Forget Customer Process Type	Select one of the options	
	 Customer Initiated: If selected, indicates the customer has initiated the process. Bank Initiated: If selected, indicates the bank has 	
	• Bank Initiated. If selected, indicates the bank has initiated the process.	

- 4. Click + to add a row and provide the customer/bank details.
- 5. Click **Save**. You can view the configured forgotten customers in the Forgotten Customers Summary.



3.22 Host Code

You can group branches in the same zone or region under a host for specific processing. You can have multiple hosts depending on processing requirements.

This section contains following subsections:

- 3.22.1 Host Code Summary
- 3.22.2 Host Code Maintenance

3.22.1 Host Code Summary

The summary screen provides a list of configured host codes. You can configure the host code using the Host Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Host Code.
- 2. Under Host Code, click View Host Code.

 \rightarrow The View Host Code screen is displayed.

Figure 47: View Host Code

Q C + Default Branch Code: ; Processing Time Zone: Processing Time Zone: Host Code: Country Code: Country Code: Country Code: Authorized Open	View Host Code	
Frocessing Time Zone: Host Code: Country Code: Country Code: Processing Time Zone: Host Code: Country Code: Country Code:	९ с +	
Host Code: Host Code: Country Code: Country Code:	Default Branch Code:	Default Branch Code:
🚴 Authorized 🔒 Open	Host Code:	Host Code:
	🕞 Authorized 🔒 Open	Authorized 🔒 Open

Table 54:	View Host	Code – Field	Description
-----------	-----------	--------------	-------------

Field	Description
Default Branch Code	Displays the default branch code associated with the host code.
Processing Time Zone	Displays the processing time zone.
Host Code	Displays the host code details.
Country Code	Displays the country code details.
Status	Displays the status of the records.



3.22.2 Host Code Maintenance

The maintenance screen allows you to configure host code. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Host Code.
- 2. Under Host Code, click Create Host Code.
 - \rightarrow The Create Host Code screen is displayed.

Figure 48: Create Host Code

Create Host Code			$_{\mu}^{\mu}$ ×
New			
Host Code *	Description *		
Country Code *	Processing Time Zone *	Default Branch Code *Q	
		500	Cancel

3. On **Create Host Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 55: Create Host Code – Field Description

Field	Description
Host Code	Specify the host code details.
Description	Specify the additional information about the host code.
Country Code	Search and select the required country code.
Processing Time Zone	Specify the processing time zone details.
Default Branch Code	Search and select the required default branch code.

4. Click Save. You can view the configured host code details in the Host Code Summary.



3.23 Language Code

You can configure a language code.

This section contains following subsections:

- 3.23.1 Language Code Summary
- 3.23.2 Language Code Maintenance

3.23.1 Language Code Summary

The summary screen provides a list of configured language code. You can configure a language code using the Language Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, Core Maintenance. Under Core Maintenance, click Language Code.
- 2. Under Language Code, click View Language Code.

 \rightarrow The View Language Code screen is displayed.

Figure 49: View Language Code

View Language Code		
९ с +		
Language ISO Code:	Language ISO Code:	
Language Code: Language Name:	Langunge Code: Langunge Name:	
Authorized 🔒 Open	🔊 Authorized 🔒 Open	

Field	Description
Language ISO Code	Displays the default branch code associated with the host code.
Language Code	Displays the processing time zone.
Language Name	Displays the host code details.
Status	Displays the status of the records.



3.23.2 Language Code Maintenance

The maintenance screen allows you to configure a language code. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Language Code.
- 2. Under Language Code, click Create Language Code.
 - \rightarrow The Create Language Code screen is displayed.

Figure 50: Create Language Code

Create Language Code			"* ×
New			
Language Code *			
Longuage Neme	Display Direction	Language 60 Code	
			Save Cancel

3. On **Create Language Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 57: Create Language Code – Field Description

Field	Description
Language Code	Specify the code for the language.
Language Name	Specify the name for the language associated with the language code.
Display Direction	Specify the display direction.
Language ISO Code	Specify the language ISO code.

4. Click Save. You can view the configured language code details in the Language Code Summary.



3.24 Local Holiday

You can configure a local holiday.

This section contains following subsections:

- 3.24.1 Local Holiday Summary
- 3.24.2 Local Holidays Maintenance

3.24.1 Local Holiday Summary

The summary screen provides a list of configured local holidays. You can configure a local holiday using the Local Holidays Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Local Holiday.
- 2. Under Local Holiday, click View Local Holiday.

 \rightarrow The View Local Holiday screen is displayed.

Figure 51: View Local Holiday

Q C Branch Code: : Unexpected Holiday: Year: Year: Year:	View Local Holiday		
I IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	९ c +		
Year: Year:	Branch Code:	Branch Code: :	
	Year:	Year:	

For more information on fields, refer to the field description table below.

Field	Description
Branch Code	Displays the code of the branch.
Unexpected Holiday	Indicates if the record is an unexpected holiday.
Year	Displays the year of the holiday.
Status	Displays the status of the record.

Table 58: View Local Holiday – Field Description



3.24.2 Local Holidays Maintenance

The maintenance screen allows you to configure local holidays. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Local Holiday.
- 2. Under Local Holiday, click Create Local Holiday.
 - \rightarrow The Create Local Holiday screen is displayed.

Figure 52: Create Local Holiday

ancł	Code	2				Q		Y	ear *								We	eekiy i	Holida	ays		u (nexpe	cted H	Holida	ys		
	J	anua	ary	201	8			F	ebru	ary	201	18				Mar	ch	2018	3				Apr	il 2	2018			
S	М	Т	W	т	F	S	S	М	Т	W	Т	F	S	S	М	т	W	Т	F	S	S	Μ	т	W	Т	F	S	
	1	2	3	4	5	6					1	2	3					1	2	3	1	2	3	4	5	6	7	
7	8	9	10	11	12	13	4	5	6	7	8	9	10	4	5	6	7	8	9	10	8	9	10	11	12	13	14	
14	15	16	17	18	19	20	11	12	13	14	15	16	17	11	12	13	14	15	16	17	15	16	17	18	19	20	21	
21	22	23	24	25	26	27	18	19	20	21	22	23	24	18	19	20	21	22	23	24	22	23	24	25	26	27	28	
28	29	30	31				25	26	27	28				25	26	27	28	29	30	31	29	30						
		Ma	y 2	018					Jun	e 2	2018					Jul	y 2	018					Augu	ust	201	8		
S	М	Т	W	Т	F	S	S	М	T	W	T	F	S	S	М	Т	W	Ĩ	F	S	S	М	T	W	Т	F	S	

3. On **Create Local Holiday** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 59: Create Local Holiday – Field Description						
Field	Description					
Branch Code	Search and select the required branch code.					
Year	Specify the year details.					
Weekly Holidays	By default, this is disabled. If selected, you can define weekly holidays.					
Unexpected Holidays	By default, this is disabled. If selected, you can define					

Table 59: Create Local Holiday – Field Description

4. Select the dates using the calendar. The selected dates appear in pink highlighted circle.

unexpected holidays.

5. Click Save. You can view the configured local holiday details in the Local Holiday Summary.



3.25 Media

You can configure media information.

This section contains following subsections:

- 3.25.1 Media Summary
- 3.25.2 Media Maintenance

3.25.1 Media Summary

The summary screen provides a list of configured media. You can configure a media using the Media Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Media.
- 2. Under Media, click View Media.

→ The View Media screen is displayed.

Figure 53: View Media

View Media				"K	×
९ с +					
Media:	÷	Media:	:		
Media No:		Media No:			
Authorized 🔒 Open		Authorized	? Open		

For more information on fields, refer to the field description table below.

Table 60: View Media – Field Description

Field	Description
Media	Displays the name of the media.
Media Number	Displays the number of the media.
Status	Displays the status of the record.





3.25.2 Media Maintenance

The maintenance screen allows you to configure media. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Media.
- 2. Under Media, click Create Media.
 - → The Create Media screen is displayed.

Figure 54: Create Media

Create Media				$\mu_{n_{ij}} \times$
New				
Media Code *				
Media Description *				
Media Number	Message Terminator	Message Suffix	Stop Process	
			\bigcirc	
Padding Required	TW Required Status	Media Priority *	No Of Character	
	\bigcirc	v 🔺	✓ A	
A (199				
Media Code *	Compatible Media *			
	\bigcirc			
				l
				l
				l
				l
				I
			Save	Cancel

3. On **Create Media** screen, specify the fields. The fields, which are marked with asterisk, are mandatory. For more information on fields, refer to the field description table below.

Table 61: Create Media – Field Description

Field	Description
Media Code	Specify a unique media code to identify while associating with an advice.
Media Description	Specify additional information about the media.
Media Number	Specify a unique number for the media type.
Message Terminator	Specify the padded characters to mark the end of an incoming messages.
Message Suffix	Specify the padding characters to mark the end of an outgoing messages.
Stop Process	By default, this option is disabled. If selected, halts the processing of incoming and outgoing messages.



Field	Description
Padding Required	By default, this option is disabled. If selected, pads the characters in every outgoing messages.
TW (Test Word) Required Status	By default, this option is disabled. If selected, enables the option for word testing.
Media Priority	Select a media priority from the spin box. When a message is dispatched to the customers, the media type used for sending the messages will be the one that is on high priority.
Number of Character	Select a number the padding characters should be repeated for the advice from the spin box.
Media Details	Specify the media details.
Media Code	Specify the unique media code to identify while associating with an advice.
Compatible Media	By default, this option is disabled. If selected, indicates the media is compatible.

4. Click Save. You can view the configured media details in the Media Summary.



3.26 Multi-Currency Account Linkage

The Multi-Currency Account (MCA) linkage enables the user to link the sub-accounts to a core multicurrency account. This section contains following subsections:

- 3.26.1 Create MCA Linkage
- 3.26.2 View MCA Linkage

3.26.1 Create MCA Linkage

This maintenance screen allows you to link the sub-accounts to a core multi-currency account. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Multi-Currency Account Linkage.
- 2. Under Multi-Currency Account Linkage, click Create MCA Linkage.

 \rightarrow The **Create MCA Linkage** screen is displayed.

Figure 55: Create MCA Linkage

Create M	CA Linkage		, ¹⁶ ×
Multi-C	urrency Account No *		
Sub Ac	counts		
	Currency Code	Account Number	Primary
			Yes
Page	1 of 1 (1 of 1 items) $ K \langle 1 \rangle > 3$		
		Save	Cancel

On **Create MCA Linkage** screen, specify the fields. The fields, which are marked with asterisk, are mandatory. For more information on fields, refer to the field description table below.

Table 62: Create	MCA Linkage –	Field Description
------------------	---------------	--------------------------

Field	Description
Multi-Currency Account No	Click search icon, and select the multi-currency account number from the list of values.
Sub Accounts	Displays the details of the sub accounts.
Currency Code	Specify the currency code of the sub account.
Account Number	Specify the account number of the sub account.



Field	Description
Primary	Select Yes , if the sub account is Primary. If it is not Primary, select No .

3. Click Save. You can view the configured sub-account details in the View MCA Linkage.

3.26.2 View MCA Linkage

This summary screen provides a list of configured sub-accounts to a core multi-currency account. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Multi-Currency Account Linkage.
- 2. Under Multi-Currency Account Linkage, click View MCA Linkage.
 - \rightarrow The View MCA Linkage screen is displayed.

Figure 56: View MCA Linkage

ew MCA Linkage			
c +			
Aulti-Currency Account Number:	Multi-Currency Account Number:		
JST00001	CUST00001		
stomer Number: 1010-005141	Customer Number: 014/CUS141		
🗞 Unauthorized 🔒 Open	🗟 Unauthorized 🔒 Open		
e 1 of 1 (1-1 of 1 items)	к < 1 > я		

Field	Description
Multi-Currency Account Number	Displays the multi-currency account number.
Customer Number	Displays the customer number.
Status	Displays the status of the record.



3.27 Process Code

Process code enables the user to set the process code to the individual stages according to the process.

This section contains following subsections:

- 3.27.1 View Process Code
- 3.27.2 Process Code Maintenance

3.27.1 View Process Code

The summary screen provides a list of configured process codes. You can add a process code using the Process Code Maintenance. To process this screen, perform the following steps:

- 3. From Home screen, click Core Maintenance. Under Core Maintenance, click Process Code.
- 4. Under Process Code, click View Process Code.
 - \rightarrow The **View Process Code** screen is displayed.

Figure 57: View Process Code

View Process Code		
ч с +		
Process Code:	Process Code:	:
Description:	Description:	
Process Code:	Process Code:	
🖒 Authorized 🔒 Open	💫 Authorized 🔒 Open	
		_

Table 64: View Process Code – Field Description

Field	Description
Process Code	Displays the process code.
Description	Displays the description of process code.
Status	Displays the status of the record.



3.27.2 Process Code Maintenance

Process Code Maintenance screen allows you to define the stages for a particular process. The process code information that is defined in this screen will be used in further business processing to construct the stages. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Process Code.
 - \rightarrow The **Process Code** screen is displayed.

Proces Cole	
Stage ID Stage Description Seq Order Source Stage	
RPM, RUNORG, APPEN Application Brity 1	
RPM_RUICRG_BIRCH Application Enforment 2	
RM_RUDRG_URDWT Urdewriting 5	
RM_RUNG_ASSAT Assessment	
RMURUARQ.OFFISUE Offer Issue	
RINL/RULORG_OFFACCEPT Customer Offer Accept/Reject 7	
RUNDRG, MANDOFF, RETRY Handoff Retry 10	
Add Rose Rose	
Phase Code Phase Description Seq Order Stage ID	
APP_VER Application Verification BPM_RLACKG_APPEN x	
1 RPM, RLNORG, BURCH × RPM, RLNORG, ALBUT ×	
RPM_RUNDEG_UNDWT X	
ADD_ADDR Application Approval BPAM_READPAG_OPTIGUE ×	
APP_ADDR Application Approval PAIN_READORS_COMPOSITE X 2 REAL_READORS_COMPOSITE X	
RUNDING, HANDONY, JETRY X	
Add free	

Figure 58: Process Code

2. On **Process Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Process Code	Specify the code.
Process Name	Specify the process name.
Process Version	Specify the process version.
Domain	Specify the process domain.
Stage ID	Specify the unique stage ID.
Stage Description	Specify the stage description.
Seq Order	Displays the sequential order of the stage in the entire process.
Source Stage	Select it to indicate if the specific stage is the source stage of the process.

Table 65: Process Code – Field Description



Field	Description
Add Row	Click Add Row to add a row and to capture the stage details that needs to be mapped to the process code.
Delete Row	Click Delete Row to delete an existing row with stage details.
Phase Code	Specify the phase code.
Phase Description	Specify the phase description.
Seq Order	Displays the sequential order of the phase.
Stage ID	Select the stage ID from the drop down list. Available options in the drop-down will be based on Stage ID mentioned at Process Code level.
Add Row	Click Add Row to add a row and to capture the phase details that needs to be mapped to the process code.
Delete Row	Click Delete Row to delete an existing row with phase details.

3. Click **Save**. You can view the configured process codes in the View Process Code.



3.28 System Dates

You can view the system date details.

This section contains following subsections:

• 3.28.1 System Dates Summary

3.28.1 System Dates Summary

The summary screen provides a list of configured system date. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click System Dates.
- 2. Under System Dates, click View System Dates.

→ The View System Dates screen is displayed.


Figure 59: View System Dates

View	System Da	tes				
٩	С					
Branc	:h Code:		:	Branch Code:		÷
Today'	's Date:			Today's Date:		
ò	Authorized	🔒 Open		Authorized	🔒 Open	

For more information on fields, refer to the field description table below.

Field	Description			
Branch Code	Displays the code of the branch.			
Today's Date	Displays system's current date.			
Today's Date in Text	Displays the system's current date in words.			
Status	Displays the status of the record.			

NOTE: When the entity is created from the Multi-Entity Maintenances, the System Dates for the Head Office (HO) Branch would be automatically created





3.29 Transaction Code

You can configure the transaction code.

This section contains following subsections:

- 3.29.1 Transaction Code Summary
- 3.29.2 Transaction Code Maintenance

3.29.1 Transaction Code Summary

The summary screen provides a list of configured transaction code. You can configure a transaction code using the Transaction Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Transaction Code.
- 2. Under Transaction Code, click View Transaction Code.
 - \rightarrow The View Transaction Code screen is displayed.

Figure 60: View Transaction Code

Q C Source System: :	
Source System: :	
Transaction Code: Transaction Code: Source Transaction Code: Source Transaction Code:	
🗞 Authorized 🔒 Open 🔹 🔂 Unauthorized 🔒 Open	

Field	Description
Source System	Displays the source system details.
Transaction Code	Displays the transaction code details.
Source Transaction Code	Displays the source transaction code associated with the transaction code.
Status	Displays the status of the record,



3.29.2 Transaction Code Maintenance

The maintenance screen allows you to configure transaction code details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Transaction Code.
- 2. Under Transaction Code, click Create Transaction Code.
 - \rightarrow The **Create Transaction Code** screen is displayed.

Figure 61: Create Transaction Code

		×
Description		
Source Transaction Code		
	Save	Car
		Source Transaction Code

3. On **Create Transaction Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Transaction Code	Specify the transaction code details.
Description	Specify additional information about the transaction code.
Source System	Search and select the required source system.
Source Transaction Code	Specify the source transaction code details.

Table 68: Create Transaction Code – Field Description

4. Click **Save**. You can view the configured transaction code details in the Transaction Code Summary.



3.30 Upload Source

You can upload a source code.

This section contains following subsections:

- 3.30.1 Upload Source Summary
- 3.30.2 Upload Source Maintenance

3.30.1 Upload Source Summary

The summary screen provides a list of configured source code. You can upload a source code using the Upload Source Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source.
- 2. Under Upload Source, click View Upload Source.

 \rightarrow The View Upload Source screen is displayed.

Figure 62: View Upload Source

÷	Upload Source:		÷
	Source Description:		
	Authorized	🔒 Open	
	:	Source Description:	Source Description:

For more information on fields, refer to the field description table below.

Field	Description		
Upload Source	Displays the upload source details.		
Source Description	Displays information about the source code.		
Status	Displays the status of the record.		

Table 69: View Upload Source – Field Description



3.30.2 Upload Source Maintenance

The maintenance screen allows you to upload source. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source.
- 2. Under Upload Source, click Create Upload Source.
 - → The Create Upload Source screen is displayed.

Figure 63: Create Upload Source

Create Upload Source			$_{\mu}^{\mu'}$ \times
New			
Source Code			
Source Description	Base Data From Flexcube	System Authorization Required	
			Save Cancel

3. On **Create Upload Source** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Source Code	Specify the source code details.
Source Description	Specify additional information of the source code.
Base Data from Flexcube	By default, this is disabled. If selected, indicates the base data is from FLEXCUBE.
System Authorization Required	By default, this is disabled. If selected, indicates the system requires authorization.

Table 70: Create Upload Source – Field Description

4. Click Save. You can view the configured upload source details in the Upload Source Summary.



3.31 Upload Source Preference

You can configure upload source preference.

This section contains following subsections:

- 3.31.1 Upload Source Preference Summary
- 3.31.2 Upload Source Preference Maintenance

3.31.1 Upload Source Preference Summary

The summary screen provides a list of configured upload source preferences. You can configure an upload source preference using the Upload Source Preference Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source Preference.
- 2. Under Upload Source Preference, click View Upload Source Preference.
 - → The View Upload Source Preference screen is displayed.

Figure 64: View Upload Source Preference

View Upload Source Preference	$_{\mu^{d'}}$ \times	
		. =
Source Code:	Source Code:	
Status:	Status:	
Purge Days:	Purge Days:	
Authorized 🔒 Open	🗟 Unauthorized 🔒 Open	

Table 71: View Upload Source Preference – Field Description

Field	Description
Source Code	Displays the code of the source.
Status	Displays the status of the post upload.
Purge Days	Displays the number of purge days.
Status	Displays the status of the record.



3.31.2 Upload Source Preference Maintenance

The maintenance screen allows you to configure upload source preference. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source Preference.
- 2. Under Upload Source Preference, click Create Upload Source Preference.
 - \rightarrow The Create Upload Source Preference screen is displayed.

Figure 65: Create Upload Source Preference

Create Upload Source Preference			, ^{ве} ×
New			
Source code			
Error Handling			
On Error Reject	On Override Ignore Override Reject	On Repairable Exception Reject Move To Queue	On Queue Exception Reject Move To Queue
Post Upload			
Status Authorize Put On Hold Unauthorize	Purge Days	Allow Deferred Processing	Allow EOD with Deferred
Deletion Allowed	Reverse Allowed	Ammend Allowed	Proceed with EOD
			Save Cancel

3. On **Create Upload Source Preference** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description
Source Code	Search and select the required source code.
Error Handling	Specify the error handling details.
On Error	Select an error from the drop-down list.
On Override	Select an override from the drop-down list.
On Repairable Exception	Select the repairable exception from the drop-down list.
On Queue Exception	Select the queue exception from the drop-down list.
Post Upload	Specify the post upload details.
Status	Select a status from the dropdown list.

Table 72: Create Upload Source Preference – Field Description



Field	Description
Purge Days	Specify the purging days if you want to maintain any days to be purged while processing interface.
Allow Deferred Processing	By default, this is disabled. If selected, defers process the upload source preference.
Allow EOD with Deferred	By default, this is disabled. If selected, processes the EOD with deferred.
Deletion Allowed	By default, this is disabled. If selected, deletes the upload source preferences.
Reverse Allowed	By default, this is disabled. If selected, reverses the upload source preferences.
Amend Allowed	By default, this is disabled. If selected, amends the upload source preferences.
Proceed with EOD	By default, this is disabled. If selected, proceeds with the EOD.

4. Click **Save**. You can view the configured upload source preference details in the Upload Source Preference Summary.

3.32 Pricing Source System

You can configure the pricing source system.

This section contains following subsections:

- 3.32.1 Pricing Source System Summary
- 3.32.2 Pricing Source System Maintenance

3.32.1 Pricing Source System Summary

The summary screen provides a list of configured Pricing Source system. You can configure the pricing source system details using the Pricing Source System Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Pricing Source System.
- 2. Under Pricing Source System, click View Pricing Source System.
 - \rightarrow The View Pricing Source System screen is displayed.

Figure 66: View Pricing Source System

View Pricing Source System		
० ट		
Pricing Source System:	Pricing Source System:	
Pricing Source Description:	Pricing Source Description:	
🍃 Authorized 🔒 Open	🔂 Authorized 🔒 Open	
Page 1 of 1 (1 - 2 of 2 items)	К < 1 > 3	



Field	Description
Pricing Source System	Displays the name of the Pricing Source system.
Pricing Source System Description	Displays any additional information of the Pricing Source system.
Status	Displays the status of the record.



3.32.2 Pricing Source System Maintenance

The maintenance screen allows you to configure Pricing Source System details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Pricing Source System.
- 2. Under Pricing Source System, click Create Pricing Source System.
 - \rightarrow The Create Pricing Source System screen is displayed.

Figure 67: Create Pricing Source System

Create Pricing Source System		$_{\mu}^{\mu}$ \times
Pricing Source System *	Pricing Source Description	
		Save Cancel

3. On **Create Pricing Source System** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 74: Create Pricing Source System – Field Description

Field	Description
Pricing Source System	Specify the pricing source system.
Pricing Source Description	Specify the additional information about the Pricing Source system.

4. Click **Save**. You can view the configure Pricing Source system details in the Pricing Source System Summary.



3.33 Integrating Bureau Integration Service with Oracle Banking Routing Hub

3.33.1 Oracle Banking Routing Hub Configuration

Need to import existing service consumer and providers in the system. Service Consumer is Oracle product, which invokes oracle banking routing hub API, oracle banking routing hub analyses evaluates destination product processor and transform data into format of the same. Service consumer comprises of the source and destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.

 $\rightarrow\,$ The Service Consumers screen is displayed.

Figure 68: Service Consumers





Figure 69: Oracle Banking Routing Hub Configuration

Service Consumers		$_{\mu^{\rm tf}}$ $ imes$
Service Consumers		
🕂 Add	٩	
Oracle_Service_Consumer	View Edit	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Delete	
	Export JSON Configuration SQL	
	Request Audit	





Component Name	Component Type	Condition	Comments
Add	Button		Pops up add dialog
Import	Button		Pops up import dialog
Search	Combo Box One		Provides search functionality with case insensitive (Service Consumer Name)
View	menu option	Non-editable	Pops up view dialog
Edit	menu option		Pops up edit dialog
Delete	menu option		
Export	Sub menu item		
JSON	menu option		Exports in JSON
SQL	menu option		Exports in SQL
Configuration	menu option		Pops up configuration dialog
Request Audit	menu option		Pops up request audit log

Table 75:	Oracle	Banking	Routing	Hub	Configuration
-----------	--------	---------	---------	-----	---------------

This section contains the following subsections:

- 3.33.1.1 Add
- 3.33.1.2 Environment Variables
- 3.33.1.3 Import
- 3.33.1.4 View
- 3.33.1.5 Edit
- 3.33.1.6 Delete
- 3.33.1.7 JSON Export
- 3.33.1.8 SQL Export



3.33.1.1 Add

You can create service consumer manually.

On Service Consumers screen, click Add to create service consumer.

Figure 70: Add

Service Consumers					$_{\mu^{k'}}$ \times
Service Consumers					
Add Import search No items to display. Page 1 of 0 (1 - 0 of 0 items) K < > 31	Add Service Consumer Name * Oracle_Service_Consumer		Enter 0 or more characters. up to a maximum of 255. No numeric value allowed at beginning.No space allowed.		
	Environment Variables Add Group * select Actions Name No data to display.		Value		
			Save		

Table 76: Add

Component Name	Component Type	ls Manda tory	Data type	Validation	Comments
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255 No numeric value at beginning and no space allowed 	Unique Service Consumer name
Environme nt Variables	Table Content				
Save	Button				Saves the Service Consumer



3.33.1.2 Environment Variables

You can define the group of variables, which can be accessed through the specific consumer's configuration.

Below is the syntax for accessing environment variables:

\$env.Environment_Group_Name.Environment_Variable_Name
such as: \$env.COMMON.BRANCH_CODE

Figure 71: Environment Variables

Figure 72: Environment Variables

Service Consumers			$_{\mu}^{\nu}$ \times
Service Consumers			
Add Import search	Add Service Consumer	×	
Page 1 of 0 (1 - 0 of 0 items) K < > >	N Add Environment Group	Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.	
	Gr C Actions Name	ОК Value	
	No data to display.	Save	



Service Consumers			,,, ^w ×
Service Consumers			
Add Import search No items to display. Page of 0 (1 - 0 of 0 items) K < > > >	Add Service Consumer Name * C Add Environment Variable Name * Value C	Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.	
		Save	

Figure 73: Environment Variables

Table 77: Environment Variables

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments	
Add	Menu Item					
Group	Menu option				Pops up add group dialog	
Variable	Menu option				Pops up add variable dialog	
Navigation: Service Consumer -> Environment Variables -> 3 dot icon (operation menu)						
Edit	menu option / icon				Pops up edit dialog	
Delete	menu option / icon				Deletes group / variable	
Environment	Group / Variable					
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a 		

			maximum of 255 • No numeric value at beginning and no space allowed	
Value	Text Area			Value can either be hardcoded or Velocity mapping.
ОК	Button			Saves the group / variable and displays it in the list



3.33.1.3 Import

You can create a service consumer by importing the JSON file and manually selecting the service providers or select all providers that needs to be imported.

On Service Consumers screen, click Import.

Figure 74: Import

Service Consumers			, ³⁶ - 3
Service Consumers			
🕒 Add 🛛 🔂 Import search	9		
No items to display.	Import Service Consumer	×	
Page 1 of 0 (1-0 of 0 items) K < → X	File * Oracle_Service_Consumer_Consumer_is Select Name * Oracle_Service_Consumer service Providers Name External_Product_Processor 1.0	Estract	
		Import	

Table 78: Import

Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
File	File picker	Yes		Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Extract	Button	Yes				Extracts Consumer Name and Service Provider list from JSON file and displays it in the respective elements.
Name	Text Box	Yes	Alphanumer ic with special characters	 Name cannot be blank Specify 0 or more character s, up to a maximum of 255 	Editable	Unique



Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
				 No numeric value at beginning and no space allowed 		
Service Provider	Collapsible Header & Content					Displays the list of service providers that are present in JSON file
Import	Button					Imports Service Consumer

Note: Below data needs to be changed after importing consumer configuration file:

- Implementation Host and Port
- Implementation Authentication Password



3.33.1.4 View

You can view consumer details and can also switch to edit form by clicking on edit icon. On **Service Consumers** screen, click **Operation Menu (3 dot icon)**, and select **View.**

Figure	75:	View
--------	-----	------

ervice Consumers			, ² ¹⁰ ×
ervice Consumers	View Service Consumer	<i>∎</i> ×	
Ad P Import search Oracle_Service_Consumer	Name Oracle_Service_Consumer		
age 1 of1 (1+1of1items) K < 1 > 3	Environment Variables Group COMMON Actions Name Value BRANCH_CODE Sheaders["branchCode"[0]	

3.33.1.5 Edit

You can modify the consumer details.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Edit.

Figure 76: Edit

Service Consumers				, ^w ×
Service Consumers				
🔁 Add 🛛 🚰 Import ora	Edit Service Consumer		,	×
Oracle_Service_Consumer i Page 1 of 1 (1 - 1 of 1 kems) K (1 > 3)	Name * Oracle_Service_Consumer # Environment Variables # Add * Group * Select Actions No data to display.	v Name	Value	
			Save	



3.33.1.6 Delete

You can delete the consumer.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Delete.

Figure 77: Delete

Service Consumers				$_{\mu}$ st \times
Service Consumers				
🕂 Add 🔂 Import ora	٩			
Oracle_Service_Consumer :				
Page 1 of 1 (1 - 1 of 1 items) K < 1	к			
			×	
	Do you want to delete the record?		1	
		Confirm Cance	el de la companya de	

3.33.1.7 JSON Export

You can export the consumer configuration as JSON file.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Export

Then, Click JSON.

Figure 78: JSON Export

Service Consumers		, ³⁴ ×
Service Consumers		
Add Import ara Oracle_Service_Consumer I Page 1 of1 (1-1 of 1 items) K 1 > X	Export Service Consumer × Name Oracle_Service_Consumer ✓ Service Providers ✓ Name ✓ External_Product_Processor 1.0	
	Export	

NOTE: You have an option to select service providers from the list that needs to be exported or can click on Select All option for all service providers.

JSON Export feature will export below data:

- Selected service consumer
- All consumer services
- Selected service providers with services
- Default implementation of selected service providers with services (without Host, Port, and Authentication Password)
- Default transformations
- All default implementation routes



3.33.1.8 SQL Export

You can export the consumer configuration as SQL file.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Export

Then, Click SQL.

Figure 79: SQL Export

Service Consumers		,,* ×
Service Consumers		
🕒 Add 🔄 Import ora	٩,	
Oracle_Service_Consumer		
Page 1 of 1 (1 - 1 of 1 items) K < 1	CONFIRMATION Coyou want to export? Note: Sensitive data such as Implementation Host. Port and Password will not be exported Confirm Cancel	

NOTE: SQL Export feature will export entire configuration without Host, Port and Authentication Password details.



3.33.2 Service Providers

Service Providers are the product processors configure to process request send by oracle banking routing hub on behalf of service consumers.

The Service Provider comprises of destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers. Under Service Consumers, click <Specific Service Consumer>.

 \rightarrow The **Service Providers** screen is displayed.

Figure 80: Service Providers




Figure 81: Service Providers

Table 79: Service Providers

Component Name	Component Type	ls Mandatory	Data type	Validation	Condition	Comments
<service Consumer></service 	Button					Navigates back to Service Consumers
Add	Button					Pops up add dialog



Import	Button					Pops up import dialog
Search	Combo Box One					Provides search functionality with case insensitive (Service Provider Name)
Navigation: Se	ervice Providers	s -> 3 dot icon	(operati	on menu)		
View	menu option				Non- editable	Pops up view dialog
Edit	menu option					Pops up edit dialog
Delete	menu option					
Export	menu option					Exports in JSON
Request Audit	menu option					Pops up request audit log

This section contains the following subsections:

- 3.33.2.1 Add
- 3.33.2.2 Headers
- 3.33.2.3 Service
- 3.33.2.4 WSDL
- 3.33.2.5 SWAGGER
- 3.33.2.6 Import
- 3.33.2.7 View
- 3.33.2.8 Edit
- 3.33.2.9 Delete
- 3.33.2.10 Export



3.33.2.1 Add

You can create service provider manually.

On Service Providers screen, click Add to create service providers.

Figure 82: Add

Service Consumers	» ^w ×
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add Import search Add Service Provider Enter 0 or more characters, up to a maximum of x 255,	
External_Product_Processor Product Name * Allowed.	
Version 1.0 Type EXTERNAL Status ACTIVE Version * Active	
Page 1 of 1 (1-1 of 1 items) K K	
► Service	
Save	

Table 80: Add

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Product Name	Text Box	Yes	Alphanumeric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255. No numeric value at beginning and no space allowed. 	Unique provider name
Туре	Combo Box One	Yes			Predefined Values: INTERNAL / EXTERNAL



Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Version	Text Box	Yes	Number	 Version cannot be blank Specify 0 or more characters, up to a maximum of 255. Specify only numeric or decimal values. 	Unique provider version
Active	Switch				Predefined Values: ACTIVE / INACTIVE If provider is marked as inactive, then all related routes will be stopped.
Headers	Collapsible Header & Content				Provider specific headers
Service	Collapsible Header & Content				Provider specific service details
Save	Button				Saves the Service Provider



3.33.2.2 Headers

External product processor might require some standard headers to be passed along with the request.

You can specify the headers which are required by service endpoints for its all implementations but not present in swagger file.

These headers can be configured in oracle banking routing hub using the steps given below.

Figure 83: Headers

Service Consumers		ж ^{. 9} а
Oracle_Service_Consumer	Add Service Provider	×
Service Providers Consumer Services		
Add S Import search	Product Name Add Header	Enter 0 or more characters, up to a maximum of 255.
	Version * Name *	No numeric value allowed at beginning.No space allowed.
External_Product_Processor	1.0	
Version 1.0	✓ Headers	
Type EXTERNAL Status ACTIVE	Add	
	Actions	
Page 1 of 1 (1 - 1 of 1 items) K < 1	No data to d	
	▶ Service	ок
		Save

Figure 84: Headers

Service Consumers					, ² ×
Oracle_Service_Consumer	Add Service Provider			×	
Service Providers Consumer Services	Product Name * External_Product_Processor	Type	* RNAL	-	
External_Product_Processor	Version * 1.0		Ictive		
Version 1.0 Type EXTERNAL Status ACTIVE	✓ Headers ↔ Add				
Page 1 of 1 (1 - 1 of 1 items) K < 1	Actions Edit	Name appld	Value		
	▶ s Delete			Save	

Table 81: Headers

Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
Add	Button					Pops up add dialog
Navigation: S	ervice Provid	ers -> Heade	rs -> 3 dot ico	n (operation r	nenu)	
Edit	menu option					Pops up edit dialog
Delete	menu option					Deletes header





Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
Navigation:	Service Provid	ers -> Heade	rs -> Add			
Name	Text Box	Yes	Alphanumer ic with special characters	 Name cannot be blank Specify 0 or more character s, up to a maximum of 255. No numeric value at beginning and no space allowed. 		
Value	Text Area	Yes	Alphanumer ic with special characters	 Value cannot be blank Specify 0 or more character s, up to a maximum of 255. No space allowed. 		Value can either be hardcoded or can be Velocity mapping.
ОК	Button					Saves the header details and displays it in the list



3.33.2.3 Service

Figure 85: Service

Service Consumers		» ⁴ ×
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add 🚰 Import search	Add Service Provider ×	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE	Headers Service	
Type EXTERNAL Status ACTIVE	Type URL WSDL http://wh/00bzdr/023/FCUBS-ELCMWeb/ElValidLimitService?WSDL Import	
Page 1 of 1 (1 - 1 of 1 items) K <	Service Operation EIValidLimitService (EIValidLimitServiceSEI) QueryValidLimitIO	
	Save	

Table 82: Service

Component Name	Component Type	ls Mandatory	Comments
Туре	Combo Box One	Yes	Predefined Values: WSDL / SWAGGER
URL	Text Box	Yes	Service URL of the file location
Gateway Prefix	Text Box		Gateway Prefix is context path of below formatted URL http://host:port/gateway-prefix/endpoint
Import	Button		Extracts the service information from URL and displays it in the Service list

3.33.2.4 WSDL

The Web Services Description Language (WSDL) is an XML-based interface description language that is used for describing the functionality offered by a web service. Currently, non-SSL WSDL URL is only supported.

NOTE: In case there is a change in wsdl file, then same wsdl file need to be imported again in order to update the provided service information in routing hub.



3.33.2.5 SWAGGER

Swagger is an Interface Description Language for describing RESTful APIs expressed using JSON.

Currently, Swagger 2.0 & OpenAPI 3.0 both are supported.

NOTE: In case there is a change in swagger file, then same swagger file need to be imported again in order to update the provided service information in routing hub.

3.33.2.6 Import

You can create a service provider by importing the JSON file.

On Service Providers screen, click Import.

Figure 86: Import

Service Consumers	$\mu^{y} \times \mu^{y}$
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add Simport search Q	
External_Product_Processor :	
Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1of1items) K < 1 > X	Import Service Provider × File * Select Import

Table 83: Import

Component Name	Component Type	ls Mandatory	Validation	Condition	Comments
File	File picker	Yes	Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Import	Button				Imports Service Provider

NOTE: Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password



3.33.2.7 View

You can view provider details and can also switch to edit form by clicking on edit icon. On **Service Providers** screen, click **Operation Menu (3 dot icon)**, and click **View**.

Service Consumers			, ⁹
Oracle_Service_Consumer			
Service Providers Consumer Services			
Add 🚰 Import search	View Service Provider	<i>≥</i> ×	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1 of 1 items) K C	Product Name External_Product_Processor Version 1.0 > Headers Service Service Fivalid1 imitCandre /FiValid1 imitCandre	Operation OuervValidI imit!O	

Figure 87: View Service Provider

3.33.2.8 Edit

You can modify the provider details.

On Service Providers screen, click Operation Menu (3 dot icon), and click Edit.

Figure 88: Edit

Service Consumers				, ₁ 12 ×
Oracle_Service_Consumer				
Service Providers Consumer Services				
Add P Import search	Edit Service Provider		×	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1 of1 items) K <	Product Name * External_Product_Processor Version * 1.0 Headers Service Type URL	Type * EXTERNAL Active	*	
			2015	



3.33.2.9 Delete

You can delete the provider.

On Service Providers screen, click Operation Menu (3 dot icon), and click Delete.

Figure 89: Delete

Service Consumers			× * ₈
Oracle_Service_Consumer			
Service Providers Consumer Services			
Add import search	٩		
External_Product_Processor			
Version 1.0 Type EXTERNAL Status ACTIVE		×	
	Do you want to delete the record?	1	
Page 1 of 1 (1 - 1 of 1 items) K < 1		Confirm Cancel	

3.33.2.10 Export

You can export the provider configuration as JSON file.

On Service Providers screen, click Operation Menu (3 dot icon), and click Export.

Figure 90: Export

Service Consumers		" st ×
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add Simport search	Q	
External_Product_Processor		
Version 1.0 Type EXTERNAL	CONFIRMATION	×
Status ACTIVE	Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	a
Page 1 of 1 (1 - 1 of 1 items) K < 1	Confirm	

NOTE: Below data is not be exported:

- Implementation Host
- Implementation Port
- Implementation Authentication Password

The above data needs to be configured manually after importing the configuration file. Same has been mentioned in Import section



3.33.3 Experian Configuration

3.33.3.1 Experian Fetch Credit Report

Figure 91: Experian Fetch Credit Report

View Transformation	€×
Template Type VELOCITY	Template { #set(\$dictionary = {}) #if(\$body.dictionary && \$body.dictionary.size()>0) #foreach(\$dictionary!tem in \$body.dictionary) #if(\$!dictionary!tem.isFactDictionary) #:
Response Transformation	
Template Type	Template
VELOCITY	{ #define(\$htmlContent)#if(\$body.creditProfile.get(0).consumerIdentity.dob) <div style="padding:5px;marging:10px">Date of Birth <div style="text-align:center;display: inline-block"> textbody:chip:chip:chip:chip:chip:chip:chip:chip</div></div
Mocking required?	Mock Template
Off	

Figure 92: Experian Fetch Credit Report

View Transformation	×
Product Processor	Implementation
EXPERIAN 14.4	EXPERIAN_Default
Transformation	
TRANSFORMATION1	
▶ Headers	
Product Processor	
Service	
CreditReports -/v2/credit-report	
A Request Transformation	
Template Type	Template
VELOCITY	{ #set(\$dictionary = {}) #if(\$body.dictionary && \$body.dictionary.size()>0)



ORACLE

3.33.3.2 Experian Sandbox

Service Consumer is used to export details of fetch credit report from sandbox environment

Service Cor	ervice Consumers					
CBSTol	CBSToBureau					
Service Pro	oviders Consumer Services					
🚹 Ado	d import search 🔍					
Actions	Name	Description				
:	Fetch_Credit_Report	To fetch credit report				
:	fetchCreditReportDev	This service is used to fetch the credit report of a person				
:	fetchCreditReport	Fetch Credit Report Response DTO changes				
:	fetchCreditReportBackup1	This service is used to fetch the credit report of a person				
:	authorize	Fetch the jwt authorization taken from the Credit Bureau				
Page 1	of 1 (1 - 5 of 5 items) K \langle 1 \rangle X					

Figure 93: Experian Sandbox

3.33.4 Equifax Configuration

Equifax is configured in lookup as a bureau and rule services to configure in oracle banking routing hub as consumer service to fetch details from Equifax sand.

3.33.4.1 Equifax Fetch Credit Report

Figure 94: Equifax Fetch Credit Report

	formation					8 :
r raunala	ma					
QueryPar	ans					
# Request ?	fransformation					
emplate Typ	pe			Template		
ELOCITY				(#set(Sbody = Ss "consumers"; ("name"; [[1
4 Response	Transformation					
emplate Typ	pe			Template		
				#set (Sboo #set (Sstrin #set (Smar	class = Sobj.class.forName(java.lang.Number)) 4.class = Sobj.class.forName(java.lang.Boolean')) 1g.class = Sobj.class.forName(java.lang.String?)) 2.class = Sobj.class.forName(java.util.Map?))	
	a Routing				alaan Pada daaradaana Marina di Usadi S	
		Q			alaran	
and formation	Routing	Q. Status	Product Processor		Service	
ansformation add Actio N	Routing	1	Product Processor EXPERIAN 14.4	α,	Poly deve dealers of Plants	
Add Actio., N I D	Routing	Status	0.8892555605550262	man Pro-	Service	
Add Actio N I D I D	Routing import search arre KP_AUTH_TRANS	Status	EXPERIAN 14.4	and Pro-	Service expertanAuth - /oauth2/v1/token	one
Actio N Actio N I D I D I D	Routing Propert search ame RP.AUTH_TRANS KP_TRANSFORMATION	Status ACTIVE ACTIVE	EXPERIAN 14.4 EXPERIAN 14.4	Implementation EXPERIAN_Default EXPERIAN_Default	Service experianAuth - /oauth2/v1/token CreditReports - /v2/credit-report	one
Add Add Action N C D C D C D C D C D C D C D C D	Routing Provide Search ame 6P,AUTH_TRANS KP_TRANSFORMATION KP_Extended_View_Attributes_and_Score_Doc	Status ACTIVE ACTIVE ACTIVE	EXPERIAN 14.4 EXPERIAN 14.4 EXPERIAN 14.4	Implementation EXPERIAN_Default EXPERIAN_Default	Service experianAuth - /oauth2/v1/token CreditReports - /v2/credit-report Extended/view-attributesAndScore - /v1/extended-view-attributes-and-sc	one
Actio N. I D I D I D I D I D I D	Routing Parme RP_AUTH_TRANS P_TRANSFORMATION RP_Extended_View_Attributes_and_Score_Doc RP_DOCUMENT	Status ACTIVE ACTIVE ACTIVE ACTIVE	EXPERIAN 14.4 EXPERIAN 14.4 EXPERIAN 14.4 EXPERIAN 14.4	Implementation Diversity of the second secon	Service experianAuth - /oauth2/v1/token CreditReports - /v2/credit-report Extended/view-attributesAndScore - /v1/extended-view-attributes-and-sc premierprofilespdf - /v1/reports/premierprofiles/pdf.	oure

3.33.4.2 Equifax Sandbox

Service consumer exports details of fetch credit report from sandbox environment.

CBSToBureau Service Providers	> EQUIFAX 14.4			
Implementation	View Implementation	œ	×	
🕜 Add 🔗 import search	Name	Default		
Actio Name	Descrite EQUIFAX_Default	On		Fort
EQUIFAX_Default	Detai Description Default Implementation		sandbox.equifax.com	0
lage 1 of 1 (1-1 of 1 items) ic c	1 Scheme Host	Port		
	https api.sandbox.equifax.com	n 0		
	Authentication			
	▶ Headers			

Figure 95: Equifax Sandbox

3.33.5 Document Configuration

Bureaus usually send applicants credit reports in PDF or encrypted format. The product processors prefers the PDF reports for easy readability and usability. In addition, product processors want to display PDF reports in their system and share these reports with the applicants. In such cases, the PDF credit reports are stored in the document server, which can be accessed by the bureau integration service and the product processor.

3.33.5.1 Content Management Server

The Oracle content management server is used to store and manage documents. It can accept encoded strings of data and stores them in the provided extension format like (pdf, jpeg, png). The content management server allows to view the document online.

The latest available version is 12.2.1.4.

The cmc-document-service is a gateway to access the oracle content management server. Using this service, other applications can store, manage and process the document with ease.

3.33.5.2 Environment Configuration

To install cmc-document-services, additional configuration is added. This includes the moc domain.

Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/sms,db/migration/domain/nmoc,db/migration/domain/cmc

-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=<MOC_PORT>

-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=<MOC_PORT>

124



-Dflyway.domain.placeHolders.dmsServiceUrl=<CONTENT_SERVER_URL>

- -Dflyway.domain.placeHolders.dmsServiceUsrname=<CONTENT_SERVER_USERNAME>
- -Dflyway.domain.placeHolders.dmsServicePwd=<CONTENT_SERVER_PASSWORD>
- -Dflyway.domain.placeHolders.cmc-document-services.schema=<SCHEMA_NAME>
- -Dflyway.domain.placeHolders.cmc-document-services.server.port=<SCHEMA_PORT>
- -Dflyway.domain.placeHolders.cmc-document-services.username=<SCHEMA_USERNAME>
- -Dflyway.domain.placeHolders.cmc-document-services.password=<SCHEMA_PASSWORD>
- -Dflyway.domain.placeHolders.cmc-document-services.domain.jndi=jdbc/CMNCORE
- -Dflyway.domain.placeHolders.cmc-document-services.jndi=jdbc/CMNCORE
- -Dflyway.domain.placeHolders.cmc-document-services.db.jndi=jdbc/CMNCORE

-Dflyway.domain.placeHolders.cmc-documentservices.jdbcUrl=jdbc:oracle:thin:@//<SCHEMA_IP>:<SCHEMA_PORT>/<SERVICE_NAME>

-Dflyway.domain.placeHolders.cmc-documentservices.db.jdbcUrl=jdbc:oracle:thin:@//<SCHEMA_IP>:<SCHEMA_PORT>/<SERVICE_NAME>

3.33.6 Troubleshooting

3.33.6.1 Oracle FLEXCUBE Onboarding issues faced during cmc-obcbs-service and cmc-obrh-services integration

Experian password expired

The password for the Experian account had expired

The solution is to login to the Experian website and reset the password. The new password is generated via mail and you can configure in oracle banking routing hub for token generation.

3.33.6.2 Unable to connect to external server

The oracle banking routing hub server is unable to connect to the experian server. The proxy is not configured

The VM arguments were added for oracle banking routing hub's managed server.

-Dhttps.proxyHost=www-proxy-idc.in.oracle.com

-Dhttps.proxyPort=80

https://confluence.oraclecorp.com/confluence/pages/viewpage.action?pageId=2863487960



3.33.6.3 Oracle Banking Routing Hub environment variable value not found

The environment variable for the Bureau Integration Service product processor is improper. (\$.headers["bureauType"][0])

The correct path was provided(\$.headers["bureauType"][0]



3.34 Bureau Integration Service

3.34.1 Overview

Bureau integration service facilitates financial institutions to send requests to the credit bureau agencies for credit scores and reports. It also facilitates viewing reports received from the bureaus.

The credit report presents the credit information of an individual or a company, which is fetched by credit bureaus from various financial institutions. It is a detailed report, which contains the history of borrowings, repayment routine, defaults, and delays. This report contains vital information about a customer's credit score, personal information, employment details, contact information, and details of accounts in various banks of a given geographical region. The objective of this report is to present the financial history of an individual or a company, which further helps a bank to take a decision on granting a loan based on the credit score of a company or an individual.

For requesting and receiving the credit reports, bureau integration service is integrated with the financial institution or the product processor.

The oracle banking routing hub facilitates routing and transforming the information between the product processor, the underlying integration service and the bureau. The flow is as follows:

- 5. The product processor requests bureau integration service for credit reports. It provides the required customer information for whom the report is requested.
- 6. The routing hub transforms the data and forwards the request to the bureau integration service.
- Once the integration service receives the request, the data is processed based on various criteria. The criteria contain the rules and facts of the product processor that are maintained in the rules engine.
- 8. Bureaus to be called are identified based on evaluation of the rules.
- 9. The integration service then sends the request to the routing hub, which transforms the data and sends the request to the respective credit bureaus.
- 10. The bureau processes the request and sends the credit report back.
- 11. The routing hub receives the report and transforms the report as per the defined template and sends it back to bureau integration service.
- 12. Bureau integration service then saves the data, displays the credit report, and sends the same to the product processor through the routing hub.



One or more bureaus can be called based on evaluation of the rules. The bureaus can be either called simultaneously or based on the response from the previous bureau call.

Bureau integration service maintains aging for credit report of an applicant. History service allows to store and pull existing credit report of an individual customer. The integration service retrieves report from history for those applicants if subsequent call to same bureau is made within defined period, beyond which a new credit report is called from the bureau. Existing credit reports from history are sent back to the product processor.

In case of multiple applicants being received by bureau integration service as a part of a lending application, based on the evaluation of criteria, the integration service consolidates all the multiple bureau responses into one and sends it to the product processor.

A new bureau can be added with only a configuration and without any change in the code. Two lookup types are required to be created in the bureau integration service. One for bureau and another for bureau product type. The additional maintenance required is configuration of the new bureau in the routing hub.

Bureau integration service supports override of criteria rules if the product processor wants to call a specific bureau or bureau product, for an applicant. In such cases, bureau service will not check criteria for rules evaluation. Instead, bureau service will call the bureau as intimated by the product processor in the request. Here, product processor can list one or more bureau's to be called.

Bureau Integration service supports decoding of encoded pdf string from a bureau response to a pdf report using web content document server. The document server generates a unique document ID for each record stored. Bureau service can access the pdf reports using this document ID.

The below flow diagram depicts how bureau integration service works with the integrated product processor and interfaces with the routing hub for fetching and displaying the credit bureau reports:




Figure 96: Bureau Integration Service



Authorization process

To authorize and approve record, you need to perform the following actions:

- 1. Navigate to the required screen.
- 2. Click Authorize. The record pending for authorization are displayed.
- 3. Select the required record and click Approve.
- 4. The records are displayed in a widget. If you have modified the lookup, criteria twice, system displays two widgets with respective modification number along with the modified details.
- 5. Specify remarks for approving the record in the **Remarks** field.
- 6. Click **Confirm** and authorize the record. The record is authorized successfully.



3.35 Credit Bureau Display

The credit bureau display screen facilitates to view the reports received from the various bureaus. The report includes credit history details of the customer and the credit score of the customer based on these details.

This section contains the following subsection:

3.35.1 View Credit Bureau Report •

3.35.1 View Credit Bureau Report

The Credit Bureau Display screen allows the user to view the credit bureau report based on the various filter options provided.

To view a credit bureau report:

- 1. From Home screen, click Credit Bureau. Under Credit Bureau, click Operations.
- 2. Under Operations, click Credit Bureau Display.
 - → The Credit Bureau Display screen is displayed.

Figure 97 : Credit Bureau Display

Credit Bureau Display	$_{\mu}^{\mu}$ \times
Search Criteria	
Credit Bureau Display	
Filter	
Select V	
	Reset Search

3. Specify the fields on Credit Bureau Display screen. The fields, which are marked with asterisk, are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Filter	Select the required option based on which you car reports from the drop-down list.	n search for the credit bureau
	The options are:	
	External Reference Number	
	Inquiry ID	
	Inquiry Date	
2018, 2022	130	ORACLE

Field	Description			
	Bureau Name			
	Product Processor			
	Application Number			
	Bureau Report ID			
Value	Specify the required details or select the appropriate option for the selected filter option.			
	This field appears once you select an option from the Filter list.			
From Date	Select the start of the period during which the report was generated.			
	This field appears once the user select the filter option as Inquiry Date and value as Date Range.			
To Date	Select the end date of the period during which the report was generated.			
	This field appears if you have selected the filter option as Inquiry Date and value as Date Range.			

- 4. In the **Search Criteria** section, specify the details and click **Search**.
 - → The Credit Bureau Display Report History screen displays showing a list of records based on the specified search criteria.

Credit Bureau Display		
Search Criteria		
Filter	Value	
Inquiry Date *	Today *	
		Reset Se
leport History		
Inquiry Date	External Reference Number	Product Processor
E TOTAL		
•		
F		
 • • • • • • • • • • • • • • • • • • •		
•		
Þ		
• (1) (22)		
 		
Figure 111		
• • • • • • • • • • • • • • • • • • •		
E 100 1000		

Figure 98 : Credit Bureau Display – Report History

For more information on fields, refer to the field description table below.

Table 85: 0	Credit Bureau	Display –	Field Description
-------------	---------------	-----------	-------------------

Field	Description
Inquiry Date	Displays the inquiry date of the request from product processor to bureau integration service.



Field	Description
External Reference Number	Displays the external reference number provided by the product processor.
Product Processor	Displays the name of the product processor that sent the request.

5. Click the arrow icon to view the corresponding list of reports.

→ The Credit Bureau Display – View List of Report screen displays.

Figure 99 : Credit Bureau Display - View List of Report

Credit Bureau Display								," ×
Search Criteria								
Filter	Value Today	v					Reat	Search
Report History								
Inquiry Date	External Refer	nce Number				Product Processor		
0								
EXPERIAN		Report ID		Report Date			View	
		CBS Inquiry ID Report ID		Product Report Date			View	_
EXPERIAN			01994e71 6115 4255 a16c 09(353447015	Product	creditivities			
•								
 Contract 								
¥								
 • • • • • • • • • • • • • • • • • • •								
•						OFLO		
 •								
×						UF40		
•								

For more information on fields, refer to the field description table below.

Table 86: Create Bureau Display View List of Report – Field Description

Field	Description					
The Following fields appear if you click 🎽						
<applicant name=""> Displays the name of the applicant.</applicant>						
<bureau name=""></bureau>	Displays the name of the credit bureau agency.					
Inquiry ID	Displays the inquiry ID generated by bureau integration service.					
Report ID	Displays the report ID provided by the credit bureau agency.					
Report Date	Displays the date on which the credit bureau report is generated by the bureau.					
Product	Displays the product of the credit bureau agency.					



Field	Description				
The Following fields appear if you click					
View Click View to view the credit bureau report.					

6. Click the **View** link to view the credit bureau report.

→ The Credit Bureau Report displays.

Figure 100 : Credit Bureau Report

Credit Bureau Display	, ² ×
Bureau Report	
Bureau Name EXPERIAN	Report ID 0000000000
Product Name CREDIT_PROFILE	Report Date 1972021
	Date of Birth DOB
	Risk Model Evaluation Model Indicator Score Score Factors
	P RC UV80 importance: 1 code : 11 importance: 2 code : 12
	Importance : 3 , Couc . 1 Importance : 1 , code : 1 .3
	Close

For more information on fields, refer to the field description table below.

Field	Description
Bureau Name	Displays the name of the credit bureau agency.
Product Name	Displays the product name of the credit bureau agency.
Report ID	Displays the report ID provided by the credit bureau agency.
Report Date	Displays the date on which the credit bureau report is generated by the bureau.



3.36 Lookup

Lookup is the service for mapping of keys and values that is used to enrich the description of the data displayed to the user. The lookup screen facilitates to define the contents for drop-down or list of value fields. Lookup fields are used throughout the system. The identified fields will only accept entries stored in this screen. Below are some examples of the lookup fields.

- Static/Enumeration values
 - o Credit Bureau: For example, credit bureau1, credit bureau 2, and credit bureau 3.
 - Comparison Operator: Equals, Greater than.
- Dependent lookups based on another selection
 - o Based on Country, State should have different values in the lookup.
 - o Based on Country, Currency should have different values in the lookup.

This section contains the following subsections:

- 3.36.1 Create Lookup
- 3.36.2 View Lookup

3.36.1 Create Lookup

The Create Lookup screen allows the user to create lookup definitions by updating various details.

To create lookup:

- 1. From Home screen, click Core maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click Create Lookup.

→ The **Create Lookup** screen is displayed.

Figure 101 : Create Lookup

Create Lookup					"" ×
New					
Create					_
Basic Details					
Lookup Type *		Description *			
Lookup Codes					
Lookup Code	Description		Sort Order	Dependent Identifier	Enable
No data to display.					
				Save	Cancel




4. Specify the fields on **Create Lookup** screen.

The fields which are marked with asterisk, are mandatory. For more information on fields, refer the field description table.

Field	Description
Lookup Type	Specify the unique lookup type name.
Description	Specify the short description for lookup.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Specify the unique lookup code.
Description	Specify the short description for lookup.
Sort Order	Specify the sort Order.
Dependent Identifier	Specify the dependent Identifier.
Enable	Click the toggle status to enable the parameter.

5. Click **Save** to save the details.

The lookup is successfully created and can be viewed using the View Lookup screen.





3.36.2 View Lookup

The **View Lookup** screen allows user to view the lookup created using the **Create Lookup** screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

To view created lookup:

- 1. From the **Home screen**, click **Core Maintenance**. Under **Core Maintenance**, click **Credit Bureau**.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click View Lookup.
 - \rightarrow The **View Lookup** screen is displayed.

Figure 102 : View Lookup

View Lookup							, ²
ч с +							
Lookup Type:	4°	Lookup Type:	49				
Description:		Description:					
🗟 Unauthorized	Open	🗟 Unauthorized 🔒	Open				
Page 1 of 7	(1 - 10 of 66 items)	к < 1 2 3	4 5 7	к <			

For more information on field, refer the field description table.

Table 89 View Lookup – Field Description

Field	Description	
Lookup Type	Displays the lookup type.	
Description	Displays the description of the lookup.	
Status	Displays the status of the record.	

- 4. Click Search.
- 5. Specify the search criteria to fetch the required lookup.

 \rightarrow The View Lookup Search screen displays.

Figure 103 : View Lookup - Search

View Lookup			»* ×
Lookup Type	Authorization Status	Record Status	
1	*	*	
Search Reset			

ORACLE

Field	Description	
Lookup Type	Displays the lookup type.	
Authorization Status	Select the authorization status of the lookup.	
	The options are:	
	Authorized	
	Unauthorized	
Record Status	Select the record status of the lookup.	
	The options are:	
	• Open	
	Close	

- 6. Click Search.
- 7. Click three-dots icon to unlock, delete, authorize or view the created criteria code
- 8. Click Unlock icon to modify the following fields. The fields are displayed in the **Lookup Maintenance** screen.
 - Lookup Code
 - Description
 - Sort Order
 - Dependent Identifier
 - Enable



Figure 104 : Lookup Maintenance – Modify




Table 91: Lookup Maintenance – Modify- Field Description.

Field	Description
Basic Details	
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup.
Lookup Codes	·
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Displays the lookup code for the created lookup.
	You can modify the same.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent Identifier for the created lookup.
	You can modify the same.
Enable	Indicates if the lookup is enabled or not.
	You can modify the same.

- 9. Click **Save** to update the modified fields.
- 10. Click **View** icon to view the created lookup code. The fields are displayed in **Lookup Maintenance** screen.



Figure 105 : Lookup Maintenance – View

Lookup Maintenance				," ×
Basic Details				
Lookup70208	Description * Lookup Desc 12			
Lookup Codes				
· ·				
Lookup Code	Description	Sort Order	Dependent Identifier	Enable
LC0002	Lookup code	1	Code	
Audit				

Table 92: Lookup Maintenance – View- Field Description.

Field	Description
Basic Details	
Lookup Type	Displays the created lookup type.
Description	Displays the description for the created lookup.
Lookup Codes	
Lookup Code	Displays the lookup code for the created lookup.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent identifier for the created lookup.
Enable	Displays the lookup code if enabled for the created lookup.



3.37 Criteria

The Criteria screen facilitates to setup criteria definition, which are used in evaluating request and response criteria (business rules) to identify which bureau is to be called for the request.

Examples:

- Call credit bureau 1, for personal loan product, and call credit bureau 1 and 2 for home loan products.
- Call credit bureau 1, if zip code of the applicant is between 70000 80000 and call credit bureau 2, if zip code of the applicant is between 30000 40000.
- Call credit bureau 3, if score from credit bureau 1 is less than 600.

This section contains the following subsections:

- 3.37.1 Create Bureau Criteria
- 3.37.2 View Bureau Criteria

3.37.1 Create Bureau Criteria

The **Create Bureau Criteria** screen allows the user to create bureau criteria by updating various details.

To create bureau criteria:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Criteria.
- 3. Under Criteria, click Create Bureau Criteria.
 - → The Create Bureau Criteria screen is displayed.

Figure 106 : Create Bureau Criteria

	u Criteria								
sic Details									
teria Code *			Description *			Product Processor *			
						Select	*		
• -									
0	Rule ID	Description		Priority	Call All Bureau			Enable	
No data to disp	(av.								

4. Specify the fields on **Create Bureau Criteria** screen. The fields, which are marked with asterisk, are mandatory.




 Table 93: Create Bureau Criteria – Field Description.

Field	Description
Basic Details	
Criteria Code	Specify the unique criteria code.
Description	Specify a short description for the criteria code.
Product Processor	Specify the product processor for which the criteria is being created.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Rule ID	Specify the rule ID.
0	Click to get the information about the rule.
Description	Displays the description of the rule ID selected.
Priority	Specify the priority of the criteria.
Call All Bureau	Click the toggle status to call all bureaus.
Enable	Click the toggle status to enable the rule criteria.
Actions	This field is enabled if Call All Bureau field is selected as No
+ button	Click this icon to add a new row.
The below fields ap the parent rule.	pear if Call All Bureau toggle status is not clicked. To add the child rule to
Rule ID	Select the rule ID from the drop-down list.
0	Click to get the information about the rule.
Description	Displays the description of the rule ID selected it is auto populated.
Priority	Specify the priority of the criteria.
Enable	Click the toggle status to enable the rule criteria.

5. Click **Save** to save the details.

The criteria are successfully created and can be viewed using the View Criteria screen.



3.37.2 View Bureau Criteria

The View Bureau Criteria screen allows the user to view the criteria created using the Create Bureau Criteria screen. The status of the created criteria is displayed as Unauthorized and Open. Once the checker authorizes the criteria, the status is updated to Authorized and Open.

To view created criteria:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Criteria.
- 3. Under Criteria, click View Bureau Criteria.

→ The View Bureau Criteria screen is displayed.

Figure 107 : View Bureau Criteria

View Bureau Criteria					** ×
ч с +					
Criteria Code: E OBX Criteria	Criteria Code: : OBS Criteria	Criteria Code: E CRI002	Criteria Code: : ASDASD :	Criteria Code: CRI	
Description: Criteria for OBX Pr Product Processor: OBX	Description: OBS Griteria Product Processor: OFLO	Description: dESC Product Processor: OFLO	Description: ASDA Product Processor: OFLO	Description: DESC Product Processor: OFLO	
🔥 Authorized 🔒 Open	🗞 Authorized 🔒 Open	🚯 Unauthorized 🔒 Open	🔀 Unauthorized 🔒 Open	🔥 Authorized 🔒 Open	
Page T of 1 (1:5ofStams)	κ (, , , ,				

For more information on fields refer to the field description table.

Field	Description	
Criteria Code	Displays the criteria code.	
Description	Displays the description of the criteria code.	
Product Processor	Displays the product processor of the criteria.	

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required criteria.
- 6. Click Search.

The View Criteria - Search screen displays.



Figure 108 : View Criteria –Search Option

View Criteria			2 ⁴ ×
Criteria Code	Description	Product Processor	Authorization Status
1204	A Los bater marie () (e.)	•	•
Record Status			
•			
Search Reset			



For more information on fields, refer to the field description table below.

 Table 95: View Criteria – Field Description.

Field	Description	
Criteria Code	Specify the criteria code.	
Description	Specify the criteria description.	
Product Processor	Select the product processor from the drop-down list.	
Authorization Status	 Select the authorization status of the criteria. The available options are: Authorized Unauthorized 	
Record Status	Select the record status from the drop-down list. The available options are: • Open • Close	

- 7. Click three-dots icon to unlock, delete, authorize or view the created criteria code.
- 8. Click **Unlock** icon to modify the following fields. The fields are displayed in the **Bureau Criteria Maintenance** screen.
 - Rule ID
 - Description
 - Priority
 - Call All Bureau Status
 - Enable



Figure 109 : Bureau Criteria Maintenance- Modify

Bureau Crit	teria Maintenance							* ×
Basic De	etails							
Criteria C OBX Crit			Description * Criteria for OBX Product Processor		Product Processor *	×		
Criteria	Definition							
	Rule ID		Description	Priority	Call All Bureau	Enable	Actions	
	PRD_TYPE_MULTIFA Q OBS_RULE_EFX Q	0	Multiple Fact Rule OBS_Rule_CBS_Equifax	2	Yes No Yes No	8	•	
Austit								Save Cancel

For more information on fields, refer to the field description table below.

Table 96: Bureau Criteria Maintenance – Modify - Field Description.

Field	Description		
Basic Details			
Criteria Code	Displays the created criteria code.		
Description	Displays the description for the created criteria code.		
Product Processor Displays the product processor for which the criteria being created.			
Criteria Definition	Criteria Definition		
Rule IDDisplays the rule ID for the created criteria.			
Description Displays the description for the created criteria.			
Priority	Displays the priority for the created criteria.		
Call All Bureau Displays if call all bureau has been enabled for the created criteria			
Enable	Displays the criteria code if enabled for the created criteria.		
Actions Displays the actions of the created criteria.			

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created criteria code. The fields are displayed in **Bureau Criteria Maintenance** screen.



Figure 110 : Bureau Criteria Maintenance - View

Details							
ia Code * Criteria		Description * Criteria for OBX Product Proces	5507	Product Processor * OBX			
ria Definition							
Rule ID		Description	Priority	Call All Bureau	Enable	Actions	
PRD_TYPE_MULTIFACT OBS_RULE_EFX	0	Multiple Fact Rule OBS_Rule_CBS_Equifax	2	No No	8		

Table 97: Bureau Criteria Mainten	ance- View – Field Description.
Tuble 97. Bureau Oriteria Mainteri	

Field	Description		
Basic Details			
Criteria Code	Displays the created criteria code.		
Description Displays the created criteria description.			
Product Processor Displays the product processor of the created criteria.			
Criteria Definition			
Rule IDDisplays the rule ID for the created criteria.			
Description Displays the description for the created criteria.			
Priority	Displays the priority for the created criteria.		
Call All Bureau Displays if call all bureau has been enabled for the created criteria			
Enable	Displays the criteria code if enabled for the created criteria.		
Actions Displays the actions of the created criteria.			



3.38 System Parameter

System parameters define the information or values used throughout the system and drives the behavior of the features. They control the way task is executed, or whether the system performs a particular task. Some of the parameters are set when the system is installed, but the values associated with the parameter needs to be reviewed and is to be maintained.

Example:

- Set minimum days to pull credit bureau report from same bureau from initial pull.
- Credit bureau report purge days.

This section contains the following subsections:

- 3.38.1 Create System Parameter
- 3.38.2 View System Parameter

3.38.1 Create System Parameter

The **Create System Parameter** screen allows the user to create system parameter by updating various details.

To create system parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click System Parameter.
- 3. Under System Parameter, click Create System Parameter
 - → The Create System Parameter screen is displayed.

Figure 111 : Create System Parameter

Create System Paramete	er		,× ²
Basic Details			
Parameter Code *		Parameter Description *	
Select	Y		
Product Processor *		Value *	
	*		
			Save Cancel

4. Specify the fields on **Create System Parameter** screen. The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

ORACLE

Table 98: System Parameter – Field Description.

Field	Description
Basic Details	
Parameter Code Select the parameter code from the drop-down list.	
Parameter DescriptionSpecify a short description for the parameter code.	
Product Processor	Select the product processor from the drop-down list for which the parameter is being created.
Value	Specify the value for the parameter code.

6. Click Save to save the details.

The parameter is successfully created and can be viewed using the **View System Parameter** screen.

3.38.2 View System Parameter

The **View System Parameter** screen allows the user to view the system parameter created using the **Create System Parameter** screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**. Once the checker authorizes the parameter, the status is updated to **Authorized** and **Open**.

To view created parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click System Parameter.
- 3. Under System Parameter, click View System Parameter.

→ The View System Parameter screen is displayed.

Figure 112 : View System Parameter

View System Parameter				
ч с +				■ =
Parameter Code: # Max Age Call To EXPER # Description: Maximum Report Product Processor: ORIO Authorized Image: Open Page 1 of 1 (1 - 4 of 4 items)	Parameter Code: Imark Age Call To EQUIF Mask Age Call To EQUIF Poscription: Maximum Report Product Processor: OBP Imark Age Call Imark Age	Parameter Code: Max, Age_Call_To_EQUIF : Description: Maximum Report Product Processor: OBX Induct Anexessor: OBX Induct Anexessor: OBX Open	Parameter Code: Max Age Call To EQUIF : Descriptor: Mainum Report Product Processor: OFIO Mathematical Call of the	u =



Field Description	
Parameter Code Displays the parameter code.	
Description	Displays the description of the parameter code.
Product Processor	Displays the product processor of the parameter.
Status	Displays the status of the record.

Table 99: View System Parameter – Field Description.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required parameter.
- 6. Click Search.

Figure 113 : View System Parameter – Search Option

View System Parameter			$_{\mu}^{d}$ \times
Parameter Code	Authorization Status	Record Status	
Search Reset			

For more information on fields, refer to the field description table below.

Field	Description
Parameter Code	Specify the parameter code.
Authorization Status	Select the authorization status of the criteria.
	The options are:
	Authorized
	Unauthorized
Record Status	Select the record status of the criteria.
	The options are:
	• Open
	Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created parameter code.
- 8. Click **Unlock** icon to modify the following fields. The fields are displayed in the **System Parameter Maintenance** screen.
 - Product Processor
 - Value

Figure 114 : System Parameter Maintenance - Modify

System Parameter Maintenance		$_{\mu}^{\mu}$ \times
Basic Details		
Parameter Code * Maximum_Report_Age_For_New * Product Processor *	Parameter Description * Maximum Report Age to call Experian Value *	
OFLO T	value 4	
Audit		Save Cancel

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Parameter Code	Displays the created parameter code.
Parameter Description	Displays the description for the created parameter.
Product Processor	Displays the product processor of the created parameter.
Value	Displays the value of the created parameter.

Table 101: System Parameter Maintenance – Modify – Field Description.

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created parameter code. The fields are displayed in **System Parameter Maintenance** screen.

Figure 115 : System Parameter Maintenance - View

System Parameter Maintenance		$_{\mu^{t\ell}}$ \times
Basic Details		
Parameter Code * Maximum_Report_Age_For_New_Call Product Processor *	Parameter Description * Maximum Report Age to call Experian Value *	
OFLO	4	

For more information on fields, refer to the field description table below.

Table 102: System Parameter Maintenance- View – Field Description.

Field	Description
Basic Details	
Parameter Code	Displays the created parameter code.
Parameter Description	Displays the created parameter description.
Product Processor	Displays the product processor of the created parameter.
Value	Displays the value for the created parameter.



3.39 Integrating Decision Service with Oracle Banking Routing Hub

3.39.1 Oracle Banking Routing Hub Configuration

Need to import existing service consumer and providers in the system. Service Consumer is oracle product, which invokes oracle banking routing hub API, oracle banking routing hub analyses evaluates destination product processor and transform data into format of the same. Service Consumer comprises of the source and destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.

 $\rightarrow\,$ The Service Consumers screen is displayed.

Figure 116: Service Consumers




Figure 117: Oracle Banking Routing Hub Configuration

Add Import search Q Oracle_Service_Consumer I View Edit Delete Export JSON Configuration SQL	Service Consumers		
Oracle_Service_Consumer View lage 1 of 1 (1 - 1 of 1 items) K < 1 Edit Delete Export JSON Configuration SQL	Service Consumers		
age 1 of 1 (1 - 1 of 1 items) K < 1 Delete Export JSON Configuration SQL	🕂 Add 🔄 Import search	0	
age 1 of 1 (1 - 1 of 1 items) K < 1 Delete Export JSON Configuration SQL	Oracle Grander Grander		
age 1 of1 (1-1 of 1 items) K L Delete Export JSON Configuration SQL	Oracle_Service_Consumer	View	
Export JSON Configuration SQL		Edit	
Configuration SQL	Page 1 of 1 (1-1 of 1 items) K < 1	Delete	
		Export JSON	
		Configuration SQL	
Request Audit		Request Audit	

Table 103: Oracle Banking Routing Hub Configuration

Component Name	Component Type	Condition	Comments
Add	Button		Pops up add dialog
Import	Button		Pops up import dialog



Search	Combo Box One		Provides search functionality with case insensitive (Service Consumer Name)
View	menu option	Non-editable	Pops up view dialog
Edit	menu option		Pops up edit dialog
Delete	menu option		
Export	Sub menu item		
JSON	menu option		Exports in JSON
SQL	menu option		Exports in SQL
Configuration	menu option		Pops up configuration dialog
Request Audit	menu option		Pops up request audit log

3.39.1.1 Add

You can create Service Consumer manually.

On Service Providers screen, click Add to create service providers.

Figure	118:	Add
iguic		Aud

Service Consumers				$_{\mu^{\mu^{\prime}}}$ \times
Service Consumers				
Add import search No.tems to display. Page 1 of 0 (1-0 of 0 items) K < > 31	Add Service Consumer Name * Oracle_Service_Consumer # Environment Variables # Environment Variables # Croup * Select Actions Name No data to display.	Enter 0 or more characters 255. No humeric value allowed alowed.	at beginning.No space	



Component Name	Component Type	ls Manda tory	Data type	Validation	Comments
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255 No numeric value at beginning and no space allowed 	Unique Service Consumer name
Environme nt Variables	Table Content				
Save	Button				Saves the Service Consumer

Table 104: Add

3.39.1.1 Environment Variables


You can define the group of variables that can be accessed throughout the specific consumer's configuration.

Below is the syntax for accessing environment variables:

\$env.Environment_Group_Name.Environment_Variable_Name
such as : \$env.COMMON.BRANCH_CODE

Figure 119: Environment Variables

Service Consumers Add No items to display: Page 1 of 0 (1 - 0 of 0 items) K < > X Add Import Service Consumer X Name * Service Consumer X Name Variable No data to display.	Service Consumers					, st ×
No items to display. Page 1 of 0 (1 - 0 of 0 items) K < > > > > > > > > > > > > > > > > > >	Service Consumers					
Save	Add import search	Add Service Consum Name * Sary co. Consum Environment Variable Group Variable Actions	es	Value		





Service Consumers			,* ×
Service Consumers			
Add import search	Add Service Consumer	×	
Page 1 of 0 (1+0 of 0 items) $K \iff H$	Add Environment Group	Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.	
	Gr C Actions Name	ок	
	No data to display.	Save	
		Save	

Figure 120: Environment Variables



Service Consumers			$_{\mu}^{\mu}$ \times
Service Consumers			
Add Import search No items to display. Page of0 (1 - 0 of 0 items) K X	Add Service Consumer Add Environment Variable Name * Value	X Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.	

Table 105: Environment Variables

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Add	Menu Item				
Group	Menu option				Pops up add group dialog
Variable	Menu option				Pops up add variable dialog
Navigation: Se	ervice Consume	r -> Environme	ent Variables	-> 3 dot icon (c	pperation menu)
Edit	menu option / icon				Pops up edit dialog
Delete	menu option / icon				Deletes group / variable



Environment	Group / Variab	ole			
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255 No numeric value at beginning and no space allowed 	
Value	Text Area				Value can either be hardcoded or Velocity mapping.
ОК	Button				Saves the group / variable and displays it in the list

3.39.1.2 Import

You can create a service consumer by importing the JSON file and manually selecting the service Providers or select all providers that needs to be imported. On **Service Providers** screen, click **Import.**

Figure 122: Import

Service Consumers			,, ¹⁶ ×
Service Consumers			
Add State Inport search	Q Import Service Consumer	×	
Page 1 of 0 (1-0 of 0 items) K < > >	File * Vracle_Service_Consumer_Consumer_is Select Name * Oracle_Service_Consumer	Extract	
		Import	

Table 106: Import

Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
File	File picker	Yes		Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Extract	Button	Yes				Extracts Consumer Name and Service Provider list from JSON file and displays it in the respective elements.
Name	Text Box	Yes	Alphanumer ic with special characters	 Name cannot be blank Specify 0 or more character s, up to a maximum of 255 	Editable	Unique



Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
				 No numeric value at beginning and no space allowed 		
Service Provider	Collapsible Header & Content					Displays the list of service providers that are present in JSON file
Import	Button					Imports Service Consumer

Note: Below data needs to be changed after importing consumer configuration file:

- Implementation Host and Port
- Implementation Authentication Password



3.39.1.3 View

You can view consumer details and can switch to edit form by clicking on edit icon. On **Service Providers** screen, click **Operation Menu (3-dot icon),** and click **View.**

Figure 1	23: View
----------	----------

Service Consumers			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Service Consumers	View Service Consumer	♂ ×	
Add import search Oracle_Service_Consumer	Name Oracle_Service_Consumer		
Page 1 of 1 (1-1 of 1 items) K < 1 > 3	Environment Variables Group COMMON	•	
	Actions Name	Value Sheaders["branchCode"[0]	

3.39.1.4 Edit

You can modify the consumer details.

On Service Providers screen, click Operation Menu (3-dot icon), and click Edit.

Figure	124:	Edit

Service Consumers				× ³⁶ 6
Service Consumers				
🕒 Add	Edit Service Consumer		×	
Oracle_Service_Consumer	Name * Oracle_Service_Consumer			
	Environment Variables Add Group * select			
	Actions No data to display.	Name	Value	
			Save	



3.39.1.5 Delete

You can delete the consumer.

On Service Providers screen, click Operation Menu (3-dot icon), and click Delete.

Figure 125: Delete

Service Consumers			$\mu^{\mu^{\prime}}$ \times
Service Consumers			
🕀 Add 🛛 🔂 Import ora	9		
Oracle_Service_Consumer :	•		
Page 1 of 1 (1 - 1 of 1 items) K < 1	к		
	CONFIRMATION	×	
	Do you want to delete the record?	I.	
		Confirm Cancel	

3.39.1.6 JSON Export

You can export the consumer configuration as JSON file.

On Service Providers screen, click Operation Menu (3-dot icon), and click Export.

and then, Click **JSON**.

Figure 126: JSON Export

Service Consumers		$_{\mu^{k'}} \times $
Service Consumers		
Page of1 (1-1 of1 Rems) K X	Export Service Consumer × Name Oracle, Service, Consumer Service Providers Name External_Product_Processor 1.0 Export	

NOTE: You have an option to select service providers from the list that needs to be exported or can click on Select All option for all service providers.

JSON Export feature will export below data:

- Selected service consumer
- All consumer services
- Selected service providers with services
- Default implementation of selected service providers with services (without Host, Port and Authentication Password)
- Default transformations
- All default implementation routes



3.39.1.7 SQL Export

You can export the consumer configuration as SQL file. On **Service Providers** screen, click **Operation Menu (3-dot icon),** and click **Export**.

and then, click SQL.

Figure 127: SQL Export

Service Consumers	,	× ×
Service Consumers		
🕒 Add 🛃 Import ora	٩	
Oracle_Service_Consumer		
Page 1 of 1 (1 - 1 of 1 items) K < 1	X CONFIRMATION Convertight of the superior Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported Confirm Cancel	

NOTE: SQL Export feature will export entire configuration without Host, Port and Authentication Password details.

3.39.2 Service Providers

Service Providers are the product processors configure to process request send by oracle banking routing hub on behalf of service consumers. Service Provider comprises of destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers. Under Service Consumers, click <Specific Service Consumer>.
 - \rightarrow The **Service Providers** screen is displayed.

Figure 128: Service Providers

Service Consumers	, ² ×
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add Search Q	
External_Product_Processor :	
Version 1.0 Type EXTERNAL	
Status ACTIVE	
Page 1 of 1 (1-1 of 1 items) K < 1 > >	






Figure 129: Service Providers

Service Consumers		$_{\mu^{e}}$ \times
Oracle_Service_Consumer		
Service Providers Consumer Services		
🔂 Add 🛃 Import search	٩,	
External_Product_Processor	View	
Version 1.0 Type EXTERNAL	Edit	
Status ACTIVE	Delete	
	Export	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Request Audit	

Table 107: Service Providers

Component Name	Component Type	Condition	Comments
<service Consumer></service 	Button		Navigates back to Service Consumers
Add	Button		Pops up add dialog
Import	Button		Pops up import dialog
Search	Combo Box One		Provides search functionality with case insensitive (Service Provider Name)
Navigation: Se	ervice Providers	s -> 3 dot icor	n (operation menu)
View	menu option	Non- editable	Pops up view dialog
Edit	menu option		Pops up edit dialog
Delete	menu option		
Export	menu option		Exports in JSON
Request Audit	menu option		Pops up request audit log



3.39.2.1 Add

You can create service provider manually.

On Service Providers screen, click Add to create service providers.

Figure 130: Add

Service Consumers			× ⁹ 4
Oracle_Service_Consumer			
Service Providers Consumer Services			
Add E import search	Add Service Provider	Enter 0 or more characters. up to a maximum of X	
External_Product_Processor	Product Name *	No numeric value allowed at beginning.No space allowed.	
Version 1.0 Type EXTERNAL Status ACTIVE	Version *	Active	
Page 1 of 1 (1 - 1 of 1 items) K <	Headers Service		
	- Sance	Save	

Table 108: Add

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Product Name	Text Box	Yes	Alphanumeric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255. No numeric value at beginning and no space allowed. 	Unique provider name
Туре	Combo Box One	Yes			Predefined Values: INTERNAL / EXTERNAL



Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Version	Text Box	Yes	Number	 Version cannot be blank Specify 0 or more characters, up to a maximum of 255. Specify only numeric or decimal values. 	Unique provider version
Active	Switch				Predefined Values: ACTIVE / INACTIVE If provider is marked as inactive, then all related routes will be stopped.
Headers	Collapsible Header & Content				Provider specific headers
Service	Collapsible Header & Content				Provider specific service details
Save	Button				Saves the Service Provider



3.39.2.2 Headers

External product processor might require some standard headers to be passed along with the request.

You can specify the headers which are required by service endpoints for its all implementations but not present in swagger file.

These headers can be configured in oracle banking routing hub using the steps given below.

Figure 131: Headers


Service Consumers			× ×
Oracle_Service_Consumer	Add Service Provider	×	
Service Providers Consumer Services • Add • Import search	Product Name External_Prov Version * Name *	Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of 1 (1-1 of 1 items) K < 1	1.0 Value Add Actions No data to d Service		
		Save	

Figure 132: Headers

Service Consumers					× ¹⁶ n
Oracle_Service_Consumer	Add Service Provider				
Service Providers Consumer Services	Product Name * Type * External_Product_Processor EXTERNAL *				
External_Product_Processor	Version * 1.0	م	ctive		
Version 1.0 Type EXTERNAL Status ACTIVE	✓ Headers				
Page 1 of 1 (1 - 1 of 1 items) K < 1	Actions Edit S Delete	Name appld	Value CMNCORE		
				Save	

Table 109: Headers

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Add	Button				Pops up add dialog
Edit	menu option				Pops up edit dialog
Delete	menu option				Deletes header





Component Name	Component Type	ls Mandatory	Data type	Validation	Comments			
Navigation: Se	Navigation: Service Providers -> Headers -> Add							
Name	Text Box	Yes	Alphanumeric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255. No numeric value at beginning and no space allowed. 				
Value	Text Area	Yes	Alphanumeric with special characters	 Value cannot be blank Specify 0 or more characters, up to a maximum of 255. No space allowed. 	Value either can be hardcoded or can be Velocity mapping.			
ок	Button				Saves the header details and displays it in the list			



3.39.2.3 Service

Figure 133: Service

Service Consumers		, ¹² ×
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add Simport search	Add Service Provider ×	
External_Product_Processor	▶ Headers	
Version 1.0 Type EXTERNAL Status ACTIVE	Al Service Type URL WSDL ▼ Construction Union Union	
Page 1 of 1 (1-1 of 1 items) K <	Service Operation ElValidLimitService (ElValidLimitServiceSEI) QueryValidLimitIO	

Table 110: Service

Component Name	Component Type	ls Mandatory	Comments
Туре	Combo Box One	Yes	Predefined Values: WSDL / SWAGGER
URL	Text Box	Yes	Service URL of the file location
Gateway Prefix	Text Box		Gateway Prefix is context path of below formatted URL http://host:port/gateway-prefix/endpoint
Import	Button		Extracts the service information from URL and displays it in the Service list

3.39.2.4 WSDL

The Web Services Description Language (WSDL) is an XML-based interface description language that is used for describing the functionality offered by a web service. Currently, non-SSL WSDL URL is only supported.

NOTE: In case there is a change in wsdl file, then same wsdl file need to be imported again in order to update the provided service information in routing hub.



3.39.2.5 SWAGGER

Swagger is an Interface Description Language for describing RESTful APIs expressed using JSON.

Currently, Swagger 2.0 & Open API 3.0 both are supported.

NOTE: In case there is a change in swagger file, then same swagger file need to be imported again in order to update the provided service information in routing hub.

3.39.2.6 Import

You can create a service provider by importing the JSON file. On **Service Providers** screen, click **Import.**

Figure 134: Import

Service Consumers	$p^{d'}$ \times
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add Dimport search Q	
External_Product_Processor :	
Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of 1 (1-1 of 1 items) K < 1 > X	Import Service Provider × File * Select Import Import

Table 111: Import

Component Name	Component Type	ls Mandatory	Validation	Condition	Comments
File	File picker	Yes	Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Import	Button				Imports Service Provider

NOTE: Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password



3.39.2.7 View

You can view provider details and can switch to edit form by clicking on edit icon. On **Service Providers** screen, click **Operation Menu (3-dot icon),** and click **View.**

ervice Consumers					e ×	
Oracle_Service_Consumer						
Service Providers Consumer Services						
Add Dimport search	View Service Provider			₿×		
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1 of 1 items) K <	Product Name External_Product_Processor Version 1.0 ▶ Headers ▲ Service Service	Type EXTERNAL Active On	Operation			
	FIValidI imitService (FIValidI imitServiceSFI	n	QuervValidI imitIQ			

Figure 135: Oracle Banking Routing Hub Configuration

3.39.2.8 Edit

You can modify the provider details.

On Service Providers screen, click Operation Menu (3-dot icon), and click Edit.

Figure	136:	Edit
--------	------	------

Service Consumers				
Oracle_Service_Consumer				
Service Providers Consumer Services				
Add P Import search	Edit Service Provider		×	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of 1 (1-1 of 1 items) K <	Product Name * External_Product_Processor Version * 1.0 > Headers	Type * EXTERNAL Active		
	J Service Type URL	_	Save	



3.39.2.9 Delete

You can delete the provider.

On Service Providers screen, click Operation Menu (3-dot icon), and click Delete.

Figure 137: Delete

Service Consumers		, ¹⁶ ×
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add Search Q		
External_Product_Processor :		
Version 1.0		
Type EXTERNAL CONFIRMATION	×	
Do you want to delete the record?	1	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Confirm Cancel	

3.39.2.10 Export

You can export the provider configuration as JSON file.

On Service Providers screen, click Operation Menu (3-dot icon), and click Export.

Figure 138: Export

Service Consumers		× ⁵ ,
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add 🔂 Import search	٩	
External_Product_Processor Version 1.0		
Type EXTERNAL Status ACTIVE	Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Confirm Cancel	

NOTE: Below data is not be exported:

- Implementation Host
- Implementation Port
- Implementation Authentication Password

The above data needs to be configured manually after importing the configuration file. Same has been mentioned in Import section



3.39.3 Oracle FLEXCUBE Onboarding to Decision Service Configuration

3.39.3.1 Fetch Credit Decision

Figure 139: Fetch credit decision – Header


View Transf	formation				ĭ ×
Name			Active		
A Product I	Processor				
Product Pro	cessor	Implementation		Service	
# Service					
Operation	Grefitiko: Sugar Decision Sugar				
Actions	Name		Value		10
1	appld				
1	userid		1		
1	branchCode		3 44		X.
▶ PathPara	ms				
▶ QueryPar	ams				

Figure 140: Fetch credit decision - Transformation:

View Transformation	x ×
▶ Service	
▶ Headers	
▶ PathParams	
▶ QueryParams	
A Request Transformation	
Template Type	Template
VEDOTY	{ S(esc.q)context5(esc.q) : { S(esc.q)sroductProcessor5(esc.q) : \$(esc.q)\$tody.productProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). }
# Response Transformation	
Template Type	Template
VELOCITY	
Mocking required?	Mock Template
CH,	



Figure 141: Consumer Services



3.40 Decision Service

3.40.1 Overview


The decision service provides automatic decision making capabilities that can allow lenders to develop simple business processes and strengthen the decision-making process.

It gives flexibility to adjust the credit scoring model according to the lending policy.

When an organization calls the decision service to make a decision based on data attributes shared, system solves the best fit scoring model and provide scores and decisions.

Decision Service is a robust and scalable system that can be easily integrated with any product processor providing auto decision capability and risk based pricing.

Figure 142 : Decision Service Overview



Decision service can be called from various product processor such as Collections, Deposits, Loans, Insurance, Trade Finance or Payment etc. This product processor calls the decision service and the decision service intern uses the rule engine to configure various complex rules.


The decision service can calculate behavioral scores and suggest the best recommended collection strategy accordingly. For lending products, it can offer a credit score, a decision based on the score, the recommended rate of interest and the ability to calculate which is the maximum amount that can be borrowed by the applicant.



3.40.2 Process Flow

The below diagram depicts the entire process flow of how decision service works.

Figure 143 : Decision Service Process Flow



3.40.2.1 Questionnaire

The first step is to get the questionnaire. The product processor sends the data of all the applicants in the application. A qualitative scoring model is resolved for each applicant and this information along with the details of the questionnaire is sent back to the product processor. The product processor captures the response to the questions and sends back as part of the second step which is the execution of the credit decision.

3.40.2.2 Logical Model

First step in execution of the credit decision is logical screening. In this application pre screening is done to check the basic eligibility of the application as per the bank's policy. For example, if the bank's policy is not to fund to property in flood prone area, then as a part of this step, if the property is in flood prone area then the application will be rejected and the application will not be processed further. Or the applicants minimum age should be more then 18 and the applicant applying is of less than 18, in that case the application is rejected and it will not be processed further.

3.40.2.3 Borrowing Capacity

Once eligibility is checked, the next step is borrowing capacity. This is the maximum loan amount the applicant is eligible for. The stage at which it is to be calculated depends on the configuration made. It can be calculated before the scoring after the decision. The loan amount considered for decision is minimum of requested loan amount or the amount calculated for scoring, decision and pricing.



3.40.2.4 Qualitative Score

After borrowing capacity, the next step is qualitative scoring done using the feedback from the applicants for questionnaire.

3.40.2.5 Quantitative Score

After qualitative scoring next step is quantitative scoring where scoring is done using application and bureau attributes such as salary, number of credit lines, bureau score etc.

3.40.2.6 Decision and Grade

The decision on the application is done based on the quantitative and qualitative scores. The decision can be approve, manual or decline.

The borrowing capacity can also be calculated after the decision, in this case, the amount calculated will be used only for pricing.

3.40.2.7 Pricing

The last step is to determine the recommended interest rate. This is a risk-based price that refers to offering different interest rates to different customers depending on their risk exposure.

3.40.3 Strategy Configuration

Decision service is used for multiple purposes such as borrowing capacity, borrowing capacity plus pricing, only pricing, only decision, logical plus decision etc. System should have an ability to configure the strategy like when the decision service is being called for borrowing capacity, should the request pass through the logical check. In addition, the product processor can configure different strategies for different product types or customer types. Strategy configuration allows the product processor to configure the strategy as per its requirements for all the modes for which decision service can be called. Separate strategy can be defined for origination, servicing or collection. In addition, multiple strategy can be defined for the same module like for origination i.e. multiple strategy can be defined. This maintenance allows the product processor to configure the strategy according to its need for all the modes for which the decision service can be

The various request types using which the product processor can call the decision service are mentioned below:

- Score, Decsion and Pricing
- Score and Decision
- Scores
- Pricing and Borrowing Capacity
- Pricing



- Borrowing Capacity
- Decision
- Qualitative Score
- Quantitative Score

3.41 Product Processor

The source system calling the decision system for decisioning the credit application is defined as product processor. There are multiple data segments like account information, customer details, collateral details, credit bureau information or any additional notes if any is received from the product processor for credit decisioning and pricing in decision service.

This section contains the following subsections:

- 3.41.1 Create Product Processor
- 3.41.2 View Product Processor

3.41.1 Create Product Processor

The **Create Product Processor** screen allows the user to create product processor by updating various details.

To Create Product Processor:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Product Processor.
- 3. Under Product Processor, click Create Product Processor.

→ The Create Product Processor screen is displayed.

Figure 144 : Create Product Processor

Create Product Processor	, х ^и Х
Basic Details	
Product Processor Code *	Product Processor Description *
Effective Date *	Expiry Date *
論	a
	Save Cancel

4. Specify the fields on Create Product Processor screen.

The fields, which are marked with asterisk, are mandatory.



For more information on fields, refer to the field description table below.

Table 112 : Create Product Processor - Field Description

Field	Description
Basic Details	
Product Processor Code	Specify the unique product processor code.
Product Processor Description	Specify the short description for the product processor.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.

5. Click **Save** to save the details.

The product processor is created successfully and can be viewed using the **View Product Processor** screen.

3.41.2 View Product Processor

The **View Product Processor** screen allows the user to view the product processor created using the **Create Product Processor** screen. The status of the created product processor is displayed as **Unauthorized** and **Open**. Once the checker authorizes the product processor, the status is updated to **Authorized** and **Open**.

To view created product processor:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Product Processor.
- 3. Under Product Processor, click View Product Processor.

 \rightarrow The **View Product Processor** screen is displayed.



View Product Processor × Produc OBC Product Processor Code: PPRNEW20211001171092 Product Processor Code: PR20211001171034 Authorized 🔒 Ope 🗟 Una zed 🔒 Oper 🗟 Un rized 🔒 Oper A A Oper Autho A Op PPRNEW20211004171000 2 **a** 0 6 2 2 a 2 Page 1 of 2 (1 - 10 of 15 items) K < 1 2 > > > →

Figure 145 : View Product Processor



Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required product processor.

Figure 146 : View Product Processor - Search Option

roduct Processor Code	Product Processor Description	Authorization Status	Record Status	
		· · ·		×

For more information on fields, refer to the field description table below.

Table 114 : View Product Processor- Search Option - Field Description

Field	Description
Product Processor Code	Specify the product processor code.
Product Processor Description	Specify the product processor description.



Field	Description
Authorization Status	Select the authorization status of the product processor.
	The options are:
	Authorized
	Unauthorized
Record Status	Select the record status of the product processor.
	The options are:
	• Open
	Close

- 6. Click Search.
- 7. Click three-dots icon to modify, delete, authorise or view the created product processor.
- 8. To authorise the product processor, see the Error! Reference source not found..
- 9. Click **Unlock** icon to modify the following fields. The fields are displayed in the **Product Processor** Maintenance screen.
 - Product Processor Description
 - Effective Date, before authorization
 - Expiry Date

Figure 147 : Product Processor Maintenance – Modify

Product Processor Maintenance			, ^ж ×
Basic Details			
Product Processor Code *	Product Processor Descrip	ion *	
OFLO	OFLO		
Effective Date *	Expiry Date *		
Sep 1, 2020	May 6, 2025	iii	
Audit			Save Cancel

For more information on fields, refer to the field description table below.

Table 115 : Product Processor Maintenance - Modify - Field Description

Field	Description
Basic Details	

Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Description	User can modify the same.
Effective Date	Displays the effective date of created product processor.
	User can modify the same before authorization if it is future dated.
Expiry Date	Displays the expiry date of created product processor.
	User can modify the same.

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created product processor.

The fields are displayed in Product Processor Maintenance screen.

Figure 148 : Product Processor Maintenance – View

Product Processor Maintenance		ť ×
Basic Details		
Product Processor Code *	Product Processor Description *	
OFLO	OFLO	
Effective Date *	Expiry Date *	
Sep 1, 2020	May 6, 2025	
		-
Audit		

For more information on fields, refer to the field description table below.

Table 116 : Product Processor Maintenance - View - Field Description

Field	Description
Basic Details	
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Effective Date	Displays the effective date of the created product processor.



Field	Description
Expiry Date	Displays the expiry date of the created product processor.



3.42 Lookup

Lookup are the service for mapping of keys and values that is used to enrich the description of the data displayed to the user. The lookup screen facilitates to define the contents for drop-down or list of value fields. Lookup fields are used throughout the system. The identified fields will only accept entries stored in this screen. Below are some examples of the lookup fields.

- Static/Enumeration values
 - o Credit Bureau: Like Credit Bureau 1, Credit Bureau 2 and Credit Bureau 3.
 - Comparison Operator: Equals, Greater than.
- Dependent lookups based on another selection
 - o Based on Country, State should have different values in the lookup.
 - o Based on Country, Currency should have different values in the lookup.

This section contains the following subsections:

- 3.42.1 Create Lookup
- 3.42.2 View Lookup

3.42.1 Create Lookup

The Create Lookup screen allows the user to create lookup definitions by updating various details.

To create lookups:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click Create Lookup.
 - \rightarrow The **Create Lookup** screen is displayed.



Figure 149 : Create Lookup Screen

Create Lookup			,* ×
Basic Details			
Looky Type "		Decription *	
Lookup Codes			
Lookup Code	Description	Sert Onter	Dependent Identif Ens
No data to display.			
			Save Cancel

4. Specify the fields on Create Lookups screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 117 : Create Lookups - Field Description

Field	Description
Basic Details	
Lookup Type	Specify the unique lookup type name.
Description	Specify the short description for lookup.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Specify the unique lookup code.
Description	Specify the short description for lookup.
Sort Order	Specify the sort order.
Dependent Identifier	Specify the dependent Identifier.
Enable	By default, this option is enabled. Indicates if the lookup is enabled or not.

6. Click **Save** to save the details.

The lookup is successfully created and can be viewed using the View Lookup screen.



3.42.2 View Lookup

The **View Lookup** screen allows the user to view the lookup created using the **Create Lookup** screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

To view created lookups:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click View Lookup.

→ The View Lookup screen is displayed.

Figure 150 : View Lookup

View Lookup									$_{\mu^{a^{\prime}}}$ \times
🛃 Authorized 🔒 Open	Lookup Type: : AGE Description: Age Authoritent 🔐 Closed	Lookup Typet : sktrest5 Description: stand5 By Unar/Horized 🔒 Open	Lookup Typet : industry 1212 Description: industry B Unauthorized Den	Lookup Typet : inclustry1212434 : Description: industry B Unauthorized în Open	Leokup Typet : sktest2 Description: skiest2 Authorized Cosed	Lookup Type: RequestedAmouttest_2 Description: STS_RARAM_CD B UnavHorized a Open	Lookup Typek : inclustry/2348884 Description: industry B Unactivitized Cosed	Lookup Type: Industry316 Description: industry By Unauthorized 🔒 Open	
Lookup Type: I Industry789 I Description: industry Authorited 🔐 Open									
Page 1 of 11 (1 - 10 of 105 items	a) K < 1 2 3 4 5	11 × x							

For more information on the fields, refer to the field description table below.

Table 118 : View Product Processor - Field Description

Field	Description
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required lookups.

Figure 151 : View Lookups- Search Option

View Lookups			,, ^x ×
Lookup Type	Authorization Status	Record Status	
Search Reset			

6. Click Search.



For more information on fields, refer the field description table below.

Field	Description	
Lookup Type	Displays the lookup type.	
Authorization Status	Select the authorization status of the lookups.	
Status	The options are:	
	Authorized	
	Unauthorized	
Record Status	Select the record status of the lookups.	
	The options are:	
	• Open	
	Close	

Table 119 : View Lookups - Search Option - Field Description

- 7. Click three-dot icon to unlock, delete, authorize or view the created lookups.
- 8. Click **Unlock icon** to modify the following fields.

The fields are displayed in the Lookup Maintenance screen.

- Description
- Lookup Code
- Sort Order
- Dependent Identifier
- Enable

Figure 152 : Lookup Maintenance - Modify

Look	up Maintenance			*
Basic	Details			
Look	cup Type *		Description *	
	STCATEGORY		CustomerCategory	
ooku	ip Codes			
•	- Lookup Code	Description	Sort Order	Dependent Identifier Enable
	SILVER	Silver	1	
	GOLD	Gold	2	
	HNI	HighNetworthInd	- 31 -	
	REGULAR	Regular	.4	
	PLATINUM	Platinum	5	
	ULTRAHNI	Ultra-HighNetworthInd	6	
Aud				Save Cancel



Field	Description
Basic Details	
Lookup Type Displays the created lookup type.	
Description	Displays the description of the created lookup.
	User can modify the same.
Lookup Codes	
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Displays the lookup code for the created lookups.
	User can modify the same.
Description	Displays the description for the created lookups.
	User can modify the same.
Sort Order	Displays the sort order for the created lookups.
	User can modify the same.
Dependent Identifier	Displays the dependent identifier for the created lookups.
	User can modify the same.
Enable	Displays the lookup code if enabled for the created lookup.
	User can modify the same.

Table 120 : Lookup Maintenance - Modify - Field Description

9. Click **Save** to update the modified fields.

10. Click **View** icon to view the created lookup code.

The fields are displayed in Lookup Maintenance screen.



Figure 153 : Lookup Maintenance – View

Lookup Maintenance				," ×
Basic Details				
Lookup70pe " Lookup00208	Description " Lookup Desc 12			
Lookup Codes				
Lockup Code	Description	Sort Order	Dependent Identifier	Enable
LC0002	Lookup code	Ť	Code	\bigcirc
Audit				

Table 121 : Lookup Maintenance - View - Field Description

Field	Description
Basic Details	
Lookup Type	Displays the created lookup type.
Description	Displays the created lookup type description.
Lookup Codes	
Lookup Code	Displays the lookup code for the created lookup.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent identifier for the created lookup.
Enable	Displays the lookup code if enabled for the created lookup.





3.43 System Parameter

System Parameter define the information or values used throughout the system and drives the behavior of the features. They control the way task is executed, or whether the system performs a particular task. Some of the parameters are set when the system is installed, but the values associated with the parameter needs to be reviewed and is to be maintained.

Example:

- Set minimum days to pull credit bureau report from same bureau from initial pull.
- Credit bureau report purge days.

This section contains the following subsections:

- 3.43.1 Create System Parameter
- 3.43.2 View System Parameter

3.43.1 Create System Parameter

The **Create System Parameter** screen allows the user to create parameters by updating various details.

To Create System Parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click System Parameters.
- 3. Under System Parameter, click Create System Parameter.
 - → The Create System Parameter screen is displayed.

Figure 154 : Create System Parameter

Create System Parameter	10 C
Basic Details	
Parameter Code 1	Parameter Description 1
Select *	
Product Processor *	Value "
*	
	Seve Cancel

4. Specify the fields on **Create System Parameter** screen.

The fields, which are marked with asterisk, are mandatory.



Field	Description	
Basic Details		
Parameter Code	Select the parameter code from the drop-down list.	
Parameter Description	Specify a short description for the parameter code.	
Parameter Description	Specify a short description for the parameter code.	
Value	Specify the value for the parameter code.	

Table 122 : Create System Parameter - Field Description

5. Click **Save** to save the details.

The system parameters is successfully created and can be viewed using the **View System Parameter** screen.

3.43.2 View System Parameter

The View System Parameter screen allows user to view the parameters created using the **Create System Parameter** screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**. Once the checker authorizes the parameter, the status is updated to **Authorized** and **Open**.

To view created system parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click System Parameter.
- 3. Under System Parameter, click View System Parameter.

→ The View System Parameter screen is displayed.

Figure 155 : View System Parameter

View System Parameter						,* ×			
ч с +									
Prometter Collec I Purge I Description: Auge Product Processor: CRP4 Ro Unauthorized R Copin	Parameter Code: i CDS_GRADE i Description: CDS_GRADE Product Processor: GR:0 B Authorized a Gymm	Promote Color: I Requested Amount Deceiption: Repected Amount Product Processor: OFLD B Archorized Copen	Parameter Colec i SYSTEMS i Description: els Product Processor: CPLD © LinuxHockard i Cyan	Presenter Code: I SYSTEMa I Description: alc1 Predict Processor: ORJO B Unauthorized I Open	Processor Code: : SYSTEM9 : Decorption: abc Product Processor: CPLD B: Unauthorized : CPLD	Paceweter Colic: E MinDays E Deceiption: Man Purge Des 0 Podect Processor: CBR4 Asthorized Closed Cool	Parameter Code: : quantilitativeScore Description: quantitativeScore Peoduct Peocesor: ORIO Authorized a Open	Parameter Code: E DS E Description: Test Product Processor: DEPA B Anthonized Classed	
Parameter Colic MaxUSNLongth Description MatSNLongth Product Processor: 0873 B Unactivated Color									
Page 1 of 3 (1-10 of 29 items)	к с 123 у м								



Field	Description
Parameter Code	Displays the parameter code.
Description	Displays the description of the parameter code.
Product Processor	Displays the product processor of the parameter.
Status	Displays the status of the record.

Table 123 : View System Parameter - Field Description

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required system parameter.

6. Click Search.

Figure 156 : View System Parameters- Search Option

View System Parameter			$_{p}^{d'} \times$
Parameter Code	Authorization Status v	Record Status	
Search Reset			

Table 124 : View System Parameters - Field Description

Field	Description	
Parameter Code	Specify the parameter code.	
Authorization Status	Select the authorisation status of the parameters.	
oluluo	The options are:	
	Authorised	
	Unauthorised	
Record Status	Select the record status of the parameters.	
	The options are:	
	• Open	
	Close	

7. Click three-dots icon to unlock, delete, authorize or view the created system parameter.

8. Click **Unlock** icon to modify the following fields.

The fields are displayed in the System Parameter Maintenance screen.

- Product Processor
- Value

Figure 157 : System Parameter Maintenance – Modify

System Parameter Maintenance	×*	×
Basic Details		
Parameter Code * Maximum_Report_Age_For_New *	Parameter Description * Maximum Report Age to call Experian	
Product Processor * OFLO	Value * 4	
Audit	Save	I I

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Parameter Code	Displays the created system parameter code.
Parameter Description	Displays the description for the created system parameter code.
Product Processor	Displays the product processor of the created system parameter code.
	User can modify the same.
Value	Displays the value of the system parameter.
	User can modify the same.

Table 125 : System Parameter Maintenance - Modify - Field Description

- 9. Click **Save** to update the modified fields.
- 10. Click View icon to view the created system parameter code.

The fields are displayed in System Parameter Maintenance screen.



Figure 158 : System Parameter Maintenance – View

System Parameter Maintenance	×	×
Basic Details		
Parameter Code * Maximum_Report_Age_For_New_Call	Parameter Description * Maximum Report Age to call Experian	
Product Processor *	Value *	
OFLO	4	
Audit		

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Parameter Code	Displays the created system parameter code.
Parameter Description	Displays the created system parameter description.
Product Processor	Displays the product processor of the created system parameter.
Value	Displays the value for the created system parameter.

Table 126 : System Parameter Maintenance - View - Field Description

3.44 Strategy Configuration

Decision service is used for multiple purposes such as borrowing capacity, borrowing capacity plus pricing, only pricing, only decision, logical plus decision etc. System should have an ability to configure the strategy like when the decision service is being called for borrowing capacity, should the request pass through the logical check. In addition, the product processor can configure different strategies for different product types or customer types. Strategy configuration allows the product processor to configure the strategy as per its requirements for all the modes for which decision service can be called. Separate strategy can be defined for origination, servicing or collection. In addition, multiple strategy can be defined. This maintenance allows the product processor to configure the strategy according to its need for all the modes for which the decision service can be called for.

This section contains the following subsections:

- 3.44.1 Create Strategy Configuration
- 3.44.2 View Strategy Configuration

3.44.1 Create Strategy Configuration

The **Create Strategy Configuration** screen allows user to configure the strategy as per the requirement.

To Create Strategy Configuration:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Strategy Configuration.
- 3. Under Strategy Configuration, click Create Strategy Configuration.

→ The Create Strategy Configuration screen is displayed.

Figure 159 : Create Strategy Configuration

Create Strategy Configuration		, ^{af} ×
Basic Details		
Strategy Code * Selvct * Product Process * Selvct *	Strategy Code Description * Product Processor Description *	
Lener: Industry * Seiver: * Acount case of the seiver *	Line of Business * Select * Module * Select *	
Effective Date *	Expiry Date *	
Additional Information		
•		
Туре	Value	
No data to display.		
Modes		
Borrowing Capacity Decision & Grade Pricing Qualitative Score Q	pantizative Score Score Score & Decision Score, Decision & Pricing	

4. Specify the fields on Create Strategy Configuration screen.



The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 127 : Create Strategy Configuration - Field Description

Field	Description
Basic Details	
Strategy Code	Specify the unique strategy code.
Strategy Code Description	Specify a short description for the strategy code.
Product Processor	Specify the product processor for which the strategy is being configured.
Product Processor Description	Displays the product processor description.
Industry	Select the industry type from the drop down list.
	The values are configurable based on the lookup values maintained.
	The options are:
	Banking Industry
	Insurance
	Trade Finance
Line of Business	Select the line of business type from the drop down list. The values are configurable based on the lookup values maintained.
	The options are:
	Corporate
	Retail
	• SMEnt
Account Category	Select the category from the drop-down list.
	The options are:
	Asset
	Liability



Field	Description	
Module	Select the module from the drop down list. The values are configurable based on the lookup values maintained.	
	The options are:	
	Collection	
	Origination	
	Servicing	
Effective Date	Specify the effective date.	
Expiry Date	Specify the expiry date.	
Additional Information	on	
+ button	Click to add a new facts.	
- button	Click to delete an existing row.	
Туре	Select the fact type from the drop down list.	
Value	Select the value configured for the fact type from the drop down list. The values are configurable based on the lookup values maintained.	
Modes	Select the modes from the list.	
	The options are:	
	Borrowing Capacity	
	Decision & Grade	
	Pricing	
	Qualitative Score	
	Quantitative Score	
	Score	
	Score & Decision	
	Score, Decision & Pricing	
	If the Module is selected as Collection , then below options are available.	
	The options are:	
	Decision and Grade	
	Qualitative Score	
	Quantitative Score	
	Score	
	Score and Decision	



Field	Description
Steps	Steps are defined based on the modes selected.
	For example:
	If Borrowing Capacity mode is selected, the check box for borrowing capacity is by default selected and disabled, you can select the other steps.

5. Click **Save** to save the details.

The strategy configuration is successfully created and can be viewed using the **View strategy Configuration** screen.



3.44.2 View Strategy Configuration

The **View Strategy Configuration** screen allows the user to view the strategy configuration created using the **Create Strategy Configuration** screen. The status of the created strategy configuration is displayed as **Unauthorized** and **Open**. Once the checker authorizes the parameter, the status is updated to **Authorized** and **Open**.

To view Created Strategy Configuration:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Strategy Configuration.
- 3. Under Strategy Configuration, click View Strategy Configuration.

 \rightarrow The View Strategy Configuration screen is displayed.

Figure 160 : View Strategy Configuration

View Strategy Configuration							$\lambda_{6} \times$
ч с +							
Strategy Description: OFLO032	Strategy Dasie : : OFLO042 : : Strategy Description: OFLO042 Product Processor: OFLO & Authorized : Open	Strategy Code: i OFLO022 i Strategy Description: OFLO022 Product Processor: OFLO & Anthonized & Open	Strategy Code: I OFI.0015 I Strategy Description: OFI.0015 Product Processor: OFI.0 B Authorized Desc	Stategy Code: : OFL.0029 : Stategy Description: OFL0029 Product Processor: OFL0 B Unauthorized în Open	Strategy Code: OFLO051 : Strategy Description: OFL0051 Product Processor: OFL0 Authorized @ Open	Strategy Code: : OFL0007 : Strategy Description: Strategy Product Processor: OFL0 Conn Open	
Strategy Code: OFLO010 Strategy Description: 04(0010	Strategy Code: 1 OFLOO40 Strategy Description: OFLO040 Product Processor: OFLO Authorized Organization	Strategy Code: OFLOOGO Strategy Description: Strategy Code Product Processor: OFIO By Archecizad Open	🚯 trajunan 🖬 Oran	ED programment of the	By Lukorosov 🖬 Gram	B) Antonia 10 (An	

Table 128 : View Strategy Configuration - Field Description

Field	Description	
Strategy Code	Displays the strategy code.	
Strategy Description	Displays the strategy description.	
Product Processor	Displays the product processor.	
Status	Displays the status of the record.	

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required strategy configuration.



Figure 161 : View Strategy Configuration- Search Option

View Strategy Configuration				,* ×
Strategy Code	Strategy Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.

For more information on fields, refer the field description table below.

Table 129 : View Strated	y Configuration – Search (Option - Field Description

Field	Description	
Strategy Code	Specify the strategy code.	
Strategy Description	Specify the strategy description.	
Authorization Status	 Select the authorization status of the parameters. The options are: Authorized Unauthorized 	
Record Status	Select the record status of the parameters. The options are: • Open • Close	

7. Click three-dots icon to unlock, delete, authorize or view the created strategy configuration.

- 8. To authorize the strategy configuration, see the Authorization process.
- 9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the Strategy Configuration Maintenance screen.

- Expiry Date
- Fact Type and Value
- Modes
- Steps



Figure 162 : Strategy Configuration Maintenance – Modify

Strategy Configuration Maintenance		2 ⁴ ×
Basic Oxfaits		
Strategy Code ¹	Strategy Code Description *	
onora +	OFL0329	
Product Prozessor * OFLO +	Product Processor Description * OFL0	
Industry *	Line of Business *	
Banking *	Retail	
Account Category *	Module *	
Asset C Listsiny	Origination	*
emetrixe dara * Sep 40, 2020	Expiry Date *	
Sep 30, 2020	Sep 28, 2022	
Atticutionum Territoria Territoria Att		* 4. *
Motes		
Tablet the Middus to configure as per requirement		
. Renewed caudy . Densinfacts . New y Duiltone can . Quertaine can . Some √ Scorebooks . Somebooks/Hong		
Shes		
time. The investing regime by obtain the class and thatfield. The optional slope are weathers and unstretisks. The class can decide which requires the te compared to be compared to be compared to be		
# Qualitative Score		
1. 🗍 Legical 2 🖉 Qualitative Totos		

Field	Description	
Basic Details		
Strategy Code	Displays the strategy code.	
Strategy Code Description	Displays the strategy code description.	
Product Processor	Displays the product processor for the created strategy configuration.	
Product Processor Description	Displays the product processor description for the created strategy configuration.	
Industry	Displays the industry for the created strategy configuration.	
Line of Business	Displays the line of business for the created strategy configuration.	
Account Category	Displays the account category for the created strategy configuration.	
Module	Displays the module for the created strategy configuration.	
Effective Date	Displays the effective date for the created strategy configuration.	
Expiry Date	Displays the expiry date for the created strategy configuration.	
	User can modify the same.	
Additional Information		
Туре	Displays the fact type for the created strategy configuration.	
	User can modify the same.	



Field	Description
Value	Displays the fact value for the created strategy configuration.
	User can modify the same.
Modes	Displays the modes defined for the created strategy configuration.
	User can modify the same.
Steps	Displays the steps defined for the created strategy configuration.
	User can modify the same.

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created strategy configuration.

The fields are displayed in Strategy Configuration Maintenance screen.

Figure 163 : Strategy Configuration Maintenance – View

Strategy Configuration Maintenance		2 ×
Basic Details		
Protect Stock * • Original * • Protect Tristances • Original * • Original * • Market Tristances • Amount Groups* • In state * Definition * • In state * Definition * •	Bruday dos Deservation * concoces modul focusion transition * control Units of based states * focus * Degrates * Exproption * Septimised * Septimised *	
Additional Internation		
Тре		Vidou
A94		ч
Modus		
Telect the Modes to configure as par requirement		
🗌 RomanigCaparty 🗋 DesisionGrade 📄 Pricesy 🖌 QualitativeCore 📄 QuantumienCore 📄 Score 😾 ScoreDorstone 📄 ScoreDorstone 👘 ScoreDorstone		
Bites		
non The financies may be by before model and doubled. The optional slop care models and unchested. The care double which make to be configured for a mode.		
Qualitative Score		
1. 🗍 Logical – 2. 🔄 Qualitative ticke		

Table 131 : Strategy Configuration Maintenance - View - Field Description

Field	Description	
Basic Details		
Strategy Code	Displays the strategy code.	
Strategy Code Description	Displays the strategy code description.	
Product Processor	Displays the product processor for the created strategy configuration.	
Product Processor Description	Displays the product processor description for the created strategy configuration.	
Industry	Displays the industry for the created strategy configuration.	



Field	Description
Line of Business	Displays the line of business for the created strategy configuration.
Account Category	Displays the account category for the created strategy configuration.
Module	Displays the module for the created strategy configuration.
Effective Date	Displays the effective date for the created strategy configuration.
Expiry Date	Displays the expiry date for the created strategy configuration.
Additional Information	
Туре	Displays the fact type for the created strategy configuration.
Value	Displays the fact value for the created strategy configuration.
Steps	Displays the steps defined for the created strategy configuration.

3.45 Logical Model

During credit decision, system evaluates a credit score that represents the creditworthiness of an individual. Banks also do an initial evaluation by using some rules to decide whether to proceed with credit decisioning process or not. A bank can perform this evaluation by maintaining a logical model. Multiple levels of rule can be setup in logical model. The system will process the next step of credit decisioning only if all the rules are satisfied. If any rule fails, then system will stop the processing and decline the request.

This section contains the following subsections:

- 3.45.1 Create Logical Model
- 3.45.2 View Logical Model

3.45.1 Create Logical Model

The Create Logical Model screen allows user to create logical model based on the various input.

User can configure the strategy as per the requirement.

To create Logical Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Logical Model.
- 3. Under Logical Model, click Create Logical Model.
 - \rightarrow The Create Logical Model screen is displayed.

Figure 164 : Create Logical Model

Create Logical Model	× *
Basic Detalls	
	Logical Model Description *
1	Expiry Date *
Product Processor * Select •	Priority *
Selection Criteria Logical Model	
Use Existing Rule Create New Rule	
Rules Rule Code ¹¹ Selet: 1	Rule Name
lo l	
	Serv. Canad

4. Specify the fields on Create Logical Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 132 : Create Logical Scoring Model - Field Description

Field	Description	
Basic Details		
Logical Model Code	Specify the unique logical model code.	
Logical Model Description	Specify a short description for the logical model.	
Effective Date	Specify the effective date.	
Expiry Date	Specify the expiry date.	
Product Processor	Specify the product processor for which the logical model is being defined.	
Priority	Specify the priority for the logical model.	
Stop on Failure	By default, this option is disabled. Indicates whether system should stop execution of rules if any rules fails or continue ahead with the remaining rules as per the sequence.	

5. Click the Selection Criteria tab to define selection criteria rules for logical model.



Figure 165 : Create Logical Scoring Model - Selection Criteria

Create Logical Scoring Model			/
Basic Details			
Logical Model Code * SMC03 Effective Unte * Aug 2.021 @ Produst Processor * OPLO *		Logical Model Description * Scoring Model Exploy Date * Aug 24, 2021	
Selection Criteria Logical Model Urse bitring Rule Create New Rule Rules			
Rule Code * MLA3 * 0		Rule Name MLA1	
New Edit			
Rules			
Code * MLA3	Description MLA1		
Expression Builder			

Table 133 : Create Logical Scoring Model – Selection Criteria - Field Description		
Field	Description	

Field	Description	
The following fields appear if you click the Selection Criteria Tab		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Select the rule code from the drop down list.	
0	Click to get the information about the rule.	
Rule Name	View the rule name.	
Create New Rule	Select this option to create new rule.	
Rules		
Code	Specify the rule code.	
Description	Specify the rule description.	
Select Existing Rule	Select the existing rule from the drop-down list.	
9	Click to view the existing rule.	
Below field appears once you click the icon.		
Rule ID	Displays the rule ID.	
Rule Name	Displays the rule name.	



Field	Description		
Description	Displays the rule description.		
Rule Version	Displays the rule version.		
Q	Click to view the list of rule versions.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below field appears or	Below field appears once you click the icon.		
List of Versions			
Version	Displays the rule version.		
Description	Displays the rule description.		
Creation Date	Displays the rule creation date.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Expression Builder			
+ button	Click to add new expression.		
Fact / Rules	Select the fact or rule from the drop-down list.		
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.		

Field	Description
Operator	Select the comparison operator from the drop-down list.
	The options are:
	• <
	• >
	• +
	• =
	• %
	• !=
	• -
	• >=
	• <=
	• *
	• /
	Contains
	• In
	• Like
	Matches
	Notmatches
	Notcontains
	Notin
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to the output, update the same based on the selected output option.
	The options are:
	• Text
	Number
	Boolean
	Date
	Fact
	Rules
	The below option appears if the Data Type is selected as Boolean .
	• True
	False



Field	Description	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to the output, update the same based on the selected output option.	
	The options are:	
	• Text	
	Number	
	Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Expression	View the expression updated in the expression builder.	

6. Click the Logical Model tab to define various logical modeling rules

Figure 166 : Create Logical Model – Logical Model Tab

Create Logical Model					×
Basic Details					
Legical Model Doce * ani Mathieu Date * Dict 8, 2021 III Product Processor * DFLO *		Lagran Model Dear and Recyclosur On 7, 2,301 Property *	ana 1		
Selection Oritoria Logical M	edel .				
Logical Scoring					1
Rota ID No data to display		Secure .	Reason	Comment	Q
					-
				Sav Cox	

Field	Description	
The following fields appear if you click the Logical Model Tab		
+ button	Click to add a new row.	
- button	Click to delete an existing row.	
Rule ID	Select the rule ID from the drop down list.	
	All rules configured in the rule engine for the selected product processor are obtained.	



Field	Description	
0	Click to get the information about the rule.	
Sequence	Specify the sequence of execution of rules.	
Reason	Select the reason from the drop down list.	
Comments	Specify the comments.	

7. Click **Save** to save the details.

The logical model is successfully created and can be viewed using the **View Logical Model** screen.



3.45.2 View Logical Model

The View Logical Model screen allows the user to view the logical model created using the Create Logical Model screen. The status of the created logical model is displayed as Unauthorized and Open. Once the checker authorizes the model, the status is updated to Authorized and Open.

To View Logical Model:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Logical Model.
- 3. Under Logical Model, click View Logical Model.

→ The View Logical Model screen is displayed.

Figure 167 : View Logical Model

	$_{p^{d'}}\times$
C +	
gene Maria Carlos Mario 11 a tanta Denormana. I agrega Maria Carlos I agrega Maria Carl	
t at (1.1.ataun) X - (1 - X	

For more information on fields, refer to the field description table below.

Field	Description	
Logical Model Code	Displays the logical model code.	
Logical Model Description	Displays the logical model description.	
Product Processor Code	Displays the product processor code.	
Status	Displays the status of the record.	

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required logical model.

Figure 168 : Logical Model- Search Option

View Logical Model				2 ⁴ ×
Logical Model Code	Logical Model Description	Authoritation Status v	Record Status +	
Sweth Reset				

6. Click Search.



Field	Description		
Logical Model Code	Specify the logical model code.		
Logical Model Description	Specify the description of the logical model.		
Authorization Status	Select the authorization status of the logical model. The options are: • Authorized • Unauthorized		
Record Status	Select the record status of the logical model. The options are: • Open • Close		

Table 136 : View Logical Model -Search Option- Field Description

- 6. Click three-dots icon to unlock, delete, authorize or view the created logical model.
- 7. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Logical Model Maintenance** screen. The following fields are editable during unlock.

- Logical Model Description
- Effective date before authorization
- Expiry date
- Add new fact or rule to the selection criteria
- Modify the rule in logical model tab
- Modify the sequence, reason or comments in logical model tab

Figure 169 : Logical Model Maintenance - Modify

Logical Model Maintenance							21.5
Basic Details							
Logical Model Code * LMC102 Effective Date *	10 1		Logical Model Description Logical Model LMC102 Expiry Date * Oct 31, 2021 Priority * S				
Use Existing Rule Creat	ogical Model						
Rules Rule Code * RL310	× 0			Rule Name Rule Product code HMLN34			
New Rules Code *		Description		Select Existing rule		Rule Version	
RU310		Rule Product code HMLN34			Q		٩

Field	Description		
Basic Details			
Logical Model Code	Displays the created logical model code.		
Logical Model Description	Displays the description for the created logical model.		
-	User can modify the same.		
Effective Date	Displays the effective date for the created borrowing capacity.		
	User can modify the same, if the date is future dated.		
Expiry Date	Displays the expiry date for the created logical model.		
	User can modify the same.		
Product Processor	Displays the product processor of the created logical scoring model.		
Priority	Displays the priority of the logical model.		
	User can modify the same.		
Stop On Failure	Indicates whether system should stop execution of rules if any rules fails or continue ahead with the remaining rules as per the sequence.		
Selection Criteria	Selection Criteria		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.		
Rules			
Rule Code	Displays the rule code.		

Table 137: Logical Model Maintenance – Modify – Field Description.



Field	Description		
0	Click to get the information about the rule.		
Rule Name	Displays the rule name.		
Create New Rule	ule Indicates if the new rule is created.		
Rules			
Code	Displays the rule code.		
Description	Displays the rule description		
Select Existing Rule	Displays the existing rule.		
Rule Version	Displays the rule version.		
Expression Builde	r		
Fact / Rules	Displays the fact/rules of the created logical model.		
Operator	Displays the comparison operator of the created logical model.		
Data Type	Displays the data type for the fact or rule of the created logical model.		
Output	Displays the output of the created logical model.		
Expression	Displays the expression updated in the expression builder of the crated logical model.		
Logical Model			
Rule ID	Displays the rule ID of the created logical model.		
	You can modify the same.		
0	Click to get the information about the rule.		
Sequence	Displays the sequence of the created logical model.		
	User can modify the same.		
Reason	Displays the reason of the created logical model.		
	User can modify the same.		
Comments	Displays the comments of the created logical model.		
	User can modify the same.		

- 8. Click **Save** to update the modified fields.
- 9. Click **View** icon to view the created logical model.



The fields are displayed in Logical Model Maintenance screen.

Figure 170 : Logical Model Maintenance - View

Logical Model Maintenance		, ² ×
Basic Details		
Logical Model Code " LMCI01 Effective Date " Sep 15. 2020 Product Processor " OFLO	Logical Model Description * LMCD91 Elipiny Date * Aug 10, 2022 Priority * 1	
Selection Criteria Logical Model Out Statisting Rule Create New Rule Rules Create New Rule		
Rule Code " Select	Rule Name	
Audit		

Field	Description		
Basic Details			
Logical Model Code	Displays the created logical model code.		
Logical Model Description	Displays the created logical model description.		
Effective Date	Displays the effective date.		
Expiry Date	Displays the expiry date.		
Product Processor	Displays the product processor of the created logical model.		
Priority	Displays the priority of the logical model.		
Selection Criteria			
Rules			
Use Existing Rule	Displays if the existing rule is linked to logical model.		
Rule Code	Displays the rule code of the created logical model.		
Rule Name Displays the rule name of the created logical model.			
Create New Rule Displays if new rule is linked to the logical model.			
Rules			
Code	Displays the rule code of the created logical model.		
Description Displays the rule description of the created logical model.			



Field	Description		
Select Existing Rule	Displays the existing rule.		
Rule Version	Displays the rule version.		
Expression Builder			
Fact / Rules	Displays the fact/rules of the created logical model.		
Operator	Displays the comparison operator of the created logical model.		
Data Type	Displays the data type for the fact or rule of the created logical model.		
Output	Displays the output of the created logical model.		
Expression	Displays the expression updated in the expression builder of the crated logical model.		
Logical Model			
Rule ID	Displays the rule ID of the created logical model.		
Sequence	Displays the sequence of the created logical model.		
Reason	Displays the reason of the created logical model.		
Comments Displays the comments of the created logical model.			

3.46 Borrowing Capacity

Borrowing capacity describes the total amount the applicant is eligible to borrow. Maximum loan amount are used for loans, credit cards, and line of credit accounts. The maximum credit amount depends on a number of factors including the borrower's credit worthiness i.e. financial profile and debt to income, loan term, loan purpose, whether the loan is supported by a collateral etc.

Using this screen, we can link a rule for calculating borrowing capacity. We can calculate the maximum lendable amount based on the various criteria of the lender such as debt to income ratio, credit score, credit history etc.

A sample rule to calculate borrowing capacity is given below:

Scenario: Based on Income and FICO score

Rule 1:

IF MIN(FICO_SCORE) >= 500 AND MIN(EMPLOYMENT_PERIOD)< 1 YEAR THEN MULTIPLIER = 5 ELSEIF MIN(FICO_SCORE) < 500 AND MIN(EMPLOYMENT_PERIOD) > 1 YEAR THEN MULTIPLIER = 4

Rule2: Max Lendable Amount

MIN(Income) * Rule1



This section contains the following subsections:

- 3.46.1 Create Borrowing Capacity
- 3.46.2 View Borrowing Capacity

3.46.1 Create Borrowing Capacity

The Create Borrowing Capacity screen allows the user to define the borrowing capacity based on the various input.

To Create a Borrowing Capacity:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Borrowing Capacity.
- 3. Under Borrowing Capacity, click Create Borrowing Capacity.

→ The Create Borrowing Capacity screen is displayed.

Figure 171 : Create Borrowing Capacity

Create Borrowing Capacity		μ^{e} ×
New		
Basic Details		
Eligibility Code *	Eligibility Description *	
Effective Date *	Expiry Date *	
Product Processor *	Execution Stepe *	
Select *	Select 🔹	
Selection Criteria Eligibility		
Use Existing Rule Create New Rule		
Rules Rule Code *	Rule Name	
Select *		
		Save Cancel
		Save Cancel

4. Specify the fields on Create Borrowing Capacity screen.

The fields, which are marked with asterisk, are mandatory.

Table 139 : Create Borrowing Capacity - Field Description

Field	Description	
Basic Details		
Eligibility Code	ty Code Specify the unique eligibility code.	
Eligibility DescriptionSpecify a short description for the eligibility.		
Effective Date	Specify the effective date.	





Field	Description		
Expiry Date	Specify the expiry date.		
Product Processor	Specify the product processor for which the borrowing capacity is being defined.		
Execution Stage	Select the required option for execution stage.		
	The options are:		
	• Before Decision: If this option is selected, amount is calculated before scoring model resolution. Loan amount is replaced with the minimum of requested loan amount and maximum lendable amount for scoring and pricing.		
	• After Decision: If this option is selected, Amount is calculated after decision and before pricing. Loan amount is replaced with the minimum of requested loan amount and maximum lendable amount for pricing.		

5. Click the Selection Criteria tab to define selection criteria rules.

Figure 172 : Create Borrowing Capacity - Selection Criteria

Create Borrowing Capacity					,* ×
Basic Details					
Eligikilty Code "		Eligibility Description "			
Effective Date *		Expiry Date * Feb 21, 2022			
Product Processor *		Execution Stage *			
OFLO *		Before Decision	*		
Selection Criteria Elgibility					
Use Existing Rule Create New Rule					
Create Rule					
New					
Rules					
Code * R003	Description Rule		Select Existing rule RL302 QL	Rule Version 0	Q.
Expression Builder					
+ Add Expression					
+					
Facts * ([« •] [w			
Output					

For more information on fields, refer to the field description table below.

Table 140 : Create Borrowing Capacity – Selection Criteria - Field Description

Field	Description			
The following fields appear if you click the Selection Criteria Tab				
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.			
Rules	Rules			
Rule Code Select the rule code from the drop down list.				
0	Click this icon to get the information about the rule.			
Rule Name	View the rule name.			



Field	Description	
Create New Rule	Select this option to create new rule.	
Rules		
Code	Specify the rule code.	
Description	Specify the rule description.	
Select Existing Rule	Select existing rule from the drop-down list.	
0	Click to view the existing rule.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below fields appears o	once you click icon.	
Rule ID	Displays the rule ID.	
Rule Name	Displays the rule name.	
Description	Displays the rule description.	
Rule Version	Displays the rule version.	
0	Click to view the rule version.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below fields appears c	once you click icon.	
Version	Displays the rule version.	
Description	Displays the rule description.	
Creation Date	Displays the rule creation date.	
Expression Builder	Expression Builder	
+ button	Click to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list.	
	Once you select the fact/rules one more field opens adjacent to the output, update the same based on the selected output option.	



Field	Description	
Operator	Select the comparison operator from the drop-down list.	
	The options are:	
	• <	
	• >	
	• +	
	• =	
	• %	
	• !=	
	• -	
	• >=	
	• <=	
	•	
	• /	
	Contains	
	InLike	
	Matches	
	Notmatches	
	Notcontains	
	Notin	
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	Boolean	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	True	
	False	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	Text	
	Number	
	Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	True	
	False	
Expression	View the expression updated in the expression builder.	



6. Click the **Eligibility** tab to define eligibility.

Figure 173 : Create Borrowing Capacity – Eligibility Tab

Create Borrowing Capa	acity		×
Hew			
Basic Details			
Eligibility Code *		Eligibility Description *	
333		888	
Effective Date		Expiry Date *	
Jul 6, 2021	m	Jul 12, 2021	
Product Processor *		Execution Stage *	
OFLO	Ψ.	Before Decision 🔹	
Actions	FactId	Rule Id	
	60Delq		× 0
			Save Cance

For more information on fields, refer to the field description table below.

Field	Description
The following fields appear if you click the Eligibility Tab	
+ button	Click to add a new row.
- button	Click to delete an existing row.
Actions	Select this checkbox corresponding to the row to be deleted.
Fact ID	Select the fact ID from the drop down list.
Rule ID	Select the rule ID from the drop down list.
0	Click to get the information about the rule.

7. Click Save to save the details.

The **Borrowing Capacity** is successfully created and can be viewed using the **View Borrowing Capacity** screen.

3.46.2 View Borrowing Capacity

The **View Borrowing Capacity** screen allows user to view the borrowing capacity created using the **Create Borrowing Capacity** screen. The status of the created capacity is displayed as **Unauthorized** and **Open**. Once the checker authorizes the capacity, the status is updated to **Authorized** and **Open**.

To view the created Borrowing Capacity:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Borrowing Capacity.
- 3. Under Borrowing Capacity, click View Borrowing Capacity.



→ The View Borrowing Capacity screen is displayed.

Figure 174 : View Borrowing Capacity

View Borrowing Capacity	$_{\lambda^{\theta'}}$ \times
9, C +	
Bromwing Departury Code: bwCTest BORCAPD01 Borney Operation Borney Operation Bo	
Page T off (1-2 of 3 Imms) K < T > 3	

For more information on fields, refer to the field description table below.

Table 142: View Borrowing Capacity – Field Description.

Field	Description
Borrowing Capacity Code	Displays the borrowing capacity code.
Borrowing Capacity Model Description	Displays the borrowing capacity description.
Product Processor	Displays the product processor.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required borrowing capacity.

Figure 175 : View Borrowing Capacity- Search Option

View Borrowing Capacity				,," ×
Borrowing Capacity Code	Borrowing Capacity Description	Authorization Status	Record Status	
		v	· · · · · · · · · · · · · · · · · · ·	
Search Reset				

6. Click Search.

For more information on fields, refer to the field description table below.

Table 143 : View Borrowing Capacity -Search Option- Field Description

Field	Description
Borrowing Capacity Code	Specify the borrowing capacity code.



Field	Description	
Borrowing Capacity Description	Specify the description of the borrowing capacity.	
Authorization Status	Select the authorization status of the logical model.	
	The options are:	
	Authorized	
	Unauthorized	
Record Status	Select the record status of the logical model.	
	The options are:	
	• Open	
	Close	

- 7. Click three-dots icon to unlock, delete, authorize or view the created borrowing capacity.
- 8. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Borrowing Capacity Maintenance** screen. The following fields are editable during unlock.

- Eligibility Description
- Effective date before authorization
- Expiry date
- Add new fact or rule to the selection criteria
- Fact or Rule in eligibility tab

Figure 176 : Borrowing Capacity Maintenance - Modify

ming Capacity Maintenance		
Deurs		
why Gue *	Biglating Navangden * Linest Biglating Statut Ang 7, 2021 Biglating Statut	
Ren orbunts Blog Rille Criste New Rilde		
sc i cool ¹ #CARDO1 → 0	Tab Sana Rocadati	
Nex		
Rules		
Code * Decoption scincured: scincured:		
Expression Builder Autopress		
 Tott • Continue NAME 	(*) [W	
Output		

For more information on fields, refer to the field description table below.

Table 144: Borrowing Capacity Maintenance – Modify – Field Description.

Field	Description	
Basic Details		
Eligibility Code	Displays the eligibility code for the created borrowing capacity.	
Eligibility	Displays the description for the created borrowing capacity.	
Description	User can modify the same.	
Effective Date	Displays the effective date for the created borrowing capacity.	
	User can modify the same, if the date is future dated.	
Expiry Date	Displays the expiry date for the created borrowing capacity.	
	User can modify the same.	
Product Processor	Displays the product processor of the created borrowing capacity.	
Execution Stage	Displays the execution stage for the created borrowing capacity.	
Selection Criteria		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Displays the rule code.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name.	
Create New Rule	Indicates if the new rule is created.	
Rules		
Code	Displays the rule code.	
Description	Displays the rule description	
Select Existing Rule	Displays the existing rule.	
Rule	User can modify the same.	
Version	Displays the rule version.	
Expression Builde	r	
Fact / Rules	Displays the fact/rules of the created borrowing capacity.	
Operator	Displays the comparison operator of the created borrowing capacity.	
Data Type	Displays the data type for the fact or rule of the created borrowing capacity.	



Field	Description			
Output	Displays the output of the created borrowing capacity.			
Expression	Displays the expression updated in the expression builder of the created borrowing capacity.			
Eligibility				
Fact ID Displays the fact ID of the created borrowing capacity.				
	User can modify the same.			
Rule ID	Displays the rule ID of the created borrowing capacity.			
	User can modify the same.			
0	Click to get the information about the rule.			

9. Click **Save** to update the modified fields.

10. Click **View** icon to view the created borrowing capacity.

The fields are displayed in Borrowing Capacity Maintenance screen.

Figure 177 : Borrowing Capacity Maintenance - View

Borrowing Capacity Maintenance		2 ⁴
Basic Details		
Eligibility Code * bwcfest Effective Date * Jul 29, 2021 Product Processor * OFLO	Eligibility Description * bwcfest Expiry Date * Aug 7, 2021 Execution Stage * Before Decision	
Selection Criteria Eligibility @ Use Existing Rule		
Rules Rule Code * BORCAPDD1	Rule Name BORCAPO01	
New		
Rules		

For more information on fields, refer to the field description table below.

 Table 145 : Borrowing Capacity Maintenance- View – Field Description.

Field	Description
Basic Details	
Eligibility Code	Displays the eligibility code for the created borrowing capacity.
Eligibility Description	Displays the description for the created borrowing capacity.
Effective Date	Displays the effective date for the created borrowing capacity.



Field	Description
Expiry Date	Displays the expiry date for the created borrowing capacity.
Product Processor	Displays the product processor for the created borrowing capacity.
Execution Stage	Displays the execution stage for the created borrowing capacity.
Selection Criteria	
Rules	
Use Existing Rule	Displays if the existing rule is linked to borrowing capacity.
Rule Code	Displays the rule code of the created borrowing capacity.
Rule Name	Displays the rule name of the created borrowing capacity.
Create New Rule	Displays if new rule is linked to the created borrowing capacity.
Rules	
Rule Code	Displays the rule code of the created borrowing capacity.
Description	Displays the rule description of the created borrowing capacity.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
Fact / Rules	Displays the fact/rules of the created borrowing capacity.
Operator	Displays the comparison operator of the created borrowing capacity.
Data Type	Displays the data type for the fact or rule of the created borrowing capacity.
Output	Displays the output of the created borrowing capacity.
Expression	Displays the expression updated in the expression builder of the crated borrowing capacity.
Eligibility	
Fact ID	Displays the fact ID of the created borrowing capacity.



Field	Description	
Rule ID	Displays the rule ID of the created borrowing capacity.	
6	Click to get the information about the rule.	

3.47 Questionnaire

Credit analysis includes analysis of more information and data. Considering that, some of them have quantitative character and others qualitative, credit analysis are viewed from two aspects such as:

Quantitative analysis involves, an assessment of the financial position based on the customer's income and monthly expenses. It may also include a cash flow analysis of the customer's accounts and credit history.

While qualitative assessment, among others takes into account marital status, education or employment form.

Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This section contains the following subsections:

- 3.47.1 Create Questionnaire
- 3.47.2 View Questionnaire



ORACLE

3.47.1 Create Questionnaire

The **Create Questionnaire** screen allows the user to define qualitative questionnaire based on the various parameters. This questionnaire can be further linked to define qualitative scoring model.

To Create Questionnaire:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Questionnaire.
- 3. Under Questionnaire, click Create Questionnaire.

 \rightarrow The **Create Questionnaire** screen is displayed.

Figure 178 : Create Questionnaire

Create Questionnaire		, * ×
Questionnaire Code *	Questionnaire Description *	
Product Processor * select *	Category	
Create +		
		Preview
No items to display.		
Add Question		
		Save Cancel

4. Specify the field's on Create Questionnaire screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 146 : Create Questionnaire - Field Description

Field	Description
Basic Details	
Questionnaire Code	Specify the unique questionnaire code.
Questionnaire Description	Specify a short description for the questionnaire.
Product Processor	Specify the product processor for which the questionnaire is being created.
Category	Specify the category for the questionnaire.
Create	Click Create to configure the questions.
Question Code	Specify the unique question code.

Field	Description
Question Description	Specify the description for the question.
Select-Type	Select the type of response option from the drop-down list.
	The option are:
	Select-Single-Choice
Short Name	Specify the short name of the question. This will be displayed in the execution summary.
Answer Code	Displays the answer code.
Answer Option	Specify all the expected response for the question configured.
Add	Click to add the expected response to the question.
Update	Click Update to edit the response.
Remove	Click to remove the response.
Required	By default, this option is enabled. Indicates whether the question is mandatory or optional.
Done	Click to save the data.
Preview	Click Preview to view the questions configured for the questionnaire along with the response choice.
	Click to view the responses configured for the questionnaire.
	Click to move the position of the questions.
	Click to expand, copy or remove question.
🗎 Сору	Click to copy the question.
Remove Question	Click to remove the question.
Add Question	Click to add another question.

5. Click **Save** to save the details.

The Questionnaire is successfully created and can be viewed using View Questionnaire screen.



3.47.2 View Questionnaire

The **View Questionnaire** screen allows user to view the questionnaire created using the **Create Questionnaire** screen. The status of the created questionnaire is displayed as **Unauthorized** and **Open**. Once the checker authorizes the questionnaire, the status is updated to **Authorized** and **Open**.

To view created questionnaire:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Questionnaire.
- 3. Under Questionnaire, click View Questionnaire.

→ The View Questionnaire screen is displayed.

Figure	179	: View	Question	naire
--------	-----	--------	----------	-------

View Questionnaire						$_{\mu}^{a'}$ \times
ч с +						=
Questionnaine Code: QC20210721180729 Mod No: 3 Bullnauthorized Open	Questionnaire Codic : QC20210721180797 : Mod No: 3 E Unauthorbed 🔐 Open	Questionnains Codic : QC20210721180767 : Mod No: 3 Authorized Copon	Questionnaire Code: E QC20210722100725 E Mod No: 1 E Unauthorized Image: Open	Questionnaire Code: fdfddddsa : Mod No: 5 Bunauthorized Den	Questionnaire Code: QCode3 : Mod No: 1 Bunauthorized Groups	
Oassitownie Codc I QC20210721130735 I Mod No: 1 I By Unactivatived I Page 1 of 59 (1 - 10 of 587 items)	Operationsale Code I QC20210721150718 I Mod No: 1 Image: Code Code Code Code Code Code Code Code	Ounstimmatin Codet : QC20210721190729 : Mod No: 1 : Code No: 1 : Code No: 1 : Statusherised : Statusherised : Statusherised :	Questionwith Code: QCode191 : Mod No: 1 Et Unastratized 2 Open			

For more information on fields, refer to the field description table below.

Table 147: View Borrowing Capacity – Field Description.

Field	Description
Questionnaire Code	Displays the questionnaire code.
Questionnaire Description	Displays the questionnaire description.
Product Processor Code	Displays the product processor code for which the questionnaire is created.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required questionnaire.

Figure 180 : View Questionnaire - Search Option

View Questionnaire				,," ×
Questionnaire Code	Questionnaire Description	Authorization Status	Record Status	
1		Y	Ŧ	
Search Reset				

6. Click Search.



Field	Description		
Questionnaire Code	Specify the questionnaire code.		
Questionnaire Description	Specify the questionnaire description.		
Authorization Status	Select the authorization status of the logical model. The options are:		
	Authorized		
	Unauthorized		
Record Status	Select the record status of the logical model.		
	The options are:		
	• Open		
	Close		

 Table 148 : View Questionnaire -Search Option- Field Description

- 7. Click three-dots icon to unlock, delete, authorize or view the created questionnaire.
- 8. To authorise the questionnaire, see the Authorization Process.



9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Questionnaire Maintenance** screen. The following fields are editable during unlock.

- Questionnaire Description
- Category
- Add Question
- Remove Question

Т

- Required (Enable/Disable)
- User can add new, update existing, or remove existing response
- Copy the existing question

Figure 181 : Questionnaire Maintenance - Modify

Questionnaire Maintenance			,," ×
Basic Details			
Questionnaire Code * Questican3ID Product Processor * OFLO	Questionnaire Desciption * Questionnaire Desc Category QuestionnilD category		
			Preview
w [™] Test31 Test31 desc		: v	=
e ¹⁰ Test32 Test32 desc		1.4	
Add Question			
Audit		Save	Cancel

For more information on fields, refer to the field description table below.

Field	Description		
Basic Details			
Questionnaire Code	Displays the questionnaire code.		
Questionnaire Description	Displays the questionnaire description.		
Description	User can modify the description.		
Product Processor	Displays the product processor for the created questionnaire.		
Category	Displays the category of the created questionnaire.		
	User can modify the category.		
Preview	Click to view the questions configured for the questionnaire along with the response choice.		

Table 149: Questionnaire Maintenance – Modify – Field Description.

Г



Field	Description		
	Click to expand, copy or remove question.		
	Click to move the position of the questions.		
- e ⁿ	Click to see the question details.		
The following fields	are displayed once you click this icon.		
Question Code	Displays the question code for the created questionnaire.		
Question Displays the question code for the created questionnaire.			
Description	User can modify the same.		
Select-Type	Displays the type of questionnaire.		
Short Name	Displays the short name of the created questionnaire.		
	User can modify the same		
Answer Code	Displays the answer code.		
Answer Option	Displays all the expected response for the question configured.		
	User can modify or delete the same.		
Required	Displays if the question is mandatory or optional.		
	User can modify the same.		

10. Click **Save** to update the modified fields.

11. Click **View** icon to view the created questionnaire.

The fields are displayed in **Questionnaire** Maintenance screen.

Figure 182 : Questionnaire Maintenance - View

Questionnaire Maintenance		
Rasic Details		
Oustonnais Coo * QN111 Peakut Processor * ORD	Quantomarie Description ⁴ Guardomarie (2011) Categorie Categorie Categorie	
		E
Question Code * QC031 Short Name * QC031	Queston Descriptore ¹⁴ Licentrin	Saket Byr * Saket Byr Clean
Answer Code 3 .	Answer Option	
1 Metto		
2 Non Metrio		
		Reparted Con



Table 150 : Questionnaire Maintenance	- View – Field Description.
---------------------------------------	-----------------------------

Field	Description		
Basic Details			
Eligibility Code	Displays the eligibility code for the created questionnaire.		
Eligibility Description	Displays the description for the created questionnaire.		
Effective Date	Displays the effective date for the created questionnaire.		
Expiry Date	Displays expiry date for the created questionnaire.		
Product Processor	Displays product processor for the created questionnaire.		
Execution Stage	Displays the execution stage for the created questionnaire.		
Selection Criteria			
Rules			
Use Existing Rule	Displays if the existing rule is linked to questionnaire.		
Rule Code	Displays the rule code of the created questionnaire.		
Rule Name	Displays the rule name of the created questionnaire.		
Create New Rule	Displays if new rule is linked to the questionnaire.		
Rules			
Rule Code	Displays the rule code of the created questionnaire.		
Description	Displays rule description of the created questionnaire.		
Expression Builder			
Fact / Rules	Displays the fact/rules of the created questionnaire.		
Operator	Displays the comparison operator of the created Questionnaire.		
Data Type	Displays the data type for the fact or rule of the created Questionnaire.		
Output	Displays the output of the created questionnaire.		
Expression	Displays the expression updated in the expression builder of the crated questionnaire.		
Eligibility			
Fact ID	Displays the fact ID of the created questionnaire.		
Rule ID	Displays the rule ID of the created questionnaire.		



Field	Description	
6	Click this to get the information about the rule.	

3.48 Qualitative Scoring Model

Financial institution use different models for different product or use case. The qualitative scoring model used for home loan would be different then the personal loan. Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This section contains the following subsections:

- 3.48.1 Create Qualitative Scoring Model
- 3.48.2 View Qualitative Scoring Model

3.48.1 Create Qualitative Scoring Model

The **Create Qualitative Scoring Model** screen allows user to define qualitative scoring model based on the various scoring parameters.

To create a qualitative scoring Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Qualitative Scoring Model.
- 3. Under Qualitative Scoring model, click Create Qualitative Scoring Model
 - → The Create Qualitative Scoring Model screen is displayed.

Figure 183 : Create Qualitative Scoring Model

eate Qualitative Scoring Model		
sic Details		
Scoring Model *		
Application Scoring Model *		
Qualitative Scoring Model Code *	Qualitative Scoring Model Description *	
DML02	DML02	
iffective Date *	Expiry Date *	
Oct 13, 2021	Oct 28, 2021	
Product Processor *	Priority *	
OFLO *	1	
Selection Criteria Scoring Rule Use Existing Rule Create New Rule		
Rules		
Rule Code *	Rule Name	
Select 💌		
		Save

4. Specify fields on Create Qualitative Scoring Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 151 : Create Qualitative Scoring Model - Field Description



Field	Description	
Basic Details		
Scoring Model	Select the scoring model from the drop-sown list.	
	The options are:	
	Application Scoring Model	
	Applicant Scoring Model	
Scoring Model code	Specify the unique scoring model code.	
Scoring Model Description	Specify a short description for the scoring model.	
Effective Date	Specify the effective date.	
Expiry Date	Specify the expiry date.	
Product Processor	Specify the product processor for which the model is being created.	
Priority	Specify the priority of the model.	

5. Click the **Selection Criteria** tab to define qualitative scoring model.

Figure 184 : Create Qualitative Scoring Model – Selection Criteria Tab

Create Qualitative Scoring Model					1
Basic Details					
Name United ** Approximate Exposuring Model ** Onstation Sources Model Coles * Onstation Sources Model From State State From State State From State State State From Sta		Gualitative Scoring Model Descript asse Engliny Date " Jan 20, 2022 Priority " 1	an '		
Selection Criteria Scaling Rule Use Disting Rule Create New Rule					
Rules					
Rufe Code * RL302 * 0			Rule Product code HMLN31 EmpCat 8		
New					
Rules					
Code * RL302	Description Rule Product code HMLN31 EmpCat 8		Select Disting rule Q,	Rule Version	Q
Expression Builder + Add Expression					
•	 • 	v			

For more information on fields refer field description table.

Table 152 : Create Qualitative Scoring Model – Selection Criteria Tab Field Description

Field	Description	
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		



Field	Description		
Rule Code	Select the rule code from the drop down list.		
6	Click to get the information about the rule.		
Rule Name	Displays the rule name of the rule code.		
Create New Rule	Select this option to create new rule.		
Rules			
Code	Specify the rule code.		
Description	Specify the rule description.		
Select Existing Rule	Select the existing rule from the drop-down list.		
9	Click to view the existing rule.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below fields appears of	once you click icon.		
Rule ID	Displays the rule ID.		
Rule Name	Displays the rule name.		
Description	Displays the rule description.		
Rule Version	Displays the rule version.		
0	Click to view the existing rule version.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below fields appears o	once you click icon.		
Version	Displays the rule version.		
Description	Displays the rule description.		
Creation Date	Displays the rule creation date.		
Expression Builder			
+ button	Click to add new expression.		
Fact / Rules	Select the fact or rule from the drop-down list.		
	Once you select the fact/rules one more field opens adjacent to tit, update the same based on the selected option.		



Field	Description
Operator	Select the comparison operator from the drop-down list.
	The options are:
	• <
	• >
	• +
	• =
	• %
	• !=
	• -
	• >=
	• <=
	• *
	• /
	Contains
	• In
	• Like
	Matches
	Notmatches
	Notcontains
	Notin
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.
	The options are:
	• Text
	Number
	Boolean
	Fact
	The below option appears if the Data Type is selected as Boolean .
	• True
	• False




Field	Description					
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.					
	The options are:					
	• Text					
	Number					
	• Boolean					
	Date					
	Fact					
	The below option appears if the Data Type is selected as Boolean .					
	• True					
	False					
Expression	Displays the expression updated in the expression builder.					

7. Click the **Scoring Rule** tab to define the rules. This tab is enabled if **Application Scoring Model** is selected.

Figure 185 : Create Qualitative Scoring Mode	I- Scoring Rule Tab
--	---------------------

Create Qualitative Scoring Model		p ^{ar} ×
Basic Details		
Scoring Model * Applicator Scoring Model * Qualitative Scoring Model Code * DNL02	Qualitative Scoring Model Description * DML02 Exclosure *	
Oct 13, 2021 Product Processor *	0xt 28 2021 mm Promy " 1	
Selecton Criteria. Booving Rule Score		
Rule Code * BRCAPT0 *	Rule Nama Borrowing Capacity	
		Save Cancel





Field	Description
Score	
Rule Code	Select the rule code from the drop down list.
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code.

Table 153 : Create Qualitative Scoring Model- Scoring Rule Tab Field Description

8. Click the **Questionnaire** tab to define the scoring model based on the various questionnaires. This tab is enabled if **Applicant Scoring Model** is selected.

Figure 186 : Create Qualitative Scoring Model- Questionnaire Tab

Freate Qualitative Scoring Model					2 ¹¹ - 1
Basic Details					
Scoring Model *					
Applicant Scoring Model					
Qualitative Scoring Model Code *		Qualitative Scoring Mode	Description *		
DML02		DML02			
Effective Date *		Expiry Date *			
Oct 13, 2021		Oct 28, 2021			
Product Processor *		Priority *			
OFLO *		1			
Selection Criteria Questionnaire					
Score					
Questionnaire Code *		Questionnaire Name			
QN111		Questionnaire QN111			
Scoring Feature QN111					
Question Id	Question		Define Range/Value	Enable	
QC001	Location		Define		
QC002	Employment Type		Define		
QC003	Residence Type		Define		

For more information on fields, refer to the field description table below.

Table 154 : Create Qualitative Scoring Model – Questionnaire Tab - Field Description

Field	Description
Score	
Questionnaire Code	Select the questionnaire code from the drop-down list. It will list down all the questionnaire created as a part of create questionnaire.
Questionnaire Name	Displays the questionnaire name of the selected questionnaire code.
Question ID	Displays the question ID in the questionnaire.
Question	Displays the question description linked to the question ID.
Define Range/Value	Click to define the score for the expected response.
Enable	By default, this option is enabled. Indicates if the question ID is enabled or not.



9. Click the **Define** link to define a range or absolute values for questions.

Figure 187 : Create Qualitative Scoring Model - Define Link

eate Qualitative Scoring Model					2 ⁴
iffective Date *		Expiry Date *			
Aug 19, 2021 🇰		Aug 31, 2021	**		
Product Processor *		Priority *			
OFLO *		1			
lection Criteria Questionnaire					
Score					
Questionnaire Code *		Questionnaire Name			
QCode20210809160889 *		description#1628506826			
Scoring Feature QCode20210809160889	9				
Question Id	Question		Define Range/Value	Enable	
Q1#1628506826	description1		Define		
Q2#1628506826	description2		Define		
Range/Value Definition - Q1#162850682	26				
Value		Score		Category	
description01		10		Strong	*
description02		50		Medium	*
					Done

For more information on fields, refer to the field description table below.

Table 155: Create Qualitative Scoring Model- Define Link – Numeric Feature- Field
Description

Field	Description				
Range/Value Definition	on				
Value	Displays the options available for a questionnaire.				
Score	Specify the score to be assigned to each value.				
Category	Specify the category for each range or value from the drop- down list. The values are configurable based on the lookup values maintained.				
	The options are:				
	Strong				
	Medium				
	• Weak				

10. Click **Done**, to save the data and close the range panel.

11. Click **Save** to save the details.

The qualitative scoring model is successfully created and can be viewed using the **View Qualitative Scoring Model** screen.

3.48.2 View Qualitative Scoring Model

The **View Qualitative Scoring Model** screen allows user to view the qualitative scoring model created using the **Create Qualitative Scoring Model** screen. The status of the created model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.



To view created qualitative scoring Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Qualitative Scoring Model.
- 3. Under Qualitative Scoring Model, click View Qualitative Scoring Model

→ The View Qualitative Scoring Model screen is displayed.

Figure 188 : View Qualitative Scoring Model

View Qualitative Scoring Model							$_{\mu}^{e}$ \times
۹ с +							
Scaring Model Code: APCT302 Scaring Model Description: Product Processor Code: OFLO Authorized Processor Code: OFLO	Scoring Model Code: AppN2021100117 Scoring Model Description: Product Processor Code: OFLO Authorized Processor Code: OPLO	Scoring Model Code: APCT311 Scoring Model Description: Product Processor Code: OR:0 Activized Processor Code: OR:0	Scaring Model Cade: APCN310 Scaring Model Description: Product Processor Cade: OFLD Authorized Care Open	Scoring Model Code: AppN2021100417 Scoring Model Description: Product Processor Code: ORD Authorized Processor (Open	Scoring Model Code: AppSM202110041 Staring Model Description: Product Processor Code: OFLO Authorized Code: Open	Scoring Model Code. : APPLQAL502 : Scoring Model Description: Product Processor Code: OFLO Authorized @ Open	
Scoring Model Code:	Scoring Model Code: AppSM202110011 Scoring Model Description: Product Processor Code: OR.0 Authorized Processor Code: OP.0	Scoring Model Code: fsfg Scoring Model Description: Product Processor Code: OR.0 Ed Unauthorized Open					
Page 1 of 3 (1 - 10 of 27 items)	К К 1 2 3 У И						

For more information on fields, refer to the field description table below.

Table 156: View Qualitative Scoring Model – Field Description.

Field	Description
Scoring Model Code	Displays the scoring model code.
Scoring Model Description	Displays the scoring model description.
Product Processor Code	Displays the product processor code.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required qualitative scoring model.

Figure 189 : View Qualitative Scoring Model - Search Option

Authorization Status	Record Status
	Authorization Status

6. Click Search.

Field	Description
Scoring Model Code	Specify the scoring model code.
Scoring Model Description	Specify the scoring model description.
Authorization Status	Select the authorization status of the logical model. The options are: • Authorized • Unauthorized
Record Status	Select the record status of the logical model. The options are: • Open • Close

Table 157 : View Qualitative Scoring Model -Search Option- Field Description

- 7. Click three-dots icon to unlock, delete, authorize or view the created qualitative scoring model.
- 8. To authorize the qualitative scoring model, see the Authorization process.
- 9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Qualitative Scoring Model Maintenance** screen. The following fields are editable during unlock.

- Qualitative Scoring Model Description
- Effective Date before Authorization
- Expiry Date
- Priority
- Add new fact or rule to the selection criteria
- Enable, if you want to disable any question ID from the model
- Modify the score for existing response
- Define score or update score a range when new questions are added or modified in a questionnaire
- Scoring model before authorization



Figure 190 : Qualitative Scoring Model Maintenance - Modify

litative Scoring Model Maintenance				
Details				
oring Model *				
plicant Scoring Model				
elitative Scoring Model Code *		Qualitative Scoring Model 0	icription *	
1		SMC Desc		
ective Date *		Expiry Date *		
t 13, 2021		Oct 27, 2021	m	
duct Processor *		Priority *		
FLO 🐨		99		
Use Existing Rule 🛛 🔘 Create New Rule				
Refer				
			de Name	
Rule Code *			ule Name ule Desc	
Rule Code *			sle Name Jale Desc	
Rule Code *				
Rules Rule Code " AAAASOD V O				
Rule Code *				
Rule Code * AAAASD * •	Decription			

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Scoring Model	Displays the scoring model for the created qualitative scoring model.
Qualitative Scoring Model Code	Displays the qualitative scoring model code for the created qualitative scoring model.
Qualitative Scoring Model Description	Displays the qualitative scoring model description for the created qualitative scoring model.
	User can modify the same.
Effective Date	Displays the effective date of the created qualitative scoring model.
	User can modify the same before authorization.
Expiry Date	Displays the expiry date of the created qualitative scoring model.
	User can modify the same.
Product Processor	Displays the product processor for the created qualitative scoring model.
Priority	Displays the priority of the created qualitative scoring model.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Ruie	User can modify the same.
Rules	·

Table 158: Qualitative Scoring Model Maintenance – Modify – Field Description.



Field	Description
Rule Code	Displays the rule code for the created qualitative scoring model.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created qualitative scoring model.
Rules	
Code	Displays the rule code.
Description	Displays the rule description.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builde	r
+ button	Click to add new expression.
Fact / Rules	Displays the fact or rule for the created qualitative scoring model.
Operator	Displays the comparison operator for the created qualitative scoring model.
Data Type	Displays the data type for the fact or rule for the created qualitative scoring model.
Output	Displays the output for the created qualitative scoring model.
Expression	Displays the expression updated in the expression builder.
Scoring Rule	
Applicable for the A	pplication scoring Model.
Score	
Rule Code	Displays the rule code for the created qualitative scoring model.
	User can modify the same.
Rule Name	Displays the rule name for the created qualitative scoring model.
Questionnaire	
Applicable for Appli	icant Scoring Model.
Score	



Field	Description
Questionnaire Code	Displays the questionnaire code for the created qualitative scoring model.
	User can modify the same.
Questionnaire Name	Displays the questionnaire name for the created qualitative scoring model.
Question ID	Displays the question ID for the created qualitative scoring model.
Question	Displays the question for the created qualitative scoring model.
Define Bango//aluo	Displays the defined range or value.
Range/Value	User can modify the same.
Value	Displays the defined value for the created qualitative scoring model.
Score	Displays the score for the created qualitative scoring model.
	User can modify the same.
Category	Displays the category for the created qualitative scoring model.
	User can modify the same.
Enable	Displays if the question ID is enabled or not.

10. Click **Save** to update the modified fields.

11. Click **View** icon to view the created qualitative scoring model.

The fields are displayed in **Qualitative Scoring Model Maintenance** screen.

Figure 191 : Qualitative Scoring Model Maintenance - View

Qualitative Scoring Model Maintenance		2 ¹⁶ ×
Basic Details		
Scoring Model *		
Applicant Scoring Model		
Qualitative Scoring Model Code *	Qualitative Scoring Model Description *	
APCT302	Qualitative scoring model APCT302	
Effective Date *	Expiry Date *	
Sep 30, 2020	Sep 30, 2021	
Product Processor *	Priority *	
OFLO	22	
Selection Criteria Questionnaire		
Use Existing Rule Create New Rule		
Rules		
Rule Code *	Rule Name	
RL302	Rule Product code HMLN31 EmpCat B	
New		

For more information on fields, refer to the field description table below.

Table 159 : Qualitative Scoring Model Maintenance- View – Field Description.



Field	Description
Basic Details	
Scoring Model	Displays the scoring model for the created qualitative scoring model.
Qualitative Scoring Model Code	Displays the qualitative scoring model code for the created qualitative scoring model.
Qualitative Scoring Model Description	Displays the qualitative scoring model description for the created qualitative scoring model.
Effective Date	Displays the effective date of the created qualitative scoring model.
Expiry Date	Displays the expiry date of the created qualitative scoring model.
Product Processor	Displays the product processor for the created qualitative scoring model.
Priority	Displays the priority of the created qualitative scoring model.
Selection Criteria	
Rules	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code for the created qualitative scoring model.
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created qualitative scoring model.
Create New Rule	Indicates if the new rule is created.
Rules	
Rule Code	Displays the rule code of the created qualitative scoring model.
Description	Displays the rule description of the created qualitative scoring model.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click this icon to add new expression.
Fact / Rules	Displays the fact/rules of the created qualitative scoring model.
Operator	Displays the comparison operator of the created qualitative scoring model.



Field	Description		
Data Type	Displays the data type for the fact or rule of the created qualitative scoring model.		
Output	Displays the output of the created qualitative scoring model.		
Expression	Displays the expression updated in the expression builder of the crated qualitative scoring model.		
Scoring Rule			
Applicable for the App	lication scoring Model.		
Score			
Rule Code	Displays the rule code for the created qualitative scoring model.		
Rule Name	Displays the rule name for the created qualitative scoring model.		
Questionnaire			
Applicable for Applica	Applicable for Applicant Scoring Model.		
Score			
Questionnaire Code	Displays the questionnaire code for the created qualitative scoring model.		
Questionnaire Name	Displays the questionnaire name for the created qualitative scoring model.		
Question ID	Displays the question ID for the created qualitative scoring model.		
Question	Displays the question for the created qualitative scoring model.		
Define Range/Value	Displays the defined range or value.		
Value	Displays the defined value for the created qualitative scoring model.		
Score	Displays the score for the created qualitative scoring model.		
Category	Displays the category for the created qualitative scoring model.		
Enable	Displays if the question ID is enabled or not.		



3.49 Scoring Feature

Lending institution have complex credit scoring models. The model uses the information contained in an application such as salary, credit commitments, and past loan performances to determine a credit score of an application or an existing customer. The model generates a score and based on that score, system takes the decision like approve, referred or to reject the application. To achieve these, in the decision service, you need to define maintenances of scoring feature. A feature can be either fact based or rule based. The features created in this maintenance can be linked in quantitative score model and decision grade matrix screen.

This section contains the following subsections:

- 3.49.1 Create Scoring Feature
- 3.49.2 View Scoring Feature

3.49.1 Create Scoring Feature

The **Create Scoring Feature** screen allows user to define scoring feature for determining the credit score. This score applies to applications during origination and based on the information received from the product processor.

To create a Scoring Feature:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click SCredit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance click, Scoring Feature.
- 3. Under Scoring Feature, click Create Scoring Feature.
 - → The Create Scoring Feature screen is displayed.

Figure 192 : Create Scoring Feature

Create Scoring Feature		×*
Basic Details		
Feature Code *	Feature Description *	Product Processor * Select *
Rule	Fact Code *	Fact Name
🔿 Yes 👩 No	Select 💌	
		Save Canod

4. Specify the fields on Create Scoring Feature screen.

The fields, which are marked with asterisk, are mandatory.

Field	Description
Basic Details	
Feature Code	Specify the unique feature code.
Feature Description	Specify a short description for the feature.
Product Processor	Specify the product processor for which the feature is being created.
Rule	Select the rule, if it is required to define the feature.
	This option is used to decide whether the feature is rule based or fact based.
	The options are:
	• Yes
	• No
Fact Code	Select the fact code to be mapped to the feature from the drop-down list.
	This field is enabled if the Rule is selected as No.
Fact Name	Displays the fact name for the selected fact.
	This field is enabled if the Rule is selected as No .
Rule Code	Select the rule code to be mapped to the feature from the drop-down list.
	This field is enabled, if the Rule is selected as Yes .
0	Click this icon to get the information about the rule.
Rule Name	Displays the rule name for the selected rule.
	This field is enabled if the Rule is selected as Yes .

Table 160 : Create Scoring Feature - Field Description

- 5. Click **Save** to save the details.
- 6. The scoring feature is successfully created and can be viewed using the **View Scoring Feature** screen.



3.49.2 View Scoring Feature

The **View Scoring Feature** screen allows user to view the scoring feature created using the **Create Scoring Feature** screen. The status of the uploaded feature is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

To view an uploaded scoring feature:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance click, Scoring Feature.
- 3. Under Scoring Feature, click View Scoring Feature.

→ The View Scoring Feature screen is displayed.

Figure 193 : View Scoring Feature

View Scoring Feature		, ¹² ×
ч с +		. =
Feature Code:	Feature Code:	
By Unauthorized 🔒 Open	Router Indexed Code:	
Page 1 of 27 (1 - 10 of 267 iten	ns) K < 1 2 3 4 5 27 > X	

For more information in fields, refer to the field description table below.

Table 161	: View	Scoring	Feature -	Field	Description
-----------	--------	---------	-----------	-------	-------------

Field	Description
Feature Code	Displays the feature code.
Feature Description	Displays the feature description.
Product Processor	Displays the product processor.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required scoring feature.

Figure 194 : View Scoring Feature - Search Option

View Scoring Feature				».«
Feature Code	Feature Description	Authorization Status	Record Status	



6. Click Search.

For more information on fields, refer to the field description table below.

Table 162 : View Scoring Feature- Search Option- Field Description

Field	Description
Feature Code	Displays the feature code.
Feature Description	Displays the feature description.
Authorization Status	Select the authorization status of the feature. The options are:
	Authorized
	Unauthorized
Record Status	Select the record status of the feature.
	The options are:
	• Open
	Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created scoring feature.
- 8. To authorise the feature, see the Error! Reference source not found..
- 9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Scoring Feature Maintenance** screen. The following fields are editable.

- Feature Description
- Modification of rule linkage
- Modification of fact mapped to the feature in case no rule is linked to the feature.

Figure 195 : Scoring Feature Maintenance - Modify

coring Feature Maintenance		
asic Details		
Feature Code * TEST20211004171092 Rule * Yes O No	Feature Description ** Scoring Feature Rule for Testing Rule Code * Select * 1	Product Processor ** OFLO ** Rule Name Netincome
Audit		Save Ca



Field	Description
Basic Details	
Feature Code	Displays the feature code.
Feature	Displays the feature description.
Description	User can modify the same.
Product Processor	Displays the product processor for the created scoring feature.
Rule	Displays the rule defined to the feature.
	User can modify the same.
Rule Code	Displays the rule code of the feature.
	User can modify the same.
	This field is displayed, if the Rule is selected as Yes .
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the feature.
	This field is displayed, if the Rule is selected as Yes .
Fact Code	Displays the fact code of the feature.
	User can modify the same.
	This field is displayed, if the Rule is selected as No .
Fact Name	Displays the fact name of the feature.
	This field is displayed if the Rule is selected as No .

Table 163 : Scoring Feature Maintenance – Modify - Field Description

3.50 Quantitative Scoring Model

Quantitative analysis involves, an assessment of the financial position based on the customer's income and monthly expenses. It may also include a cash flow analysis of the customer's accounts and credit history.

Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This section contains the following subsections:

- 3.50.1 Create Quantitative Scoring Model
- 3.50.2 View Quantitative Scoring Model



3.50.1 Create Quantitative Scoring Model

The **Create Quantitative Scoring Model** screen allows user to define quantitative scoring model based on the various scoring parameters. The parameters driving the scoring models are configurable. You can create quantitative scoring model by updating various details.

To create a Quantitative Scoring Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Quantitative Scoring Model.
- 3. Under Quantitative Scoring Model, click Create Quantitative Scoring Model.

 $\rightarrow\,$ The Create Quantitative Scoring Model screen is displayed.

Figure 196 : Create Quantitative Scoring Model

Create Quantitative Scoring Model	7
Basic Details	
Scoring Model *	
Select *	
Scoring Model Code *	Sconing Model Description *
Effective Date *	Expiry Date *
±	m. the second seco
Product Processor *	Priority *
Select *	
	See Car


4. Specify the fields on Create Quantitative Scoring Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 164 : Create Quantitative Scoring Model - Field Description

Field	Description	
Basic Details		
Scoring Model	Select the scoring model from the drop-down list.	
	The options are:	
	Application Scoring Model	
	Applicant Scoring Model	
	Multi-Applicant Scoring Model	



ORACLE

Field	Description
Scoring Model code	Specify the unique scoring model code.
Scoring Model Description	Specify a short description for the scoring model.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the model is being created.
Priority	Specify the priority of the model.

5. Click the **Selection Criteria** tab to define scoring model.

Figure 197 : Create Quantitative Scoring Model – Selection Criteria Tab

Create Quantitative Scoring Model					1 - N.
Basic Details					
Scoring Model *					
Application Scoring Model v Scoring Model Code *		Anna III an Brandara I			
Scoring Model Code DML02		Scoring Model Description *			
Effective Date *		Expiry Date *			
Sep 30, 2020		Jan 22, 2022			
Product Processor *		Priority *			
OFLO *		1			
Selection Criteria Scoring Rule					
Use Existing Rule Create New Rule					
Create Rule					
Nev					
Rules					
Code *	Description		Select Existing rule	Rule Version	
RLOOD	Product Code		RL302 Q,	28	Q
Expression Builder					
+ Add Expression					
+					
Facts v ProductCode	- * TD/T	* HMLN31	AND	×	
Facts TemployerCategory	< * TEXT	* *****			
Output					

For more information on fields, refer to the field description table below.Table 165 : Create Quantitative Scoring Model – Selection Criteria Tab - Field Description

Field	Description	
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Select the rule code from the drop down list.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code.	
Create New Rule	Select this option to create new rule.	
Rules		
Code	Specify the new rule code.	

Field	Description		
Description	Specify the rule description.		
Select Existing Rule	Select the existing rule from the drop down list.		
0	Click to view the existing rule.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below field appears once	you click icon.		
Rule ID	Displays the rule ID.		
Rule Name	Displays the rule name.		
Description	Displays the rule description.		
Rule Version	Displays the rule version		
0	Click to view the existing rule version.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below fields appears once you click icon.			
Version	Displays the rule version.		
Description	Displays the rule description.		
Creation Date	Displays the rule creation date.		
Expression Builder	Expression Builder		
+ button	Click to add new expression.		
Fact / Rules	Select the fact or rule from the drop-down list.		
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.		



Field	Description		
Operator	Select the comparison operator from the drop-down list.		
	The options are:		
	• <		
	• >		
	• +		
	• =		
	• %		
	• !=		
	• -		
	• >=		
	• <=		
	• /		
	Contains		
	• In		
	• Like		
	Matches		
	Notmatches		
	Notcontains		
	Notin		
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.		
	The options are:		
	• Text		
	Number		
	Boolean		
	Fact		
	The below option appears if the Data Type is selected as Boolean .		
	• True		
	• False		



Field	Description	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	• Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Expression	Displays the expression updated in the expression builder.	

6. Click the **Scoring Rule** tab to define the rule. This tab is enabled if **Application Scoring Model** is selected.

Figure 198 : Create Quantitative Scoring Model – Scoring Rule Tab

Create Quantitative Scoring Model		s" ×
Basic Details		
Scoring Model * Application Scoring Model * Scoring Model Code * DML02 Effective Date * Aug 4.2021 Product Phosesor CHD.0 *	Scoring Model Description * Scoring Model Expiry Data * Aug 21, 2021 Priority * 1	
Selection Criteria Scoring Bule Score Fulle Code * MuR3 v 0	Rule Name MAA1	
		Same Canad

For more information on fields, refer to the field description table below.

Table 166 : Create Quantitative Scoring Model – Scoring Rule Tab - Field Description

Field	Description	
Score		
Rule Code	Select the rule code from the drop down list.	



Field	Description	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code.	

7. Click the **Feature** tab to define the feature. This tab is enabled if **Applicant Scoring Model** and **Multiple Applicant Scoring Model** is selected.

Figure 199 : Create Quantitative Scoring Model – Feature Tab

						,* ×
Basic Details						
Scoring Model *						
Applicant Scoring Model	*					
Scoring Model Code *			Scoring Model Description	*		
DML02			Scoring Model			
Effective Date			Expiry Date *			
Aug 4, 2021			Aug 21, 2021	11 A		
Product Processor *			Priority *			
OFLO	×		1			
Selection Criteria Feat	ture					
				Ĩ		
Feature		Weightage (%)	Range Type	Define Range/Value	Enable	
Age Description		* 40	Max Value %	▼ Define		
Range/Value Definition - Age D	Description					x
Note How decimal number is consid	lered while defining a F	Range? For Example: If range is from 0 - 200 in 1st	row and 200 - 500 in 2nd row then that means in the 2nd	row it will start from greater than (>) 200.		
Range Type				Max Value *		
Max Value %						

Field	Description	
Scoring Feature		
+ button	Click to add a new row.	
- button	Click to delete an existing row.	
Feature	Select the feature from the drop-down list.	
Weightage (%)	Specify the weightage to be assigned to each feature code.	
Range Type	Select the range type from the drop down list.	
	The options are:	
	Max Value	
	Param Percent%	
	Value	
	For Applicant Scoring Model this field is editable.	
Define Range/Value	Click to define the feature.	

Field	Description	
Enable	By default, this option is enabled. Indicates if the scoring parameter is enabled or not.	

8. Click the **Define** link to define a range or absolute values for each scoring feature to be considered for scoring model and score for that range or value. In case the data type of feature is numeric such as Bureau score the below screen appears.

Figure 200 : Create Quantitative Scoring Model – Define Link – Numeric Feature

Create Quantitative Scoring Model						2
Effective Date *		Expiry Date				
Aug 18, 2021		Aug 26. 2021	曲			
Product Processor *		Priority *				
OFLO *		1				
Selection Criteria Feature						
Scoring Feature						
Feature	Weightage (%)	Range Type		Define Range/Value	Enable	
Age Description	¥ 50	Max Value %	*	Define		
Range/Value Definition - Age Description						x
Note How decimal number is considered while defining a Range	? For Example: If range is from 0 - 200 in 1st row and 200	- 500 in 2nd row then that means in the 2nd	row it will start from greater the	an (>) 200.		
Range Type		,	/lax Value 🍍			
Max Value %						
Range From	Range To		Percentage		Category	
No data to display.						
						Done
						Save Cancel

For more information on fields, refer to the field description table below.

Table 168: Create Quantitative Scoring Model – Define Link – Numeric Feature- Field Description

Field	Description
Range/Value Definition	
Range Type	Displays the range type selected.
Max Value	Specify the maximum value on which scoring has to be done, if range type ID is Max Value % or Param %.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Range From	Specify the minimum range of value based on which scoring is to be done.
Range To	Specify the maximum range of value based on which scoring is to be done.
Score/Percentage	Specify the percentage to be assigned for each range or value, if range type is Max value % or Param %.
	Specify the score to be assigned for each range or value, if range type is Value.



Field	Description	
Category	Specify the category for each range or value from the drop- down list. The values are configurable based on the lookup values maintained.	
	The options are:	
	Strong	
	Medium	
	• Weak	

9. In case the data type of feature is alphanumeric such as Employment Category the below screen appears.

Figure 201: Create Quantitative Scoring Model- Define Link – Alphanumeric Feature

Create Quantitative Scoring Model								× .
Scoring Model Code *			Scoring Model Descriptio	in *				
DML02			Scoring Model					
Effective Date *			Expiry Date					
Aug 18, 2021			Aug 26, 2021					
Product Processor *			Priority *					
OFLO *			1					
Selection Criteria Feature								
Scoring Feature								
Feature	Weightage (%)		Range Type		Define Range/V	alue	Enable	
Employer Category Desc	¥ 50		Max Value %		* Define			
Range/Value Definition - Employer Category Desc								x
Range Type				Max Value 🍍				
Max Value %				50				
Velue		Score				Category		
50		50				Strong		
								Done
								Save Cancel



 Table 169: Create Quantitative Scoring Model – Define Link – Alphanumeric Feature - Field

 Description

Field	Description		
Range/Value Definition			
Range Type	Displays the range type selected. The default value for the same is Value .		
Max Value	Specify the maximum value for the range type.		
+ button	Click to add a new row.		
- button	Click to delete an existing row.		
Value	Specify the value of the feature.		
Score	Specify the score assigned for each range value.		
Category	Specify the category for each range or value from the drop- down list.		
	The options are:		
	Strong		
	Medium		
	• Weak		

10. Click **Done**, to save the data and close the range panel.

11. Click **Save** to save the details.

The quantitative scoring model is successfully created and can be viewed using the **View Quantitative Scoring Model** screen.



3.50.2 View Quantitative Scoring Model

The View Quantitative Scoring Model screen allows the user to view the quantitative scoring Model created using the **Create Quantitative Scoring Model** screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

To view created quantitative scoring model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance click, Quantitative Scoring Model.
- 3. Under Quantitative Scoring Model, click View Quantitative Scoring Model.

→ The View Quantitative Scoring Model screen is displayed.

Figure 202 : View Quantitative Scoring Model

View Quantitative Scoring Model							, " ×
ч с +							
Scaring Model Code:	Scoring Madel Code: AppN20210712110747 : Scoring Madel Description: Product Pencessor Code: ORD Code:	Scoring Model Code: AppN20210712110772 Scoring Model Description: Product Processor Code: OR:0 Code: OR:0 Code: OR:0 Code: OR:0 Code: OR:0 Code: Code:	Scening Model Code: : AppN20210712110716 : Scening Model Description: Product Processor Code: OFLO Bursuthorizad Proc	Scoring Model Code: AppN20210712110765 Scoring Model Description: Product Processor Code: OFLO B Unsuthorized Processor Code: OFLO	Scoring Model Code: AppN20210715160754	Scaring Model Cade: AppN20210715160747 Scaring Model Description: Product Processor Code: CFLO Code: CFLO CFLO Code: CFLO	
Soring Model Casi: AppB20210715160731 Soring Model Casing State Model Theorem Casing Office Theorem Casing Of	Scoring Model Code AppN20210715180728 Scoring Model Description: Product Noussaur Code: OTLO Unauthorized Description:	Scoring Model Code: App N202 10719100730 Scoring Model Description: Product Processor Code: OKD Unauthorized ① Open					

For more information on fields, refer to the field description table below.

Table 170 : View Quantitative Scoring Model- Field Description

Field	Description
Scoring Model Code	Displays the scoring model code.
Scoring Model Description	Displays the scoring model description.
Product Processor Code	Displays the product processor code.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required quantitative scoring model.

Figure 203 : View Quantitative Scoring Model- Search Option



View Quantitative Scoring Model				$_{\mu^{H}}$ \times
Scoring Model Code	Scoting Model Description	Authorization Status v	Record Status	

6. Click Search.

For more information on fields, refer to the field description table below.

Table 171 : View Quantitative Scoring Model- Search Option- Field Description

Field	Description
Scoring Model Code	Specify the scoring model code.
Scoring Model Description	Specify the scoring model description.
Authorization Status	Select the authorization status of the model. The options are: • Authorized • Unauthorized
Record Status	Select the record status of the model. The options are: • Open • Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created quantitative scoring model.
- 8. To authorize the quantitative scoring model, see the Error! Reference source not found..
- 9. Click **Unlock** icon to modify the following fields. The fields are displayed in the **Quantitative Scoring Model Maintenance** screen. The following fields are editable.
 - Scoring Model Description
 - Effective date, before authorization
 - Expiry Date
 - Priority
 - Add/Delete new scoring feature to the quantitative scoring model
 - Change the weightage of the scoring feature code
 - Range Type
 - Facts and Rules in Selection Criteria
 - Range/Value
 - Score
 - Category
 - Enable if you want to remove any scoring feature from the model instead of removing, you can disable the feature. Thus, the weightage assigned to that particular feature is auto removed and is shown as blank.



Figure 204 : Quantitative Scoring Model Maintenance - Modify

Quantitative Scoring Model Maintenance			×*
Basic Details			
Scoring Model * Applicant Scoring Model *			
Applicant Scoring Model * Scoring Model Code *		Scoring Model Description	
REJECT		REJECT	
Effective Date *		Expiry Date	
Sep 30, 2020		Oct 31, 2022	
Product Processor *		Priority *	
OFLO *		1	
Use Existing Rule Create New Rule Rules			
Rule Code *		Rule Name	
REJECT • 0		REJECT	
New			
New Rules			
	Description		

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Application Scoring Model	Displays the application scoring model.
Scoring Model Code	Displays the scoring model code for the created quantitative scoring model.
Scoring Model Description	Displays the scoring model description for the created quantitative scoring model.
	User can modify the same
Effective Date	Displays the effective date for the created quantitative scoring model.
	User can modify the same before authorization.
Expiry Date	Displays the expiry date of the created quantitative scoring model.
	User can modify the same.
Product Processor	Displays the product processor for the created quantitative scoring model.
Priority	Displays the priority of the created quantitative scoring model.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
	User can modify the same

Table 172 : Quantitative Scoring Model Maintenance – Modify - Field Description



Field	Description
Rules	
Rule Code	Displays the rule code for the created quantitative scoring model.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.
Create New Rule	Displays the rule code for the created quantitative scoring model.
	User can modify the same.
Rules	
Code	Specify the new rule code for quantitative scoring model.
Description	Specify the rule description for the quantitative scoring model.
Select existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click to add new expression.
Fact / Rules	Displays the fact or rule for the created quantitative scoring model.
Operator	Displays the comparison operator for the created quantitative scoring model.
Data Type	Displays the data type for the fact or rule for the created quantitative scoring model.
Output	Displays the output for the created quantitative scoring model.
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.
Feature	
This tab is enabled for	the Applicant Scoring Model.
Scoring Feature	
+ button	Click to add new row.
- icon	Click to delete an existing row.
Feature	Displays the feature for the created quantitative scoring model.



Field	Description			
Weightage (%)	Displays the weightage assigned to each feature for the created quantitative scoring model.			
	User can modify the same.			
Range Type	Displays the range type for the created quantitative scoring model.			
	The options are:			
	Max Value			
	Param Percent%			
	• Value			
Define Range/Value	Displays the range/value defined for the created quantitative scoring model.			
Range From	Displays the minimum range of value based on which scoring is done.			
	User can modify the same.			
Range To	Displays the maximum range of value based on which scoring is done.			
	User can modify the same.			
Score	Displays the score assigned for each range or value.			
	User can modify the same.			
Category	Displays the category for each range or value for the created quantitative scoring model.			
	The options are:			
	Strong			
	Medium			
	• Weak			
	User can modify the same.			
Enable	Displays the parameter for the created quantitative scoring model.			
	User can modify the same.			
Scoring Rule				
This tab is enabled for	the Application Scoring Model.			
Score				
Rule Code	Displays the rule code for the created quantitative scoring model.			



Field	Description			
6	Click to get the information about the rule.			
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.			

- 10. Click **Save**, to update the modified fields.
- 11. Click **View** icon to view the created quantitative scoring model.

The fields are displayed in Quantitative Scoring Model Maintenance screen

Figure 205 : Quantitative Scoring Model Maintenance – View

Quantitative Scoring Model Maintenance		×* - :
Basic Details		
Scoring Model * Applicant Scoring Model Scoring Model Code * REIKCT Effective Date * Sap 50 2020 Product Processor * OFLO	Scoring Model Description * REJECT Exploy Date * Ord \$1, 2022 Privaty * 1	
Selection Criteria Feature Use Edisting Rule Create New Rule		
Rules Rule Code " REJECT 0	Rula Nama REJECT	
New		
Code * REJECT	Description Select Existing rule Rule Version REIECT Q	٩

Field	Description		
Basic Details			
Scoring Model	Displays the scoring Model for the created quantitative scoring model.		
Scoring Model Code	Displays the scoring model code for the created quantitative scoring model.		
Scoring Model Description	Displays the scoring model description for the created quantitative scoring model.		
Effective Date	Displays the effective date for the created quantitative scoring model.		
Expiry Date	Displays the expiry date of the created quantitative scoring model.		
Product Processor	Displays the product processor for the created quantitative scoring model.		
Priority	Displays the priority of the created quantitative scoring model.		



Field	Description			
Selection Criteria				
Use Existing Rule	Indicates if the existing rule is linked.			
Rules				
Rule Code	Displays the rule code for the created quantitative scoring mode			
0	Click to get the information about the rule.			
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.			
Create New Rule	Displays the rule code for the created quantitative scoring model.			
Rules				
Code	Specify the new rule code for quantitative scoring model.			
Description	Specify the rule description for the quantitative scoring model.			
Select Existing Rule	Displays the existing rule.			
Rule Version	Displays the rule version.			
Expression Builder				
+ button	Click to add new expression.			
Fact / Rules	Displays the fact or rule for the created quantitative scoring model.			
Operator	Displays the comparison operator for the created quantitative scoring model.			
Data Type	Displays the data type for the fact or rule for the created quantitative scoring model.			
Output	Displays the output for the created quantitative scoring model.			
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.			
Feature				
This tab is enabled for the Applicant Scoring Model.				
Scoring Feature				
+ button	Click to add new row.			
- button	Click to delete an existing row.			
Feature	Displays the feature for the created quantitative scoring model.			



Field	Description		
Weightage (%)	Displays the weightage assigned to each feature for the created quantitative scoring model.		
Range Type	Displays the range type for the created quantitative scoring model.		
	The options are:		
	Max Value		
	Param Percent%		
	Value		
Define Range/Value	Displays the range/value defined for the created quantitative scoring model.		
Range From	Displays the minimum range of value based on which scoring is done.		
Range To	Displays the maximum range of value based on which scoring is done.		
Score	Displays the score assigned for each range or value.		
Category	Displays the category for each range or value for the created quantitative scoring model.		
	The options are:		
	• Strong		
	• Medium		
	• Weak		
Enable	Displays the parameter for the created quantitative scoring model.		
Scoring Rule			
This tab is enabled for	the Application Scoring Model.		
Score			
Rule Code	Displays the rule code for the created quantitative scoring model.		
0	Click to get the information about the rule.		
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.		



3.51 Decision Grade Matrix

The **Decision Grade Matrix** screen allows the user to define the decision and grade based on the score calculated by the scoring model.

This section contains following subsections:

- 3.51.1 Create Decision Grade Matrix
- 3.51.2 View Decision Grade Matrix

3.51.1 Create Decision Grade Matrix

The **Create Decision Grade Matrix** screen allows user to create decision and grade matrix by updating various details.

To create decision and grade matrix:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Decision Grade Matrix.
- 3. Under Decision Grade Matrix, click Create Decision Grade Matrix.

 \rightarrow The Create Decision Grade Matrix screen is displayed.

Figure 206 : Create Decision Grade Matrix

Create Decision Grade Matrix		** ×
Basic Details		
Model Dose * Effective Date * Product Processor * Select *	Model Description * Expiry Date * Priority *	
Edection Criteria Declaion Matrix Orace Matrix I/ Use Distring Rule Create New Rule Rule Rule Code Rule Code Rule Code	Rule Name	
		See Ganad

4. Specify the fields on Create Decision Grade Matrix screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 174: Create Decision and Grade Matrix - Field Description

Field Description		
Basic Details		
Model code Specify the unique model code.		



Field	Description			
Model Description	Specify a short description for the model.			
Effective Date	Select the effective date.			
Expiry Date	Select the expiry date.			
Product Processor	Specify the product processor for which the decision and grade matrix is being created.			
Priority	Specify the priority of the model.			

5. Click the **Selection Criteria** tab to configure the parameters based on which decision model is to be resolved.

Figure 207 : Create Decision Grade Matrix – Selection Criteria Tab

Create Decision Grade Ma	rix					p" ×
Basic Details						
Model Code * DML01 Effective Date * Aug 16. 2021 Product Processor * OFLO	前		Model Description * DML01 Expiry Date * Aug 28, 2021 Priority * 1	*		
Use Existing Rule	on Matrix Grade Matrix					
Rules Rule Code * MLA3	· • 0			Rule Name MLA1		
New						
Rules						
Code * MLA3		Description MLA1				
Expression Bu + Add Expression						

For more information on fields, refer to the field description table below.

Table 175 : Decision and Grade Matrix - Selection Criteria Field Description

Field	Description		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.		
Rules			
Rule Code	Select the rule code from the drop-down list.		
0	Click to get the information about the rule.		
Rule Name	Displays the rule name.		
Create New Rule	Select this option to create new rule.		
Rules			
Code	Specify the new rule code.		



Field	Description				
Description	Specify the rule description.				
Select Existing Rule	Select the existing rule from the drop-down list.				
0	Click to view the existing rule.				
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.				
Below field appears once ye	ou click icon.				
Rule ID	Displays the rule ID.				
Rule Name	Displays the rule name.				
Description	Displays the rule description.				
Rule Version	Displays the rule version.				
0	Click icon to view the list of rule versions.				
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.				
Below field appears once ye	ou click icon.				
Version	Displays the rule version.				
Description	Displays the rule description.				
Creation Date	Displays the rule creation date.				
Expression Builder					
+ button	Click to add new expression.				
Fact / Rules	Select the fact or rule from the drop-down list.				
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.				



Field	Description					
Operator	Select the comparison operator from the drop-down list.					
	The options are:					
	• <					
	• >					
	• +					
	• =					
	• %					
	• !=					
	• -					
	• >=					
	• <=					
	• *					
	• /					
	Contains					
	• In					
	Like Matches					
	Matches Notmatches					
	Notrnatches Notcontains					
	Notion					
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.					
	The options are:					
	• Text					
	Number					
	• Boolean					
	Date					
	• Fact					
	The below option appears if the Data Type is selected as Boolean .					
	True					
	False					




Field	Description					
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.					
	The options are:					
	• Text					
	Number					
	Boolean					
	Date					
	• Fact					
	The below option appears if the Data Type is selected as Boolean .					
	• True					
	False					
Expression	Displays the expression updated in the expression builder.					

6. Click the **Decision Matrix** tab to define decision on the application. You can select the feature for which the decision needs to be maintained like Quantitative/Qualitative.

Figure 208 : Create Decision Grade Matrix- Decision Matrix Tab

Create Decision Grade	e Matrix					,, ²⁶ ×
Basic Details						
Model Code *		Model Description *				
DML01		DML01				
Effective Date *		Expiry Date *				
Aug 17, 2021	前	Aug 24, 2021				
Product Processor *		Priority *				
OFLO	*	1				
Selection Criteria	ecision Matrix Grade Matrix					
Decision Matrix						
Note How decimal number is	s considered while defining a Range? For Example. If range is from 0 - 200 in 1st row and	200 - 500 in 2nd row then that means in the 2nd r	ow it will start from greater than (>)	200.		
la l						
Add Column						
	Age Description 🔻				Decision	
	Score From	Score To				
	100	200			Approved	*
						Save Cancel





Field	Description					
The following fields appea	r if you click Decision Matrix Tab.					
Add Column	Click for addition of features for which decision has to be maintained.					
	On click of Add Column , all the features are shown in the drop down list. Select the feature to be added. Click save to add the feature.					
	If the feature is numeric type, two columns gets added in the table From and To. If the feature is character/alphanumeric type one column Value gets added.					
	System should not save, if no feature have been added. User can click Cancel to close the window.					
×	Click to delete a column.					
+ button	Click to add a new row.					
- button	Click to delete an existing row.					
Score From	Specify the minimum range of score for the decision.					
Score To	Specify the maximum range of score for the decision.					
Decision	Specify the decision of an application from the drop-down list. The values are configurable based on the look up values maintained					
	The options are:					
	Approved					
	Manual					
	Rejected					

Table 176 : Create Decision Grade Matrix – Decision Matrix Tab - Field Description

7. Click the **Grade Matrix** tab to assign the grade to the application that is used during the pricing of the application. You can select the feature for which the grade needs to be maintained like Quantitative/Qualitative.




Figure 209 : Create Decision Grade Matrix – Grade Matrix Tab

c Details			
odel Code *	Model Description *		
ML01	DML01		
fective Date *	Expiry Date *		
ug 17, 2021 🗰	Aug 24, 2021 🗰		
oduct Processor *	Priority *		
FLO *	1		
ection Criteria Decision Matrix Grade Matrix			
ade Matrix			
decimal number is considered while defining a Range? For Example 2 (1997) and the second s	ple: If range is from 0 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will start from	greater than (>) 200.	
w decimal number is considered while defining a Range? For Exam	ple: If range is from 0 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will start from	greater than (>) 200.	
w decimal number is considered while defining a Range? For Exam ad Column	ple. If range is from 0 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will start from	greater than (-) 200.	
w decimal number is considered while defining a Range? For Exam	pie. If sange is from 8 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will start from	greater than (>) 200.	
v decimal number is considered while defining a Range? For Exam	ple. If range is from 0 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will start from		
w decimal number is considered while defining a Range? For Exam	pie. If ange is from 5 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will starn from		Sade
w decimal number is considered while defining a Range? For Exam	pie. If range is from 8 - 200 in 1st row and 200 - 500 in 2nd row then that means in the 2nd row it will start from		State
n decimal humber is considered while defining a Range? For Exam 46 Column Age Description * Score From	Score To		
w decimal number is considered while defining a Range? For Exam del Column Age Description			inee A •
i decimal humber is considered while defining a Rangel For Exam et Column Age Description * Score From	Score To		
decimal number is considered while defining a Rangel For Exam d Column Age Description * Score From	Score To		
i decimal humber is considered while defining a Rangel For Exam et Column Age Description * Score From	Score To		

Field	Description		
The following fields appea	r if you click Grade Matrix tab.		
Add Column	Click for addition of features for which decision has to be maintained.		
	On click of Add Column , all the features are shown in the drop down list. Select the feature to be added. Click save to add the feature.		
	If the feature is numeric type, two columns gets added in the table From and To. If the feature is character/alphanumeric type one column Value gets added.		
	System should not save, if no feature have been added. User can click Cancel to close the window.		
×	Click to delete a column.		
+ button	Click to add a new row.		
- button	Click to delete an existing row.		
Score From	Specify the minimum range of the score for the grade.		
Score To	Specify the maximum range of the score for the grade.		

Table 177 : Create Decision Grade Matrix - Grade Matrix Tab - Field	d Description
---	---------------





Field	Description				
Grade	Specify the grade of the application based on the score scored. The values are configurable based on the look up values maintained.				
	The options are:				
	• A				
	• B				
	• C				
Value	In case the data type of feature is numeric such as Age, FICO score the below field appears. , specify the value for which the grade has to be maintained.				

8. Click **Save** to save the details.

The decision grade matrix is successfully created and can be viewed using the **View Decision and Grade Matrix** screen.

3.51.2 View Decision Grade Matrix

The **View Decision Grade Matrix** screen allows the user to view the decision grade matrix created using the **Create Decision Grade Matrix** screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the matrix, the status is updated to **Authorized** and **Open**.

To view an uploaded decision grade matrix:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Decision Grade Matrix.
- 3. Under Decision Grade Matrix, click View Decision Grade Matrix.

→ The View Decision Grade Matrix screen is displayed.

Figure 210 : View Decision Grade Matrix

View Decision Gra	de Matrix				
ч с +					
Model Code:		49	Model Code:		
Model Description: Product Processor:			Model Description: Product Processor:		
B Unauthorized	🔒 Open		Authorized	and Open	
Page 1 of 5	(1 - 10 of 42 i	items)	K (1	2345	>



For more information on fields, refer to the field description table below.

Field	Description
Model Code	Displays the model code.
Model Description	Displays the description of the model.
Product Processor	Displays the product processor for which the model is created.
Status	Displays the status of the record.

Table 178 : View Decision Grade Matrix - Field Description

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required decision grade matrix.

Figure 211 : View Decision Grade Matrix- Search Option

View Decision Grade Matrix				," ×
Model Code	Madel Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.

For more information on fields, refer to the field description table below.

Table 179 : View Decision Grade Matrix Field Description

Field	Description
Model Code	Displays the model code.
Model Description	Displays the model description.
Authorization Status	Select the authorization status of the model.
	The options are:
	Authorized
	Unauthorized
Record Status	Select the record status of the model.
	The options are:
	• Open
	Close

7. Click three-dots icon to unlock, delete, authorize or view the created decision grade matrix.

8. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Decision Grade Maintenance screen.** The following fields are editable.



- Model Description
- Effective Date, before authorization
- Expiry Date
- Priority
- Rule Code
- Add New fact or rule to the selection criteria
- Score from
- Score to
- Decision
- Grade

Figure 212 : Decision Grade Maintenance - Modify

Decision Grade Maintenance			
Basic Details			
Model Code * dylos Effective Date * Ses 5: 2020 Product Processor * 0%L0 *		Model Description * dy06 Expiry Date * Jul 20, 2021 (m) Priority * 1	
Selection Criteria Decision Matrix Grade Matrix Use Existing Rule Create New Rule			
Rules Rule Code * MLA3 *		Rule Name MLA1	
Rules			
Code ¹⁹ MLA3	Description MLA1		
Expression Builder			



Field	Description
Basic Details	
Model Code	Displays the model code for created decision grade matrix.
Model Description	Displays the description of the model for the created decision grade matrix.
	User can modify the same.
Effective Date	Displays the effective date of the model for the created decision grade matrix.
Expiry Date	Displays the expiry date of the model for the created decision grade matrix.
	User can modify the same.
Product Processor	Displays the product processor for the created decision grade matrix.
Priority	Displays the priority of the model for the created decision grade matrix.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created decision grade matrix.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Displays the rule code for the created decision grade matrix.
	User can modify the same.
Rules	
Code	Specify the new rule code for decision grade matrix.
Description	Specify the rule description for the decision grade matrix.
Select Existing	Displays the existing rule.
Rule	User can modify the same.
Rule Version	Displays the rule version.

Table 180 : View Decision Grade Matrix- Modify- Field Description



Field	Description
Expression Builder	
+ button	Click to add new expression.
Fact / Rules	Displays the fact or rule for the created decision grade matrix.
Operator	Displays the comparison operator for the created decision grade matrix.
Data Type	Displays the data type for the fact or rule for the created decision grade matrix.
Output	Displays the output for the created decision grade matrix.
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.
Decision Matrix	
Add Column	Click to add addition of features for which decision has to be maintained.
×	Click to delete a column.
+ button	Click to add new row.
- button	Click to delete row.
Score From	Displays the minimum range of score for the decision.
	User can modify the same.
Score To	Displays the maximum range of score for the decision.
	User can modify the same.
Decision	Displays the decision of an application. The values are configurable based on the look up values maintained
	The options are:
	Approved
	Manual
	Rejected
	User can modify the same.
Grade Matrix	
Add Column	Click to add addition of features for which decision has to be maintained.
×	Click to delete a column.



Field	Description	
+ button	Click to add new row.	
- button	Click to delete row.	
Score From	Displays the minimum range of score for the grade.	
	User can modify the same.	
Score To	Displays the maximum range of score for the grade.	
	User can modify the same.	
Grade	Displays the grade of the application based on the score scored. The values are configurable based on the look up values maintained.	
	The options are:	
	• A	
	• B	
	• C	
	User can modify the same.	

- 9. Click **Save**, to update the modified field.
- 10. Click **View** icon to view the created decision grade matrix. The fields are displayed in **Decision Grade Maintenance** screen.

Figure 213 : Decision Grade Maintenance – View

Decision Grade Maintenance		2 ⁴ ×
Basic Details		
Model Code *	Model Description *	
dy06	dy06	
Effective Date *	Expiry Date *	
Sep 5. 2020	Jul 20, 2021	
Product Processor *	Priority *	
OFLO	1	
Selection Criteria Decision Matrix Grade Matrix		
(iii) Use Existing Rule (i) Create New Rule		
Rules		
Rule Code *	Rule Name	
Select		
Audit		

For more information on fields, refer to the field description table below.

Table 181 : Decision Grade Maintenance- View- Field Description

Field	Description
Basic Details	



Field	Description
Model Code	Displays the model code for the created decision grade matrix.
Model Description	Displays the description for the created decision grade matrix.
Effective Date	Displays the effective date for the created decision grade matrix.
Expiry Date	Displays the expiry date for the created decision grade matrix.
Product Processor	Displays the product processor for the created decision grade matrix.
Priority	Displays the priority for the created decision grade matrix.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created decision grade matrix.
6	Click to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Displays if new rule is linked to the created decision grade matrix.
Rules	
Code	Specify the new rule code for decision grade matrix.
Description	Specify the rule description for the decision grade matrix.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click to add new expression.
Fact / Rules	Displays the fact or rule for the created decision grade matrix.
Operator	Displays the comparison operator for the created decision grade matrix.
Data Type	Displays the data type for the fact or rule for the created decision grade matrix.
Output	Displays the output for the created decision grade matrix.
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.
Decision Matrix	



Field	Description
Add Column	Click to add addition of features for which decision has to be maintained.
×	Click to delete a column.
+ button	Click to add a new row.
- button	Click to delete a row.
Score From	Displays the minimum range of score for the decision.
Score To	Displays the maximum range of score for the decision.
Decision	Displays the decision of an application. The values are configurable based on the look up values maintained
	The options are:
	Approved
	• Manual
	Rejected
Grade Matrix	
Add Column	Click to add addition of features for which decision has to be maintained.
×	Click to delete a column.
+ button	Click to add a new row.
- button	Click to delete a row.
Score From	Displays the minimum range of score for the grade.
Score To	Displays the maximum range of score for the grade.
Grade	Displays the grade of the application based on the score scored. The values are configurable based on the look up values maintained.
	The options are:
	• A
	• B
	• C



3.52 Pricing

Risk-based pricing refers to the offering of different interest rates to different customers depending on their credit worthiness. Thus, not all borrowers for the same product receives the same interest rate and credit terms. This means that high-risk borrowers who are less likely to repay their loans in full and on time will be charged higher rate of interest. While the low risk borrowers, having greater capacity to make payments will be charged lower rate of interest.

This section contains the following subsections:

- 3.52.1 Create Pricing Model
- 3.52.2 View Pricing Model

3.52.1 Create Pricing Model

The **Create Pricing Model** screen allows user to create pricing model based on various pricing parameter by updating various details.

To create a pricing set up:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click Maintenance. Under Maintenance, click Pricing.
- 3. Under Pricing, click Create Pricing Model.
 - → The Create Pricing Model screen is displayed.

Figure 214 : Create Pricing Model

Create Pricing Model		,* ×
Basic Details		
	Priong Description	
11 III III III III III III III III III	Exply Date *	
Selection Criteria Price Definition Use Sultring Rule Crease New Rule		
Rules Rule Code "	Rule Name	
Select V		
		Save Cancel

4. Specify the fields on Create Pricing Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 182 : Create Pricing Model – Field Description

Field	Description
Basic Details	
Pricing Code	Specify the unique pricing code.
Pricing Description	Specify a short description for the pricing.
Effective Date	Select the effective date.
Expiry Date	Select the expiry date.
Product Processor	Specify the product processor for which the pricing is being defined.
Priority	Specify the priority of the pricing.

5. Click the **Selection Criteria** tab to define pricing.

Figure 215 : Create Pricing Model - Selection Criteria Tab

Create Pricing Model				, ² ×
Basic Details				
Pisag Cade * Divido * Effective Cade * Ege 30, 2020	Pricing Descript assa Egging Other I an 21, 2022 Pricing 1 1	-		
Selection Criteria Price Definition Use Existing Rule Create New Rule				
Create Rule				
New Rules				
Code * r005	Description Product	Select Existing rule	Rule Version	Q
Expression Builder + Add Expression				
Output				
Re hers to dipley. Expression ©				

For more information on fields, refer to the field description table below.

Table 183 : Create Pricing Model – Selection	Criteria - Field Description
--	------------------------------

Field	Description	
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Select the rule code from the drop down list.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name.	
Create New Rule	Select this option to create new rule.	
Rules		





Field	Description	
Code	Displays the rule code.	
Description	Displays the rule description.	
Select existing Rule	Select the existing rule from the drop-down list.	
Rule Version	Displays the rule version.	
0	Click to view the existing rule.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below field appears once y	ou click icon.	
Rule ID	Displays the rule ID.	
Rule Name	Displays the rule name.	
Description	Displays the rule description.	
Rule version	Displays the rule version.	
0	Click to view the existing rule version.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below field appears once you click icon.		
Version	Displays the rule version.	
Description	Displays the rule description.	
Creation Date	Displays the rule creation date.	
Expression Builder		
+ button	Click icon to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list.	
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.	



Field	Description	
Operator	Select the comparison operator from the drop-down list.	
	The options are:	
	• <	
	• >	
	• +	
	• =	
	• %	
	• !=	
	• -	
	• >=	
	• <=	
	• /	
	Contains	
	• In	
	• Like	
	Matches	
	Notmatches	
	Notcontains	
	Notin	
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	Boolean	
	• Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	



Field	Description	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	• Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Expression	Displays the expression updated in the expression builder.	

6. Click the Price Definition tab to define pricing.


Figure 216 : Create Pricing Model – Price Definition Tab

eate Pricing Model		*
New		
sic Details		
icing Code *	Pricing Description *	
ective Date *	Expiry Date *	
曲	m	
oduct Processor *	Priority *	
•		
Price Definition		
inimum Rate *	Maximum Rate *	
te Type *	Rate %	

For more information on fields, refer to the field description table below.

Table 184 : Create Pricing Model – Price Definition – Field Description

Field	Description	
Minimum Rate	Specify the minimum rate applicable for the defined pricing code.	
Maximum Rate	Specify the maximum rate applicable for the defined pricing code.	



Field	Description		
Rate Type	Specify the rate type from the drop-down list.		
	The options are:		
	• Flat		
	• Tiered		
Rate %	Specify the interest rate application for the defined pricing.		
	This field appears once you select the Rate Type option as Flat .		
	The below field appears if you select the Rate Type option as Tiered . The below columns are available as Facts in a drop down and you need to select the same.		
Loan Amount From	Specify the minimum range of loan amount to which the interest rate is applicable.		
Loan Amount To	Specify the maximum range of loan amount to which the interest rate is applicable.		
Term From	Specify the minimum term from which the interest rate is applicable.		
Term To	Specify the maximum term up to which the interest rate is applicable.		
Rate %	Specify the interest rate applicable for the defined tier.		

7. Click Save to save the details.

The Pricing model is successfully created and can be viewed using View Pricing Model Screen.

3.52.2 View Pricing Model


The **View Pricing Model** screen allows the user to view the pricing model created using the **Create Pricing Model** screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

To view created Pricing Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Pricing.
- 3. Under Pricing, click View Pricing Model.
 - $\rightarrow\,$ The View Pricing Model screen appears.

Figure 217 : View Pricing Model





For more information on fields, refer to the field description table below.

Table 185	i : View	Pricing	Model -	Field	Description
-----------	----------	---------	---------	-------	-------------

Field	Description
Pricing Code	Displays the pricing code.
Pricing Description	Displays the description of the pricing model.
Product Processor	Displays the product processor for which the pricing model is created.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required pricing model.

Figure 218 : View Pricing Model- Search Option

View Pricing Model				** ×
Pricing Code	Pricing Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.

For more information on fields, refer to the field description table below.

Table 186 : View Pricing Model -Search Option- Field Description

Field	Description	
Pricing Code	Displays the pricing code.	
Pricing Description	Displays the description of the pricing model.	
Authorization Status	Select the authorization status of the model. The options are:	
	Authorized	
	Unauthorized	



Field	Description	
Record Status	Select the record status of the model. The options are:	
	• Open	
	• Close	

- 7. Click three-dots icon to unlock, delete, authorize or view the created pricing model.
- 8. Click **Unlock** to modify the following fields.

The fields are displayed in the **Pricing Model Maintenance** screen. The following fields are editable.

- Pricing Description
- Effective Date, before authorization
- Expiry Date
- Priority
- Rule Code
- Add new fact o rule to the selection criteria
- Loan Amount From
- Loan Amount To
- Term From
- Term To
- Rate Type
- Rate %


Figure 219 : Pricing Model Maintenance – Modify

Pricing Model Maintenance		×*
Basic Details		
Pricing Code * TP/20211001171019 Effective Date * Oct 1, 2021 Prioduct Processor * OFL0 *	Pricing Description " Pricing Sessiption Grade 8 Espiry Desc Oct. 1283 Pricing " 59	
Selection Criteria Price Definition Use Existing Rule Create New Rule Rulee Rule Code *	Rule Name	
Netincome v O	Netincome	
Code * Netincome	Description NetIncome	
Expression Builder		

For more information on fields, refer to the field description table below.

Table 187 : Pricing Model Maintenance - Modify- Field Description

Field	Description
Basic Details	
Pricing Code	Displays the pricing code for created pricing model.
Pricing Description	Displays the description of the pricing for the created pricing model.
	User can modify the same.



Field	Description
Effective Date	Displays the effective date of the pricing for the created pricing model.
Expiry Date	Displays the expiry date of the pricing for the created pricing model.
	User can modify the same.
Product Processor	Displays the product processor for the created pricing model.
Priority	Displays the priority of the pricing for the created pricing model.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created pricing model.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Displays if new rule is linked to the pricing model.
	User can modify the same.
Rules	
Code	Specify the new rule code for the created pricing model.
Description	Specify the rule description for the created pricing model.
Select Existing Rule	Displays the existing rule.
	User can modify the same.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click to add new expression.
Fact / Rules	Displays the fact/rules of the created pricing model.
Operator	Displays the comparison operator of the created pricing model.
Data Type	Displays the data type for the fact or rule of the created pricing model.
Output	Displays the output of the created pricing model.



Field	Description
Expression	Displays the expression updated in the expression builder of the created pricing model.
Pricing Definition	
Minimum Rate	Displays the minimum rate applicable for the defined pricing model.
	User can modify the same.
Maximum Rate	Displays the maximum rate applicable for the defined pricing model.
	User can modify the same.
Rate Type	Displays the rate type from the drop-down list.
	The options are:
	• Flat
	• Tiered
	User can modify the same.
Rate %	Displays the interest rate application for the defined pricing.
	This field appears once you select the Rate Type option as Flat .
	User can modify the same.
Below field appears if t "Facts" in a drop down.	he rate type is updated as Tiered . The below columns are available as
User can modify the sa	me.
Loan Amount From	Displays the minimum range of loan amount to which the interest rate is applicable.
	User can modify the same.
Loan Amount To	Displays the maximum range of loan amount to which the interest rate is applicable.
	User can modify the same.
Term From	Displays the minimum term from which the interest rate is applicable.
	User can modify the same.
Term To	Displays the maximum term up to which the interest rate is applicable.
	User can modify the same.
Rate %	Displays the interest rate applicable for the defined tier.

9. Click **Save**, to update the modified fields.

10. Click **View** icon to view the created pricing model.



The fields are displayed in **Pricing Model Maintenance** screen.

Figure 220 : Pricing Model Maintenance – View

Pricing Model Maintenance		** ×
Pricing indust maintenance		
Basic Details		
Pricing Code " PRC220211027191025	Pricing Description *	
PRC22021102/191025 Effective Date "	Pricing Model For CMC 1 Expiry Date 1	
Sep 25, 2020	Aul 31, 2041	
Product Processor *	Priority *	
PR20211028161045	1	
Selection Criteria Price Definition		
Use Bristing Rule Oreste New Rule		
Rules		
Rule Code 1 CMCRULETEST2	Rule Name CMCRULETEST2	
	LING MALE ILDIE	
Neu		
Rules		
Code * Description	Select Existing rule	Rule Version
CMORULETEST2 CMORULETEST2		1 Q.
Expression Builder		
+ Add Expression		
+		
ProductCodeCMC - TEXT	* CI/CDEMO	

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Pricing Code	Displays the pricing code for created pricing model.
Pricing Description	Displays the description of the pricing for the created pricing model.
Effective Date	Displays the effective date of the pricing for the created pricing model.
Expiry Date	Displays the expiry date of the pricing for the created pricing model.
Product Processor	Displays the product processor for the created pricing model.
Priority	Displays the priority of the pricing for the created pricing model.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created pricing model.
0	Click to get the information about the rule.
Rule Name	Displays the rule name for the created pricing model.
Create New Rule	Displays if new rule is linked to the pricing model.
Rules	
Code	Displays the new rule code for created pricing model.
Description	Displays the rule description for the created pricing model.

Table 188 : Pricing Model Maintenance - View- Field Description	Table 188 : Pricir	ng Model Maintenanc	e - View- Field Description
---	--------------------	---------------------	-----------------------------



Field	Description
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click to add a new expression.
Fact / Rules	Displays the fact/rules of the created pricing model.
Operator	Displays the comparison operator of the created pricing model.
Data Type	Displays the data type for the fact or rule of the created pricing model.
Output	Displays the output of the created pricing model.
Expression	Displays the expression updated in the expression builder of the created pricing model.
Pricing Definition	
Minimum Rate	Displays the minimum rate applicable for the defined pricing model.
Maximum Rate	Displays the maximum rate applicable for the defined pricing model.
Rate Type	Displays the rate type from the drop-down list.
	The options are:
	• Flat
	• Tiered
Rate %	Displays the interest rate application for the defined pricing.
	This field appears once you select the Rate Type option as Flat .
The below field appears available as "Facts" in a	s if the rate type is updated as Tiered . The below columns are a drop down.
Loan Amount From	Displays the minimum range of loan amount to which the interest rate is applicable.
Loan Amount To	Displays the maximum range of loan amount to which the interest rate is applicable.
Term From	Displays the minimum term from which the interest rate is applicable.
Term To	Displays the maximum term up to which the interest rate is applicable.
Rate %	Displays the interest rate applicable for the defined tier.



3.53 View Execution Summary

Execution Summary screen enables the user to view the details of the processed application. Based on the request mode it displays details related to logical model, borrowing capacity, quantitative score, qualitative score, decision and grade details and pricing details. It also provides different type of filters to perform search for a specific record.

This section contains following subsection:

• 3.53.1 View Execution Summary

3.53.1 View Execution Summary

The **View Execution Summary** screen allows user to view the execution summary based on the various filter options provided.

To view execution summary:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Operations. Under Operations, click Execution Summary.

→ The Execution Summary screen appears.

Figure 221 : View Execution Summary

•							
Filter							
Select	*						
						R	eset Searc
Scoring Decision Sumr	narv						
scoring occision dum	ury .						
Product Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
	Score, Decision & Pricing	123	O9yN6ghMD41P9yN6ghMD41Q9yN6ghMD41R9yN6ghMD41S	CD520211025152426597	Oct 25, 2021	ONLINE	FAILURE
OFLO	score, occasion of theiry						
 OFLO OFLO 	store, occurrence and the		WhaXmgcMD41XhaXmgcMD41YhaXmgcMD41ZhaXmgcMD4	CDS20211025152321123	Oct 25, 2021	ONLINE	ERROR
	Decision & Grade	123	WhoXmqcMD41XhoXmqcMD41YhoXmqcMD41ZhoXmqcMD4 OfNbcgWFD41PfNbcgWFD41QfNbcgWFD41RfNbcgWFD41Sf	CDS20211025152321123 CDS20211025135544519	Oct 25, 2021 Oct 25, 2021	ONLINE	ERROR SUCCESS
OFLO		123					

For more information on fields, refer to the field description table below.

Table 189 : Execution Summary Field Description

Field	Description
Search Criteria	
+ button	Click to add a new row.
- button	Click to delete an existing row.



Field	Description
Filter	Select the required option based on which you can search for the execution summary.
	The options are:
	Request Reference Number
	Internal Reference Number
	Decision
	Batch/Online
	Product Processor
	Status
	Request Type
	Execution Date
	Contract ID
Value	Specify the required details or select an appropriate option for the selected filter option.
	This field appears once you select an option from the Filter list.
From Date	Select the start date of the period during which the execution summary is generated.
	This field appears if you select the filter option as Execution Date and value as Date Range.
To Date	Select the end date of the period during which the execution summary is generated.
	This field appears if you select the filter option as Execution Date and value as Date Range.



- 3. In the **Search Criteria** section, specify the details and click **Search**. The search results appear showing a list of records based on the specified search criteria.
- 4. Click **Reset**, to reset the search criteria.

Figure 222 : Execution Summary Search Option

Ret	eset Sear
de	Status
ILINE	FAILURE
ILINE	ERROR
ILINE	SUCCES
ILINE	FAILURE
ILINE	FAILURE
	Mode ONLINE ONLINE ONLINE ONLINE

For more information on fields, refer to the field description table below.

Field	Description
Scoring Decision Summa	ry
Product Processor	Displays the name of the product processor that sent the request.
Request Type	Displays the request type sent by product processor.
Contract ID	Displays the contract ID sent by the product processor.
Request Reference Number	Displays the request reference number sent by product processor.
Internal Reference Number	Displays the internal reference number of the application.
Execution Date	Displays the execution date of the processing application.
Mode	Displays the mode of execution of the application.
Status	Displays the status of the processed application.

Table 190 : Execution Summary- Search option- Field Description

5. Click the icon corresponding to the required record to view the decision related details on each widget. Only one record is viewed at a time. If you need to view another record, you have to click on to close the already open record and then the next record can be viewed. The widgets are arranged in the flow in which the execution is done and is indicated by showing the sequence 1, 2, 3 numbers in the top right corner. The widgets are clickable on hover the color of the widget changes to indicate the widget is clickable.



6. When the status of processed application is **Failure**, on click of the status of processed application is **Failure**, on click of the failure message is displayed in the step that is failed. For example, in case of **Qualitative Score Model** is not resolved, then the error message is displayed in the **Qualitative Score Model** widget and the previous widget will show the data which was processed. Where in if the logical processing fails, then the status **Fail** is shown in the **Logical Model** widget and reason for failure is displayed on click of the widget.

View Execution Summary							×
Search Criteria							
+							
Filter	Value						
Decision	* Approved	*					
						Reset Se	Search
Scoring Decision Summary							
Product Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode St	Status
OFLO	fetchAll	123	6f6O5avEZ317f6O5avEZ318f6O5avEZ319f6O5avEZ31af6O5avE	CDS20211001111124418	Oct 1, 2021	ONLINE SU	UCCE
	0			6			
	Logical Model	1	Borrowing Capacity 2	Qualitative Score	3		
	Logical Model Code : Description :	LMC101 LMC101	Eligibility Code BORCAP001 Description: BORCAP001	Scoring Model Code : Description :	APPQAL502 APPQAL502		
	Status :	PASS	Requested Amount \$35000 Borrowing Capacity: \$150000.0	Score :	67.5		
	Quantitative Score	4	Decision and Grade 5	Pricing	6		
	Scoring Model Code :	REJECT	Model Code : REJECT	Pricing Model Code :	REJECT		
	Description : Score :	REJECT 450	Description : REJECT USE CASE Decision : Approved	Description : Rate Type :	REJECT Flat		
	1907-1000	Para -	Grade : B	Rate (%):	5		

Figure 223 View Execution Summary

For more information on fields, refer to the field description table below.

Table 191 : View Execution Summary Field Description

Field	Description			
Logical Model Widget	Displays the status of the logical model processed.			
The following fields appear	in Logical Model widget.			
Logical Model Code				
Displays the logical model of	code, resolved for credit decision.			
Description	Displays the logical model description, resolved for the credit decision.			
Status	Displays the status of the logical model processed.			
	• For status Pass , the color is shown as Green .			
	• For status, Fail the color is shown as Red .			
Borrowing Capacity Widg	et			
Displays the maximum lend	able amount that can be given for an application.			
The following fields appear	in Borrowing Capacity widget.			
Eligibility Code	Displays the eligibility model code, resolved for calculating the borrowing capacity.			



Field	Description
Description	Displays the eligibility model description, resolved for calculating the borrowing capacity.
Requested Amount	Displays the requested amount for the lending application.
Borrowing Capacity	Displays the maximum lendable amount that can be given for the application.
Qualitative Score Widget Displays the qualitative cred	lit score, post credit decision of the application.
The following fields appear i	in Qualitative Score widget.
Scoring Model Code	Displays the scoring model code, resolved for credit decision.
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.
	• When Is Application Decision Required is No , the applicant level decision scoring code is displayed.
	 When Is Application Decision Required is No, and Is Primary Applicant is No, the application level decision scoring code is displayed.
Description	Displays the scoring model description, resolved for credit decision.
Score	Displays the qualitative credit score post credit decision of the application.
	• When Is Application Decision Required is Yes , the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.
	• When Is Application Decision Required is No , the score is displayed by resolving the applicant level scoring model.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rule and linked at the application level scoring model and this aggregated

The following fields appear in **Quantitative Score** widget.



Field	Description
Scoring Model Code	Displays scoring model code, resolved for credit decision.
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.
	• When Is Application Decision Required is No , the applicant level decision scoring code is displayed.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the multi applicant level scoring code is displayed.
Description	Displays the scoring model description, resolved for credit decision.
Score	Displays the quantitative credit score, post credit decision of the application.
	• When Is Application Decision Required is Yes , the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.
	• When Is Application Decision Required is No , the score is displayed by resolving the applicant level scoring model.
	 When Is Application Decision Required is No, and Is Primary Applicant is No, score is displayed by resolving the multi applicant level scoring model.
Decision and Grade Widg Displays the credit decision	et and scoring grade, taken for the application.
The following fields appear	in Quantitative Score widget.
Model Code	Displays the model code, resolved for credit decision and grade.
Description	Displays the model description, resolved for credit decision and grade.
Decision	Displays the credit decision, taken for the application.
Grade	Displays the scoring grade, post credit decision of the application.
Pricing Widget	
Displays the rate applicable	e post credit decision.
The following fields appear	in Quantitative Score widget.
Pricing Model Code	Displays the pricing model code, resolved for credit decision.



Field	Description
Description	Displays the pricing model description, resolved for credit decision.
Rate Type	Displays the rate type applicable post credit decision.
Rate %	Displays the rate applicable post credit decision.

The following fields are displayed once you click the **Logical Model** widget. The details for the request which was clicked on the landing page is displayed.

Figure 224 : Logical Model Widget

duct Processor	Request Type	Request Reference Numbe	8 <u></u>		Internal Reference Number	Execution Date	Mode	Status
.0	Score, Decision & Pricing	yXIMS7jtD41zXIMS7jtD41A	XIMS7jtD41BXIMS7jtD41CXIMS7jtD		CDS20211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCE
Logical Model	Borrowing C 5135.0		Qualitative Score 70	Quantitative 364.3		ecision & Grade Manual - Queue A Grade : B		ricing 6 %
Logical Model Code :	LMC101		Description : LMC101		Stat	us : PASS		
Rule ID	Sequence		Status					
Logic3 🚯	1		PASS					
Logic2 🟮	2		PASS					

For more information on fields, refer to the field description table below.

Table 192 : Logical Model Widget - Field Description

Field	Description
Internal Reference Number	Specify the internal reference number.
Product Processor	Displays the name of the product processor that sent the request.
	This field will be shown on click of each widget.
Request Type	Displays the request type sent by the product processor.
	This field will be shown on click of each widget.
Contract ID	Displays the contract ID sent by the product processor.
	This field will be shown on click of each widget.
Request Reference Number	Displays the request reference number sent by product processor.
	This field will be shown on click of each widget.



Field	Description
Internal Reference Number	Specify the internal reference number.
Internal Reference Number	Displays the internal reference number of the application.
Number	This field will be shown on click of each widget.
Execution Date	Displays the execution date of the processing application.
	This field will be shown on click of each widget.
Mode	Displays the mode of execution of the application.
	This field will be shown on click of each widget.
Status	Displays the status of the application.
	This field is shown on click of each widget.
The following fields appea	r once you click the Logical Model widget.
<logical code="" model=""></logical>	Displays the logical model code that is resolved for credit decision.
Description	Displays the description of the logical model.
Status	Displays the status of logical model.
Rule ID	Displays the rule ID executed for logical model processing.
0	Click to get the rule description.
Sequence	Displays the sequence in which the rules are executed for logical model processing.
Status	Displays the status of the rule execution. In case the status is failed, the reason for failure is displayed as Reason <> .

The following fields are displayed once you click the **Borrowing Capacity** widget.

· · · · · · · · · · · · · · · · · · ·	Figure 225 :	Borrowing	Capacity Wid	dget
---------------------------------------	--------------	-----------	--------------	------

Model Borrowing Capacity Qualitative Score Quantitative Score Decision & Grade Pricing 653 5135.03 70 384.3 Maguai Quade : B 6 % Eligibility Description : BORCAP001	Logical Model Borrowing Capacity Qualitative Score Quantitative Score Decision & Grade Pricing FA55 635.03 70 364.3 Manaal • Queere A Grade : B 6% Eligibility Code : BORCAP001 Eligibility Description : BORCAP001 Eligibility Code : BORCAP001 Requested Amount Borrowing Capacity Fact Rule ID	Logical Model Borrowing Capacity Qualitative Score Quantitative Score Decision & Grade PASS 6135.03 70 364.3 Manual - Quantitative Score Pricing Eligibility Code : BORCAP001 Eligibility Description : BORCAP001 Borrowing Capacity Fact Rule ID	.O Sco					 	01111115	
S3 5135.03 70 364.3 Manual 2 Quarket A Grade : B 6 % de : BORCAP001 Eligibility Description : BORCAP001 Eligibility Description : BORCAP001 Rule ID Rule ID	ED155 S135.03 70 364.3 Manazi - Quroz A Grade : B 6 % Eligibility Code : 80RCAP001 Eligibility Description : 80RCAP001 Eligibility Description : 80RCAP001 Requested Amount Borrowing Capacity Fact Rule ID	Eligibility Code : BORCAP001 Eligibility Description : BORCAP001 Requested Amount Borrowing Capacity					CDS20211025105859136		ONLINE	SUCCES
Amount Borrowing Capacity Fact Rule ID	Requested Amount Borrowing Capacity Fact Rule ID	Requested Amount Borrowing Capacity Fact Rule ID		acity			00010			
			Eligibility Code : BORCAP001		Eligi	ibility Description	: BORCAP001			
					ity		Amt			
						MaxLend	Amt	BRCAP10 🚯		



For more information on fields, refer to the field description table below.

Field	Description
The following fields appea	rs in Borrowing Capacity widget.
<eligibility code=""></eligibility>	Displays the eligibility code resolved for calculating the borrowing capacity.
Eligibility Description	Displays the eligibility description resolved for calculating the borrowing capacity.
Requested Amount	Displays the requested amount for the lending application.
Borrowing Capacity	Displays the maximum lendable amount that can be given for an application.
Fact	Displays the fact using which the maximum lendable amount was calculated.
Rule ID	Displays the rule ID executed for calculating the maximum lendable amount.
6	Click to get the rule description.

The following fields are displayed once you click the **Qualitative Score** widget.

roduct Processor	Request Type	Request Reference I	Number		Internal Reference Number	Execution Date	Mode	Status
FLO	Score, Decision & Pricing	yXIMS7jtD41zXIMS7	tD41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	2	CDS20211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCESS
Logical Model	Borrowing Ca 5135.03		Qualitative Score 70	Quantitative S 364.3	0010	cision & Grade Ianual - Queue A Grade : B		ricing 6 %
Scoring Model Code	APCT311	C	Description : Qualitative scoring model APCT	311	w	eightage Score : 70 🜖		
Applicants Mrs Amy A Anderson Score : 70	Mrs Amy A Anderson Graph View Data View		g Model Code : APCT311		alitative scoring model APCT311	Weightage Sco		
	80 70 aros 55 55 50 50 20 20 10							Medium Strong Weak

Figure 226 : Qualitative Score Widget – Bar Graph View



Logical Model PASS	Borrowing Capacity 5135.03	Qualitative Score 70	Quantitative Score 364.3	Decision & Grade Manual - Queue A Grade : B	Pricing 6 %
Scoring Model Code : A	APCT311	Description : Qualitative scoring mod	del APCT311	Weightage Score : 70 1	
plicants Mrs Amy A Anderson Score : 70	Mrs Amy A Anderson Graph View Data View	Scoring Model Code : APCT311	Description : Qualitative scoring m	odel APCT311 Weightage Sc	ore : 📶 0
		33.3%	33.276	 Number of years the ap Applicant Resident Type How many years in curr 	

Figure 227 : Qualitative Score Widget – Pie Graph View



oduct Processor	Request Type	Request Reference	Number		Internal Reference Number	Execution Date	Mode	Status
ιο	Score, Decision & Pricing	yXIMS7jtD41zXIMS7	jtD41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD		CD520211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCES
Logical Model	Borrowing Ca 5135.03		Qualitative Score 70	Quantitative 364.3	50010	cision & Grade Ianual - Queue A Grade : B		ricing 6 %
Scoring Model Code :	APCT311	c.	Description : Qualitative scoring model APCT	311	w	eightage Score : 70 0		
pplicants	Mrs Amy A Anderson	Scorin	g Model Code : APCT311	Description : Q	ualitative scoring model APCT311	Weightage Sco	ere : 70 🚯	
Mrs Amy A Anderson Score : 70	Graph View Data View							
	Scoring Details							
	Question Code	Qu	restion			Value	Sec	re
	AgeOfResidence	N	umber of years the applicant staying at presen	t address		Less than 2 year	70	
	TypeOfResident	Ap	oplicant Resident Type			Rented	70	
	EmploymentDuration	Ho	ow many years in current employment			Less than 2 year	70	

For more information on fields, refer to the field description table below.

Table 194 : Qualitative Score Widget - Field Description

Field	Description
The following fields appear	rs in Qualitative Score widget.
<scoring code="" model=""></scoring>	Displays the scoring model code resolved for credit decision.
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.
	• When Is Application Decision Required is No , the applicant level decision scoring code is displayed.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the application level scoring code is displayed.
Description	Displays the scoring model description resolved for credit decision.



Field	Description
Weightage Score/Application Score	Displays the qualitative credit score post credit decision of the application.
	• When Is Application Decision Required is Yes , the field name is displayed as Application Score . The system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.
	• When Is Application Decision Required is No , the field name is displayed as Weightage Score . The score is displayed by resolving the applicant level scoring model.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the field name is displayed as Application Score. The system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed
0	Click to get the information about the formula for calculation of score.
Applicant details are show	n at the left panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.
<score></score>	Displays the weighted credit score post credit decision of the application.
	The score is calculated for each applicant by resolving the applicant level scoring model.
Below details are shown a	t the right panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.
Scoring Model Code	Displays the applicant level scoring model code resolved for credit decision.
Description	Displays the applicant scoring model description.
Weightage Score	Displays the weighted credit score post credit decision of the application.
0	Click to get the information about the formula for calculation of score.




Field	Description
Graph View	Two graphical views are available.
	Bar Graphs
	The details are shown as a graphical representation as bar charts.
	\circ List of question ID on the X-axis
	 Score on the Y-axis.
	Based on the evaluation of the category, the questions are shown in a particular color based on the maintenance done in the lookups screen.
	Pie Charts
	The details are shown as a graphical representation as pie charts.
	The calculation logic for the question is (Score of the question/ Weightage score of the applicant)*100. The pis is shown from a pool of colors available/defined in the code.
Data View	The scoring details are shown as mentioned below in data view.
Scoring Details	
Question Code	Displays the question code resolved for the applicant in the scoring model.
Question	Displays the question description resolved for the applicant in the scoring model.
Value	Displays the response received for the question in the payload.
Score	Displays the score calculated for the question based on the range and the response.
	In case any question was optional for which the response was not received, NA will be displayed.

The following fields are displayed once you click the **Quantitative Score** widget.



Interset 5135.03 70 394.3 Memory 2004 erg 8 6 Scoring Model Code: APP502 Description: APP502 Weightage Score: Exts 0 Applicants Mrs Amy A Addesson Scoring Model Code: APP502 Description: APP502 Weightage Score: Exts 0 Mits Amy A Addesson Score: 304.3 Interset Interset Interset Score: 304.3 Interset Interset Interset Interset Score: 304.3 Interset Interset Interset Interset	roduct Processor	Request Type	Request Reference Number	Internal Referen	ce Number Execution Date	Mode Status
Instant Society	FLO	Score, Decision & Pricing	yXIMS7jtD41zXIMS7jtD41AXIMS7jtD41BXIMS7jtD4	41CXIMS7jtD CDS2021102510	5859136 2021-10-25T05:28:59.594Z	ONLINE SUCCESS
pplicants Mrs Amy A Anderson Scoring Model Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Score : 364.3 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 Weightage Score : 563 0 Mrs Amy A Anderson Code: APP502 Description : APP502 D						Pricing 6 %
Mrs. Ann/A Anderson Score: 364.3 Lut Crupt View Data View 240 250 250 250 250 250 250 250 25	Scoring Model Code :	APP502	Description : APP502	1	Weightage Score : 364.3 1	
200 § 100					2 · 3	- 102
		200 80 160 86 120 86 120 86 20				■ Medium ■ Stong ■ Viesk

Figure 229 : Quantitative Score Widget – Bar Graph View



duct Processor	Request Type	Request Refer	ence Number	Internal Reference Numbe	Execution Date	Mode	Status
LO	Score, Decision & Pricing	yXiMS7jtD41z	XIMS7jtD41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	CDS20211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCES
Logical Model PASS		ing Capacity 135.03	Qualitative Score 70	Quantitative Score 364.3	Decision & Grade Manual - Queue A Grade : B		ricing 6 %
Scoring Model Code :	APP502		Description : APP502	Weig	htage Score : 364.3 ()		
pplicants	Mrs Amy A Anderson		Scoring Model Code: APP502	Description : APP502	Weightage Score : 364.3	0	
Mrs Amy A Anderson Score : 364.3	Graph View Data View						
	Litt 🔇						
			0.303% 3.03%	6.62%			
						Employme	

Figure 231 : Quantitative Score Widget - Data View

oduct Processor	Request Type	Request Reference Number		Internal Refe	rence Number	Execution Date	Mode	Status
LO	Score, Decision & Pricing	yXIMS7jtD41zXIMS7jtD41AXIMS	7jtD41BXIMS7jtD41CXIMS7jtD	CDS2021102	25105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCESS
Logical Model	Borrowing C 5135.0		Qualitative Score 70	Quantitative Score 364.3		ecision & Grade Manual - Queue A Grade : B		Pricing 6 %
Scoring Model Code : A	APP502	Des	cription : APP502		Weightage Sc	ore : 364.3 0		
pplicants	Mrs Amy A Anderson	Scoring Mo	del Code: APP502	Description : APP50	32	Weightage Score : 364.	30	
Mrs Amy A Anderson Score : 364.3	Graph View Data View							
	Scoring Details							
	Feature	Value	Range Type	Range	Weightage %	Score W	sightage Score	
	EmploymentType	Full Time	Value	Full Time	25	70 17	5	
	FICOScore	970	MaxValue	700-999	35	680 23	8	
	Net Income Description	13700.0	Value	5000-50000	20	40 8		
	Age Description	20	ParamPercent	0-25	20	4 0.8		

For more information on fields, refer to the field description table below.



Field	Description
The following fields appea	ars in Quantitative Score widget.
<scoring code="" model=""></scoring>	 Displays the scoring model code resolved for credit decision. When Is Application Decision Required is Yes, the application level decision scoring code is displayed. When Is Application Decision Required is No, the applicant level decision scoring code is displayed. When Is Application Decision Required is No, and Is Primary Applicant is No, the multi applicant level scoring code is displayed.
Description	Displays the scoring model description resolved for credit decision.
Weightage Score	Displays the weightage score post credit decision of the application.
	 When Is Application Decision Required is Yes, the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed. When Is Application Decision Required is No, the score is displayed by resolving the applicant level
	 Scoring model. When Is Application Decision Required is No, and Is Primary Applicant is No, the score is displayed by resolving multi applicant level scoring model.
0	Click to get the information about the formula for calculation of score.
Applicant details are show	n at the left panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.
<score></score>	Displays the weighted credit score post credit decision of the application. The score is calculated for each applicant by resolving the applicant level scoring model.
	In case of multi applicant scenario, weightage score per applicant is not shown.
Below details are shown a	at the right panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.

Table 195 : Quantitative Score Widget - Field Description



Field	Description
Scoring Model Code	Displays the applicant level scoring model code resolved for credit decision.
	Applicant level scoring model is applicable for below case.
	 If Is Application Decision required is Yes
	 If Is Application Decision Required is No, and Is Primary Applicant is Yes
	Multi applicant level scoring model is applicable in the below case.
	 If Is Application Decision Required is No, and Is Primary Applicant is No
Description	Displays the applicant scoring model description.
Weightage Score	Displays the weighted credit score post credit decision of the application.
	The weightage score is calculated for each applicant by resolving the applicant scoring model.
	In case of multi applicant scoring model, for both the applicant the same score is shown since the score is not calculated per applicant.
0	Click to get the information about the formula for calculation of score.



Field	Description
Graph View	Two graphical views are available.
	Bar Graphs
	The details are shown as a graphical representation as bar charts.
	 List of features on the X-axis
	 Weightage Score on the Y-axis.
	Based on the evaluation of the category, the feature are shown in a particular color based on the maintenance done in the lookups screen.
	Note: For Multi Applicant scoring model all graphs is shown in the same color, as category evaluation is not applicable.
	Pie Charts
	The details are shown as a graphical representation as pie charts.
	The calculation logic for the feature is (Weighted score of the feature/ Weightage score of the applicant)*100. The pie is shown from a pool of colors available/defined in the code.
Data View	The scoring details are shown as mentioned below in data view.
Scoring Details	
Feature	Displays the features resolved for the applicant in the scoring model.
Value	Displays the value of the feature.
Range Type	Displays the range type for the feature.
Range	Displays the range resolved for the feature value for score resolution.
Weightage %	Displays the weightage defined for the feature in the scoring model.
Score	Displays the score calculated for the feature based on the range and feature value.
Weightage Score	Displays the weighed credit score post credit decision of the application.

The following fields are displayed once you click the **Decision and Grade** widget.



Figure 232 : Decision and Grade Widget

Pricing 6 %
0.14
Grade
в

For more information on fields, refer to the field description table below.

able 196 : Decision and G	rade Widget - Field Description
Field	Description
The following fields appea	rs in Decision and Grade widget.
<model code=""></model>	Displays the model code resolved for credit decision and grade.
Model Description	Displays the model description resolved for credit decision and grade.
Decision	Displays the credit decision taken for the application.
Grade	Displays the scoring grade post credit decision of the application.
Decision	
<feature name=""> Score</feature>	Displays the score calculated for the application based on the feature selected.
<feature name=""> Range</feature>	Displays the score resolved for the application based on the feature selected.
<feature name=""> Score</feature>	Displays the score calculated for the application based on the feature selected.
<feature name=""> Range</feature>	Displays the score resolved for the application based on the feature selected.
Decision	Displays the decision taken for the application.
Grade	·
<feature name=""> Score</feature>	Displays the score calculated for the application based on the feature selected.
<feature name=""> Range</feature>	Displays the score resolved for the application based on the feature selected.

Table 196 · Decision and Grade Widget - Field Description



feature selected.

Field	Description
<feature name=""> Score</feature>	Displays the score calculated for the application based on the feature selected.
<feature name=""> Range</feature>	Displays the score resolved for the application based on the feature selected.
Grade	Displays the scoring grade taken for the application.

The following fields are displayed once you click the **Pricing** widget.

Figure 233 : Pricing Widget

	Request Type	Request Reference Number			Internal Reference Number	Execution Date	Mode	Status
FLO	Score, Decision & Pricing	yXIMS7jtD41zXIMS7jtD41AXI	MS7jtD418XIMS7jtD41CXIMS7jtD		CDS20211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCES
Logical Model PASS	Borrowing C 5135.0		Qualitative Score 70	Quantitative 364.3		ecision & Grade Manual - Queue A Grade : B		icing 6 %
Pricing Model Code : Pr	2502	Model Description : PF	2502	Rate Type : T	ered	Rate Percentage : 6 %		
LoanAmount	LoanTenur		LoanAmount Range		LoanTenure Range		Rate %	
5135.03	45		0-10000		0-64		6	
5135.03	45		0-10000		0-64		6	

For more information on fields, refer to the field description table below.

Table 197 : Pricing Widget - Field Description

Field	Description
The following fields appea	rs in Pricing widget.
<pricing code="" model=""></pricing>	Displays the pricing model code resolved for credit decision.
Model Description	Displays the pricing model description resolved for credit decision.
Rate Type	Displays the rate type applicable post credit decision.
Rate Percentage	Displays the rate applicable post credit decision.
Loan Amount	Displays the eligible loan amount for the application.
Loan Tenure	Displays the loan tenure for the application.
Loan Amount Range	Displays the range resolved for the loan amount value.
Loan Tenure Range	Displays the range resolved for the loan tenure value.
Rate %	Displays the rate applicable post credit decision.



4 NLP Framework

This section of the user guide is designed to help you quickly get acquainted with the Machine Learning, Natural Language Processing (NLP) framework.

Pre-requisites

Specify User Id and Password, and login to Home screen.

This section contains the following topics:

- 4.1 Toolkit
- 4.2 Operation
- 4.3 3P Service Integration

4.1 Toolkit

The Toolkit is used to design and train NLP/Named Entity Recognition (NER) Model(s).

This section contains following subsections:

- 4.1.1 Use Case Definition
 - 4.1.1.1 Use Case Definition Summary
 - 4.1.1.2 Use Case Definition Maintenance
- 4.1.2 Annotator
- 4.1.3 Model Training
- 4.1.4 Model Management
 - 4.1.4.1 Model Management Summary
 - 4.1.4.2 Model Management Maintenance

4.1.1 Use Case Definition

Use cases are defined by the business domain. The information that is required to be extracted from documents are driven by business consideration against the context of the use case being defined.

Tags/entities are required for annotating or tagging of information in the source document in order to create training files for a use case model training. These tags or entities will always be driven by business considerations for a particular use case.

The use case definition maintenance screen allows the user to define use case(s) and maintain specific list of tags for the use case.



4.1.1.1 Use Case Definition Summary

The summary screen displays the list of defined use cases. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Use Case Definition.
 - → The Use Case Definition screen is displayed.

Figure 234: Use Case Definition

Use Case Definition	
९ c	
Usecase Name:	Usecase Name:
Mod No:	Mod No:
Authorized 🔒 Open	🔂 Authorized 🔒 Open

For more information on fields, refer to the field description table below.

Table 198:	Use Case	Definition -	Field	Description
-------------------	----------	--------------	-------	-------------

Field	Description
Usecase Name	Displays the name of the use case
Mod No	Displays the modification number
Authorized Status	Displays the Authorized or Unauthorized status
Record Status	Displays the status of the record.



4.1.1.2 Use Case Definition Maintenance

The maintenance screen allows you to define use cases and maintain entities/tags for the use case.

Figure 235: Use Case Definition Maintenance

g Mainte	nance				اد اد	
New Unlock Delete Authorize						
iness Ta	g Maintenance					
e Case Na	me	Description	Mod No	Straight Through Processing Ves No		
					+ _	
	Tag Display Sequence	Tag Screen Display	Tag Name	Annotation Tag	Default Value	
	3	Invoice Due Date	invoiceDueDate	Y		
	15	"Buyer Division Code	buyerDivisionCode		Y	
	8	Currency	currency	Y		
	20	"External Branch BIC	externalBranchBIC		Υ	
	10	Tax Amount	taxAmount	Y		
Page	1 (1-5 of at least 30 items) K	1 2 3 4 5 6 ≻ ⋊				

On **Tag Maintenance** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description		
Use Case Name	Unique use case name. It gets populated on Save, from the last folder name from the "Training Corpus Path (DOC)"		
Description	Use Case Description		
Mod No	Automatic Modification Number		
Straight Through Processing	yes = Unattended / No = Attended		
Use Case Tags/Entities	Specifies the use case tags entities.		
Tag Display Sequence	The sequence in which the tags get displayed.		
Tag Screen Display	Business Name of the Tag		
Tag Name	Technical Name of the Tag		
Annotation Tag	To identify tags to be used in Training		
Default Value	Default value for tags not used for training		

Table 199: Tag Maintenance – Field Description



4.1.2 Annotator

Annotation is the process of identifying information within a document content and tagging them as a specific type of information. Of course, each use case defined, will have their own relevant maintained list of tags/entities, which will be used to annotate source documents for a use case.

Figure 236: Annotator

LOAN DRAW DOWN
Description: USD 550 Million Credit Facilities Date Effective Control of Co
Term Loan Facility for a total of Amount

Annotator helps you to perform the annotations on a source document for a use case. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Annotator.
 - \rightarrow The **Annotator** screen is displayed.

Figure	237:	Annotator
--------	------	-----------

Annotator				$_{\mu}^{\mu}$ \times	
Action Type	Source File Definition		Document Type		
Create New Annotated File	Source File: s.txt Second	elect File	New Cheque Book Request	Get Labels	
Edit Created Annotated File Error Correction	Annotated File: Annotated file name Se	elect File	Loan DrawDown	Create Training File	
	Retrieved Doc Id: Retrieved Doc Id	iet File	Corporate Invoice		
Original File	Text Form		New Cheque Book Request		
ні,	Hi, I have a saving account in your bank and the a/c no is see a savin		Tag Name	Tag Value	
I have a saving account in your bank and the a/c no is [3044663] Kind regards,			ACCOUNT NUMBER		
John Doe			CHEQUE BOOKS		
			CHEQUE LEAVES		
			SENDER EMAIL		
	ê				



3. On **Annotator** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description				
Action Type	Select the action type. Available options are as following:				
	Create New Annotated File Edit Created Annotated File				
Source File Definition	Edit Created Annotated File Select the source document from local windows explorer based on the Action Type.				
Document Type	Displays the list of all the use cases defined under use case definition.				
Get Labels	For the selected Document Type the maintained Tags/entities are displayed in the below Annotations section.				
Create Annotated File	 Once annotations of all the Tags are completed, this will perform two outcomes, Create annotated text file in the defined NER train path as maintained under use case definition Create text file in the defined DOC train path as maintained under use case definition 				

Table 200: Annotator – Field Description

Follow the below mentioned steps to annotate the source files:

4. Select action type as "Create New Annotated File".

Figure 238: Action Type

Annotator					, ²
Action Type	Source File Definition		Document Type		
Create New Annotated File	Source File: Source File Name	Select File	Select	v	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file na	Select File	Annotated File Na filename	me:	Create Annotated File
	Retrieved Doc Id: Retrieved Doc Id	Get File			
Original File	Text Form		Annotations		
			Tag Name	Tag Value	Start End
			No data to displ	ay.	
Document will appear here	Document converted to be displayed here				

5. Click **Select File**. It will open the windows explorer. Navigate and select the source document to be annotated.

Elaura.	220.	Eila.	1100	
Figure	Z39:	гпе	UD	IOau

tion T 🍯	🕹 File Upload			×		Document Type		
Cr	← → × ↑ 🖡 « De	sktop → Sample_Folio → 😺 Search Sa	imple_Folio	P ne	Select File	• Select	v	Get Labels
	Organize • New folde		iii • 🔟 (2 ham	Select File	Annotated File Na	me:	Create Annotated File
) En	T Pictures ^	Name	Date modified	=		filename		Create Annotated The
	👍 Saved Games	A FOLIODETE 20190411045600 1 apr 3 to 6 and		đ	Get File			
inal	Viceos	FOHODETE 20180414052029 apr 11 to 18 odf				Annotations		
	🍠 This PC			4		Tag Name	Tag Value	Start
						lag Name	lag value	Start
						No data to displ	ay.	
	Annotator	<		>				
	File na	me: All Suppo	orted Types (*.jpe;*.jpg	o text v	will			

6. The source document will be displayed in the "Original File" section and the text version of the document will be displayed in the "Text Form" section below:

Figure 240: Text Form

Annotator			×"
Action Type	Source File Definition	Document Type	
Create New Annotated File	Source File:	Select 💌	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File	C. JUDOPETE Z019upeur (uZ49)	reate Annotated File
	Retrieved Doc Id Get File	por	
Original File	Text Form	Annotations	
	LICH INDRICH 455 GLORGE STREET	Tag Name Tag Value	Start End
	2 01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No data to display.	
Anna taraban Anna Sala Anna Sala Anna Sala	2064 MOTELS Beauge, RESOR (> mmmvations		
Nan Na anala Na Par Jan Na Par Sagar Na Masa Sagar Na Masa	Articipade 1 Articipade 1 Mentel 1 com or 1 aug 111111		
All All Excellent To Date Excellent Second Excellent Second	Aurola Contrado Aurola Contrado Aurola Contrado		

7. Chose the "Document Type".



Annotator			× :
Action Type	Source File Definition	Document Type	
Create New Annotated File	Source File: OLIOPETE 201905 Select File	Select 🔻	Get Labels
Edit Created Annotated File	Annotated File: Annotated file nam Select File	Select	Create Annotated File
Error Correction	Retrieved Doc Id: Retrieved Doc Id Get File	Loan DrawDown Corporate Invoice	
Original File 💈	Text Form	New Cheque Book Request	
□		Tag Name Tag Value	Start End
	@) A	No data to display.	
the second	2084 HOTELS Banup, RESORTS Resorvations From Androcadeg:] where hitsunation or 1 800 (1970) (1970) Koolin Number 3304 /RTD		

8. Click Get Labels. It will load all the maintained Tags for the Document Type.

Figure 242: Tags

notator			2
Action Type	Source File Definition	Document Type	
Create New Annotated File	Source File: Succession Select File	Corporate Invoice 🔹	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File		Create Annotated File
C Endr Correction	Retrieved Doc Id: Retrieved Doc Id Get File	- 44/2015/22/24/630110736. pdf	
iginal File	Text Form	Annotations	
ρ 1 of 1 - +	>> dan George anneal	Tag Name Tag Value	e Start End
	Point Telephione +61 2 4066 2000	Buyer Code	
Run Honorie Anno Dans Tanuha Ean	2064 HOTELS & Raine, RESORTS Protovalional	Invoice Date	
Additional in a second se	i turi REACH - Sache -	Tax	
Degraf Terrines Derhalte nuter and annound annou annound annound	Koom Minister 3304 /KTD	Percentage	

9. Identify and select information within the "Text Form" section of the document and RIGHT-CLICK to display the list of tags and select the relevant tag.

Figure 243: List of Tags

Annotator		,, ¹⁴ ×
Action Type	Source File Definition	Document Type
Create New Annotated File	Source File: Source File Select File	Corporate Invoice Get Labels
Edit Created Annotated File	Annotated File: Annotated file nam Select File Retrieved Doc Id: Retrieved Doc Id Get File	Annotated File Name: Create Annotated File Pdf
Original File	Text Form	Annotations
□	ANI E 50.00	Tag Name Tag Value Start End
	520065 ste no Total au commerciation	Buyer Code
Annu Dep Deservo En Automa Automa	TOTAL INCLUDES GST CHIS (2012)	Invoice Date
A Arberten Starten Sta	UN GEORGE SUM ZANOS 14 ABERCONTINE ST OAKLEIGH STOTTE O CONTENTS Copy of Tax involved 20252 Content Copy of Tax involved 20252	Tax Percentage
	Zerusztata communicata Ersz Ersz surcharta Have em zerusztata Gotett Horom 2765200 – ersztata	Amount Currency

Figure 244: Select Annotation Label

	i i	Select Annotation Label	ENERGIOPPICE (001)	
nnotator				
Action Type Create New Annotated File Edit Created Annotated File Error Correction	Source File Definition Source File: Currophysics Annotated File: Annotated file Retrieved Doc Id: Retrieved Doc	Buyer Code Invoice Date Tax Percentage Amount Currency	ment Type orate Invoice 🔹 💌 tated File Name:	Get Labeis Create Annotated File
Driginal File	Text Form	Invoice No.	notations	
ר 1 of 1 − + ≫	530 J.	Tax Amount	g Name Tag Value	Start End
	A REAL PROPERTY AND A REAL	Supplier Name	yer Code	
Anne Bra Dagatore Shar Autoritin Real Para	TOTAL INCLUSION OF \$120.24	Discount Percentage	voice Date	
Narra Katala Sarra	OAKLENGE SAW 2000 TACHWORE 13/00	Net Invoice Amount	c rcentage	
Sales (Second Control	Confirmation Number 3112-22747	Discounted Amount	mount	

10. The selected Tag and the information will get displayed in section "Annotations" under Tag Name and Tag Value.

Figure	245:	Annotations
i igai o	-	/

Annotator						ρ^{ℓ}
Action Type	Source File Definition		Document Type			
Create New Annotated File	Source File: Select Fi	e	Corporate Invoic	e 🔻	Get Labels	
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select Fi	e	Annotated File Na		Create Annotated	File
O End conection	Retrieved Doc Id: Retrieved Doc Id Get File		pd+	130110436		
Original File	Text Form		Annotations			
D タ 1 of 1 - + ≫	5-3-0.65 	^	Tag Name	Tag Value	Start	End
	Tex 1 18 Classical Streets		Discount Percentage			
And Sta Bears Sta Autors Hanning Hanni	HOTAL INCLUDED OST OF \$120.04 MR GEORGE SAM ZAFOS 11 ABERCROMBIE ST CARLEIGH SOUTH 12		Net Invoice Amount	1,322.60	628	636
Hanni	Centernalita Copy of Tax Involve1370252 Centernalitan Humber X115192741 Centernalitan Humber X115192741		Discounted Amount			

- 11. Repeat steps (6) and (7) for all the displayed tags as per availability of information in the source document.
- 12. Select a Tag Name from the "Annotations" section and RIGHT- CLICK to delete the Tag Value.

Figure 246: Tag Value

nnotator		×*
Action Type	Source File Definition	Document Type
Create New Annotated File	Source File: CARONATE 20194	t File Corporate Invoice 🔻 Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select	
	Retrieved Doc Id: Retrieved Doc Id Get	File pdf
riginal File	Text Form	Annotations
β 1 of 1 - +	>> 2000.65 \$330.65	Tag Name Tag Value Start End
	 Stable Y-1/17 Charges \$1,822,00 	Discount Percentage
Not Gau and Gau backson Antonia Antonia Antonia Antonia Antonia Antonia Antonia Antonia	IOTALIEULLISES OST OF STERVEN MILGEORGE SAM ZAFON 11 ABERCTOMOLE ST OAKLEYCH SOUTH O	Net Invoice Amount
Market and a second sec	Contract Manager of Tax Involved 1370252 Contraction Number 3115492753	Discounted Amount
DUTE DEBORATION Center REFNO OLIGET CREDIT BALANCE	20/05/2010 10:07 AM	

13. After all the tags are assigned relevant information click **Create Annotated** File to create the annotated file and end the process.



4.1.3 Model Training

Model training is done on the annotated training corpus. The annotated training corpus is a collection of annotated training files created using the annotator.

Model training is iterative and is carried out over increasing corpus size depending on the model parameters.

Each defined use case will have its own training corpus available in the path set up in the use case definition. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Training.
 - → The **Model Training** screen is displayed.

Figure 247: Model Training

Model Training					$_{\mu}^{\mu}$ \times
Model Training					
Model Type NLP(NER) Occument Classification					
	Use Case Name	New Cheque Book Requ	uest 🔻		
1.2	Training Corpus Path				
8	Run Reference				
0.8 0.6		Precision	Recall	F1-Score	
	OVER ALL	0.9794	0.9597	0.9695	
2 0.2 0.0	Tag Name	Precision	Recall	F1-Score	
1 2 3 4 Folds	ACCOUNT NUMBER	0.9799	0.9605	0.9701	
- precision - recall - fiscore	CHEQUE BOOKS	0.9851	0.9296	0.9565	
	CHEQUE LEAVES	0.982	0.9561	0.9689	
				Train Model	Save Model

Training NER Models:

- 3. Select the Model Type as NLP(NER).
- 4. Choose the use case name.
- 5. Click Train Model.

Each model for a use case is identified by a unique run reference.

Training Document Classifier Model:

- 6. Select the Model Type as Document Classification.
- 7. Click Train Model.

If you find the model parameters acceptable, you may want to save the model by clicking Model Save.

The alternative is to add more annotated training files for the use case and repeat model training, till satisfactory parameters are achieved.



4.1.4 Model Management

All the run reference of models saved from model training for a use case can be seen here. For each model run reference, you can view the parameters for the model as well as individual tag/entities

You may choose the active model run reference to be used as part of business processing.

This section contains following subsections:

- 4.1.4.1 Model Management Summary
- 4.1.4.2 Model Management Maintenance

4.1.4.1 Model Management Summary

The summary screen displays the list of use case models. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Management.

→ The Model Management screen is displayed.

Figure 248: Model Management Summary

Model Management	
९ c +	
Usecase Name:	Usecase Name:
Mod No:	Mod No:
Unattended:	Unattended:
Authorized 🔒 Open	🂫 Authorized 🔒 Open

For more information on fields, refer to the field description table below.

Table 201: Model Management Summary – Field Description

Field	Description
Use Case Name	Displays the name of the Use Case.
Mod No	Displays the number of modifications.
Authorized Status	Displays the status as Authorized or Unauthorized.
Record Status	Displays the record status as Open or Closed.



4.1.4.2 Model Management Maintenance

This is where you may unlock and choose the active model run reference to be used as part of business processing. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Management.
 - → The **Model Management** screen is displayed.

Figure 249: Model Management Maintenance

ew Unlock Clos	se				
e Case Name pinven				Model Type	•
Run Reference	Precision	Recall	F1 score	Active	
					Tag Parameters
					Tag Parameters
			0.902		Tag Parameters
					Tag Parameters
					Tag Parameters

3. On **Model Management** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 202: Model Management Maintenance – Field Description

Field	Description
Use Case Name	Displays the name of the Use Case.
Model Type	Displays the NER or Classification type of Model.
Run Reference	Unique Model Version Identifier.
Precision	Value between 0 to 1. Closer to 1 is better.
Recall	Value between 0 to 1. Closer to 1 is better.
F1 Score	Value between 0 to 1. Closer to 1 is better.
Active	The model run reference that is currently active.

For each model run reference you could view the individual tag parameters.






Figure 250: Tag Parameters

Case Name	Tag Parameters Detail				×	
inv	Model Name corpirat	Model Type NER		Run Reference 2fW[2:01B		^
un Reference	Tag Name	Precision	Recall	F1 Score		
	supplierName	0.954	0.932	0.943	^	Tag Parameters
	buyerCode	0.975	0.886	0.929		Tag Parameters
	Invoice Due Date	1	0	0		Tag Parameters
	noNumber	0.070	0.919	0.990		✓ Tag Parameters
	Invoice Due Date	1	0	0		Tag Pa

At this stage you have defined a new use case with the tags/entities to be recognized by the model and trained and exported the use case model to be used by business.



4.2 Operation

This is where the trained models are consumed for business processing.

This section contains following subsections:

- 4.2.1 Document Upload
- 4.2.2 Transaction Log

4.2.1 Document Upload

This is the screen where you upload the source document which is consumed by the NLP model and defined tags/entities are recognized.

The information that is extracted by the model is seamlessly used in further business processing. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Operation.
- 2. Under Operation, click Document Upload.
 - \rightarrow The **Document Upload** screen is displayed.

Figure 251: Document Upload

Document Upload				$_{\mu^{n'}}$ \times
Scan and Upload Document				
± Select File		Document Type		Upload
		Corporate Invoice	¥	Opioau
Ankita_Sample_9.pdf				
Original Document				
			Buth Cump Ltd.	
			2135 Ekloredo Dr,	
			Billings, MT, 59102 Phone- (106) 245-4307	
			Email-	
	BILL TO	SHIP TO		
		Burl Smith	Invoice No. # - 738202	
		4065 Teton Ct, Ione, CA, 95540	Invoice Date - 15/09/2018 PO No. # - P0552031	
		Phone- (209) 763-2717	PO Date - 16/04/2018	
	Phone-(641) 791-9080	Email barry smith@vanc.com	Due Date - 20/10/2018	

- 3. Click Select File to select the source document.
- 4. Chose the Document Type from the pick list.
- 5. Click **Upload** to initiate business process.



4.2.2 Transaction Log

This is the screen where you can see all the uploaded transactions that has been interpreted by the NLP models.

You can filter the displayed transactions based on the following:

- Document Type
- Status

To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Operation.
- 2. Under Operation, click Transaction Log.

 \rightarrow The **Transaction Log** screen is displayed.

Figure 252: Transaction Log

ument Type	Stat	us	* Ŭ				
Processing Da	ashboard						
Document Id	Document Type	Model Ref	Processing Date	Status	Failure Reason	Train. Reqd	Tag Value(s)
92	chqr-New Cheque Book Request			PROCESSED		Ν	
91				ERROR	Unable to complete Intent Processing	Υ	
90	chqr-New Cheque Book Request		23/10/2020	PROCESSED		N	
89	chqr-New Cheque Book Request			PROCESSED		N	
88	chqr-New Cheque Book Request			PROCESSED		N	
	chgr-New Cheque Book Request			PROCESSED		N	

3. On **Transaction Log** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description
Document Type	Select the document type.
Status	Select the status.
Document Id	Displays the Document Management System Unique Identifier.
Document Type	Displays the document type - Use Case Definition.
Model Ref	Displays the Unique Model Version Identifier.
Processing Date	Displays the document processed date.

Table 203: Transaction Log – Field Description

_



Field	Description
Status	Displays the status of the transaction.
Failure Reason	Displays the reason for failed status.
Train. Reqd	Displays train required status.
Tag Values	Displays the tag values for the processed transactions and allow the correction for transactions with errors.

Execution Flow

Click on document reference ID to view details and execution flow.

Figure 253: Execution Flow

ument Type		Status	.	Ð		
Processing D	ashboard	Process Log				×
Document Id	Documen					Tag Value(s)
92	chqr-New	File	Processing	Request Classification	Data Extraction	
91						
90	chqr-New	Process	Status	Start Time	End Time	
89	chqr-New	File Processing	SUCCESS		Oct 23, 2020 3:42:14 PM	
88	chqr-New	Data Extraction	SUCCESS	Oct 23, 2020 3:42:16 PM	Oct 23, 2020 3:42:17 PM	
	chqr-New	Request Classification	SUCCESS		Oct 23, 2020 3:42:16 PM	

Processed Status

For any Document Type, you can filter on the 'Processed' status and view the model tag values used to process the transactions. The displayed information reflects both the original retrieved values by the model from the document and also the values which have been corrected by human intervention.

Figure	254:	Processed	Status
--------	------	-----------	--------

Document Type corpinv	Ŧ	Status PROCESSED	Document ID: 52218		×		
			Tag Name	Value			
Processing Da	shboard		discountAmount	75			
			invoiceDate				
Document Id	File Name		invoiceDueDate		n	Buss. Ref	Tag Value(s)
1000		(Bu, 9.4978	invoiceNumber				
- Second		R. Barre	netInvoiceAmount				-
and the second	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	The Jane	Page 2 of 3 (6-10 of 14 items) K < 1 2	з >			
and No.	Constant of the local diversion of the local	Mg Series		_			
127	- wet	Physiaan					
Page 2 of 2	(7-11 of 11 ite	mc) K (



Error Status

For any Document Type, you can filter on the 'Error' status and view all the failed transactions.

Figure 255: Error Status

ocument Type		Status						
dwdn-Loan DrawD	own 👻		*					
Processing Das								
	hboard							
Frocessing Das	hboard							
Processing Das	hboard							
Document Id	hboard File Name	Document Type	Model Ref	Processing Date	Status	Failure Reason	Buss. Ref	Tag Value(s)
Document Id	File Name			-			Buss. Ref	
,		Document Type	Model Ref	Processing Date	Status	Failure Reason	Buss. Ref	Tag Value(s)
Document Id	File Name			-			Buss. Ref	

For the failed transactions, you can click on the Tag Value(s) to invoke the toolkit annotator in the error correction mode to create a new annotated training file for future model training.

Figure 256: Annotator

Annotator		, ² ×
Action Type	Source File Definition	Document Type
Create New Annotated File	Source File: Source File Name Select File	Corporate Invoice 🔻 Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File Retrieved Doc Id: Course Get File Get File	Annotated File Name: Create Annotated File
Original File	Text Form	Annotations
	Logient Ltd. Invoice Mp.# = 80/P2a19 Invoice Data 11 (27/2011 67 - the Cauch PO No. 3 (00/2701) 67 - the Cauch PO No. 3 (00/2701)	Tag Name Tag Value Start End Buyer Code 18300 230 215 2
ноперати и на	Allocada, In SEENT BO Date 2002/2014 Maree (641) 2212000 Der Cette 15/10/2014 Creat Hertitsgillig van some Ritt TO Bayn 15802 Maree C 1 5114, 4055 Heren Ct	Invoice Date Tax Percentage
Integration - Analysis Augustan - Analysis Beaution Found - Analysis Beaution - Analysis Augustan - Analys	Aliny Tryfer 4565 Telonic t. Diroudaesiau, PA Tak	Amount



4.3 3P Service Integration

Any model execution or training service(s) built using any 3P NLP library can be integrated in the NLP framework.

The only requirement being the REST services must confirm to the payload definition detailed in the following section.

Building model training and execution services using other 3P NLP libraries would involve consulting effort.

This section contains following subsections:

- 4.3.1 Classification Training Service
- 4.3.2 NER Training Service
- 4.3.3 Classification Processing Service
- 4.3.4 NER Processing Service
- 4.3.5 Service Mapping
- 4.3.6 Business Service Mapping

4.3.1 Classification Training Service

This section elaborates the payload details for document classification model training service.

Input Payload

Table 204: Input Payload

name	in	type	required	uired Remarks	
trainCorpusPath	formData	string	true	Training Corpus path	
modelType	formData	File	true	Type of model being trained	
runRef	formData	string	true	Unique running reference number	

name: "trainCorpusPath"

in: "formData"
type: string
required: true

name: "modelType"

in: "formData"
type: string
value for document classification training: "docClassification"
required: true

name: "runRef "

in: "formData"
type: string
required: true



Output Payload:

```
{

"data": {

"timeTaken": 0,

"corpusSize": 0,

"precision": 0,

"recall": 0,

"f1score": 0,

"model_fold_performances": null,

"tag_perfomances": null
```

} }

Output payload data model definition:

ModelTrainParamsDTO: type: object properties: data: type: object properties: timeTaken: type: number corpusSize: type: number precision: type: number recall: type: number f1score: type: number model_fold_performances: type: array items: \$ref: "#/definitions/ModelFoldPerfromancesDTO" tag_perfomances: type: array items: \$ref: "#/definitions/MltbTagPerfomancesDTO"

4.3.2 NER Training Service

This section elaborates the payload details for NER model training service.

Input Payload

Table 205: Input Payload

name	in	type	required	Remarks	
trainCorpusPath	formData	string	true	Training Corpus path	
modelType	formData	File	true	Type of model being trained	
runRef	formData	string	true	Unique running reference number	

- name: " trainCorpusPath"

in: "formData"
type: string
required: true
name: " modelType"
in: "formData"
type: string
value for NER model training: "nlpNer "
required: true
name: " runRef "
in: "formData"
type: string
required: true

Output Payload

```
{
"data": {
 "timeTaken": 0,
 "corpusSize": 0,
 "precision": 0,
 "recall": 0,
 "f1score": 0,
 "model_fold_performances": [
  {
  "fold_no": 0,
  "eval_metric": "string",
  "value": 0
 }
 ],
 "tag_perfomances": [
  {
  "name": "string",
  "precision": 0,
  "recall": 0,
  "f1score": 0
 }
 ]
}
}
```

Output Payload data model definition

ModelTrainParamsDTO: type: object properties: data: type: object properties: timeTaken: type: number corpusSize: type: number precision: type: number recall: type: number f1score: type: number model_fold_performances: type: array items: \$ref: "#/definitions/ModelFoldPerfromancesDTO" tag_perfomances: type: array items: \$ref: "#/definitions/MltbTagPerfomancesDTO"

ModelFoldPerfromancesDTO: type: object properties: fold_no: type: number eval_metric: type: string value: type: number MltbTagPerfomancesDTO: type: object

type: object properties: name: type: string precision: type: number recall: type: number f1score: type: number



4.3.3 Classification Processing Service

This section elaborates the payload details for document classification model processing service.

Input Payload:

Table 206: Input Payload

name	in	type	required	Remarks
modelPath	formData	string	true	The path to the classification model
file	formData	File	true	The text file which must be classified

- name: "modelPath"


in: "formData" type: string required: true - name: "file" in: "formData" type: file required: true

Output Payload

```
{
    "data": {
    "docType": "string"
    }
}
```

Output Payload data model definition

MltbNlpDTO: type: object properties: data: properties: docType: type: string





4.3.4 NER Processing Service

This section elaborates the payload details for NER model processing service

Input Payload:

Table 207: Input Payload

name	in	type	required	Remarks
modelPath	formData	string	true	The path to the NER model
file	formData	File	true	The text file which must be classified


name: "modelPath" in: "formData" type: string required: true
name: "file" in: "formData" type: file required: true

Output Payload

```
{
    "data": {
        "keyvals": [
        {
            "tagName": "string",
            "value": "string",
            "start_index": 0,
            "end_index": 0
        }
    ]
    }
}
```

Output Payload data model definition:

MltbNerKeyValsDTO: type: object properties: data: properties: keyvals: type: array items: \$ref: '#/definitions/MltbNerKeyValExtractedObjDTO'





MltbNerKeyValExtractedObjDTO: type: object properties: tagName: type: string value: type: string start_index: type: number end_index: type: number

4.3.5 Service Mapping

After creation of the model services, entries must be made into the table CMC_TM_ML_SERVICE_DEFN to enable the NLP framework to use these services.

Existing use case:

Update the highlighted column in table CMC_TM_ML_SERVICE_DEFN with the new service API.

Column name	Remarks	Model Training	Model Processing
ID	Unique ID		
USECASE_NAME	Use Case Name	<existing case="" use=""></existing>	<existing case="" use=""></existing>
DESCRIPTION	Use Case Description		
SERVICE_TYPE	Service Type	Training	Processing
SERVICE_DEFN	Mapped Service API	<new api="" service=""></new>	<new api="" service=""></new>
METHOD_TYPE	Method Type	POST	POST
APP_ID	Sub Domain ID		
RECORD_STAT	Record Status	0	0
AUTH_STAT	Authorized Status	А	А
MOD_NO	Modification Number	1	1
ONCE_AUTH	Once Authorized	Υ	Υ
MAKER_ID	Maker Name	SYSTEM	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM	SYSTEM
CHECKER_DT_STAM	Authorizer Date stamp	<application date=""></application>	<application date=""></application>

Table 208: Existing Use Case



New use case

Insert a new record into the table CMC_TM_ML_SERVICE_DEFN.

Table 209: New Use Case

Column name	Description	Remarks for Data		
ID	Unique ID	Ensure a Unique ID		
USECASE_NAME	Use Case Name	Must be one of the usecase_name from the table CMC_TM_ML_NER_TAG_MAS		
DESCRIPTION	Use Case Description			
		'Training'	Use this value for model Training Service	
SERVICE_TYPE	Service Type	'Processing'	Use this value for model execution Service	
		'Business'	Use this value for business Service	
SERVICE_DEFN	Mapped Service API	<the 3p="" api="" created="" newly="" nlp="" service=""></the>		
METHOD_TYPE	Method Type	POST		
APP_ID	Sub Domain ID	NULL		
RECORD_STAT	Record Status	0		
AUTH_STAT	Authorized Status	A		
MOD_NO	Modification Number	1		
ONCE_AUTH	Once Authorized	Y		
MAKER_ID	Maker Name	SYSTEM		
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>		
CHECKER_ID	Authorizer Name	SYSTEM		
CHECKER_DT_STAMP	Authorizer Date stamp	<application date=""></application>		



4.3.6 Business Service Mapping

If straight through processing is enabled in use case definition, then entries must be made into the table CMC_TM_ML_BUS_SERVICE_DEFN to enable the NLP framework to call the Business Service.

Insert a new record into the table CMC_TM_ML_BUS_SERVICE_DEFN for each use-case with straight through processing enabled.

Table	210:	For	Each	Use	Case

Column name	Description	Remarks for Data		
ID	Unique ID	Ensure a Unique ID		
USECASE_NAME	Use Case Name	Must be one of the usecase_name from the table CMC_TM_ML_NER_TAG_MAS		
DESCRIPTION	Use Case Description			
SERVICE_TYPE	Service Type	'Business' Service		
ADAPTER_CLASS	Fully qualified name of the adapter class	Use oracle.fsgbu.cmc.nlp.pipeline.services.adaptor.Gen ricAdaptor for all the business service calls Use oracle.fsgbu.cmc.nlp.pipeline.services.adaptor.OBF HAdaptor if you want to call business service via Oracle Banking Routing Hub		
SERVICE_DEFN	Mapped Service API	API, which will be called for Business service execution		
HEADERS	Comma separated headers key value separated by colon (:)	Eg : docld:123 , branchCode : 000		
METHOD_TYPE	Method Type	POST		
APP_ID	Sub Domain ID	NULL		
RECORD_STAT	Record Status	0		



Column name	Description	Remarks for Data
AUTH_STAT	Authorized Status	А
MOD_NO	Modification Number	1
ONCE_AUTH	Once Authorized	Y
MAKER_ID	Maker Name	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM
CHECKER_DT_STAMP	Authorizer Date stamp	<application date=""></application>

If you are Integrating Business Service via Oracle Banking Routing Hub then in service definition column, you need to provide URL of Oracle Banking Routing Hub dispatch API and the additional headers in headers column.

Since there are some common headers, which are required for calling Oracle Banking Routing Hub as well (like appld, branchCode, uderld) and to avoid the conflict for these headers, the ML_ prefix is appended in header keys by Oracle Banking Routing Hub adaptor. You need to configure transformation logic of these headers in Oracle Banking Routing Hub.



5 Machine Learning Framework

This section is designed to help you quickly get acquainted with how to on-board business cases on the Machine Learning framework in Oracle Banking.

The assets used to build the Machine Learning framework is available by default with Oracle database.

Oracle Database 19c and above.

Prerequisites

Specify User Id and Password, and login to Home screen.

Make sure that Machine Learning framework is already deployed and available as part of the application menu. Refer to **Common Core Services Installation Guide** for more details.

5.1 Use Case On-Boarding

On-boarding a new business case onto the Machine Learning framework involves two broad stages as highlighted below.


Model Definition

One-time setup of use case definition captures the data source, target columns and type of use case.

Model Training

Model training is use case specific and has the intelligence to evaluate multiple algorithms and discover the best fit algorithm to the data pattern.

The onset of these two stages assumes that you have already decided on the business use case that you would want to on-board.





5.2 Frameworks Supported

5.2.1 Timeseries

Timeseries are the use cases involving the date sequence data to forecast for future dates.

Example:

CASE ID	CCY	BALANCE
17-Aug	USD	6723.00
18-Aug	USD	250.00
19-Aug	USD	2654.00
20-Aug	USD	20.00
21-Aug	USD	?

NOTE: CASE ID can either be a DATE or a Sequence

5.2.2 Timeseries Algorithms Supported

By default, the framework uses Exponential Smoothing to forecast from timeseries data. It evaluates 14 different algorithmic combinations to best fit the patterns of

- Error type (additive or multiplicative),
- Trend (additive, multiplicative, or none), including damped trends
- and Seasonality (additive, multiplicative, or none)

NOTE: User is not required to select any algorithmic combinations. The framework evaluates and selects the best fit combination for you.



5.2.3 Regression

Regression is a statistical technique to discover relationships using independent variables to estimate/predict a target variable of NUMBER or INTEGER type.

Example: User needs to predict the value of LUXURY SPEND for a new CASE ID, given the data of branch, marital status, income and savings

CASE ID	BRANCH	MARITAL STATUS	INCOME	SAVING	LUXURY SPEND
12345	BRT	Y	15000	6723	1000
12346	BRT	Ν	17500	250	750
12347	CSR	D	25000	2654	1900
12348	CSR	N	16567	20	2500

NOTE: CASE ID MUST uniquely identify a row

5.2.4 Regression Algorithms Supported

The following algorithm are available as part of the framework.

S No	ALGORITHM	REMARKS
1	GENRALIZED LINEAR REGRESSION	Also handles RIDGE regression depending on the underlying pattern of data
2	SUPPORT VECTOR MACHINES	Supports both linear and gaussian kernels
3	NEURAL NETWORK	Uses default 1 layer with number of nodes <= 50

NOTE: Users have the flexibility to select a specific algorithm or keep it as NULL for the framework to evaluate and best fit the algorithm to the underlying data.



5.2.5 Classification

Classification is a statistical technique to discover relationships using independent variables to classify a target variable into a number of GROUPS or CLASSES. Mostly used for decision making.

Example: User needs to predict if a new CASE ID will churn(1) or not (0), given the data of branch, marital status, income and savings

CASE ID	BRANCH	MARITAL STATUS	INCOME	SAVING	CHURN
12345	BRT	Y	15000	6723	0
12346	BRT	Ν	17500	250	1
12347	CSR	D	25000	2654	1
12348	CSR	N	16567	20	0

NOTE: CASE ID MUST uniquely identify a row

5.2.6 Classification Algorithms Supported

The following algorithms are available as part of the framework.

S No	ALGORITHM	REMARKS
1	DECISION TREE	
2	NAÏVE BAYES	
3	RANDOM FOREST	
4	GENRALIZED LINEAR REGRESSION	Also handles RIDGE regression depending on the underlying pattern of data
5	SUPPORT VECTOR MACHINES	Supports both linear and gaussian kernels
6	NEURAL NETWORK	Uses default 1 layer with number of nodes <= 50

NOTE: Users have the flexibility to select a specific algorithm or keep it as NULL for the framework to evaluate and best fit the algorithm to the underlying data.



5.3 Partitioned Model

Oracle in-Database machine learning allows the user to design partitioned models.

Partitioned model organizes and represents multiple models as partitions in a single model entity, enabling you to easily build and manage models tailored to independent slices of data.

Example:

CUSTOMER ID	BRANCH	MARITAL STATUS	INCOME	SAVING	LUXURY SPEND
12345	BRT	Y	15000	6723	1000
12346	BRT	Ν	17500	250	750
12347	CSR	D	25000	2654	1900
12348	GRF	Ν	16567	20	2500

In this above example of data, user could build a single partitioned model on independent slices of data based on branch code.

The user has the advantage of having a single partitioned model instead of having multiple models for each individual branch.



5.4 On-Boarding Use Case

5.4.1 Model Definition

Use cases are defined by the business domain of the product processor to which it is mapped. They are unique and machine learning models are named after the use case.

The model definition screen allows you to define the use case and configure the data source to be used for model training.

5.4.1.1 Model Definition Summary

The summary screen displays the list of defined use cases. To access the screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Model Definition.
 - → The **Model Definition Summary** screen is displayed.

Figure 257: Model Definition Summary



For more information on fields, refer to the field description table below.

Table 211: Model Definition Summary – Field Description

Field	Description
Usecase Name	Displays the name of the use case
Mod No	Displays the modification number
Correlation	Displays the default orange colour for New records. On correlation validation in Model definition screen, it will change to green colour.
Authorized Status	Displays the Authorized or Unauthorized status
Record Status	Displays the status of the record.



5.4.1.2 Model Definition Maintenance

Model Definition Maintenance screen enables the user to maintain the use case details and define the use case type and data source details.

1. From Model Definition Summary screen, click i button on the Use case tile to Unlock or click

+ to create the new model definition.

→ The Model Definition Maintenance screen is displayed.

Figure 258: Model Definition Maintenance

Model Definition		,, ^{,e} ×
Use Case Name *	Description	Use Case Type * Select Unecase Type *
Training and Scoring		
Product Processor * Select Product Processor * Target Column *	Training Data Source *	Unique Case Identifier * Select Unique Case ID Tablespace
Select Target Column	Select Positive Target Value *	iaurspace
Model Partitioning		
Partition Column Names Select Partition Column	Selected Algorithm Select Algorithm	Model Error Statistic * Select Model Error Statistic * Cast Marin
		Save Canod

2. On **Model Definition Maintenance** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 212: Model Definition Maintenance – Field Description

Field	Description		
Use Case Name	Specify the name of the Use Case.		
Description	Specify the description of the Use Case.		
Use Case Type	Select the type of Use Case – Regression or classification from the drop down.		
Product Processor	Select the product to which the use case belongs.		
Training Data Source	Specify the Table or View name used as data source to train the model.		
Unique Case Identifier	Select the column name to uniquely identify a record. NOTE: Column name is a function of table/view design and has to have unique constraint defined		



Field	Description		
Target Column	Select the value of the column which is to be predicted by training the model. It has to have unique constraint defined NOTE: Column name is a function of table/view design		
Positive Target Value	If Use Case Type selected is CLASSIFICATION, then this field is enabled else disabled for REGRESSION. It will display distinct values from the target column		
Tablespace	Specify the valid tablespace and all model related data will be persisted in this table space		
Partition Column Names	Specify the column names to slice data. Refer Partitioned Model for details		
Selected Algorithm	Select the algorithm from the list and build the model. This field should be null to allow the framework to select the best fit algorithm to build the model.		
Model Error Statistics	Select the model error statistics. By Default, the value is selected as 'RMSE' for REGRESSION. The user can also select 'MAE'. It will be disabled for CLASSIFICATION		

Cost Matrix:

This button is enabled ONLY for CLASSIFICATION type of use cases.

Any classification model can make two kinds of error

Actual Value	Predicted Value	Error Type	
1	0	False Negative	
0	1	False Positive	

This screen is used to bias the model into minimizing one of the error types, by adding a penalty cost. All penalty cost has to be positive.

Actual Value	Predicted Value	Penalty Cost	
1	0	6	
0	1	2	



The default is zero cost for all combinations.

Biasing the model is a trade-off with accuracy of prediction. Business determines if a classification model is required to be biased or not.

- 3. Click **Cost Matrix** button to launch the screen.
 - → The **Cost Matrix** screen is displayed.

Figure 259: Cost Matrix

ost Matrix					
Cost value is used to penalize	e misclassification or incorrect prediction				
Actual Value	Predicted Value	Cost			
0	0	0			
0	1	0			
1	0	0			
1	1	0			
		Cancel Sa	ive		

- 4. On Cost Value screen, specify the relevant penalty cost.
- 5. Click **Save** to save and close the **Cost Matrix** screen and back to the **Model Definition Maintenance** screen.

Correlation:

Multicollinearity occurs when two or more independent variables are highly correlated with one another in a model.

Unique Case ID			Corre	lated	Dependent Variable
CUST ID	BRANCH	MARITAL STATUS	INCOME	SAVING	CHURN
12345	BRT	Single	1500	6723	1
12346	BRT	Married	17500	250	0
12347	CSR	Married	25000	2654	0
12348	GRF	Divorced	16567	20	1

Independent Variables

Multicollinearity may not affect the accuracy of the model as much, but we might lose reliability in model interpretation

Irrespective of CLASSIFICATION or REGRESSION, all use cases must be evaluated for Correlation.

This button will display Orange mark if evaluation is pending.



6. Click **Correlation** button to launch the screen.

 \rightarrow The **Correlation Analysis** screen is displayed.

Figure 260: Correlation Analysis

Correlation Analysis						
Note - You should aim to have empty pairwise correlation by adding to the Ignore columns list and iteratively refreshing. Start by refreshing to get the latest position						
Threshold Value			Type Of Correlation			
0 1 0.5 C		Pearson Spearman Kendall				
Pairwise Correlation			Analysed Features	Ignore Features		
# Feature 1	Feature 2	Correlation	No items to display.	No items to display.		
No data to display.				>		
				Cancel OK		

7. On **Correlation Analysis** screen, select the required fields. For more information on fields, refer to the field description table below.

Field	Description	
Threshold Value	Select the threshold value.	
	By default, the value is set as 0.5.	
	The Value can be set between 0.1 to 0.9.	
Type of Correlation	Select the type of correlation.	
	By default, the option is selected as Pearson. The formula	
	used for calculation is different for each type	
Pairwise Correlation	Displays the output of the Correlation Validation.	
Analyzed Features	Displays the distinct analysed Features from Pairwise	
	Correlation.	
Ignore Features	User defined list created from Analysed Features.	

Table 213: Correlation Analysis – Field Description




- 8. Click c initiate the evaluation process.
 - → The Correlation Analysis Pairwise Correlation screen is populated.

Figure 261: Correlation Analysis - Pairwise Correlation

Threshold N		1 0.5 C			Type Of Corre Pearson		arman 🔷 Kendall
Pairwise	Correlation			Analysed Features			Ignore Features
	Feature 1	Feature 2	Correlation	AGE			No items to display.
	Y_BOX_GAMES	AGE	-0.72639	HOME_THEATER_PACKAGE			
	Y_BOX_GAMES	YRS_RESIDENCE	-0.58853	Y_BOX_GAMES			
	Y_BOX_GAMES	HOME_THEATER_PACKAGE	-0.77005		-	>	
	AGE	YRS_RESIDENCE	0.65503	YRS_RESIDENCE		<	
	AGE	HOME_THEATER_PACKAGE	0.79938	FLAT_PANEL_MONITOR			
	YRS_RESIDENCE	HOME_THEATER_PACKAGE	0.62899	BULK_PACK_DISKETTES	=		
	BULK_PACK_DISKETTES	FLAT_PANEL_MONITOR	0.87842				

- 10. Move ONE of the Analyzed Features to Ignore Features List
- 11. Click c and re-evaluate Correlation as mentioned in Step 8.
- 12. Rinse & repeat Step 9 & 10 for each feature addition to the **Ignore feature** list, until **Pairwise Correlation** displays zero correlated pair.
- 13. Attempting to exit the screen midway without achieving zero Pairwise Correlation, will display the following error message.

Figure 262: Error Message



- 15. After successful **Correlation Evaluation**, the orange highlight on the **Correlation** button is removed.
- 16. After **Correlation Evaluation** and **Cost Matrix** definition (for CLASSIFICATION), click **Save** to create the new Model Definition. The user can view the configured details in the **Model Definition Summary**.



Model Metrices

Once the user has successfully trained Machine Learning model, the user can score/predict the model outcomes as required by the use case. The user can view the **Model Metrices** tab only after training the model successfully. Refer to **Model Training and Scoring** section for training the model.

- 17. Click Model Metrices tab to view the Model Metrices details.
 - → The **Model Metrices** screen is displayed.

Figure 263: Model Metrices

Model Definition			
Use Case Setup	Nodel Metrices		
Model Metrices			
Model Partitions *	Ŧ		
Metrices		Value	
Model Name			
Algorithm			
YRS_RESIDENCE			
AUC			

18. For more information on fields, refer to the field description table below.

Table 214: Model Metrices –	Field Description
-----------------------------	-------------------

Field	Description	
Model Partitions	Select the model partitions from the dropdown. If the model has been designed to have partitions, it will display the partitioned values based on underlying data of the defined partition column else display FULL MODEL.	
Metrices	Displays the various model attributes, as per the best model identified and trained. The number of model attributes is a function of algorithm and underlying pattern of data Some attributes are common for all models, Model Name Algorithm INF_TIME (Inference Time) <model metric="">(Train) <model metric="">(Test)</model></model>	
Value	Displays the value of the attribute.	



5.4.2 Model Training and Scoring

Model Training and Scoring screen enables the user to train the model for the selected use case and use the trained model to predict and score multiple records at a time. The predicted values persist in the database and are available in the prediction column maintained for the user case.

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Model Training and Scoring.
 - \rightarrow The **Model Training and Scoring** screen is displayed.

Figure 264: Model Training and Scoring

Model Training And Scoring							
Model Training and Scoring							
Use Case Name Select Usecase Name	Description	Use Case Type					
Model Training	Model Training						
Training Data Source Partition Column(s)	Unique Case Ideniñer	Target Column Train Model					
Model Batch Scoring							
Model Name		Batch Scoring					

For more information on fields, refer to the field description table below.

 Table 215: Model Training and Scoring – Field Description

Field	Description			
Use Case Name	Select the Use Case name from the dropdown.			
Description	Displays the description of the use case.			
Use Case Type	Displays the type of use case.			
Model Training				
Training Data Source	Displays the training data source.			
Unique Case Identifier	Displays the unique case identifier.			
Target Column	Displays the target column of the model.			
Partition Column(s)	Displays the partition column of the model.			



	Field	Description
Model Batch Scoring		
	Model Name	Displays the name of the model.

- 2. Select the use case name from the dropdown.
- 3. Click **Train Model** to train the model for the selected use case.
- 4. Click **Batch Scoring** to predict the score for the data source records.

The predictions of batch scoring are now available for business consumption.

5.5 Online Single Record Prediction

This is made available as a REST API and allow you to predict for a single record. The predictions do not persist in the database.

These can be invoked directly from application user interface, to retrieve and display the results.

The explainability of the model outcome is also made available.

5.6 Use Case Modifications

Use case definition may undergo the following modification and would require model re-training. After each re-training run, you should review the model details discussed under Model Explainability.

Table 216: Use Case Modifications


Use Case Modification	Model Re-training Required	Correlation Analysis Required
Data Source replaced by another data source	Yes	Yes
New column Added to existing data source	Yes	Yes
New columns Added to custom data source	Yes	Yes
Existing column removed from existing data source	Yes	Yes
Selected Algorithm Changed	Yes	No
Model Error statistic Changed	Yes	No
Partition Column Name list altered (added / removed)	Yes	Yes



5.7 Data Extensibility

To address the requirement of banks to add new data points to the factory shipped data source, we have provided the facility of data extensibility.

Figure 265: Data Extensibility



Banks can add any number of new data columns to the customer data source

The defined data source view is mapped to a use case in the Model definition.

Machine Learning will automatically consider all the available data points in the data source View.

5.8 Model Explainability

The details of the Regression models built using the framework is made available under the 'Model Metrices' tab in Use Case Definition for better understanding and transparency.

The available details are

- Model Name
- Algorithm Name
- Inference Time
- Training Error Metric
- Testing Error Metric
- List of data attributes that make up the model depending on the framework and algorithm used



5.9 Time Series Forecast

Timeseries forecast is unique as it consumes sequential data to forecast.

This uniqueness necessitates model training and forecast to be executed in a single processing routine. This is very unlike regression model approach where model training and model prediction are separate distinct actions.

5.9.1 Forecast REST Service

Timeseries framework is made available as an independent REST service to be consumed by products and use cases as required.

The following information is required to be provided.

Field	Description
Use Case Name	Specify the Unique Use Case Name.
Data Source	Specify the Table or View name used as data source to train the model.
Target Column	Specify the model will train and forecast future values of this column. NOTE: Column name is a function of table/view design
Unique Identifier	Specify the column name to uniquely identify a sequence NOTE: Column name is a function of table/view design. Must be Date or a sequence
Model Partitioning	Specify the column names to slice data. Refer Partitioned Model for details NOTE: Column name is a function of table/view design
Partitioned Value	Specify the actual Value of the Model Partition
Forecast Window	Specify the number of forecasts required as an outcome
Tablespace	Specify the valid tablespace and all model related data will be persisted in this table space

Table 217: Forecast REST Service – Field Description



6 File Upload

The following File Upload features are available in the respective common core maintenances

- Country Code File Upload
- Bank Core Parameters File Upload
- Branch Core Parameters File Upload
- Currency Definition File Upload
- BIC Directory File Upload
- Local Holiday File Upload
- Currency Holiday File Upload
- External Customer File Upload
- External Customer Account File Upload
- Exchange Rate File Upload

6.1 Country Code File Upload

Country Code File Upload is used to perform country code maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmCountry_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 218: Country Code File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	Country Code	String	3	Country Code			
3	Description	String	105	Name of the country			
4	Alt Country Code	String	10	Alternate Country Code			
5	Region Code	String	3	Region Code			



Sequence	Attribute Name	Туре	Size	Description
6	Blacklisted	String	1	Indicates the country is blacklisted
7	IBAN Check Reqd	String	1	Indicates check required for an IBAN is mandatory
8	Intra European	String	1	Denotes the country is an intra European country.
9	Clr Code Bic	String	1	BIC Clearing Code Indicates the National ID in the BIC plus file is the clearing code.
10	Clearing Network	String	6	Indicates the Clearing Network
11	ISO Num Country Code	String	3	Denotes the ISO Country Code
12	Gen Mt205	String	1	Indicates the cover message 205COV or 205
13	ISD Code	Number	10	Denotes the ISD Code
14	EU Country	String	1	Indicates the country is recognized by Swift as a part of the Intra European countries

- Action
- Country Code
- Description
- Alt Country Code
- Region Code
- Blacklisted
- IBAN Check Reqd
- Intra European
- Clr Code Bic
- ISO Num Country Code
- Gen Mt205
- ISD Code
- EU Country



6.2 Bank Core Parameters File Upload

Bank Core Parameters File Upload is used to perform bank core maintenance in common core.

File Type Supported - CSV

File Naming Convention - CoreBank_<UniqueName>.csv

Replace the <UniqueName> for each file upload.

Table 219: Bank Core Parameters File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	Days To Forget Customer	Number	4	Denotes Number of Days to inactive/Forget Customer			
3	HO Branch	String	3	Head Office Branch			
4	Bank Name	String	35	Name of the bank			
5	Bank Code	String	4	Denotes code for the bank			

- Action
- Days To Forget Customer
- HO Branch
- Bank Name
- Bank Code



6.3 Branch Core Parameters File Upload

Branch Code Parameters File Upload is used to perform branch code maintenance in common core.

File Type Supported - CSV

File Naming Convention - CoreBranch_<UniqueName>.csv

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Discriminator	String	1	Denotes master record type. Default value is always "P"			
2	Action	String	10	Denotes file operation type. Allowed values are new/modify			
3	Source Branch Code	String	20	Code of the Source Branch			
4	Source System	String	35	Source System			
5	Week Hol2	String	1	Denotes the weekly holiday 2			
6	Week Hol1	String	1	Denotes the weekly holiday 1			
7	Auto Auth	String	1	Auto Authorization			
8	Walkin Customer	String	20	Denotes Walk-in customer			
9	Branch Lcy	String	3	Branch Local Currency			
10	Branch Addr3	String	105	Denotes the branch address details - Address Line 1			
11	Branch Addr2	String	105	Denotes the branch address details - Address Line 2			
12	Branch Addr1	String	105	Denotes the branch address details - Address Line 3			
13	Branch Name	String	105	Name of the branch			
14	Country Code	String	3	Country Code			



Sequence	Attribute Name	Туре	Size	Description
15	Host Code	String	8	Host Code
16	Branch Code	String	3	Denotes the Code of Branch
Child record	11			
1	Discriminator	String	10	Denotes the first child record type. Default value is always "BranchPref"
2	Report DSN	String	35	Denotes the details of the report DSN
3	DSN Name	String	35	Name of the DSN
4	Host Name	String	35	Host Name
5	Branch Code	String	3	Denotes the Branch Code
Child record	12		I	
1	Discriminator	String	12	Denotes the second child record type. Default value is always "SwiftAddress"
2	Default BIC	String	1	Denotes the Default BIC
3	Swift Address	String	12	Denotes the swift address details
4	Branch Code	String	3	Branch Code

- Discriminator
- Action
- Source Branch Code
- Source System
- Auto Auth
- Branch Lcy
- Branch Addr3
- Branch Addr2
- Branch Addr1
- Branch Name
- Country Code
- Host Code
- Branch Code

- Discriminator (Child record 1)
- Branch Code (Child record 1)
- Discriminator (Child record 2)
- Default BIC (Child record 2)
- Swift Address (Child record 2)
- Branch Code (Child record 2)

6.4 Currency Definition File Upload

Currency Definition Upload is used to perform currency definition maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmCurrencyDefinition_<UniqueName>.csv

Table 221: Currency Definition	File Upload – Records
---------------------------------------	-----------------------

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Discriminator	String	1	Denotes master record type. Default value is always "P"			
2	Action	String	10	Denotes file operation type. Allowed values are new/modify			
3	Currency Code	String	3	Denotes Currency Code			
4	Currency Name	String	105	Name of the currency			
5	Country	String	3	Currency Country			
6	Currency Decimals	Number	1	Currency Decimals			
7	Currency Round Rule	String	1	Denotes Currency Round Rule			
8	Currency Round Unit	Number	7	Denotes Currency Round Unit			
9	Currency Format Mask	String	1	Denotes Currency Format Mask			



Sequence	Attribute Name	Туре	Size	Description
10	Currency Spot Days	Number	3	Number of spot working days applicable for the currency
11	Currency Int Method	Number	1	Currency Interest Method
12	Position GI	String	9	Position GL
13	Position Eqvgl	String	9	Position Equivalent GL
14	Currency Eur Type	String	1	Currency Euro Type
15	Currency Tol Limit	Number	7	Currency Tolerance Limit
16	Settlement Msg Days	Number	3	Settlement Message Days
17	Index Flag	String	1	Derives index rate of the currency
18	Index Base Currency	String	3	Index Base Currency
19	Cut Off Hr	Number	2	Hour of the day for the cut off
20	Cut Off Min	Number	2	Minute of the hour for the cut of
21	Alt Currency Code	String	10	Code of the alternate currency
22	Eur Conversion Reqd	String	1	Euro Conversion Required
23	Cut Off Days	Number	2	Cut Off Days for the payment transaction involving the currency
24	Cr Auto Ex Rate Lmt	Number	22	Credit Auto Exchange Rate Limit
25	Dr Auto Ex Rate Lmt	Number	22	Debit Auto Exchange Rate Limit
26	Currency Type	String	3	Denotes Currency Type



Sequence	Attribute Name	Туре	Size	Description
27	Gen 103p	String	1	Generate outgoing MT 103 messages in the MT 103 + format
28	Cls Currency	String	1	CLS Currency
29	Fx Netting Days	Number	3	Foreign Exchange Netting Days
30	Iso Num Currency Code	String	3	International Standardization Organization numerical currency code
31	Gen Cust Cov	String	1	New Cover Message Format Required
32	Validate 50f	String	1	Validate Tag-50F
33	Maintenance Country	String	3	Maintenance Country
34	Commodity Code	String	1	Denotes Commodity Code
Child record				
1	Discriminator	String	1	Denotes child record type. Default value is always "C"
2	Maintenance Country	String	3	Maintenance Country
3	Country Code	String	3	Denotes Country Code
4	Country Desc	String	105	Name of the Country
5	Currency Code	String	3	Denotes Currency Code

- Discriminator
- Action
- Currency Code
- Currency Name
- Country
- Currency Decimals
- Currency Round Rule
- Currency Round Unit
- Currency Spot Days



- Currency Int Method
- Currency Eur Type
- Settlement Msg Days
- Index Flag
- Cut Off Hr
- Cut Off Min
- Alt Currency Code
- Eur Conversion Reqd
- Cut Off Days
- Gen 103p
- Cls Currency
- Fx Netting Days
- Gen Cust Cov
- Validate 50f
- Maintenance Country
- Commodity Code
- Discriminator (Child Record)
- Maintenance Country (Child Record)
- Country Code (Child Record)
- Country Desc (Child Record)
- Currency Code (Child Record)

6.5 BIC Directory File Upload

BIC Directory File Upload is used to perform BIC directory maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmBICDirectory_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 222: BIC Directory File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	BIC Code	String	11	Indicates the unique BIC Code by which the bank is identified by SWIFT.			
3	Bank Name	String	35	Name of the bank			



Sequence	Attribute Name	Туре	Size	Description
4	Customer No	String	20	Customer Number
5	Sk Arrangement	String	1	Denotes the SWIFT key arrangement
6	Bank Address1	String	35	Indicates the bank address details of the customer - Address Line 1
7	Bank Address2	String	35	Indicates the bank address details of the customer - Address Line 2
8	Bank Address3	String	90	Indicates the bank address details of the customer - Address Line 3
9	Relationship	String	1	Relationship
10	Swift Key	String	50	Denotes the swift key details
11	Telex Key	String	50	Indicates the unique telex key for the BIC directory
12	Upload Flag	String	1	Upload Flag for the BIC directory
13	Upload Update	String	1	Updated the BIC directory during an upload
14	Gen Mt103	String	1	Indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format
15	Blacklisted	String	1	Indicates the BIC entity is blacklisted
16	CUG Member	String	1	Indicates the BIC entity is a closed user group member
17	Gen Mt103p	String	1	Indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format
18	Multi Cust Transfer	String	1	Denotes the Multi-Customer Credit Transfer details



Sequence	Attribute Name	Туре	Size	Description
19	Max Size	Number	38	Indicates the maximum size
				Indicates the customer is registered with MT 103 extended remittance
20	Remit Member	String	1	information multiple user group
21	Sub Type Code	String	4	Denotes the Sub-Type Code
22	Gen Mt102p	String	1	Generates 102+ message
23	Gen Mt101	String	1	Indicates MT101 can be sent/received from this BIC
	Transaction Per			
24	Msg	Number	40	Number of Transactions Per Page
25	ADB Member	String	1	Denotes the ADB member
26	BE Indicator	String	1	Denotes the BEI Indicator

- Action
- BIC Code
- Bank Name
- Sk Arrangement
- Bank Address1
- Bank Address2
- Bank Address3
- Relationship
- Swift Key
- Telex Key
- Upload Flag
- Upload Update
- Gen Mt103
- Blacklisted
- CUG Member
- Gen Mt103p
- Multi Cust Transfer
- Max Size
- Remit Member
- Gen Mt102p



- Gen Mt101
- Transaction Per Msg
- ADB Member
- BE Indicator

6.6 Local Holiday File Upload

Local Holiday File Upload is used to perform local holiday maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmBranchLocalHoliday_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 223: Local Holiday File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Discriminator	String	1	Denotes master record type. Default value is always "P"			
2	Action	String	10	Denotes file operation type. Allowed values are new/modify			
3	Branch Code	String	3	Branch Code			
4	Year	Number	4	Indicates the year details			
5	Weekly Holidays	String	7	Defines weekly holidays			
6	Unexp Hol	String	1	Define unexpected holidays			
Child record	I	<u> </u>					
1	Discriminator	String	1	Denotes child record type. Default value is always "C"			
2	Branch Code	String	3	Branch Code			
3	Year	Number	4	Indicates the year details			
4	Month	Number	2	Indicates the month details			
5	Holiday List	String	31	Denotes the Holiday List			



- Discriminator
- Action
- Branch Code
- Year
- Weekly Holidays
- Unexp Hol
- Discriminator (Child record)
- Branch Code (Child record)
- Year (Child record)
- Month (Child record)
- Holiday List (Child record)

6.7 Currency Holiday File Upload

Country Code File Upload is used to perform country code maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmCountry_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 224: Country Code File Upload – Records

Sequence	Attribute Name	Туре	Size	Description				
Master reco	Master record							
1	Discriminator	String	1	Denotes master record type. Default value is always "P"				
2	Action	String	10	Denotes file operation type. Allowed values are new/modify				
3	Currency	String	3	Currency				
4	Year	Number	4	Indicates the year details				
5	Weekly Holidays	String	7	Defines weekly holidays				
Child record								
				Denotes child record type. Default				
1	Discriminator	String	1	value is always "C"				
2	Currency	String	3	Currency				



Sequence	Attribute Name	Туре	Size	Description
3	Year	String	4	Indicates the year details
4	Month	Number	2	Indicates the month details
5	Holiday List	String	31	Denotes the Holiday List

- Discriminator
- Action
- Currency
- Year
- Weekly Holidays
- Discriminator (Child record)
- Currency (Child record)
- Year (Child record)
- Month (Child record)
- Holiday List (Child record)

6.8 External Customer File Upload

External Customer File Upload is used to perform external customer maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmCoreCustomer_<UniqueName>.csv

Table 225: External Customer File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	Country	String	3	Country of the customer			
3	Language	String	3	Denotes the Language of the customer			
4	Nationality	String	3	Denotes the Nationality of the customer			



Sequence	Attribute Name	Туре	Size	Description
5	Locale	String	10	Indicates the Locale of the customer
6	Deceased	String	1	Indicates the customer is deceased
7	Frozen	String	1	Denotes the customer account is frozen
8	Whereabouts Unknown	String	1	Indicates the customer's whereabouts are unknown
9	Rmld	String	12	Relationship Manager ID
10	Sanctions Checks Required	String	1	Indicates the sanction check is required
11	Staff	String	1	Indicates a staff customer
12	Walkin Customer	String	1	Indicates a walk-in customer
13	Source System	String	35	Source System
14	Source System Cust No	String	35	Denotes the Source System Customer Number
15	Customer No	String	20	Number for the customer
16	Host Code	String	8	Denotes the Host Code
17	Customer Type	String	1	Type of Customer
18	Customer Category	String	10	Denotes the Customer Category
19	Customer Name1	String	105	Name of the customer
20	Short Name	String	20	Short name of the customer
21	Address Line1	String	105	Indicates the customer address details - Address Line 1
22	Address Line2	String	105	Indicates the customer address details - Address Line 2



Sequence	Attribute Name	Туре	Size	Description
23	Address Line3	String	105	Indicates the customer address details - Address Line 3
24	Address Line4	String	105	Indicates the customer address details - Address Line 4
25	Pincode	String	15	Denotes the postal code details of the customer

- Action
- Country
- Language
- Nationality
- Deceased
- Frozen
- Whereabouts Unknown
- Sanctions Checks Required
- Staff
- Walkin Customer
- Source System
- Source System Cust No
- Customer No
- Customer Type
- Customer Name1
- Short Name
- Address Line1
- Address Line2
- Address Line3
- Address Line4
- Pincode



6.9 External Customer Account File Upload

External Customer Account File Upload is used to perform external customer account maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmCoreAccount_<UniqueName>.csv

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	Country Code	String	10	Country Code			
3	Address4	String	105	Denotes the address details - Address Line 4			
4	Address3	String	105	Denotes the address details - Address Line 3			
5	Address2	String	105	Denotes the address details - Address Line 2			
6	Address1	String	105	Denotes the address details - Address Line 1			
7	Eca Check Req	String	1	Indicates External Credit Approval Required check is required for the external customer account			
8	Account Class	String	6	Denotes the Account Class			
9	Ac Stat Dormant	String	1	Indicates the account status is dormant			
10	Ac Stat Frozen	String	1	Indicates the account status is frozen			
11	GI Stat Blocked	String	1	Indicates the account status is blocked			



Sequence	Attribute Name	Туре	Size	Description
12	Ac Stat No Dr	String	1	Indicates the account does not have any debit facility
13	Ac Stat No Cr	String	1	Indicates the account does not have any credit facility
14	Ac Open Date	String	35	Denotes the Account Open Date (Date format should be yyyy-MM-dd, i.e. 2018-03-30)
15	Cust Ac Name	String	105	Account Name of the customer
16	Cust Ac Ccy	String	3	Account Currency of the customer
17	Customer No	String	20	Indicates the Customer Number
18	Source System Acc Brn	String	20	Denotes the Source Account Branch
19	Source System Acc No	String	35	Denotes the Source Customer Account Number
20	Source System	String	35	Source System
21	Cust Ac IBAN	String	35	Indicates the account IBAN details
22	Host Code	String	8	Denotes the host code details
23	Cust Account No	String	20	Indicates the Customer Account Number

- Action
- Country Code
- Address4
- Address3
- Address2
- Address1
- Eca Check Req
- Account Class
- Ac Stat Dormant
- Ac Stat Frozen

- GI Stat Blocked
- Ac Stat No Dr
- Ac Stat No Cr
- Ac Open Date
- Cust Ac Name
- Cust Ac Ccy
- Customer No
- Source System Acc Brn
- Source System Acc No
- Source System
- Host Code
- Cust Account No

6.10 Exchange Rate File Upload

Exchange Rate File Upload is used to perform exchange rate maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcTmCurrencyExchangeRate_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 227: Exchange Rate File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Discriminator	String	1	Denotes master record type. Default value is always "P"			
2	Action	String	10	Denotes file operation type. Allowed values are new/modify			
3	Branch Code	String	3	Branch for which exchange rate is applicable			
4	Currency1	String	3	From currency pair			
5	Currency2	String	3	To currency pair			
Child record	Child record						
1	Discriminator	String	1	Denotes child record type. Default value is always "C"			



Sequence	Attribute Name	Туре	Size	Description
2	Branch Code	String	3	Branch for which exchange rate is applicable
3	Currency1	String	3	From currency pair
4	Currency2	String	3	To currency pair
5	Rate Type	Number	8	Denotes rate type defined in the system
6	Mid Rate	Number	25	Mid rate applicable for the current pair
7	Buy Spread	Number	40	Buy spread applicable for the currency
8	Sale Spread	Number	40	Sell spread applicable for the currency
9	Buy Rate	Number	25	Buy rate applicable for the currency
10	Sale Rate	Number	25	Sell rate applicable for the currency
11	Rate Date	String	35	Effective date applicable for the rate

- Discriminator
- Action
- Branch Code
- Currency1
- Currency2
- Discriminator
- Branch Code
- Currency1
- Currency2
- Rate Type
- Mid Rate
- Buy Spread
- Sale Spread
- Buy Rate
- Sale Rate
- Rate Date

7 Error Codes and Messages

This topic contains the error codes and messages:

Error Codes	Messages
CC-01015	Default BIC Is Checked For More Than One BIC
CC-01016	Swift Address is Mandatory
CC-01017	Default BIC Is Not Checked For any BIC
CC-01018	Same Swift Address is present more than once
CC-01019	Mismatch in bank code
CC-ACC-002	Currency should be null for Multi-Currency Account
CC-ACC-102	Record already exist for Source Branch and Source Account No combination
CC-ACC-169	Reopen not allowed for a closed Customer No
CC-BIC-010	Bic code is being used in branch maintenance. Close not allowed.
CC-BIC02	The BIC code does not conform to SWIFT standards
CC-BIC05	Record already maintained for the customer no
CC-BNK-001	Branch code is in Open status. Close not allowed.
CC-BNK-002	Reopen not allowed for a closed Branch Code
CC-BNK-003	Only one Bank Code is allowed.
CC-BRN-101	Active account / accounts exist for the branch code. Close not allowed.
CC-BRN-102	This is HO branch. Close not allowed.
CC-BRN-103	Record for Source Branch Code already exists
CC-C00100	Relationship cannot be No for a Customer Linked BIC Code



Error Codes	Messages
CC-CUS-167	Record already exist for customer no and source_system_cust_no combination
CC-CUS-169	Active account/accounts exist for the customer no
CC-CUS-17	Kindly Enter a Valid Walkin Customer
CC-EC-002	Record already exist for Account IBAN
CC-ECA-001	Active \$1 exist for the Source System
CC-HST-001	Active \$1 exist for the Host Code
CC-MOD-001	\$1 cannot be modified
CC-MOD-INV	\$1 is invalid
CC-NUL-001	\$1 cannot be null
CC-TXN-001	\$1 is closed. Reopen not allowed.
CMC-ACC-FOR01	Cannot reopen forgotten account
CMC-ACC-PII01	User doesnt have access to PII data, cannot perform create or modify operations
CMC-ACC-SUBAC01	No SubAccounts available for Multi-Currency Account
CMC-ACC-SUBAC02	Exactly one account should be primary account
CMC-ACC-SUBAC03	Sub Accounts should have unique currency code
CMC-BRN-018	Exception occurred in ICFlipDate
CMC-BRN-019	Unable to get branch date
CMC-BRN-020	Branch code is null
CMC-BRN-100	Branch Status retrieved Successfully
CMC-BRN-101	Branch doesnot exist
CMC-BRN-CD01	Date changed successfully
CMC-BRN-CD02	Failed to change date, holiday list not maintained properly



Error Codes	Messages
CMC-BRN-EOD01	Branch Status not in TI, cannot initiate EOD
CMC-BRN-EOD02	EOD invoked for the branch
CMC-BRN-EOD03	Invalid Branch Code
CMC-BRN-EOD04	Eod Requested on Date is not Branch's Today
CMC-BRN-EOD05	EOD cannot be invoked on a holiday
CMC-BRN-EOD06	Date changed successfully
CMC-BRN-EOD07	EOD not invoked, cannot initiate change date
CMC-BRN-EOD08	EOFI job not completed, cannot initiate change date
CMC-BRN-EOD09	EOD not invoked, cannot initiate mark TI
CMC-BRN-EOD10	Date Change job not completed, cannot initiate TI for next day
CMC-BRN-EOD11	Mark TI successful
CMC-BRN-EOD12	Branch status not in TI, cannot initiate Mark EOFI
CMC-BRN-EOD13	Branch status not in EOFI, cannot change Date
CMC-BRN-EOD14	Branch status for next working date update to BOD
CMC-BRN-EOD15	Branch status not in BOD, cannot mark TI
CMC-BRN-EOD16	Branch status for next working date update to TI
CMC-BRN-EOD17	Branch Status Changed to EOFI
CMC-BRN-EOD18	Invoke Mark TI failed
CMC-BRN-EOD19	Date change completed cannot retrigger
CMC-BRN-EOD20	Mark TI completed cannot retrigger
CMC-BRN-EOD21	Date changed failed
CMC-BRN-EOD30	Invalid requested date, failed to parse
CMC-BRN-EOD31	Mark Eoti retry intiated



Error Codes	Messages
CMC-BRN-EOD32	Cannot retry Mark EOFI which has not failed
CMC-BRN-EOD33	Date Changed successfully. \$1
CMC-BRN-EOD34	BOD Batches completed successfully.
CMC-BRN-EOD35	BOD Batches retriggered successfully. \$1
CMC-BRN-EOD36	\$1. Hence EOFI Failed.
CMC-BRN-EOD37	Failed in getting current date
CMC-CCY-001	Duplicate records exists in Amount word currency Mapping
CMC-CCY-002	Duplicate records exists in Amount Text Mapping
CMC-CCY-003	Cannot change Currency Decimal for once authorized currencies
CMC-CCY-004	Cannot Change round unit if the round rule is Truncate (T)
CMC-CCY-005	Mandatory field Interest Method is not entered
CMC-CCY-006	Mandatory field Spot Days is not entered
CMC-CCY-007	Mandatory field Settlement Days is not entered
CMC-CCY-008	Mandatory field Country is not entered
CMC-CCY-009	Mandatory field Rule is not entered
CMC-CCY-010	Value should be in range of 0 and 999 for Settlement Days
CMC-CCY-011	Mandatory field Unit is not entered
CMC-CCY-012	Decimals/ Rounding Unit Mismatch
CMC-CCY-013	Numerator of Interest Method is not Actual
CMC-CCY-014	Duplicate Alternate Currency Code
CMC-CCY-015	Duplicate ISO Numeric Currency Code
CMC-CCY-016	Duplicate Euro currency



Error Codes	Messages
CMC-CCY-017	Euro Conversion required cannot be changed for the currency types out, Euro and Euro closed
CMC-CCY-018	Spot days is less than fx netting days
CMC-CCY-019	Currency Cut Off days cannot be greater than spot days for currency
CMC-CCY-020	Spot Days for currency cannot be lesser than cut off days for currency
CMC-CCY-021	Value should be in range of 1 and 99 for Cut Off Days
CMC-CCY-022	Value should be in range of 1 and 23 for Cut Off Hour
CMC-CCY-023	Value should be in range of 1 and 59 for Cut Off Min
CMC-CCY-024	Value cannot be less than .00000 for Currency Total limit
CMC-CCY-025	Value should be in range of 0 and 3 for Currency Decimal
CMC-CCY-026	Country Code is Mandatory
CMC-CCY-027	Duplicate records exists in Currency Country Mapping
CMC-CCY-028	Mandatory field Country is not entered in Currency Country Mapping
CMC-CCY-029	Currency Code is NULL
CMC-CCY-030	Date is NULL
CMC-CCY-031	Date is Invalid (should be in yyyy-mm-dd format)
CMC-CCY-032	No record found
CMC-CCY-033	Next/Previous indicator is NULL (should be either N or P)
CMC-CCY-034	Next/Previous indicator is Invalid (should be either N or P)
CMC-CCY-035	Lower Limit Date is Invalid (should be in yyyy-mm-dd format)
CMC-CCY-036	Upper Limit Date is Invalid (should be in yyyy-mm-dd format)
CMC-CCY-037	Offset is NULL
CMC-CCY-038	Offset is Invalid (should be > 0)



Error Codes	Messages
CMC-CCY-039	Input date should be between Upper limit date and Lower limit date
CMC-CCY-040	Duplicate records exists in CurrencyHolidays
CMC-CCY-041	Mandatory Through Currency Code is not entered
CMC-CCY-042	Cannot change spread definition option for through currency pair
CMC-CCY-043	Through currency should be blank if the through currency is unchecked
CMC-CCY-044	Through currency has to be of type Euro
CMC-CCY-045	Through Currency is not allowed for Euro In Currency Pair
CMC-CCY-046	Points multiplier should be in the range 0 - 1
CMC-CCY-047	MidRate is invalid
CMC-CCY-048	BuySpread is invalid
CMC-CCY-049	SaleSpread is invalid
CMC-CCY-050	Atleast one Currency Rate Should be Maintained
CMC-CCY-051	Duplicate records exists in Rate
CMC-CCY-052	Currency Code is NULL
CMC-CCY-053	Currency Code is Empty
CMC-CCY-054	Amount is NULL
CMC-CCY-055	Option is NULL
CMC-CCY-056	Option is Empty
CMC-CCY-057	Method is NULL
CMC-CCY-058	Method is Empty
CMC-CCY-059	Decimal is NULL
CMC-CCY-060	Units is NULL



Error Codes	Messages
CMC-CCY-061	Maintenance Country is NULL
CMC-CCY-062	Maintenance Country is Empty
CMC-CCY-063	Currency1/Currency2/branch Code is NULL
CMC-CCY-065	Error in conversion
CMC-CCY-066	Rate is not handled for currency1 and currency2
CMC-CCY-067	Rate is not handled for currency2 and currency1
CMC-CCY-068	Error in Amount rounding
CMC-CCY-069	Currency definition is not maintaned for given currency and maintenance country
CMC-CCY-070	Error in getting branch currency and country
CMC-CCY-071	Error in getting currency pair for currency1 and currency2
CMC-CCY-072	Error in getting Premium points for currency1 and currency2
CMC-CCY-073	Error in getting rate with through currency
CMC-CCY-074	Error in getting Rate
CMC-CCY-075	Rate History is not handled for currency1 and currency2
CMC-CCY-076	Rate History is not handled for currency2 and currency1
CMC-CCY-077	Currency Pair is not maintained
CMC-CCY-078	Error in purging
CMC-CCY-079	Data inadequate in currency Pair Definition
CMC-CCY-080	Currency Pair already exists for the given Maintenance Country
CMC-CCY-081	MidRate is mandatory
CMC-CCY-082	Either buySpread/buyRate are mandatory
CMC-CCY-083	Either saleSpread/saleRate are mandatory



Error Codes	Messages
CMC-CUS-FOR01	Record successfully deleted
CMC-CUS-PII01	User doesnt have access to PII data, cannot perform create or modify operations
CMC-EOD-001	Invoked EOD successfully
CMC-EOD-002	Failed while resolving current date
CMC-EOD-003	EOD flow is not maintained for \$1 branch
CMC-EOD-004	EOD already invoked for today
CMC-EOD-005	Unable to invoke EOD
CMC-EOD-006	Retried EOD successfully
CMC-EOD-007	Failed to retry EOD
CMC-EOD-008	Pending maintenances exist. Failed to start EOD
CMC-EOD-009	Failed during pending maintenance check
CMC-EOD-010	Pending transactions exist. Failed to start EOD
CMC-EOD-011	Failed during pending transaction check
CMC-EOD-012	Marked cutoff for the branch successfully
CMC-EOD-013	Branch not in Transaction Input. Cannot mark cutoff
CMC-EOD-014	Branch not in BOD stage. Cannot release cutoff
CMC-EOD-015	Released cutoff for the branch successfully
CMC-EOD-016	Branch cutoff not released. Cannot mark Transaction Input
CMC-EOD-017	Branch cutoff not marked. Cannot mark End of Transaction Input
CMC-FORC-001	Request is null, not valid.
CMC-FORC-002	Forget customers request created successfully.
CMC-FORC-003	Failed to create forget entities request.



Error Codes	Messages
CMC-FORC-004	Invalid id sent, id null
CMC-FORC-005	Already authorized
CMC-FORC-006	Authorized successfully
CMC-FORC-007	Record not found, invalid id.
CMC-FORC-008	Cannot delete authorized record
CMC-FORC-009	Record successfully deleted
CMC-FORC-010	Invalid Customer \$1 added, customer should be valid and in closed and authorized state without pending maintenance
CMC-FORC-011	Invalid request. Duplicate requests for customer number \$1
CMC-INDBML-001	Usecase already exists with a same name
CMC-INDBML-002	Target Column cannot be null
CMC-INDBML-003	Unique Case Identifier Column cannot be null
CMC-INDBML-004	Invalid Partition column value
CMC-INDBML-005	Duplicate Column Values
CMC-INDBML-006	Partition Columns cannot be same as either of target, usecase identifier or prediction column.
CMC-LOV-001	Invalid Source Code
CMC-LOV-002	Invalid Currency
CMC-LOV-003	Cannot Close the record for which rates are maintained
CMC-LOV-004	Invalid Language Code
CMC-LOV-005	Invalid Country
CMC-LOV-006	Invalid GLCode
CMC-LOV-007	Invalid Limit Currency
CMC-LOV-008	Invalid Year



Error Codes	Messages
CMC-LOV-009	Invalid Month
CMC-LOV-010	Amount Limit Exceeds
CMC-LOV-011	Invalid Version
CMC-LOV-012	Rate Type \$1 is invalid
CMC-NLP-000	System is unable to process the request
CMC-NLP-001	Training File created successfully
CMC-NLP-002	Training File creation failed
CMC-NLP-003	Service definition not found for \$1 for use case \$2
CMC-NLP-004	Unsupported file type uploaded please upload supported file type
CMC-NLP-005	You don't have sufficient number of training files for use case \$1 to train the model
CMC-NLP-006	Invalid training files are present in the training corpus
CMC-NLP-007	Error in processing step \$1
CMC-NLP-008	Successfully completed the processing of process \$1
CMC-OBRH-001	Record already exists.
CMC-OBRH-002	Record saved successfully.
CMC-OBRH-003	Record does not exist.
CMC-OBRH-004	Invalid Payload
CMC-OBRH-005	Record deleted successfully.
CMC-OBRH-006	Record modified successfully.
CMC-OBRH-007	Data fetched successfully.
CMC-OBRH-008	Data exported successfully.
CMC-OBRH-009	Failed to get data.



Error Codes	Messages
CMC-OBRH-010	Cannot start disabled route.
CMC-OBRH-011	Data imported successfully.
CMC-OBRH-012	Failed to import.
CMC-OBRH-013	Failed to parse [\$1]
CMC-OBRH-014	Data extracted successfully.
CMC-OBRH-015	Route state cannot be changed to Start as Consumer Service / Provider is inactive.
CMC-OBRH-016	Modified/Deleted attribute is already in use by route.
CMC-OBRH-017	Something went wrong!
CMC-OBRH-018	Imported WSDL successfully
CMC-OBRH-019	Imported Swagger successfully
CMC-OBRH-020	Failed to import [\$1]
CMC-OBRH-021	Failed to export [\$1]
CMC-OBRH-022	Request failed [\$1]
CMC-OBRH-023	Request is being processed
CMC-ORCH-001	Failed to initiate.
CMC-ORCH-002	Transaction is successfully initiated.
CMC-ORCH-003	Invalid action, failed to initiate.
CMC-ORCH-004	\$1 is not submitted, transaction remains the same.
CMC-ORCH-005	Cannot proceed with submit as the action is not initiated.
CMC-ORCH-006	Cannot proceed with submit as the information is incomplete.
CMC-ORCH-007	Failed to submit.
CMC-ORCH-008	Record successfully submitted.



Error Codes	Messages
CMC-ORCH-009	\$1 is in-progress, failed to initiate.
CMC-ORCH-010	Aw, snap! An unexpected exception occurred, try again.
CMC-ORCH-011	Invalid request.
CMC-ORCH-012	Cannot proceed with submit as the action is not initiated.
CMC-ORCH-013	Cannot find the provided information.
CMC-ORCH-014	Record is not yet submitted by \$1, cannot initiate the action.
CMC-ORCH-015	Record already unlocked by \$1.
CMC-ORCH-016	One record can be authorized at a time. Please close the screen and try again
CMC-ORCH-017	Current operation terminated
CMC-ORCH-018	Current operation could not be terminated
CMC-OV-001	Override Codes must not be empty
CMC-OV-002	Business Overrides Saved Successfully
CMC-OV-003	Business Overrides Updated Successfully
CMC-OV-004	Business Overrides Authorized Successfully
CMC-OV-005	Business Overrides Approval Pending
CMC-OV-006	Maker Cannot Authorize
CMC-OV-007	Multiple Authorizations not allowed for checker
CMC-OV-008	No Records found for approval
CMC-OV-009	Maker should approve the records
CMC-OV-010	Reference number is not valid
CMC-OV-011	Exception Occurred while converting string to number
CMC-OV-012	Server Error Occurred during API call



Error Codes	Messages
CMC-OV-013	Client Error Occurred during API call
CMC-OV-014	Illegal State Exception Occurred
CMC-OV-015	JTA Transaction unexpectedly rolled back
CMC-OV-016	Exception Occurred while creating Bean
CMC-OV-017	Unexpected Exception Occurred
CMC-OV-018	Exception Occurred while Executing Query
CMC-STR-001	mandatory fields are missing
CMC-STR-002	invalid real account number
CMC-STR-003	Real Account No cannot be modified
CMC-STR-004	Structured Address is already created for this Real Account
CMC-STR-005	Structured Address is already created for this External Virtual Account
CMC-STR-006	invalid virtual account number
CMC-STR-007	Virtual Account No cannot be modified
CMC-VAM-001	Rolled Back Due to Exception
ERR_DEF_CODE	System is unable to process the request
GCS-AUTH-01	Record Successfully Authorized
GCS-AUTH-02	Valid modifications for approval were not sent. Failed to match
GCS-AUTH-03	Maker cannot authorize
GCS-AUTH-04	No Valid unauthroized modifications found for approval.
GCS-CLOS-002	Record Successfully Closed
GCS-CLOS-01	Record Already Closed
GCS-CLOS-02	Record Successfully Closed



Error Codes	Messages
GCS-CLOS-03	Unauthorized record cannot be closed, it can be deleted before first authorization
GCS-COM-001	Record does not exist
GCS-COM-002	Invalid version sent, operation can be performed only on latest version
GCS-COM-003	Please Send Proper ModNo
GCS-COM-004	Please send makerId in the request
GCS-COM-005	Request is Null. Please Resend with Proper SELECT
GCS-COM-006	Unable to parse JSON
GCS-COM-007	Request Successfully Processed
GCS-COM-008	Modifications should be consecutive.
GCS-COM-009	Resource ID cannot be blank or "null".
GCS-COM-010	Successfully cancelled \$1.
GCS-COM-011	\$1 failed to update.
GCS-DEL-001	Record deleted successfully
GCS-DEL-002	Record(s) deleted successfully
GCS-DEL-003	Modifications didnt match valid unauthorized modifications that can be deleted for this record
GCS-DEL-004	Send all unauthorized modifications to be deleted for record that is not authorized even once.
GCS-DEL-005	Only Maker of first version of record can delete modifications of record that is not once authorized.
GCS-DEL-006	No valid unauthroized modifications found for deleting
GCS-DEL-007	Failed to delete. Only maker of the modification(s) can delete.
GCS-MOD-001	Closed Record cannot be modified



Error Codes	Messages
GCS-MOD-002	Record Successfully Modified
GCS-MOD-003	Record marked for close, cannot modify.
GCS-MOD-004	Only maker of the record can modify before once auth
GCS-MOD-005	Not amendable field, cannot modify
GCS-MOD-006	Natural Key cannot be modified
GCS-MOD-007	Only the maker can modify the pending records.
GCS-REOP-003	Successfully Reopened
GCS-REOP-01	Unauthorized Record cannot be Reopened
GCS-REOP-02	Failed to Reopen the Record, cannot reopen Open records
GCS-REOP-03	Successfully Reopened
GCS-REOP-04	Unauthorized record cannot be reopened, record should be closed and authorized
GCS-SAV-001	Record already exists
GCS-SAV-002	Record Saved Successfully.
GCS-SAV-003	The record is saved and validated successfully.
GCS-VAL-001	The record is successfully validated.
ML-RG-001	Regression Model Build Failed
ML-RG-002	Regression Model Statistics Calculation Failed
ML-RG-003	Cross Validation Failed
ML-RG-004	Model Selection Failed
ML-RG-005	Model Successfully Trained
ML-RG-006	Invalid Use Case Selected
ML-RG-007	No Trained Model found



Error Codes	Messages
ML-RG-008	Batch Scoring Failed
ML-RG-009	Successfully completed Batch scoring
ML-UTIL-003	Failed in Random Sampling
ML-UTIL-004	Too less data for model building
ML-UTIL-005	Failed in Splitting Data
ML-UTIL-006	Failed in Selecting Feature
ML-UTIL-007	Failed to Drop Model(s)
ST-CUS-167	Record already exist for customer no and source_system_cust_no combination
ST-SAVE-027	Request Successfully Processed
CBS-CRITERIA-001	Criteria Code cannot be blank
CBS-CRITERIA-002	Criteria Description cannot be blank
CBS-CRITERIA-003	Select valid Product Processor
CBS-CRITERIA-004	Atleast one Rule should be selected in Criteria Definition
CBS-CRITERIA-005	Rule Description cannot be blank
CBS-CRITERIA-006	Select a Rule ID from the list
CBS-CRITERIA-007	Enter a valid number for Priority
CBS-CRITERIA-008	Enter a valid number for Priority
CBS-CRITERIA-009	Duplicate entries found for Rule ID
CBS-CRITERIA-010	Duplicate entries found for Priority
CBS-CRITERIA-011	Enter valid Parent Rule ID for
CBS-CRITERIA-012	Duplicate entries found for Rule ID
CBS-CRITERIA-013	Cannot add child Rule when Call All Bureau is enabled



Error Codes	Messages
CBS-CRITERIA-014	Duplicate entries found for Priority
CBS_ERR_004	Parameter description cannot be modified
CBS_LKUP_01	Duplicate entries found for Lookup Code
000 500	Error occurred at Bureau Call
CBS_500	Response structure from Bureau is different
CBS_SYSPAR_001	System parameter not maintained for the bureau for history call
	Facts not found for Bureau identification Rule
CBS 400	Empty response from criteria for given PPcode
003_400	Empty response from Oracle Banking Routing Hub from bureau call
	Bureau identification Rule not found for given facts
CBS-CRTR-015	Criteria Code has exceeded the max length specified
CBS-CRTR-016	Description has exceeded the max length specified
CBS-CRTR-017	Rule Id has exceeded the max length specified
CBS-CRTR-018	Rule Description has exceeded the max length specified
CBS_BR_DTLS_NOT_ FOUND	Bureau Details are not provided
CBS_BR_DTLS_NOT_	Bureau Details are not maintained for +{reqBureauProductType}
MNT	(variable, value will be replaced at runtime from payload)
CDS-DML-006	Invalid range definition. Either range or value is allowed
CDS-DML-007	Duplicate \$1 values are not allowed
CDS-DML-010	From value should not be greater than To value
CDS-RUL-001	Error occurred while evaluating the rule
CDS-DML-003	Effective date should be less than Expiry Date
CDS-PRC-006	Effective date should be less than the Expiry Date



Error Codes	Messages
CDS-DML-002	Maintain at least one record in \$1
CDS-DML-014	Effective date cannot be less than the Product Processor Effective date.
CDS-PRC-014	Effective date cannot be less than the Product Processor Effective Date.
CDS-DML-017	if dmlAppEnabledInd is selected as N then dmlFeature can not be null
CDS-DML-018	if dmlAppEnabledInd is selected as y then dmlScoreRuleId can not be null
CDS-DML-022	Input parameter is missing or incorrect. Unable to resolve any scoring model
CDS-DML-023	Input parameter is missing or incorrect. Unable to calculate the score
CDS-DML-013	Invalid product processor
CDS-PRC-011	Incorrect Range Definition. Range definition should be continuous in \$1
CDS-PRC-012	Duplicate \$1 values are not allowed
CDS-DML-015	Product Processor is not authorized
CDS-DML-011	Incorrect Range Definition. Range definition should be continuous
CDS-DML-012	Input parameter is missing or incorrect. Unable to resolve any pricing setup
CDS-QFT-001	if qftRuleApplicableInd is selected as y then qftRuleName and qftRuleId cannot be null
CDS-QFT-002	if qftRuleApplicableInd is selected as N then qftFactName and qftFactId cannot be null
CDS-QFT-005	qftCode cannot be other than alphanumeric
CDS-QFT-004	Fact or rule not found
CDS-DML-008	Invalid rule name



Error Codes	Messages
CDS-PRC-0010	Fact or rule not found
CDS-PRC-007	Pricing Rate definition should be greater than or equal to minimum rate and less than or equal to maximum rate
CDS-PRC-009	rate percentage of range cannot be equal to zero or less than the previous one
CDS-PRC-005	\$1 should be equal to or greater than the System date
CDS-PRC-010	Invalid product processor
CDS-PRC-004	Maintain at least one record \$1
CDS-PRC-001	Min Rate cannot be less than zero or not be more than max rate
CDS-PRC-003	Overlapping price range definition not allowed \$1
CDS-PRC-002	Rate Type cannot any other keyword
CDS-PRC-008	\$1 cannot be less than or equal to zero
CDS-DML-009	Unable to resolve any scoring model
CDS-PPR-001	\$1 should be equal to or greater than the System date
CDS-DML-005	Overlapping range definition not allowed in \$1
CDS-QFT-003	Invalid product processor
CDS-DML-001	\$1 should be equal to or greater than the Posting date
CDS-DML-019	Unable to resolve the best fit scoring model. Multiple scoring model resolved
CDS-DML-016	Unable to resolve the best fit pricing model. Multiple pricing model resolved
CDS-DML-004	The sum of weightage assigned to the feature code should be 100
CDS-PPR-002	Effective date should be less than Expiry Date
CDS-PRC-013	Rate definition should be greater than or equal to minimum rate and less than or equal to maximum rate



Error Codes	Messages
CDS-DML-020	Unable to resolve the best fit application scoring model Multiple application scoring model resolved
CDS-DML-021	Unable to resolve the best fit decision and grade matrix. Multiple decision and grade matrix resolved
CDS-BWC-001	\$1 should be equal to or greater than the System date
CDS-BWC-002	Maintain at least one record in \$1
CDS-BWC-003	Effective date should be less than the Expiry Date
CDS-BWC-014	Effective date cannot be less than the Product Processor Effective date
CDS-STG-006	Effective Date cannot be null or blank
CDS-STG-007	Expiry Date cannot be null or blank
CDS-STG-008	Industry cannot be null or blank
CDS-STG-009	Module cannot be null or blank
CDS-STG-010	Line of Business cannot be null or blank
CDS-STG-011	Effective date should be less than the Expiry Date
CDS-STG-012	Expiry Date should be equal to or greater then the System date
CDS-STG-013	Invalid Strategy Code
CDS-STG-014	Invalid Industry
CDS-STG-015	Invalid Module
CDS-STG-016	Invalid Line of Business
CDS-STG-017	Invalid product processor
CDS-STG-018	Invalid Account Category
CDS-STG-019	Invalid modes for the selected module
CDS-STG-020	Invalid combination of steps for selected modes
CDS-STG-021	Record already exists
CDS-STG-022	Effective date cannot be less than the Product Processor Effective Date
CDS-RUL-002	Fact already exists
CDS-STG-023	Invalid combination of modes and steps
CDS-DML-040	FeatureDTO missing. Kindly enter the details
CDS-LML-029	Logical Model Reason Code is Invalid



Error Codes	Messages
CDS-DML-024	Negative values not allowed
CDS-DML-025	Category not allowed in case of multi applicant scoring model
CDS-DML-026	Percenatge cannot be greater than 100
CDS-DML-027	For multi-applicant max value not allowed
CDS-DML-028	Max value not required for range type Value
CDS-DML-029	Range type cannot be null
CDS-DML-030	Max value cannot be null
CDS-DML-031	Please enter a valid scoring model type
CDS-DML-032	Please enter a valid range type
CDS-DML-033	Feature list not required for application model
CDS-DML-034	Scoring rule id not required for the scoring model type
CDS-DML-035	Please enter a valid feature type
CDS-DML-036	Only range Type Value is allowed, for fact type feature
CDS-DML-037	Only range Type ParamPercent is allowed, for rule based feature
CDS-DML-038	Only range Type Value is allowed, for Text type fact
CDS-DML-039	Category code missing
CDS-LML-015	Logical Model Code size must be between 1 and 30
CDS-LML-016	Logical Model Description size must be between 1 and 240
CDS-LML-017	Logical Model Effective Date cannot be null
CDS-LML-018	Logical Model Expiry Date cannot be null
CDS-LML-019	Logical Model Rule Id size must be between 1 and 80
CDS-LML-020	Logical Model Details Rule Id cannot be null
CDS-LML-021	Reason Code cannot be null
CDS-LML-022	Logical Model comments size must be between 1 and 80
CDS-LML-023	Logical Model Sequence must be in the range of 1 to 999
CDS-LML-024	Logical Model Sequence is Incorrect
CDS-LML-025	Logical Model Priority must be in the range of 1 to 100
CDS-LML-026	Logical Model Details cannot be null or empty
CDS-LML-027	Rule Id cannot be duplicate
CDS-LML-028	Invalid Rule Id
CDS-QUR-001	Invalid Input for Questionnaireld, can not be null or blank
CDS-QUR-002	Invalid Input for Questionnaireld, null or blank required



Error Codes	Messages
CDS-QUR-003	Invalid Input for QuestionId, null or blank required
CDS-QUR-004	Invalid Input for QuestionId, can not be null or blank
CDS-QUR-005	Questionnaire Code cannot be null or empty
CDS-QUR-006	Questionnaire Description cannot be null or empty
CDS-QUR-007	Product Processor cannot be null or empty
CDS-QUR-008	Question Code cannot be null or empty
CDS-QUR-009	Question Short Name cannot be null or empty
CDS-QUR-010	Question Description cannot be null or empty
CDS-QUR-011	Question Type cannot be null or empty
CDS-QUR-012	Answer Description cannot be null or empty
CDS-QUR-013	Questionnaire Code size must be between 1 and 30
CDS-QUR-014	Questionnaire Description size must be between 1 and 240
CDS-QUR-015	Question Code cannot be duplicate for a product processor
CDS-QUR-016	Question Sequence Number cannot be null, empty or zero, negetive
CDS-QUR-017	Answer Option Sequence Number cannot be null, empty or zero, negetive
CDS-QUR-018	Question Sequence Number cannot be duplicate for a questionnaire
CDS-QUR-019	Answer Option Sequence Number cannot be duplicate for a Question
CDS-QUR-020	Answer OptionId cannot be null or empty
CDS-QUR-021	Answer OptionId cannot be duplicate for a question
CDS-BWC-004	Incorrect execution stage
CDS-BWC-005	\$1 fact or rule not found
CDS-QUR-022	Input for whether Question Mandatory cannot be null or empty
CDS-QUR-023	System will not allow to add questions where response choice has not been captured, At least 2 record should be available
CDS-QUR-024	System will not allow to save the questionnaire without any question configured, Atleast 1 question should be configured in the questionnaire
CDS-QUR-025	Question Code cannot be duplicate for a questionnaire.
CDS-STG-024	Invalid type and value for additional info
CDS-STG-025	Selection of atleast 1 mode is mandatory
CDS-STG-026	Effective date cannot be updated after authorisation
CDS-STG-027	Multiple values of same type are not allowed under Additional Information
CDS-LOOKUP-001	Lookup Type must be alphanumeric



Error Codes	Messages
CDS-LOOKUP-002	Lookup Type must be between 1 and 30
CDS-LOOKUP-003	Lookup Description must be between 1 and 240
CDS-LOOKUP-004	Duplicate lookup codes not allowed
CDS-STG-002	Strategy Code Description cannot be null or blank
CDS-STG-003	Product Processor cannot be null or blank.
CDS-STG-004	Product Processor Description cannot be null or blank.
CDS-STG-005	Account Category cannot be null or blank.
CDS-DML-041	Multiple Range definitions not allowed in case of MultiApplicant Scoring Model
CDS-DML-042	Incorrect Range Definition. \$1



8 Glossary

This section provides a glossary of all terms and abbreviations used in the user manual.

Accounts

Continuing financial relationship between a bank and a customer, in which deposits and debts are held and processed within a framework of established rules and procedures.

Reports

A page containing information organized in a narrative, graphic, or tabular format, prepared on ad-hoc, periodic, recurring, regular, or as required basis. Reports may refer to specific periods, events, occurrences, or subjects.

Pareto Chart

It is a type of chart that consists of both bars and a line graph, where individual values are represented in descending order by bars, and the cumulative total is represented by the line.

Sunburst Chart

It is a type of chart that is ideal for displaying hierarchical data. Each level of the hierarchy is represented by one ring or circle with the innermost circle as the top of the hierarchy. A sunburst chart without any hierarchical data (one level of categories), looks similar to a doughnut chart.

Virtual Account

Virtual accounts are provided to a corporate by its banking partner. Each account is a subsidiary or subaccount of the client's own physical account with the bank; they cannot exist outside of the immediate relationship; hence they are virtual.

Virtual Identifier

Virtual identifier serves to segregate any funds from any other funds in the same main account and yet is inextricably linked to the virtual account.



9 List of Menus

- 1. 3P Service Integration 4.3 3P Service Integration (pg. 328)
- 2. Additional Field Maintenance 3.1 Additional Field Maintenance (pg. 15)
- 3. Advice 3.2 Advice (pg.17)
- 4. Amount Text Language 3.3 Amount Text Language (pg. 20)
- 5. BIC Directory 3.4 BIC Directory (pg. 23)
- 6. Borrowing Capacity 3.46 Borrowing Capacity (pg.212)
- 7. Branch EDD 3.5 Branch EOD (pg. 27)
- 8. Bureau Integration Service 3.34 Bureau Integration Service (pg. 127)
- 9. Country Code 3.6 Country Code (pg. 31)
- 10. Create Questionnaire 3.47 Questionnaire (pg. 223)
- 11. Credit Bureau Display 3.35 Credit Bureau Display (pg.130)
- 12. Criteria 3.37 Criteria (pg.140)
- 13. Currency Definition 3.7 Currency Definition (pg. 34)
- 14. Currency Exchange Rate 3.8 Currency Exchange Rate (pg. 40)
- 15. Currency Holiday Master 3.9 Currency Holiday Master (pg. 43)
- 16. Currency Pair Definition 3.10 Currency Pair Definition (pg. 46)
- 17. Currency Rate Type 3.11 Currency Rate Type (pg. 49)
- 18. Customer Category 3.12 Customer Category (pg. 51)
- 19. Decision Grade Matrix 3.51 Decision Grade Matrix (pg.267)
- 20. Decision Service 3.40 Decision Service (pg. 172)
- 21. ECA System 3.13 ECA System (pg. 53)
- 22. Entities 2.2 Entities (pg. 7)
- 23. Execution Summary 3.53 View Execution Summary (pg.294)
- 24. External Bank Parameters 3.14 External Bank Parameters (pg. 55)
- 25. External Branch Parameters 3.15 External Branch Parameters (pg. 57)
- 26. External Chart Account 3.16 External Chart Account (pg. 61)
- 27. External Customer 3.17 External Customer (pg. 63)
- 28. External Customer Account 3.18 External Customer Account (pg. 66)
- 29. External Customer Account Structured Address 3.19 External Customer Account Structured Address (pg. 70)
- 30. External Virtual Account Structured Address 3.20 External Virtual Account Structured Address (p 73)
- 31. Forget Process 3.21 Forget Process (pg. 74)
- 32. Host Code 3.22 Host Code (pg. 76)
- 33. Integrating Bureau Integration Service with Oracle Banking Routing Hub 3.33 Integrating Bureau Integration Service with Oracle Banking Routing Hub (pg.101)
- 34. Integrating Decision Service with Oracle Banking Routing Hub 3.39 Integrating Decision Service with Oracle Banking Routing Hub (pg. 152)
- 35. Language Code 3.23 Language Code (pg. 78)
- 36. Local Holiday 3.24 Local Holiday (pg. 80)
- 37. Logical Model 3.45 Logical Model (pg.200)



- 38. Lookup 3.36 Lookup (pg.134)
- 39. Media 3.25 Media (pg. 82)
- 40. Multi-Currency Account Linkage 3.26 Multi-Currency Account Linkage (pg. 85)
- 41. Operation 4.2 Operation (pg. 324)
- 42. Process Code 3.27 Process Code (pg. 87)
- 43. Pricing 3.52 Pricing (pg.282)
- 44. Pricing Source System 3.32 Pricing Source System (pg. 98)
- 45. Product Processor 3.41 Product Processor (pg.175)
- 46. Qualitative Scoring Model 3.48 Qualitative Scoring Model (pg. 231)
- 47. Quantitative Scoring Model 3.50 Quantitative Scoring Model (pg. 249)
- 48. Scoring Feature 3.49 Scoring Feature (pg. 245)
- 49. Strategy Configuration 3.44 Strategy Configuration (pg.192)
- 50. System Dates 3.28 System Dates (pg. 90)
- 51. System Parameter 3.38 System Parameter (pg.147)
- 52. Transaction Code 3.29 Transaction Code (pg. 91)
- 53. Toolkit 4.1 Toolkit (pg.312)
- 54. Upload Source 3.30 Upload Source (pg. 93)
- 55. Upload Source Preferences 3.31 Upload Source Preference (pg. 95)
- 56. Users 2.3 Users (pg. 10)



10 Reference and Feedback

This section contains following subsections:

- 10.1 References
- 10.2 Documentation Accessibility
- 10.3 Feedback and Support

10.1 References

For more information on any related features, you can refer to the following documents:

- Oracle Banking Security Management System User Guide
- Getting Started User Guide

10.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

10.3 Feedback and Support

Oracle welcomes customers' comments and suggestions on the quality and usefulness of the document. Your feedback is important to us. If you have a query that is not covered in this user guide or if you still need assistance, please contact documentation team.

