

Oracle Banking Cash Management

User Interface Installation Guide

Release 14.5.4.0.0

Part No. F54344-01

February 2022

User Interface Installation Guide
February 2022

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2020, 2021, 2022 Oracle and/or its affiliates.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or de-compilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

- 1. PREFACE4**
 - 1.1 INTRODUCTION4
 - 1.2 AUDIENCE.....4
 - 1.3 DOCUMENT ACCESSIBILITY4
 - 1.4 ORGANIZATION.....4
- 2. DOMAIN & CLUSTER CONFIGURATION5**
 - 2.1 DOMAIN CONFIGURATION5
 - 2.1.1 Prerequisite.....5
 - 2.1.2 Domain Creation and Configuration.....5
- 3. DATA SOURCES CREATION.....6**
 - 3.1 PREREQUISITE6
 - 3.2 DATA SOURCES LIST6
- 4. DEPLOYMENTS7**
 - 4.1 PREREQUISITE7
 - 4.2 DEPLOYMENT LIST7
 - 4.3 STEPS TO DEPLOY AS APPLICATION7
- 5. RESTARTS AND REFRESH.....8**
 - 5.1 RESTARTING SERVERS8

1. Preface

1.1 Introduction

This guide would help you to install the OBCM UI on designated environment. It is assumed that all the prior setup is already done related with WebLogic managed server creation. It is recommended to use dedicated managed server for OBCM UI.

1.2 Audience

This guide is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

1.3 Document Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>

1.4 Organization

This installation user guide would allow you to install following:

- OBCM UI

2. Domain & Cluster Configuration

2.1 Domain Configuration

2.1.1 Prerequisite

- Database setup for all the modules viz. Plato, SMS, Common Core, OBCM Services and all Day-0 setups must be completed. **(Required)**
- Machine should have Java JDK 1.8 Update 281 installed.
- Oracle Fusion Middleware Infrastructure 12.2.1.4.0 has to be installed on the machine.

2.1.2 Domain Creation and Configuration

It is recommended to create the domain structure as given below and also to maintain the same nomenclature. For Creating Domain and Configuration, please refer to the “**Create and Cluster Configuration**” from **Annexure** guide.

3. Data Sources Creation

3.1 Prerequisite

- Database schemas for all OBCM services are created and all the required grants are given.
- All the domains and managed servers are created.

3.2 Data sources List

The table below lists the data sources to be created on each managed server prior to deployment of applications onto managed servers.

Data Source Name	Data Source JNDI	Target
PLATO	jdbc/PLATO	OBCM_UIManagedServer1
PLATO-UICONFIG	jdbc/PLATO_UI_CONFIG	

For creating data source, please refer to the “**Create Data Sources**” from **Annexure** guide.

4. Deployments

4.1 Prerequisite

Before you proceed with below, please make sure previous steps are completed.

4.2 Deployment List

Below table give details of the deployments required on each Server for the UI Component application to run. Deploy one after other in the same given order:

Application	Archive	OSDC Path	Target
app-shell	app-shell-7.2.0.war	\OBCM_OSDC_ 14.5.4.0.0\UI\	OBCM_UIMan agedServer1
cmc-component-server	cmc-component-server- 7.2.0.war		
moc-component-server	moc-component-server- 7.2.0.war		
obpy-component-server	obpy-component-server- 7.2.0.war		
obreports-component-server	obreports-component- server-7.2.0.war		
obscfcm-component-server	obscfcm-component- server-7.2.0.war		
obcm-component-server	obcm-component-server- 7.2.0.war		
sms-component-server	sms-component-server- 7.2.0.war		

4.3 Steps to Deploy as Application

To deploy application, please refer to the “**Deploy Application**” section from **Annexure** guide.

5. Restarts and Refresh

Once everything is deployed, the managed servers and for each application call path “/refresh” for refreshing the configuration properties.

5.1 Restarting Servers

To restart the server, please refer to the “**Restart Server**” section from **Annexure** guide.