

BCPKS\_LIMITS Package  
**Extensible Hook Details**  
14.5.5.0.0

May 2022

Asset Management User Guide  
Oracle Financial Services Software

Limited Oracle Park

Off Western Express  
Highway Goregaon  
(East)  
Mumbai, Maharashtra 400  
063 India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2020, 2022 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Contents

|                                 |   |
|---------------------------------|---|
| 1. FN_BCLIMITS_DECR/6/1 .....   | 1 |
| 2. FN_BCLIMITS_DECR/6/2 .....   | 2 |
| 3. FN_BCLIMITS_DELETE/6/1 ..... | 2 |
| 4. FN_BCLIMITS_DELETE/6/2 ..... | 3 |
| 5. FN_BCLIMITS_MATURE/6/1 ..... | 3 |
| 6. FN_BCLIMITS_MATURE/6/2 ..... | 4 |
| 7. FN_BCLIMITS_NEW/6/1 .....    | 5 |
| 8. FN_BCLIMITS_NEW/6/2 .....    | 5 |
| 9. FN_BCLIMITS_UPDATE/6/1 ..... | 6 |

| Parameter                      | Description   |
|--------------------------------|---|
| Function                       | FN_BCLIMITS_DECR  |
| No of Parameters               | 6   |
| Function Call Id               | 1   |
| Cluster/Custom Function Name   | FN_PRE_BCLIMITS_DECR  |
| Additional parameters          | None  |
| Sent to Extensible layer       | None  |
| Received from Extensible layer | None  |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcps_limits.FN_BCLIMITS_DECR. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcps_limits_custom with Skip Kernel Code.</p>   |
| Description                    | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcps_limits.FN_BCLIMITS_DECR. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcps_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 23497016  |
|                                |   |
| Parameter                      | Description   |
| Function                       | FN_BCLIMITS_DECR  |
| No of Parameters               | 6   |
| Function Call Id               | 2   |
| Cluster/Custom Function Name   | FN_POST_BCLIMITS_DECR   |
| Additional parameters          | None  |
| Sent to Extensible layer       | None  |
| Received from Extensible layer | None  |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcps_limits.FN_BCLIMITS_DECR. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcps_limits_custom with Skip Kernel Code.</p>   |

|             |   |
|-------------|---|
| Description | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_DECR. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No      | 23497016  |

| Parameter                      | Description   |
|--------------------------------|---|
| Function                       | FN_BCLIMITS_DELETE  |
| No of Parameters               | 6   |
| Function Call Id               | 1   |
| Cluster/Custom Function Name   | FN_PRE_BCLIMITS_DELETE  |
| Additional parameters          | None  |
| Sent to Extensible layer       | None  |
| Received from Extensible layer | None  |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_DELETE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p>   |
| Description                    | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_DELETE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 24337434  |

| Parameter                    | Description             |
|------------------------------|-------------------------|
| Function                     | FN_BCLIMITS_DELETE      |
| No of Parameters             | 6                       |
| Function Call Id             | 2                       |
| Cluster/Custom Function Name | FN_POST_BCLIMITS_DELETE |
| Additional parameters        | None                    |
| Sent to Extensible layer     | None                    |

|                                |   |
|--------------------------------|---|
| Received from Extensible layer | None  |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_DELETE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p>   |
| Description                    | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_DELETE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 24337434  |

| Parameter                      | Description   |
|--------------------------------|---|
| Function                       | FN_BCLIMITS_MATURE  |
| No of Parameters               | 6   |
| Function Call Id               | 1   |
| Cluster/Custom Function Name   | FN_PRE_BCLIMITS_MATURE  |
| Additional parameters          | None  |
| Sent to Extensible layer       | None  |
| Received from Extensible layer | None  |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_MATURE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p>   |
| Description                    | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_MATURE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 23497016  |

| Parameter | Description        |
|-----------|--------------------|
| Function  | FN_BCLIMITS_MATURE |

|                                |   |
|--------------------------------|---|
| No of Parameters               | 6   |
| Function Call Id               | 2   |
| Cluster/Custom Function Name   | FN_POST_BCLIMITS_MATURE   |
| Additional parameters          | None  |
| Sent to Extensible layer       | None  |
| Received from Extensible layer | None  |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcps_limits.FN_BCLIMITS_MATURE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcps_limits_custom with Skip Kernel Code.</p>   |
| Description                    | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcps_limits.FN_BCLIMITS_MATURE. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcps_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 23497016  |

| Parameter                      | Description  |
|--------------------------------|--|
| Function                       | FN_BCLIMITS_NEW  |
| No of Parameters               | 6  |
| Function Call Id               | 1  |
| Cluster/Custom Function Name   | FN_PRE_BCLIMITS_NEW  |
| Additional parameters          | None   |
| Sent to Extensible layer       | None   |
| Received from Extensible layer | None   |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcps_limits.FN_BCLIMITS_NEW. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcps_limits_custom with Skip Kernel Code.</p> |

|             |  |
|-------------|--|
| Description | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_NEW. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No      | 23497016   |

| Parameter                      | Description  |
|--------------------------------|--|
| Function                       | FN_BCLIMITS_NEW  |
| No of Parameters               | 6  |
| Function Call Id               | 2  |
| Cluster/Custom Function Name   | FN_POST_BCLIMITS_NEW   |
| Additional parameters          | None   |
| Sent to Extensible layer       | None   |
| Received from Extensible layer | None   |
| Hook Description               | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_NEW. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p>   |
| Description                    | <p>New fields are added in BCDTRONL, and during BC contract creation these fields must be validated by system. For this, a standard Pre/Post hooks are placed in bcpsks_limits.FN_BCLIMITS_NEW. so that the new amount tag value gets added to the table and validated with new value.</p> <p>In Pre/Post Hook, Call is given to bcpsks_limits_custom with Skip Kernel Code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 23497016   |

| Parameter                    | Description                       |
|------------------------------|-----------------------------------|
| Function                     | FN_BCLIMITS_UPDATE                |
| No of Parameters             | 6                                 |
| Function Call Id             | 1                                 |
| Cluster/Custom Function Name | FN_BCLIMITS_UPDATE                |
| Additional parameters        | l_fn_call_id<br>l_tb_cluster_data |
| Sent to Extensible layer     | None                              |



|                                |   |
|--------------------------------|---|
| Received from Extensible layer | None  |
| Hook Description               | <p>Export bills are purchased or negotiated as per the tenor of the bill.</p> <p>If the bill is not realized within 30 days from notional due date it is crystallized (converted into INR) on the 30th day or as per the written request of the customer at any time from notional due date up to crystallization date.</p> <p>So, As part of BC Crystallization customization of bills in BC Contract,</p> <p>Standard Hook is provided in BCPKS_LIMITS.FN_BCLIMITS_UPDATE at the End.</p>   |
| Description                    | <p>Export bills are purchased or negotiated as per the tenor of the bill.</p> <p>If the bill is not realized within 30 days from notional due date it is crystallized (converted into INR) on the 30th day or as per the written request of the customer at any time from notional due date up to crystallization date.</p> <p>So, As part of BC Crystallization customization of bills in BC Contract,</p> <p>Standard Hook is provided in BCPKS_LIMITS.FN_BCLIMITS_UPDATE at the End.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No                         | 23761195  |