

Environment Variable Setup Guide
Oracle Banking Supply Chain Finance
Release 14.5.5.0.0
Part No. F58734-01
May 2022



Environment Variable Setup Guide
Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India
Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2020, 2021, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

- 1. PREFACE 1-2**
 - 1.1 INTRODUCTION 1-2
 - 1.2 AUDIENCE..... 1-2
 - 1.3 DOCUMENTATION ACCESSIBILITY 1-2

- 2. ENVIRONMENT VARIABLES 2-3**
 - 2.1 ENVIRONMENT VARIABLES FOR PLATO DOMAIN 2-3
 - 2.2 ENVIRONMENT VARIABLE FOR SMS,COMMONCORE, MIDOFFICE DOMAIN 2-12
 - 2.3 ENVIRONMENT VARIABLE FOR CONDUCTOR DOMAIN 2-13
 - 2.4 ENVIRONMENT VARIABLES FOR OBSCFCM / OBSCF MANAGED SERVERS 2-13
 - 2.5 ENVIRONMENT VARIABLES FOR OBSCFCM DAY0 MANAGED SERVER..... 2-14
 - 2.6 ENVIRONMENT VARIABLES FOR OBSCF DAY0 MANAGED SERVER 2-17

1. Preface

1.1 Introduction

This guide would help you to set up environment variables for Plato, SMS, Common Core, Middle Office and OBSCF/OBSCFCM.

1.2 Audience

This document is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

2. Environment Variables

2.1 Environment Variables for Plato domain

Create a file named “**setUserOverrides.sh**” inside the Weblogic bin location of plato config Service domain with the content given below. All the place holders for plato, SMS, Common Core, Mid office & OBSCF/OBSCFCM services are listed and replace the values accordingly. When the plato services is getting deployed all the values are inserted in the plato PROPERTIES tables.

```
#!/bin/bash
```

```
JAVA_OPTIONS="${JAVA_OPTIONS} -DflywayTask=migrate -Dflyway.enabled=true -  
Dspring.flyway.enabled=true -Dflyway.domain.baselineOnMigrate=true -  
Dflyway.domain.ignoreMissingMigrations=true -Dflyway.domain.outOfOrder=true -  
Dflyway.domain.db.username=<username> -Dflyway.domain.db.password=<password> -  
Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID> -Dflyway.domain.db.driver-  
class-name=oracle.jdbc.driver.OracleDriver -Dflyway.domain.schemas=PLATO -  
Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/sms,db/migration/dom  
ain/cmc,db/migration/domain/moc,db/migration/domain/obscf,db/migration/domain/obscfcm -  
Dflyway.domain.placeHolders.plato.eventhub.broker.hosts=<host>:<port> -  
Dflyway.domain.placeHolders.plato.eventhub.zookeeper.hosts=<host>:2181 -  
Dflyway.domain.placeHolders.kafka.broker.host=<host> -  
Dflyway.domain.placeHolders.kafka.broker.port=9092 -  
Dflyway.domain.placeHolders.zk.node.host=<host> -  
Dflyway.domain.placeHolders.zk.node.port=<port> -  
Dflyway.domain.placeHolders.eureka.host=<host> -  
Dflyway.domain.placeHolders.eureka.port=<port> -  
Dflyway.domain.placeHolders.zipkin.host=<host> -  
Dflyway.domain.placeHolders.zipkin.port=9411 -  
Dflyway.domain.placeHolders.driver.className=oracle.jdbc.driver.OracleDriver -  
Dflyway.domain.placeHolders.api-gateway.host=<host> -  
Dflyway.domain.placeHolders.USER.STORE=LDAP -  
Dflyway.domain.placeHolders.LDAP.CORS.allowed.origin=*,localhost,<host> -  
Dflyway.domain.placeHolders.LDAP.credential.SALT=0.948262845 -  
Dflyway.domain.placeHolders.JWT.EXPIRY.seconds=3600 -  
Dflyway.domain.placeHolders.LDAP.url=ldap://<host>:<port> -  
Dflyway.domain.placeHolders.LDAP.userId=cn=DirectoryManager -  
Dflyway.domain.placeHolders.LDAP.server.base=dc=oracle,dc=com -  
Dflyway.domain.placeHolders.LDAP.server.credential=<ldap-server-credential> -  
Dflyway.domain.placeHolders.LDAP.usersearch.base=dc=oracle,dc=com -  
Dflyway.domain.placeHolders.LDAP.user.prefix=cn= -  
Dflyway.domain.placeHolders.LDAP.provider=<ldap host> -  
Dflyway.domain.placeHolders.TOKEN.autoregenerate=true -  
Dflyway.domain.placeHolders.SSO.enabled=false -  
Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=false -  
Dflyway.domain.placeHolders.plato-ui-config-services.server.port=<port> -  
Dflyway.domain.placeHolders.apigateway.host=<host> -  
Dflyway.domain.placeHolders.apigateway.port=<port> -Dflyway.domain.placeHolders.plato-api-
```

gateway.server.port=<port> -Dflyway.domain.placeHolders.plato-discovery-
service.server.port=<port> -Dflyway.domain.placeHolders.plato-orch-service.server.port=<port> -
Dflyway.domain.placeHolders.plato-orchestrator.hostname=<host>:<port> -
Dflyway.domain.placeHolders.plato-feed-services.feed.upload.directory=<upload dir path> -
Dflyway.domain.placeHolders.plato-feed-services.server.port=<port> -
Dflyway.domain.placeHolders.plato-batch-server.server.port=<port> -
Dflyway.domain.placeHolders.plato-batch-server.plato.eventhub.kafka.brokers=<host>:9092 -
Dflyway.domain.placeHolders.plato-batch-server.plato.eventhub.zk.nodes=<host>:<port> -
Dflyway.domain.placeHolders.plato-alerts-management-services.server.port=<port> -
Dflyway.domain.placeHolders.sms-core-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-advice-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-currency-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-account-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-base-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-branch-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-customer-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-datasegment-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-external-chart-account-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-external-system-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-screenclass-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-settlements-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-transactioncontroller-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-report-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-settlement-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-service.server.port=<port> -
Dflyway.domain.placeHolders.cmc-txn-code-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-external-virtual-account-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-businessoverrides-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-facilities-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-corebanking-adapter-service.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-annotator-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-dashboard-widjet-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-model-mngmnt-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-online-processing-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-tag-maint-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-text-extraction-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-txn-log-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-util-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-batch-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.postingPath=/scratch/app/work_area/cmc_fc_ai_ml/post -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=<Email> -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerPort=<port> -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailServerHost=<host> -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=100 -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollerInitialDelay=500 -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.emailPassword=<password> -
Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.pollingPath=/scratch/app/work_area/cmc_fc_ai_ml/poll -
Dflyway.domain.placeHolders.server.port=<port> -Dflyway.domain.placeHolders.moc.cmc-
earmark-services.server.port=<port> -

Dflyway.domain.placeHolders.ELCM_HTTP_URL=http://<host>:<port>/ -
 Dflyway.domain.placeHolders.earmark-services=12.5 -
 Dflyway.domain.placeHolders.elcmProduct=ELCM -Dflyway.domain.placeHolders.moc.cmc-
 comments-services.server.port=<port> -Dflyway.domain.placeHolders.moc.cmc-document-
 services.server.port=<port> -
 Dflyway.domain.placeHolders.dmsServiceUrl=http://<host>:17200/_dav/cs/idcplg -
 Dflyway.domain.placeHolders.dmsServiceUsrname=<username> -
 Dflyway.domain.placeHolders.dmsServicePwd=<password> -Dflyway.domain.placeHolders.cmc-
 applicationcategory-services.server.port=<port> -Dflyway.domain.placeHolders.cmc-
 checklistmanagement-services.server.port=<port> -Dflyway.domain.placeHolders.cmc-checklist-
 services.server.port=<port> -Dflyway.domain.placeHolders.cmc-
 mailnotification.server.port=<port> -Dflyway.domain.placeHolders.plato-
 config.url=jdbc:oracle:thin:@//<host>:1521/<SID> -
 Dflyway.domain.placeHolders.sms.url=jdbc:oracle:thin:@//<host>/<SID> -
 Dflyway.domain.placeHolders.cmc-kyccheck.server.port=<port> -
 Dflyway.domain.placeHolders.rabbitmq.password=<password> -
 Dflyway.domain.placeHolders.rabbitmq.userid=<userId> -
 Dflyway.domain.placeHolders.rabbitmq.port=<port> -
 Dflyway.domain.placeHolders.rabbitmq.host=<hostname> -
 Dflyway.domain.placeHolders.weblogic.userid=<userId> -
 Dflyway.domain.placeHolders.weblogic.password=<password> -
 Dflyway.domain.placeHolders.biPublisher.host=<host> -
 Dflyway.domain.placeHolders.biPublisher.port=<port> -
 Dflyway.domain.placeHolders.runReportTemplate=http -
 Dflyway.domain.placeHolders.emailTemplate=SSH -
 Dflyway.domain.placeHolders.dms.host=<host> -Dflyway.domain.placeHolders.dms.port=<port> -
 Dplato.jndi=jdbc/PLATO -Dplato-config.jndi=jdbc/PLATO -Dapi-
 gateway.jndi=jdbc/PLATO_SECURITY -Dplato-ui-config.jndi=jdbc/PLATO_UI_CONFIG -
 Dsms.jndi=jdbc/sms -Dcmc.jndi=jdbc/CMNCORE -Dplato-feed-services.jndi=jdbc/PLATOFEED -
 Dplato-batch-server.jndi=jdbc/PLATO_BATCH -Dplato-alerts-management-
 services.jndi=jdbc/PLATOALERTS -Dflyway.domain.placeHolders.plato.jndi=jdbc/PLATO -
 Dflyway.domain.placeHolders.plato-config.jndi=jdbc/PLATO -Dflyway.domain.placeHolders.api-
 gateway.jndi=jdbc/PLATO_SECURITY -Dflyway.domain.placeHolders.plato-ui-
 config.jndi=jdbc/PLATO_UI_CONFIG -Dflyway.domain.placeHolders.sms.jndi=jdbc/sms -
 Dflyway.domain.placeHolders.cmc.jndi=jdbc/CMNCORE -Dflyway.domain.placeHolders.plato-
 feed-services.jndi=jdbc/PLATOFEED -Dflyway.domain.placeHolders.plato-batch-
 server.jndi=jdbc/PLATO_BATCH -Dflyway.domain.placeHolders.plato-alerts-management-
 services.jndi=jdbc/PLATOALERTS -
 Dflyway.domain.placeHolders.eureka.serviceUrl=http://<host>:<port>/plato-discovery-
 service/eureka -Dflyway.domain.placeHolders.eureka.serviceurl=http://<host>:<port>/plato-
 discovery-service/eureka -Dflyway.domain.placeHolders.spring.zipkin.baseUrl=<host>:9411 -
 Dflyway.domain.placeHolders.zipkin.baseUrl=<host>:9411 -
 Dflyway.domain.placeHolders.zipkin.url=<host>:9411 -
 Dflyway.domain.placeHolders.eureka.client.serviceUrl.defaultZone=http://<host>:8005/plato-
 discovery-service/eureka -Dflyway.domain.placeHolders.zookeeper.port=2181 -
 Dflyway.domain.placeHolders.kafka.port=9092 -Dflyway.domain.placeHolders.kafka.host=<host>
 -Dflyway.domain.placeHolders.obscf.core.server.port=<port> -
 Dflyway.domain.placeHolders.OBCL.GWHTTPSERVLETURLOBCL=http://<host>:7003/GWHTT
 P/GWHttpServlet -Dflyway.domain.placeHolders.finance.server.port=<port> -
 Dflyway.domain.placeHolders.plato.services.zipkin.url=<host>:9411 -
 Dflyway.domain.placeHolders.FCUBS.GWHTTPSERVLETURLFCUBS=http://<host>:<port>/GW
 HTTP/GWHttpServlet -Dflyway.domain.placeHolders.limitmaint.server.port=<port> -

Dflyway.domain.placeHolders.URL.ELCM_HTTP_URL=http://<host>:<port> -
 Dflyway.domain.placeHolders.limits.server.port=<port> -
 Dflyway.domain.placeHolders.eod.server.port=<port> -
 Dflyway.domain.placeHolders.autorecon.server.port=<port> -
 Dflyway.domain.placeHolders.obscf.report.server.port=<port> -
 Dflyway.domain.placeHolders.charges.server.port=<port> -
 Dflyway.domain.placeHolders.accounting.server.port=<port> -
 Dflyway.domain.placeHolders.cmncore.cmc-branch.service.appld=CMNCORE -
 Dflyway.domain.placeHolders.obscf.maintenance.service.appld=SCFMANT -
 Dflyway.domain.placeHolders.reconmaint.server.port=<port> -
 Dflyway.domain.placeHolders.manualrecon.server.port=<port> -
 Dflyway.domain.placeHolders.obscfcm.core.server.port=<port> -
 Dflyway.domain.placeHolders.filter.server.port=<port> -
 Dflyway.domain.placeHolders.instruments.server.port=<port> -
 Dflyway.domain.placeHolders.obscfcm.instruments-receivables.service.appld=OBSCFCMINST -
 Dflyway.domain.placeHolders.conductor.httpUri=http://<host>:<port>/obscfcm-workflow-
 management-services/service/v1/handleHTTPTask -
 Dflyway.domain.placeHolders.maint.server.port=<port> -
 Dflyway.domain.placeHolders.obscfcm.report.server.port=<port> -
 Dflyway.domain.placeHolders.workflow.server.port=<port> -
 Dflyway.domain.placeHolders.plato.server.port=<port> -
 Dflyway.domain.placeHolders.orchestrator.server.uri=http://<Conductor Host : PORT>/plato-
 orch/api/ -Dflyway.domain.placeHolders.plato-config.sessionIdleTimeout=3000 -
 Dflyway.domain.placeHolders.plato-config.sessionIdleWarningTime=2940 -
 Dflyway.domain.placeHolders.plato-config.environment=DEV -
 Dflyway.domain.placeHolders.cashflow.server.port=<port> -
 Dflyway.domain.placeHolders.collmaint.server.port=<port> -
 Dflyway.domain.placeHolders.colltxn.server.port=<port> -Dapigateway.url=http://<host>:<port> -
 Dplato.services.config.port=<port> -Dplato.services.config.uri=http://<host>:<port> -
 Dplato.service.env=DEV -Dplato.service.logging.path=/scratch/work_area/application/logs -
 Dflyway.domain.placeHolders.plato-batch-server.userId=<userId> -
 Dflyway.domain.placeHolders.plato-batch-server.branchCode=<branchCode> -
 Dflyway.domain.placeHolders.cmncore.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.cmc-checklist-services.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.checklistmanagement-services.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG -
 Dflyway.domain.placeHolders.screenclass.db.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.txncontroller.db.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.facilities.db.jndi=jdbc/CMNCORE -Dplato.db.jndi=jdbc/PLATO -
 Dflyway.domain.placeHolders.plato.db.jndi=jdbc/PLATO -
 Dflyway.domain.placeHolders.sms.db.jndi=jdbc/sms -
 Dflyway.domain.placeholders.user.mapping.required=true -Dflyway.domain.placeHolders.plato-
 config.schemas=PLATO -Dflyway.domain.placeHolders.api-
 gateway.schemas=PLATO_SECURITY -
 Dflyway.domain.placeHolders.platoui.schemas=PLATO_UI_CONFIG -
 Dflyway.domain.placeHolders.platoui.username=<username> -
 Dflyway.domain.placeHolders.platoui.password=<password> -
 Dflyway.domain.placeHolders.cmncore.schemas=COMMON_CORE -
 Dflyway.domain.placeHolders.cmncore.db.password=<username> -
 Dflyway.domain.placeHolders.cmncore.db.username=<password> -
 Dflyway.domain.placeHolders.sms.schemas=SMSCD0 -Dflyway.domain.placeHolders.plato-ui-
 config.schemas=PLATO_UI_CONFIG -Dflyway.domain.placeHolders.plato-feed-

services.schemas=PLATOFEED -Dflyway.domain.placeHolders.plato-feed-
 services.schemas=PLATO_FEED -Dflyway.domain.placeHolders.plato-batch-
 server.schemas=PLATO_BATCH -Dflyway.domain.placeHolders.plato-alerts-management-
 services.schemas=PLATOALERTS -
 Dflyway.domain.placeHolders.platoui.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID> -
 Dflyway.domain.placeHolders.cmncore.db.url=jdbc:oracle:thin:@//<host>:1521/<SID> -
 Dflyway.domain.placeHolders.cmncore.db.schemas=COMMON_CORE -
 Dflyway.domain.placeHolders.cmc-obrh-services.server.port=<port> -
 Dflyway.domain.placeHolders.cmc-charges-calculation-services.server.port=<port> -
 Dflyway.domain.placeHolders.plato.db.jndi=jdbc/PLATO -
 Dflyway.domain.placeHolders.sms.db.jndi=jdbc/sms -
 Dflyway.domain.placeHolders.flyway.plato.schema=PLATO -
 Dflyway.domain.placeHolders.flyway.sms.schema=SMSCD0 -
 Dflyway.domain.placeHolders.flyway.domain.schema=COMMON_CORE -
 Dflyway.domain.placeHolders.obrh.db.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.platouserlog.path=/scratch/work_area/application/logs -
 Dflyway.domain.placeHolders.plato.alerts.email.password=<password> -
 Dflyway.domain.placeHolders.plato.alerts.email.userId=<userId> -
 Dflyway.domain.placeHolders.cmncore.db.jndi=jdbc/CMNCORE -
 Dflyway.domain.placeHolders.vam.schemas=VAM -
 Dflyway.domain.placeHolders.vam.jndi=jdbc/VAM -
 Dflyway.domain.placeHolders.obscfcm.conductor.service.appId=OBSCFCMCDTR -
 Dflyway.domain.placeHolders.obscfcm.conductor.service.uri=http://<host>:7005/obscfcm-
 workflow-management-services/service/v1/handleHTTPTask -
 Dflyway.domain.placeHolders.plato.alerts.cmc.userId=<userId> -
 Dflyway.domain.placeHolders.plato.alerts.cmc.branchCode=<branchCode> -
 Dflyway.domain.placeHolders.plato.alerts.cmc.appId=CMNCORE -
 Dflyway.domain.placeHolders.platoorch.domain.jndi=jdbc/PLATO-O -
 Dflyway.domain.placeHolders.platoorch.domain.schemas=OBSCFCM_WORKFLOWS_CONDU
 TOR -Dflyway.domain.placeHolders.cmc-obrh-
 services.kafka.server.path=/scratch/deployed/kafka/kafka -Dflyway.domain.placeHolders.cmc-
 obrh-services.zookeeper.server.path=/scratch/deployed/kafka/apache-zookeeper-3.5.6-bin -
 Dflyway.domain.placeHolders.obcmcff.service.userId=<userId> -
 Dflyway.domain.placeHolders.obcmcff.service.branchCode=<branchCode> -
 Dflyway.domain.placeHolders.upload.handler.userId=<userId> -
 Dflyway.domain.placeHolders.upload.handler.branchCode=<branchCode> -
 Dflyway.domain.placeHolders.obcm.core.branchCode=<branchCode> -
 Dflyway.domain.placeHolders.obcm.core.userId=<userId> -
 Dflyway.domain.placeHolders.obcm.collectiontransaction.poolingjob.userId=<userId> -
 Dflyway.domain.placeHolders.obcm.colleactiontransaction.service.userId=<userId> -
 Dflyway.domain.placeHolders.obcm.mastermaintenance.service.userId=<userId> -
 Dflyway.domain.placeHolders.obscfcm.core.userId=<userId> -
 Dflyway.domain.placeHolders.obscfcm.core.branchCode=<branchCode> -
 Dflyway.domain.placeHolders.obscf.finance.emailto=<emailto> -
 Dflyway.domain.placeHolders.report-service.server.port=<port> -
 Dflyway.domain.placeHolders.report-service.username=<username> -
 Dflyway.domain.placeHolders.report-service.password=<password> -
 Dflyway.domain.placeHolders.report-service.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID> -
 Dflyway.domain.placeHolders.report-service.schemas=PLATO_REPORT_SERVICE -
 Dflyway.domain.placeHolders.plato-rule-service.server.port=<port> -
 Dflyway.domain.placeHolders.plato-rule.hostname=<host> -
 Dflyway.domain.placeHolders.platorule.domain.jndi=jdbc/PLATORULE -

Dflyway.domain.placeHolders.platorule.domain.schemas=PLATORULE -
Dflyway.domain.placeHolders.day0.server.port=<port> -Dflyway.domain.placeHolders.cmc-nlp-
pipeline-services.server.port=<port> -Dflyway.domain.placeHolders.cmc-nlp-opennlp-
services.server.port=<port> -Dflyway.domain.placeHolders.plato-config.db.jndi=jdbc/PLATO -
Dflyway.domain.placeHolders.cmc-nlp-maintenance-services.server.port=<port> -
Dflyway.domain.placeHolders.cmc-nlp-docview-services.server.port=<port> -
Dflyway.domain.placeHolders.obcmprojec.server.port=<port> -
Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port> -
Dflyway.domain.placeHolders.cmc-ml-indb-services.server.port=<port> -
Dflyway.domain.placeHolders.obscf.day0.server.port=<port> -Dflyway.domain.placeHolders.cmc-
obrh-services.kafka.enabled=true -Dflyway.domain.placeHolders.cmc-sla-
services.server.port=<port> -
Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER -
Dflyway.domain.placeHolders.obscf.core.service.appId=SCFCORE -
Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER -
Dflyway.domain.placeHolders.obscfcmalert.core.userId=<userId> -
Dflyway.domain.placeHolders.obscfcmalert.core.branchCode=<branchCode> -
Dflyway.domain.placeHolders.obscfcmalert.server.port=<port> -
Dflyway.domain.placeHolders.obcbs.server.port=<port> -
Dflyway.domain.placeHolders.plato.services.rule.uri=http://<host>:<port>/rule-service -
Dflyway.domain.placeHolders.cmc-obcbs-services.schemas=COMMON_CORE -
Dflyway.domain.placeHolders.plato.service.logging.path=/scratch/work_area/application/logs -
Dflyway.domain.placeHolders.plato.service.env=DEV -
Dflyway.domain.placeHolders.orch.cmc.brn=<branchCode> -
Dflyway.domain.placeHolders.orch.cmc.user=<userId> -
Dflyway.domain.placeHolders.orch.enableDynamicAllocation=false -
Dflyway.domain.placeHolders.orch.enableSLA=false -Dflyway.domain.placeHolders.report-
service.domain.jndi=jdbc/REPORTSERVICE -
Dflyway.domain.placeHolders.cmc.schemas=COMMON_CORE -
Dflyway.domain.placeHolders.report-service.template-metadata-directory=<dir path> -
Dflyway.domain.placeHolders.report-service.output-directory=<dir path> -
Dflyway.domain.placeHolders.report-service.fop-config-file=<path to fop.xconf> -
Dflyway.domain.placeHolders.obpm.service.obpmBranchCode=<OBPM branch code> -
Dflyway.domain.placeHolders.obpm.service.obpmSourceCode=EXTSYS -
Dflyway.domain.placeHolders.obpm.service.userId=<OBPM user id> -
Dflyway.domain.placeHolders.obpm.service.serviceConsumer=OBSCFCM_OBPM -
Dflyway.domain.placeHolders.obpm.service.createPMSinglePayOut=CreatePMSinglePayOut -
Dflyway.domain.placeHolders.obpm.service.obpmHostCode=INDIA -
Dflyway.domain.placeHolders.obpm.service.obpmLoanSourceCode=OBSCF -
Dflyway.domain.placeHolders.obpm.service.createExternalConsumerLoan=CreateExternalConsu
merLoan -Dflyway.domain.placeHolders.obcl_userId=<OBCL user id> -
Dflyway.domain.placeHolders.obcl_source=SCFEXT -
Dflyway.domain.placeHolders.obrh_path=http://<host name>:<port no>/cmc-obrh-
services/route/dispatch -
Dflyway.domain.placeHolders.obcl.service.QueryLoanOSAmount=QueryLoanOSAmount -
Dflyway.domain.placeHolders.obcl.service.CreateContractSim=CreateContractSim -
Dflyway.domain.placeHolders.obcl.service.CreateContract=CreateContract -
Dflyway.domain.placeHolders.obcl.service.ModifyContAmend=ModifyContAmend -
Dflyway.domain.placeHolders.obcl.service.CreatePayment=CreatePayment -
Dflyway.domain.placeHolders.obcl.service.ReverseContract=ReverseContract -
Dflyway.domain.placeHolders.obcl.service.QueryTrnInfo=QueryTrnInfo -
DfcubsBranchId=<FCUBS branch id> -Dflyway.domain.placeholders.apigateway.protocol=<http

or https> -Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-mail-
 router.oracle.com -Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=<Listen port of
 smtp> -Dflyway.domain.placeholders.plato.alerts.email.auth=false -
 Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=<Listen port of socketfactory>
 -Dflyway.domain.placeholders.orch.usingRuleEngine=false -
 Dflyway.domain.placeholders.plato.samlSSOEnabled=false -
 Dflyway.domain.placeholders.plato.feed.email.password=<Password for plato feed email> -
 Dflyway.domain.placeholders.plato.feed.email.userId=<User Id for plato feed email> -
 Dflyway.domain.placeholders.plato.feed.sms.userId=<User Id for sms> -
 Dflyway.domain.placeholders.plato.feed.sms.branchCode=<Branch Code for Sms> -
 Dflyway.domain.placeholders.plato.feed.sms.appId=<App Id for sms> -
 Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=<Admin for sms> -
 Dflyway.domain.placeholders.plato.feed.email.smtp.host=<Host for smtp> -
 Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=<Port for smtp> -
 Dflyway.domain.placeholders.plato.feed.email.auth=<Email authorization> -
 Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=<Port for socketfactory> -
 Dflyway.domain.placeholders.INTEGRATION.ENABLED=<integration enabled true or false> -
 Dflyway.domain.placeholders.cmc-deprecation-service.server.port=<Listen port for deprecation
 service> -Dflyway.domain.placeholders.cmc-additional-attributes-services.server.port=<Listen
 port for cmc-additional-attributes-services> -Dflyway.domain.placeholders.cmc-opds-
 services.schemas=COMMON_CORE -
 Dflyway.domain.placeholders.obcmreport.server.port=<Port> -
 Dplato.services.entityservices.port=<Port>
 -Dflyway.domain.placeholders.report-service.hostname=<host>
 -Dflyway.domain.placeholders.obvam.service.branchCode=6
 -Dflyway.domain.placeholders.obvam.service.userId=OBVAMUSER2
 -Dflyway.domain.placeholders.opds.server.port=<Port>
 -Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
 -Dflyway.domain.placeholders.obcl_service_consumer=OBSCFCM_STUB
 -Dplato.services.eureka.uri=https://<host>:8101
 -Dflyway.domain.placeholders.zookeeper.host=<host>
 -Dflyway.domain.placeholders.fcubsBranchId=0
 -Dplato.services.kafka.brokers=<host>:<port>
 -Daccounting.obvam.userid=OBVAMUSER2
 -Dflyway.domain.placeholders.alerts.email.attachment.encryption.passKey=XXX
 -Dflyway.domain.placeholders.alerts.email.attachment.watermark.required=false
 -Dflyway.domain.placeholders.alerts.email.attachment.watermark.image.loc=Y
 -Dflyway.domain.placeholders.alerts.email.attachment.encryption.required=true
 -Dflyway.domain.placeholders.plato.services.kafka.brokers=<host>:<port>
 -Dflyway.domain.placeholders.accounting.obvam.userid=OBVAMUSER2
 -Dflyway.domain.placeholders.cmc-mis-services.jndi=jdbc/CMNCORE
 -Dflyway.domain.placeholders.cmc-mis-services.schemas=COMMON_CORE
 -Dflyway.domain.placeholders.obcmpredict.server.port=112
 -Dflyway.domain.placeholders.kafka.ssl.truststore.location=<trust key .jks path>
 -Dflyway.domain.placeholders.kafka.ssl.truststore.password=<password>
 -Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<user>
 -Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=SCRAM-SHA-256
 -Dflyway.domain.placeholders.kafka.binder.configuration.security.protocol=SASL_SSL
 -
 Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.kafka.common.security.
 scram.ScramLoginModule
 -Dflyway.domain.placeholders.kafka.binder.jaas.options.password=obscf-secret

-Dflyway.domain.placeholders.feed.protocol=http
 -Dflyway.domain.placeholders.feed.dateFormat=1/1/2021
 -Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
 -Dflyway.domain.placeholders.cmc-resourceclass-services.jndi=jdbc/CMNCORE
 -Dflyway.domain.placeholders.cmc-resourceclass-services.schemas=COMMON_CORE
 -Dflyway.domain.placeholders.obscfcore.db.jndi=jdbc/OBSCF_CORE
 -Dflyway.domain.placeholders.cmc.db.jndi=jdbc/CMNCORE
 -Dflyway.domain.placeholders.finance.db.jndi=jdbc/OBSCF_FINANCE
 -Dflyway.domain.placeholders.limits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
 -Dflyway.domain.placeholders.obscfreport.db.jndi=jdbc/OBSCF_REPORT
 -Dflyway.domain.placeholders.accnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
 -Dflyway.domain.placeholders.batch.db.jndi=jdbc/PLATOBATCH
 -Dflyway.domain.placeholders.obscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
 -Dflyway.domain.placeholders.manualrecon.db.jndi=jdbc/OBSCFCM_RECON
 -Dflyway.domain.placeholders.workflowservice.eureka.host=<host>
 -Dflyway.domain.placeholders.workflowservice.eureka.port=<Port>
 -Dflyway.domain.placeholders.charges.db.jndi=jdbc/OBSCFCM_CHARGES
 -Dflyway.domain.placeholders.eod.db.jndi=jdbc/EOD
 -Dflyway.domain.placeholders.filter.db.jndi=jdbc/OBSCFCM_FILTER
 -Dflyway.domain.placeholders.maint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
 -Dflyway.domain.placeholders.report.db.jndi=jdbc/OBSCFCM_REPORT
 -Dflyway.domain.placeholders.instrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
 -Dflyway.domain.placeholders.platofeed.db.jndi=jdbc/PLATOFEEED
 -Dflyway.domain.placeholders.chatbot.url=https://<host:port>
 -Dflyway.domain.placeholders.oda.uri=idcs-oda
 -D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-test.com =
 -Dflyway.domain.placeholders.oda.channelid=569a0fbd
 -D1f4-4a9c-ad7c-86eab83bf957 =
 -Dflyway.domain.placeholders.oda.secretkey=<seceret-key>
 -Dflyway.domain.placeholders.oda.isoda=Y
 -Dflyway.domain.placeholders.workflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
 -
 Dflyway.domain.placeholders.obcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORC
 AST
 -Dflyway.domain.placeholders.obcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
 -
 Dflyway.domain.placeholders.obcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJE
 CTION
 -Dflyway.domain.placeholders.obcmreport.db.jndi=jdbc/OBCM_REPORT
 -Dflyway.domain.placeholders.collectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
 -Dnormal.front.prod=VENF
 -Dcompound.rear.prod=BCVD
 -Dnormal.rear.prod=SUPF
 -Dflyway.domain.placeholders.obcl.service.QueryContract=QueryContract
 -Dflyway.domain.placeholders.platobatch.db.jndi=jdbc/PLATOBATCH
 -Dflyway.domain.placeholders.platosecurity.domain.jndi=jdbc/PLATO_SECURITY
 -Dflyway.domain.placeholders.eodbatch.db.jndi=jdbc/PLATOBATCH
 -Dflyway.domain.placeholders.obscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
 -Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=InitiateOutwardClearing
 -Dflyway.domain.placeholders.plato-feed-ref.jndi=jdbc/PLATOFEEED
 -Dflyway.domain.placeholders.plato-feed-ref.server.port=<Port>
 -Dflyway.domain.placeholders.plato-feed-ref.username=<user>

-Dflyway.domain.placeHolders.plato-feed-ref.password=<password>
 -Dflyway.domain.placeHolders.plato-feed-ref.jdbcUrl=jdbc:oracle:thin:@//<host>.in.oracle.com:<port>/<service name>
 -Dflyway.domain.placeHolders.plato-feed-ref.schemas=PLATO_FEED
 -Deureka.protocol=http
 -Dflyway.domain.placeHolders.plato-transport-service.server.port=<Port>
 -Dflyway.domain.placeHolders.plato-transport-service.jndi=jdbc/PLATOTRANSPORT
 -Dflyway.domain.placeHolders.plato-transport-service.schemas=PLATO_TRANSPORT
 -Dflyway.domain.placeHolders.plato-transport-service.transport.filePath=/scratch/plato-transport/
 -Dflyway.domain.placeHolders.config-service.server.port=<Port>
 -Dflyway.domain.placeHolders.plato.feed.fss.filestore.protocol=http
 -Dflyway.domain.placeHolders.plato.feed.fss.filestore.host=127.0.0.1
 -Dflyway.domain.placeHolders.plato.feed.fss.filestore.port=<Port>
 -Dflyway.domain.placeHolders.plato.feed.fss.filestore.contextRoot=filestore/private
 -Dflyway.domain.placeHolders.plato.feed.fss.filestream.protocol=http
 -Dflyway.domain.placeHolders.plato.feed.fss.filestream.host=127.0.0.1
 -Dflyway.domain.placeHolders.plato.feed.fss.filestream.port=<Port>
 -Dflyway.domain.placeHolders.plato.feed.fss.filestream.contextRoot=filestream/private
 -Dflyway.domain.placeHolders.plato.feed.fss.auth.bearerToken=unset
 -Dflyway.domain.placeHolders.plato.feed.fss.par.upload.description=fileupload
 -Dflyway.domain.placeHolders.plato.feed.fss.par.storageDirective=filestream/private
 -Dflyway.domain.placeHolders.plato.feed.fss.stripe.service.tag=feed-services
 -Dflyway.domain.placeHolders.flyway.platofeed.schemas=PLATO_FEED
 -Dflyway.domain.placeHolders.cmc-service-Deprecation-svc.server.port=<port>
 -Dflyway.domain.placeHolders.kafka.broker.username=<user>
 -Dflyway.domain.placeHolders.kafka.broker.password=<password>
 -Dflyway.domain.placeHolders.kafka.binder.brokers.port=<Port>
 -Dflyway.domain.placeHolders.kafka.binder.zkNodes.port=<Port>
 -Dflyway.domain.placeHolders.kafka.binder.brokers.host=<host>
 -Dflyway.domain.placeHolders.kafka.binder.zkNodes.host=<host>
 -Dflyway.domain.placeHolders.obscfcm-batch-jobs.server.port=<Port>
 -Dflyway.domain.placeHolders.obscfcm-chatbot-services.server.port=<Port>
 -Dflyway.domain.placeHolders.apigateway.url=https://<host>:<port>
 -Dflyway.domain.placeHolders.cmc-comments-services.server.port=<Port>
 -Dflyway.domain.placeHolders.cmc-priority-services.server.port=<Port>
 -Dflyway.domain.placeHolders.documentmanagement-services.server.port=<Port>
 -Dflyway.domain.placeHolders.kyccheck-services.server.port=<Port>
 -Dflyway.domain.placeHolders.processcode-services.server.port=<Port>
 -Dflyway.domain.placeHolders.sequencegeneratorservice.server.port=<Port>
 -Dflyway.domain.placeHolders.opds.batch.partitionCount=
 -Dflyway.domain.placeHolders.opds.batch.destinationTopic=
 -Dflyway.domain.placeHolders.opds.batch.consumerGroupName=
 -Dflyway.domain.placeHolders.opds.batch.autoAddPartitions=
 -Dflyway.domain.placeHolders.plato.eventhub.kafka.brokers=<host>:<port>
 -Dflyway.domain.placeHolders.plato.eventhub.zk.nodes=<host>:2181
 -Dflyway.domain.placeHolders.alert.service.serviceConsumer=OBSCFCM_ALERTS
 -Dflyway.domain.placeHolders.alert.service.alertMessage=AlertMessage
 -Dflyway.domain.placeHolders.plato.flyway.enabled=true
 -Dflyway.domain.placeHolders.plato-api-gateway.min.pswd.length=8
 -Dflyway.domain.placeHolders.plato-api-gateway.max.pswd.length=11
 -Dflyway.domain.placeHolders.plato-api-gateway.min.pswd.age=1
 -Dflyway.domain.placeHolders.plato-api-gateway.max.pswd.age=90

```

-Dflyway.domain.placeHolders.plato-api-gateway.upper.char.flag=N
-Dflyway.domain.placeHolders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeHolders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeHolders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeHolders.plato-api-gateway.special.char.flag=N
-Dflyway.domain.placeHolders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeHolders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeHolders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeHolders.plato-api-gateway.pswd.validation.flag=Y
-Dflyway.domain.placeHolders.plato.services.entityservices.port=<Port>
-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.archival=true
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.oauth.scope=dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.secretStore.url=https://dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.idcs.url=https://dummy
-Dflyway.domain.placeHolders.plato.orchestrator.enableSubWfDynamicAllocation=false
-Dflyway.domain.placeHolders.plato-api-gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeHolders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.sso.service.provider=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.headers=dummy
-Dflyway.domain.placeHolders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeHolders.cmc-obrh-kafka-consumer.server.port=<Port>-
Dflyway.domain.placeHolders.obscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dflyway.domain.placeHolders.obscffci.server.port=<Port>
-Dflyway.domain.placeHolders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeHolders.ssl.enabled=true
-Dflyway.domain.placeHolders.ssl.disabled=false
-Dflyway.domain.placeHolders.obscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dflyway.domain.placeHolders.obscfislamic.server.port=<Port>
-Dflyway.domain.placeHolders.kafka.ssl.endpoint.identification.algorithm=https

```

JAVA_OPTIONS

2.2 Environment Variable for SMS,COMMONCORE, midoffice Domain

The below parametrization should be done for all the domains (sms, commoncore, mid office) which are created in the weblogic server where the micro services are going to be deployed.

1. Go to the weblogic installation path (FMW installation path) in the Weblogic server where the plato, sms, common core, mid office is getting deployed
2. Go to location: Middleware/Oracle_Home/user_projects/domains/<respective_domain>/bin
3. Create a file named “**setUserOverrides.sh**” content given below.

```
#!/bin/bash
```

```

JAVA_OPTIONS="{JAVA_OPTIONS} -Dplato.services.config.port=<port> -
Dplato.services.config.uri=http://<host>:<port> -Dplato.service.logging.path=<dir path> -
Dflyway.enabled=true -Dplato.services.entityservices.port=<port> -
Deureka.connectTimeout=10000 -Deureka.readTimeout=10000 -
Dribbon.connectTimeout=20000 -Dribbon.readTimeout=20000
-DXms1024m
-DXmx2048m
-Dflyway.domain.placeHolders.plato.services.rule.uri=https://<host>:8103/rule-service
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.server.path=<host>:<port>
-Dflyway.domain.placeHolders.cmc-obrh-services.zookeeper.server.path=<host>:<port>
-Dobrh.import.data.disable-modify=true

export JAVA_OPTIONS

```

2.3 Environment Variable for CONDUCTOR Domain

```

#!/bin/bash

JAVA_OPTIONS=${JAVA_OPTIONS} -Dconductor.properties=<file path> -
Dplato.services.gateway.port=<port> -Dplato.services.config.port=<port> -
Dplato.services.config.uri=http://<host>:<port> -Dplato.service.logging.path=<dir path> -
Dapigateway.url=http://<host>:<port> -Dkafka.host=<host> -Dkafka.port=9092 -
Dzookeeper.port=2181

export JAVA_OPTIONS

```

2.4 Environment Variables for OBSCFCM / OBSCF managed servers

Create a file called “setUserOverrides.sh” inside the weblogic bin location of OBSCFCM Service domain with content given below. All the environment variables for are listed & replace the values accordingly.

```

#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS} --Dsms.db.jndi=jdbc/sms -
Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG -Dcmc.db.jndi=jdbc/CMNCORE -
Dplato.db.jndi=jdbc/PLATO -Dobscfcore.db.jndi=jdbc/OBSCF_CORE -
Dfinance.db.jndi=jdbc/OBSCF_FINANCE -Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT -
Dlimits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ -Dobscfreport.db.jndi=jdbc/OBSCF_REPORT -
Deodbatch.db.jndi=jdbc/EODBATCH PLATOBATCH -Dplato.services.gateway.port=<port> -
Dplato.services.config.port=<port> -Dplato.services.config.uri=http://<host>:<port> -
Dplato.service.logging.path=<dir path> -Dapigateway.url=http://<host>:<port> -
Dkafka.host=<host> -Dkafka.port=9092 -Dzookeeper.port=2181 -Deureka.host=<host> -
Deureka.port=<port> -Dzipkin.url=http://<host>:9411 -Dworkflowservice.eureka.host=<host> -
Dworkflowservice.eureka.port=<port> -Dobcl.service.userId=<userid> -
Dcache.evict.interval.milliseconds=7200000 -Dcache.evict.initialdelay.milliseconds=7200000 -
Dplato.service.env=DEV -Dconductor.properties=/scratch/ConductorConfig/config.properties -
Dreport.schema.username=<username> -Dreport.schema.password=<password> -
Dfinance.db.jndi=jdbc/OBSCF_FINANCE -Dobscfreport.db.jndi=jdbc/OBSCF_REPORT -
Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT -Dobscfcore.db.jndi=jdbc/OBSCF_CORE -
Deodbatch.db.jndi=jdbc/PLATOBATCH -Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING -

```

```

Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES -
Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES -
Dfilter.db.jndi=jdbc/OBSCFCM_FILTER -Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON -
Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE -Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR -
Drecon.db.jndi=jdbc/OBSCFCM_RECON -Dfinance.db.jndi=jdbc/OBSCF_FINANCE -
Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS -
Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS -
Dcache.evict.interval.milliseconds=7200000 -Dcache.evict.initialdelay.milliseconds=7200000 -
Dchatbot.url=http://<host>:<port> -Doda.uri=<uri> -Doda.channelid=<channelid> -
Doda.secretkey=<secret> -Doda.isoda=Y -Dplato.cmc.default.brn= -Duser_login_id=<userid>
-Dplato.service.env=DEV -Dupload.handler.userId=<userid> -
Dupload.handler.branchCode=<branchcode> -Deod.db.jndi=jdbc/EOD -
Deureka.connectTimeout=10000 -Deureka.readTimeout=10000 -
Dribbon.connectTimeout=20000 -Dribbon.readTimeout=20000
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dfileupload.schema.username=<user>
-Dfileupload.schema.password=<password>
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dobcmcashflowforecasting.schema.username=<user>
-Dobcmcashflowforecasting.schema.password=<password>
-Dobscfcmalert.core.userId=<user>
-Dobscfcmalert.core.branchCode=<branchcode>
-Dobscfcmalert.server.port=<port>
-Deureka.client.serviceUrl.defaultZone=https://<host>:<port>/plato-discovery-service/eureka
-Dspring.zipkin.baseUrl=http://<host>:<port>
-Dobscfcm.filter.service.appld=OBSCFCM_FILTER
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.sms.placeholders.applicationCode=BOTH
-Dplatofeed.db.jndi=jdbc/PLATOFEEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dcmncore.cmc-branch.service.appld=CMNCORE
-Dspring.zipkin.enabled=false
-Dplato.services.eureka.uri=https://<host>:<port>
-Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=InitiateOutwardClearing
-Dflyway.domain.placeholders.eureka.protocol=https
-Dflyway.platoui.placeholders.apigateway.url=https://<host>:<port>
-Dobscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES -
Dobscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dautoreconbatch.db.jndi=jdbc/AUTORECONBATCH
export JAVA_OPTIONS

```

2.5 Environment Variables for OBSCFCM Day0 managed server

Create a file called “**setUserOverrides.sh**” inside the weblogic bin location of OBSCF/OBSCFCM Service domain with content given below. All the environment variables for OBSCF are listed & replace the values accordingly.


```

#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS} --Dplato.services.config.port=<port> -
Dplato.services.config.uri=http://<host>:<port> -Dplato.service.env=DEV -
Dplato.service.logging.path=<dir path> -Dplato.db.jndi=jdbc/PLATO -Dsms.db.jndi=jdbc/sms -
Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG -Dcmc.db.jndi=jdbc/CMNCORE -
Dplatofeed.db.jndi=jdbc/PLATOFEED -Deodbatch.db.jndi=jdbc/PLATOBATCH -
Dacct.db.jndi=jdbc/OBSCFCM_ACCOUNTING -
Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES -
Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES -
Dfilter.db.jndi=jdbc/OBSCFCM_FILTER -
Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS -
Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON -
Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE -Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR -
Dobscfcm_debug_userid=<userid> -Dapigateway_url=http://<host>:<port> -
Dobscfcm_purchase_buyer1_userid=<userid> -
Dobscfcm_purchase_buyer1_branchcode=<branchcode> -
Dobscfcm_purchase_seller1_userid=<userid> -
Dobscfcm_purchase_seller1_branchcode=<branchcode> -
Dobscfcm_invoice_buyer1_branchCode=<branchcode> -
Dobscfcm_invoice_buyer1_userid=<userid> -
Dobscfcm_payment1_branchCode=<branchcode> -Dobscfcm_payment_userid=<userid> -
Dobscfcm_invoice_seller1_branchCode=<branchcode> -
Dobscfcm_invoice_seller1_userid=<userid> -DaccountingBranchCode=<branchcode> -
Drole_id=OSCF_MAKER -DapplicationCode=OBSCF -Dobcm_role_id=OBCM_ROLE -
Dobscfcm_role_id=OBSCFCM_ROLE -Duser_login_id=<userid> -DbranchId=<branch id> -
DbranchCode=<branchcode> -Duser_id_2=<OSCF second admin user id> -
Dplatobatch.db.jndi=jdbc/PLATOBATCH -Dplatosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dmulti_entity_admin_user=<Multi entity admin user> -Dmulti_entity_user_email=<Multi entity
user email address> -Dmulti_entity_user_end_date=<Multi entity user end date> -
Dmulti_entity_user_start_date=<Multi entity user start date>
-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dday0.server.port=<port>
-Deureka.host=https://<host>
-Deureka.port=<port>
-Drole_desc=OSCF_MAKER_role_desc
-Duserloginid1=ADMINUSER1
-Duserloginid2=ADMINUSER2
-Duser1name=ADMINUSER1
-Duser2name=ADMINUSER2
-DuserPassword1=ADMIN#1Pwd
-DuserPassword2=ADMIN#2Pwd
-Duserhomebranch=000
-Duserlocale=IND
-Duserstartdate=43191
-Duserenddate=44287
-Dbankcode=000
-Dbankdesc=OBCMS-UNIVERSAL-BANK
-Dbranchcode=000
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH

```

-Dbranchaddr1=Address1
 -Dbranchaddr2=Address2
 -Dbranchaddr3=Address3
 -Dbranchccy=GBP
 -Dcountrycode=GBP
 -Dwalkincustomer=12345
 -Dhostcode=Host1
 -Dhostdesc=Host1
 -Dprocesstimezone=GMT
 -Dsourcesystem=OBCMS
 -Dsourcesystemdesc=Oracle
 -Dsourcesystembranch=OBCMS
 -Dpreviousworkingday=43922
 -Dcurrentworkingday=43923
 -Dnextworkingday=43924
 -Dlang_code=ENG
 -Dlang_desc=English
 -Dlang_iso=en
 -Dobcm_branchcode=004
 -Dobcm_userId=SUNIL
 -Dkafka.host=whf00clv
 -Dkafka.port=9092
 -Dzookeeper.port=2181
 -Dobcmprojec.server.port=8204
 -Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
 -Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port>
 -Duser_id=<user> -Dusername=<user>
 -DuserLoginId=<user> -DmanagerId=<manageruserid>
 -DbranchCode=004
 -DuserEmail=<user-email>
 -DuserMobile=<mobile>
 -DuserFax=<>
 -DtelephoneNo=<>
 -Dobscfcm_role_id=OBSCFCM_ROLE
 -Duser_login_id=<login id>
 -Dobscfbatch.enabled=true
 -Dobscfcmaccountmaintenance.enabled=true
 -Dobscfcmautoreconbatch.enabled=true
 -Dobscfcmcharges.enabled=true
 -Dobscfcmcoreservices.enabled=true
 -Dobscfcmfilterservices.enabled=true
 -Dobscfcminstrumentsservices.enabled=true
 -Dobscfcmmanualrecon.enabled=true
 -Dobscfcmmastermaintenance.enabled=true
 -Dobscfcmreconmaintenance.enabled=true
 -Dobscfcmreportservices.enabled=true
 -Dobscfcmworkflowmanagement.enabled=true
 -Dobscf_role_id=OBSCF_ROLE
 -Deureka.connectTimeout=10000
 -Deureka.readTimeout=10000
 -Dribbon.connectTimeout=20000
 -Dribbon.readTimeout=20000
 -Dflyway.domain.placeHolders.obscfcm.day0.obscf_role_id=OBSCF_ROLE

```

-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeHolders.platobatch.db.jndi=jdbc/PLATOBATCH
-
Dflyway.domain.placeHolders.platoorch.domain.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDU
CTOR
-Dflyway.domain.placeHolders.platosecurity.domain.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeHolders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dtoday=30-JAN-20
-Dprev_working_day=29-JAN-20
-Dnext_working_day=31-JAN-20
-Dflyway.enabled=false

export JAVA_OPTIONS

```

2.6 Environment Variables for OBSCF Day0 managed server

Create a file called “setUserOverrides.sh” inside the weblogic bin location of Obscf day0 Service domain with content given below. All the environment variables for OBSCF are listed & replace the values accordingly.

```

#!/bin/bash
JAVA_OPTIONS=${JAVA_OPTIONS} --Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO -Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-DapplicationCode=OBSCF
-DuserId=<userid>
-DobscfcmURL=http://< api-gateway-host host>:<port>
-Drole_id=OSCF_MAKER -Duser_id=<userid>
-DuserName=<userid>
-DuserLoginId=<userid>
-DmanagerId=<managerid>
-DbranchCode=<branchcode>
-Dapigateway_url=http://<host>:<port>
-DuserEmail=<email>
-DbranchId=<branch id>
-DuserMobile=<mobile>
-DuserFax=<fax>
-DtelephoneNo=<telephone>
-Dobscf_role_id=OBSCF_ROLE
-Dbankcode=<bank code>
-Dbankdesc=<bank short description>
-Dbranchname=<branch name>

```

```

-Dbranchaddr1=<branch address1>
-Dbranchaddr2=<branch address2>
-Dbranchaddr3=<branch address3>
-Dbranchccy=<branch currency code>
-Dcountrycode=<country code>
-Dwalkincustomer=<walkin customer code>
-Dhostcode=<host code>
-Dhostdesc=<host description>
-Dprocesstimezone=<time zone eg: Asia/Calcutta>
-Dsourcesystem=<source system code>
-Dsourcesystemdesc=<source system description>
-Dsourcesystembranch=<source system branch>
-Dcmc.db.jndi=jdbc/COMMON_CORECMNCORE
-Dflyway.domain.placeholders.platoorch.domain.jndi=<JDBC JNDI for PLATOORCH>
-Dobscfcore.enabled=true
-Dcmc.app.locations=db/migration/cmc/obscf-day0
-Dsms.app.locations=db/migration/sms/obscf-core-services,db/migration/sms/obscf-finance-
services,db/migration/sms/obscf-limit-maintenance-services,db/migration/sms/obscf-limits-
services,db/migration/sms/obscf-report-services,db/migration/sms/obscfcm-alerts-services -
-Dplato.app.locations=db/migration/plato/obscf-core-services,db/migration/plato/obscf-finance-
services,db/migration/plato/obscf-limit-maintenance-services,db/migration/plato/obscf-limits-
services,db/migration/plato/obscf-report-services -
-Dplatoui.app.locations=db/migration/platoui/obscf-core-services
-Duser_start_date=44197
-Duser_end_date=45658
-Dtoday=44197
-Dprev_working_day=44197
-Dnext_working_day=44198
-DapplicationCode=BOTH
-Dcmncore.cmc-branch.service.applid=CMNCORE
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dplato.services.eureka.uri=https://<host>:<port>
-Dfinance_rule_userid=<user>
-Dplatoorch.domain.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.enabled=false

```

```
export JAVA_OPTIONS
```