

Common Core Services Installation Guide  
Oracle Banking Electronic Data Exchange for Corporates  
Patchset Release 14.6.1.0.0

Part No. F61252-01

August 2022

**ORACLE®**

Common Core Services Installation Guide  
August 2022

Oracle Financial Services Software Limited  
Oracle Park  
Off Western Express Highway  
Goregaon (East)  
Mumbai, Maharashtra 400 063  
India  
Worldwide Inquiries:  
Phone: +91 22 6718 3000  
Fax: +91 22 6718 3001

[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2018, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Table of Contents

<b>1. Preface .....</b>	<b>1-1</b>
1.1 Introduction .....	1-1
1.2 Audience .....	1-1
1.3 Documentation Accessibility .....	1-1
1.4 Organization .....	1-1
1.5 Documents .....	1-2
<b>2. Database Setup .....</b>	<b>2-1</b>
2.1 Introduction .....	2-1
2.2 Prerequisite .....	2-1
2.3 Database Setup .....	2-1
<b>3. Domain and Cluster Configuration .....</b>	<b>3-1</b>
3.1 Common Core Domain Configuration .....	3-1
<b>4. Data Sources Creation .....</b>	<b>4-1</b>
4.1 Prerequisite .....	4-1
4.2 Data sources List .....	4-1
4.3 Creating Data source .....	4-3
<b>5. Deployments .....</b>	<b>5-1</b>
5.1 Prerequisite .....	5-1
5.2 Deployments List .....	5-1
5.3 Steps to Deploy as Application .....	5-5
5.4 Depreciated Services .....	5-5
5.5 Steps to undeploy the deprecated application .....	5-2
<b>6. Document Verification Framework .....</b>	<b>6-1</b>
6.1 Introduction .....	6-1
6.2 Prerequisite .....	6-1
6.3 Python Installation .....	6-1
6.4 Tesseract installation .....	6-1
6.5 Document Verification Application Installation .....	6-2
<b>7. Restarts and Refresh .....</b>	<b>7-6</b>
7.1 Restarting Servers .....	7-6
<b>8. Logging Area .....</b>	<b>8-1</b>
8.1 Introduction .....	8-1

<b>9. Known Issues - Resolutions.....</b>	<b>9-1</b>
9.1 cmc-ml-indb-services.....	9-1
9.2 cmc-branch-service .....	9-1

---

# 1. Preface

## 1.1 Introduction

This guide helps you to install the common core services on designated environment. It is assumed that all the prior setup is already done related with WebLogic installation, WebLogic managed server creation and Oracle DB installation.

---

**Note:** For the exact version to be installed, refer to **Tech Stack** section of Release Notes.

---

It is recommended to use dedicated managed server for each of the common core services.

## 1.2 Audience

This document is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

## 1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

## 1.4 Organization

This installation guide allows you to install following services:

1. CMC-ACCOUNT-SERVICES
2. CMC ADDITIONAL-ATTRIBUTES-SERVICES
3. CMC-ADVICE-SERVICES
4. CMC-BASE-SERVICES
5. CMC-BATCH-SERVICES
6. CMC-BRANCH-SERVICES
7. CMC-BUSINESSOVERRIDES-SERVICES
8. CMC-CHARGES-CALCULATION-SERVICES
9. CMC-COREBANKING-ADAPTER-SERVICE
10. CMC-CURRENCY-SERVICES
11. CMC-CUSTOMER-SERVICES
12. CMC-DATASEGMENT-SERVICES
13. CMC-EXTERNAL-CHART-ACCOUNT
14. CMC-EXTERNAL-SYSTEM-SERVICES
15. CMC-EXTERNAL-VIRTUAL-ACCOUNT-SERVICES
16. CMC-FACILITIES-SERVICE
17. CMC-FC-AI-ML-SERVICES
18. CMC-ML-INDB-SERVICES

19. CMC-NLP-DASHBOARD-WIDGET-SERVICES
20. CMC-NLP- MAINTENANCE-SERVICES
21. CMC-NLP-OPENNLP-SERVICES
22. CMC-NLP-PIPELINE-SERVICES
23. CMC-NLP-TEXT-EXTRACTION-SERVICES
24. CMC-OBCBS-SERVICES
25. CMC-OB RH-SERVICE
26. CMC-REPORT-SERVICE
27. CMC-RESOURCE-SEGMENT-ORCHESTRATOR-SERVICE
28. CMC-SCREENCLASS-SERVICES
29. CMC-SETTLEMENTS-SERVICES
30. CMC-TRANSACTIONCONTROLLER-SERVICES
31. CMC-TXN-CODE-SERVICES
32. CMC-OPDS-SERVICES
33. CMC-TXN-CODE-SERVICESCMC-APPLICATIONCATEGORY-SERVICES
34. CMC-CHECKLIST-SERVICES
35. CMC-CHECKLISTMANAGEMENT-SERVICES
36. CMC-COMMENTS-SERVICES
37. CMC-DOCUMENT-SERVICES
38. CMC-DOCUMENTMANAGEMENT-SERVICES
39. CMC-KYCCHECK-SERVICES
40. CMC-MAILNOTIFICATION-SERVICES
41. CMC-PRIORITY-SERVICES
42. CMC-PROCESSCODE-SERVICE
43. CMC-SEQUENCEGENERATOR-SERVICES
44. CMC-ADDITIONAL-ATTRIBUTES-SERVICES
45. CMC-SLA-SERVICES

## 1.5 **Documents**

- ANNEXURE-1

## 2. Database Setup

### 2.1 Introduction

In this section you are going to setup database related configuration for Common Core Installation.

### 2.2 Prerequisite

Below setup is dependent on Common Core Schema and SMS schema. Before you proceed with below setup ensure Common Core Schema and SMS Schema is provided to you.

### 2.3 Database Setup

To setup DB for Common Core schema to be created:

Service Name	Schema Required
CMC-ACCOUNT-SERVICES	Yes (Common Core Schema)
CMC-ADDITIONAL-ATTRIBUTES-SERVICE	Yes (Common Core Schema)
CMC-ADVICE-SERVICES	Yes (Common Core Schema)
CMC-BASE-SERVICES	Yes (Common Core Schema)
CMC-BATCH-SERVICES	Yes (Common Core Schema)
CMC-BRANCH-SERVICES	Yes (Common Core Schema)
CMC-BUSINESSOVERRIDES-SERVICES	Yes (Common Core Schema)
CMC-CHARGES-CALCULATION-SERVICES	Yes (Common Core Schema)
CMC-COREBANKING-ADAPTER-SERVICE	Yes (Common Core Schema)
CMC-CURRENCY-SERVICES	Yes (Common Core Schema)
CMC-CUSTOMER-SERVICES	Yes (Common Core Schema)
CMC-DATASEGMENT-SERVICES	Yes (Common Core Schema)
CMC-EXTERNAL-CHART-ACCOUNT	Yes (Common Core Schema)
CMC-EXTERNAL-SYSTEM-SERVICES	Yes (Common Core Schema)
CMC-EXTERNAL-VIRTUAL-ACCOUNT-SERVICES	Yes (Common Core Schema)
CMC-FACILITIES-SERVICE	Yes (Common Core Schema)
CMC-FC-AI-ML-SERVICES	Yes (Common Core Schema)

<b>Service Name</b>	<b>Schema Required</b>
CMC-ML-INDB-SERVICES	Yes (Common Core Schema)
CMC-NLP-DASHBOARD-WIDGET-SERVICES	Yes (Common Core Schema)
CMC-NLP-MAINTENANCE-SERVICES	Yes (Common Core Schema)
CMC-NLP-OPENNLP-SERVICES	Yes (Common Core Schema)
CMC-NLP-PIPELINE-SERVICES	Yes (Common Core Schema)
CMC-NLP-TEXT-EXTRACTION-SERVICES	Yes (Common Core Schema)
CMC-OBCBS-SERVICES	Yes (Common Core Schema)
CMC-OB RH-SERVICE	Yes (Common Core Schema)
CMC-REPORT-SERVICE	Yes (Common Core Schema)
CMC-RESOURCE-SEGMENT-ORCHESTRATOR-SERVICE	Yes (Common Core Schema)
CMC-SCREENCLASS-SERVICES	Yes (Common Core Schema)
CMC-SETTLEMENTS-SERVICES	Yes (Common Core Schema)
CMC-TRANSACTIONCONTROLLER-SERVICES	Yes (Common Core Schema)
CMC-TXN-CODE-SERVICES	Yes (Common Core Schema)
CMC-OPDS-SERVICES	Yes (Common Core Schema)
CMC-APPLICATIONCATEGORY-SERVICES	Yes (Common Core Schema)
CMC-CHECKLIST-SERVICES	Yes (Common Core Schema)
CMC-CHECKLISTMANAGEMENT-SERVICES	Yes (Common Core Schema)
CMC-COMMENTS-SERVICES	Yes (Common Core Schema)
CMC-DOCUMENT-SERVICES	Yes (Common Core Schema)
CMC-DOCUMENTMANAGEMENT-SERVICES	Yes (Common Core Schema)
CMC-KYCCHECK-SERVICES	Yes (Common Core Schema)
CMC-MAILNOTIFICATION-SERVICES	Yes (Common Core Schema)
CMC-PRIORITY-SERVICES	Yes (Common Core Schema)
CMC-PROCESSCODE-SERVICE	Yes (Common Core Schema)
CMC-SEQUENCEGENERATOR-SERVICES	Yes (Common Core Schema)



Service Name	Schema Required
CMC-SLA-SERVICES	Yes (Common Core Schema)

---

## 3. Domain and Cluster Configuration

### 3.1 Common Core Domain Configuration

#### 3.1.1 Prerequisites

1. Machine should have Java JDK installed.

---

Oracle Fusion Middleware has to be installed on the machine.

**Note:** Before proceeding with below steps complete Oracle Banking Microservices Architecture installation guided.

---

2. Steps for creating all Common core domains, properties like port numbers, names will be changing based on the domain. Screenshots provided for such deviations. Domain creation process remains the same.

---

**Note:** For the exact version to be installed, refer to **Tech Stack** section of Release Notes.

---

#### 3.1.2 Steps to Create Domain


It is recommended to have different managed server in one domain for each application. For Creating Domain and Configuration, refer to **How to create and Cluster Configuration** section in ANNEXURE-1.

## 4. Data Sources Creation

### 4.1 Prerequisite

Database and application setup for Oracle Banking Microservices Architecture has to be performed prior to deployment setup.

The data sources for the respective micro-services must be created first before the application deployment. Each of the data source target to their corresponding servers on which the application will be deployed. The following sections explain the list of data sources required to be created for Common Core services and the steps to configure them in the server.



### 4.2 Data sources List

The table below lists the data sources to be created on each domain prior to deployment of applications onto managed servers.

Data source Name	Data source JNDI	Targets
PLATO	jdbc/PLATO	Common Core Managed Server
CMNCORE	jdbc/CMNCORE	Common Core Managed Server, API Gateway Server
PLATOBATCH	jdbc/PLATOBATCH	Common Core Managed Server
SMS	jdbc/sms	Common Core Managed Server
PLATOUI	jdbc/PLATO_UI_CONFIG	Common Core Managed Server
PLATOFEED	jdbc/PLATOFEED	Common Core Managed Server
PLATOSECURITY	jdbc/PLATO_SECURITY	Common Core Managed Server
<PRODUCT PROJECTION SCHEMA> (Required only for DB based ML use cases)	jdbc/<PRODUCT PROJECTION SCHEMA>	Common Core Managed Server

Steps to create data source in WebLogic is same for all the above except for the connection details and names. Check the below screenshots to understand data source creation.

**Common Core Services using Plato-Feed**

The below listed common core services requires the data source to be created for plato-feeds on each domain prior to deployment of applications onto managed servers.

Service Name	Data Source Name	Data Source JNDI	Target
cmc-account-services	PLATOFEEED	jdbc/PLATOFEEED	Common Core Managed Server
cmc-base-services	PLATOFEEED	jdbc/PLATOFEEED	Common Core Managed Server
cmc-branch-services	PLATOFEEED	jdbc/PLATOFEEED	Common Core Managed Server
cmc-settlement-services	PLATOFEEED	jdbc/PLATOFEEED	Common Core Managed Server
cmc-currency-services	PLATOFEEED	jdbc/PLATOFEEED	Common Core Managed Server
cmc-customer-services	PLATOFEEED	jdbc/PLATOFEEED	Common Core Managed Server


**4.3 Creating Data source**

For creating data source, refer to **How to create Data sources** section in ANNEXURE-1.

## 5. Deployments

### 5.1 Prerequisite

The database setup and data sources creation need to be performed prior to the application deployment stage. Each of the services corresponds to a specific war file that needs to be deployed into the server. The following sections explain the list of war files of the Common Core service and the steps to deploy them into the server.



### 5.2 Deployments List

Below table give details of the deployments required on each domain for the Common Core application to run. Deploy one after other in the same given order.

Application	Archive name	OSDC path	Targets
CMC-ACCOUNT-SERVICES	cmc-account-services-{version}.war	{Unzip Package}\OSDC\cmc-account-services	Common Core Managed Server
CMC-ADDITIONAL-ATTRIBUTES-SERVICE	cmc-additional-attributes-services-{version}.war	{Unzip Package}\OSDC\cmc-additional-attributes-services	Common Core Managed Server
CMC-ADVICE-SERVICES	cmc-advice-services-{version}.war	{Unzip Package}\OSDC\cmc-advice-services	Common Core Managed Server
CMC-BASE-SERVICES	cmc-base-services-{version}.war	{Unzip Package}\OSDC\cmc-base-services	Common Core Managed Server
CMC-BATCH-SERVICES	cmc-batch-services-{version}.war	{Unzip Package}\OSDC\cmc-batch-services	Common Core Managed Server
CMC-BRANCH-SERVICES	cmc-branch-services-{version}.war	{Unzip Package}\OSDC\cmc-branch-services	Common Core Managed Server

Application	Archive name	OSDC path	Targets
CMC-BUSINESSOVERRIDE-SERVICES	cmc-businessoverrides-services-{version}.war	{Unzip Package}\cmc-businessoverrides-services OSDC	Common Core Managed Server
CMC-CHARGES-CALCULATION-SERVICES	cmc-charges-calculation-services-{version}.war	{Unzip Package}\cmc-charges-calculation-services OSDC	Common Core Managed Server
CMC-COREBANKING-ADAPTER-SERVICE	cmc-corebanking-adapter-service-{version}.war	{Unzip Package}\cmc-corebanking-adapter-service OSDC	Common Core Managed Server
CMC-CURRENCY-SERVICES	cmc-currency-services-{version}.war	{Unzip Package}\cmc-currency-services OSDC	Common Core Managed Server
CMC-CUSTOMER-SERVICES	cmc-customer-services-{version}.war	{Unzip Package}\cmc-customer-services OSDC	Common Core Managed Server
CMC-DATASEGMENT-SERVICES	cmc-datasegment-services-{version}.war	{Unzip Package}\cmc-datasegment-services OSDC	Common Core Managed Server
CMC-EXTERNAL-CHART-ACCOUNT	cmc-external-chart-account-{version}.war	{Unzip Package}\cmc-external-chart-account OSDC	Common Core Managed Server
CMC-EXTERNAL-SYSTEM-SERVICES	cmc-external-system-services-{version}.war	{Unzip Package}\cmc-external-system-services OSDC	Common Core Managed Server
CMC-EXTERNAL-VIRTUAL-ACCOUNT-SERVICES	cmc-external-virtual-account-services-{version}.war	{Unzip Package}\cmc-external-virtual-account-services OSDC	Common Core Managed Server
CMC-FACILITIES-SERVICE	cmc-facilities-service-{version}.war	{Unzip Package}\cmc-facilities-service OSDC	Common Core Managed Server
CMC-FC-AI-ML-SERVICES	cmc-fc-ai-ml-services-{version}.war	{Unzip Package}\cmc-fc-ai-ml-services OSDC	Common Core Managed Server
CMC-ML-INDB-SERVICES	cmc-ml-indb-services-{version}.war	{Unzip Package}\cmc-ml-indb-services OSDC	Common Core Managed Server

Application	Archive name	OSDC path	Targets
CMC-NLP-DASHBOARD-WIDGET-SERVICES	cmc-nlp-dashboard-widget-services-{version}.war	{Unzip Package}\OSDC\cmc-nlp-dashboard-widget-services	Common Core Managed Server
CMC-NLP-MAINTENANCE-SERVICES	cmc-nlp-maintenance-services-{version}.war	{Unzip Package}\OSDC\cmc-nlp-maintenance-services	Common Core Managed Server
CMC-NLP-OPENNLP-SERVICES	cmc-nlp-opennlp-services-{version}.war	{Unzip Package}\OSDC\cmc-nlp-opennlp-services	Common Core Managed Server
CMC-NLP-PIPELINE-SERVICES	cmc-nlp-pipeline-services-{version}.war	{Unzip Package}\OSDC\cmc-nlp-pipeline-services	Common Core Managed Server
CMC-NLP-TEXT-EXTRACTION-SERVICES	cmc-nlp-text-extraction-services-{version}.war	{Unzip Package}\OSDC\cmc-nlp-text-extraction-services	Common Core Managed Server
CMC-OBCBS-SERVICES	cmc-obcbs-services-{version}.war	{Unzip Package}\OSDC\cmc-obcbs-service	Common Core Managed Server
CMC-OB RH-SERVICES	cmc-obrh-services-{version}.war	{Unzip Package}\OSDC\cmc-obrh-services	Common Core Managed Server
CMC-REPORT-SERVICE	cmc-report-service-{version}.war	{Unzip Package}\OSDC\cmc-report-service	Common Core Managed Server
CMC-RESOURCE-SEGMENT-ORCHESTRATOR-SERVICE	cmc-resource-segment-orchestrator-service-{version}.war	{Unzip Package}\OSDC\cmc-resource-segment-orchestrator-service	Common Core Managed Server
CMC-SCREENCLASS-SERVICES	cmc-screenclass-services-{version}.war	{Unzip Package}\OSDC\cmc-screenclass-services	Common Core Managed Server
CMC-SETTLEMENTS-SERVICES	cmc-settlements-services-{version}.war	{Unzip Package}\OSDC\cmc-settlements-services	Common Core Managed Server
CMC-TRANSACTIONCONTROLLER-SERVICES	cmc-transactioncontroller-services-{version}.war	{Unzip Package}\OSDC\cmc-transactioncontroller-services	Common Core Managed Server



Application	Archive name	OSDC path	Targets
CMC-TXN-CODE-SERVICES	cmc-txn-code-services-{version}.war	{Unzip Package}\cmc-txn-code-services OSDC	Common Core Managed Server
CMC-APPLICATIONCATEGORY-SERVICES	cmc-applicationcategory-services-{version}.war	{Unzip Package}\cmc-applicationcategory-services OSDC	Mid-Office Managed Server
CMC-CHECKLIST-SERVICES	cmc-checklist-services-{version}.war	{Unzip Package}\cmc-checklist-services OSDC	Mid-Office Managed Server
CMC-CHECKLISTMANAGEMENT-SERVICES	cmc-checklistmanagement-services-{version}.war	{Unzip Package}\cmc-checklistmanagement-services OSDC	Mid-Office Managed Server
CMC-COMMENTS-SERVICES	cmc-comments-services-{version}.war	{Unzip Package}\cmc-comments-services OSDC	Mid-Office Managed Server
CMC-DOCUMENT-SERVICES	cmc-document-services-{version}.war	{Unzip Package}\cmc-document-services OSDC	Mid-Office Managed Server
CMC-DOCUMENTMANAGEMENT-SERVICES	cmc-documentmanagement-services-{version}.war	{Unzip Package}\cmc-documentmanagement-services OSDC	Mid-Office Managed Server
CMC-KYCCHECK-SERVICES	cmc-kyccheck-services-{version}.war	{Unzip Package}\cmc-kyccheck-services OSDC	Mid-Office Managed Server
CMC-MAILNOTIFICATION-SERVICES	cmc-mailnotification-services-{version}.war	{Unzip Package}\cmc-mailnotification-services OSDC	Mid-Office Managed Server
CMC-PRIORITY-SERVICE	cmc-priority-service-{version}.war	{Unzip Package}\cmc-priority-service OSDC	Mid-Office Managed Server
CMC-PROCESSCODE-SERVICE	cmc-processcode-service-{version}.war	{Unzip Package}\cmc-processcode-service OSDC	Mid-Office Managed Server
CMC-SEQUENCEGENERATOR-SERVICES	cmc-sequencegenerator-services-{version}.war	{Unzip Package}\cmc-sequencegenerator-services OSDC	

Application	Archive name	OSDC path	Targets
CMC-SLA-SERVICES	cmc-sla-services-{version}.war	{Unzip Package}\OSDC\cmc-sla-services	
CMC-OPDS-SERVICES	cmc-opds-services-{version}.war	{Unzip Package}\OSDC\cmc-opds-services	Common Core Managed Server

**NOTE:** Refer to OSDC file for the exact version number for each service.

### 5.3 Steps to Deploy as Application

To deploy application, refer to **How to deploy section** in ANNEXURE-1.

### 5.4 Deprecated Services

Deploy the common core service to clean up the deprecated service-related DB objects from common core / SMS / PLATO schemas.

Application	Archive name	OSDC path	Targets
CMC-SERVICE-DEPRECATION-SVC	cmc-service-deprecation-svc-{version}.war	{Unzip Package}\OSDC\cmc-service-deprecation-svc	Common Core Managed Server

Below table give details of the deprecated services in Common Core application and undeploy the services one after other in the same given order as given below.

Application	Archive name	Targets
CMC-EARMARK-SERVICES	cmc-earmark-services-{version}.war	Common Core Managed Server
CMC-QUEUE-SERVICES	cmc-queue-services-{version}.war	Common Core Managed Server
CMC-SERVICE-DEPRECATION-SVC	cmc-service-deprecation-svc-{version}.war	Common Core Managed Server

**NOTE:** Refer to OSDC file for the exact version number for each service.

## 5.5 **Steps to undeploy the deprecated application**

To undeploy the deprecated applications, please refer ANNEXURE-1. “**How to undeploy Application**” section.

## 6. Document Verification Framework

### 6.1 Introduction

This section describes the document verification framework where after deployment of Common Core Applications in the WebLogic server.

### 6.2 Prerequisite

For running document verification APIs, python, tesseract, and other required libraries must be installed.

### 6.3 Python Installation

Oracle Linux yum server hosts software for Oracle Linux and compatible distributions. If the latest approved distribution of python (python 3.9.5) is not available on the yum server, then follow the steps mentioned in the below location for installing python manually. Please make sure you specify the python version properly.

1. `sudo yum install wget`
2. `sudo yum install gcc readline readline-devel`
3. `sudo yum install zlib zlib-devel`
4. `sudo yum install libffi-devel openssl-devel`
5. `wget https://www.python.org/ftp/python/3.9.5/Python-3.9.5.tgz`
6. `tar xzf Python-3.9.5.tgz`
7. `cd Python-3.9.5`
8. `sudo ./configure --enable-optimizations --prefix=/scratch/software/python39`
9. `sudo make altinstall` (make altinstall is used to prevent replacing the default python binary file /usr/bin/python.)
10. `sudo update-alternatives --install /usr/bin/python3 python3 /scratch/software/python39/bin/python3.9` (Adding symlink to python3)
11. `sudo update-alternatives --config python3` (This will show the list of symlinks available. Select the required/particular version, in our case python3.9.5)

---

**Note:** You may encounter some problems while executing the 10th and 11th steps. If you get an error as shown below, then you should be a root user to perform these two additional steps.

---

**Error:** "sudo: update-alternatives: command not found"

To be a root user, you will have to execute the command mentioned below and then continue to execute 10th and 11th step,

```
sudo su – root
```

### 6.4 Tesseract installation

Tesseract is an optical character recognition (OCR) engine for various operating systems. The latest version must be installed on the machine to extract the text from the documents.

Refer to **Section 10.4** in **Oracle Banking Microservices Platform Foundation Installation Guide** to manually install the latest version of the tesseract.

## 6.5 Document Verification Application Installation

The app will be shipped as a byte-coded whl file. This wheel file will install all the implementation files without the dependencies. All the required dependencies are bundled together in a python.zip file which are to be extracted and installed separately (refer to Step 4 below). It's recommended to install the whl file and the dependencies in a virtual environment using "pip" so that it doesn't affect any other operations or applications running in the system.

In addition to this, a Config.ini file is required for the Eureka server configuration. Please create a config file with the name Config.ini and paste the text below:

```
[DEFAULT]
```

```
eureka_server=http://whf00itb.in.oracle.com:7002/plato-discovery-  
service/eureka
```

You can edit the eureka server address if needed. The app name should not be changed. This is important for Role-Based Access Control. Please note that registering the app on Eureka is optional and you can skip this if not needed. But in any case, Config.ini is required. In eureka\_server variable you can simply give localhost url.

The folder structure to be followed is:

```
|—root_dir  
  
|— python  
  
|— Config.ini  
  
|— venv
```

---

**Note:** Please make sure that you are using linux operating system and the installed Python version is 3.9.5 and that of pip is above 20.0.0. Run the following command to upgrade pip to the latest version.

---

```
pip install --upgrade pip
```

Once the pip is upgraded, follow the steps below to install the app and the dependencies:

1. Create python virtual environment using the following command in python3.9.5,

```
python -m venv <venv_name>
```

2. Activate the newly created virtual environment by using the following command.

```
source <venv_name>/bin/activate
```

3. Use the below command to install the application wheel package provided,

```
pip install <wheel_package_name>.whl
```

4. Now all the dependencies need to be installed. In order to do this, extract the python.zip file provided, go into the python folder (cd python/ ) and run the following commands:

```

pip install configparser --no-index --find-links.

pip install connexion --no-index --find-links.

pip install datefinder --no-index --find-links.

pip install dateparser --no-index --find-links.

pip install Flask --no-index --find-links.

pip install importlib-metadata --no-index --find-links.

pip install numpy --no-index --find-links.

pip install opencv-python --no-index --find-links.

pip install pdf2image --no-index --find-links.

```

**Installing py-eureka-client is optional as it is needed only if you want to register the app on Eureka.**

5. After installing the wheel package and the dependencies, we can run the document verification server using the below-mentioned command,

```
python -m ofss_ml_document_verification_server
```

6. Please note: This will by default run the app on port 8090 and not register the app to Eureka. To do that please use the below-mentioned command:

```
python -m ofss_ml_document_verification_server -p 5000 -r true
```

The above commands make the app run on port 5000 and registers to the Eureka server as well. These arguments may or may not be used together and the port number can be any. By default, the system has been configured to -r false.

Please note that once the service is registered on Eureka, it will need role-based access to send and receive requests.

For example: if the app is registered on <http://whf00itb.in.oracle.com:7002/plato-discovery-service>, then we need a bearer token from <http://whf00itb.in.oracle.com:7002/api-gateway/platojwtauth> and then call [http://whf00itb.in.oracle.com:7002/api-gateway/ofss\\_ml\\_document\\_verification\\_server/extractInformation](http://whf00itb.in.oracle.com:7002/api-gateway/ofss_ml_document_verification_server/extractInformation) with the following

#### Headers

1. Authorization - bearer <token>
2. appid- (ex- CMNCORE)

Please note that the userId and branchCode will be based on the flyway script entries.

#### SMS Scripts:

```

Insert into SMS_TM_SERVICE_ACTIVITY
(SERVICE_ACTIVITY_CODE, DESCRIPTION, CLASS_NAME, METHOD_NAME, APPLICATION_ID,
SERVICE_TYPE, UI_ACTIVITY_CODE) values
('CMC_SA_OFSS_ML_DOCUMENT_VERIFICATION_EXTRACT_INFORMATION', 'Extracts
meaningful details from an
image', 'OFSS_ML_DOCUMENT_VERIFICATION_SERVER', 'extractInformation', 'CMC
', 'Service API', null);

```

```
commit;
```

```

Insert into SMS_TM_FUNCTIONAL_ACTIVITY (FUNCTIONAL_ACTIVITY_CODE,
APPLICATION_ID, TYPE) values
('CMC_FA_OFSS_ML_DOCUMENT_VERIFICATION_EXTRACT_INFORMATION', 'CMC', 'O');

```

```
commit;
```

```

Insert into SMS_TM_FUNC_ACTIVITY_DETAIL
(ID, FUNCTIONAL_ACTIVITY_CODE, SERVICE_ACTIVITY_CODE) values
('CMC_FD_OFSS_ML_DOCUMENT_VERIFICATION_EXTRACT_INFORMATION', 'CMC_FA_OFSS_ML_DOCUMENT_VERIFICATION_EXTRACT_INFORMATION', 'CMC_SA_OFSS_ML_DOCUMENT_VERIFICATION_EXTRACT_INFORMATION');

```

```
commit;
```

### Plato Scripts:

```

Insert into PROPERTIES (ID, APPLICATION, PROFILE, LABEL, KEY, VALUE) values
(PROPERTIES_ID_SEQ.NEXTVAL, 'plato-api-gateway', 'jdbc', 'jdbc', 'zuul.routes.ofssmldoc.path', '/ofss_ml_document_verification_server/**');

```

```

Insert into PROPERTIES (ID, APPLICATION, PROFILE, LABEL, KEY, VALUE) values
(PROPERTIES_ID_SEQ.NEXTVAL, 'plato-api-gateway', 'jdbc', 'jdbc', 'zuul.routes.ofssmldoc.serviceId', 'ofss_ml_document_verification_server');

```

```

Insert into PROPERTIES (ID, APPLICATION, PROFILE, LABEL, KEY, VALUE) values
(PROPERTIES_ID_SEQ.NEXTVAL, 'plato-api-gateway', 'jdbc', 'jdbc', 'zuul.routes.ofssmldoc.stripPrefix', 'false');

```

```
commit;
```

This procedure makes sure that only authenticated users can use the API.  
However, developers running the app have an option to disable registry on Eureka and test the API normally.

7. To run the document verification server in the background, use the command below.

```
nohup python -m ofss_ml_document_verification_server & tail -f nohup.out
```

---

**Note:** After the execution of the above command, all the execution logs will be added to nohup.out (text file). Now you may close the terminal and the app will still be running on port.

---

8. To terminate/kill the app, we can use the netstat command to find the process\_id using the port on which the app is running and then use the kill command with the process\_id of the app as shown below to terminate the application.

```
netstat -nltp | grep 8090
```

```
kill -9 <process_id>
```



---

## 7. Restarts and Refresh

Once everything is deployed, restart all the managed servers. And for each application call path “/refresh” for refreshing the configuration properties.

### 7.1 Restarting Servers

To restart the server, refer to **How to restart** section in ANNEXURE-1.

---

## 8. Logging Area

### 8.1 Introduction

This part of the document will talk about the logs area where after deployment of Common Core Applications in WebLogic server.

#### 8.1.1 Logging Area

Common Core Application writes logs in the below area of the server:

<WEBLOGIC\_DOMAIN\_CONFIG\_AREA>/servers/CMNCOREAPP/logs/ CMNCOREAPP.out

Let's assume a domain has been created **CommonCore\_domain** with **managed\_server** name called **CMNCOREAPP** in the following area of the server

/scratch/oracle/middleware/user\_projects/domains/**CommonCore\_domain**. Logging area for Common core would be **/scratch/oracle/middleware/user\_projects/domains/CommonCore\_domain/servers/CMNCOREAPP/logs/CMNCOREAPP.out**

## 9. Known Issues - Resolutions

### 9.1 cmc-ml-indb-services

Troubleshooting deployment failure in cmc-ml-indb-services.war –

#### Deployment Error –

1. org.flywaydb.core.api.FlywayException: Validate failed: Migration checksum mismatch for migration version 101.32.5.0.0.4.101032004.1.1 -> Applied to database : 589007451 -> Resolved locally : -692687536 :org.flywaydb.core.api.FlywayException:Validate failed: Migration checksum mismatch for migration version 101.32.5.0.0.4.101032004.1.1 -> Applied to database : 589007451 -> Resolved locally : -692687536
2. org.flywaydb.core.api.FlywayException: Validate failed: Migration checksum mismatch for migration version 101.32.5.0.0.4.101032004.1.1 -> Applied to database : -692687536-> Resolved locally : 589007451:org.flywaydb.core.api.FlywayException:Validate failed: Migration checksum mismatch for migration version 101.32.5.0.0.4.101032004.1.1 -> Applied to database : -> -692687536 Resolved locally : 589007451

#### Resolution –

1. Error 1 should get resolved after applying the war from latest patchset.
2. Error 2 will result in case there have been manual modifications made in table "flyway\_schema\_history" i.e. checksum of script/file V101\_32\_5.0.0\_4\_101032004\_1\_1\_\_CMC\_TM\_ML\_ALGO\_REPO.sql has been manually changed/updated to -692687536 in flyway table. If so please delete all the entries in "flyway\_schema\_history" for script V101\_32\_5.0.0\_4\_101032004\_1\_1\_\_CMC\_TM\_ML\_ALGO\_REPO.sql then redeploy/re-run the latest cmc-ml-indb-services.war.

### 9.2 cmc-branch-service

Troubleshooting steps for failed cmc-branch-service-6.0.0:

For branch service the following steps will need to be executed for deploying the service over March patchset:

1. Run the following scripts on the SMS schema:  
delete from "flyway\_schema\_history" where "version" in ('101.4.5.11.0.1.00051001006.10.1');

```
delete from SMS_TM_FUNC_ACTIVITY_DETAIL where ID in  
( 'CMC_FA_BRANCH_WORKHR_GETALL','CMC_BRANCH_WORKHR_GETID','CMC_BRA  
NCH_WORKHR_SAVE','CMC_FA_BRANCH_TIME_GETALL','CMC_BRANCH_WORKHR_  
AUTHQRY','CMC_BRANCH_WORKHR_AUTH','CMC_BRANCH_WORKHR_CLOSERECRD  
' , 'CMC_BRANCH_WORKHR_DELETE','CMC_BRANCH_WORKHR_GETHISTRY',
```

```
'CMC_BRANCH_WORKHR_MODRECRD','CMC_BRANCH_WORKHR_ROPNRECRD');
```

```
commit;
```

2. Start the cmc-branch-service-6.0.0 application in Weblogic.