

Oracle Banking Treasury Management - ELCM Integration

Oracle Banking Treasury Management

Release 14.6.1.0.0

Part No. F61876-01

August 2022

Oracle Banking Treasury Management - ELCM Integration User Guide
Oracle Financial Services Software Limited
Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

<https://www.oracle.com/industries/financial-services/index.html>

Copyright © 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Contents

| | |
|--|-------------|
| 1. Preface | 1 |
| 1.2 Audience | 1 |
| 1.3 Documentation Accessibility | 1 |
| 1.4 Organization | 1 |
| 1.5 Acronyms and Abbreviations | 2 |
| 1.6 Glossary of Icons | 2 |
| 1.7 Related Information Sources | 2 |
| 2. OBTR - ELCM Integration | 3 |
| 2.1 OBTR Installation Modes | 3 |
| 2.2 Prerequisites | 3 |
| 2.2.1 <i>Prerequisites in Oracle Banking Treasury Management</i> | 3 |
| 2.2.2 <i>Prerequisites in Oracle Banking Enterprise Limits and Collateral Management</i> | 4 |
| 2.3 Integration Process | 5 |
| 2.3.1 <i>Installation Modes</i> | 5 |
| 2.3.2 <i>Integration Processing</i> | 6 |
| | .. 6 |
| 3. Function ID Glossary | 7 |

1. Preface

1.1 Introduction

This document helps you acquaint with the information on inter-connecting Oracle Banking Treasury Management (OBTR) with Enterprise Limits and Collateral Management (ELCM).

Besides this user manual, while maintaining the interface related details, you can invoke the context sensitive help available for each field in OBTR. This help describes the purpose of each field within a screen. You can obtain this information by placing the cursor on the relevant field and striking the <F1> key on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

| Role | Function |
|-------------------------------|--|
| Back office data entry Clerks | Input functions for maintenance related to the interface |
| End of day operators | Processing during end of day |
| Implementation Teams | For setting up integration |

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>

1.4 Organization

This chapter is organized into following chapters:





| Chapter | Description |
|-----------|--|
| Chapter 1 | <i>Preface</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual. |
| Chapter 2 | <i>OBTR- ELCM Integration</i> explains the integration between Oracle Banking Treasury Management and Enterprise Limits and Collateral Management. |
| Chapter 3 | <i>Annexure</i> provides the details of supported and unsupported functionalities of ELCM. |

1.5 Acronyms and Abbreviations

| Abbreviation | Description |
|--------------|--|
| System | Unless and otherwise specified, it always refers to Oracle Banking Treasury Management |
| OBTR | Oracle Banking Treasury Management |
| ELCM | Enterprise Limits and Collateral Management |
| SYNC | Synchronous |
| ASYNC | Asynchronous |
| XML | Extensible Markup Language |

1.6 Glossary of Icons

This user manual may refer to all or some of the following icons.

| Icons | Function |
|---|-------------|
|  | Exit |
|  | Add row |
|  | Delete row |
|  | Option List |

1.7 Related Information Sources

Along with this user manual you may also refer the following related resource:

- Oracle Banking Treasury Management Installation Manuals
- Common Core - Core Entities and Services User Guide

2. OBTR - ELCM Integration

Banks extend various credit facilities like limits to its customers depending on their requirements.

This chapter contains the following sections:

- [Section 2.1, "OBTR Installation Modes"](#)
- [Section 2.2, "Prerequisites"](#)
- [Section 2.3, "Integration Process"](#)

2.1 OBTR Installation Modes

This section talks about the OBTR installation modes.

- OBTR with External Limits - The integration supports the following modes of OBTR- Limits installation:
 - Standalone Limits system with OBTR - SYNC Method
 - Standalone Limits system with OBTR - ASYNC Method
 - Co-Deployed limits installation - SYNC Method
 - Co-Deployed limits installation - ASYNC Method

| Details | Standalone | | Co-Deployed | |
|-------------------------|----------------|----------------|--------------|--------------|
| | SYNC (1) | ASYNC (2) | SYNC (3) | ASYNC (4) |
| Data Storage | Different DB | Different DB | Same DB | Same DB |
| Deployment | Different App. | Different App. | Same App. | Same App. |
| Mode Inter-face | Web Services | Web Services | Web Services | Web Services |
| Limit Response Handling | Online | Deferred | Online | Deferred |

2.2 Prerequisites

The below table explains the parameters to be maintained for the Standalone mode for ELCM integration.

Table: CSTB_PARAM

| Parameter | Value |
|---------------------------|-------|
| OBTR_EL_COMM_MODE | S |
| OBTR_EXTERNAL_ACC_CHK_REQ | Y |
| ELCM_SETUP_MODE | S |

2.2.1 Prerequisites in Oracle Banking Treasury Management

The prerequisites in OBTR for this integration are as follows:

- You have to maintain the following details in **Treasury External Service Maintenance (IFDTRXSE)** screen:

| Field | Description |
|------------------------|---|
| External System | Specify the Source code of external system as ELCM |
| External User | Specify the External User. This user should be present in both OBTR and ELCM. |
| Type | Specify the type as SOAP Request. |
| Service Name | Specify the service name as ELUtilizationService. |
| WS Endpoint URL | Specify the Related service name. |

- Facility details are fetched from ELCM and displayed in OBTR through External LOV, and the External LOV is applicable to Web-logic application. To fetch the details from ELCM, user has to maintain an active record in **Integration Parameter Maintenance** screen (IFDINPRM) with following details:

| Field | Description |
|---------------------------------|---|
| Branch Code | Specify the Branch Code. The branch should be present in OBTR and ELCM. |
| External System | Specify the source code of external system as ELCM. |
| External User | User to be provided the below access: <ul style="list-style-type: none"> The user should have access for OBTR and ELCM The user should also have branch access for both OBTR and ELCM |
| Service Name | Specify the Service Name as ExtLovServic. |
| Communication Channel | Specify the Communication Channel as REST. |
| Communication Mode | Specify the Communication Mode as SYNCHRONOUS. |
| Communication Layer | Specify the Communication Layer as Application. |
| Rest Service IP and Port | Specify the ELCM Application IP and Port. |
| Rest Service Pattern | Specify the Rest Service Pattern as LovService. |
| Rest Service Context | Specify the Rest Service Context as FCJNeoWeb. |

2.2.2 Prerequisites in Oracle Banking Enterprise Limits and Collateral Management

The prerequisites in ELCM for this integration are as follows:

- You have to maintain the following details in **Upload Source maintenance (CODSORCE)** screen:

| Field | Description |
|--------------------|---|
| Source Code | Specify the Source code of external system as OBTR. |

- You have to maintain the following details in **Upload Source Preference maintenance (IFDTRXSE)** screen:

| Field | Description |
|-------------|--|
| Source Code | Specify the Source code of external system as OBTR. |
| Module Code | Specify Treasury Module Codes. |
| On Error | Select either Reject or Blank from the drop-down list. The system perform an action based on the selected value. |
| On Override | Ignore. |
| Status | Select the Authorized value from the drop-down list for the OBTR. |

- You have to maintain the following details in **Product Maintenance (GEDPROD)** screen:

| Field | Description |
|--------------|--|
| Module | Specify the Treasury Modules. |
| Product Code | Specify the Product code for maintaining the restriction in the Facility screen. |
| Product Type | Specify the product type. |

- You have to maintain the following details in **External System maintenance (GEDEXMNT)** screen:

| Field | Description |
|----------------------|--|
| External System Code | Specify the source code of an external system as OBTR. |
| External System | Specify the External System as FCUBS. |
| Module | Specify this field as OVD. |
| WSDL Link | Provide OBTR WSDL URL in this field. |

- You have to maintain the following details in **External System maintenance (GWDEFUN)** screen:

| Field | Description |
|-----------------|---|
| External System | Specify the source code of external system as OBTR. |
| Function | Maintain the related service and operation code for OBTR. |

2.3 Integration Process

This section contains the following topics:

- [Section 2.3.1, "Installation Modes"](#)
- [Section 2.3.2, "Integration Maintenance and Processing"](#)

2.3.1 Installation Modes

ELCM Request Initiation from OBTR:

During transaction booking at OBTR with limits, OBTR will initiate a utilization request to ELCM and waits for the response to be processed at OBTR synchronously. After a transaction is booked at OBTR for the subsequent set of operations OBTR decides on sending the request synchronously or asynchronously based on the parameter maintenance.


OBTR creates the limit request during the online transaction and sends it to the external limit system

- The response received from the external limit system along with the override

and errors are displayed to the user during the transaction


- The user can approve the limits overrides and proceed with the transactions from OBTR

OBTR- Limits Transaction- Sync Flow



During EOD, ELCM request is processed in the SYNC mode for the modules: MM, DV, OT, SE, SR, and FX. The rest of the modules are processed in the ASYNC mode using the scheduler job- TREXT_ASYNCALL.

OBTR- Limits Transaction- ASYNC Flow



2.3.2 Integration Processing

If OBTR is installed with external limits, then:

- Replicate the following limit details from the external system to OBTR:
 - Liability details
 - Liability Customer Linkage
 - Facility details
- You can also link global limits as applicable based on the data replicated from the external system.

3. Function ID Glossary

| | |
|----------------|------|
| CODSORCE | 4 |
| GEDEXMNT | 5 |
| GEDPROD | 5 |
| GWDEFUN | 5 |
| IFDTRXSE | 4, 5 |