

Gateway Application Setup
Oracle FLEXCUBE Investor Servicing
Release 14.7.0.0.0
[Nov] [2022]



Table of Contents

1.	SETTING UP GATEWAY FOR ORACLE FLEXCUBE	1-1
1.1	INTRODUCTION	1-1
1.2	SETTING UP GATEWAY EJB APPLICATION.....	1-1
1.2.1	<i>Prerequisites</i>	<i>1-1</i>
1.2.2	<i>Building EAR File.....</i>	<i>1-1</i>
2.	SETTING UP GATEWAY MDB APPLICATION.....	2-1
2.1.1	<i>Prerequisites</i>	<i>2-1</i>
2.1.2	<i>Building EAR File.....</i>	<i>2-1</i>
3.	SETTING UP GATEWAY HTTP APPLICATION	3-1
3.1.1	<i>Prerequisites</i>	<i>3-1</i>
3.1.2	<i>Building EAR file.....</i>	<i>3-1</i>
4.	SETTING UP GATEWAY WEB SERVICE APPLICATION.....	4-1
4.1.1	<i>Prerequisites</i>	<i>4-1</i>
4.1.2	<i>Building EAR File.....</i>	<i>4-1</i>
5.	POST BUILDING ACTIVITY	5-1
5.1	INTRODUCTION	5-1
5.1.1	<i>Gateway Configuration.....</i>	<i>5-1</i>
5.1.2	<i>Deployment Using Oracle WebLogic Application Server.....</i>	<i>5-1</i>

1. Setting up Gateway for Oracle FLEXCUBE

1.1 Introduction

This chapter explains the steps for setting up the Gateway Application for Oracle FLEXCUBE.

1.2 Setting up Gateway EJB Application

This section explains the methods of setting up Gateway EJB Application.

1.2.1 Prerequisites

You need to create the following gateway EJB property files before building the application:


- *gw_ejb_logger.properties*
- *GW_EJB_Prop.properties*

For details, refer to the section 'Gateway EJB Application' in chapter 'Setting up Property Files' (04-PropertyFile_Setup).

1.2.2 Building EAR File


In order to build EAR file for Gateway EJB Application, you need to follow the steps given below:

1. Launch Oracle FLEXCUBE Universal Installer. The welcome screen is displayed.
2. Click 'Next' the following screen will be displayed.



3. Choose the Application 'Gateway'. Click 'Next'.

The following screen is displayed:



4. Specify the following details:

File Separator Style

Specify the style of file separator (e.g Linux or Windows). Choose the appropriate one from the drop-down list.

Application Server

Specify the application server in which you are creating the property file. Choose the appropriate one from the drop-down list.

5. Choose 'Build Application'. Click 'Next'. The following screen is displayed:
6. This is the FC HOME folder that needs to be set. Also, it should point to SMS schema. Those versions less than or equal to the current environment are allowed.

Oracle FLEXCUBE Universal Installer

Oracle FLEXCUBE Investor Servicing **ORACLE**

Installation Type ☐

FC Home


☒ EAR Build ☐ EAR Build Rolled-up

Provide SMS schema details for patch install...


Name	Value
Username	test
Password	••••
Service Name	test
IP Address	10.10.10.10
Port	1234
TNS Connect Descriptor	test

Click 'Test Connection'.

On Successfull connection the below message will be displayed.



Click OK. Click 'Next' to navigate to next page




Oracle FLEXCUBE Investor Servicing

Valid Patch List

No	Version	Type	Select
1	14.0.0.0	CONSOLE	<input checked="" type="checkbox"/>

Log Back Next Exit

Click Next.



Oracle FLEXCUBE Investor Servicing

Gateway Property File Creation

Choose the Gateway Application Type

- Gateway Application Type
 - Gateway EJB
 - Gateway MDB
 - Gateway Http Servlet
 - Gateway WebServices
 - REST Services EJB
 - REST Services WebServices

Log Back Next Exit


7. Choose 'Gateway EJB'. Click 'Next'.
8. Once you have specified the details, click 'Next' to continue.

The EJB reference name will be '{APPLICATIONNAME}_GW_EJB_Bean' and the JNDI name will be '{APPLICATIONNAME}/ejb/GW_EJB_Bean'.

For example, consider that the application name is GWEJB. In that case EJB and JNDI names will be as follows:

- *EJB reference name: GWEJB_GW_EJB_Bean*
- *JNDI name: GWEJB/ejb/GW_EJB_Bean*

9. Click 'Next'. The following screen is displayed.



The screenshot shows the 'Oracle FLEXCUBE Universal Installer' window. The title bar reads 'Oracle FLEXCUBE Universal Installer'. The main window has a red header bar with 'Oracle FLEXCUBE Investor Servicing' on the left and the 'ORACLE' logo on the right. Below the header, the section is titled 'Build Process' with the instruction 'Specify the destination directory, application name and context.' There are two input fields: 'Destination Directory' with the text 'D:\DESTTEMPDIR' and a folder icon to its right, and 'Application Name' with the text 'GWEJB'. At the bottom of the window, there are four buttons: 'Log', 'Back', 'Next', and 'Exit'.

Provide the destination directory path

Provide the required application name. Click Next and the below screen is displayed if the application server is weblogic.

The screenshot shows a software installation window titled "Oracle FLEXCUBE Investor Servicing" with the Oracle logo in the top right corner. The main section is titled "Build Process" and contains the instruction "Specify the Property File path." Below this, there are three input fields: "Load Property File" with the text "ALLER\SOURCE\propfile\GW_EJB_Prop.properties" and a folder icon to its right; "Symmetric key" with the text "oraclefinancials"; and a large text area with the placeholder text "Provide the property file path to be included." and a vertical scrollbar on its right. At the bottom of the window, there are four buttons: "Log", "Back", "Next", and "Exit".

10. Specify the following details:

Centralized Property File


To modify an existing property file, you need to select the exact property file by clicking on the folder icon.

Symmetric Key

Specify the symmetric key details.

Note: Do not load the Logger.properties file. The installer will load that file automatically based on the property file.

11. Click 'Next'. The following screen is displayed.



12. Specify the following details:


Distributed Schema

Specify whether this is a distributed schema or not. This is a read only component. The Distributed schema will be YES only if the property file has distributed schema.

Data Source


Specify the data source of the schema.

13. Click 'Next'. The following screen is displayed.



14. Click 'Copy' button. The installer copies the files.

15. Click 'Next'. The following screen is displayed.



16. Click 'Build' button to start the build process. The installer builds the source files.

This completes the EAR file generation process. The EAR file will be saved to the destination directory.

2. Setting up Gateway MDB Application

This section explains the methods of setting up Gateway MDB Application.

2.1.1 Prerequisites

You need to create the following gateway MDB property files before building the application:


- *gw_mdb_logger.properties*
- *GW_MDB_Prop.properties*

For details, refer to the section 'Gateway MDB Application' in chapter 'Setting up Property Files' (04-PropertyFile_Setup).


2.1.2 Building EAR File

In order to build EAR file for Gateway MDB Application, you need to follow the steps given below:

1. Launch Oracle FLEXCUBE Universal Installer. The welcome screen is displayed.



Choose the Application 'Oracle FLEXCUBE Gateway'. Click 'Next'. The following screen is displayed:



2. Specify the following details:

File Separator Style

Specify the type of file separator (e.g: Linux or Windows). Choose the appropriate one from the drop-down list. You also need to specify the version of the selected operating system.

Application Server

Specify the application server in which you are creating the property file. Choose the appropriate one from the drop-down list.

Choose 'Build Application'. Click 'Next'. The following screen is displayed

Oracle FLEXCUBE Universal Installer

Oracle FLEXCUBE Investor Servicing ORACLE

Installation Type ☐

FC Home


☒ EAR Build ☐ EAR Build Rolled-up

Provide SMS schema details for patch install...

Name	Value
Username	test
Password	••••
Service Name	test
IP Address	10.10.10.10
Port	1234
TNS Connect Descriptor	test

Choose FC home and specify the SMS schema details.

Click 'Test Connection'. On Successful connection the below message will be displayed.



Click OK. Click 'Next' to navigate to next page

Oracle FLEXCUBE Investor Servicing

ORACLE

Valid Patch List

No	Version	Type	Select
1	14.0.0.0	CONSOLE	<input checked="" type="checkbox"/>

Log


Back

Next

Exit

Choose patches from list and click 'Next'

The following screen is displayed:



The screenshot shows a web application window titled "Oracle FLEXCUBE Investor Servicing" with the Oracle logo in the top right corner. The main content area is titled "Gateway Property File Creation" and contains the instruction "Choose the Gateway Application Type". Below this is a list box with a tree structure. The root node is "Gateway Application Type", which is expanded to show several sub-items: "Gateway EJB", "Gateway MDB", "Gateway Http Servlet", "Gateway WebServices", "REST Services EJB", and "REST Services WebServices". The "Gateway Http Servlet" item is currently selected and highlighted with a blue background. At the bottom of the window, there is a navigation bar with four buttons: "Log", "Back", "Next", and "Exit".

Oracle FLEXCUBE Investor Servicing

ORACLE

Gateway Property File Creation

Choose the Gateway Application Type


Gateway Application Type

- Gateway EJB
- Gateway MDB
- Gateway Http Servlet
- Gateway WebServices
- REST Services EJB
- REST Services WebServices

Log Back Next Exit

3. Choose 'Gateway MDB'. Click 'Next'.


4. The following screen is displayed: Click 'Next' the following screen will be displayed.



Oracle FLEXCUBE Universal Installer

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process
Specify the destination directory, application name and context.

Destination Directory 

Application Name

Log Back Next Exit

5. Specify the following details:

Destination Directory

Specify the location of the destination directory. The source files from the software will be copied to this location.

Eg: D:\Testing\source\dest

Application Name

Specify the EAR name of the application.

The application name should not contain special characters and space. However, you may use '_' (Underscore).

Eg: GWMDB

6. Once you have specified the details, click 'Next' to continue.

The screenshot shows a software window titled "Oracle FLEXCUBE Investor Servicing" with the Oracle logo in the top right corner. The main area is labeled "Build Process" and contains the instruction "Specify the Property File path." Below this, there are two input fields: "Load Property File" with the text "LLER\SOURCE\propfile\GW_MDB_Prop.properties" and a folder icon to its right, and "Symmetric key" with the text "oraclefinancials". At the bottom of the main area is a large text box with the placeholder text "Provide the property file path to be included." and a vertical scrollbar on its right side. The bottom of the window features a gray bar with four buttons: "Log", "Back", "Next", and "Exit".

7. Specify the following details:

Centralized Property File

To modify an existing property file, you need to select the exact property file by clicking on the folder icon.

Note: Do not load the Logger.properties file. The installer will load that file automatically based on the property file.

8. Click 'Next'. The following screen is displayed.

Oracle FLEXCUBE Universal Installer 14.4.0.0.0

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process

Current screen provides an option for modifying the Schema details

Distributed Schema ▼

DataSource

9. Specify the following details:


Distributed Schema

Select Distributed Schema as 'Yes'.

Data Source


Specify the data source of the schema.

10. Click 'Next'. The following screen is displayed.



11. Click 'Copy' button. The installer copies the files.

12. Click 'Next'. The following screen is displayed.



13. Click 'Build' button to start the build process. The installer builds the source files.

This completes the EAR file generation process. The EAR file will be saved to the destination directory.

3. Setting up Gateway HTTP Application

This section explains the methods of setting up Gateway HTTP Application. This is not applicable in EXEC mode of installation.

3.1.1 Prerequisites

You need to create the following gateway HTTP property files before building the application:


- *gw_http_logger.properties*
- *GW_HTTP_Prop.properties*

For details, refer to the section 'Gateway HTTP Application' in chapter 'Setting up Property Files' (04-PropertyFile_Setup).

3.1.2 Building EAR file


In order to build EAR file for Gateway HTTP Application, you need to follow the steps given below:

1. Launch Oracle FLEXCUBE Universal Installer. The welcome screen is displayed.



2. Choose the Application 'Oracle FLEXCUBE Gateway'. Click 'Next'.

The following screen is displayed:



3. Specify the following details:

File Separator Style

Specify the operating system in which you are creating the property file. Choose the appropriate one from the drop-down list.

Application Server

Specify the application server in which you are creating the property file. Choose the appropriate one from the drop-down list.

Choose 'Build Application'. Click 'Next'. The following screen is displayed:

Oracle FLEXCUBE Universal Installer

Oracle FLEXCUBE Investor Servicing ORACLE

Installation Type ☐


FC Home

☒ EAR Build ☐ EAR Build Rolled-up


Provide SMS schema details for patch install...

Name	Value
Username	test
Password	****
Service Name	test
IP Address	10.10.10.10
Port	1234
TNS Connect Descriptor	test

Choose FC home and specify the SMS schema details. Click 'Test Connection'. On Successful connection the below message will be displayed.




Click OK. Click 'Next' to navigate to next page



The screenshot shows the 'Valid Patch List' window in Oracle FLEXCUBE Investor Servicing. The window has a red header bar with the text 'Oracle FLEXCUBE Investor Servicing' and the 'ORACLE' logo. Below the header, the title 'Valid Patch List' is displayed. A table with four columns: 'No', 'Version', 'Type', and 'Select' is shown. The first row contains the values '1', '14.0.0.0', 'CONSOLE', and a checked checkbox. Below the table is a large empty rectangular area. At the bottom of the window, there is a 'Log' button on the left and 'Back', 'Next', and 'Exit' buttons on the right.


No	Version	Type	Select
1	14.0.0.0	CONSOLE	<input checked="" type="checkbox"/>

4. Choose Patches. Click 'Next'. The following screen is displayed:



The screenshot shows the 'Gateway Property File Creation' window in Oracle FLEXCUBE Investor Servicing. The window has a red header bar with the text 'Oracle FLEXCUBE Investor Servicing' and the 'ORACLE' logo. Below the header, the title 'Gateway Property File Creation' is displayed, followed by the instruction 'Choose the Gateway Application Type'. A list box contains a tree view with the following items: 'Gateway Application Type' (expanded), 'Gateway EJB', 'Gateway MDB', 'Gateway Http Servlet' (selected), 'Gateway WebServices', 'REST Services EJB', and 'REST Services WebServices'. At the bottom of the window, there is a 'Log' button on the left and 'Back', 'Next', and 'Exit' buttons on the right.

5. Choose 'Gateway Http Servlet'. Click 'Next'.



6. Specify the following details:

Destination Directory

Specify the location of the destination directory. The source files from the software will be copied to this location.

Eg: D:\Testing\source\dest

Application Name

Specify the EAR name of the application.

The application name should not contain special characters and space. However, you may use '_' (underscore).

Eg: GWHTTP

Application Context

Based on the Application type selected, the Installer displays the application context. However, you may modify the default value.

Once you have specified the details, click 'Next' to continue.

7. The following screen is displayed.

The screenshot shows a software window titled "Oracle FLEXCUBE Investor Servicing" with the Oracle logo in the top right corner. The main area is titled "Build Process" and contains the instruction "Specify the Property File path." Below this, there are two input fields. The first is labeled "Load Property File" and contains the text "LER\SOURCE\propfile\GW_HTTP_Prop.properties", with a yellow folder icon to its right. The second is labeled "Symmetric key" and contains the text "oraclefinancials". Below these fields is a large text area with the placeholder text "Provide the property file path to be included." and a vertical scrollbar on the right. At the bottom of the window, there is a gray bar containing four buttons: "Log", "Back", "Next", and "Exit".


8. Specify the following details:

Centralized Property File

To modify an existing property file, you need to select the exact property file by clicking on the folder icon.


Note: Do not load the Logger.properties file. The installer will load that file automatically based on the property file.

9. Click 'Next'. The following screen is displayed.



10. Click 'Copy' button. The installer copies the files.

11. Click 'Next'. The following screen is displayed.



12. Click 'Build' button to start the build process. The installer builds the source files.

This completes the EAR file generation process. The EAR file will be saved to the destination directory.

4. Setting up Gateway Web Service Application

This section explains the methods of setting up Gateway Web Service Application.

4.1.1 Prerequisites

You need to create the following gateway Web Service property files before building the application:


- *gw_ws_logger.properties*
- *GW_WS_Prop.properties*

For details, refer to the section 'Gateway Web Service Application' in chapter 'Setting up Property Files' (04-PropertyFile_Setup).

4.1.2 Building EAR File


In order to build EAR file for Gateway Web Service Application, you need to follow the steps given below:

1. Launch Oracle FLEXCUBE Universal Installer. The welcome screen is displayed.



2. Choose the Application 'Oracle FLEXCUBE Gateway'. Click 'Next'.

The following screen is displayed:



Specify the following details:

Operating System

Specify the operating system in which you are creating the property file. Choose the appropriate one from the drop-down list. You

Application Server

Specify the application server in which you are creating the property file. Choose the appropriate one from the drop-down list.

3. Choose 'Build Application'. Click 'Next'.

The following screens are displayed. This is the FC HOME folder that needs to be set. Also, it should point to SMS schema. Those versions less than or equal to the current environment are allowed.

Oracle FLEXCUBE Universal Installer

Oracle FLEXCUBE Investor Servicing ORACLE

Installation Type ☐


FC Home

☒ EAR Build ☐ EAR Build Rolled-up


Provide SMS schema details for patch install...

Name	Value
Username	test
Password	••••
Service Name	test
IP Address	10.10.10.10
Port	1234
TNS Connect Descriptor	test

Click 'Test Connection'. On Successful connection the below message will be displayed.



Click OK. Click 'Next' to navigate to next page




Oracle FLEXCUBE Investor Servicing

Valid Patch List

No	Version	Type	Select
1	14.0.0.0	CONSOLE	<input checked="" type="checkbox"/>

Log Back Next Exit

4. Click 'Next'. The following screen is displayed:



Oracle FLEXCUBE Universal Installer 14.4.0.0

Oracle FLEXCUBE Investor Servicing

Gateway Property File Creation


Choose the Gateway Application Type

- Gateway Application Type
 - Gateway EJB
 - Gateway MDB
 - Gateway Http Servlet
 - Gateway WebServices
 - REST Services


Log Back Next Exit

5. Choose 'Gateway WebServices'. Click 'Next'.

6. The following screen is displayed: Click 'Next' the following screen will be displayed.



7. Click on next, the following screen appears



Destination Directory

Provide Destination Directory

Application Name

If chosen Individual mode of web services in previous screen then this field is disabled and the name of the web service generated would be the name of the service

Else if selected Integrated, then this field is enabled where user can input required name

Recompilation Required

Check this box if WSDL, XSD files have been modified

Note: In case of XSD or WSDL web services should be recompiled,

Copy the modified service sources into the service source path (<services_source_path>). Remove the unmodified services and proceed.

In case of FCIS the services sourcepath is 'Source_Dir\GatewayServices\Services-Operations\XSD\<Module>\Gateway\Services'.

8. Once you have specified the details, click 'Next' to continue.

9. The following screen is displayed.

The screenshot shows the 'Oracle FLEXCUBE Investor Servicing' window. The title bar is red with the Oracle logo. The main content area is titled 'Build Process' and contains the following elements:

- A label 'Specify the Property File path.' followed by a text input field containing 'ALLER\SOURCE\propfile\GW_WS_Prop.properties' and a folder icon.
- A label 'Load Property File' followed by a text input field containing 'oraclefinancials'.
- A label 'Symmetric key' followed by a text input field containing 'oraclefinancials'.
- A large text area with the placeholder text 'Provide the property file path to be included.' and a vertical scrollbar on the right.

At the bottom of the window, there is a gray bar containing four buttons: 'Log', 'Back', 'Next', and 'Exit'.

10. Specify the following details:

Centralized Property File

To modify an existing property file, you need to select the exact property file by clicking on the folder icon.

Note: Do not load the Logger.properties file. The installer will load that file automatically based on the property file.

11. Click 'Next'. The following screen is displayed.


SNo	Module Name	Service Name	Include	Recompile
1	CORE	FCISCustomerService	<input type="checkbox"/>	<input type="checkbox"/>
2	LE	FCISPolicy	<input type="checkbox"/>	<input type="checkbox"/>
3	LE	FCISPolicyCession	<input type="checkbox"/>	<input type="checkbox"/>
4	LE	FCISPolicyJournal	<input type="checkbox"/>	<input type="checkbox"/>
5	LE	FCISPolicyStatusChange	<input type="checkbox"/>	<input type="checkbox"/>
6	LE	FCISPolicySwitch	<input type="checkbox"/>	<input type="checkbox"/>
7	LE	FCISPolicyTxn	<input type="checkbox"/>	<input type="checkbox"/>
8	LE	FCISSurrender	<input type="checkbox"/>	<input type="checkbox"/>

☐ Select All

Log Back Next Exit


12. Select the services to be included for Web Services.

13. Click 'Next'. The following screen is displayed.



14. Click 'Copy' button. The installer copies the files.

15. Click 'Next'. The following screen is displayed.



16. Click 'Build' button to start the build process. The installer builds the source files.

This completes the EAR file generation process. The EAR file will be saved to the destination directory.

5. Post Building Activity

5.1 Introduction

This section introduces you to the activities to be carried out after setting up the gateway applications.

5.1.1 Gateway Configuration

Gateway application looks for the required files inside the 'XSD Path' and 'Logger File' provided at the time of Gateway Property creation.

Refer [Gateway Property File Creation](#) document for details.

You need to maintain the following files in XSD Path and Logger Path:

Path	Files
Logger Path	Logger path should contain the gateway property files generated by the Installer. For example, for Gateway EJB application, the installer generates the files 'gw_ejb_logger.properties' and 'GW_EJB_Prop.properties'. While creating the property file if you specify the 'Logger Path' as 'D:/GW_EJB/config/ gw_ejb_logger.properties', then you need to place both the files 'gw_ejb_logger.properties' and 'GW_EJB_Prop.properties' inside the folder 'D:/GW_EJB/config/'.
XSD Path	XSD Path should contain the common XSD files as well as the gateway module specific XSD files which are related to gateway operation. Copy the common XSD files from 'MAIN\Core\Gateway\COMMON' to the XSD Path. Copy the module specific XSD files from 'MAIN/<module>/ Gateway/XSD' to the XSD Path.

ServerState.xml should be copied in the XSD Directory from
Gateway\Utilities\POSS\ServerState.xml

5.1.2 Deployment Using Oracle WebLogic Application Server

For details on the manual deployment using Oracle WebLogic Application Server, refer to the chapter [Gateway Application Deployment Weblogic](#)



Gateway Application Setup
[Nov] [2022]
Version 14.7.0.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2022], Oracle and/or its affiliates.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

