

GWPKS_QUERYDDCONTRACT Package

Extensible Hook Details

Release 14.7.0.0.0

Part No.F72109-01

November 2022

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2007, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_BUILD_CHEQUEDETAILS/10/1	1
2. FN_DDCONTRACT_RES_FULL/12/1	2
3. FN_DDCONTRACT_RES_FULL/12/2	2
4. FN_DDCONTRACT_RES_FULL/12/3	3
5. FN_DDCONTRACT_RES_FULL_INWARD/12/1	4
6. FN_DDCONTRACT_RES_FULL_MULTI/12/1	4
7. FN_TS_TO_TYPE/15/1	5

Parameter	Description
Function	FN_BUILD_CHEQUEDETAILS
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_BUILD_CHEQUEDETAILS
Additional parameters	I_fn_call_id I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	User can enter the date in Value date field for screens 8318,8309,8321, 1010,1014 in first screen which will differ the credit and debit entries according to value date respectively in actb_daily_log and Value date field in second screen automatically populates from first screen. For this, Hook is provided.
Description	User can enter the date in Value date field for screens 8318,8309,8321, 1010,1014 in first screen which will differ the credit and debit entries according to value date respectively in actb_daily_log and Value date field in second screen automatically populates from first screen. For this, Hook is provided. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19029276

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL
Additional parameters	I_fn_call_id I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE
Hook Description	HOOK PROVIDED TO CAPTURE AND PRINT THE BENEFACTORS NAME

Description	<p>HOOK PROVIDED TO CAPTURE AND PRINT THE BENEFACTORS NAME</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18758228

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL
No of Parameters	12
Function Call Id	2
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL
Additional parameters	I_fn_call_id I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(I_instr_no) I_Tb_Cluster_Data(I2_instr_type) I_Tb_Cluster_Data(I_instr_ccy)
Received from Extensible Layer	I_print_count I_reprint_reason
Hook Description	<p>Hook is provided as,</p> <p>FCUBS should support FCY DD processing in USD, GBP and EUR .</p> <p>The Instrument Number will be same for different currencies.</p> <p>Ex The Instrument number 10001 can be issued to GBP , as well as to EUR</p>
Description	<p>Hook is provided as,</p> <p>FCUBS should support FCY DD processing in USD, GBP and EUR .</p> <p>The Instrument Number will be same for different currencies.</p> <p>Ex The Instrument number 10001 can be issued to GBP , as well as to EUR</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23652054

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL
No of Parameters	12
Function Call Id	3
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL
Additional parameters	I_fn_call_id I_Tb_Cluster_Data

Sent to Extensible layer	l_tb_cluster_data(l_ac_gl_desc1) l_tb_cluster_data(l_mode) l_tb_cluster_data(l_ac_or_gl) l_tb_cluster_data(g_operati on_code) l_tb_cluster_data(l_instr_amt_in_words) l_tb_cluster_data(g_tag) l_tb_cluster_data(p_new_micr_no) l_tb_clust er_data(p_print_type) l_tb_cluster_data(l_dup_count) l_tb_cluster_data(l_remarks_other) l_tb_cluster_data(g_old_instr _no) l_tb_cluster_data(g_payment_mode) l_tb_cluster_data(l_reval_freq_days) l_tb_cluster_data(l_reval_freq_months) l_ tb_cluster_data(l_reval_freq_years) l_tb_cluster_data(l_revaldt) l_tb_cluster_data(l_timeoftxn) l_tb_cluster_data(l_b ranch_name) l_tb_cluster_data(l_amt_in_words) l_tb_cluster_data(l_actamt) l_tb_cluster_data(l_tot_chg_in_acy) l_tb_c luster_data(g_new_instr_no) l_tb_cluster_data(g_instr_type) l_tb_cluster_data(l_exch_rate) l_tb_cluster_data(l_instr_ stat) l_tb_cluster_data(l_instr_type) l_tb_cluster_data(l_instr_amt_in_words_3) l_tb_cluster_data(l_instr_amt_in_wor ds_1) l_tb_cluster_data(l_instr_amt_in_words_2) l_tb_cluster_data(p_instr_no) l_tb_cluster_data(l_amt_in_words_1) l_tb_cluster_data(l_amt_in_words_2) l_tb_cluster_data(l_amt_in_words_3)
Received from Extensible Layer	l_tsvals
Hook Description	For customization in account advice fn_ddcontract_res_full in GWPKS_QUERYDDCONTRACT_CUSTOM and Hook is included in Kernel package gwps_queryddcontract for advice processing . To achieve this requirement hook is provided in existing Kernel code with Call id = 3
Description	For customization in account advice fn_ddcontract_res_full in GWPKS_QUERYDDCONTRACT_CUSTOM and Hook is included in Kernel package gwps_queryddcontract for advice processing . To achieve this requirement hook is provided in existing Kernel code with Call id = 3 All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23655523

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL_INWARD
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL_INWARD
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data (l_instr_no) l_Tb_Cluster_Data (l2_instr_type) l_Tb_Cluster_Data (l_instr_ccy)
Received from Extensible Layer	l_print_count l_reprint_reason
Hook Description	Hook is provided as, FCUBS should support FCY DD processing in USD, GBP and EUR . The Instrument Number will be same for different currencies. Ex : The Instrument number 10001 can be issued to GBP, as well as to EUR

Description	<p>Hook is provided as,</p> <p>FCUBS should support FCY DD processing in USD, GBP and EUR .</p> <p>The Instrument Number will be same for different currencies.</p> <p>Ex : The Instrument number 10001 can be issued to GBP, as well as to EUR</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23652054

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL_MULTI
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL_MULTI
Additional parameters	I_fn_call_id I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data (I_instr_no) I_Tb_Cluster_Data (I2_instr_type) I_Tb_Cluster_Data (I_instr_ccy)
Received from Extensible Layer	I_print_count I_reprint_reason
Hook Description	<p>Hook is provided as,</p> <p>FCUBS should support FCY DD processing in USD, GBP and EUR .</p> <p>The Instrument Number will be same for different currencies.</p> <p>Ex The Instrument number 10001 can be issued to GBP, as well as to EUR</p>
Description	<p>Hook is provided as,</p> <p>FCUBS should support FCY DD processing in USD, GBP and EUR .</p> <p>The Instrument Number will be same for different currencies.</p> <p>Ex The Instrument number 10001 can be issued to GBP, as well as to EUR</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23652054

Parameter	Description
Function	FN_TS_TO_TYPE
No of Parameters	15
Function Call Id	1
Cluster/Custom Function Name	FN_TS_TO_TYPE
Additional parameters	I_fn_call_id I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible Layer	NONE

Hook Description	pre and post hooks provided in the function FN_TS_TO_TYPE of gwpgs_queryddcontract Package, To handle six MICR Number Requirement.
Description	pre and post hooks provided in the function FN_TS_TO_TYPE of gwpgs_queryddcontract Package, To handle six MICR Number Requirement. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19903477