FLEXCUBE Universal Banking - Party Services Integration Guide

Oracle Banking

Release 14.7.2.0.0

Part Number F72113-01

November 2022



FLEXCUBE Universal Banking - Party Services Integration Guide

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001

https://www.oracle.com/industries/financial-services/index.html

Copyright © 2021, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.



Contents

1	1 About this manual		
	1.1	Purpose	1
	1.2	Audience	′
	1.3	List of Chapters	1
	1.4	Related Documents	<i>'</i>
2	Inte	egration Guide	2
	2.1	Introduction	2
	2.2	Pre-requisite	2
	2.3	Maintenance for FLEXCUBE Universal Banking	2
	2.4	Maintenance for Party Services	. 18



1 About this manual

1.1 Purpose

This manual is to help with Integration of Party Services with FLEXCUBE Universal Banking.

1.2 Audience

This guide is primarily intended for the following user/user roles:

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software

1.3 List of Chapters

Topics	Function	
Integration Guide	This chapter helps you to integrate Party Services with FLEXCUBE Universal Banking.	

1.4 Related Documents

For information on screens mentioned in this guide, refer to the following documents in the FLEXCUBE Universal Banking Documentation Library:

- Common Core Gateway User Guide
- Core Services User Guide
- Core Entities User Guide



2 Integration Guide

2.1 Introduction

You can integrate Party Services with FLEXCUBE Universal Banking acting as the backend Product Processor. This document briefs you about the specific steps needed for integration and required specific maintenances.

2.2 Pre-requisite

The Party Service passes the user login id to FLEXCUBE Universal Banking for Gateway requests. Hence, the same user-id should be existing in FLEXCUBE Universal Banking with the required role access to perform the desired operation.

SOAP and Gateway Services should be up and running in FLEXCUBE Universal Banking for the integration to work.

2.3 Maintenance for FLEXCUBE Universal Banking


Gateway setup should be done in FLEXCUBE Universal Banking for particular source system (Party) by doing maintenance in the below mentioned screens.

CODSORCE - Upload Source Maintenance

Maintain a value like EXTSYS for Party services to identify it as an external source system. EXTSYS is an example source system name used throughout this document.

The source code name can be maintained against the key externalSource for the application obpyparty-handoff-services.

Figure 1: Upload Source Maintenance






CODUPLDM - Upload Source Preferences Maintenance

For the defined source system (EXTSYS) and module ST, maintain a source preference record with recommended key values like below:

- a. Post upload status Authorized
- b. On Override Ignore
- c. On Error Reject
- d. On Repairable Exception Reject
- e. On Queue Exception Reject

Figure 2: Upload Source Preferences Maintenance






GWDETSYS - External System Maintenance

Maintain details for external system EXTSYS in this screen.

Figure 3: External System Maintenance



GWDETFUN - External System Functions


Maintain the below function access rights for the external system as given below.

Function ID	Action
STGCIF	NEW
STGCIF	UNLOCK
STGCIF	AUTHORIZE
STQCIF	VIEW
STVCIF	VIEW
STGKYCMN	NEW
STGKYCMN	UNLOCK
STGKYCMN	DELETE
STGKYCMN	AUTHORIZE
ACQABLQY	VIEW



Function ID	Action
STGCRCAD	NEW
STGCRCAD	UNLOCK
STGCRCAD	AUTHORIZE
STQCRCAD	VIEW

Figure 4: External System Functions



CODTYPES – Static Type Maintenance

The following static maintenance are required for type CIF_ID_TYPE.


Type Name	Type Value
AADHAR	AADHAR
DRIVING LICENSE	DDL
PASSPORT	PPT
VOTERID	VOTERID

Same type values to be maintained as the sub_entity_code in Party Entity Maintenance for the entitycode ITY.

Note: Refer to **Oracle Banking Party Configuration User Guide** for more details on Entity Maintenance.



Figure 5: Static Type Maintenance




STDKYCTP - KYC Type Maintenance

Maintain *KYC_PURPOSE* with a value like "Commercial". The same value is to be maintained in the Party properties table (*obpy_properties*) key *KYC_TYPE_PURPOSE*.

Similarly, maintain value for *KYC_PURPOSE_CRP* with values like CORPORATE, SMB, and SME to indicate the reason for customer onboarding.

Figure 6: KYC Type Maintenance






STDCUPRT - Customer Title (Salutations)

Maintain the below customer Prefix1:

- · Capt.
- Dr.
- Er.
- Major.
- Miss.
- Mr.
- Mrs.
- Ms.

Same values as sub_entity_code to be maintained in Party Entity Maintenance for the entitycode SAL.

Figure 7: Customer Prefix Maintenance





STDCULOE - Location Maintenance

Maintain required location codes. The same needs to be maintained in Location Maintenance screen available in Party.

Note: Refer to **Oracle Banking Party Configuration User Guide** for more details on Location Maintenance.

Figure 8: Location Maintenance






SMDEMPMT - Employer Maintenance

Maintain employer codes here, the same code to be used while entering Party Employer name.


Figure 9: Employer Maintenance



STDSEGMT – Customer Segment Maintenance

Maintain different for Customer Segment. The same code is to be maintained for the entity code "SEG" in Party Entity Maintenance.

Figure 10: Customer Segment Maintenance





STDCSCAG – Customer Category Maintenance

Maintain Customer categories like below in FLEXCUBE Universal Banking. The same values need to be maintained or replicated in Core Maintenance - Customer Category, which can be input as Party Sub Type during the Party onboarding.

S.No	Customer Category	Description (sample)	Purpose
1	INDIVIDUAL	INDIVIDUAL	Required for onboarding Retail Customers.
2	CORPORATE	CORPORATE	Required for onboarding Corporate Customers
3	SMB	Small and Medium Business	Required for onboarding Small and Medium Business Customers.
4	SME	Small and Medium Enterprise	Required for onboarding Small and Medium Enterprise Customers.

Figure 11: Customer Category Maintenance





Party Amendment

GWDAMDMT – Gateway Amendment Maintenance

In FLEXCUBE Universal Banking, the amendment should be allowed field-wise for an operation code. Below is the list of samples required amendment fields in FLEXCUBE Universal Banking:

Customer Modification

External System and Origin System: EXTSYS


Source Operation: ModifyCustomer

Service Name: FCUBSCustomerService

Operation Code: ModifyCustomer

For each node, set New, Delete, and All Records as Y

Figure 12: Gateway Amendment Maintenance



Node: STTMS_CUSTOMER

- ACCESS GROUP
- ADDRESS_LINE1
- ADDRESS_LINE2
- ADDRESS LINE3
- ADDRESS_LINE4
- CIF STATUS
- COUNTRY
- CUSTOMER CATEGORY
- CUSTOMER_NAME1
- CUSTOMER_NAME2



- CUST CLASSIFICATION
- CUST_GROUP
- FULL_NAME
- KYC_DETAILS
- KYC_REF_NO
- LANGUAGE
- LOCAL_BRANCH
- NATIONALITY
- PINCODE
- SHORT_NAME
- SHORT_NAME2
- UNIQUE_ID_NAME
- UNIQUE_ID_VALUE

Node: STTMS_CUSTOMER__A

- ADDRESS_LINE1
- ADDRESS_LINE2
- ADDRESS LINE3
- COUNTRY
- CUSTOMER_NAME1
- JOINT_VENTURE
- KYC DETAILS
- KYC_REF_NO
- LANGUAGE
- NATIONALITY
- PINCODE
- UNIQUE ID NAME
- UNIQUE_ID_VALUE

Node: STTMS_CUST_DOMESTIC

- ACCOMODATION
- DEPENDENT_CHILDREN
- DEPENDENT_OTHERS
- EDUCATIONAL_STATUS
- MARITAL_STATUS
- MOTHER_MAIDEN_NAME
- SPOUSE_EMP_STATUS
- SPOUSE_NAME
- STTMS_CUST_PERSONAL
- BIRTH_COUNTRY
- CUSTOMER_NO
- CUSTOMER_PREFIX
- CUSTOMER PREFIX1
- CUSTOMER_PREFIX2
- CUST_COMM_MODE



- DATE_OF_BIRTH
- D_ADDRESS1
- D_ADDRESS2
- D_ADDRESS3
- D_ADDRESS4
- D_COUNTRY
- D_PINCODE
- E_MAIL
- FAX
- FAX_ISD_NO
- FIRST_NAME
- HOME_TEL_ISD
- HOME_TEL_NO
- LAST_NAME
- LEGAL_GUARDIAN
- MIDDLE NAME
- MINOR
- MOBILE_NUMBER
- MOB_ISD_NO
- PASSPORT NO
- PLACE_OF_BIRTH
- PPT_EXP_DATE
- PPT_ISS_DATE
- P_ADDRESS1
- P_ADDRESS2
- P_ADDRESS3
- P_ADDRESS4
- P_COUNTRY
- P_NATIONAL_ID
- P_PINCODE
- RESIDENT_STATUS
- SEX
- TELEPHONE
- TEL_ISD_NO
- US_RES_STATUS
- VST_US_PREV

Node: STTMS_CUST_PERSONAL__A

- CUST_COMM_MODE
- E_MAIL
- FAX
- FAX_ISD_NO
- MOBILE_NUMBER
- MOB_ISD_NO
- TELEPHONE



- TEL ISD NO
- STTMS_CUST_PROFESSIONAL
- CCY_PERS_INCEXP
- CREDIT_CARDS
- DESIGNATION
- EMPLOYER
- EMPLOYMENT_STATUS
- EMPLOYMENT_TENURE
- E ADDRESS1
- E_ADDRESS2
- E_ADDRESS3
- E_ADDRESS4
- E COUNTRY
- E_EMAIL
- E_TELEPHONE
- HOUSE VALUE
- INSURANCE
- LOAN_PAYMENT
- OTHER_EXPENSES
- OTHER INCOME
- PINCODE
- PREV_DESIGNATION
- PREV_EMPLOYER
- RENT
- RETIREMENT_AGE
- SALARY
- SALARY_FREQ

KYC Modification

- External System and Origin System: EXTSYS
- Source Operation: STDKYCMN MODIFY
- Service Name: FCUBSSTService
- Operation Code: ModifyKYCDetails
- For each node, set New, Delete, and All Records as Y

Node: STTMS_KYC_COMPL_AUDIT_DTL

- ACTIVITY_STP_CD
- ACTIVITY STP CD REASON
- CB_RESPONSE
- CB_RESPONSE_DATE
- CIS_NUMBER
- DAIRY_NOTE



- NAME
- STR_DATE
- STR_RAISED
- STR_REF_NO

Node: STTMS_KYC_CORPORATE

- ACC_PURPOSE
- ACC_SOLICITED
- ACC SOLICITED DATE
- ANNUAL_TURNOVER
- APPROVER_COMMENTS
- AUDIT_DATE
- BORROW_ACC_GRP
- BUSINESS_APPROVAL
- BUSINESS_NATURE
- COMPANY TYPE
- COMPLIANCE_CLEARANCE
- EMPLOYEE_NUMBER
- FUNDS_SOURCE
- GROUP_NAME
- INTRODUCER_DTL
- KYC_AMTS_CCY
- KYC COMMENTS
- KYC_NXT_REVIEW_DATE
- LOCAL_ABROAD_BRN
- OTHR COMPANY TYPE
- OTHR_SALARY_MODES
- PARENT_CMPNY_COUNTRY
- SALARY_MODE

Node: STTMS_KYC_CORP_CLIENT

- COUNTRIES
- PAYMENT_MODE

Node: STTMS_KYC_CORP_KEYPERSONS

- ADDRESS
- ADDRESS_COUNTRY
- BIRTH_COUNTRY
- DATE_OF_BIRTH
- ISD_CODE



- NATIONALITY
- OWNERSHIP_TYPE
- PLACE_OF_BIRTH
- POSITION_OR_TITLE
- RELATIONSHIP
- SHARE_HOLDING
- TAX_CNTRY
- TEL NO
- TIN

Node:STTMS_KYC_CORP_SUPPLIER

- o COUNTRIES
- o SETTLEMENT_MODE

Node:STTMS_KYC_FINANCIAL

- BANK_ADDRESS
- COUNTRY
- KYC_AMTS_CCY

Node:STTMS_KYC_MASTER

- CRS_TYPE
- KYC_DESC
- RISK_LEVEL

Node:STTMS_KYC_MGMNT_DTL

DESIGNATION

Node: STTMS_KYC_RETAIL

- ACC_PURPOSE
- ACC_TYPE
- APPROVER_COMMENTS
- BIRTH_COUNTRY
- BIRTH_DATE
- BIRTH_PLACE
- BUSINESS INCOME
- DECLARED
- FAX_ISD_NO
- FAX_NO
- HOME_ADDR_COUNTRY



- HOME_COUNTRY_ADDR
- INVESTMENT_INCOME
- KYC_AMTS_CCY
- KYC_COMMENTS
- KYC_NXT_REVIEW_DATE
- LOCAL_ADDR
- LOCAL_ADDR_COUNTRY
- MOBILE_TEL_NO
- MOB_ISD_NO
- NATIONALITY
- OFFICE_TEL_NO
- OFF_TEL_ISD_NO
- OTHR_ACC_PURPOSE
- OTHR_INCOME_SOURCES

Node:STTMS_KYC_SHARE_HOLDERS

- ADDRESS
- CITY
- COUNTRY
- HOLDING

Node:STTMS_KYC_TXN_DETAILS

- COUNTRIES
- COUNTRY PURPOSE
- MAX COUNT
- PURPOSE
- SINGLE_MAX_AMT
- TOTAL_AMT

Node:STTMS_KYC_TXN_PRODUCTS

- MONTHLY_AMT
- NO_OF_TXN_MONTHLY
- RATING

NOTE: Additional fields may be present keeping future scope/assumptions.



2.4 Maintenance for Party Services

- Maintain Oracle Banking Routing Hub configuration in common core for FLEXCUBE Universal Banking.
- 2) From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 3) Under Routing Hub, click Service Consumers.
 - → The **Service Consumers** screen is displayed.

Figure 13: Service Consumers



- 4) Click Import and upload the OBPY_Consumer.json file provided in the release and click Extract.
- 5) Select FCUBS and click Import.
- 6) Click OBPY.
- 7) Under OBPY, click FCUBS.
- 8) Click Edit.
- 9) Change the host and port as per the FLEXCUBE Universal Banking Soap WebService installation and save it.
- 10) Consumer services in the JSON will be imported.
- 11) Post importing, please check the request transformation in the below listed Consumer Services. The Entity code must be changed to the value set in FLEXCUBE Universal Banking or the value can be nullified.

For example, the request transformation will have the following typical line

<fcub:ENTITY>\$headers["entityId"][0]</fcub:ENTITY>



Here the entity code in the OBPY is passed in runtime as **\$headers["entityId"][0].** This would not work if the entity code is different in FLEXCUBE Universal Banking.

The above line can be changed to

<fcub:ENTITY>entity_code_of_fcubs</fcub:ENTITY> or <fcub:ENTITY></fcub:ENTITY>

List of Consumer Services in Service Provider FCUBS

- 1. CreateSMBCustomerFS
- 2. CreateFICorporateCustomerFS
- 3. CreateSMECustomerFS
- 4. CreateCustomerFS
- 5. CreateCorporateCustomerFS
- 6. CreateKYCDetailsFS
- 7. ModifyCustomerFS
- 8. ModifySMECustomerFS
- 9. ModifyStructuredAddressFS
- 10. ModifySMBCustomerFS
- 11. ModifyCorporateCustomerFS
- 12. ModifyFICustomerFS
- 13. QueryCustomerIO
- 14. QueryCustomerAccountBalance

