Data Model Oracle Banking Digital Experience Patchset Release 22.2.4.0.0

Part No. F72987-01

June 2024

ORACLE

Data Model June 2024

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inquiries: Phone: +91 22 6718 3000 Fax:+91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2006, 2024, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

1.	Pre	face	.1–1
	1.1	Intended Audience	.1–1
	1.2	Documentation Accessibility	.1–1
	1.3	Access to Oracle Support	. 1–1
	1.4	Structure	.1–1
	1.5	Related Information Sources	.1–1
2.	Intr	oduction	.2–1
3.	Pre	requisite	.3–1
4.	Cre	ating Data Model and ER diagram	. 4–1

1. Preface

1.1 Intended Audience

This document is intended for the following audience:

- Customers
- Partners

1.2 **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit

http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

1.4 Structure

This manual is organized into the following categories:

Preface gives information on the intended audience. It also describes the overall structure of the User Manual.

The subsequent chapters describes following details:

- Introduction
- Preferences & Database
- Configuration / Installation.

1.5 <u>Related Information Sources</u>

For more information on Oracle Banking Digital Experience Patchset Release 22.2.4.0.0, refer to the following documents:

Oracle Banking Digital Experience Installation Manuals



Preface



2. Introduction

This document describes the reverse engineering methodology to get the OBDX Data Model for a given business **purpose**. A given business purpose could vary from report generation to data extraction to extending OBDX application functionality.

.



3. Prerequisite

Following is the prerequisite for generating OBDX data Model

- a. OBDX schema This can be any testing schema created using OBDX installer.
- b. Oracle SQL Developer Data Modeler Ensure you have installed the Oracle SQL Developer Data model in your local system. Refer further Oracle documentation for download and install instructions. <u>http://www.oracle.com/technetwork/developer-tools/datamodeler/downloads/index.html</u>



4. Creating Data Model and ER diagram

1. Open the Oracle SQL Developer Data modeler

← → ~ ↑ 📙 > This PC > Data (D:) > softwares >	datamodeler					~	D Search datamodeler
avsakpal	^	Name	^	> Date modified	Туре	Size		
This PC		configuration	n	12/5/2020 3:14 PM	File folder			
Desktop		datamodeler dropins		12/5/2020 3:14 PM 12/5/2020 3:14 PM	File folder File folder			
Documents		dvt		12/5/2020 3:14 PM	File folder			
Downloads		equinox		12/5/2020 3:14 PM 12/5/2020 3:14 PM	File folder File folder			
Music Pictures		ide ide		12/5/2020 3:14 PM	File folder			
Videos		jdbc		12/5/2020 3:14 PM 12/5/2020 3:14 PM	File folder File folder			
System (C:)		jdk		12/5/2020 3:14 PM	File folder			
Data (D:)		jlib module		12/5/2020 3:14 PM 12/5/2020 3:14 PM	File folder File folder			
apache		modules		12/5/2020 3:14 PM	File folder			
		rdbms		12/5/2020 3:14 PM 12/5/2020 3:14 PM	File folder File folder			
Hyper-V		sleepycat		12/5/2020 3:14 PM	File folder			
obp		sqldeveloper		12/5/2020 3:14 PM 12/5/2020 3:14 PM	File folder File folder			
		atamodeler	.exe	10/9/2020 7:12 AM	Application	84 KB		
softwares		icon.png		10/9/2020 7:12 AM	PNG File	15 KB		
datamodeler								
eclipse	~							These read
20 items 1 item selected 03.0 Kb								BIE
🖈 📄 📩 Cut		X 🛋	New item •	Open -	Select all			
Pin to Quick Copy Paste	Move Copy	Delete Rename	New folder	Properties Ristory	Select none			
Clipboard	to* to*	ganize	New	Open	Select			
← → × ♠ <mark>-</mark> × This DC × Data /	D:) > softwarer -	datamodeler >						P) O Search datamodalar
a insec / Data (, · Joitwares >		^		Lew-		~	
avsakpal	^	Name		Date modified	Туре	Size		
3D Objects								
Desktop			0		-			
Documents					Le			
🕹 Downloads				DATA MODE				
b Music								
Pictures		Load	ing					
Videos								
Data (D:)						Version 20.3.0		
SMfeDeepRem								
apache				Convinte © 2008 2020 O	aria arctire in offician. All rich	the minimum and		
docker		- cdbmc		12/5/2020 2014 DM	Filefelder	is reserved.		
Hyper-V		sleepycat		12/5/2020 3:14 PM	File folder			
itr		sqldeveloper		12/5/2020 3:14 PM	File folder			
Orgale		svnkit		12/5/2020 3:14 PM	File folder	04 VD		
softwares		icon.png		10/9/2020 7:12 AM	PNG File	15 KB		
apache-maven-3.6.2								
📙 datamodeler								
eclipse	~							
20 items 1 item selected 83.6 KB								
Poracle SQL Developer Data Modeler	. Itala							- 0 ×
The Fait Alex leam Tools Mindon	w Telb							
Browser ×	Welcome Pane	×						Navigator ×
Designs [1]								
B - () Logical Model	SQL	Developer D	ata Modeler			Versio	m: 20.3.0.283.0710	
Multidimensional Models [] Relational Models [1]								
@ Relational_1								
Domains [1] Dota Types Model	Designs				Setting Started			
Operation Operation Operation								
Change Requests [Recent	Default Design	s Directory		uet a Database	information Tutorials	Demos	
Sensitive Types []			Select Direct	orv	Training			
					Oracle VirtualBox App	pliance		
					Docker Images			
					Oracle Database XE			
	Welcome Page	-					v	
	Welcome Page Messages - Loo				T		× - •	
	Welcome Page Messages - Log 2020-12-05 15:	- :39:49 - Buildi:	ng Diagrams		2-1l Tl-		× 🗉	
	Welcome Page Messages - Log 2020-12-05 15:	- :39:49 - Buildi:	ng Diagrams)- -e-J T -		× 🗖	
	Welcome Page Messages - Log 2020-12-05 15:	- :39:49 - Buildi:	ng Diagrams		5-1-+I TI-		×	
	Welcome Page Messages - Log 2020-12-05 15:	- :39:49 - Buildi:	ng Diagrams				× 🗈	



IndexPreferencesTask

👼 Oracle SQL Developer Data Modele	er : Welcome Page			o ×
Eile Edit View Team Tools V	<u>V</u> indow <u>H</u> elp			
Den Ctri-O				
Close Ctrl-W	Welcome Page X		Navigator	×
Save Ctrl-S Save As Ctrl+Alt+Shift-S	SQL Developer Data Modeler	Version: 20.3.0.283.0710		
[mport •	DDL File Ctrl+Shift-D			
Export	VAR File Ctrl+Shift-V From Microsoft XMLA Ctrl+Shift-A	Getting Started		
Reports Onlo	ERwin 4.1 File ERwin 7.3 File			
Print Diagram	Data Dictionary Ctri+Shift-B	Get a Database Information Tutorials Demos Training		
Recent Designs	Oracle Designer Model Select Directory	Oracle VirtualBox Appliance		
E <u>x</u> it Alt-F4	22 Domains Ctrl+Shift-M	Docker Images		
		Oracle Database XE		
	Welcome Page	Delated Texts		
	Messages - Log	×		
	2020-13-06 15:39:49 - Building Diagrams			
				4.014
= 2 H 💁	<u> , </u>		へ 🕹 🕬 3:4 12/5	5/2020 🔁

2. Click on File -> Import -> Data dictionary



3. Click Add

P	📑 Data Dictionary Im	port Wizard		×
brower Compositions [] Compositions [] Composition and the set of the set	1. Connect to Database	New / Select Database Connection	Name Database Type Grade User Info Proxy User	
Ben Process Model Ben Process Model Dense Information Dense Information Dense Requests Dense Requests TSDP Policies []	 Select Schembula Select Objects to In Generate Design. 		Authentication Type Default Username Beserverd Connector Type Baac Connector Type Baac Connector Type Baac Poetalis Advanced Hostigne Costpo teat State Sta	
		Status : ttelp Add < Back	Save Gear Test Connect Canad Benore Test Connect Canad Uset > Drah Sance Upport	





4. Provide the schema details and Test the connection



5. If connection is successful click Connect

	📑 Data Dictionary Import Wizard		×
vser lesigns [1] A Jintitied_1 B Logical Model 3 Multitimensional Models [1]		Select database connection to connect to desired database. If the list is empty use the "Add" button to create one.	ator × 1
Relational Models [1]	1. Connect to Database.	Connection Name Connection Details	
Domains [1]	2. Select Schema/Database.	000A	
Business Information Change Requests []	3. Select Objects to Import.		
TSDP Policies []	4. Generate Design.		
		Add I Bannua I Impert I Event I Broartian Tet Consertion	
		Soo genove prove group tea	
		Carea Carea Carea Carea	

6. Select the newly created connection and click Next

	📑 Data Dictionary Import Wizard	×
r ns [1] Intitled_1 ID Logical Model	i *: = ::::	Select the schemaldatabase you wish to import.
Multidimensional Models [] Relational Models [1] Relational 1	1. Connect to Database.	Selected Schema
Domains [1]	2. Select Schema/Database.	APPQ055Y5 AUGY5 CTVVS
Process Model Business Information Change Requests []	3. Select Objects to Import.	CIGNOS COSPAUSER COSPAUSER COSPAUSER
Sensitive Types [] TSDP Policies []	4. Generate Design.	DVF DVSYS
		GSY5 GSMADHIN_INTERNAL GSMATUSER
		GSMJSER LEACSYS MDDATA
		COBX_LAU_AMPERS CODX_LAU_VIEWER CODX_LAU_VIEWER CODX_LAU_VIEWER
		OBDX_OPSS ORDX_STR
		Filter: All Selected Options
		Relational_1 Swap Target Model Oracle Database 12GR2 Compare Mapping
		< Back Mext > Enish Sancel Help

7. Select the required schema and click 'Next'. All the schema objects will be listed.

	📑 Data Dictionary Import Wizard				3	×
wser Designs [1] 20 Intitled_1 20 Dogical Model	••==		Select the objects you	a wish to import.		intor
Multidimensional Models		Selected	Schema		Object Name	
Barreadonal models [1]	1. Connect to Database.	Jucced	OBDX NAV	DIGX AP FOR	EXDEAL TRANSACTION	
all Domains [1]	1		OBDX_NAV	DIGX_AP_LM_1	RANSACTION	
Data Types Model	2. Select Schema/Database.		OBDX_NAV	DIGX_AP_NON	FIN_FILE_TXN	
Process Model	1		OBDX_NAV	DIGX_AP_NON	FIN_REC_TXN	
Business Information	3. Select Objects to Import		OBDX_NAV	DIGX_AP_OTH	ER_TRANSACTION	
Change Requests []	5. Select Objecta to import.		OBDX_NAV	DIGX_AP_PAYE	E_TRANSACTION	
Sensitive Types []	1		OBDX_NAV	DIGX_AP_PAYE	E_TXN_HIST	
TSDP Policies []	4. Generate Design.		OBDX_NAV	DIGX_AP_PAY	TRANSACTION	
	1		OBDX_NAV	DIGX_AP_PAT	OPD_TRANSACTION	
	1		OBDX_NAV	DIGX AP REC	ORD TXN HIST	
			OBDX_NAV	DIGX_AP_RULE		
	1		OBDX_NAV	DIGX_AP_RULE	_CRITERIA	
	1		OBDX_NAV	DIGX_AP_RULE	_RULE_CRITERIA_REL	
	1		OBDX_NAV	DIGX_AP_STAT	TUS_ACTION_MAP	
	1		OBDX_NAV	DIGX_AP_TRAI	DE_TRANSACTION	
	1		OBDX_NAV	DIGX_AP_TRAI	SACTION	
	1		CBDX_NAV	DIGX_AP_TXN	APPROVAL_HISTORY	
	1		OBDX_NAV	DIGX_AP_TXN	APR_HISTORT_HIST	
	1		OBDX NAV	DIGX AP TXN	PANEL REL	
	1		OBDX NAV	DIGX AP TXN	PROCESS ERROR	÷
	1	Tables Views Ut	sers Roles Directories	External Tables	Materialized View Logs	
	1	Contexts Clusters	Sequences Synon	ms Tablespaces	Temp Tablespaces	
	1	Dimensions Types Packages	Stored Procedures Functions U	Indo Tablespaces		
		😸 🐽 Filter:				
		c Back	Next > Einish	Cancel	Help	



- . <u>File Edit View Team Tools Window H</u>elp 📑 Data Dictionary Import Wizard х •== Select the objects you wish to import. Object Name DIGK_FI_NATNL_CRANG_COOE_TYPE DIGK_FL_SENDERLET_OUM_FILE DIGK_FL_SENDERLET_OUM_FILE DIGK_FL_SENDERLET_OUM_FILE DIGK_FL_SENDERLET_OUM_FILE DIGK_FL_SENDERLET_DIGK_FILE DIGK_FL_SENDERLET_DIGK_FILE DIGK_FL_SENDERLET_DIGK_FILE DIGK_FL_SENDERLET_DIGK_FILE DIGK_FL_TARGET_INATURATION DI 1. Connect to Database. OBDX_NAV OBDX_NAV OBDX_NAV OBDX_NAV OBDX_NAV OBDX_NAV OBDX_NAV OBDX_NAV OBDX_NAV Schema Selected 2. Select Schema/Database 3. Select Objects to Import ~ OBDX_NAV Directories Synonym ed View Logs Tables Conte Views Types Dimensions Types < Back Next > Cancel Help 📲 🔎 🖽 📴 🥥 🥽 🖏 😌 🖨 🎽 🔃 🖼 💀 🥵 🖷 🦃 へ ⇒ Φ») ^{3:57 PM} 12/5/2020 **1**21
- 8. Select the entities(tables) that are to be used in ER diagram

9. Click 'Next'

🐏 Oracle SQL Developer Data Modele	er : Welcome Page			- @ >	<
<u>Eile Edit View Team Tools V</u>	<u>Vindow</u> <u>H</u> elp		_		
	📑 Data Dictionary Import Wizard	×	(
Browser		View summary and generate Oracle SQL Developer Data Modeler design.	ator	×	
Multidimensional Models [] B B Relational Models [1] B B Relational_1	1. Connect to Database.	Database Name: Oracle Database Version: Oracle Database 12: Standard Edition Release 12:2.0.1.0 - 64bit Production			
Tomains [1] Domains [1] Domains [1] Domains [1] Domains [1] Domains [1]	2. Select Schema/Database.	DB Objects that will be imported: TABLE 14			
Business Information Grange Requests [] Sansitive Tween []	3. Select Objects to Import.				
TSDP Policies []	4. Generate Design.				
		< Back (jext > Enish Cancel Help			
= ,	o 🗖 🖬 💀 🥌	🐣 📝 👥 🖭 🚎 💀 🛹	~ 🛎 🗸	(1)) 3:58 PM	6



10. Click Finish

📑 Oracle SQL Developer Data Modele	r : Welcome Page					- 0	\times
<u>File Edit View Team Tools V</u>	/indow Help						
					×		
Browner					ator		N D
Designs [1]					ator		~
- Child_1		view sum	mary and generate Oracle SQL Developer Data Mo	odeler design.			
General Model Madela D							
Relational Models [1]	1. Connect to Database.	Database Name: Orade					
@ Relational_1		Database Version: Oracle Database 12	c Standard Edition Release 12.2.0.1.0 - 64bit Production				
B Domains [1]	2. Select Schema/Database.	DB Objects that will be imported:					
😥 - 🍘 Process Model		TABLE 14					
Generation Generation Generation Generation	3. Select Objects to Import.						
🜉 Sensitive Types []							
TSDP Policies []	4. Generate Design.						
		< Qack No.	d > Enish C	ancel Help	_		
= 🖉 🖽 🗖	💿 🚍 🌄 💮 👄	🚕 📝 🎦 🔛	🔤 👼 🖬 🔐		~ -	3:58 PM	- En
						12/3/2020	
	- 11/-1 B						~
File Edit Minu Team Teals N	Gadeur Mala						~
Elle Edit View leam 100is v	undow Help						
Browser	🖃 🖸 Welcome Page 🐣				Navigator		×
Designs [1]				<u> </u>			
Untitled_1		Data Madalar		Version: 20.3.0.283.0710			
	SQL Developer	Data Wodeler					
Relational Models [1]							
Generational_1	Designs		Continue Strendard				
😥 - 🍘 Data Types Model	Designs		Getting started				
OP Process Model							
Change Requests I	Recent Default Des	igns Directory	Get a Database Information	Tutorials Demos			
Sensitive Types []			Training				
TSDP Policies		A***					
		20.00	Generate Design				
		£ 3 10					
		Tax					
	D		Deleved Terela	~			
	Welcome Page						
	Messages - Log			× 🖬			
	2020-12-05 15:39:49 - Buil	iding Diagrams					
	2020-12-05 15:58:36 - Impo	orting DB Metadata					
				I			





i Oracle SQL Developer Data Modeler : Relational_1 (Untitled_1)						
File Edit View Team Tools Window Help						
13						
	Welcome Pare Relational 10 https://					
8				A 88		
Brow				Navi		
8				lator		
	production and the second seco					
	Contraction of the second seco					
	T RECUSAR YOR					
	Control Contro					
	I STATUS AND					
				-		
. c	RANDON		_			
9	Messges - Log					
	A H 📴 🚳 🚍 🖪 🔀 🛶 🚵 📓 🖬 🖾 🖾 🖉 🔤 🥔	(10) 4:2. 12/1	2 PM 5/2020	21)		

11. The ER diagram can be saved as .dmd file if required.

📑 Oracle SQL Developer Data Modeler - LimitER		- 0 ×
Eile Edit View Team Tools Window He	le.	
k □ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ■ ■ □) 🖬 🗱 🐼 🔍 🔍 🔛 📰 🦛 💷 🗇 🛶	
Browser II	Welcome Page #23 Relational_1 (LimitER)	Navigator
Control (1) George (1) Georg	Image: Source Action of the source Action	
🔳 🔎 🖽 🔯 🌍 📑	I IS 🚱 📛 🍓 🛐 🛐 💷 📼 😹 📾 🛹	へ 🍲 (1)) 4:33 PM



