

Kafka Configuration Guide
Oracle Banking APIs
Patchset Release 22.2.2.0.0

Part No. F72988-01

December 2023

ORACLE®

Kafka Configuration Guide

December 2023

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway

Goregaon (East)

Mumbai, Maharashtra 400 063

India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax:+91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2006, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

1. Preface	1-1
1.1 Intended Audience.....	1-1
1.2 Documentation Accessibility	1-1
1.3 Access to Oracle Support.....	1-1
1.4 Structure	1-1
1.5 Related Information Sources	1-1
2. Context	2-1

1. Preface

1.1 Intended Audience

This document is intended for the following audience:

- Customers
- Partners

1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Structure

This manual is organized into the following categories:

Preface gives information on the intended audience. It also describes the overall structure of the User Manual.

The subsequent chapters describes following details:

- Introduction
- Preferences & Database
- Configuration / Installation.

1.5 Related Information Sources

For more information on Oracle Banking APIs Patchset Release 22.2.2.0.0, refer to the following documents:


- Oracle Banking APIs Installation Manuals

2. Context

This document contains step to configure kafka notifications for VAM/LM event in the system.

Below JMS changes will be required –

1. Create NotificationServer under JMS Servers.



Summary of JMS Servers

JMS servers act as management containers for the queues and topics in JMS modules that are targeted to them. This page summarizes the JMS servers that have been created in the current WebLogic Server domain.

Customize this table

JMS Servers (Filtered - More Columns Exist)


Click the Lock & Edit button in the Change Center to activate all the buttons on this page.

Name	Persistent Store	Target	Current Target	Health
AccessJMSServer	WLS_JMS_ACCESS_PS	obdc_cluster	obdc_cluster	OK
AuditJMSServer	WLS_JMS_AUDIT_PS	obdc_cluster	obdc_cluster	OK
ExtSystemReceiver	WLS_JMS_EXTSYSRECEIVER_PS	obdc_cluster	obdc_cluster	OK
ExtSystemSender	WLS_JMS_EXTSYSSENDER_PS	obdc_cluster	obdc_cluster	OK
FileUploadJMSServer	WLS_JMS_FILEUPLOAD_PS	obdc_cluster	obdc_cluster	OK
SOJMSServer	WLS_JMS_PS	obdc_server1	obdc_server1	OK
JPAJMSServer	WLS_JMS_PS	obdc_cluster	obdc_cluster	OK
NotificationServer	WLS_JMS_NOTIFICATION_PS	obdc_server1	obdc_server1	OK
ReportsJMSServer	WLS_JMS_REPORT_PS	obdc_cluster	obdc_cluster	OK
URISNotificationServer	WLS_JMS_FCDL_PS	obdc_server1	obdc_server1	OK

2. Create NotificationServer Module under JMS Modules.

Create below destinations

Name	Type	Description
NOTIFICATION_TOPIC	Topic	Local Notification Topic where message will be routed.
NotificationTCF	Topic Connection Factory	



Summary of JMS Modules

JMS system resources are configured and stored as modules similar to standard Java EE modules. Such resources include queues, topics, connection factories, templates, destination keys, quotas, distributed queues, distributed topics, foreign servers, and JMS store-and-forward (SAF) parameters. You can administratively configure and manage JMS system modules as global system resources. This page summarizes the JMS system modules that have been created for the domain.

Customize this table

JMS Modules

Click the Lock & Edit button in the Change Center to activate all the buttons on this page.

Name	Type
AccessJMSModule	JMSSystemResource
AuditJMSServer	JMSSystemResource
ExtSystemReceiverQCF	JMSSystemResource
ExtSystemSender	JMSSystemResource
FileUploadJMS	JMSSystemResource
SOJMS	JMSSystemResource
HostSystemModule	JMSSystemResource
JPA_JMS	JMSSystemResource
NotificationServer	JMSSystemResource
ReportsJMSModule	JMSSystemResource

The screenshot shows the Oracle WebLogic Server Administration Console. The main content area displays the configuration for the NotificationServer. The table below summarizes the resources:

Name	Type	JMDE Name	Subdeployment	Targets
NotificationOCF	Connection Factory	NotificationOCF	Default Targeting	obdx_server1
NotificationTCF	Connection Factory	NotificationTCF	Default Targeting	obdx_server1
NOTIFICATION_QUEUE	Uniform Distributed Queue	NOTIFICATION_QUEUE	NotificationSD	NotificationServer
NOTIFICATION_TOPIC	Uniform Distributed Topic	NOTIFICATION_TOPIC	NotificationSD	NotificationServer
UBSNotificationTCF	Connection Factory	UBSNotificationTCF	Default Targeting	obdx_server1
UBS_NOTIFICATION_TOPIC	Uniform Distributed Topic	UBS_NOTIFICATION_TOPIC	NotificationSD	NotificationServer

3. Kafka properties changes

Below changes are required to point to correct Kafka config. Open war in 7zip tool and go to digx-kafkanotification.war\WEB-INF\lib\com.ofss.extsystem.kafka.notification-22.X.X.0-SNAPSHOT.jar\ folder. We have to make changes in ListenerConfig.properties as shown below.

There are separate properties for LM and VAM. In case of multiple entity setup the target.unit property can be changes to new entity and same war can be deployed entity times.

The screenshot shows a file explorer window with the following contents:

Name	Size	Packed Si...	Modi
META-INF	234	118	2023
com	242 595	80 483	2023
avro	1 389	425	2023
ListenerConfig.properties	3 349	739	2023

```

ListenerConfig.properties
1 kafka.vam.bootstrap.servers=100.76.149.218:9093
2 #kafka.vam.configuration.ssl.truststore.location=C:/Users/rplopes/Documents/work/documents/sprint/accountaccess
/kafka/KafkaClientTrustStore.jks
3 kafka.vam.configuration.ssl.truststore.location=/scratch/app/domain/obdx_domain/KafkaClientTrustStore.jks
4 kafka.vam.configuration.ssl.truststore.password=orcl@123
5 kafka.vam.consumer.group-id=obdx-vam-auto-map-group
6 kafka.vam.consumer.topic.name=vam.virtualaccountnotification
7 kafka.vam.configuration.security.protocol=SASL_SSL
8 kafka.vam.configuration.sasl.mechanism=SCRAM-SHA-256
9 kafka.vam.properties.sasl.jaas.config.username=obvam
10 kafka.vam.properties.sasl.jaas.config.password=obvam-secret
11 kafka.vam.properties.auto.offset.reset=latest
12 kafka.vam.properties.auto.commit.interval.ms=1000
13 kafka.vam.properties.session.timeout.ms=30000
14 kafka.vam.properties.enable.auto.commit=false
15 kafka.vam.client-id=obdx
16 kafka.vam.properties.poll.time.ms=100
17 kafka.enable.vam.config=true
18
19 kafka.lm.bootstrap.servers=100.76.149.218:9093
20 #kafka.lm.configuration.ssl.truststore.location=C:/Users/rplopes/Documents/work/documents/sprint/accountaccess/
kafka/OBLMclientTrust_142.jks
21 kafka.lm.configuration.ssl.truststore.location=/scratch/app/domain/obdx_domain/OBLMclientTrust_142.jks
22 kafka.lm.configuration.ssl.truststore.password=orcl@123
23 kafka.lm.consumer.group-id=obdx-lm-auto-map-group
24 kafka.lm.consumer.topic.name=lm.accountnotification
25 kafka.lm.configuration.security.protocol=SASL_SSL
26 kafka.lm.configuration.sasl.mechanism=SCRAM-SHA-256
27 kafka.lm.properties.sasl.jaas.config.username=alice
28 kafka.lm.properties.sasl.jaas.config.password=alice-secret
29 kafka.lm.properties.auto.offset.reset=latest
30 kafka.lm.properties.auto.commit.interval.ms=1000
31 kafka.lm.properties.session.timeout.ms=30000
32 kafka.lm.properties.enable.auto.commit=false
33 kafka.lm.properties.poll.time.ms=100
34 kafka.enable.lm.config=false
35
36 kafka.ver.bootstrap.servers=100.76.149.218:9093
37 #kafka.ver.configuration.ssl.truststore.location=C:/Users/rplopes/Documents/work/documents/sprint/accountaccess
/kafka/KafkaClientTrustStore.jks
38 #kafka.ver.configuration.ssl.truststore.location=/scratch/obdx/domains/KafkaClientTrustStore.jks
39 kafka.ver.configuration.ssl.truststore.location=/scratch/app/obdx/domains/obdx_domain/KafkaClientTrustStore.jks
40 kafka.ver.configuration.ssl.truststore.password=orcl@123
41 kafka.ver.consumer.group-id=obdx-ver-auto-map-group
length: 3,349 lines: 61 Ln: 43 Col: 33 Pos: 2,526 Windows (CR LF) UTF-8 INS

```

4. Connector changes

This is optional step. If we don't want to keep passwords in above properties file, same can be added to obdx connector resource adapter.

Create below connectors

1. ra/DIGXConnectorOBLM_KAFKA_JAAS
2. ra/DIGXConnectorOBLM_KAFKA_SSL
3. ra/DIGXConnectorOBVAM_KAFKA_JAAS
4. ra/DIGXConnectorOBVAM_KAFKA_SSL

<input type="checkbox"/>	ra/DIGXConnectorOBLM_KAFKA_JAAS	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorOBLM_KAFKA_SSL	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorOBSCF	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorOBTFPM_14.3	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorOBVAM	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorOBVAM_KAFKA_JAAS	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorOBVAM_KAFKA_SSL	javax.resource.cci.ConnectionFactory
<input type="checkbox"/>	ra/DIGXConnectorREWARDS	javax.resource.cci.ConnectionFactory

- i. EIS User Name - OBVAM_KAFKA_SSL, EIS User Password - <<password here>>
- ii. EIS User Name - OBVAM_KAFKA_JAAS, EIS User Password - <<password here>>
- iii. EIS User Name - OBLM_KAFKA_JAAS, EIS User Password - <<password here>>

iv. EIS User Name - OBLM_KAFKA_SSL, EIS User Password - <<password here>>

<input type="checkbox"/>	Default	OBVAM_KAFKA_SSL	ra/DIGXConnectorOBVAM_KAFKA_SSL
<input type="checkbox"/>	Default	OBVAM_KAFKA_JAAS	ra/DIGXConnectorOBVAM_KAFKA_JAAS
<input type="checkbox"/>	Default	OBLM_KAFKA_JAAS	ra/DIGXConnectorOBLM_KAFKA_JAAS
<input type="checkbox"/>	Default	OBLM_KAFKA_SSL	ra/DIGXConnectorOBLM_KAFKA_SSL

[Home](#)