Development Workbench - Tracking Changes Oracle Banking Trade Finance Release 14.7.0.0.0 [November][2022]



Contents

1 Preface	
1.1 Audience	
	4
	4
-	
4.2 Functionality Demonstrat	ion14

1 Preface

This document describes the Tracking Changes available in Oracle FLEXCUBE Development Workbench for Universal Banking and guides the developers on how to use this feature

1.1 Audience

This document is intended for FLEXCUBE Application developers/users that use Development Workbench to develop various FLEXCUBE components.

To Use this manual, you need conceptual and working knowledge of the below:

Proficiency	Resources
FLEXCUBE Functional Architecture	Training programs from Oracle Financial Software Services.
FLEXCUBE Technical Architecture	Training programs from Oracle Financial Software Services.
FLEXCUBE Object Naming conventions	Development Overview Guide
Working knowledge of Web based applications	Self Acquired
Working knowledge of Oracle Database	Oracle Documentations
Working knowledge of PLSQL developer	Respective vendor documents
Working knowledge of PLSQL & SQL Language	Self Acquired
Working knowledge of XML files	Self Acquired

2 Introduction

2.1 How to use this Guide

The information in this document includes:

- <u>Chapter 2 , "Introduction"</u>
- <u>Chapter 3 , "View Changes "</u>
- <u>Chapter 4 , "Change Report"</u>

3 View Changes

View Changes allows the developer to see what exact change has been done in the radxml as part of the various nodes in the Workbench across different releases.

Track changes will show various changes done in each node in the radxml. It will highlight the nodes through the color. It shows the modified Data Sources, Data Source Fields, LOVs, Data Blocks, Block Fields, Call forms etc in Blue Color. And it shows the newly added Data Sources, Data Source Fields, LOVs, Data Blocks, Block Fields, Call forms etc in Green Color.

The main page of View changes looks like function generation page. Here in this page user is allowed to load a radxml. Then Workbench will show the all the changes done in the radxml across the release and release type accordingly with two different colors.

Blue indicates modified Green indicates new.

So using View changes in Development Workbench, user can easily identify the changes done in the radxmls across releases Across the release and release type.

3.1 Process Steps

The starting page of the View changes will have only load button enabled and all the other buttons will be disabled at the beginning.



Fig 4.0 Development Workbench - View Changes link.

w Changes		-
w changes		
Action Load 👻	Function Type Parent	Function Category Maintenance
Function Id	Parent Function	Header Template None 👻
Load Screen Xml B	ROWSE Parent Xml	Footer Template None
irch		
Preferences		
DataSource		
istOfValues		
DataBlocks		
Screens		
FieldSets		
CallForms		
LaunchForms		
Summary		
_ cannaly		

Fig 4.2 Development Workbench - View Changes page.

This page will allow user to load the radxml to view the changes in the radxml across releases and release types.

Workbench allows viewing the changes done as part of Child or Cluster or Custom Release. Upon loading the Cluster or Custom or Child RAD xml, it shows the Modifications done as part Of Cluster or Custom or Child.

To load the radxml.




Fig 4.3 View Changes - loading radxml.

After loading the radxml one small window will pop up and will notify the details of the function id Like Function Type, Release Type.

Figure notifies that changes done in the radxml as part of Cluster Release will be highlighted





Fig 4.4 View Changes – Notifying the release type in which changes done

This will give brief details of what are the changes shown according to the release type. After loading the function id , Workbench will show the screen in the below format with blue and green accordingly.

View Changes			_ ×
Action Load Function Id FTDREAS Save XML Path FTDREAS_RA	Function Type Parent Parent Function BROWSE Parent Xml	Header	Category Maintenance 👻 Template None 👻 Template None 👻
Search	Block Field Properties		- R 🗔 🖗 🔺
Preferences DataSource DataSource DataSource DataSource Dote Source DataSource Dote DataSource DataBlocks Dat	Field Name * MODULE Field Label LEL_MODULE DataSource CSTBS_CONTRACT_EVEN Column Name * MODULE Data Type Varchar2 * Display Type Text Parent Field * Related Block * Related Block * Off Line LOV Name * Fieldset Name FST_REASSIGN Custom Attributes Events	XSD Tag MODULE XSD Annotation Field Size * Maximum Length Minimum Value Maximum Value Maximum Pacimals TextArea Rows TextArea Columns Default Value Preview Value Mask Id	Required Visible Read Only Calender Text Popup Edit Required Uppercase Only ELOV Validation Required Input by LOV Only Not Required in Xsd Report Parameter
🛅 Summary	Attribute Name	Attribute Value Active	+ -



This will show the changes in the colors blue and green. Blue indicates modified and green indicates new, so in this function id.

One data source is modified (in blue color) while one block is newly added (in green color) as part of cluster release

4 Change Report

Change Report allows us to view the changes in the provided base and source list of radxml's, helps to get the changes done in the two radxml's across releases and release types.

View Changes Report allows the developer to see what exact change has been done in the radxml's as part of the various nodes in the Development Workbench across two different releases or release types.

It is generates reports based on two formats **Comparison Types:**

- 1. Function specific: Compares Radxml's Based on the function name
- 2. Parent child: Compares Radxml's Based on the parent child Relation

These are the nodes which are compared and report is generated based on the differences found in these below nodes of the two radxml's given in the list Radxml's.

PREFERENCES, MENU_DETAILS, DATASOURCES, COLUMNS, LOVS LOV_DETAILS, DATA_BLOCKS, BLOCK_FIELDS, DATASOURCES_ATTACHED, CUSTOM_ATTRIBUTES, LOV_RETURN_FIELDS, LOV_BIND_VARS, FIELD_EVENTS, LOV_OFF_LINE_BIND_VARS, LOV_OFF_LINE_RETURN_FIELDS, SCREENS, SCREEN_ARGUMENTS, TABS, SECTIONS, PARTITIONS, FIELDSETS, FIELDSET_FIELDS, SUMMARY, SUMMARY_DETAILS, LAUNCHFORMS, CALLFORMS, ACTIONS, WEB_SERVICES.

4.1 Process Steps

View Changes Report process is explained taking STDCUSAC as example From FCUBS_11.3.0 and FCUBS_11.4.0 Releases. Click on View Change Report Node from Development Workbench landing page.



Fig 4.1.1: Development Workbench Landing Page

The following window will be launched

Vi	iew Changes Excel				_ × _
	Source File List Comparison Type	Same Function ▼ ✓ Data source Changes ✓ Data Blocks Changes ✓ Screen Changes	SE Base File	List BROWSE U Lov Changes Fieldset Changes Other Nodes Changes Order Changes]
	SI.No	File Name	File Status	Error Description	*
				Genera	te Close


Fig 4.1.2: Development Workbench View Changes Report Screen

Source File List: Browse and select the text file containing source file list.

Function Generation	ew Changes Excel Source Eile Liet Joad Upload File	BROWSE Base File List X Ever Char P Fieldset Other No Criter Ch	Changes ides Changes
Refresh Web Sevices Trax Biock Detail Upload Test Case Definition		Choose File to Upload Company Chara (Dr) > vinit > 113 Organize > New folder	• 47 Search 113 P
Runchard Definition Test Case Data Upload Create Request Test Case Execution Execution Report Seneric Interface Formats Sel Execution Purge Generation		Favorites Desktop Downloads source.bt Recent Places STDCUSAC_RAD.xml Dibraries stDownloads Desktop Ubraries Data (D) Data (D) DVD RW Drive FLEXCUBE [Ken X Network Control Panel Recycle Bin mm	Date modified Type 9/6/2013 11:17 AM TXT File 2/11/2011 3:47 PM XML File


Fig 4.1.3: Selecting source file list text file for View Changes Report

Source File list is a text file which contains the absolute path of all the radxml's to be compared.



The figure above shows the content of the source.txt file .Here STDCUSAC is the source radxml which has to be compared.

If View Changes Report of more than one function_id is required, absolute path of each radxml has to be specified; each in a new line



Base File List: Browse and select the text file containing base file list

Fig 4.1.5: Selecting base file list text file for View Changes Report

Base File list is a text file which contains the absolute path of all the base radxml's to be Compared (here STDCUSAC is the base radxml)

If View Changes Report of more than one function_id is required, absolute path of each base radxml has to be specified; each in a new line

base.txt - Notepad	X	3
File Edit Format View Help		
þ:\vinit\114\sTDCUSAC_RAD.xml		*
<	Þ	.#

Fig 4.1.6: Content of base.txt file

File Location: Choose file location as client if the path provided is in the client machine. **Comparison Type:** Choose Comparison type as Function Specific.

Select Changes: Check if required to compare the selected nodes also.

Click on Generate button on lower left portion of the screen and wait for the system to do the process.

Process time will vary depending on the number of files provided, size of each files etc




Fig 4.1.7: File Status after View Changes Report

After Completion of the process, status will be shown in the screen. File status will be generated successfully if comparison is successful.

Generated Files:

1) **Excel Report of Changes:** A war file named RAD will be created and will be shown after successful process of comparing, which will contain Excel files for the particular source radxml's.

PANDETIP_FRONTEND_LOG.txt

- 2) Log Files : Following log files will be generated
 - i) View Comparison Log: This contains the status of all the files Compared.
 - ii) View Comparison Report: This file can be used for troubleshooting.

All the nodes will be compared and will be painted in the excel sheet based upon the values of base and source list of radxml's, the values will be having 3 statuses

NEW, MODIIFED, DELETED.

Based on this status old and new values will be shown in the view changes report.

4.2 Functionality Demonstration

In the above View Changes Report process, **STDCUSAC** is compared with the latest **STDCUSAC**. The figure below shows the comparison of STDCUSAC (**FCUBS_11.3.0**) and STDCUSAC (**FCUBS_11.4.0**).

This source is part of the FLEXCUBE Software System and is copyrighted by Oracle Financial Services Software Limited.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Oracle Financial Services Software Limited. 10-11, SDF I, SEEPZ, Andheri (East), Mumbai -400096. India. Copyright 2008-2010 by Oracle Financial Services Software Limited. All rights reserved.

	SOURCE	BASE
FUNCTION_ID	STDCUSAC	STDCUSAC
RELEASE_CODE	FCUBSV.UM 11.2.0.0.0.0.0	FCUBS_11.4.0
RELEASE_TYPE	KERNEL	KERNEL
FUNCTION_TYPE	P	P
FUNCTION_CATEGORY	MAINTENANCE	MAINTENANCE

Fig 4.2.1: STDCUSAC screen copy right clause.

Fig 4.2.2: STDCUSAC screen Header.

PREFERENCES

STATUS	PREFERENCES	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIED	MENU			
		TXN BLOCK NAME	BLK_CUST_ACCOUNT	
		TXN FIELD NAME	BRN	
		MULTI BRANCH ACCESS	Y	

STATUS	MENU DETAILS	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIED	STDCUSAC			
		LBL FUNCTION DESC		LBL_STDCUSAC_FNDESC
		LBE FONCTION DESC		Customer Accounts
		FUNCTION DESC		Maintenance
		LBL FUNC MODULE DESC		LBL_STDCUSAC_MODULE
MODIFIED	STSCUSAC			
		LBL FUNCTION DESC		LBL_STSCUSAC_FNDESC
		FUNCTION DESC		Customer Accounts Summary
		LBL FUNC MODULE DESC		LBL_STSCUSAC_MODULE

Fig 4.2.3: STDCUSAC screen Preferences changes from previous release screen

The change report will compare the two function ids and will paint the excel sheet in the format above represented for the preferences node of the radxml's compared. Preferences will show the difference in the both versions of the releases. The nodes representing here are

(PREFERENCES, MENU_DETAILS)

Description:

change Report will compare two radxml's and will form one Dom which will have the nodes which will have the diff between two radxml's which has old value and new value.

Here in preferences, the status is the nodes are modified and the node modified is preferences the property of that node modified is Txn block name Old value is block_cust_account no and new value is null ,STDCUSAC (FCUBS_11.3.0) radxml has no value and STDCUSAC (FCUBS_11.4.0) has block_cust_account as Txn block

Similarly for the other screens also the values will be painted as below fig.

DATASOURCES

Image: Start Sector P3		Cut Copy	Arial	- 10	• A *	= = =	₩/~-	Wrap Text		General 🔹					Σ AutoSum	Ż	A
Operation Finit P Agement C Number Styles Cets Externs A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A B C A A B C A A B C A C B A A A B A A B A A A B C A A B A	aste		nter B I	<u>u</u> -][🏷 • <u>A</u> •			Merge & Ce	nter 😁				ell Insert	Delete Format			
A B C D E F G H MODIFIED ICTMS_ACC_FR PROPERTIES OLD VALUE NEW VALUE F G H ICTMS_ACC_FR MODIFIED ICTMS_ACC_FR PROPERTIES OLD VALUE product_code FROM (tms_product_code FROM WHERE product_type if) product_code FROM (tms_product_definition) product_type if) ICTMS_ACC_FR ICTMS_ACC_FROM (tms_product_definition) product_type if) ICTMS_ACC_FROM (tms_product_type if) ICTMS_ACC_FROM (tms_product_type if) product_type if) ICTMS_ACC_FROM (tms_product_type if) ICTMS_ACC_FROM (tms_product_type if) product_type if) ICTMS_ACC_FROM (tms_product_type if) ICTMS_ACC_FROM (tms_product_type if) product_type if) ICTMS_ACC_FROM (tms_product_type if)				Font	G.		Alignm	ent	li ji					Cells			
STATUS DATASQUECES PROPERTIES OLD VALUE NEW VALUE CTM prod IN (SELECT product_code FROM CHM VHERE product_type (Code FROM VHERE product_type (CODE VHERE product_type (CODE VHERE product_type (CODE VHERE product_type (CODE VHERE PLUMT_CODE DE VHERE PLUMT_CODE DE VHERE PLUMT_CODE DE VHERE PLUMT_CODE ACVIVS_CRTUR_LIMT_BRA (CODE AND CODE AND	F	9	• (9	fx DEL	eted							_					
MODIFIED ICTMS_ACC_PR ICTMS_ACC											F		G		Н		
MODIFIED ACVWS_CRTUR_LIMT_BAL DEFAULT WHERE INT_FOR FORM MHERE product_type if () DEFAULT WHERE INT_FOR FORM MHERE product_type if () MADDIFIED ACVWS_CRTUR_LIMT_BAL LIMT_FRD = (SELECT LIMT_FRD = (SELECT LIMT_START_DATE AND LIMT_START_DATE AND LIMT_START_DAT					PROPERTIE	S	OLD V	ALUE		NEW VALUE							
LIMT_PAD = (SELECT LIMT_PAD = (SELECT LIMT_SELECT LIMT_PAD = (SELECT LIMT_SELEC						HERE	produc ictms_ WHER	t_code FROM product_definiti	on in (product_code FROM ictms_product_definition							
wit, account TRNÖVER_LINT_ CODE AND to_date(jobal application_ date) BETWEEN LIMT_END_DATEAND LIMT_END_DATEAND LIMT_END_DATE) is count TRNÖVER_LINT_ to_date(jobal application_ date) BETWEEN LIMT_END_DATEAND LIMT_END_DATE) is count TRNÖVER_LINT_ to_date(jobal application_ date) BETWEEN LIMT_END_DATEAND LIMT_END_DATE) is count TRNÖVER_LINT_ to_date(jobal application_ date) BETWEEN LIMT_END_DATE) is count TRNÖVER_LINT_ to_date) is count to_date) is count TRNÖVER_LINT	MODIF	IED A	CVWS_CRTUP	R_LMT_BAL			LIMIT_ STTM_	PRD FROM TURNOVER_F	ERIO	LIMIT_PRD FROM STTM_TURNOVER_PERIC)						
DATASRC TYPE NORMAL NORMAL PROPERTIES OLD VAL CHILD DATASRC N DELETED BRANCH_CODE COLUMN NAME BRANCH DELETED BRANCH_CODE COLUMN NAME BRANCH COLUMN NAME BRANCH MAX LENGTH S MAX LENGTH S BLOCK NAME BLUCK NAME BLUCK NAME BLUCK NAME CUST_AC_NO Column NAME COLUMN NAME COLUMN NAME CUST_AC_NO COLUMN NAME CUST_AC_NO Column NAME COLUMN NAME CUST_AC_NO COLUMN NAME CUST_AC_NO Column NAME COLUMN NAME COLUMN NAME CUST_AC_NO DELETED COLUMN NAME CUST_AC_NO Column NAME COLUMN NAME COLUMN NAME CUST_AC_NO COLUMN NAME BLK_ST BLOCK NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME BLK_ST COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAM							ust_ac MT_CC to_date date) E LIMIT_	count.TRNOVE DDE AND e(global.applica BETWEEN START_DATE /	R_L tion_	account.TRNOVER_LMT_ CODE AND to_date(global.application_ date) BETWEEN							
CHILD DATASRC N STATUS COLUMNS PROPERTIES OLD VAL DELETED BRANCH_CODE COLUMN NAME BRANCH_CODE COLUMN NAME BRANCH_CODE MAX LENGTH 3 MAX LENGTH 3 BLK_ST MAX LENGTH 3 MAX LENGTH 1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>LIMIT_END_DATE)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>										LIMIT_END_DATE)							
STATUS COLUMNS PROPERTIES OLD VAL DELETED BRANCH_CODE COLUMN NAME BRANCH_CODE COLUMN NAME BRANCH_CODE COLUMN NAME BRANCH_CODE COLUMN NAME BRANCH_CODE DATATYPE VARCHA MAX LENGTH BLK_ST BLCK NAME NKAGES COLUMN NAME COLUMN NAME CUST_AC_NO COLUMN NAME COLUMN NAME COLUMN NAME CUST_AC_NO COLUMN NAME COLUMN NAME COLUMN NAME CUST_AC_NO BLK_ST COLUMN NAME COLUMN NAME CUST_AC_NO BLK_ST COLUMN NAME COLUMN NAME CUST_AC_NO BLK_ST COLUMN NAME COLUMN NAME COLUMN NAME BLK_ST COLUMN NAME COLUMN NAME COLUMN NAME BLK_ST COLUMN NAME COLUMN NAME COLUATERAL_TYPE VARCHA MAX LENGTH BLK_ST BLCK NAME NKAGES COLUMN NAME COLUATERAL BLK_ST BLCK NAME COLUMN NAME COLUATERAL COLUAN NAME BLK_ST DELETED COLUATERAL BLK_ST BLCK NAME COLUMN NAME COLUAN NAME COLUAN NAKAGES BLCK NAME								AL									
DELETED BRANCH_CODE COLUMN NAME BRANCH COLUMN NAME DATATYPE VARCHA MAX LENGTH % BLOCK NAME BLOCK NAME BLOCK NAME COLUMN NAME COLUMN NAME COLUMN NAME BLOCK NAME NKAGES COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME BLOCK NAME COLUMN NAME COLUMN NAME COLUMN NAME					CHILD DATA	JIC	18				STATUS	COLUI	ANS	PROP	ERTIES	C	DLD VAL
Image: Constraint of the second se											DELETED	BRANC	CH_CODE				
MAX LENGTH 3 BLK_STI BLOCK NAME CUST_AC_NO COLUMN NAME CUST_AC DATATYPE VARCHA MAX LENGTH 20 BLK_STI BLOCK NAME CUST_AC MAX LENGTH 20 BLK_STI BLOCK NAME CULATERAL_TYPE COLUMN NAME COLLATE BLOCK NAME CULATERAL_TYPE COLUMN NAME COLLATE DATATYPE VARCHA MAX LENGTH 1 BLOCK NAME NKKGES COLUMN NAME COLLATE BLOCK NAME COLLATE COLUMN NAME COLLATE BLOCK NAME VARCHA MAX LENGTH 1 STATYPE VARCHA COLLATERAL COLUMN NAME COLLATE BLOCK NAME VARCHA MAX LENGTH 1 STATYPE VARCHA COLLATERAL														COLU	MN NAME	E	RANCH
BLCK NAME BLCK NAME BLCK NAME BLCK NAME NKAGES DELETED CUST_AC_NO COLUMN NAME CUST_AC DATATYPE VARCHA MAX LENGTH 20 DELETED COLLATERAL_TYPE VARCHA MAX LENGTH 20 DELETED COLLATERAL_TYPE VARCHA MAX LENGTH 20 DELETED COLLATERAL_TYPE VARCHA MAX LENGTH 10 DELETED COLLATERAL_TYPE VARCHA MAX LENGTH 11 DELETED COLLATERAL_TYPE VARCHA MAX LENGTH 11 DELETED COLLATERAL BLK_ST BLCK NAME NKAGES DELETED COLLATERAL COLUMN NAME COLLATERAL BLK_ST DELETED COLLATERAL DELETED COLUMN NAME COLUMN NAME DELETED COLLATERAL DELETED COLUMN NAME COLLATERAL														DATA	TYPE	V	/ARCHA
Image: Section of the section of t														MAX	LENGTH	3	
DELETED CUST_AC_NO COLUMN NAME CUST_AC COLUMN NAME CUST_AC DATATYPE VARCHA DATATYPE VARCHA MAX LENGTH % BLOCK NAME BLOCK NAME BLOCK NAME BLOCK NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME BLOCK NAME BLOCK NAME DELETED DELETED COLLATERAL BLOCK NAME BLOCK NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME																E	JLK_STT
COLUMN NAME CUST A DATATYPE VARCHA MAX LENGTH 20 BLK_STI BLOCK NAME NKAGES COLUMN NAME CUST A MAX LENGTH 20 BLCK NAME NKAGES COLUMN NAME COLLATE DATATYPE VARCHA MAX LENGTH 1 DATATYPE VARCHA BLCK NAME NKAGES COLUMN NAME COLLATE BLOCK NAME NKAGES COLUMN NAME COLLATE BLOCK NAME NKAGES COLUMN NAME COLLATE BLOCK NAME NKAGES COLUMN NAME COLLATE BLOCK NAME NKAGES														BLOC	K NAME	N	IKAGES
Image: Column Name Image: Column											DELETED	CUST_	AC_NO				
MAX LENGTH 20 BLCK NAME COLLATERAL_TYPE COLUMN NAME COLUMN NAME NICH COLUMN NAME COLUMN NAME NICH COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME NICH COLUMN NAME COLUMN NAME																	
BLOCK NAME BLOCK NAME BLOCK NAME NKAGES DELETED COLLATERAL_TYPE COLUMN NAME COLLATE DELETED COLUMN NAME COLLATE BLOCK NAME NKAGES DELETED DELETED COLUMN NAME COLLATE DELETED DELETED COLUMN NAME COLUMN NAME DELETED COLLATERAL BLOCK NAME NKAGES DELETED COLLATERAL COLUMN NAME COLLATE DELETED COLUMN NAME COLLATERAL VARCHA																	
BLOCK NAME NKAGES DELETED COLLATERAL_TYPE COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME COLUMN NAME BLOCK NAME NKAGES COLUMN NAME COLUMN														MAX	LENGTH		
DELETED COLLATERAL_TYPE COLUMN NAME COLUMN																	
COLUMN NAME COLLATE DATATYPE VARCHA MAX LENGTH 1 BLCK NAME NKAGES DELETED COLLATERAL COLUMN NAME COLLATE DATATYPE VARCHA															K NAME	N	IKAGES
DATATYPE VARCHA MAX LENGTH 1 BUL, ST BLOCK NAME NKAGES DELETED COLLATERAL COLUMN NAME COLLATE DATATYPE VARCHA											DELETED	COLLA	IERAL_TYPE				
MAX LENGTH 1 BLCK NAME NKAGES DELETED COLLATERAL COLUMN NAME COLLATE DATATYPE VARCHA																	
DELETED COLLATERAL BLK_STT DELETED COLLATERAL COLUMN NAME COLLAT DATATYPE VARCHA																	
DELETED COLLATERAL DELETED COLLATERAL COLUMN NAME COLLATE DATATYPE VARCHA														MAX	LENGTH		
DELETED COLLATERAL COLUMN NAME COLLATION COLUMN NAME COLLATION COL														- Contraction			
COLUMN NAME COLLATE DATATYPE VARCHA														BLOC	K NAME	N	IKAGES
DATATYPE VARCHA											DELETED	COLLA	TERAL				
MAX LENGTH 50																	
														MAX	LENGTH	5	0

Fig 4.2.4: STDCUSAC screen Data Sources changes from previous release screen

The change report will compare the two function ids and will paint the excel sheet in the format above represented for the Data Sources node of the radxml's compared. Data Sources will show the difference in the both versions of the releases. The nodes representing here are

(DATASOURCES, COLUMNS)

Order Changes:

View Changes Excel				_ ×
	Browse Data source Changes Data Blocks Changes Screen Changes Other Nodes Changes	Base File List Brows ♥ Lov Changes ♥ Fieldset Changes ■ Order Changes	e Comparison Type Same Function 💙	
SI.No	File Name	File Status	Error Description	
			Generate Close	

Fig 4.2.5: order changes in change report screen

On click of this order changes the nodes will also be compared for the order maintained in the radxml of respective releases. Mainly order changes will affect 3 nodes

FIELD_ORDER, FIELDSET_ORDER, TAB_ORDER, SEC_ORDER, DATA_BLK_ORDER, BLK_FIELD_ORDER

All the orders will be compared between sources and base radxml's and will be painted in the excel as below fig

One such example Comparing two radxml's with order changes required in the screen the comparison will include the above nodes in comparing the two radxml's.

Order Changes screen for fieldsets:

STATUS	FIELDSETS	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIE	FST_REVOLVING_LOAN	1		
		FIELDSET_SECTION	SEC PREF1	SEC PREF4
		FIELDSET_PARTITIO		SEC PREF4 PART
		FIELDSET_VISIBLE	Y	N
		FIELDSET_ORDER	59	0
MODIFIE	FST_PRD	-		
				-
MODIFIE	FST_RML			

STATUS	FIELDSET_FIELDS	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIED	LEASE_TYPE			
	Contraction Contraction	ACTIVE	Y	N
		FIELD_ORDER	8	0
STATUS	FIELDSET_FIELDS	PROPERTIES	OLD VALUE	NEW VALUE
NEW	ROLLALWD			
		FIELD_NAME		ROLLALWD
		ACTIVE	4	Y
		FIELD_ORDER		2
NEW	PRDTYPE			
		FIELD_NAME		PRDTYPE
		ACTIVE		Y
		FIELD_ORDER		3

Fig 4.2.6: order changes painted in excel sheet in change report screen



Development Workbench - Tracking Changes

[November] [2022] Version 14.7.0.0.0

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India

Worldwide Inquiries: Phone: +91 22 6718 3000 Fax:+91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.