Oracle Banking Common Core User Guide

Oracle Banking Credit Facilities Process Management

Release 14.7.0.0.0

Part Number F75096-01

November 2022



Oracle Banking Common Core User Guide

Oracle Financial Services Software Limited Oracle Park Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inguiries:

Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 https://www.oracle.com/industries/financial-services/index.html

Copyright © 2018, 2022, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.



Contents

1 Prefa	ace	1
1.1 I	ntroduction	1
1.2 A	Audience	1
1.3 C	Document Accessibility	1
1.4 <i>A</i>	Acronyms and Abbreviations	1
1.5 L	List of Topics	1
1.6 F	Related Documents	2
1.7 S	Symbols and Icons	2
1.8 E	Basic Actions	5
2 Core	Maintenance	7
2.1 <i>A</i>	Additional Field Maintenance	9
2.2 A	Advice	11
2.2.1	Advice Summary	11
2.2.2	Advice Maintenance	12
2.3 A	Amount Text Language	14
2.3.1	Amount Text Language Summary	14
2.3.2	Amount Text Language Maintenance	15
2.4 E	BIC Directory	17
2.4.1	BIC Directory Summary	17
2.4.2	BIC Directory Maintenance	18
2.5 E	Branch EOD	21
2.5.1	Branch EOD Summary	21
2.5.2	Branch EOD Maintenance	22
2.5.3	Branch EOD Invoke	23
2.6 0	Country Code	25
2.6.1	Country Code Summary	25
2.6.2	Country Code Maintenance	26
2.7 0	Currency Definition	28
2.7.1	Currency Definition Summary	28
2.7.2	Currency Definition Maintenance	29
2.8 0	Currency Exchange Rate	34
2.8.1	Currency Exchange Rate Summary	34
2.8.2	Currency Exchange Rate Maintenance	36
2.9 0	Currency Holiday Master	37
2.9.1	Currency Holiday Master Summary	37
2.9.2	Currency Holiday Master Maintenance	39



2.10	Cur	rency Pair Definition	40
2.1	0.1	Currency Pair Definition Summary	40
2.1	0.2	Currency Pair Definition Maintenance	41
2.11	Cur	rency Rate Type	43
2.1	1.1	Currency Rate Type Summary	43
2.1	1.2	Currency Rate Type Maintenance	44
2.12	Cus	stomer Access Group	45
2.1	2.1	Customer Access Group Summary	45
2.1	2.2	Customer Access Group Maintenance	46
2.13	Cus	stomer Category	47
2.1	3.1	Customer Category Summary	47
2.1	4.1	Customer Category Maintenance	48
2.15	EC	A System	49
2.1	5.1	ECA System Summary	49
2.1	5.2	ECA System Maintenance	50
2.16	Ext	ernal Bank Parameters	51
2.1	6.1	External Bank Parameters Summary	51
2.1	6.2	External Bank Parameters Maintenance	52
2.17	Ext	ernal Branch Parameters	53
2.1	7.1	External Branch Parameters Summary	53
2.1	7.2	External Branch Parameters Maintenance	54
2.18	Ext	ernal Chart Account	57
2.1	8.1	External Chart Account Summary	57
2.1	8.2	External Chart Account Maintenance	58
2.19	Ext	ernal Customer	59
2.1	9.1	External Customer Summary	59
2.1	9.2	External Customer Maintenance	60
2.20	Ext	ernal Customer Account	62
2.2	0.1	External Customer Account Summary	62
2.2	0.2	External Customer Account Maintenance	63
2.21	Ext	ernal Customer Account Structured Address	66
2.2	1.1	View External Customer Account Structured Address	66
2.2	1.2	Create External Customer Account Structured Address	67
2.22	Ext	ernal Virtual Account Structured Address	69
2.2	2.1	View External Virtual Account Structured Address	69
2.23	For	get Process	70
2.2	3.1	Forgotten Customers Summary	70
2.2	3.2	Forget Customer Maintenance	71



2.24	Hos	t Code	72
2.2	4.1	Host Code Summary	72
2.2	4.2	Host Code Maintenance	73
2.25	Lan	guage Code	74
2.2	5.1	Language Code Summary	74
2.2	5.2	Language Code Maintenance	75
2.26	Loc	al Holiday	76
2.2	6.1	Local Holiday Summary	76
2.2	6.2	Local Holidays Maintenance	77
2.27	Med	dia	78
2.2	7.1	Media Summary	78
2.2	7.2	Media Maintenance	79
2.28	Mul	ti-Currency Account Linkage	81
2.2	8.1	Create MCA Linkage	81
2.2	8.2	View MCA Linkage	82
2.29	Pro	cess Code	83
2.2	9.1	View Process Code	83
2.2	9.2	Process Code Maintenance	84
2.30	Sys	tem Dates	86
2.3	0.1	System Dates Summary	86
2.31	Tra	nsaction Code	87
2.3	1.1	Transaction Code Summary	87
2.3	1.2	Transaction Code Maintenance	88
2.32	Uple	oad Source	89
2.3	2.1	Upload Source Summary	89
2.3	2.2	Upload Source Maintenance	90
2.33	Uple	oad Source Preference	91
2.3	3.1	Upload Source Preference Summary	91
2.3	3.2	Upload Source Preference Maintenance	92
2.34	Pric	ing Source System	94
2.3	4.1	Pricing Source System Summary	94
2.3	4.2	Pricing Source System Maintenance	96
2.35	Inte	grating Bureau Integration Service with Oracle Banking Routing Hub	97
2.3	5.1	Oracle Banking Routing Hub Configuration	97
2.3	5.2	Service Providers	108
2.3	5.3	Experian Configuration	118
2.3	5.4	Equifax Configuration	119
2.3	5.5	Document Configuration	120
2.3	5.6	Troubleshooting	121



2.36	.36 Bureau Integration Service				
2.3	6.1	Overview	123		
2.37	Cre	dit Bureau Display	126		
2.3	7.1	View Credit Bureau Report	126		
2.38	Loo	kup	130		
2.3	8.1	Create Lookup	130		
2.3	8.2	View Lookup	132		
2.39	Crit	eria	136		
2.3	9.1	Create Bureau Criteria	136		
2.3	9.2	View Bureau Criteria	138		
2.40	Sys	tem Parameter	143		
2.4	0.1	Create System Parameter	143		
2.4	0.2	View System Parameter	144		
2.41	Inte	grating Decision Service with Oracle Banking Routing Hub	148		
2.4	1.1	Oracle Banking Routing Hub Configuration	148		
2.4	1.2	Service Providers	157		
2.4	1.3	Oracle FLEXCUBE Onboarding to Decision Service Configuration	167		
2.42	Dec	ision Service	168		
2.4	2.1	Overview	168		
2.4	2.2	Process Flow	169		
2.4	2.3	Strategy Configuration	170		
2.43	Pro	duct Processor	171		
2.4					
	3.1	Create Product Processor	171		
2.4		Create Product Processor View Product Processor			
	3.2		172		
	3.2 Loo	View Product Processor	172 177		
2.44	3.2 Loo 4.1	View Product Processor	172 177 177		
2.44 2.4 2.4	3.2 Loo 4.1 4.2	View Product Processor kup Create Lookup	172 177 177 177 179		
2.44 2.4 2.4	3.2 Loo 4.1 4.2 Sys	View Product Processor kup Create Lookup View Lookup	172 177 177 179 183		
2.44 2.4 2.4 2.45	3.2 Loo 4.1 4.2 Sys 5.1	View Product Processor kup Create Lookup View Lookup tem Parameter	172 177 177 179 183 183		
2.44 2.4 2.4 2.45 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter	172 177 177 179 183 183 184		
2.44 2.4 2.4 2.45 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter	172 177 177 179 183 183 184 188		
2.44 2.4 2.45 2.45 2.4 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter tegy Configuration	172 177 177 179 183 183 184 188 188		
2.44 2.4 2.45 2.45 2.4 2.4 2.46 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1 6.2	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter tegy Configuration Create Strategy Configuration	172 177 177 177 179 183 183 184 188 188 188		
2.44 2.4 2.45 2.45 2.4 2.4 2.46 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1 6.2 Log	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter tegy Configuration Create Strategy Configuration View Strategy Configuration	172 177 177 177 179 183 183 184 188 188 188 192 196		
2.44 2.4 2.45 2.4 2.4 2.4 2.4 2.4 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1 6.2 Log 7.1	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter tegy Configuration Create Strategy Configuration View Strategy Configuration View Strategy Configuration	172 177 177 177 179 183 183 184 188 188 188 192 196 196		
2.44 2.4 2.45 2.45 2.4 2.4 2.4 2.4 2.4 2.47 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1 6.2 Log 7.1 7.2	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter tegy Configuration Create Strategy Configuration View Strategy Configuration View Strategy Configuration Create Logical Model	172 177 177 179 183 183 184 188 188 188 192 196 196 196 196		
2.44 2.4 2.45 2.45 2.4 2.4 2.4 2.4 2.4 2.47 2.4 2.4	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1 6.2 Log 7.1 7.2 Bor	View Product Processor	172 177 177 177 179 183 183 184 188 188 188 192 196 196 196 203 208		
2.44 2.4 2.45 2.4 2.46 2.4 2.46 2.4 2.47 2.4 2.47 2.4 2.48	3.2 Loo 4.1 4.2 Sys 5.1 5.2 Stra 6.1 6.2 Log 7.1 7.2 Bor 8.1	View Product Processor kup Create Lookup View Lookup tem Parameter Create System Parameter View System Parameter tegy Configuration Create Strategy Configuration View Strategy Configuration ical Model Create Logical Model View Logical Model rowing Capacity	172 177 177 177 179 183 183 184 188 188 188 192 196 196 196 196 203 208 209		



2.49 Qu	estionnaire	219
2.49.1	Create Questionnaire	221
2.49.2	View Questionnaire	223
2.50 Qu	alitative Scoring Model	228
2.50.1	Create Qualitative Scoring Model	228
2.50.2	View Qualitative Scoring Model	234
2.51 Sc	oring Feature	242
2.51.1	Create Scoring Feature	242
2.51.2	View Scoring Feature	244
2.52 Qu	antitative Scoring Model	246
2.52.1	Create Quantitative Scoring Model	247
2.52.2	View Quantitative Scoring Model	256
2.53 De	cision Grade Matrix	264
2.53.1	Create Decision Grade Matrix	264
2.53.2	View Decision Grade Matrix	271
2.54 Pri	cing	
2.54.1	Create Pricing Model	
2.54.2	View Pricing Model	205
2.04.2		
	w Execution Summary	
2.55 Vie	-	292
2.55 Vie 2.55.1	w Execution Summary	292 292
2.55 Vie 2.55.1 3 NLP Fr	w Execution Summary View Execution Summary	292 292 313
2.55 Vie 2.55.1 3 NLP Fr	w Execution Summary View Execution Summary	292 292 313 313
2.55 Vie 2.55.1 3 NLP Fr 3.1 To	w Execution Summary View Execution Summary ramework olkit	292 292 313 313 313
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1	w Execution Summary View Execution Summary amework olkit Use Case Definition	292 292 313 313 313 313 316
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2	w Execution Summary View Execution Summary amework olkit Use Case Definition Annotator	292
2.55 Vie 2.55.1 3 NLP Fr 3.1.1 3.1.2 3.1.3 3.1.4	w Execution Summary View Execution Summary amework olkit Use Case Definition Annotator Model Training	292
2.55 Vie 2.55.1 3 NLP Fr 3.1.1 3.1.2 3.1.3 3.1.4	w Execution Summary View Execution Summary amework olkit Use Case Definition Annotator Model Training Model Management	
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op	w Execution Summary View Execution Summary ramework olkit Use Case Definition Annotator Model Training Model Management eration	292
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op 3.2.1 3.2.2	w Execution Summary	292
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op 3.2.1 3.2.2	w Execution Summary View Execution Summary amework	292
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op 3.2.1 3.2.2 3.3 3P	w Execution Summary	
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op 3.2.1 3.2.2 3.3 3P 3.3.1	w Execution Summary	
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op 3.2.1 3.2.2 3.3 3P 3.3.1 3.3.2	w Execution Summary	
2.55 Vie 2.55.1 3 NLP Fr 3.1 To 3.1.1 3.1.2 3.1.3 3.1.4 3.2 Op 3.2.1 3.2.2 3.3 3P 3.3.1 3.3.2 3.3.3	w Execution Summary	292



4	N	lachine	e Learning Framework	339
4	4.1	Use	Case On-Boarding	339
4	4.2	Frar	neworks Supported	340
	4	.2.1	Timeseries	340
	4	.2.2	Timeseries Algorithms Supported	340
	4	.2.3	Regression	341
	4	.2.4	Regression Algorithms Supported	341
	4	.2.5	Classification	342
	4	.2.6	Classification Algorithms Supported	342
4	4.3	Part	itioned Model	343
4	4.4	On-l	Boarding Use Case	344
	4	.4.1	Model Definition	344
	4	.4.2	Model Training and Scoring	351
4	4.5	Onli	ne Single Record Prediction	352
4	4.6	Use	Case Modifications	352
4	4.7	Data	a Extensibility	353
4	4.8	Mod	lel Explainability	353
4	4.9	Time	e Series Forecast	
	4	.9.1	Forecast REST Service	354
5	F	ile Upl	oad	355
;	5.1	Cou	ntry Code File Upload	355
ł	5.2	Ban	k Core Parameters File Upload	357
;	5.3	Brar	nch Core Parameters File Upload	358
1	5.4	Curr	rency Definition File Upload	360
	5.5	BIC	Directory File Upload	363
	5.6	Loca	al Holiday File Upload	366
:	5.7	Curr	rency Holiday File Upload	367
ł	5.8	Exte	ernal Customer File Upload	368
	5.9	Exte	ernal Customer Account File Upload	371
ļ	5.10	0 Excl	hange Rate File Upload	373
6	E	Fror Co	odes and Messages	375
7	G	Blossar	у	398
8	L	ist of N	Nenus	399
9	F	eedba	ck and Support	401



1 Preface

1.1 Introduction

This user guide is designed to help you quickly get acquainted with the many functions routinely executed every day.

1.2 Audience

This user guide is intended for the central administrator of the Bank who controls the system and application parameters and ensures smooth functionality and flexibility of the banking application.

1.3 Document Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

1.4 Acronyms and Abbreviations

Following are some of the acronyms and abbreviations you are likely to find in this user manual:

Table 1:	Acronyms	and	Abbreviations
----------	----------	-----	---------------

Abbreviation	Description
System	Core Maintenance Module
NLP	Natural Language Processing
REST	Representational State Transfer

1.5 List of Topics

This user guide is organized as follow:

Table 2: List of Topics

Topics	Description
Core Maintenance	This topic describes about Core Maintenance module.
NLP Framework	This topic describes about NLP Framework.
Machine Learning Framework	This topic describes about Machine Learning Framework.
File Upload	This topic describes about the various file upload features supported in common core maintenances.
Error Codes and Messages	This topic describes list of error codes and messages.



Topics	Description
Glossary	This topic provides list of glossary and their definitions.
List of Menus	This topic has alphabetical list of Core Maintenance processes with page references for quick navigation.
Reference and Feedback	This topic provides the reference documents and information about feedback and support.

1.6 Related Documents

For more information on any related features, you can refer to the following documents:

- Oracle Banking Security Management System User Guide
- Getting Started User Guide

1.7 Symbols and Icons

The following are some of the Symbols you are likely to find in the guide:

Table 3: Symbols and Icons - Common

Symbol/Icon	Function
\rightarrow	Represents Results
p ^{ill}	Minimize
****	Maximize
×	Close
0	Perform Search
•	Open a list
+	Add a new record
К	Navigate to the first record
К	Navigate to the last record
<	Navigate to the previous record




Symbol/Icon	Function
>	Navigate to the next record
	Grid view
	List view
C	Refresh
+	Click this icon to add a new row.
	Click this icon to delete an existing row.
G	Click to view the created record.
δ	Click to modify the fields.
:	Click to unlock, delete, authorize or view the created record.

Table 4: Symbols and Icons – Audit Details

Symbol/Icon	Function
Ň	A user
Ē	Date and time
•	Unauthorized or Closed status
0	Authorized or Open status

Table 5: Symbols and Icons - Widget

Symbol/Icon	Function
a	Open status
	Unauthorized status





Symbol/Icon	Function
a	Closed status
	Authorized status



1.8 Basic Actions

Most of the screens contain buttons to perform all or few of the basic actions. The table below gives a snapshot of them:

Actions	Description						
New	Click to add a new record. When you click New, system displays a new record enabling you to specify the required data. It is mandatory to specify details for the fields marked with '*' symbol.						
	NOTE: This button is displayed only for the records that are already created.						
Save	Click to save the details entered or selected in the screen.						
Unlock	Click to update the details of an existing record. System displays an existing record in editable mode.						
	NOTE: This button is displayed only for the records that are already created.						
Authorize	Click to authorize the record created. A maker of the screer is not allowed to authorize the same. Only a checker can authorize a record.						
	NOTE: This button is displayed only for the already						
	created records. For more information on the						
	process, see Authorization Process.						
Approve	Click to approve the initiated record.						
	NOTE: This button is displayed, once you click Authorize .						
Audit	Click to view the maker details, checker details of the particular record.						
	NOTE: This button is displayed only for the records that						
	are already created.						
Close	Click to close a record. This action is available only when a record is created.						
Confirm	Click to confirm the action you performed.						
Cancel	Click to cancel the action you performed.						



Actions	Description					
Compare	Click to view the comparison through the field values of old record and the current record.					
	NOTE: This button is displayed in the widget, once you click Authorize .					
View	Click to view the details in a particular modification stage.					
	NOTE: This button is displayed in the widget, once you click Authorize .					
View Difference only	Click to view a comparison through the field element values of old record and the current record, which has undergone changes.					
	NOTE: This button is displayed, once you click Compare.					
Expand All	Click to expand and view all the details in the sections.					
	NOTE: This button is displayed, once you click Compare.					
Collapse All	Click to hide the details in the sections.					
	NOTE: This button is displayed, once you click Compare.					
ок	Click to confirm the details in the screen.					

2 Core Maintenance

This section is designed to help you quickly get acquainted with the many functions routinely executed everyday.

This section contains the following topics:

- 3.1 Additional Field Maintenance
- 3.2 Advice
- 3.3 Amount Text Language
- 3.4 BIC Directory
- 3.5 Branch EOD
- 3.6 Country Code
- 3.7 Currency Definition
- 3.8 Currency Exchange Rate
- 3.9 Currency Holiday Master
- 3.10 Currency Pair Definition
- 3.11 Currency Rate Type
- 3.12 Customer Category
- 3.13 ECA System
- 3.14 External Bank Parameters
- 3.15 External Branch Parameters
- 3.16 External Chart Account
- 3.17 External Customer
- 3.18 External Customer Account
- 3.19 External Customer Account Structured Address
- 3.20 External Virtual Account Structured Address
- 3.21 Forget Process
- 3.22 Host Code
- 3.23 Language Code
- 3.24 Local Holiday
- 3.25 Media



- 3.26 Multi-Currency Account Linkage
- 3.27 Process Code
- 3.28 System Dates
- 3.29 Transaction Code
- 3.30 Upload Source
- 3.31 Upload Source Preference
- 3.32 Pricing Source System
- 3.33 Integrating Bureau Integration Service with Oracle Banking Routing Hub
- 3.34 Bureau Integration Service
- 3.35 Credit Bureau Display
- 3.36 Lookup
- 3.37 Criteria
- 3.38 System Parameter
- 3.39 Integrating Decision Service with Oracle Banking Routing Hub
- 3.40 Decision Service
- 3.41 Scoring Feature and Scoring Model
- 3.42 Decision Grade Matrix
- 3.43 Pricing
- 3.44 Execution Summary



2.1 Additional Field Maintenance

This screen is used to configure and maintain the additional fields for the transaction screens. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Additional Field Maintenance.
 - → The Additional Field Maintenance Summary screen is displayed.

Figure 1: Additional Field Maintenance Summary

Additional Field Maintenance		Mar 26.5.5.5	N	
< c +				
urkey: Fisght-ob-cmn-ds-ad	ui Key: Fsghttinb-ciminas-ad 🍄			
Application ID: COMPACE	Application ID: 100777PM			
Description: () (it lonal Fields)	Description: Wellitional fields			
Authorized 🔒 Open	🖹 Unauthorized 🔒 Open			
Page 1 of 1 (1-8 of 8 items)	к < 1 > »			

For more information on fields, refer to the field description table below.

Field	Description					
UI Key	Displays the UI key of the additional field.					
Application ID	Displays the related application ID of the additional field.					
Description	Displays the description of the additional field.					
Status	Displays the status of the record.					

Table 7: Additional Field Maintenance Summary – Field Description

- 2. On Additional Field Maintenance Summary screen, click 🕂 icon.
 - → The Additional Fields Maintenance screen is displayed.



Figure 2: Additional Fields Maintenance

Additional Fields Mainter	nance									,,* ×
New										
Component Name		Product Cod	e		Product Name			Description		
	0,		٩,							
Application ID										
OBIEPM										
Construct Additional Fie	elds MetaData								· •	
Select	Field ID	Field Label	l.	Category		Field Type	Ec	dit	Mandatory	
No data to display.										
Construct Validation Me	etaData								+	
Select	Validation Name	1	Validation Template To Use			Custom Error Message		Ed	lit Arguments	
No data to display.										
										l
									Sav	/e Cancel

3. On **Additional Fields Maintenance** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description
Component Name	Click Search icon and select the component name from the list of
Product Code	Click Search icon and select the product code from the list of
Product Name	Displays the product name for the specified product code.
Description	Displays the description as Additional Fields , and it can be modified.
Application ID	Displays the Application ID.
Construct Additional Fields MetaData	Specify the details under this section to configure metadata for each field.
Select	Check this box to select/unselect a row.
Field ID	Specify the field ID.
Field Label	Specify the field label.
Category	Specify the category.
Field Type	Select the field type from the drop-down values.
Edit	Click this icon to edit the fields in the row.
Mandatory	Check this box if the field needs to be configured as mandatory.
Construct Validation MetaData	Specify the details under this section for validations to be applied on configured fields.

Table 8: Additional Fields Maintenance – Field Description



Field	Description
Select	Check this box to select/unselect a row.
Validation Name	Specify the validation name.
Validation Template To Use	Select the template to be used for the validation.
Custom Error Message	Specify the error message that needs to be displayed for the
Edit Arguments	Click this icon to edit the fields in the row.

4. Click **Save**. You can view the confirmation advice details in the Additional Field Maintenance Summary.

2.2 Advice

You can configure various BIP advices that are available for the process.

This section contains following subsections:

- 3.2.1 Advice Summary
- 3.2.2 Advice Maintenance

2.2.1 Advice Summary


The summary screen provides a list of configured advice. You can configure an advice for a process using the Advice Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Advice.
- 2. Under Advice, click View Advice.

→ The View Advice screen is displayed.

Figure 3: View Advice

View Advice						, ¹⁴	×
< с +							
Advice Name:	÷	Advice Name:	:				
Advice Description: Micro Service Name:		Advice Description: Micro Service Name:					
Unauthorized	Closed	Unauthorized	Cpen				





For more information on fields, refer to the field description table below.

 Table 9: View Advice – Field Description

Field	Description	
Advice Name	Displays the name of the advice.	
Advice Description	Displays information about the advice.	
Micro Service Name	Displays the name of the micro service.	
Status	Displays the status of the record.	

2.2.2 Advice Maintenance

The maintenance screen allows you to configure advices. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Advice.
- 2. Under Advice, click Create Advice.

 \rightarrow The **Create Advice** screen is displayed.

Figure 4: Create Advice

Create Advice			$_{\mu}^{\mu'}$ \times
New			
Advice Name *			
Advice Description *	Micro Service Name	Swift Micro Service	Micro Service Endpoint
Application Name *	Application Description *		
A			
Media *	Branch *	Currency *	Report Locale *
Report Absolute Path *	Format * Select an option	Swift Endpoint	
			Save Cancel

3. On **Create Advice** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Advice Name	Specify the name of the advice.	
Advice Description	Specify the information about the advice.	

Table 10: Create Advice – Field Description



Field	Description
Micro Service Name	Specify the name of the micro service.
Swift Micro Service	Specify the information about the swift micro service.
Micro Service Endpoint	Specify the endpoint micro service.
Application Name	Specify the application name for which advice is generated.
Application Description	Specify the additional information about the application.
Media	Search and select the required media.
Branch	Search and select the required branch.
Currency	Search and select the required currency.
Report Locale	Specify the locale report details.
Report Absolute Path	Specify the report absolute path.
Format	Select a download file format for an advice from the dropdown list. The formats available are, PDF, PPTX, HTML, XLS, and RTF.
Swift Endpoint	Specify the swift endpoint.

4. Click **Save**. You can view the confirmation advice details in the Advice Summary.



2.3 Amount Text Language

You can configure an amount text language.

This section contains following subsections:

- 3.3.1 Amount Text Language Summary
- 3.3.2 Amount Text Language Maintenance

2.3.1 Amount Text Language Summary

The summary screen provides a list of configured amount text language. You can configure an amount text language using the Amount Text Language Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Amount Text Language.
- 2. Under Amount Text Language, click View Amount Text Language.
 - → The View Amount Text Language screen is displayed.

Figure 5: View Amount Text Language

View Amount Text Language		$_{\mu^{k'}}$ \times
« с +		=
Language Code:	Language Code:	
Language Code:	Language Code:	
🗟 Unauthorized 🔒 Open	🔁 Unauthorized 🔒 Open	

For more information on fields, refer to the field description table below.

Table 11: View Amount Text Language – Field Description

Field	Description	
Language Code	Displays the language code associated with the amount word.	
Status	Displays the status of the record.	





2.3.2 Amount Text Language Maintenance

The maintenance screen allows you to configure amount text language. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Amount Text Language.
- 2. Under Amount Text Language, click Create Amount Text Language.
 - \rightarrow The Create Amount Text Language screen is displayed.

Figure 6: Create Amount Text Language

Create Am	iount Text Languag	ge						,,** ×
New								
Language Co	ode *							
		9						
Amount W	Vord Currency List							
								•
	CCY Symbol	Decimals As Fraction	Final Text	CCY	Post Decimal	Pre Decimal	Text Before	Text Between
No data	to display.							
Page 1	(0 of 0 items) K	< 1 > X						
Amount W	Vord Text List							
	Amount	One Flag	Text					
No data	a to display.							
Page 1	(0 of 0 items)	< 1 > ×						
							/	Save Cancel

3. On Create Amount Text Language screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below. .

Table 12: Create Amount Text Language – Field Description

Field	Description
Language Code	Search and select the required language code.
Amount Word Currency List	Specify the amount word currency details.
CCY Symbol	Specify the CCY symbols.
Decimals As Fraction	Select a decimals as fraction value from the drop-down list.
2018, 2022	



Field	Description
Final Text	Specify the final text for the amount word currency list.
ССҮ	Search and select the CCY.
Post Decimal	Specify the post decimal details.
Pre Decimal	Specify the pre decimal details.
Text Before	Select an option for the before text.
Text Between	Specify the text that must appear between the amount word currency list.
Amount Word Text List	Specify the amount word text details.
Amount	Select the amount details.
One Flag	Select an option for the amount word text list.
Text	Specify the text for the amount word.

4. Click **Save**. You can view the configured amount text language details in the Amount Text Language Summary.



2.4 BIC Directory

As part of setting up basic information, you must maintain Bank Identifier Codes (BIC). You can configure the BIC directory for a customer.

This section contains following subsections:

- 3.4.1 BIC Directory Summary
- 3.4.2 BIC Directory Maintenance

2.4.1 BIC Directory Summary

The summary screen provides a list of configured BIC directory. You can configure the BIC directory using the BIC Directory Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click BIC Directory.
- 2. Under BIC Directory, click View BIC Directory.
 - → The View BIC Directory screen is displayed.

Figure 7: View BIC Directory

View BIC Directory		$_{\mu}^{e}$ \times
९ c +		
Customer Number:	Customer Number:	
Sub Type Code:	Sub Type Code:	
BIC Code:	BIC Code:	
Bank Name:	Bank Name:	
Authorized 🔒 Open	Authorized 🔒 Open	

For more information on menus, refer to the field description table below. .

Table 13: View Bl	C Directory – F	ield Description
-------------------	-----------------	------------------

Field	Description
Customer Number	Displays the number of the customer.
Sub-type Code	Displays the sub-type code associated with the customer number.
BIC Code	Displays the defined BIC code for the associated customer
Bank Name	Displays the name of the bank.
Status	Displays the status of the record.



2.4.2 BIC Directory Maintenance

The maintenance screen allows you to configure a BIC directory for a customer. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click BIC Directory.
- 2. Under BIC Directory, click Create BIC Directory.
 - → The Create BIC Directory screen is displayed.

Figure 8: Create BIC Directory

Create BIC Directory			,," ×
New			
BIC Code *	Bank Name *	Customer Number	Customer Name
		9	Not Selected
Bank Address 1	Bank Address 2	Bank Address 3	SWIFT Key
Telex Key	SWIFT Key Arrangement	Relationship	Sub Type Code
	Ψ.	No Mail Keys	٩,
BEI Indicator	ADB Member		
Not Selected	Ŧ		
Payment Message			
MT103+ Preferred	Blacklisted	CUG Member	Remit Member
MI TOST Preferred	Blackisted	Cus member	Nemit Member
Update During Upload			
Multi-Customer Credit Transfer			
Multi-Customer Credit Transfer	Generate 102+	Maximum Size in Bytes	
Request for Transfer			
Generate MT101	Number of Transactions Per Page		
			Save Cancel

3. On **Create BIC Directory** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
BIC Code	Specify the unique BIC Code by which the bank is identified by SWIFT.
Bank Name	Specify the name for the bank.
Customer Number	Search and select the required customer number.
Customer Name	Based on the Customer Number selected, the information is auto-populated.
Bank Address 1-3	Based on the Customer Number selected, the information is auto-populated.
SWIFT Key	Specify the swift key details.
Telex Key	Specify the unique telex key for the BIC directory.

Table 14: Create BIC Directory – Field Description



Field	Description
SWIFT Key Arrangement	Select the SWIFT key arrangement from the drop-down list.
Relationship	Select one of the following options:
	 No: If selected, indicates that the BIC Entity is not a customer of your bank
	 Mail: If selected, the BIC entity is not a recognized SWIFT entity but an address internal to your bank. In such cases, all correspondence directed to the particular BIC entity is sent as mail messages.
	• Keys: If selected, a SWIFT/Telex connectivity exists between your bank and the bank for which you are maintaining details. Subsequently, you must specify the SWIFT/Telex Key in the adjacent field.
Sub-type Code	Search and select the required sub-type code.
BEI Indicator	Based on the Sub-type Code selected, the information is auto- populated.
ADB Member	Select the ADB member from the drop-down list.
Payment Message	Specify the payment message details.
MT103+ Preferred	By default, this is disabled. If selected, indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format.
Blacklisted	By default, this is disabled. If selected, indicates the BIC entity is blacklisted.
CUG Member	By default, this is disabled. If selected, indicates the BIC entity is a closed user group member. Remit Member: By default, this is disabled. If selected, indicates the customer is registered with MT 103 extended remittance information multiple user group.
Update During Upload	By default, this is disabled. If selected, updated the BIC directory during an upload.
Multi-Customer Credit Transfer	Specify the Multi-Customer Credit Transfer details.
Multi-Customer Credit Transfer	By default, this is disabled. If selected, indicates multiple credit transfer feature [MT102 support] exists between the bank and the BIC entity.



Field	Description
Generate 102+	By default, this is disabled. If selected, generates 102+ message.
Maximum Size in Bytes	Specify the maximum size.
Request for Transfer	Specify the Request for Transfer details.
Generate MT101	By default, this is disabled. If selected, indicates MT101 can be sent/received from this BIC. Select to generate MT101 message.
Number of Transactions Per Page	Specify the number of transactions to view per page. If you do not specify a value it is defaulted to 10.
Real Customer Number	Search and select the required real customer number.
Real Customer Name	Based on the Real Customer Number selected, the information is auto- populated.

4. Click **Save**. You can view the configure BIC directory in the BIC Directory Summary.



2.5 Branch EOD

You can invoke End of Day (EOD) to indicate that all the activities for the day are complete. Activities can be performed on the system only after the system date is changed to the next working day and authorized.

Most of the automated functions are part of the beginning of day operations. Thereafter, some of them must be executed when the system is in the EOTI (End of Transaction Input) stage.

This section contains following subsections:

- 3.5.1 Branch EOD Summary
- 3.5.2 Branch EOD Maintenance
- 3.5.3 Branch EOD Invoke

2.5.1 Branch EOD Summary

The summary screen provides list of branch workflow mappings. You can configure branch workflow mapping using the Branch EOD Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click View EOD.

 \rightarrow The View EOD screen is displayed.

Figure 9: View EOD

/iew EOD			
९ c +			
Branch Code:	:	Branch Code:	:
Maker: OnceAuthorized: Workflow Name:		Maker: OnceAuthorized: Workflow Name:	
💫 Authorized 🔒 Op	en	Authorized	Open
Page 1 of 1 (1-2)	of 2 itoms)		N
Page 1 of 1 (1-20	of 2 Items)	K < 1 >	К

For more information on fields, refer to the field description table below.

Table 15: View EOD – Field Description

Field	Description
Branch Code	Displays the branch code details.
Workflow Name	Displays the name of the workflow.
Status	Displays the status of the record.



2.5.2 Branch EOD Maintenance

The maintenance screen allows you to create/configure the EOD workflow with a Branch. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click Configure EOD.
 - \rightarrow The **Configure EOD** screen is displayed.

Figure 10: Configure EOD

Configure EOD			
Branch Code *	Q	Description	Workflow Name *
			Save Cancel

3. On **Configure EOD** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 16: Configure EOD – Field Description

Field	Description
Branch Code	Specify the branch code that is associated with the logged in user.
Description	Displays the description of the branch.
Workflow Name	Specify the workflow name that is already created.

For more information on EOD Workflow creation and related terminologies please refer to **EOD Configuration Guide** of the respective products.



2.5.3 Branch EOD Invoke

The action screen allows you to invoke the branch EOD process as per branch and workflow mapping configured using Branch EOD Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Branch EOD.
- 2. Under Branch EOD, click Invoke EOD.
 - \rightarrow The **Invoke EOD** screen is displayed.

Figure 15: Invoke EOD

Invoke EOD		
Branch Code * Q. Start Reset	Description	Current Branch Date
View End of Cycle Processes	Auto Refresh(15s)	
MS-CHKAFTER	- EODICEATCH	4 LATE_ACCOUNT_STMT
		UATE_INTEREST_STMT

3. On **Invoke EOD** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 17: Invoke EOD – Field Description

Field	Description
Branch Code	Specify the branch code that is associated with the logged in user.
Description	Displays the description of the branch.
Current Branch Date	Displays the current branch date.

- 4. Click **Start** to invoke EOD for selected branch and Click **Refresh** to view the current status of batch.
- 5. Click **Retry** to restart the EOD workflow from the failed task.

NOTE: Retry button will be enabled only if the failed task status is encountered.

- 6. Click **Reset** to clear the branch selected.
- 7. Click **Refresh** to view the current status of batch.
- 8. Mouse-hover on the task to view the relevant details such as Start time, End time and Error if any.

Table 18: EOD Task – Status Description

Status	Description
Green	Task is completed
Yellow	Task is in progress
Red	Task failed due to some error.
Grey	Task is scheduled but not executed
Diamond Shape	Task has reached a milestone stage where execution will be paused. Right-click on milestone stage and select "Proceed" to resume batch execution.

For more information on EOD stages, please refer to EOD Configurations Guide of the respective products.



2.6 Country Code

You can configure a country code.

This section contains following subsections:

- 3.6.1 Country Code Summary
- 3.6.2 Country Code Maintenance

2.6.1 Country Code Summary

The summary screen provides a list of configured country code. You can configure a country code using the Country Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Country Code.
- 2. Under Country Code, click View Country Code.

 \rightarrow The View Country Code screen is displayed.

Figure 12: View Country Code

View Currency Definition	
९ с +	
Currency Code:	Currency Code:
Currency Name: Alternate Currency Code: Country: Maintenance Country: Authorized Open	Currency Name: British Euro Alternate Currency Code: Country: Maintenance Country: Maintenance Country:

For more information on fields, refer to the field description table below.

Table 19: View Country Code – Field Description

Field	Description	
Country Code	Displays the country code details.	
Country Name	Displays the name of the country.	
ISO Numeric Code	Displays the ISO numeric code details of the country code.	
Status	Displays the status of the record.	



2.6.2 Country Code Maintenance

The maintenance screen allows you to configure a country code. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Country Code.
- 2. Under Country Code, click Create Country Code.
 - \rightarrow The Create Country Code screen is displayed.

Figure 13: Create Country Code

Create Country Code			,* ×
New			
Country code *			
Country Name *	Alternate Country code *	Region Code	ISO Country code
ISD code	Limit Currency	Overall Limit *	Blacklist
EU Member	Generate 205	IBAN Check Required *	BIC Clearing Code
ntta fungean			
			Sive Cancel
			save Cancer

3. On **Create Country Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 20: Create Country Code – Field Description

Field	Description
Country Code	Specify the country code.
Country Name	Specify the name of the country.
Alternate Country Code	Specify the alternate country code.
Region Code	Specify the region code.
ISO Country Code	Specify the ISO country code.
ISO Code	Specify the ISO code.
Limit Currency	Specify the limit currency.
Overall Limit	Specify the overall limit.



Field	Description	
Blacklist	By default, this is disabled. If selected, indicates the country is blacklisted.	
EU Member	By default, this is disabled. If selected, indicates the country is recognized by Swift as a part of the Intra European countries.	
Generate 205	By default, this is disabled. If selected, indicates the cover message 205COV or 205 need to be generated for transactions involving this country. If you do not select this option, RTGS, 202 or 202COV message is generated.	
IBAN Check Required	By default, this is disabled. If selected, indicates check required for an IBAN is mandatory.	
BIC Clearing Code	By default, this is disabled. If selected, indicates the National ID in the BIC plus file is the clearing code. During upload of clearing codes from BIC plus file, the records belong to countries against which this box is selected.	
Intra European	By default, this is disabled. If selected, indicates the country is an intra European country.	

4. Click Save. You can view the configured country code details in the Country Code Summary.



2.7 Currency Definition

You can define the attributes of the currencies in which the bank can deal. For each currency, you can define attributes such as, the SWIFT code for the currency, the country the currency belongs, the interest method, the spot days, the settlement days, and so on.

Currencies can be maintained only at the Head Office. The list of currencies are available to the branches based on the currencies defined for the country linked to the branch.

This section contains following subsections:

- 3.7.1 Currency Definition Summary .
- 3.7.2 Currency Definition Maintenance

2.7.1 Currency Definition Summary

The summary screen provides a list of defined currency. You can define a currency using the Currency Definition Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Definition.
- 2. Under Currency Definition, click View Currency Definition.

→ The View Currency Definition screen is displayed.

View Currency Definition urrency Code ate Currency Code Э

Figure 14: View Currency Definition

For more information on fields, refer to the field description table below.

Table 21: View Currency Definition – Field Description

Field	Description	
Currency Code	Displays the code of the currency.	
Currency Name	Displays the name of the currency.	
Alternate Currency Code	Displays the code of the alternate currency.	





, st

Field	Description
Country	Displays the country associated with the currency.
Maintenance Country	Displays the maintenance country.
Status	Displays the status of the record.

2.7.2 Currency Definition Maintenance

The maintenance screen allows you to define currency. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Definition.
- 2. Under Currency Definition, click Create Currency Definition.
 - $\rightarrow\,$ The Create Currency Definition screen is displayed.



Create Currency Definition							,," ×
New							
Currency Code *		Maintenance Country *					
		٩,					
Currency Name		Alternate Currency Code		Currency Type		ISO Numerical Currency Code	
Currency Country *		Currency Decimals *		Currency Interest Method *		Currency Spot Days *	
C	2					V A	
Foreign Exchange Netting Days		Settlement Message Days *		Position GL		Position Equivalent GL	
× -	^	~ *		٩,		٩,	
Currency Tolerance Limit		Index Base Currency		Commodity Code			
		٩,					
Cut Off Time							
		C+ 0// H *		C+ 0/0/5- *			
Cut Off Days	^	Cut Off Hour *		Cut Off Min *		CLS Currency	
Generate 103+		Index Flag		Euro Conversion Required		New Cover Message Format Required	
Validate Tag-S0F							
Rounding							
Currency Round Rule *		Currency Round Unit					
Currency Format Mask							
Currency Format Mask							
 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX							
Euro Type							
Currency Euro Type							
EURO Currency In Currency							
Out Currency							
 EUTO Closed 							
Auto Exchange Rate							
Credit Auto Exchange Rate Limit		Debit Auto Exchange Rate Limit					
Currency Country Mapping							
							10 C
c	Country code		Country Name		Currency Code		
No data to display.							
Page 1 (0 of 0 items) K <	1 > >						
							Save Cancel

Figure 15: Create Currency Definition

3. On **Create Currency Definition** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 22: Create Currency Definition – Field Description

Field	Description
Currency Code	Specify the currency code.
Maintenance Country	Search and select the required maintenance country.
Currency Name	Specify the name of the currency.
Alternate Currency Code	Specify the code of the alternate currency.
Currency Type	Specify the currency type.
ISO Numerical Currency Code	Specify the International Standardization Organization numerical currency code.
Currency Country	Search and select the required currency country.



Field	Description
Currency Decimals	Select the currency decimals.
Currency Interest Method	Select the currency interest method from the drop-down list.
Currency Spot Days	Select the number of spot working days applicable for the currency.
Foreign Exchange Netting Days	Select the number of days for the foreign exchange netting.
Settlement Message Days	Select the settlement message days.
Position GL	Search and select the required position GL.
Position Equivalent GL	Search and select the required position equivalent GL.
Currency Tolerance Limit	Specify the currency tolerance limit.
Index Base Currency	Search and select the required index base currency.
Commodity Code	By default, this is disabled. If selected, enables a commodity code.
Cut Off Time	Specify the cut off time details.
Cut Off Days	Select the cut off days for the payment transaction involving the currency.
Cut Off Hour	Select the hour of the day for the cut off.
Cut Off Min	Select the minute of the hour for the cut off.
CLS Currency	By default, this is disabled. If selected, allow customers of your bank to settle their FX deals via the CLS (Continuous Linked Settlements) Bank, you can identify the currency to be a CLS Currency. FX deals in the CLS currency is only eligible to be routed through the CLS bank.
Generate 103+	By default, this is disabled. If selected, generate outgoing MT 103 messages in the MT 103 + format.
Index Flag	By default, this is disabled. If selected, derives index rate of the currency.



Field	Description
Euro Conversion Required	By default, this is disabled. If selected, indicates the Euro conversion is required.
New Cover Message Format Required	By default, this is disabled. If selected, indicates a new cover message format is required.
Validate Tag-50F	By default, this is disabled. If selected, indicates validations must be performed for the 50F details captured for the ordering customer during contract input.
Rounding	Specify the Rounding details of currency.
Currency Round Rule	Select the currency round rule from the dropdown list.
Currency Round Unit	Select the currency round unit.
Currency Format Mask	Specify the currency format mask details.
Currency Format Mask	Select one of the currency format.
Euro Type	Specify the Euro Type details.
Currency Euro Type	Select one of the currency Euro type.
Auto Exchange Rate	Specify the Auto exchange rate details.
Credit Auto Exchange Rate Limit	Specify the credit automatic exchange rate limit.
Debit Auto Exchange Rate Limit	Specify the debit automatic exchange rate limit.
Currency Country Mapping	Specify the currency country mapping details.
Country Code	Search and select the required country code.
Country Name	Specify the name of the country.
Currency Code	Search and select the required currency code.



Cut Off Time

Refers to the time by which all transactions involving a currency should be generated. For a currency, you can indicate the cut-off hour and minute. This time should be expressed in the local time of the bank.

The maintenance of a cut-off time for a currency has particular reference to outgoing funds transfers involving it.

Example: The value date of a funds transfer transaction (incoming payment) involving USD, is 3rd June 2018. The number of cut-off days specified for the currency is 2. This means that the payment must be received on or before 1st June 2018. If the payment is received on 1st June, it must be received before the cut-off time specified for USD.

If the USD cut-off time is 1200 hrs, if the payment is received on 1st June 2018, it must be received before 1200 hrs.

4. Click Save. You can view the defined currency in the Currency Definition Summary.



2.8 Currency Exchange Rate

You can maintain exchange rates for a currency pair, the rates at which you buy and sell one currency for another. A bank determines its buy and sell rate for a currency pair by applying a spread (that is, its profit margin) to the mid-rate of the currency pair. Mid-rate is the basic rate at which a currency pair is exchanged.

The spread applied for a currency pair varies with the transaction type, while the mid-rate usually remains constant. Consequently, different rates are applicable to different transaction types. For instance dollars in currency are purchased at a certain rate, while USD traveler's checks are bought at a different rate. You can define a rate type which you would like to associate with a transaction type example: CASH, TRAVCHKS, and so on.

You can define the mid-rate, buy and sell spread applicable to each rate type; the buy and sell exchange rates are computed by the system. Buy rates and sell rates can either be maintained by individual branches or can be input by the HO and propagated to all the branches.

If the branch for which the rate is being uploaded or maintained is the head office branch, then the rate would be copied to all those branches that have the same country code as the head office branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch, but it has the same country code as the head office branch, then the rate being uploaded or maintained would be specific to the branch and would not be copied to any other branch.

If the branch for which the rate is being uploaded or maintained is not the head office branch and also does not have the same country code as the head office branch, then the rate being maintained would be copied to all the branches that has the same country code linked as the branch for which the rate is being maintained or uploaded.

This section contains following subsections:

- 3.8.1 Currency Exchange Rate Summary
- 3.8.2 Currency Exchange Rate Maintenance

2.8.1 Currency Exchange Rate Summary

The summary screen provides a list of configured currency exchange rates. You can configure a currency exchange rate using the Currency Exchange Rate Maintenance. To process this screen, perform the following steps:

1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Exchange Rate.



2. Under Currency Exchange Rate, click View Currency Exchange Rate.

→ The View Currency Exchange Rate screen is displayed.

Figure 16: View Currency Exchange Rate

For more information on fields, refer to the field description table below.

Table 23: View Currency Exchange Rate – Field Description

Field	Description
Branch Code	Displays the code of the branch.
Currency 1-2	Displays the currency associated with the branch code
Status	Displays the status of the record.



2.8.2 Currency Exchange Rate Maintenance

The maintenance screen allows you to configure a currency exchange rate. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Exchange Rate.
- 2. Under Currency Exchange Rate, click Create Currency Exchange Rate.
 - → The Create Currency Exchange Rate screen is displayed.

Figure 17: Create Currency Exchange Rate

Create Cu	rrency Exchange Rate						,, ^{,e} -)
New							
Branch code			Currency1 *		Curren	cy2 *	
	٩,			9			
Currency	Rate						
	Rate Type	Buy Rate	Buy Spread	Mid Rate	Sale Spread	Sale Rate	Rate Date
	to display.						
Page 1	(0 of 0 items) \times $<$ 1 $>$	К					
							Save Cancel

3. On Create Entity screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 24: Create Currency Exchange Rate – Field Description

Field	Description
Branch Code	Search and select the required branch code.
Currency 1	Search and select the required currency.
Currency 2	Search and select the required currency.
Currency Rule	Specify the currency rule details.
Rate Type	Select a rate type from the drop-down list.
Buy Rate	Specify the buy rate details.
Buy Spread	Specify the buy spread details.
Mid Rate	Specify the mid-rate details.



Field	Description
Sale Spread	Specify the sale spread details.
Sale Rate	Specify the sale rate details.
Rate Date	Select a rate date from the drop-down calendar.

4. Click **Save**. You can view the configured currency exchange rate details in the Currency Exchange Rate Summary.

2.9 Currency Holiday Master

You can configure a yearly list of holidays, for the currencies, defined in the currency screen. The system uses the information maintained to check if any settlement involving a foreign currency (in the foreign Exchange, Money market, and Funds Transfer, Loans and Deposit modules) falls on that currency's holiday. If yes, the system displays a message stating and ask the user for an override.

For any schedule or contract maturing at a future date, five years hence, you can input the future date, only if the calendar for that year is maintained. The currency holiday is maintained at the bank level by the Head Office.

This section contains following subsections:

- 3.9.1 Currency Holiday Master Summary
- 3.9.2 Currency Holiday Master Maintenance

2.9.1 Currency Holiday Master Summary

The summary screen provides a list of configured currency holiday. You can configure a currency holiday using the Currency Holiday Master Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Holiday Master.
- 2. Under Currency Holiday Master, click View Currency Holiday Master.
 - → The View Currency Holiday Master screen is displayed.



Figure 18: View Currency Holiday Master

/iew Currency Holida	y Master		
९ c +			
Currency:	:	Currency:	:
Weekly Holidays: Year:		Weekly Holidays: Year:	
Authorized 🔒	Open	Authorized	🔒 Open
Page 1 of 1 (1-	7 of 7 items)	к < 1 >	к

For more information on fields, refer to the field description table below.

Table 25: View Currency Holiday Master – Field Description

Field	Description
Currency	Displays the currency details.
Weekly Holidays	Displays the weekly holidays associated with the currency.
Status	Displays the status of the record.



2.9.2 Currency Holiday Master Maintenance

The maintenance screen allows you to configure a currency holiday. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Holiday Master.
- 2. Under Currency Holiday Master, click Create Currency Holiday Master.
 - → The Create Currency Holiday Master screen is displayed.

Figure 19: Create Currency Holiday Master

Create	e Cur	rency	/ Hol	liday	Maste	ar																							 ,," ×
Curren	cy					0,		Y	'ear *								We	eekly H	lolida	ays									
)	lanua	ary	201	.8			F	ebru	lary	201	18				Mar	ch	2018	3				Apr	il 🤇	2018				
S	М	Т	W	Т	F	S	S	М	Т	W	Т	F	S	S	М	Τ	W	Т	F	S	S	М	Т	W	Т	F	S		
	1	2	3	4	5	6					1	2	3					1	2	3	1	2	3	4	5	6	7		
7	8	9	10	11	12	13	4	5	6	7	8	9	10	4	5	6	7	8	9	10	8	9	10	11	12	13	14		
14	15	16	17	18	19	20	11	12	13	14	15	16	17	11	12	13	14	15	16	17	15	16	17	18	19	20	21		
21	22	23	24	25	26	27	18	19	20	21	22	23	24	18	19	20	21	22	23	24	22	23	24	25	26	27	28		
28	29	30	31				25	26	27	28				25	26	27	28	29	30	31	29	30							
		Ma	у 1	2018					Jun	e 2	2018					July	y 2	018					Augi	ust	2018	8			
S	М	Т	W	Ť	F	S	S	М	T	W	Т	F	S	S	Μ	T	W	Ť	F	S	S	М	Т	W	T	F	S		
																												Save	Cancel

3. On **Create Currency Holiday Master** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Currency	Search and select the required currency.
Year	Specify the year details.
Weekly Holidays	By default, this is disabled. If selected, indicates the weekly holidays.

- 4. Select the dates using the calendar. The selected dates appear in blue highlighted circle.
- 5. Click **Save**. You can view the configured currency holidays in the Currency Holiday Master Summary.



2.10 Currency Pair Definition

In the foreign exchange markets, the exchange rates for some currency pairs such as the USD-GBP or USD-JPY are easily obtainable, since these are frequently traded. The exchange rates of other currencies such as the ZAR-INR (South African Rand - Indian Rupee), which is not traded very often, is determined through a third currency. The third currency is usually the US dollar, since the US dollar is quoted in all trading centers.

You can define the static attributes of currency pairs for which a regular market quote is readily available. For other pairs, which do not have a regular market quote, you need to specify the third currency through which the system should compute the exchange rate. The currency pair is maintained at the bank level by the Head Office branch.

This section contains following subsections:

- 3.10.1 Currency Pair Definition Summary
- 3.10.2 Currency Pair Definition Maintenance

2.10.1 Currency Pair Definition Summary

The summary screen provides a list of define a currency pair. You can define a currency pair using the Currency Pair Definition Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Pair Definition.
- 2. Under Currency Pair Definition, click View Currency Pair Definition.
 - → The View Currency Pair Definition screen is displayed.

Figure 20: View Currency Pair Definition

View Currency Pair Definition		
९ с +		
Maintenance Country:	Maintenance Country:	÷
Number of Units: Currency 1: Currency 2:	Number of Units: Currency 1: Currency 2:	
Authorized 🔒 Open	Authorized 🔒 Open	



For more information on fields, refer to the field description table below.

Field	Description
Maintenance Country	Displays the maintenance country details.
Number of Units	Displays the number of units.
Currency 1-2	Displays the currency associated with the country.
Status	Displays the status of the record.

 Table 27: View Currency Pair Definition – Field Description

2.10.2 Currency Pair Definition Maintenance

The maintenance screen allows you to define currency pair. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Pair Definition.
- 2. Under Currency Pair Definition, click Create Currency Pair Definition.

→ The Create Currency Pair Definition screen is displayed.

Figure 21: Create Currency Pair Definition

Create Currency Pair Definition				$_{\mu^{n'}}$ \times
New				
Currency 1	Currency 2	٩	Maintenance Country	
Checkthrough Currency	Through Currency	Number of Units One Hundred Thousand	Points Multiplier	
	Spread Definition * Percentage Points			
				Save Cancel

3. On **Create Currency Pair Definition** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.



Field	Description			
Currency 1-2	Search and select the required currency. A currency pair (specified as currency 1 and currency 2, in the currency pair) represents the two currencies for which you need to maintain exchange rates. To specify the pair, choose from the list provided against Currency 1. Select the pair for which you want to maintain			
	parameters. The pair must be selected according to the quotation method followed by the market, which can be direct or indirect. Exchange rates can be defined for currency 1 against currency 2 or currency 2 against currency 1.			
Maintenance Country	Search and select the required maintenance country.			
Check through Currency	By default, this is disabled. If selected, indicates a check through currency.			
Through Currency	Search and select the required through currency for which the exchange rate between the currencies must be calculated.			
Number of Units	Select one of the number of units.			
Points Multiplier	Select the points multiplier.			
Quotation	Select one of the required quotation:			
	 Direct method the exchange rate for the currency pair is quoted as follows: Buy rate = mid rate - buy spread 			
	Sell rate = mid rate + sell spread			
	 Ccy 1 = Rate x Ccy 2 Indirect method the exchange rate for the currency pair is 			
	 Indirect method the exchange rate for the currency pair is quoted as follows: Buy rate = mid rate + buy spread 			
	Sell rate = mid rate - sell spread			
	Ccy 2 = Rate x Ccy 1			
Spread Definition	Select one spread definition. The effective spread can be calculated using any of the following two methods:			
	Percentage: Spread/100 x mid rate			
	Points: Spread x points multiplier			

Table 28: Create Currency Pair Definition – Field Description



Field	Description
	The method of spread definition that you specify applies to two instances:
	 While maintaining exchange rates for the currency pair While maintaining customer spread for the currency pair

4. Click **Save**. You can view the defined currency pair details in the Currency Pair Definition Summary.

2.11 Currency Rate Type

You can configure a currency rate type.

This section contains following subsections:

- 3.11.1 Currency Rate Type Summary
- 3.11.2 Currency Rate Type Maintenance

2.11.1 Currency Rate Type Summary

The summary screen provides a list of configured currency rate type. You can configure a currency rate type using the Currency Rate Type Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Rate Type.
- 2. Under Currency Rate Type, click View Currency Rate Type.

→ The View Currency Rate Type screen is displayed.

Figure 22: View Currency Rate Type

View Currency Rate Type		, 1 ⁴	×
< c +			
Currency Rate Type:	Currency Rate Type:		
Description:	Description:		
Authorized 🔒 Open	Company Authorized Den		

 Table 29: View Currency Rate Type – Field Description

Field	Description
Currency Rate Type	Displays the currency rate type.
Description	Displays additional information about the currency rate type.



Status

Displays the status of the record.

2.11.2 Currency Rate Type Maintenance

The maintenance screen allows you to configure currency rate type. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Currency Rate Type.
- 2. Under Currency Rate Type, click Create Currency Rate Type.
 - → The Create Currency Rate Type screen is displayed.

Figure 23: Create Currency Rate Type

Create Currency Rate Type	, ²	×
New		
Currency Rate Type *		
Currency Rate Type Description		>
	Save Cance	4

 On Create Currency Rate Type screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.
 Table 30: Create Currency Rate Type – Field Description

Field	Description
Currency Rate Type	Specify the currency rate type.
Currency Rate Type Description	Specify additional information about the currency rate type.

4. Click **Save**. You can view the configured currency rate type details in the Currency Rate Type Summary.



2.12 Customer Access Group

You can configure a customer access group.

This section contains following subsections:

- 2.12.1 Customer Access Group Summary
- 2.12.2 Customer Access Group Maintenance

2.12.1 Customer Access Group Summary

The summary screen provides a list of configured customer access group. You can configure a customer access group using the Customer Access Group Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Access Group.
- 2. Under Customer Access Group, click View Customer Access Group.
 - → The View Customer Access Group screen is displayed.

Figure 24: View Customer Access Group

View Customer Access Group						
९ ट					II =	
Access Group: : CHAIRMAN	Access Group: : VIP	Access Group: : SHEIK :	Access Group: : POLITICIAN :	Access Group: : CEO	^	
Access Group Description:	Access Group Description:	Access Group Description:	Access Group Description:	Access Group Description:		
Authorized 🔒 Open	💫 Authorized 🔒 Open	🗟 Authorized 🔒 Open	🂫 Authorized 🔒 Open	🔥 Authorized 🔒 Open		
Access Group: : CELEBRITY	Access Group: : VVIP					
Access Group Description:	Access Group Description:					
Authorized 🔒 Open	💫 Authorized 🔒 Open					
Page 1 of 1 (1 - 7 of 7 items)	к < 1 > я				v	

Table 31: View Customer Access Group – Field Description

Field	Description	
Access Group	Displays the access group.	
Access Group Description	Displays additional information about the customer access group.	
Status	Displays the status of the record.	



2.12.2 Customer Access Group Maintenance

The maintenance screen allows you to configure a customer access group. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Access Group.
- 2. Under Customer Access Group, click Create Customer Access Group.
 - → The Create Customer Access Group screen is displayed.

Figure 25: Create Customer Access Group

Create Customer Access Group		i Errors & Overrides 🛛 💉 🗧
Access Group *	Access Group Description *	
		Save Cancel

3. On **Create Customer Access Group** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 32: Create Customer Access Group – Field Description

Field	Description
Access Group	Specify the access group.
Access Group Description	Specify the additional information about the access group.

- 4. Click **Save**. You can view the configured customer access group details in the Customer Access Group Summary.
- **NOTE:** Customer Access Group can be linked at the user level to restrict unauthorized access to Customer details. Refer **Oracle Banking Security Management System User Guide** for more details.



2.13 Customer Category

You can configure a customer category.

This section contains following subsections:

- 3.12.1 Customer Category Summary
- 3.12.2 Customer Category Maintenance

2.13.1 Customer Category Summary

The summary screen provides a list of configured customer category. You can configure a customer category using the Customer Category Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Category.
- 2. Under Customer Category, click View Customer Category.
 - \rightarrow The View Customer Category screen is displayed.

Figure 26: View Customer Category

View Customer Category		2 st	×
९ с +			
Customer Category:	Customer Category:		
Description:	Description:		
Authorized 🔒 Open	Authorized 🔒 Open		

Field	Description
Customer Category	Displays the customer category.
Description	Displays additional information about the customer category.
Status	Displays the status of the record.



2.14.1 Customer Category Maintenance

The maintenance screen allows you to configure a customer category. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Customer Category.
- 2. Under Customer Category, click Create Customer Category.
 - \rightarrow The Create Customer Category screen is displayed.

Figure 27: Create Customer Category

Create Customer Category			$_{p^{n'}}$ \times
New			
Customer Category *			
Customer Category Description	Populate Changes		
	\bigcirc		
			_
		Save	Cancel

3. On **Create Customer Category** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 34: Create Customer Category – Field Description

Field	Description		
Customer Category	Specify the customer category.		
Customer Category Description	Specify the additional information about the customer category.		
Populate Changes	By default, this is disabled. If selected, displays the changes.		

4. Click **Save**. You can view the configured customer category details in the Customer Category Summary.



2.15 ECA System

You can configure the External Credit Approval (ECA) system.

This section contains following subsections:

- 3.13.1 ECA System Summary
- 3.13.2 ECA System Maintenance

2.15.1 ECA System Summary

The summary screen provides a list of configured ECA system. You can configure the ECA system details using the ECA System Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click ECA System.
- 2. Under ECA System, click View ECA System.

 \rightarrow The View ECA System screen is displayed.

Figure 28: View ECA System

View ECA System	ew ECA System				
९ с +					
Description:		÷	Description:		÷
ECA System:			ECA System:		
Authorized	Open		Authorized	🔒 Open	

For more information on fields, refer to the field description table below.

	T
Field	Description
Description	Displays any additional information of the ECA system.
ECA System	Displays the name of the ECA system.
Status	Displays the status of the record.

Table 35: View ECA System – Field Description



2.15.2 ECA System Maintenance

The maintenance screen allows you to configure ECA system details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click ECA System.
- 2. Under ECA System, click Create ECA System.
 - \rightarrow The Create ECA System screen is displayed.

Figure 29: Create ECA System

Create ECA System		$_{\mu}^{a^{a^{a}}}$ \times
New		
Source System *	Description	
		Save Cancel

3. On **Create ECA System** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 36:	Create ECA	System - Field	Description
-----------	------------	----------------	-------------

Field	Description	
Source System	Specify the source system.	
Description	Specify the additional information about the ECA system.	

4. Click Save. You can view the configure ECA system details in the ECA System Summary.



2.16 External Bank Parameters

You can configure bank level parameters.

This section contains following subsections:

- 3.14.1 External Bank Parameters Summary
- 3.14.2 External Bank Parameters Maintenance

2.16.1 External Bank Parameters Summary

The summary screen provides a list of configured external bank parameters. You can configure the external bank parameters using the External Bank Parameters Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Bank Parameters.
- 2. Under External Bank Parameters, click View External Bank Parameters.
 - → The View External Bank Parameters screen is displayed.

Figure 30: View External Bank Parameters

View External Bank Parameters		$_{\mu^{k'}}$ \times
ч с +		
Head Office branch:	Head Office branch:	
Maker: OnceAuthorized: Bank Code: Bank Name:	Maker: OnceAuthorized: Bank Code: Bank Name:	
Authorized 🔒 Open	🗟 Authorized 🔒 Open	

Table 37: View External Bank Parameters – Field Description

Field	Description	
Head Office Branch	Displays the head office branch details.	
Maker	Displays the name of the user who has configured the bank details	
Once Authorized	Indicates if the record is authorized once or not.	
Bank Code	Displays the code of the bank.	
Bank Name	Displays the name of the bank.	
Status	Displays the status of the record.	



2.16.2 External Bank Parameters Maintenance

The maintenance screen allows you to configure external bank parameters. The Bank Code will be auto-created for an entity when the entity is created. Please refer the **View External Bank Parameters** screen for the bank code created. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Bank Parameters.
- 2. Under External Bank Parameters, click Create External Bank Parameters.
 - → The Create External Bank Parameters screen is displayed.

Create External Bank Parameters		,,** ×
New		
Bank Code *	Bank Name	
Head Office Branch	Branch Description	
٩	Not Selected	
No of Days to Forget Customer		
		Save Cancel

Figure 31: Create External Bank Parameters

3. On **Create External Bank Parameters** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Bank Code	Specify the code for the bank.	
Bank Name	Specify the name of the bank.	
Head Office Branch	Search and select the required head office branch.	
Branch Description	Based on the Head Office Branch selected, the information is auto-populated.	
Number of Days to Forget Customer	Specify the number of days to inactive/forget the customer.	



4. Click **Save**. You can view the configure core bank parameter details in the External Bank Parameters Summary.

2.17 External Branch Parameters

You can configure branch level parameters.

This section contains following subsections:

- 3.15.1 External Branch Parameters Summary
- 3.15.2 External Branch Parameters Maintenance

2.17.1 External Branch Parameters Summary

The summary screen provides a list of configured external branch parameters. You can configure the external branch parameters using the External Branch Parameters Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Branch Parameters.
- 2. Under External Branch Parameters, click View External Branch Parameters.

→ The View External Branch Parameters screen is displayed.

Figure 32: View External Branch Parameters

View External Branch Parameters		$_{\mu}e^{\mu}$ \times
९ с +		
Branch Code:	Branch Code:	
Branch Name: Local Currency: Source Branch Code:	Branch Name: Local Currency: Source Branch Code:	
凌 Authorized 🔒 Open	💫 Authorized 🔒 Open	



For more information on fields, refer to the field description table below.

Field	Description		
Branch Code	Displays the code of the branch associated with the bank.		
Branch Name	Displays the name of the branch associated with the bank.		
Local Currency	Displays the local currency details.		
Source Branch Code Displays the code of the source branch.			
Status	Displays the status of the record.		

Table 39: View External Branch Parameters – Field Description

NOTE: The Branch Parameters for the Head Office (HO) Branch of the entity will get autocreated when the entity is defined in the Multi-Entity Maintenance. Further changes/configuration of the HO Branch can be performed by modifying the record for the HO Branch's Parameterrs

2.17.2 External Branch Parameters Maintenance

The maintenance screen allows you to configure the branch parameters. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Branch Parameters.
- 2. Under External Branch Parameters, click Create External Branch Parameters.
 - → The Create External Branch Parameters screen is displayed.



Figure 33:	Create	External	Branch	Parameters
i igui o oo	orouto	Extornal	Dianon	i aramotoro

Create External Branch Parameters			, ^w ×
Ticos			
Branch Details			
Branch Code *	Branch Name *	Local Currency * Source System	
Source Branch Code *			
Branch Address			
Address Line 1	Address Line 2	Address Line 3	
Other Details		SWIFT Address	
Host Code *	Country Code	SWIFT Address * Default BIC	
٩	Not Selected		
Host Name	Walk-in Customer	No data to display.	
	٩		
Weekly Holiday 1	Weekly Holiday 2		
-	*		
Auto Authorization	Report DSN		
DSN Name			
		Page 1 (0 of 0 items) 🕅 🗧 1 🗦 🚿	
			Save Geneel

3. On **Create External Branch Parameters** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Branch Details	Specify the branch details.	
Branch Code	Specify a branch code.	
Branch Name	Specify a name for the branch.	
Local Currency	Search and select the required local currency.	
Source System	Search and select the required source system.	
Source Branch Code	Specify a source branch code.	
Branch Address	Specify the branch address details.	
Address Line 1-3	Specify the address details.	
Other Details	Specify the other details.	
Host Code	Search and select the required host code.	
Country Code	Based on the Host Code selected, the information is auto-populated.	
Host Name	Specify the name for the host.	

Table 40: Create External Branch Parameters – Field Description



Field	Description	
Walk-in Customer	Search and select the required walk-in customer.	
Weekly Holiday 1-2	Select a weekly holiday from the dropdown list.	
	Note There are two days of weekly holiday depending on the geographical zone.	
	Auto Authorization: By default, it is disabled. If selected, the record is automatically authorized.	
	Report DSN: Specify the details of the report DSN.	
Swift Address	Specify the swift address details.	
SWIFT Address	Search and select the required SWIFT address.	
Default BIC	If selected, indicates the selected SWIFT address as the default BIC.	

4. Click **Save**. You can view the configure branch parameter details in the External Branch Parameters Summary.



2.18 External Chart Account

You can configure an external chart.

This section contains following subsections:

- 3.16.1 External Chart Account Summary
- 3.16.2 External Chart Account Maintenance

2.18.1 External Chart Account Summary

The summary screen provides a list of configured external chart accounts. You can configure an external chart account using the External Chart Account Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click View External Chart Account.
 - → The View External Chart Account screen is displayed.

Figure 34: View External Chart Account

View External Chart Account		×
९ с +		
General Ledger Code:	General Ledger Code:	
Source System: Source System GL Code:	Source System: Source System GL Code:	
Authorized 🔒 Open	Authorized 🔒 Open	

Field	Description
General Ledger Code	Displays the code of the general ledger.
Source System	Displays the source system.
Source System GL Code	Displays the GL code of the source system.
Status	Displays the status of the record.



2.18.2 External Chart Account Maintenance

The maintenance screen allows you to configure external chart accounts. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Chart Account.
- 2. Under External Chart Account, click Create External Chart Account.
 - → The Create External Chart Account screen is displayed.

Figure 35: Create External Chart Account

Create External Chart Account				$\mu^{\mu'} \times$
New				
General Ledger Code				
General Ledger Description	Source System	Source System GL Code	Category v	
Blocked				
			See	e Cancel

3. On **Create External Chart Account** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description	
General Ledger Code	Specify the general ledger code.	
General Ledger Description	Specify the additional information about the general ledger.	
Source System	Search and select the required source system.	
Source System GL Code	Specify the source system GL code.	
Category	Select the category from the drop-down list.	
Blocked	By default, this is disabled. If selected, indicates the external chart account is blocked.	

Table 42: Create External Chart Account – Field Description

4. Click **Save**. You can view the configured external chart details in the External Chart Account Summary.



2.19 External Customer

You can configure the external customer details.

This section contains following subsections:

- 3.17.1 External Customer Summary
- 3.17.2 External Customer Maintenance

2.19.1 External Customer Summary


The summary screen provides a list of configured external customer details. You can configure the external customers using the External Customer Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer.
- 2. Under External Customer, click View External Customer.
 - → The View External Customer screen is displayed.

Figure 36: View External Customer

Q C Customer Name: :		
Customer Name:		
	istomer Name:	
Source System: Sou	urce System:	
	stomer Type:	
	stomer Number:	
Source Customer ID: Sou	urce Customer ID:	
💫 Authorized 🔒 Open	👌 Authorized 🛛 🔒 Open	

Field	Description
Customer Name	Displays the name of the customer.
Source System	Displays the source system details.
Customer Type	Displays the type of the customer.
Customer Number	Displays the customer number associated with the customer name.
Source Customer ID	Displays the source of the customer ID associated with the customer name.
Status	Displays the status of the record.





2.19.2 External Customer Maintenance

The maintenance screen allows you to configure the external customer details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer.
- 2. Under External Customer, click Create External Customer.
 - \rightarrow The Create External Customer screen is displayed.


Figure 37: Create External Customer

Create External Customer			× ⁹ 4
Customer Details Customer Number *	Customer Name *	Short Name	Customer Type Individual Corpora Bank
Source Customer ID *	Source System *	Customer Category	Relationship Manager ID
Access Group			
Address Address Line 1	Address Line 2	Address Line 3	Address Line 4
Country Q.	Postal Code		
Other Details Deceased Walk-in Customer	Frozen Staff	Whereabouts Unknown Language *	Sanction Check Required Nationality
			Save

3. On **Create External Customer** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 44: Create External Customer – Field Description

Field	Description
Customer Details	Specify the customer details.
Customer Number	Specify the number for the customer.
Customer Name	Specify the name for the customer.
Short Name	Specify the short name for the customer.





Field	Description
Customer Type	Select one of the options:
	 Individual: If selected, the customer is an individual customer.
	Corporate: If selected, the customer is a corporate customer.
	• Bank: If selected, the customer is a bank employee.
Source Customer ID	Specify the source customer ID.
Source System	Search and select the required source system.
Customer Category	Search and select the required customer category.
Relationship Manager ID	Specify the relationship manager ID.
Access Group	Search and select the required access group.
Address	Specify the address details.
Address Line 1-4	Specify the customer address details.
Country	Search and select the required country.
Other Details	Specify the other details.
Postal Code	Specify the postal code details.
Deceased	By default, this is disabled. If selected, indicates the customer is deceased.
Frozen	By default, this is disabled. If selected, indicates the customer account is frozen.
Whereabouts Unknown	By default, this is disabled. If selected, indicates the customer's whereabouts are unknown.
Sanction Check Required	By default, this is disabled. If selected, indicates the sanction check is required.
Walk-in Customer	By default, this is disabled. If selected, indicates a walk-in customer.
Staff	By default, this is disabled. If selected, indicates a staff customer.



Field	Description
Language	Search and select the required language.
Nationality	Search and select the required nationality.

4. Click **Save**. You can view the configured external customer details in the External Customer Summary. In addition, the external customers can be directly replicated from the host system using service API.

2.20 External Customer Account

You can configure the external customer account details.

This section contains following subsections:

- 3.18.1 External Customer Account Summary
- 3.18.2 External Customer Account Maintenance

2.20.1 External Customer Account Summary


The summary screen provides a list of configured external customer accounts. You can configure the external customer accounts using the External Customer Account Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account.
- 2. Under External Customer Account, click View External Customer Account.

 \rightarrow The View External Customer Account screen is displayed.

Figure 38: View External Customer Account

Customer Account Number:
Customer Number: Account Name:
Authorized 🔒 Open





Field	Description
Customer Number	Displays the customer number associated with the account name.
Customer Account Number	Displays the customer account number associated with the account name.
Account Name	Displays the name of the account.
Status	Displays the status of the record.

Table 45: View External Customer Account – Field Description

2.20.2 External Customer Account Maintenance

The maintenance screen allows you to configure external customer account details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account.
- 2. Under External Customer Account, click Create External Customer Account.

→ The Create External Customer Account screen is displayed.

Figure 39: Create External Customer Account

Create External Customer Account			$_{\mu}^{\nu}$ ×
New			
Account Details			
Customer Account Number *	Account Name *	Customer Number *	Customer Name Not Selected
Account Class	Account Currency *	Source Account Branch *	Source Customer Account *
Nostro Account 👻	0,	٩,	
Account IBAN			
Address			
Address Line 1	Address Line 2	Address Line 3	Address Line 4
Country			
Other Details			
No Credit Domnant Account Open Date	No Dekt	Blocked Deternal Credit Approval System * Q	Frozen Host Code * Q
			Save Cancel

3. On **Create External Customer Account** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.



Table 46: Create	External	Customer	Account -	Field Description
------------------	----------	----------	-----------	-------------------

Field	Description		
Account Details	Specify the account details.		
Customer Account Number	Specify the customer account number.		
Account Name	Specify the name for an account.		
Customer Number	Search and select the required customer number.		
Customer Name	Based on the Customer Number selected, the information is auto-populated.		
Account Currency	Search and select the required account currency.		
Account Class	Select the account class from the drop-down list.		
Source Account Branch	Search and select the required source account branch.		
Source Customer Account	Based on the Source Account Branch selected, the information is auto- populated.		
Account IBAN	Specify the account IBAN details.		
Address	Specify the address details.		
Address Line 1-4	Specify the address details.		
Country	Search and select the required country.		
Other Details	Specify the other details.		
No Credit	By default, this is disabled. If selected, indicates the account does not have any credit facility.		
No Debit	By default, this is disabled. If selected, indicates the account does not have any debit facility.		
Blocked	By default, this is disabled. If selected, indicates the account status is blocked.		
Frozen	By default, this is disabled. If selected, indicates the account status is frozen.		
L	ı		



Field	Description
Dormant	By default, this is disabled. If selected, indicates the account status is dormant.
External Credit Approval Required	By default, this is disabled. If selected, indicates ECA check is required for the external customer account.
External Credit Approval System	Search and select the required external credit approval system.
Host Code	Specify the host code details.
Account Open Date	Select an effective date for the account from the dropdown calendar.

4. Click **Save**. You can view the configured external customer account details in the External Customer Account Summary. In addition, the external customer accounts can be directly replicated from the host system using service API.



2.21 External Customer Account Structured Address

You can configure the external customer account structured address details.

This section contains following subsections:

- 3.19.1 View External Customer Account Structured Address
- 3.19.2 Create External Customer Account Structured Address

2.21.1 View External Customer Account Structured Address

The summary screen provides a list of configured external customer account structured addresses. You can configure the external customer account structured address using the Create External Customer Account Structured Address. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account Structured Address.
- 2. Under External Customer Account Structured Address, click View External Customer Account Structured Address.
 - → The View External Customer Account Structured Address screen is displayed.

Figure 40: View External Customer Account Structured Address

View External Customer Account Structured Address			
९ с +			
Customer Number:		Customer Number:	:
Town Name: Country:		Town Name: Country:	
Unauthorized	🔒 Open	Authorized	P Open

For more information on fields, refer to the field description table below.

Table 47: View External Customer Account Structured Address – Field Description

Field	Description
Customer Number	Displays the customer number.
Town Name	Displays the town name of the customer.
Country	Displays the country of the customer.



2.21.2 Create External Customer Account Structured Address

The maintenance screen allows you to configure external customer account structured address. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Customer Account Structured Address.
- 2. Under External Customer Account Structured Address, click Create External Customer Account Structured Address.
 - → The Create External Customer Account Structured Address screen is displayed.

Figure 41: Create External Customer Account Structured Address

Create External Customer Account Structu	ired Address			$_{\mu^{k'}}$ \times
New				
Customer Account *	Account Name *			
Structured Address				
Department	Sub Department	Street Name	Building Number	
Building Name	Floor	Post Box	Room	
Post Code	Town Name	Town Location Name	District Name	
Country Sub Division	Country			
			Save	Cancel

3. On **Create External Customer Account Structured Address** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 48: Create External Customer Account Structured Address – Field Description

Field	Description
Account Details	Specify the account details.
Customer Account	Search and select the required customer account.
Account Name	Specify the name for an account.
Structured Address	Specify the structured address details.
Department	Specify the department.
Sub Department	Search and select the required country.
Street Name	Specify the street name.



Field	Description
Building Number	Specify the building number.
Building Name	Specify the building name.
Floor	Specify the floor.
Post Box	Specify the post box details.
Room	Specify the room number.
Post Code	Specify the post code.
Town Name	Specify the town name.
Town Location Name	Specify the town location name.
District Name	Specify the district name.
Country Sub Division	Specify the country sub division.
Country	Specify the country name.

4. Click **Save**. You can view the configured external customer structured address details in View External Customer Account Structured Address.

2.22 External Virtual Account Structured Address

You can view the external virtual account structured address details.

This section contains following subsections:

• 3.20.1 View External Virtual Account Structured Address

2.22.1 View External Virtual Account Structured Address

The summary screen provides a list of configured virtual account structured addresses. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click External Virtual Account Structured Address.
- 2. Under External Virtual Account Structured Address, click View External Virtual Account Structured Address.
 - → The View External Virtual Account Structured Address screen is displayed.

View External Virtual A	count Struct	tured Address		
९ C				
Customer Number:	:	Customer Number:	:	÷
Town Name: Country:		Town Name: Country:		
Authorized	pen	Authorized	ာ Open	


Figure 42: View External Virtual Account Structured Address

For more information on fields, refer to the field description table below.

Table 49: View External Virtual Account Structured Address – Field Description

Field	Description
Customer Number	Displays the customer number.
Town Name	Displays the town name.
Country	Displays the country name.

Click on the specific tile to view the structured address details.





2.23 Forget Process

The Personally identifiable information (PII) is any data that could potentially identify a specific individual. PII data access can be controlled based on the user role and you can configure details of a customer who wants to be forgotten if the customer withdraws/does not avail the virtual account facility.

This section contains following subsections:

- 3.21.1 Forgotten Customers Summary
- 3.21.2 Forget Customer Maintenance

2.23.1 Forgotten Customers Summary

The summary screen provides a list of configured customer to be forgotten. You can configure a customer detail who wants to be forgotten using the Forget Customer Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Forget Process.
- 2. Under Forget Process, click View Forgotten Customer.

 \rightarrow The View Forgotten Customer screen is displayed.

Figure 43: View Forgotten Customers

-	istomers		
ч с +			
Process Type:	:	Process Type:	
Process ID:		Process ID:	
Maker:		Maker:	
Authorized	🎧 Open	🗟 Unauthorized 🔒 Open	

For more information on fields, refer to the field description table below.

Table 50: View Forgotten Customers – Field Description

Field	Description
Process Type	Indicates if the process is initiated by the customer/bank
Process ID	Displays the forgotten customer's process ID.
Maker	Displays the name of the user who has configured the forgotten customer details.
Status	Displays the status of the record.



2.23.2 Forget Customer Maintenance

The maintenance screen allows you to configure a customer to be forgotten. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Forget Process.
- 2. Under Forget Process, click Forget Customer.
 - \rightarrow The Forget Customer screen is displayed.

Figure 44: Forget Customer

Forget Customer			$_{\mu}^{\nu}$ \times
New			
Forget Customer Process ID *	Forget Customer Process Type Customer Index. Bank Instated		
	Customer Number	Process Status	
No data to display.			
Page 1 (0 of 0 items) K < 1	ж с		
			Save Cancel

3. On **Forget Customer** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 51: Forget Customer – Field Description

Field	Description	
Forget Customer Process ID	Specify a forget customer process ID.	
Forget Customer Process Type	Select one of the options	
	Customer Initiated: If selected, indicates the customer has initiated the process.	
	 Bank Initiated: If selected, indicates the bank has initiated the process. 	

- 4. Click + to add a row and provide the customer/bank details.
- 5. Click **Save**. You can view the configured forgotten customers in the Forgotten Customers Summary.



2.24 Host Code

You can group branches in the same zone or region under a host for specific processing. You can have multiple hosts depending on processing requirements.

This section contains following subsections:

- 2.24.1 Host Code Summary
- 2.24.2 Host Code Maintenance

2.24.1 Host Code Summary

The summary screen provides a list of configured host codes. You can configure the host code using the Host Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Host Code.
- 2. Under Host Code, click View Host Code.

 \rightarrow The View Host Code screen is displayed.

Figure 45: View Host Code

Q C + Default Branch Code: ; Processing Time Zone: ; Host Code: ; Country Code: ; Country Code: ; Authorized ; Open ;	View Host Code	
Frocessing Time Zone: Host Code: Country Code: Country Code: Processing Time Zone: Host Code: Country Code: Country Code:	९ с +	
Host Code: Host Code: Country Code: Country Code:	Default Branch Code:	Default Branch Code:
🚴 Authorized 🔒 Open	Host Code:	Host Code:
	🕞 Authorized 🔒 Open	Authorized 🔒 Open

For more information on fields, refer to the field description table below.

Field	Description
Default Branch Code	Displays the default branch code associated with the host code.
Processing Time Zone	Displays the processing time zone.
Host Code	Displays the host code details.
Country Code	Displays the country code details.
Status	Displays the status of the records.



2.24.2 Host Code Maintenance

The maintenance screen allows you to configure host code. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Host Code.
- 2. Under Host Code, click Create Host Code.
 - \rightarrow The Create Host Code screen is displayed.

Figure 46: Create Host Code

Create Host Code			$\mu^{g'} \times$
New			
Host Code *	Description *		
Country Code *	Processing Time Zone *	Default Branch Code * Q	
			Save Cancel

3. On **Create Host Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 53: Create Host Code – Field Description

Field	Description
Host Code	Specify the host code details.
Description	Specify the additional information about the host code.
Country Code	Search and select the required country code.
Processing Time Zone	Specify the processing time zone details.
Default Branch Code	Search and select the required default branch code.

4. Click Save. You can view the configured host code details in the Host Code Summary.



2.25 Language Code

You can configure a language code.

This section contains following subsections:

- 3.23.1 Language Code Summary
- 3.23.2 Language Code Maintenance

2.25.1 Language Code Summary

The summary screen provides a list of configured language code. You can configure a language code using the Language Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, Core Maintenance. Under Core Maintenance, click Language Code.
- 2. Under Language Code, click View Language Code.

 \rightarrow The View Language Code screen is displayed.

Figure 47: View Language Code

View Language Code		, 1 ¹²
९ с +		
Language ISO Code:	Language ISO Code:	
Language Code: Language Name:	Language Code: Language Name:	
🖒 Authorized 🔒 Open	S Authorized 🔒 Open	

For more information on fields, refer to the field description table below.

Table 54: View Language	Code – Field Description
-------------------------	--------------------------

Field	Description
Language ISO Code	Displays the default branch code associated with the host code.
Language Code	Displays the processing time zone.
Language Name	Displays the host code details.
Status	Displays the status of the records.



2.25.2 Language Code Maintenance

The maintenance screen allows you to configure a language code. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Language Code.
- 2. Under Language Code, click Create Language Code.
 - → The Create Language Code screen is displayed.

Figure 48: Create Language Code

Create Language Code			"* ×
New			
Language Code *			
Language Name	Diplay Direction	Language 50 Code	
			Save Cancel

3. On **Create Language Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 55: Create Language Code – Field Description

Field	Description
Language Code	Specify the code for the language.
Language Name	Specify the name for the language associated with the language code.
Display Direction	Specify the display direction.
Language ISO Code	Specify the language ISO code.

4. Click **Save**. You can view the configured language code details in the Language Code Summary.



2.26 Local Holiday

You can configure a local holiday.

This section contains following subsections:

- 3.24.1 Local Holiday Summary
- 3.24.2 Local Holidays Maintenance

2.26.1 Local Holiday Summary

The summary screen provides a list of configured local holidays. You can configure a local holiday using the Local Holidays Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Local Holiday.
- 2. Under Local Holiday, click View Local Holiday.

 \rightarrow The View Local Holiday screen is displayed.

Figure 49: View Local Holiday

View Local Holiday					
० с +					
Branch Code:	:	Branch Code:	:		
Unexpected Holiday: Year:		Unexpected Holiday: Year:			
🗟 Unauthorized	Open	Authorized	Open		

For more information on fields, refer to the field description table below.

Field	Description			
Branch Code	Displays the code of the branch.			
Unexpected Holiday	Indicates if the record is an unexpected holiday.			
Year	Displays the year of the holiday.			
Status	Displays the status of the record.			

Table 56: View Local Holiday – Field Description



2.26.2 Local Holidays Maintenance

The maintenance screen allows you to configure local holidays. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Local Holiday.
- 2. Under Local Holiday, click Create Local Holiday.
 - → The Create Local Holiday screen is displayed.

Figure 50: Create Local Holiday

Brancł	Code	2				٩		Y	ear *								We	eekly H	Holida	iys		U		cted H	Holiday	∕s	
	J	anua	ary	201	8			F	ebru	ary	201	.8				Mar	ch	2018	3				Apr	il 2	2018		
S	М	Т	W	т	F	S	S	Μ	Т	W	Т	F	S	S	М	Т	W	Τ	F	S	S	Μ	т	W	Т	E	S
	1	2	3	4	5	6					1	2	3					1	2	3	1	2	3	4	5	6	7
7	8	9	10	11	12	13	4	5	6	7	8	9	10	4	5	6	7	8	9	10	8	9	10	11	12	13	14
14	15	16	17	18	19	20	11	12	13	14	15	16	17	11	12	13	14	15	16	17	15	16	17	18	19	20	21
21	22	23	24	25	26	27	18	19	20	21	22	23	24	18	19	20	21	22	23	24	22	23	24	25	26	27	28
28	29	30	31				25	26	27	28				25	26	27	28	29	30	31	29	30					
		Ma	y 2	2018					June	e 2	2018					Jul	/ 2	018					Augu	ıst	2018	8	
S	М	Т	W	Т	F	S	S	М	Т	W	Т	F	S	S	М	Т	W	T	F	S	S	М	Т	W	Т	F	S

3. On **Create Local Holiday** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description		
Branch Code	Search and select the required branch code.		
Year	Specify the year details.		
Weekly Holidays	By default, this is disabled. If selected, you can define weekly holidays.		
Unexpected Holidays	By default, this is disabled. If selected, you can define unexpected holidays.		

- 4. Select the dates using the calendar. The selected dates appear in pink highlighted circle.
- 5. Click Save. You can view the configured local holiday details in the Local Holiday Summary.



2.27 Media

You can configure media information.

This section contains following subsections:

- 2.27.1 Media Summary
- 2.27.2 Media Maintenance

2.27.1 Media Summary

The summary screen provides a list of configured media. You can configure a media using the Media Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Media.
- 2. Under Media, click View Media.

→ The View Media screen is displayed.

Figure 51: View Media

View Media				, ²⁶	×
९ с +					
Media:	÷	Media:	:		
Media No:		Media No:			
Authorized 🔒 Open		Authorized	? Open		

For more information on fields, refer to the field description table below.

Table 58: View Media – Field Description

Field	Description
Media	Displays the name of the media.
Media Number	Displays the number of the media.
Status	Displays the status of the record.



2.27.2 Media Maintenance

The maintenance screen allows you to configure media. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Media.
- 2. Under Media, click Create Media.
 - → The Create Media screen is displayed.

Figure 52: Create Media

Create Media			, ^{ye} ×
New			
Media Code *			
Media Description *			
Media Number	Message Terminator	Message Suffix	Stop Process
Padding Required	TW Required Status	Media Priority *	No Of Character
	\bigcirc	V A	v 🔺
× 1			
Media Code *	Compatible Media *		
			Save Cancel

3. On **Create Media** screen, specify the fields. The fields, which are marked with asterisk, are mandatory. For more information on fields, refer to the field description table below.

Table 59: Create Media – Field Description

Field	Description		
Media Code	Specify a unique media code to identify while associating with an advice.		
Media Description	Specify additional information about the media.		
Media Number	Specify a unique number for the media type.		
Message Terminator	Specify the padded characters to mark the end of an incoming messages.		
Message Suffix	Specify the padding characters to mark the end of an outgoing messages.		
Stop Process	By default, this option is disabled. If selected, halts the processing of incoming and outgoing messages.		



Field	Description
Padding Required	By default, this option is disabled. If selected, pads the characters in every outgoing messages.
TW (Test Word) Required Status	By default, this option is disabled. If selected, enables the option for word testing.
Media Priority	Select a media priority from the spin box. When a message is dispatched to the customers, the media type used for sending the messages will be the one that is on high priority.
Number of Character	Select a number the padding characters should be repeated for the advice from the spin box.
Media Details	Specify the media details.
Media Code	Specify the unique media code to identify while associating with an advice.
Compatible Media	By default, this option is disabled. If selected, indicates the media is compatible.

4. Click Save. You can view the configured media details in the Media Summary.



2.28 Multi-Currency Account Linkage

The Multi-Currency Account (MCA) linkage enables the user to link the sub-accounts to a core multicurrency account. This section contains following subsections:

- 3.26.1 Create MCA Linkage
- 3.26.2 View MCA Linkage

2.28.1 Create MCA Linkage

This maintenance screen allows you to link the sub-accounts to a core multi-currency account. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Multi-Currency Account Linkage.
- 2. Under Multi-Currency Account Linkage, click Create MCA Linkage.
 - \rightarrow The Create MCA Linkage screen is displayed.

Figure 53: Create MCA Linkage

Create M	CA Linkage		"* ×
Multi-C	Currency Account No *		
Sub Ac	counts		
		Account Number	Primary
			Yes
Page	1 of 1 (1 of 1 items) $K \in 1 > 3$		
		Save	Cancel

On **Create MCA Linkage** screen, specify the fields. The fields, which are marked with asterisk, are mandatory. For more information on fields, refer to the field description table below.

Table 60:	Create MCA	Linkage –	Field	Description
-----------	-------------------	-----------	-------	-------------

Field	Description
Multi-Currency Account No	Click search icon, and select the multi-currency account number from the list of values.
Sub Accounts	Displays the details of the sub accounts.
Currency Code	Specify the currency code of the sub account.
Account Number	Specify the account number of the sub account.



Field	Description
Primary	Select Yes , if the sub account is Primary. If it is not Primary, select No .

3. Click **Save**. You can view the configured sub-account details in the View MCA Linkage.

2.28.2 View MCA Linkage

This summary screen provides a list of configured sub-accounts to a core multi-currency account. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Multi-Currency Account Linkage.
- 2. Under Multi-Currency Account Linkage, click View MCA Linkage.
 - \rightarrow The View MCA Linkage screen is displayed.

Figure 54: View MCA Linkage

Compared to be an			,*
'iew MCA Linkage			,
Multi-Currency Account Number:	Multi-Currency Account Number:		
Customer Number: 0014CUST41	Customer Number: WWWCUST41		
🗟 Unauthorized 🔒 Open	🖹 Unauthorized 🔒 Open		
ige 1 of 1 (1 - 1 of 1 items)	к < 1 > я		

For more information on fields, refer to the field description table below.

Table 61: View MCA Linkage – Field Description

Field	Description
Multi-Currency Account Number	Displays the multi-currency account number.
Customer Number	Displays the customer number.
Status	Displays the status of the record.



2.29 Process Code

Process code enables the user to set the process code to the individual stages according to the process.

This section contains following subsections:

- 3.27.1 View Process Code
- 3.27.2 Process Code Maintenance

2.29.1 View Process Code

The summary screen provides a list of configured process codes. You can add a process code using the Process Code Maintenance. To process this screen, perform the following steps:

- 3. From Home screen, click Core Maintenance. Under Core Maintenance, click Process Code.
- 4. Under Process Code, click View Process Code.
 - \rightarrow The View Process Code screen is displayed.

Figure 55: View Process Code

View Process Code	
ч с +	
Process Code:	Process Code:
Description:	Description:
Process Code:	Process Code:
🔥 Authorized 🔒 Open	🌏 Authorized 🔒 Open
L	

For more information on fields, refer to the field description table below.

Table 62: View Process Code – Field Description

Field	Description
Process Code	Displays the process code.
Description	Displays the description of process code.
Status	Displays the status of the record.



2.29.2 Process Code Maintenance

Process Code Maintenance screen allows you to define the stages for a particular process. The process code information that is defined in this screen will be used in further business processing to construct the stages. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Process Code.
 - \rightarrow The **Process Code** screen is displayed.

Process Code					
teen United Comment		Process Name *		Process Version *	
ouess coole		Frotess Name		Process version	
Stage ID	Stage Description	Seq Order	Source Stage		
RPM_RLNORG_APPEN	Application Entry	1	~		
RPM_RUNORG_ENRCH	Application Enrichment	2			
RPM_RUNORG_UNDWT	Underwriting	3			
RPM_RLNORG_ASSMT	Assessment	4			
RPM_RUNORG_OFFISSUE	Offer issue	6			
RPM_RLNORG_OFFACCEPT	Customer Offer Accept/Reject	7			
RLNORG, HANDOFF, RETRY	Handoff Retry	10			
			Add Row Remove Row		
Phase Code	Phase Description	Seq Order	Stage ID		
APP_VER	Application Verification		RPM_RUNORG_APPEN ×		
		1	RPM_RLNORG_ENRCH × RPM_RLNORG_ASSMT ×		
			RPM_RLNDRG_UNDWT ×		
ADP_ADPR	Application Approval		RPM_RLNORG_OFFISSUE ×		
		2	RPM_RLNORG_OFFACCEPT × RLNORG_HANDOFF_RETRY ×		
			Add Row Remove Row		

Figure 56: Process Code

2. On **Process Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description			
Process Code	Specify the code.			
Process Name	Specify the process name.			
Process Version	Specify the process version.			
Domain	Specify the process domain.			
Stage ID	Specify the unique stage ID.			
Stage Description	Specify the stage description.			
Seq Order	Displays the sequential order of the stage in the entire process.			
Source Stage	Select it to indicate if the specific stage is the source stage of the process.			

Table 63: Process Code – Field Description



Field	Description
Add Row	Click Add Row to add a row and to capture the stage details that needs to be mapped to the process code.
Delete Row	Click Delete Row to delete an existing row with stage details.
Phase Code	Specify the phase code.
Phase Description	Specify the phase description.
Seq Order	Displays the sequential order of the phase.
Stage ID	Select the stage ID from the drop down list. Available options in the drop-down will be based on Stage ID mentioned at Process Code level.
Add Row	Click Add Row to add a row and to capture the phase details that needs to be mapped to the process code.
Delete Row	Click Delete Row to delete an existing row with phase details.

3. Click **Save**. You can view the configured process codes in the View Process Code.



2.30 System Dates

You can view the system date details.

This section contains following subsections:

• 2.30.1 System Dates Summary

2.30.1 System Dates Summary

The summary screen provides a list of configured system date. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click System Dates.
- 2. Under System Dates, click View System Dates.

 \rightarrow The View System Dates screen is displayed.

Figure 57: View System Dates


View System Da	ates				
۹ с					
Branch Code:		:	Branch Code:		÷
Today's Date:			Today's Date:		
Authorized	🔒 Open		Authorized	🔒 Open	

For more information on fields, refer to the field description table below.

Table 64: View System	Dates – Field	Description
-----------------------	---------------	-------------

Field	Description	
Branch Code	Displays the code of the branch.	
Today's Date	Displays system's current date.	
Today's Date in Text	Displays the system's current date in words.	
Status	Displays the status of the record.	

NOTE: When the entity is created from the Multi-Entity Maintenances, the System Dates for the Head Office (HO) Branch would be automatically created





2.31 Transaction Code

You can configure the transaction code.

This section contains following subsections:

- 3.29.1 Transaction Code Summary
- 3.29.2 Transaction Code Maintenance

2.31.1 Transaction Code Summary

The summary screen provides a list of configured transaction code. You can configure a transaction code using the Transaction Code Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Transaction Code.
- 2. Under Transaction Code, click View Transaction Code.
 - \rightarrow The View Transaction Code screen is displayed.

Figure 58: View Transaction Code

Q C Source System: :	
Source System: :	
Transaction Code: Transaction Code: Source Transaction Code: Source Transaction Code:	
🗞 Authorized 🔒 Open 🔹 🔂 Unauthorized 🔒 Open	

For more information on fields, refer to the field description table below.

Field	Description
Source System	Displays the source system details.
Transaction Code	Displays the transaction code details.
Source Transaction Code	Displays the source transaction code associated with the transaction code.
Status	Displays the status of the record,



2.31.2 Transaction Code Maintenance

The maintenance screen allows you to configure transaction code details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Transaction Code.
- 2. Under Transaction Code, click Create Transaction Code.
 - \rightarrow The Create Transaction Code screen is displayed.

Figure 59: Create Transaction Code

Create Transaction Code		
New		
ransaction Code *	Description	
ource System	Source Transaction Code	
Ч,		
		Save

3. On **Create Transaction Code** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description
Transaction Code	Specify the transaction code details.
Description	Specify additional information about the transaction code.
Source System	Search and select the required source system.
Source Transaction Code	Specify the source transaction code details.

Table 66: Create Transaction Code – Field Description

4. Click **Save**. You can view the configured transaction code details in the Transaction Code Summary.



2.32 Upload Source

You can upload a source code.

This section contains following subsections:

- 3.30.1 Upload Source Summary
- 3.30.2 Upload Source Maintenance

2.32.1 Upload Source Summary

The summary screen provides a list of configured source code. You can upload a source code using the Upload Source Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source.
- 2. Under Upload Source, click View Upload Source.

 \rightarrow The View Upload Source screen is displayed.

Figure 60: View Upload Source

View Upload Sou	ırce					
९ с +						
Upload Source:			÷	Upload Source:		÷
Source Description:				Source Description:		
Authorized	a o)pen		Authorized	a Open	

For more information on fields, refer to the field description table below.

Field	Description
Upload Source	Displays the upload source details.
Source Description	Displays information about the source code.
Status	Displays the status of the record.

Table 67: View Upload Source – Field Description



2.32.2 Upload Source Maintenance

The maintenance screen allows you to upload source. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source.
- 2. Under Upload Source, click Create Upload Source.
 - → The Create Upload Source screen is displayed.

Figure 61: Create Upload Source

Create Upload Source			$_{\mu}^{\mu}$ \times
New			
Source Code			
Source Description	Base Data From Flexcube	System Authorization Required	
			Save Cancel

3. On **Create Upload Source** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Source Code	Specify the source code details.	
Source Description	Specify additional information of the source code.	
Base Data from Flexcube	By default, this is disabled. If selected, indicates the base data is from FLEXCUBE.	
System Authorization Required	By default, this is disabled. If selected, indicates the system requires authorization.	

Table 68: Create Upload Source – Field Description

4. Click Save. You can view the configured upload source details in the Upload Source Summary.



2.33 Upload Source Preference

You can configure upload source preference.

This section contains following subsections:

- 2.33.1 Upload Source Preference Summary
- 2.33.2 Upload Source Preference Maintenance

2.33.1 Upload Source Preference Summary

The summary screen provides a list of configured upload source preferences. You can configure an upload source preference using the Upload Source Preference Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source Preference.
- 2. Under Upload Source Preference, click View Upload Source Preference.
 - → The View Upload Source Preference screen is displayed.

Figure 62: View Upload Source Preference

View Upload Source Preference		$_{\mu}^{x}$ \times
ч с +		. =
Source Code:	Source Code:	
Status:	Status:	
Purge Days:	Purge Days:	
Authorized 🔒 Open	🗟 Unauthorized 🔒 Open	

For more information on fields, refer to the field description table below.

Table 69: View Upload Source Preference – Field Description

Field	Description	
Source Code	Displays the code of the source.	
Status	Displays the status of the post upload.	
Purge Days Displays the number of purge days.		
Status	Displays the status of the record.	



2.33.2 Upload Source Preference Maintenance

The maintenance screen allows you to configure upload source preference. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Upload Source Preference.
- 2. Under Upload Source Preference, click Create Upload Source Preference.
 - → The Create Upload Source Preference screen is displayed.

Figure 63: Create Upload Source Preference

Create Upload Source Preference			, ^{ве} ×
New			
Source code			
Error Handling			
On Error Reject	On Override Ignore Override Reject	On Repairable Exception Reject Move To Queue	On Queue Exception Reject Move To Queue
Post Upload			
Status Authorize Put On Hold Unauthorize	Purge Days	Allow Deferred Processing	Allow EOD with Deferred
Deletion Allowed	Reverse Allowed	Ammend Allowed	Proceed with EOD
			Save Cancel

3. On **Create Upload Source Preference** screen, specify the fields. For more information on fields, refer to the field description table below.

Table 70: Create Upload Source Preference – Field Description

Field	Description
Source Code	Search and select the required source code.
Error Handling	Specify the error handling details.
On Error	Select an error from the drop-down list.
On Override	Select an override from the drop-down list.
On Repairable Exception	Select the repairable exception from the drop-down list.
On Queue Exception	Select the queue exception from the drop-down list.
Post Upload	Specify the post upload details.
Status	Select a status from the dropdown list.



Field	Description
Purge Days	Specify the purging days if you want to maintain any days to be purged while processing interface.
Allow Deferred Processing	By default, this is disabled. If selected, defers process the upload source preference.
Allow EOD with Deferred	By default, this is disabled. If selected, processes the EOD with deferred.
Deletion Allowed	By default, this is disabled. If selected, deletes the upload source preferences.
Reverse Allowed	By default, this is disabled. If selected, reverses the upload source preferences.
Amend Allowed	By default, this is disabled. If selected, amends the upload source preferences.
Proceed with EOD	By default, this is disabled. If selected, proceeds with the EOD.

4. Click **Save**. You can view the configured upload source preference details in the Upload Source Preference Summary.



2.34 Pricing Source System

You can configure the pricing source system.

This section contains following subsections:

- 2.34.1 Pricing Source System Summary
- 2.34.2 Pricing Source System Maintenance

2.34.1 Pricing Source System Summary

The summary screen provides a list of configured Pricing Source system. You can configure the pricing source system details using the Pricing Source System Maintenance. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Pricing Source System.
- 2. Under Pricing Source System, click View Pricing Source System.
 - \rightarrow The View Pricing Source System screen is displayed.

Figure 64: View Pricing Source System

View Pricing Source System		\times 2
० ट		
Pricing Source System:	Pricing Source System:	
Pricing Source Description:	Pricing Source Description:	
🍃 Authorized 🔒 Open	🔂 Authorized 🔒 Open	
Page 1 of 1 (1 - 2 of 2 items)	К < 1 > 3	



For more information on fields, refer to the field description table below.

Table 71: View Pricing Se	ource System – Field Description
---------------------------	----------------------------------

Field	Description
Pricing Source System	Displays the name of the Pricing Source system.
Pricing Source System Description	Displays any additional information of the Pricing Source system.
Status	Displays the status of the record.



2.34.2 Pricing Source System Maintenance

The maintenance screen allows you to configure Pricing Source System details. To process this screen, perform the following steps:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Pricing Source System.
- 2. Under Pricing Source System, click Create Pricing Source System.
 - \rightarrow The Create Pricing Source System screen is displayed.

Figure 65: Create Pricing Source System

Create Pricing Source System		$_{\mu^{k'}}$ \times
Pricing Source System *	Pricing Source Description	
		Save Cancel

3. On **Create Pricing Source System** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 72: Create Pricing Source System – Field Description

Field	Description
Pricing Source System	Specify the pricing source system.
Pricing Source Description	Specify the additional information about the Pricing Source system.

4. Click **Save**. You can view the configure Pricing Source system details in the Pricing Source System Summary.



2.35 Integrating Bureau Integration Service with Oracle Banking Routing Hub

2.35.1 Oracle Banking Routing Hub Configuration

Need to import existing service consumer and providers in the system. Service Consumer is Oracle product, which invokes oracle banking routing hub API, oracle banking routing hub analyses evaluates destination product processor and transform data into format of the same. Service consumer comprises of the source and destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.


 $\rightarrow\,$ The Service Consumers screen is displayed.

Figure 66: Service Consumers



Figure 67: Oracle Banking Routing Hub Configuration

Service Consumers		p ^{sr}
Service Consumers		
🚯 Add 🛛 🛐 Import search	٩	
Oracle_Service_Consumer 1 Page 1 of1 (1 - 1 of 1 items) K	View Edit Delete	
	Export JSON Configuration SQL Request Audit	





Component Name	Component Type	Condition	Comments
Add	Button		Pops up add dialog
Import	Button		Pops up import dialog
Search	Combo Box One		Provides search functionality with case insensitive (Service Consumer Name)
View	menu option	Non-editable	Pops up view dialog
Edit	menu option		Pops up edit dialog
Delete	menu option		
Export	Sub menu item		
JSON	menu option		Exports in JSON
SQL	menu option		Exports in SQL
Configuration	menu option		Pops up configuration dialog
Request Audit	menu option		Pops up request audit log

Table 73: Oracle Banking Routing Hub Configuration

This section contains the following subsections:

- 2.35.1.1 Add
- 2.35.1.2 Environment Variables
- 2.35.1.3 Import
- 2.35.1.4 View
- 2.35.1.5 Edit
- 2.35.1.6 Delete
- 2.35.1.7 JSON Export
- 2.35.1.8 SQL Export



2.35.1.1 Add

You can create service consumer manually.

On Service Consumers screen, click Add to create service consumer.

Figure 68: Add

Service Consumers					$_{\mu^{k'}}$ \times
Service Consumers					
Add Import search No items to display. Page 1 of 0 (1 - 0 of 0 items) K X	Add Service Consumer	25 No allo	ter 0 or more characters, t 5. o numeric value allowed a owed.		
	Environment Variables Add Group * select Actions No data to display.	v Name	Value		
			Save		

Table 74: Add

Component Name	Component Type	ls Manda tory	Data type	Validation	Comments
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255 No numeric value at beginning and no space allowed 	Unique Service Consumer name
Environme nt Variables	Table Content				
Save	Button				Saves the Service Consumer



2.35.1.2 Environment Variables

You can define the group of variables, which can be accessed through the specific consumer's configuration.

Below is the syntax for accessing environment variables:

\$env.Environment_Group_Name.Environment_Variable_Name
such as: \$env.COMMON.BRANCH_CODE

Figure 69: Environment Variables

$s^{x} \times$

Figure 70: Environment Variables

Service Consumers		, st ×
Service Consumers		
Add Import search	Add Service Consumer ×	
Page 1 of 0 (1-0 of 0 items) K < > 3	Add Environment Group Add Environment Group Finter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning No space allowed. Gr	
	Actions Name Value No data to display. Save	

Figure 71: Environment Variables

Service Consumers Add	e Consumers			e st
No items to display. Add Service Consumer × Page 1 of 0 (1 - 0 of 0 items) K < > × Name * Add Environment Variable 25. No incertication of the service data beginning No space allowed. Enter 0 or more characters, up to a maximum of 25. No incertication of the service data beginning No space allowed.	ice Consumers			
Page 1 of 0 (1 - 0 of 0 items) K X Add Environment Variable Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.		Add Service Consumer	×	
OK Save		C Add Environment Variable	255. No numeric value allowed at beginning.No space allowed.	

Table 75: Environment Variables

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Add	Menu Item				
Group	Menu option				Pops up add group dialog
Variable	Menu option				Pops up add variable dialog
Navigation: S	ervice Consume	r -> Environme	ent Variables	-> 3 dot icon (c	pperation menu)
Edit	menu option / icon				Pops up edit dialog
Delete	menu option / icon				Deletes group / variable
Environment	Group / Variable				
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a 	



			maximum of 255 • No numeric value at beginning and no space allowed	
Value	Text Area			Value can either be hardcoded or Velocity mapping.
ОК	Button			Saves the group / variable and displays it in the list



2.35.1.3 Import

You can create a service consumer by importing the JSON file and manually selecting the service providers or select all providers that needs to be imported.

On Service Consumers screen, click Import.

Figure 72: Import

Service Consumers			$\times \gamma_{\kappa}$
Service Consumers			
🕒 Add	Q		
No items to display.	Import Service Consumer	×	
Page 1 of 0 (1 - 0 of 0 items) K < > 3	File * Oracle_Service_Consumer_Consumer_is Select Name * Oracle_Service_Consumer Service Providers Name External_Product_Processor 1.0	Edract	
		Import	

Table 76: Import

Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
File	File picker	Yes		Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Extract	Button	Yes				Extracts Consumer Name and Service Provider list from JSON file and displays it in the respective elements.
Name	Text Box	Yes	Alphanumer ic with special characters	 Name cannot be blank Specify 0 or more character s, up to a maximum of 255 	Editable	Unique



Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
				 No numeric value at beginning and no space allowed 		
Service Provider	Collapsible Header & Content					Displays the list of service providers that are present in JSON file
Import	Button					Imports Service Consumer

Note: Below data needs to be changed after importing consumer configuration file:

- Implementation Host and Port
- Implementation Authentication Password



2.35.1.4 View

You can view consumer details and can also switch to edit form by clicking on edit icon. On **Service Consumers** screen, click **Operation Menu (3 dot icon)**, and select **View.**

Figure	73:	View
--------	-----	------

Service Consumer View Service Consumer Oracle Service Consumer Image: Service Consumer Oracle Service Consumer Environment Variables Group COMMON COMMON Image: Service Service Service Service Consumer BRANCH_CODE Sheaders["branchCode"[0]
Add Import search Name Oracle Service_Consumer Import Import Page 1 of 1 (1-1 of 1 items) K < 1 > xit Actions Name Value

2.35.1.5 Edit

You can modify the consumer details.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Edit.

Figure 74: Edit

Service Consumers				× 34,
Service Consumers				
🔁 Add 🛛 🔂 Import ora	Edit Service Consumer		×	_
Oracle_Service_Consumer : Page 1 of 1 (1-1 of 1 items) K < 1 > 3	Name * Oracle_Service_Consumer			
	Add v Group *	•		
	Actions No data to display.	Name	Value	
			Save	

2.35.1.6 Delete

You can delete the consumer.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Delete.

Figure 75: Delete

Service Consumers			, st ×
Service Consumers			
🕂 Add 🛃 Import ora	٩		
Oracle_Service_Consumer			
Page 1 of 1 (1 - 1 of 1 items) K < 1	к		_
		×	
	Do you want to delete the record?	I	
		Confirm Cancel	
			-

2.35.1.7 JSON Export

You can export the consumer configuration as JSON file.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Export

Then, Click JSON.

Figure 76: JSON Export

Service Consumers		, ³⁴ ×
Service Consumers		
Add Import ara Oracle_Service_Consumer I Page 1 of1 (1-1 of 1 items) K 1 > X	Export Service Consumer × Name Oracle_Service_Consumer ✓ Service Providers ✓ Name ✓ External_Product_Processor 1.0	
	Export	

NOTE: You have an option to select service providers from the list that needs to be exported or can click on Select All option for all service providers.

JSON Export feature will export below data:

- Selected service consumer
- All consumer services
- Selected service providers with services
- Default implementation of selected service providers with services (without Host, Port, and Authentication Password)
- Default transformations
- All default implementation routes



2.35.1.8 SQL Export

You can export the consumer configuration as SQL file.

On Service Consumers screen, click Operation Menu (3 dot icon), and select Export

Then, Click SQL.

Figure 77: SQL Export

Service Consumers		× *
Service Consumers		
🔂 Add 🔂 Import ora	٩	
Oracle_Service_Consumer		
Page 1 of 1 (1-1 of 1 items) K < 1	CONFIRMATION X Do you want to export? Note: Sensitive data such as implementation Host, Port and Password will not be exported Confirm Cancel	

NOTE: SQL Export feature will export entire configuration without Host, Port and Authentication Password details.



2.35.2 Service Providers

Service Providers are the product processors configure to process request send by oracle banking routing hub on behalf of service consumers.

The Service Provider comprises of destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers. Under Service Consumers, click <Specific Service Consumer>.

 \rightarrow The **Service Providers** screen is displayed.

Figure 78: Service Providers




Figure 79: Service Providers

Service Consumers	, ³⁴ ×
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add Simport search	٩,
External_Product_Processor :	View
Version 1.0	Edit
Type EXTERNAL Status ACTIVE	Delete
	Export
Page 1 of 1 (1 - 1 of 1 items) K < 1	Request Audit

Table 77: Service Providers

Component Name	Component Type	ls Mandatory	Data type	Validation	Condition	Comments
<service Consumer></service 	Button					Navigates back to Service Consumers
Add	Button					Pops up add dialog



Import	Button					Pops up import dialog
Search	Combo Box One					Provides search functionality with case insensitive (Service Provider Name)
Navigation: Se	ervice Providers	s -> 3 dot icon	(operati	on menu)		
View	menu option				Non- editable	Pops up view dialog
Edit	menu option					Pops up edit dialog
Delete	menu option					
Export	menu option					Exports in JSON
Request Audit	menu option					Pops up request audit log

This section contains the following subsections:

- 2.35.2.1 Add
- 2.35.2.2 Headers
- 2.35.2.3 Service
- 2.35.2.4 WSDL
- 2.35.2.5 SWAGGER
- 2.35.2.6 Import
- 2.35.2.7 View
- 2.35.2.8 Edit
- 2.35.2.9 Delete
- 2.35.2.10 Export



2.35.2.1 Add

You can create service provider manually.

On Service Providers screen, click Add to create service providers.

Figure 80: Add

Service Consumers	» ^w ×
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add Import search Add Service Provider Enter 0 or more characters, up to a maximum of x 255,	
External_Product_Processor Product Name * Allowed.	
Version 1.0 Type EXTERNAL Status ACTIVE Version * Active	
Page 1 of 1 (1-1 of 1 items) K K	
► Service	
Save	

Table 78: Add

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Product Name	Text Box	Yes	Alphanumeric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255. No numeric value at beginning and no space allowed. 	Unique provider name
Туре	Combo Box One	Yes			Predefined Values: INTERNAL / EXTERNAL



Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Version	Text Box	Yes	Number	 Version cannot be blank Specify 0 or more characters, up to a maximum of 255. Specify only numeric or decimal values. 	Unique provider version
Active	Switch				Predefined Values: ACTIVE / INACTIVE If provider is marked as inactive, then all related routes will be stopped.
Headers	Collapsible Header & Content				Provider specific headers
Service	Collapsible Header & Content				Provider specific service details
Save	Button				Saves the Service Provider



2.35.2.2 Headers

External product processor might require some standard headers to be passed along with the request.

You can specify the headers which are required by service endpoints for its all implementations but not present in swagger file.

These headers can be configured in oracle banking routing hub using the steps given below.

Figure 81: Headers

Service Consumers		× * _*
Oracle_Service_Consumer	Add Service Provider	×
Service Providers Consumer Services		
🛨 Add 🔛 Import search	External_Proc	Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space
	Version * Name *	allowed.
External_Product_Processor	1.0	
Version 1.0	Value Value	
Type EXTERNAL Status ACTIVE	Add	
Jaida Henre	Actions	
Page 1 of 1 (1-1 of 1 items) K < 1	No data to d	
		ок
	► Service	
		Save

Figure 82: Headers

Service Consumers					л ^и ×
Oracle_Service_Consumer	Add Service Provider			×	
Service Providers Consumer Services	Product Name * External_Product_Processor			¥	
External_Product_Processor	Version * 1.0		Ictive		
Version 1.0 Type EXTERNAL Status ACTIVE	✓ Headers Add				
Page 1 of 1 (1 - 1 of 1 items) K < 1	Actions	Name appld	Value CMNCORE		
	▶ S Delete			Save	

Table 79: Headers

Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s	
Add	Button					Pops up add dialog	
Navigation: S	Navigation: Service Providers -> Headers -> 3 dot icon (operation menu)						
Edit	menu option					Pops up edit dialog	
Delete	menu option					Deletes header	





Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
Navigation: S	Service Provid	ers -> Heade	rs -> Add			
Name	Text Box	Yes	Alphanumer ic with special characters	 Name cannot be blank Specify 0 or more character s, up to a maximum of 255. No numeric value at beginning and no space allowed. 		
Value	Text Area	Yes	Alphanumer ic with special characters	 Value cannot be blank Specify 0 or more character s, up to a maximum of 255. No space allowed. 		Value can either be hardcoded or can be Velocity mapping.
ОК	Button					Saves the header details and displays it in the list



2.35.2.3 Service

Figure 83: Service

Service Consumers		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add 🔁 Import search	Add Service Provider ×	
External_Product_Processor	Headers Service	
Type EXTERNAL Status ACTIVE	Type URL WSDL http://wh/00bzd:7023/FCUBS-ELCMWeb/EIValidLimitService?WSDL Import	
Page 1 of 1 (1 - 1 of 1 items) K <	Service Operation EtValidLimitService(EtValidLimitServiceSEI) QueryValidLimitIO	
	Save	

Table 80: Service

Component Name	Component Type	ls Mandatory	Comments
Туре	Combo Box One	Yes	Predefined Values: WSDL / SWAGGER
URL	Text Box	Yes	Service URL of the file location
Gateway Prefix	Text Box		Gateway Prefix is context path of below formatted URL http://host:port/gateway-prefix/endpoint
Import	Button		Extracts the service information from URL and displays it in the Service list

2.35.2.4 WSDL

The Web Services Description Language (WSDL) is an XML-based interface description language that is used for describing the functionality offered by a web service. Currently, non-SSL WSDL URL is only supported.

NOTE: In case there is a change in wsdl file, then same wsdl file need to be imported again in order to update the provided service information in routing hub.



2.35.2.5 SWAGGER

Swagger is an Interface Description Language for describing RESTful APIs expressed using JSON.

Currently, Swagger 2.0 & OpenAPI 3.0 both are supported.

NOTE: In case there is a change in swagger file, then same swagger file need to be imported again in order to update the provided service information in routing hub.

2.35.2.6 Import

You can create a service provider by importing the JSON file.

On Service Providers screen, click Import.

Figure 84: Import


Service Consumers	$_{\mu}^{st}$ \times
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add P Import search	
External_Product_Processor :	
Version 1.0 Type EXTERNAL	Import Service Provider ×
Status ACTIVE	File *
	Select
Page 1 of 1 (1 - 1 of 1 items) K < 1 > >	
	Import

Table 81: Import

Component Name	Component Type	ls Mandatory	Validation	Condition	Comments
File	File picker	Yes	Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Import	Button				Imports Service Provider

NOTE: Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password





2.35.2.7 View

You can view provider details and can also switch to edit form by clicking on edit icon. On **Service Providers** screen, click **Operation Menu (3 dot icon)**, and click **View**.

Service Consumers				× ² *
Oracle_Service_Consumer				
Service Providers Consumer Services				
Add import search	View Service Provider		∠ ×	
External Product Processor Version 1.0 Type EXTERNAL Status ACTIVE Page t of 1 (1 - 1 of 1 items) K <	Product Name External_Product_Processor Version 1.0 Headers Service Service EtValid1 imitService (FIValid1 imitService)	Type EXTRIAL Active On SFI Operation		

Figure 85: View Service Provider


2.35.2.8 Edit

You can modify the provider details.

On Service Providers screen, click Operation Menu (3 dot icon), and click Edit.

Figure 86: Edit

Service Consumers				»" ×
Oracle_Service_Consumer				
Service Providers Consumer Services				
Add import search	×			
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1 of1 items) K <	Product Name * External_Product_Processor Version * 1.0 > Headers # Service Type URL	Type * EXTERNAL Active	*	



2.35.2.9 Delete

You can delete the provider.

On Service Providers screen, click Operation Menu (3 dot icon), and click Delete.

Figure 87: Delete

Service Consumers			× * ₈
Oracle_Service_Consumer			
Service Providers Consumer Services			
Add import search	٩		
External_Product_Processor			
Version 1.0 Type EXTERNAL Status ACTIVE		×	
	Do you want to delete the record?	1	
Page 1 of 1 (1 - 1 of 1 items) K < 1		Confirm Cancel	

2.35.2.10 Export

You can export the provider configuration as JSON file.

On Service Providers screen, click Operation Menu (3 dot icon), and click Export.

Figure 88: Export


Service Consumers		" st ×
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add Simport search	Q	
External_Product_Processor		
Version 1.0 Type EXTERNAL	CONFIRMATION	×
Status ACTIVE	Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	a
Page 1 of 1 (1 - 1 of 1 items) K < 1	Confirm	

NOTE: Below data is not be exported:

- Implementation Host
- Implementation Port
- Implementation Authentication Password

The above data needs to be configured manually after importing the configuration file.

Same has been mentioned in Import section





2.35.3 Experian Configuration

2.35.3.1 Experian Fetch Credit Report

Figure 89: Experian Fetch Credit Report

View Transformation	€×
Template Type VELOCITY	Template { #set(\$dictionary = {}) #if(\$body.dictionary && \$body.dictionary.size()>0) #foreach(\$dictionary!tem in \$body.dictionary) #if(\$!dictionary!tem.isFactDictionary) #:
Response Transformation	
Template Type	Template
VELOCITY	{ #define(\$htmlContent)#if(\$body.creditProfile.get(0).consumerIdentity.dob) <div style="padding:5px;marging:10px">Date of Birth <div style="text-align:center;display: inline-block"> textbody:chip://div=/text-align:center;display: inline-block"></div></div
Mocking required?	Mock Template
Off	

Figure 90: Experian Fetch Credit Report

View Transformation		×
Product Processor	Implementation	
EXPERIAN 14.4	EXPERIAN_Default	
Transformation		
TRANSFORMATION1		
▶ Headers		
Product Processor		
Service CreditReports -/v2/credit-report		
Request Transformation		
Template Type VELOCITY	Template { #set(\$dictionary = {}) #if(\$body.dictionary && \$body.dictionary.size()>0) #foreach(\$dictionaryItem in \$body.dictionary) #if(\$!dictionaryItem.isFactDictionary)	I



ORACLE

2.35.3.2 Experian Sandbox

Service Consumer is used to export details of fetch credit report from sandbox environment

CBSTol	Bureau	
Service Pro	viders Consumer Services	
🕂 Ad	d Pimport search Q	
Actions	Name	Description
:	Fetch_Credit_Report	To fetch credit report
:	fetchCreditReportDev	This service is used to fetch the credit report of a person
:	fetchCreditReport	Fetch Credit Report Response DTO changes
:	fetchCreditReportBackup1	This service is used to fetch the credit report of a person
:	authorize	Fetch the jwt authorization taken from the Credit Bureau
• Page 1	of 1 (1-5 of 5 items) K < 1 > X	Peter the jwt authorization taken norm the Credit bureau

Figure 91: Experian Sandbox

2.35.4 Equifax Configuration

Equifax is configured in lookup as a bureau and rule services to configure in oracle banking routing hub as consumer service to fetch details from Equifax sand.

2.35.4.1 Equifax Fetch Credit Report

Figure 92: Equifax Fetch Credit Report

	nsformation				02	* ×
r ramra	rama					
Queryf	Params					
f Reque	st Transformation					
emplate	Туре			Template		
ÆLOCITY				(#set(Sbody = Ss "consumers"; ("name"; [[1
4 Respor	nse Transformation					
emplate	Type			Template		
/ELOCITY				#set (Sint_ #set (Sboo #set (Satrin #set (Smac	= ") ## dummy object (class = 5obj:class.forName(java.lang.Number)))(class = \$obj:class.forName(java.lang.Scolean)) ng.class = \$obj:class.forName(java.lang.Scring)) p.class = \$obj:class.forName(java.lang.Nabp)]	
• *	7 (A)			** ** **	dara - Andri Aran Andriana (Miring Christian)	
					aleren - Rocki, disen Rockinere Marce - 400 (465)	
	ton Routing	٩			alarry Fach: datas feedbases file-co -600 (465)	
Fransformat	ton Routing	Q. Status	Product Processor		Service	
Actio	Routing	1	Product Processor EXPERIAN 14.4			
iansformat Canada Actio	Soon Routing	Status	0.000222200.000000000000000000000000000	Implementation	Service	
Actio_,	Routing Provide Search Name EXP_AUTH_TRANS	Status	EXPERIAN 14.4	Implementation	Service experianAuth - /oauth2/v1/token	t.)
Add Actio	Routing Import search Name EXP_AUTH_TRANS EXP_TRANSFORMATION	Status ACTIVE ACTIVE	EXPERIAN 14.4 EXPERIAN 14.4	Implementation EXPERIAN_Default EXPERIAN_Default	Service experianAuth - /oauth2/v1/token CreditReports - /v2/credit-report	5
Actio, 1 1	Routing Import search Name EXP_AUNT_TRANS EXP_TRANSFORMATION EXP_Standed_View_Attributes_and_Score_Doc	Status ACTIVE ACTIVE ACTIVE	EXPERIAN 14.4 EXPERIAN 14.4 EXPERIAN 14.4	Implementation EXPERIAN_Default EXPERIAN_Default EXPERIAN_Default	Service experianAuth - /oauth2/v1/token CreditReports - /v2/credit-report ExtendedViewAttributesAndScore - /v1/extended-view-attributes-and-score	5
Add Addio		Status ACTIVE ACTIVE ACTIVE ACTIVE	EXPERIAN 14.4 EXPERIAN 14.4 EXPERIAN 14.4 EXPERIAN 14.4	Implementation EXPERIAN_Default EXPERIAN_Default EXPERIAN_Default EXPERIAN_Default	Service experianAuth - /oauth2/v1/token CreditReports - /v2/credit-report ExtendedViewAttributesAndScore - /v1/extended-view-attributes-and-score premierprofilespoff - /v1/reports/premierprofiles/pdf	1)

2.35.4.2 Equifax Sandbox

Service consumer exports details of fetch credit report from sandbox environment.

Figure 93	: Equifax	Sandbox
-----------	-----------	---------

Service Consumers				× ×
CBSToBureau > Service Providers >	EQUIEAX 14.4			
Implementation	View Implementation	(7 ×	
🚱 Add 🔄 import issanch	Name	Default		
Actio Name Desi	and the second se	On		Port
EQUIFAX_Default De	Description Default Implementation		sandbox.equifax.com	0
Page 1 of 1 (1-1 of 1 kems) K C 1	Scheme Host	Port		
	https api.sandbox.equifax.com	0	-	
	▶ Authentication			
	▶ Headers			
	12			

2.35.5 Document Configuration

Bureaus usually send applicants credit reports in PDF or encrypted format. The product processors prefers the PDF reports for easy readability and usability. In addition, product processors want to display PDF reports in their system and share these reports with the applicants. In such cases, the PDF credit reports are stored in the document server, which can be accessed by the bureau integration service and the product processor.

2.35.5.1 Content Management Server

The Oracle content management server is used to store and manage documents. It can accept encoded strings of data and stores them in the provided extension format like (pdf, jpeg, png). The content management server allows to view the document online.

The latest available version is 12.2.1.4.

The cmc-document-service is a gateway to access the oracle content management server. Using this service, other applications can store, manage and process the document with ease.

2.35.5.2 Environment Configuration

To install cmc-document-services, additional configuration is added. This includes the moc domain.

Dflyway.domain.locations=db/migration/domain/plato,db/migration/domain/sms,db/migration/domai n/moc,db/migration/domain/cmc

-Dflyway.domain.placeHolders.moc.cmc-comments-services.server.port=<MOC_PORT>

-Dflyway.domain.placeHolders.moc.cmc-document-services.server.port=<MOC_PORT>

120



-Dflyway.domain.placeHolders.dmsServiceUrl=<CONTENT_SERVER_URL>

- -Dflyway.domain.placeHolders.dmsServiceUsrname=<CONTENT_SERVER_USERNAME>
- -Dflyway.domain.placeHolders.dmsServicePwd=<CONTENT_SERVER_PASSWORD>
- -Dflyway.domain.placeHolders.cmc-document-services.schema=<SCHEMA_NAME>
- -Dflyway.domain.placeHolders.cmc-document-services.server.port=<SCHEMA_PORT>
- -Dflyway.domain.placeHolders.cmc-document-services.username=<SCHEMA_USERNAME>
- -Dflyway.domain.placeHolders.cmc-document-services.password=<SCHEMA_PASSWORD>
- -Dflyway.domain.placeHolders.cmc-document-services.domain.jndi=jdbc/CMNCORE
- -Dflyway.domain.placeHolders.cmc-document-services.jndi=jdbc/CMNCORE
- -Dflyway.domain.placeHolders.cmc-document-services.db.jndi=jdbc/CMNCORE

-Dflyway.domain.placeHolders.cmc-documentservices.jdbcUrl=jdbc:oracle:thin:@//<SCHEMA_IP>:<SCHEMA_PORT>/<SERVICE_NAME>

-Dflyway.domain.placeHolders.cmc-documentservices.db.jdbcUrl=jdbc:oracle:thin:@//<SCHEMA_IP>:<SCHEMA_PORT>/<SERVICE_NAME>

2.35.6 Troubleshooting

2.35.6.1 Oracle FLEXCUBE Onboarding issues faced during cmc-obcbs-service and cmc-obrh-services integration

Experian password expired

The password for the Experian account had expired

The solution is to login to the Experian website and reset the password. The new password is generated via mail and you can configure in oracle banking routing hub for token generation.

2.35.6.2 Unable to connect to external server

The oracle banking routing hub server is unable to connect to the experian server. The proxy is not configured

The VM arguments were added for oracle banking routing hub's managed server.

-Dhttps.proxyHost=www-proxy-idc.in.oracle.com

-Dhttps.proxyPort=80

https://confluence.oraclecorp.com/confluence/pages/viewpage.action?pageId=2863487960



2.35.6.3 Oracle Banking Routing Hub environment variable value not found

The environment variable for the Bureau Integration Service product processor is improper. (\$.headers["bureauType"][0])

The correct path was provided(\$.headers["bureauType"][0]



2.36 Bureau Integration Service

2.36.1 Overview

Bureau integration service facilitates financial institutions to send requests to the credit bureau agencies for credit scores and reports. It also facilitates viewing reports received from the bureaus.

The credit report presents the credit information of an individual or a company, which is fetched by credit bureaus from various financial institutions. It is a detailed report, which contains the history of borrowings, repayment routine, defaults, and delays. This report contains vital information about a customer's credit score, personal information, employment details, contact information, and details of accounts in various banks of a given geographical region. The objective of this report is to present the financial history of an individual or a company, which further helps a bank to take a decision on granting a loan based on the credit score of a company or an individual.

For requesting and receiving the credit reports, bureau integration service is integrated with the financial institution or the product processor.

The oracle banking routing hub facilitates routing and transforming the information between the product processor, the underlying integration service and the bureau. The flow is as follows:

- 5. The product processor requests bureau integration service for credit reports. It provides the required customer information for whom the report is requested.
- 6. The routing hub transforms the data and forwards the request to the bureau integration service.
- Once the integration service receives the request, the data is processed based on various criteria. The criteria contain the rules and facts of the product processor that are maintained in the rules engine.
- 8. Bureaus to be called are identified based on evaluation of the rules.
- 9. The integration service then sends the request to the routing hub, which transforms the data and sends the request to the respective credit bureaus.
- 10. The bureau processes the request and sends the credit report back.
- 11. The routing hub receives the report and transforms the report as per the defined template and sends it back to bureau integration service.
- 12. Bureau integration service then saves the data, displays the credit report, and sends the same to the product processor through the routing hub.



One or more bureaus can be called based on evaluation of the rules. The bureaus can be either called simultaneously or based on the response from the previous bureau call.

Bureau integration service maintains aging for credit report of an applicant. History service allows to store and pull existing credit report of an individual customer. The integration service retrieves report from history for those applicants if subsequent call to same bureau is made within defined period, beyond which a new credit report is called from the bureau. Existing credit reports from history are sent back to the product processor.

In case of multiple applicants being received by bureau integration service as a part of a lending application, based on the evaluation of criteria, the integration service consolidates all the multiple bureau responses into one and sends it to the product processor.

A new bureau can be added with only a configuration and without any change in the code. Two lookup types are required to be created in the bureau integration service. One for bureau and another for bureau product type. The additional maintenance required is configuration of the new bureau in the routing hub.

Bureau integration service supports override of criteria rules if the product processor wants to call a specific bureau or bureau product, for an applicant. In such cases, bureau service will not check criteria for rules evaluation. Instead, bureau service will call the bureau as intimated by the product processor in the request. Here, product processor can list one or more bureau's to be called.

Bureau Integration service supports decoding of encoded pdf string from a bureau response to a pdf report using web content document server. The document server generates a unique document ID for each record stored. Bureau service can access the pdf reports using this document ID.

The below flow diagram depicts how bureau integration service works with the integrated product processor and interfaces with the routing hub for fetching and displaying the credit bureau reports:




Figure 94: Bureau Integration Service



Authorization process

To authorize and approve record, you need to perform the following actions:

- 1. Navigate to the required screen.
- 2. Click Authorize. The record pending for authorization are displayed.
- 3. Select the required record and click Approve.
- 4. The records are displayed in a widget. If you have modified the lookup, criteria twice, system displays two widgets with respective modification number along with the modified details.
- 5. Specify remarks for approving the record in the **Remarks** field.
- 6. Click **Confirm** and authorize the record. The record is authorized successfully.



2.37 Credit Bureau Display

The credit bureau display screen facilitates to view the reports received from the various bureaus. The report includes credit history details of the customer and the credit score of the customer based on these details.

This section contains the following subsection:

2.37.1 View Credit Bureau Report

2.37.1 View Credit Bureau Report

The Credit Bureau Display screen allows the user to view the credit bureau report based on the various filter options provided.

To view a credit bureau report:

- 1. From Home screen, click Credit Bureau. Under Credit Bureau, click Operations.
- 2. Under Operations, click Credit Bureau Display.
 - → The Credit Bureau Display screen is displayed.

Figure 95 : Credit Bureau Display

Credit Bureau Display	× × *
Search Criteria	
Credit Bureau Display	
Filter	
Select •	
	Reset Search

3. Specify the fields on Credit Bureau Display screen. The fields, which are marked with asterisk, are mandatory. For more information on fields, refer to the field description table below.

Field	Description	
Filter	Select the required option based on which you can reports from the drop-down list.	search for the credit bureau
	The options are:	
	External Reference Number	
	Inquiry ID	
	Inquiry Date	
2018, 2022	126	ORACLE

Field	Description	
	Bureau Name	
	Product Processor	
	Application Number	
	Bureau Report ID	
Value	Specify the required details or select the appropriate option for the selected filter option.	
	This field appears once you select an option from the Filter list.	
From Date	Select the start of the period during which the report was generated.	
	This field appears once the user select the filter option as Inquiry Date and value as Date Range.	
To Date	Select the end date of the period during which the report was generated.	
	This field appears if you have selected the filter option as Inquiry Date and value as Date Range.	

- 4. In the Search Criteria section, specify the details and click Search.
 - → The Credit Bureau Display Report History screen displays showing a list of records based on the specified search criteria.

Credit Bureau Display		
Search Criteria		
Filter	Value	
Inquiry Date *	Today *	
		Reset Sea
Report History		
Inquiry Dete	External Reference Number	Product Processor
E CONTRACTOR		
•		
R and a second sec		
 • • • • • • • • • • • • • • • • • • •		
>		
Þ		
Þ		
 Image: A second s		
•		
•		
F		

Figure 96 : Credit Bureau Display – Report History

Table 83: Credit Bureau Display – Field Description

Field	Description
Inquiry Date	Displays the inquiry date of the request from product processor to bureau integration service.



Field	Description
External Reference Number	Displays the external reference number provided by the product processor.
Product Processor	Displays the name of the product processor that sent the request.

5. Click the arrow icon to view the corresponding list of reports.

→ The Credit Bureau Display – View List of Report screen displays.

Figure 97 : Credit Bureau Display - View List of Report

Credit Bureau Display						2 ⁴ - 2
Search Criteria						
Filter	Value					
Inquiry Date *	Today *					
						Reset Search
Report History						
Inquiry Date	External Reference Number				Product Processor	
0					11.0	
	Report ID		Report Date			View
EXPERIAN	CBS Inquiry ID		Product	treat from a		
	Report ID		Report Date			View
EXPERIAN	CBS Inquiry ID	0100xe71 8rt5 42r4 artic 49c5555447885	Product	credit-rome		
 F 						
• • • • • • • • • • • • • • • • • • •						
•						
•						
•					OFLO	
 • 						
•	and the second sec				Uru0	
F					UTLO	

Field	Description			
The Following fields appear if you click 🕨				
<applicant name=""></applicant>	Displays the name of the applicant.			
<bureau name=""></bureau>	Displays the name of the credit bureau agency.			
Inquiry ID	Displays the inquiry ID generated by bureau integration service.			
Report ID	Displays the report ID provided by the credit bureau agency.			
Report Date	Displays the date on which the credit bureau report is generated by the bureau.			
Product	Displays the product of the credit bureau agency.			



Field	Description		
The Following fields appear	if you click 🕨		
View	Click View to view the credit bureau report.		

6. Click the **View** link to view the credit bureau report.

→ The Credit Bureau Report displays.

Figure 98 : Credit Bureau Report

		,* ×
Bureau Name EXPERIAN	Report ID 0000000000	
roduct Name CREDIT_PROFILE	Report Date 100/2021	
	Date of Birth DOB DOB DOB Solar color Mame firstName middleName Social Security Number Social Security Number Number SSN Indicator	
	Risk Model	
	Bureau Name EXPERIAN roduct Name CREDIT_PROFILE	roduct Name CREDIT_PROFILE Date of Birth DOB Solid Solution Name firstName middleName surname type Social Security Number Social Security Number Risk Model Evaluation Model Indicator Score Score Factors Core Score Scor

Field	Description
Bureau Name	Displays the name of the credit bureau agency.
Product Name	Displays the product name of the credit bureau agency.
Report ID	Displays the report ID provided by the credit bureau agency.
Report Date	Displays the date on which the credit bureau report is generated by the bureau.



2.38 Lookup

Lookup is the service for mapping of keys and values that is used to enrich the description of the data displayed to the user. The lookup screen facilitates to define the contents for drop-down or list of value fields. Lookup fields are used throughout the system. The identified fields will only accept entries stored in this screen. Below are some examples of the lookup fields.

- Static/Enumeration values
 - Credit Bureau: For example, credit bureau1, credit bureau 2, and credit bureau 3.
 - Comparison Operator: Equals, Greater than.
- Dependent lookups based on another selection
 - o Based on Country, State should have different values in the lookup.
 - o Based on Country, Currency should have different values in the lookup.

This section contains the following subsections:

- 2.38.1 Create Lookup
- 2.38.2 View Lookup

2.38.1 Create Lookup

The Create Lookup screen allows the user to create lookup definitions by updating various details.

To create lookup:

- 1. From Home screen, click Core maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click Create Lookup.

→ The **Create Lookup** screen is displayed.

Figure 99 : Create Lookup

Creat	e Lookup					$_{\mu }^{\mu } \ \times$
Nev						
Create						
Basic	Details					
Looku	ир Туре *		Description *			
Looku	p Codes					
+						
	Lookup Code	Description		Sort Order	Dependent Identifier	Enable
No d	ata to display.					
					Save	Cancel



4. Specify the fields on **Create Lookup** screen.

The fields which are marked with asterisk, are mandatory. For more information on fields, refer the field description table.

Field	Description
Lookup Type	Specify the unique lookup type name.
Description	Specify the short description for lookup.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Specify the unique lookup code.
Description	Specify the short description for lookup.
Sort Order	Specify the sort Order.
Dependent Identifier	Specify the dependent Identifier.
Enable	Click the toggle status to enable the parameter.

5. Click **Save** to save the details.

The lookup is successfully created and can be viewed using the View Lookup screen.



2.38.2 View Lookup

The **View Lookup** screen allows user to view the lookup created using the **Create Lookup** screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

To view created lookup:

- 1. From the Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click View Lookup.
 - \rightarrow The **View Lookup** screen is displayed.

Figure 100 : View Lookup

View Lookup						,
ч с +						
Lookup Туре:	49	Lookup Type:	49			
Description:		Description:				
Unauthorized	🔒 Open	Unauthorized	Open			
	1					
Page 1 of 7	(1 - 10 of 66 items)	к < 1 2	3 4 5 7 > >	1		

For more information on field, refer the field description table.

Table 87 View Lookup – Field Description

Field	Description
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup.
Status	Displays the status of the record.

- 4. Click Search.
- 5. Specify the search criteria to fetch the required lookup.

 \rightarrow The View Lookup Search screen displays.

Figure 101 : View Lookup - Search

View Lookup			2 ⁴ ×
Lookup Type	Authorization Status	Record Status	
1		*	
Search Reset			

ORACLE

Table 88: View Lookup – Search Option – Field Description	۱
---	---

Field	Description			
Lookup Type	Displays the lookup type.			
Authorization Status	Select the authorization status of the lookup.			
	The options are:			
	Authorized			
	Unauthorized			
Record Status	Select the record status of the lookup.			
	The options are:			
	• Open			
	Close			

- 6. Click Search.
- 7. Click three-dots icon to unlock, delete, authorize or view the created criteria code
- 8. Click Unlock icon to modify the following fields. The fields are displayed in the **Lookup Maintenance** screen.
 - Lookup Code
 - Description
 - Sort Order
 - Dependent Identifier
 - Enable



Figure 102 : Lookup Maintenance – Modify




 Table 89: Lookup Maintenance – Modify- Field Description.

Field	Description
Basic Details	
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup.
Lookup Codes	
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Displays the lookup code for the created lookup.
	You can modify the same.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent Identifier for the created lookup.
	You can modify the same.
Enable	Indicates if the lookup is enabled or not.
	You can modify the same.

- 9. Click **Save** to update the modified fields.
- 10. Click **View** icon to view the created lookup code. The fields are displayed in **Lookup Maintenance** screen.



Figure 103 : Lookup Maintenance – View

Lookup Maintenance				," ×
Basic Details				
Lookup Type " Lookup00208	Description " Lookup Desc 12			
Lookup Codes				
Lookup Code	Description	Sort Order	Dependent Identifier	Enable
LC0002	Lookup code	1	Code	
Audit				

Table 90: Looku	o Maintenance – V	/iew- Field Description.

Field	Description
Basic Details	
Lookup Type	Displays the created lookup type.
Description	Displays the description for the created lookup.
Lookup Codes	
Lookup Code	Displays the lookup code for the created lookup.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent identifier for the created lookup.
Enable	Displays the lookup code if enabled for the created lookup.



2.39 Criteria

The Criteria screen facilitates to setup criteria definition, which are used in evaluating request and response criteria (business rules) to identify which bureau is to be called for the request.

Examples:

- Call credit bureau 1, for personal loan product, and call credit bureau 1 and 2 for home loan products.
- Call credit bureau 1, if zip code of the applicant is between 70000 80000 and call credit bureau 2, if zip code of the applicant is between 30000 40000.
- Call credit bureau 3, if score from credit bureau 1 is less than 600.

This section contains the following subsections:

- 2.39.1 Create Bureau Criteria
- 2.39.2 View Bureau Criteria

2.39.1 Create Bureau Criteria

The **Create Bureau Criteria** screen allows the user to create bureau criteria by updating various details.

To create bureau criteria:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Criteria.
- 3. Under Criteria, click Create Bureau Criteria.
 - \rightarrow The **Create Bureau Criteria** screen is displayed.

Figure 104 : Create Bureau Criteria

a EID Description	Description *	y Cat Al Bure	Product Processor * Select	* Enable	
		y Call All Bure	Select		
=1D Description		y Call All Bure	Select		
=1D Description		y Call All Bures	Select		
EID Description	Priorit	y Call All Bure			
D Description	Priorit	y Call All Bures	eu.	Enable	
ID Description	Priorit	y Call All Burea	80.	Enable	
e ID Description	Priori	y Call All Bure	80	Enable	
e ID Description	Priorit	y Call All Burea	80	Enable	
e ID Description	Priorit	y Call All Burea	au	Enable	

4. Specify the fields on **Create Bureau Criteria** screen. The fields, which are marked with asterisk, are mandatory.






Table 91: Create Bureau Criteria – Field Description.

Field	Description				
Basic Details					
Criteria Code	Specify the unique criteria code.				
Description	Specify a short description for the criteria code.				
Product Processor	Specify the product processor for which the criteria is being created.				
+ button	Click to add a new row.				
- button	Click to delete an existing row.				
Rule ID	Specify the rule ID.				
0	Click to get the information about the rule.				
Description	Displays the description of the rule ID selected.				
Priority	Specify the priority of the criteria.				
Call All Bureau	Click the toggle status to call all bureaus.				
Enable	Click the toggle status to enable the rule criteria.				
Actions	This field is enabled if Call All Bureau field is selected as No				
+ button	Click this icon to add a new row.				
The below fields ap the parent rule.	pear if Call All Bureau toggle status is not clicked. To add the child rule to				
Rule ID	Select the rule ID from the drop-down list.				
0	Click to get the information about the rule.				
Description	Displays the description of the rule ID selected it is auto populated.				
Priority	Specify the priority of the criteria.				
Enable	Click the toggle status to enable the rule criteria.				

5. Click **Save** to save the details.

The criteria are successfully created and can be viewed using the View Criteria screen.



2.39.2 View Bureau Criteria

The View Bureau Criteria screen allows the user to view the criteria created using the Create Bureau Criteria screen. The status of the created criteria is displayed as Unauthorized and Open. Once the checker authorizes the criteria, the status is updated to Authorized and Open.

To view created criteria:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click Criteria.
- 3. Under Criteria, click View Bureau Criteria.

→ The View Bureau Criteria screen is displayed.

Figure 105 : View Bureau Criteria

View Bureau Criteria			××
ч с +			
Collemia Gode: ORX Critteria Description: Citienia for OBX Ph Product Processor: CRK Phodus Processor: CRID Phodus Phodus Ph	Criteria Code: CREDOZ : Cateria Code: ASDASD Description: dSC Description: dSC Product Researce ORD Robust Researce ORD Robust Researce ORD	1 Comparison data : Comparison 2012 Provide Processor (PLD) Big Account : Comparison : Comparison : Compar	
Page i of1 (1-5 of5 heme) K < 1 > 3			

For more information on fields refer to the field description table.

Field	Description
Criteria Code	Displays the criteria code.
Description	Displays the description of the criteria code.
Product Processor	Displays the product processor of the criteria.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required criteria.
- 6. Click Search.

The View Criteria - Search screen displays.



Figure 106 : View Criteria –Search Option

View Criteria			2 ⁴ ×
Criteria Code	Description	Product Processor	Authorization Status
1204	A Los bater marie () (e.)	•	•
Record Status			
•			
Search Reset			



For more information on fields, refer to the field description table below.

 Table 93: View Criteria – Field Description.

Field	Description
Criteria Code	Specify the criteria code.
Description	Specify the criteria description.
Product Processor	Select the product processor from the drop-down list.
Authorization Status	Select the authorization status of the criteria. The available options are: • Authorized • Unauthorized
Record Status	Select the record status from the drop-down list. The available options are: • Open • Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created criteria code.
- 8. Click **Unlock** icon to modify the following fields. The fields are displayed in the **Bureau Criteria Maintenance** screen.
 - Rule ID
 - Description
 - Priority
 - Call All Bureau Status
 - Enable



Figure 107 : Bureau Criteria Maintenance- Modify

Bureau Cri	iteria Maintenance							,* ×
Basic D	Details							
Criteria (OBX Cr			Description * Criteria for OBX Product Process	or	Product Processor * OBX	.*		
Criteria	a Definition							
-	Rule ID		Description	Priority	Call All Bureau	Enable	Actions	
	PRD_TYPE_MULTIFA Q	0	Multiple Fact Rule	2	Yes No		+	
	OBS_RULE_EFX Q.	0	OBS_Rule_CBS_Equifax	1	Yes No		+	
Audit								Save Cancel

For more information on fields, refer to the field description table below.

Table 94: Bureau Criteria Maintenance – Modify - Field Description.

Field	Description				
Basic Details					
Criteria Code	Displays the created criteria code.				
Description	Displays the description for the created criteria code.				
Product Processor	Displays the product processor for which the criteria being created.				
Criteria Definition					
Rule ID	Displays the rule ID for the created criteria.				
Description	Displays the description for the created criteria.				
Priority	Displays the priority for the created criteria.				
Call All Bureau	Displays if call all bureau has been enabled for the created criteria.				
Enable	Displays the criteria code if enabled for the created criteria.				
Actions	Displays the actions of the created criteria.				

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created criteria code. The fields are displayed in **Bureau Criteria Maintenance** screen.



Figure 108 : Bureau Criteria Maintenance - View

Criteria Maintenance							
Details							
s Code *		Description * Criteria for OBX Product Processor		Product Processor * OBX			
ia Definition							
		Description	Priority	Call All Bureau	Enable		
Rule ID		Description	Thomas		and the second sec		
Rule ID PRD_TYPE_MULTIFACT OBS_RULE_EFX	0	Multiple Fact Rule OBS_Rule_CBS_Equifax	2	No No	8		
PRD_TYPE_MULTIFACT		Multiple Fact Rule	2	Yes No	8	*	
PRD_TYPE_MULTIFACT		Multiple Fact Rule	2	Yes No	8		
PRD_TYPE_MULTIFACT		Multiple Fact Rule	2	Yes No			

For more information on fields, refer to the field description table below.

Field	Description				
Basic Details					
Criteria Code	Displays the created criteria code.				
Description	Displays the created criteria description.				
Product Processor	Displays the product processor of the created criteria.				
Criteria Definition					
Rule ID	Displays the rule ID for the created criteria.				
Description	Displays the description for the created criteria.				
Priority	Displays the priority for the created criteria.				
Call All Bureau	Displays if call all bureau has been enabled for the created criteria.				
Enable	Displays the criteria code if enabled for the created criteria.				
Actions	Displays the actions of the created criteria.				



2.40 System Parameter

System parameters define the information or values used throughout the system and drives the behavior of the features. They control the way task is executed, or whether the system performs a particular task. Some of the parameters are set when the system is installed, but the values associated with the parameter needs to be reviewed and is to be maintained.

Example:

- Set minimum days to pull credit bureau report from same bureau from initial pull.
- Credit bureau report purge days.

This section contains the following subsections:

- 2.40.1 Create System Parameter
- 2.40.2 View System Parameter

2.40.1 Create System Parameter

The **Create System Parameter** screen allows the user to create system parameter by updating various details.

To create system parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click System Parameter.
- 3. Under System Parameter, click Create System Parameter
 - \rightarrow The Create System Parameter screen is displayed.

Figure 109 : Create System Parameter

Create System Paramete	er		,× ²
Basic Details			
Parameter Code *		Parameter Description *	
Select	Y		
Product Processor *		Value *	
	*		
			Save Cancel

4. Specify the fields on **Create System Parameter** screen. The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

ORACLE

Table 96: System Parameter – Field Description.

Field	Description
Basic Details	
Parameter Code	Select the parameter code from the drop-down list.
Parameter Description	Specify a short description for the parameter code.
Product Processor	Select the product processor from the drop-down list for which the parameter is being created.
Value	Specify the value for the parameter code.

6. Click Save to save the details.

The parameter is successfully created and can be viewed using the **View System Parameter** screen.

2.40.2 View System Parameter

The **View System Parameter** screen allows the user to view the system parameter created using the **Create System Parameter** screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**. Once the checker authorizes the parameter, the status is updated to **Authorized** and **Open**.

To view created parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Bureau.
- 2. Under Credit Bureau, click Maintenance. Under Maintenance, click System Parameter.
- 3. Under System Parameter, click View System Parameter.

→ The View System Parameter screen is displayed.

Figure 110 : View System Parameter

View System Parameter				$_{\mu}^{x}$ \times
ч с +				
Q C + Perameter Code: : Max Age Call To EXPER : Description: Maximum Report Product Processor: ORD Image Authorized Image Open	Parameter Code: Image: Call_To_EQUIF Description: Maximum Report Product Processor: OBP Image: Call_To_Equiption: Image: Call_To_EQUIF Image: Call_To	Parameter Code: Image: Call_To_EQUIF Max: Age: Call_To_EQUIF Pescription: Maximum Report Poduct Processor OBX Image: Call_To_Equip Call To_Equip C	Parameter Code: Max_Age_Call_To_EQUIF : Descriptor: Maximum Report Product Processor OHD	

For more information on fields, refer to the field description table.



Field	Description
Parameter Code	Displays the parameter code.
Description	Displays the description of the parameter code.
Product Processor	Displays the product processor of the parameter.
Status	Displays the status of the record.

Table 97: View System Parameter – Field Description.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required parameter.
- 6. Click Search.

Figure 111	: View	System	Parameter –Search Option
i iguio i i i		0,000	

View System Parameter			$_{\mu}^{\mu}$ \times
Parameter Code	Authorization Status	Record Status	
Search Reset			

For more information on fields, refer to the field description table below.

Table 98:	View System	Parameter -	Field Description.
-----------	-------------	-------------	--------------------

Field	Description
Parameter Code	Specify the parameter code.
Authorization Status	Select the authorization status of the criteria.
	The options are:
	Authorized
	Unauthorized
Record Status	Select the record status of the criteria.
	The options are:
	Open
	Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created parameter code.
- 8. Click **Unlock** icon to modify the following fields. The fields are displayed in the **System Parameter Maintenance** screen.
 - Product Processor
 - Value

Figure 112 : System Parameter Maintenance - Modify

System Parameter Maintenance		$_{\mu}^{\mu}$ \times
Basic Details		
Parameter Code * Maximum_Report_Age_For_New * Product Processor *	Parameter Description * Maximum Report Age to call Experian Value *	
OFLO T	value 4	
Audit		Save Cancel

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Parameter Code	Displays the created parameter code.
Parameter Description	Displays the description for the created parameter.
Product Processor	Displays the product processor of the created parameter.
Value	Displays the value of the created parameter.

Table 99: System Parameter Maintenance – Modify – Field Description.

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created parameter code. The fields are displayed in **System Parameter Maintenance** screen.

Figure 113 : System Parameter Maintenance - View

System Parameter Maintenance		$_{\mu}^{\mu}$ \times
Basic Details		
Parameter Code * Maximum_Report_Age_For_New_Call	Parameter Description * Maximum Report Age to call Experian	
Product Processor *	Value *	
OFLO	4	
Audit		

For more information on fields, refer to the field description table below.

Table 100: System Parameter Maintenance- View – Field Description.

Field	Description
Basic Details	
Parameter Code	Displays the created parameter code.
Parameter Description	Displays the created parameter description.
Product Processor	Displays the product processor of the created parameter.
Value	Displays the value for the created parameter.



2.41 Integrating Decision Service with Oracle Banking Routing Hub

2.41.1 Oracle Banking Routing Hub Configuration

Need to import existing service consumer and providers in the system. Service Consumer is oracle product, which invokes oracle banking routing hub API, oracle banking routing hub analyses evaluates destination product processor and transform data into format of the same. Service Consumer comprises of the source and destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers.

 $\rightarrow\,$ The Service Consumers screen is displayed.

Figure 114: Service Consumers



Figure 115: Oracle Banking Routing Hub Configuration

Service Consumers		ر ار
Service Consumers		
🕂 Add 🛃 Import search	٩	
Oracle_Service_Consumer	1	
	View	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Edit	
roge i orr (rrorrano) it i	Delete	
	Export > JSON	
	Configuration SQL	
	Request Audit	

Table 101: Oracle Banking Routing Hub Configuration

Component Name	Component Type	ype Condition Comments	
Add	Button		Pops up add dialog
Import	Button		Pops up import dialog



Search	Combo Box One		Provides search functionality with case insensitive (Service Consumer Name)
View	menu option	Non-editable	Pops up view dialog
Edit	menu option		Pops up edit dialog
Delete	menu option		
Export	Sub menu item		
JSON	menu option		Exports in JSON
SQL	menu option		Exports in SQL
Configuration	menu option		Pops up configuration dialog
Request Audit	menu option		Pops up request audit log

2.41.1.1 Add

You can create Service Consumer manually.

On Service Providers screen, click Add to create service providers.

Figure	116:	Add

Service Consumers				$_{\mu^{\mu^{\prime}}}$ \times
Service Consumers				
Add import search No.tems to display. Page 1 of 0 (1-0 of 0 items) K < > 31	Add Service Consumer Name * Oracle_Service_Consumer # Environment Variables # Environment Variables # Croup * Select Actions Name No data to display.	Enter 0 or more characters 255. No humeric value allowed alowed.	at beginning.No space	



Component Name	Component Type	ls Manda tory	Data type	Validation	Comments
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255 No numeric value at beginning and no space allowed 	Unique Service Consumer name
Environme nt Variables	Table Content				
Save	Button				Saves the Service Consumer

Table 102: Add

2.41.1.1 Environment Variables


You can define the group of variables that can be accessed throughout the specific consumer's configuration.

Below is the syntax for accessing environment variables:

\$env.Environment_Group_Name.Environment_Variable_Name
such as : \$env.COMMON.BRANCH_CODE

Figure 117: Environment Variables

Service Consumers			"* ×
Service Consumers			
Add import search No items to display. Page 1 of 0 (1 - 0 of 0 items) K < > 3	Add Service Consum Name * Environment Variable Group Variable Actions No data to display.	X Value Save	



Service Consumers			,* ×
Service Consumers			
Add import search	Add Service Consumer	×	
Page 1 of 0 (1-0 of 0 items) K C > H	Add Environment Group	Enter 0 or more characters, up to a maximum of 255. No numeric value allowed at beginning.No space allowed.	
	Gr C Actions Name	OK Value	
	No data to display.	Save	

Figure 118: Environment Variables



Table 103: Environment Variables

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments		
Add	Menu Item						
Group	Menu option				Pops up add group dialog		
Variable	Menu option				Pops up add variable dialog		
Navigation: Se	Navigation: Service Consumer -> Environment Variables -> 3 dot icon (operation menu)						
Edit	menu option / icon				Pops up edit dialog		
Delete	menu option / icon				Deletes group / variable		



Environme	Environment Group / Variable						
Name	Text Box	Yes	Alphanum eric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255 No numeric value at beginning and no space allowed 			
Value	Text Area				Value can either be hardcoded or Velocity mapping.		
ОК	Button				Saves the group / variable and displays it in the list		

2.41.1.2 Import

You can create a service consumer by importing the JSON file and manually selecting the service Providers or select all providers that needs to be imported.

On Service Providers screen, click Import.

Figure 120: Import

Service Consumers		د ^{بو} ر
Service Consumers		
Add import search	Q	
No items to display.	Import Service Consumer	×
Page 1 of 0 (1 - 0 of 0 items) K < → X	File * Oracle_Service_Consumer_Consumer.js Select Name * Oracle_Service_Consumer # Service Providers	Edradt
		Import

Table 104: Import

Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
File	File picker	Yes		Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Extract	Button	Yes				Extracts Consumer Name and Service Provider list from JSON file and displays it in the respective elements.
Name	Text Box	Yes	Alphanumer ic with special characters	 Name cannot be blank Specify 0 or more character s, up to a maximum of 255 	Editable	Unique



Compone nt Name	Compone nt Type	ls Mandator y	Data type	Validatio n	Conditio n	Comment s
				 No numeric value at beginning and no space allowed 		
Service Provider	Collapsible Header & Content					Displays the list of service providers that are present in JSON file
Import	Button					Imports Service Consumer

Note: Below data needs to be changed after importing consumer configuration file:

- Implementation Host and Port
- Implementation Authentication Password



2.41.1.3 View

You can view consumer details and can switch to edit form by clicking on edit icon. On **Service Providers** screen, click **Operation Menu (3-dot icon)**, and click **View**.

Figure [•]	121: View
---------------------	-----------

	1 ²⁶ ×
Service Consumers View Service Consumer	
Service Consumer Import search Import	

2.41.1.4 Edit

You can modify the consumer details.

On Service Providers screen, click Operation Menu (3-dot icon), and click Edit.

Service Consumers				$_{\mu}^{\psi}$ \times
Service Consumers				
🔁 Add 🛛 🔁 Import ora	Edit Service Consumer			×
Oracle_Service_Consumer I Page 1 of1 (1-1 of1 items) K (1) X	Name * Oracle_Service_Consumer			
	Environment Variables Add Group * select Actions Name Value No data to display.		Value	
			Save	

2.41.1.5 Delete

You can delete the consumer.

On Service Providers screen, click Operation Menu (3-dot icon), and click Delete.

Figure 123: Delete

Service Consumers			, ²⁶ ×
Service Consumers			
🔁 Add 🛛 🎦 Import ora	Q		
Oracle_Service_Consumer			
Page 1 of 1 (1 - 1 of 1 items) K < 1	к <		
		×	
	Do you want to delete the record?	1	
		Confirm Cancel	

2.41.1.6 JSON Export

You can export the consumer configuration as JSON file.

On Service Providers screen, click Operation Menu (3-dot icon), and click Export.

and then, Click **JSON**.

Figure 124: JSON Export

Service Consumers		$_{\mu}^{\mu}$ \times
Service Consumers		
Add 🔂 Import ora	Q Export Service Consumer ×	
Oracle_Service_Concurrent I Page	Name Oracle Service Consumer Service Providers Name Example Service Providers Example Service Providers Example Service Providers Example Service Providers Example Service Provider Processor 1.0	
	Export	

NOTE: You have an option to select service providers from the list that needs to be exported or can click on Select All option for all service providers.

JSON Export feature will export below data:

- Selected service consumer
- All consumer services
- Selected service providers with services
- Default implementation of selected service providers with services (without Host, Port and Authentication Password)
- Default transformations
- All default implementation routes



2.41.1.7 SQL Export

You can export the consumer configuration as SQL file.

On Service Providers screen, click Operation Menu (3-dot icon), and click Export.

and then, click SQL.

Figure 125: SQL Export

Service Consumers		,, ² ×
Service Consumers		
🔁 Add 🛛 Emport ora	٩	
Oracle_Service_Consumer		
Page 1 of 1 (1 - 1 of 1 items) K < 1	CONFIRMATION ×	
	Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	
	Confirm Cancel	

NOTE: SQL Export feature will export entire configuration without Host, Port and Authentication Password details.

2.41.2 Service Providers

Service Providers are the product processors configure to process request send by oracle banking routing hub on behalf of service consumers. Service Provider comprises of destination integration details.

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Routing Hub.
- 2. Under Routing Hub, click Service Consumers. Under Service Consumers, click <Specific Service Consumer>.
 - \rightarrow The **Service Providers** screen is displayed.

Figure 126: Service Providers

Oracle_Service_Consumer	
Service Providers Consumer Services	
🚹 Add 🛃 Import search 🔍	
External_Product_Processor :	
Version 1.0 Type EXTERNAL	
Status ACTIVE	
Page 1 of1 (1-1 of1 items) K < 1 > X	



Figure 127: Service Providers

Service Consumers		$\mu^{t'}$ ×
Oracle_Service_Consumer		
Service Providers Consumer Services		
🔂 Add 🛃 Import search	٩,	
External_Product_Processor	View	
Version 1.0 Type EXTERNAL	Edit	
Status ACTIVE	Delete	
	Export	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Request Audit	

Table 105: Service Providers

Component Name	Component Type	Condition	Comments
<service Consumer></service 	Button		Navigates back to Service Consumers
Add	Button		Pops up add dialog
Import	Button		Pops up import dialog
Search	Combo Box One		Provides search functionality with case insensitive (Service Provider Name)
Navigation: Se	ervice Providers	s -> 3 dot icor	n (operation menu)
View	menu option	Non- editable	Pops up view dialog
Edit	menu option		Pops up edit dialog
Delete	menu option		
Export	menu option		Exports in JSON
Request Audit	menu option		Pops up request audit log



2.41.2.1 Add

You can create service provider manually.

On Service Providers screen, click Add to create service providers.

Figure 128: Add

Service Consumers			$\times \ _{\kappa _{k}}^{\nu _{k}}$
Oracle_Service_Consumer			
Service Providers Consumer Services			
🛨 Add 🛃 Import search	Add Service Provider	Enter 0 or more characters. up to a maximum of ×	
External_Product_Processor	Product Name *	No numeric value allowed at beginning.No space allowed.	
Version 1.0 Type EXTERNAL Status ACTIVE	Version *	select	
Page 1 of 1 (1 - 1 of 1 items) K <	 Headers Service 		
		Save	

Table 106: Add

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Product Name	Text Box	Yes	Alphanumeric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255. No numeric value at beginning and no space allowed. 	Unique provider name
Туре	Combo Box One	Yes			Predefined Values: INTERNAL / EXTERNAL



Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Version	Text Box	Yes	Number	 Version cannot be blank Specify 0 or more characters, up to a maximum of 255. Specify only numeric or decimal values. 	Unique provider version
Active	Switch				Predefined Values: ACTIVE / INACTIVE If provider is marked as inactive, then all related routes will be stopped.
Headers	Collapsible Header & Content				Provider specific headers
Service	Collapsible Header & Content				Provider specific service details
Save	Button				Saves the Service Provider



2.41.2.2 Headers

External product processor might require some standard headers to be passed along with the request.

You can specify the headers which are required by service endpoints for its all implementations but not present in swagger file.

These headers can be configured in oracle banking routing hub using the steps given below.

Figure 129: Headers


Service Consumers		× *,
Oracle_Service_Consumer	Add Service Provider	×
Service Providers Consumer Services	Product Name Add Hoador	Enter 0 or more characters, up to a maximum of
Add E Import search	External_Proc	255. No numeric value allowed at beginning.No space
External_Product_Processor	Version * Name *	allowed.
Version 1.0 Type EXTERNAL	Value Headers	
Status ACTIVE	Add Actions	
Page 1 of 1 (1 - 1 of 1 items) K < 1	No data to d	ок
	► Service	
		Save

Figure 130: Headers

Service Consumers					× ¹⁶ n
Oracle_Service_Consumer	Add Service Provider			×	
Service Providers Consumer Services	Product Name * Type * External_Product_Processor EXTERNAL				
External_Product_Processor	Version * 1.0	م	ctive		
Version 1.0 Type EXTERNAL Status ACTIVE	✓ Headers Add				
Page 1 of 1 (1 - 1 of 1 items) K < 1	Actions Edit S Delete	Name appld	Value CMNCORE		
				Save	

Table 107: Headers

Component Name	Component Type	ls Mandatory	Data type	Validation	Comments
Add	Button				Pops up add dialog
Edit	menu option				Pops up edit dialog
Delete	menu option				Deletes header





Component Name	Component Type	ls Mandatory	Data type	Validation	Comments		
Navigation: Se	Navigation: Service Providers -> Headers -> Add						
Name	Text Box	Yes	Alphanumeric with special characters	 Name cannot be blank Specify 0 or more characters, up to a maximum of 255. No numeric value at beginning and no space allowed. 			
Value	Text Area	Yes	Alphanumeric with special characters	 Value cannot be blank Specify 0 or more characters, up to a maximum of 255. No space allowed. 	Value either can be hardcoded or can be Velocity mapping.		
ок	Button				Saves the header details and displays it in the list		



2.41.2.3 Service

Figure 131: Service

Service Consumers			μ^{st} ×
Oracle_Service_Consumer			
Service Providers Consumer Services			
Add 🛃 Import search	Add Service Provider		×
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE	Headers Service Type URL WSDL V URL URL	Import	
Page 1 of1 (1-1of1items) K <	Service ElValidLimitService (ElValidLimitServiceSEI)	Operation QueryValidLimitIO Save	

Table 108: Service

Component Name	Component Type	ls Mandatory	Comments
Туре	Combo Box One	Yes	Predefined Values: WSDL / SWAGGER
URL	Text Box	Yes	Service URL of the file location
Gateway Prefix	Text Box		Gateway Prefix is context path of below formatted URL http://host:port/gateway-prefix/endpoint
Import	Button		Extracts the service information from URL and displays it in the Service list

2.41.2.4 WSDL

The Web Services Description Language (WSDL) is an XML-based interface description language that is used for describing the functionality offered by a web service. Currently, non-SSL WSDL URL is only supported.

NOTE: In case there is a change in wsdl file, then same wsdl file need to be imported again in order to update the provided service information in routing hub.



2.41.2.5 SWAGGER

Swagger is an Interface Description Language for describing RESTful APIs expressed using JSON.

Currently, Swagger 2.0 & Open API 3.0 both are supported.

NOTE: In case there is a change in swagger file, then same swagger file need to be imported again in order to update the provided service information in routing hub.

2.41.2.6 Import

You can create a service provider by importing the JSON file. On **Service Providers** screen, click **Import**.

Figure 132: Import

Service Consumers	p^{ℓ} ×
Oracle_Service_Consumer	
Service Providers Consumer Services	
Add 🔊 import search Q	
External_Product_Processor :	
Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1 of1 items) K < 1 > >1	Import Service Provider × File * Select Import

Table 109: Import

Component Name	Component Type	ls Mandatory	Validation	Condition	Comments
File	File picker	Yes	Allows only to select one file	Accepts only JSON file	Pops up file selection dialog box
Import	Button				Imports Service Provider

NOTE: Below data needs to be changed after importing provider configuration file:

- Implementation Host and Port
- Implementation Authentication Password



2.41.2.7 View

You can view provider details and can switch to edit form by clicking on edit icon. On **Service Providers** screen, click **Operation Menu (3-dot icon),** and click **View.**

Service Consumers						$_{\mu^{\mathcal{C}}}\times$
Oracle_Service_Consumer						
Service Providers Consumer Services						
Add P Import search	View Service Provider			₿×	-	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE	Product Name	Туре				
Version 1.0	External_Product_Processor	EXTERNAL				
Type EXTERNAL Status ACTIVE	Version	Active				
Status ACTIVE	1.0	On				
Page 1 of 1 (1 - 1 of 1 items) K <	▶ Headers					
	Service					
	Service		Operation			
	FIValidI imitService (FIValidI imitService)	(FI)	OuervValidLimitIO			
				_		

Figure 133: Oracle Banking Routing Hub Configuration

2.41.2.8 Edit

You can modify the provider details.

On Service Providers screen, click Operation Menu (3-dot icon), and click Edit.

Figure [•]	134:	Edit
---------------------	------	------

Service Consumers				
Oracle_Service_Consumer				
Service Providers Consumer Services				
Add Dimport search	Edit Service Provider		×	
External_Product_Processor Version 1.0 Type EXTERNAL Status ACTIVE Page 1 of1 (1-1 of1 items) K <	Product Name * External_Product_Processor Version * 1.0 > Headers	Type * EXTERNAL Active	-	
	⊿ Service Type URL	_	Save	



2.41.2.9 Delete

You can delete the provider.

On Service Providers screen, click Operation Menu (3-dot icon), and click Delete.

Figure 135: Delete

Service Consumers			د ۲ م
Oracle_Service_Consumer			
Service Providers Consumer Services			
Add import search	٩		
External_Product_Processor			
Version 1.0			
Type EXTERNAL Status ACTIVE		×	
Status ACTIVE	Do you want to delete the record?	1	
Page 1 of 1 (1 - 1 of 1 items) K < 1		Confirm Cancel	

2.41.2.10 Export

You can export the provider configuration as JSON file.

On Service Providers screen, click Operation Menu (3-dot icon), and click Export.

Figure 136: Export

Service Consumers		× ⁵ ,
Oracle_Service_Consumer		
Service Providers Consumer Services		
Add 🔂 Import search	٩	
External_Product_Processor Version 1.0		
Type EXTERNAL Status ACTIVE	Do you want to export? Note: Sensitive data such as Implementation Host, Port and Password will not be exported	
Page 1 of 1 (1 - 1 of 1 items) K < 1	Confirm Cancel	

NOTE: Below data is not be exported:

- Implementation Host
- Implementation Port
- Implementation Authentication Password

The above data needs to be configured manually after importing the configuration file. Same has been mentioned in Import section



2.41.3 Oracle FLEXCUBE Onboarding to Decision Service Configuration

2.41.3.1 Fetch Credit Decision

Figure 137: Fetch credit decision – Header


View Transf	formation				₿×
Name			Active		
# Product F	Processor				
Product Pro	cessor	Implementation		Service	
				the second s	
# Service					
Service	Conditate Control				
Operation	DecisionEurop				
al Headers					
Actions	Name		Value		
4	appld				
1	userld		C		
1	branchCode				
▶ PathPara	ms				
▶ QueryPar	rams				

Figure 138: Fetch credit decision - Transformation:

View Transformation	x ×
▶ Service	
▶ Headers	
▶ PathParams	
▶ QueryParams	
A Request Transformation	
Template Type	Template
VEDOTY	{ S(esc.q)context5(esc.q) : { S(esc.q)sroductProcessor5(esc.q) : \$(esc.q)\$tody.productProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). S(esc.q)sroductProcessor5(esc.q). }
# Response Transformation	
Template Type	Template
VELOCITY	
Mocking required?	Mock Template
CH,	



Figure 139: Consumer Services



2.42 Decision Service

2.42.1 Overview


The decision service provides automatic decision making capabilities that can allow lenders to develop simple business processes and strengthen the decision-making process.

It gives flexibility to adjust the credit scoring model according to the lending policy.

When an organization calls the decision service to make a decision based on data attributes shared, system solves the best fit scoring model and provide scores and decisions.

Decision Service is a robust and scalable system that can be easily integrated with any product processor providing auto decision capability and risk based pricing.

Figure 140 : Decision Service Overview



Decision service can be called from various product processor such as Collections, Deposits, Loans, Insurance, Trade Finance or Payment etc. This product processor calls the decision service and the decision service intern uses the rule engine to configure various complex rules.


The decision service can calculate behavioral scores and suggest the best recommended collection strategy accordingly. For lending products, it can offer a credit score, a decision based on the score, the recommended rate of interest and the ability to calculate which is the maximum amount that can be borrowed by the applicant.



2.42.2 Process Flow

The below diagram depicts the entire process flow of how decision service works.

Figure 141 : Decision Service Process Flow



2.42.2.1 Questionnaire

The first step is to get the questionnaire. The product processor sends the data of all the applicants in the application. A qualitative scoring model is resolved for each applicant and this information along with the details of the questionnaire is sent back to the product processor. The product processor captures the response to the questions and sends back as part of the second step which is the execution of the credit decision.

2.42.2.2 Logical Model

First step in execution of the credit decision is logical screening. In this application pre screening is done to check the basic eligibility of the application as per the bank's policy. For example, if the bank's policy is not to fund to property in flood prone area, then as a part of this step, if the property is in flood prone area then the application will be rejected and the application will not be processed further. Or the applicants minimum age should be more then 18 and the applicant applying is of less than 18, in that case the application is rejected and it will not be processed further.

2.42.2.3 Borrowing Capacity

Once eligibility is checked, the next step is borrowing capacity. This is the maximum loan amount the applicant is eligible for. The stage at which it is to be calculated depends on the configuration made. It can be calculated before the scoring after the decision. The loan amount considered for decision is minimum of requested loan amount or the amount calculated for scoring, decision and pricing.

2.42.2.4 Qualitative Score

After borrowing capacity, the next step is qualitative scoring done using the feedback from the applicants for questionnaire.

2.42.2.5 Quantitative Score

After qualitative scoring next step is quantitative scoring where scoring is done using application and bureau attributes such as salary, number of credit lines, bureau score etc.

2.42.2.6 Decision and Grade

The decision on the application is done based on the quantitative and qualitative scores. The decision can be approve, manual or decline.

The borrowing capacity can also be calculated after the decision, in this case, the amount calculated will be used only for pricing.

2.42.2.7 Pricing

The last step is to determine the recommended interest rate. This is a risk-based price that refers to offering different interest rates to different customers depending on their risk exposure.

2.42.3 Strategy Configuration

Decision service is used for multiple purposes such as borrowing capacity, borrowing capacity plus pricing, only pricing, only decision, logical plus decision etc. System should have an ability to configure the strategy like when the decision service is being called for borrowing capacity, should the request pass through the logical check. In addition, the product processor can configure different strategies for different product types or customer types. Strategy configuration allows the product processor to configure the strategy as per its requirements for all the modes for which decision service can be called. Separate strategy can be defined for origination, servicing or collection. In addition, multiple strategy can be defined for the same module like for origination i.e. multiple strategy can be defined. This maintenance allows the product processor to configure the strategy according to its need for all the modes for which the decision service can be

The various request types using which the product processor can call the decision service are mentioned below:

- Score, Decsion and Pricing
- Score and Decision
- Scores
- Pricing and Borrowing Capacity
- Pricing



- Borrowing Capacity
- Decision
- Qualitative Score
- Quantitative Score

2.43 Product Processor

The source system calling the decision system for decisioning the credit application is defined as product processor. There are multiple data segments like account information, customer details, collateral details, credit bureau information or any additional notes if any is received from the product processor for credit decisioning and pricing in decision service.

This section contains the following subsections:

- 2.43.1 Create Product Processor
- 2.43.2 View Product Processor

2.43.1 Create Product Processor

The **Create Product Processor** screen allows the user to create product processor by updating various details.

To Create Product Processor:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Product Processor.
- 3. Under Product Processor, click Create Product Processor.

→ The Create Product Processor screen is displayed.

Figure 142 : Create Product Processor

Create Product Processor		$_{_{\mathcal{R}}}^{_{\mathcal{R}}}$ \times
Basic Details		
Product Processor Code *	Product Processor Description *	
Effective Date *	Expiry Date *	
	Expiry Date	
		Save Cancel

4. Specify the fields on Create Product Processor screen.

The fields, which are marked with asterisk, are mandatory.



For more information on fields, refer to the field description table below.

 Table 110 : Create Product Processor - Field Description

Field	Description
Basic Details	
Product Processor Code	Specify the unique product processor code.
Product Processor Description	Specify the short description for the product processor.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.

5. Click Save to save the details.

The product processor is created successfully and can be viewed using the **View Product Processor** screen.

2.43.2 View Product Processor

The **View Product Processor** screen allows the user to view the product processor created using the **Create Product Processor** screen. The status of the created product processor is displayed as **Unauthorized** and **Open**. Once the checker authorizes the product processor, the status is updated to **Authorized** and **Open**.

To view created product processor:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Product Processor.
- 3. Under Product Processor, click View Product Processor.

 \rightarrow The View Product Processor screen is displayed.



View Product Processor × Produc OBC Product Processor Code: PPRNEW20211001171092 Product Processor Code: PR20211001171034 Authorized 🔒 Ope 🗟 Unat zed 🔒 Ope 🗟 Un rized 🔒 Oper A A Oper Autho A Op PPRNEW20211004171000 CMC 2 **a** o 6 2 2 a 2 d Page 1 of 2 (1 - 10 of 15 items) K < 1 2 > > > →

Figure 143 : View Product Processor



Field	Description
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required product processor.

Figure 144 : View Product Processor - Search Option

roduct Processor Code	Product Processor Description	Authorization Status	Record Status	
		· · ·		×

For more information on fields, refer to the field description table below.

Table 112 : View Product Processor- Search Option - Field Description

Field	Description
Product Processor Code	Specify the product processor code.
Product Processor Description	Specify the product processor description.



Field	Description		
Authorization Status	Select the authorization status of the product processor.		
	The options are:		
	Authorized		
	Unauthorized		
Record Status	Select the record status of the product processor.		
	The options are:		
	• Open		
	Close		

- 6. Click Search.
- 7. Click three-dots icon to modify, delete, authorise or view the created product processor.
- 8. To authorise the product processor, see the Error! Reference source not found..
- 9. Click **Unlock** icon to modify the following fields. The fields are displayed in the **Product Processor** Maintenance screen.
 - Product Processor Description
 - Effective Date, before authorization
 - Expiry Date

Figure 145 : Product Processor Maintenance – Modify

Product Processor Maintenance			" ^g ×
Basic Details			
Product Processor Code *	Product Processor Descrip	ption *	
OFLO	OFLO		
Effective Date *	Expiry Date *		
Sep 1, 2020	May 6, 2025		
Audit		Save	Cancel

For more information on fields, refer to the field description table below.

Table 113 : Product Processor Maintenance - Modify - Field Description

Field	Description
Basic Details	



Field	Description		
Product Processor Code	Displays the product processor code.		
Product Processor	Displays the product processor description.		
Description	User can modify the same.		
Effective Date	Displays the effective date of created product processor.		
	User can modify the same before authorization if it is future dated.		
Expiry Date	Displays the expiry date of created product processor.		
	User can modify the same.		

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created product processor.

The fields are displayed in Product Processor Maintenance screen.

Figure 146 : Product Processor Maintenance – View

Product Processor Maintenance	×	×
Basic Details		
Product Processor Code *	Product Processor Description *	
OFLO	OFLO	
Effective Date *	Expiry Date *	
Sep 1, 2020	May 6, 2025	
		-
		_
Audit		

For more information on fields, refer to the field description table below.

Table 114 : Product Processor Maintenance - View - Field Description

Field	Description
Basic Details	
Product Processor Code	Displays the product processor code.
Product Processor Description	Displays the product processor description.
Effective Date	Displays the effective date of the created product processor.





Field	Description
Expiry Date	Displays the expiry date of the created product processor.



2.44 Lookup

Lookup are the service for mapping of keys and values that is used to enrich the description of the data displayed to the user. The lookup screen facilitates to define the contents for drop-down or list of value fields. Lookup fields are used throughout the system. The identified fields will only accept entries stored in this screen. Below are some examples of the lookup fields.

- Static/Enumeration values
 - o Credit Bureau: Like Credit Bureau 1, Credit Bureau 2 and Credit Bureau 3.
 - Comparison Operator: Equals, Greater than.
- Dependent lookups based on another selection
 - o Based on Country, State should have different values in the lookup.
 - o Based on Country, Currency should have different values in the lookup.

This section contains the following subsections:

- 2.44.1 Create Lookup
- 2.44.2 View Lookup

2.44.1 Create Lookup

The Create Lookup screen allows the user to create lookup definitions by updating various details.

To create lookups:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click Create Lookup.
 - \rightarrow The **Create Lookup** screen is displayed.



Figure 147 : Create Lookup Screen

Create Lookup				$_{\mu}^{e}$ \times
Basic Details				
Lookup Type "		Description *		
Lookup Codes				
Losiup Code	Description		Sort Order	 Dependent Identif Ena
No data to display.				
				1
				Save Cancel

4. Specify the fields on Create Lookups screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 115 : Create Lookups - Field Description	Table 115 :	Create	Lookups ·	- Field	Description
--	-------------	--------	-----------	---------	-------------

Field	Description
Basic Details	
Lookup Type	Specify the unique lookup type name.
Description	Specify the short description for lookup.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Lookup Code	Specify the unique lookup code.
Description	Specify the short description for lookup.
Sort Order	Specify the sort order.
Dependent Identifier	Specify the dependent Identifier.
Enable	By default, this option is enabled. Indicates if the lookup is enabled or not.

6. Click **Save** to save the details.

The lookup is successfully created and can be viewed using the View Lookup screen.



2.44.2 View Lookup

The **View Lookup** screen allows the user to view the lookup created using the **Create Lookup** screen. The status of the created lookup is displayed as **Unauthorized** and **Open**. Once the checker authorizes the lookup, the status is updated to **Authorized** and **Open**.

To view created lookups:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Lookup.
- 3. Under Lookup, click View Lookup.

→ The View Lookup screen is displayed.

Figure 148 : View Lookup

View Lookup									,** ×
Lookup Type: CUSTCATEGORY Description: CatomerCategory B Antroited Com Lookup Type:	Lookup Type: AGE : Description: Ape Authoritad : Coxed	Lookup Type: sktest5 : Deception: sheet5 Deception: sheet5 Decepti	Lookup Type: Industry1212 Dewiption: Industry D Dawnorted D Open	Laakup Typer: industry1212434 Denription: Industry De Unanteortered 🔒 Open	Lookup Type: sktest2 : Dewiption: sknot2 By Anthonad : Closed	Lookup Type: RequestedAmouttest_2 Deception: 215_04044_CD Dourtorized 🔒 Open	Lookup Typel Industry/2348884 Decelption: Industry Downlocted 🔒 Closed	Laokap Type: Industry316 Decemption: Industry D Unasthortzed D Com	
Industry/789 * Deciption: Industry By Authorized Counter Page 1 of 11 (1 - 10 of 105 Items	s) _K < 1 2 3 4 5 _	11 > x							

For more information on the fields, refer to the field description table below.

Table 116 : View Product Processor - Field Description

Field Description	
Lookup Type	Displays the lookup type.
Description	Displays the description of the lookup.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required lookups.

Figure 149 : View Lookups- Search Option

View Lookups			$_{\mu^{\mathcal{K}}}$ \times
Lookup Type Search Reset	Authorization Status	Record Status	

6. Click Search.



For more information on fields, refer the field description table below.

Field	Description				
Lookup Type	Displays the lookup type.				
Authorization	Select the authorization status of the lookups.				
Status	The options are:				
	Authorized				
	Unauthorized				
Record Status	Select the record status of the lookups.				
	The options are:				
	Open				
	Close				

Table 117 : View Lookups - Search Option - Field Description

- 7. Click three-dot icon to unlock, delete, authorize or view the created lookups.
- 8. Click **Unlock icon** to modify the following fields.

The fields are displayed in the Lookup Maintenance screen.

- Description
- Lookup Code
- Sort Order
- Dependent Identifier
- Enable

Figure 150 : Lookup Maintenance - Modify

Looki	up Maintenance			
Basic	Details			
Look	up Type *	De	escription *	
	STCATEGORY	c	ustomerCategory	
ooku	p Codes			
•				la contra de la co
•	Lookup Code	Description	Sort Order	Dependent Identifier Enable
	SILVER	Silver	1	
	GOLD	Gold	2	
	HNI	HighNetworthInd	3	
	REGULAR	Regular	.4	
	PLATINUM	Platinum	5	
		Ultra-HighNetworthInd	6	
	ULTRAHNI	Contract Providence Contract		



Field	Description				
Basic Details					
Lookup Type	Displays the created lookup type.				
Description	Displays the description of the created lookup.				
	User can modify the same.				
Lookup Codes					
+ button	Click to add a new row.				
- button	Click to delete an existing row.				
Lookup Code	Displays the lookup code for the created lookups.				
	User can modify the same.				
Description	Displays the description for the created lookups.				
	User can modify the same.				
Sort Order	Displays the sort order for the created lookups.				
	User can modify the same.				
Dependent Identifier	Displays the dependent identifier for the created lookups.				
	User can modify the same.				
Enable	Displays the lookup code if enabled for the created lookup.				
	User can modify the same.				

Table 118 : Lookup Maintenance - Modify - Field Description

9. Click **Save** to update the modified fields.

10. Click **View** icon to view the created lookup code.

The fields are displayed in **Lookup Maintenance** screen.



Figure 151 : Lookup Maintenance – View

Lookup Maintenance				," ×
Basic Details				
Lookup70pe " Lookup00208	Description " Lookup Desc 12			
Lookup Codes				
Lockup Code	Description	Sort Order	Dependent Identifier	Enable
LC0002	Lookup code	Ť	Code	\bigcirc
Audit				

Table 119 : Lookup Maintenance - View - Field Description

Field	Description
Basic Details	
Lookup Type	Displays the created lookup type.
Description	Displays the created lookup type description.
Lookup Codes	
Lookup Code	Displays the lookup code for the created lookup.
Description	Displays the description for the created lookup.
Sort Order	Displays the sort order for the created lookup.
Dependent Identifier	Displays the dependent identifier for the created lookup.
Enable	Displays the lookup code if enabled for the created lookup.



2.45 System Parameter

System Parameter define the information or values used throughout the system and drives the behavior of the features. They control the way task is executed, or whether the system performs a particular task. Some of the parameters are set when the system is installed, but the values associated with the parameter needs to be reviewed and is to be maintained.

Example:

- Set minimum days to pull credit bureau report from same bureau from initial pull.
- Credit bureau report purge days.

This section contains the following subsections:

- 2.45.1 Create System Parameter
- 2.45.2 View System Parameter

2.45.1 Create System Parameter

The **Create System Parameter** screen allows the user to create parameters by updating various details.

To Create System Parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click System Parameters.
- 3. Under System Parameter, click Create System Parameter.
 - → The Create System Parameter screen is displayed.

Figure 152 : Create System Parameter

Create System Parameter	1.0
flasic fetafs	
Parameter Code "Parameter Description "	
Seed *	
Rodut Rocesor " Yelue "	
•	
	Save Cancel

4. Specify the fields on **Create System Parameter** screen.

The fields, which are marked with asterisk, are mandatory.



Field	Description				
Basic Details					
Parameter Code	Select the parameter code from the drop-down list.				
Parameter Description	Specify a short description for the parameter code.				
Parameter Description	Specify a short description for the parameter code.				
Value	Specify the value for the parameter code.				

Table 120 : Create System Parameter - Field Description

5. Click **Save** to save the details.

The system parameters is successfully created and can be viewed using the **View System Parameter** screen.

2.45.2 View System Parameter

The View System Parameter screen allows user to view the parameters created using the **Create System Parameter** screen. The status of the created system parameter is displayed as **Unauthorized** and **Open**. Once the checker authorizes the parameter, the status is updated to **Authorized** and **Open**.

To view created system parameter:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click System Parameter.
- 3. Under System Parameter, click View System Parameter.

→ The View System Parameter screen is displayed.

Figure 153 : View System Parameter

View System								,* ×		
ч. с.										
Parameter Cod Purge Description: Pu Product Process		Parameter Codi: CDS_GRADE Description: CDS_GRADE Product Processor: OR:0 Authorized and Open	Incenses Colic i Requested Amount Deceiption: Reparted Amount Product Processor: OFLD B Arthorizat et Conn	Province Cole: i SYSTEMS i Description: alc Product Processor: CPLD Rob Lineurhorized i Coun	Presenter Code: I SYSTEMa I Description: alc1 Predict Processor: ORJO B Unauthorized I Open	Processor Code: : SYSTEM9 : Decorption: abc Product Processor: CPLD B: Unauthorized : CPLD	Paceweter Colic: E MinDays E Deceiption: Man Purge Des 0 Podect Processor: CBR4 Asthorized Closed Cool	Parameter Ecide: 1 guarntitativeScore Decription: quantitativeScore Peoduct Peocesor: ORIO Autorized a Open	Parameter Code: DS Description: Test Product Processor: C6P4 By Anthonized Cisced	
Rearreter Cod MascSSNLr Description: Ma Product Process	ingth									
Page 1	of 3 (1 - 10 of 29 items)	К < 123 > Ж								



Field	Description		
Parameter Code	Displays the parameter code.		
Description	Displays the description of the parameter code.		
Product Processor	Displays the product processor of the parameter.		
Status	Displays the status of the record.		

Table 121 : View System Parameter - Field Description

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required system parameter.

6. Click **Search**.

Figure 154 : View System Parameters- Search Option

View System Parameter			$_{\mu}^{e}$ \times
Parameter Code	Authorization Status	Record Satus	
Search Reset			

Table 122 : View System Parameters - Field Description

Field	Description					
Parameter Code	Specify the parameter code.					
Authorization Status	Select the authorisation status of the parameters.					
Status	The options are:					
	AuthorisedUnauthorised					
Record Status	Select the record status of the parameters.					
	The options are:					
	• Open					
	Close					

- 7. Click three-dots icon to unlock, delete, authorize or view the created system parameter.
- 8. Click **Unlock** icon to modify the following fields.

The fields are displayed in the System Parameter Maintenance screen.

- Product Processor
- Value

Figure 155 : System Parameter Maintenance – Modify

System Parameter Maintenance	×*	×
Basic Details		
Parameter Code * Maximum_Report_Age_For_New *	Parameter Description * Maximum Report Age to call Experian	
Product Processor * OFLO	Value * 4	
Audit	Save	I I

For more information on fields, refer to the field description table below.

Field	Description			
Basic Details				
Parameter Code Displays the created system parameter code.				
Parameter Description	Displays the description for the created system parameter code			
Product Processor	Displays the product processor of the created system parameter code.			
	User can modify the same.			
Value	Displays the value of the system parameter.			
	User can modify the same.			

Table 123 : System Parameter Maintenance - Modify - Field Description

- 9. Click **Save** to update the modified fields.
- 10. Click View icon to view the created system parameter code.

The fields are displayed in System Parameter Maintenance screen.



Figure 156 : System Parameter Maintenance – View

System Parameter Maintenance	×	×
Basic Details		
Parameter Code * Maximum_Report_Age_For_New_Call	Parameter Description * Maximum Report Age to call Experian	
Product Processor *	Value *	
OFLO	4	
Audit		

For more information on fields, refer to the field description table below.

Field	Description			
Basic Details				
Parameter Code	Displays the created system parameter code.			
Parameter Description	Displays the created system parameter description.			
Product Processor	Displays the product processor of the created system parameter.			
Value	Displays the value for the created system parameter.			

Table 124 : System Parameter Maintenance - View - Field Description



2.46 Strategy Configuration

Decision service is used for multiple purposes such as borrowing capacity, borrowing capacity plus pricing, only pricing, only decision, logical plus decision etc. System should have an ability to configure the strategy like when the decision service is being called for borrowing capacity, should the request pass through the logical check. In addition, the product processor can configure different strategies for different product types or customer types. Strategy configuration allows the product processor to configure the strategy as per its requirements for all the modes for which decision service can be called. Separate strategy can be defined for origination, servicing or collection. In addition, multiple strategy can be defined for origination i.e. multiple strategy can be defined. This maintenance allows the product processor to configure the strategy according to its need for all the modes for which the decision service can be called for.

This section contains the following subsections:

- 2.46.1 Create Strategy Configuration
- 2.46.2 View Strategy Configuration

2.46.1 Create Strategy Configuration

The **Create Strategy Configuration** screen allows user to configure the strategy as per the requirement.

To Create Strategy Configuration:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Strategy Configuration.
- 3. Under Strategy Configuration, click Create Strategy Configuration.

→ The Create Strategy Configuration screen is displayed.

Figure 157 : Create Strategy Configuration

Create Strategy Configura	tion					$_{\mu}^{a^{a^{a}}}$ \times
Basic Details						
Strategy Code *			Strategy Code Description *			
Product Processor *	*		Product Processor Description *			
Industry *	*		Line of Business *	*		
Account Category *			Module *	*		
Effective Date *	**		Expiry Date *			
Additional Information						
÷						
	Туре				Value	
No data to display.						
Modes						
Borrowing Capacity	Decision & Grade Pricing Qu	alitative Score 🗌 Quantitative Score 🔲 Score 🗌 S	icore & Decision 🗌 Score, Decisi	in & Pricing		

4. Specify the fields on Create Strategy Configuration screen.



The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 125 : Create Strategy Configuration - Field Description

Field	Description					
Basic Details						
Strategy Code	Specify the unique strategy code.					
Strategy Code Description	Specify a short description for the strategy code.					
Product Processor	Specify the product processor for which the strategy is being configured.					
Product Processor Description	Displays the product processor description.					
Industry	Select the industry type from the drop down list.					
	The values are configurable based on the lookup values maintained.					
	The options are:					
	Banking Industry					
	Insurance					
	Trade Finance					
Line of Business	Select the line of business type from the drop down list. The values are configurable based on the lookup values maintained.					
	The options are:					
	Corporate					
	Retail					
	• SMEnt					
Account Category	Select the category from the drop-down list.					
	The options are:					
	Asset					
	Liability					



Field	Description				
Module	Select the module from the drop down list. The values are configurable based on the lookup values maintained.				
	The options are:				
	Collection				
	Origination				
	Servicing				
Effective Date	Specify the effective date.				
Expiry Date	Specify the expiry date.				
Additional Information)n				
+ button	Click to add a new facts.				
- button	Click to delete an existing row.				
Туре	Select the fact type from the drop down list.				
Value	Select the value configured for the fact type from the drop down list. The values are configurable based on the lookup values maintained.				
Modes	Select the modes from the list.				
	The options are:				
	Borrowing Capacity				
	Decision & Grade				
	Pricing				
	Qualitative Score				
	Quantitative Score				
	Score				
	Score & Decision				
	Score, Decision & Pricing				
	If the Module is selected as Collection , then below options are available.				
	The options are:				
	Decision and Grade				
	Qualitative Score				
	Quantitative Score				
	Score				
	Score and Decision				



Field	Description		
Steps	Steps are defined based on the modes selected.		
	For example:		
	If Borrowing Capacity mode is selected, the check box for borrowing capacity is by default selected and disabled, you can select the other steps.		

5. Click **Save** to save the details.

The strategy configuration is successfully created and can be viewed using the **View strategy Configuration** screen.



2.46.2 View Strategy Configuration

The **View Strategy Configuration** screen allows the user to view the strategy configuration created using the **Create Strategy Configuration** screen. The status of the created strategy configuration is displayed as **Unauthorized** and **Open**. Once the checker authorizes the parameter, the status is updated to **Authorized** and **Open**.

To view Created Strategy Configuration:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Strategy Configuration.
- 3. Under Strategy Configuration, click View Strategy Configuration.

 \rightarrow The View Strategy Configuration screen is displayed.

Figure 158 : View Strategy Configuration

View Strategy Configuration							$_{\mu^{\theta^{-}}}$ \times
९ с +							= =
Strategy Code: E OFLO032 E Strategy Description: OFLO032 Product Processor: OFLO	Strategy Code: I OFLO042 I Strategy Description: OFLO042 Product Processor: OFLO Authorized Dopen	Strategy Code: E OFLO022 E Strategy Description: OFLO022 Product Processor: OFLO & Arthonized & Open	Strategy Code: OFI.0015 : Strategy Description: OFI.0015 Product Processor: OFI.0 Roduct Processor: OFI.0 Product Processor: OFI.0	Stategy Code: : OFLO029 : Stategy Description: OFLO029 Product Processor: OFLO B: Unauthorized Open	Strategy Carle: : OFLO051 : Strategy Description: OFLO051 Product Processor: OFLO Authorized ① Dom	Strategy Code: : OFL0007 : Scategy Description: Strategy Product Processor: OFL0 Authorized Open	
Strategy Crobit OFLOOID Strategy Description: 04:0010 Product Processor: 04:0 Authorized 🔐 Open	Stang (sole OFIDUD Sang bankpison (SLOM) Red Houses (SLOM) } and (SLOM) } and (SLOM) } and (SLOM) } a constraint } constraint	Strategy Codic : OFLOD60 : Strategy Description: Strategy Code Product Noteware: ORIO Autocrited ① Open					

Table 126 : View Strategy Configuration - Field Description

Field	Description	
Strategy Code	Displays the strategy code.	
Strategy Description	Displays the strategy description.	
Product Processor	Displays the product processor.	
Status	Displays the status of the record.	

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required strategy configuration.



Figure 159 : View Strategy Configuration- Search Option

View Strategy Configuration				μ^{e} ×
Strategy Code	Strategy Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.

For more information on fields, refer the field description table below.

Table 127 :	View Strategy	Configuration -	Search Option	- Field Description
	Tion on alogy	ooningaration	oouron option	

Field	Description	
Strategy Code	Specify the strategy code.	
Strategy Description	Specify the strategy description.	
Authorization Status	Select the authorization status of the parameters. The options are: • Authorized • Unauthorized	
Record Status	 Onauthonzed Select the record status of the parameters. The options are: Open Close 	

7. Click three-dots icon to unlock, delete, authorize or view the created strategy configuration.

- 8. To authorize the strategy configuration, see the Authorization process.
- 9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the Strategy Configuration Maintenance screen.

- Expiry Date
- Fact Type and Value
- Modes
- Steps



Figure 160 : Strategy Configuration Maintenance – Modify

Storing California Manmara			
Basic Defails			
Strategi Cose 4 criutate +	Strategy Code Description * OFL0329		
Product Processor * CIRIS +	Product Processor Description * OPLO		
noutry * Burlang +	Line of Boarness *		
Account of Calagory * Account of Calagory * Account of Calagory * Fertiment Calagory *	Dispiration *		
Sup 40, 2229	5ep 28, 2022		
Attion Investor			
■ 790		Value	
*** ····································			
Note			
Lahrt fie Unlan is tandpas a par inganisment			
Remengiparty Doministic Party & Gutteriadam Countributions Ions & Kondonan-Perg			
Fee			
to make the second seco			
# Qualitative Score			
1. 🗌 Legical 2 🕑 Qualitative Toom			

For more information on fields, refer to the field description table below.

Field	Description	
Basic Details		
Strategy Code	Displays the strategy code.	
Strategy Code Description	Displays the strategy code description.	
Product Processor	Displays the product processor for the created strategy configuration.	
Product Processor Description	Displays the product processor description for the created strategy configuration.	
Industry	Displays the industry for the created strategy configuration.	
Line of Business	Displays the line of business for the created strategy configuration.	
Account Category	Displays the account category for the created strategy configuration.	
Module	Displays the module for the created strategy configuration.	
Effective Date	Displays the effective date for the created strategy configuration.	
Expiry Date	Displays the expiry date for the created strategy configuration.	
	User can modify the same.	
Additional Information		
Туре	Displays the fact type for the created strategy configuration.	
	User can modify the same.	

Table 128 : Strategy Configuration Maintenance - Modify - Field Description



Field	Description
Value	Displays the fact value for the created strategy configuration.
	User can modify the same.
Modes	Displays the modes defined for the created strategy configuration.
	User can modify the same.
Steps	Displays the steps defined for the created strategy configuration.
	User can modify the same.

- 10. Click **Save** to update the modified fields.
- 11. Click **View** icon to view the created strategy configuration.

The fields are displayed in Strategy Configuration Maintenance screen.

Figure 161 : Strategy Configuration Maintenance – View

Sentegy Configuration Maintenance			
Reals Details			
Process Order * Of Closes * Of	Dirativagi Dos Description * ORICO229 Product Processor Description * Data of Business * Tracta * Models * Desgin Dos * Desgin Dos * Desgin Dos *		
5ep 30, 2020 mm	Sep 28, 2022 88		
1 794		140m	
- A94		· u ·	
Maa			
Telect the Modes to configure as per requerement			
□ Berneung-Capacity □ Destinations □ Perrog ✔ Destinations □ Desert ✔ Bernebensen= □ Sereen □ Second-Bernebensen			
files			
new The mandatory register by default and washes prod students the space readers are surveyed. The survey readers to a configured for a most			
✓ Qualitative Score			
t∭ Legial 2 2 dialatana Site			

Field	Description	
Basic Details		
Strategy Code	Displays the strategy code.	
Strategy Code Description	Displays the strategy code description.	
Product Processor	Displays the product processor for the created strategy configuration.	
Product Processor Description	Displays the product processor description for the created strategy configuration.	
Industry	Displays the industry for the created strategy configuration.	



Field	Description	
Line of Business	Displays the line of business for the created strategy configuration.	
Account Category	Displays the account category for the created strategy configuration.	
Module	Displays the module for the created strategy configuration.	
Effective Date	Displays the effective date for the created strategy configuration.	
Expiry Date	Displays the expiry date for the created strategy configuration.	
Additional Information		
Туре	Displays the fact type for the created strategy configuration.	
Value	Displays the fact value for the created strategy configuration.	
Steps	Displays the steps defined for the created strategy configuration.	

2.47 Logical Model

During credit decision, system evaluates a credit score that represents the creditworthiness of an individual. Banks also do an initial evaluation by using some rules to decide whether to proceed with credit decisioning process or not. A bank can perform this evaluation by maintaining a logical model. Multiple levels of rule can be setup in logical model. The system will process the next step of credit decisioning only if all the rules are satisfied. If any rule fails, then system will stop the processing and decline the request.

This section contains the following subsections:

- 2.47.1 Create Logical Model
- 2.47.2 View Logical Model

2.47.1 Create Logical Model

The Create Logical Model screen allows user to create logical model based on the various input.

User can configure the strategy as per the requirement.

To create Logical Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Logical Model.
- 3. Under Logical Model, click Create Logical Model.
 - $\rightarrow\,$ The Create Logical Model screen is displayed.



Figure 162 : Create Logical Model

Create Logical Model	× *
Basic Detalls	
	Logical Model Description *
1	Expiry Date *
Product Processor * Select •	Priority *
Selection Criteria Logical Model	
Use Existing Rule Create New Rule	
Rules Rule Code ¹¹ Selet: 1	Rule Name
lo l	
	Serv. Canad

4. Specify the fields on Create Logical Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 130 : Create Logical Scoring Model - Field Description

Field	Description	
Basic Details		
Logical Model Code	Specify the unique logical model code.	
Logical Model Description	Specify a short description for the logical model.	
Effective Date	Specify the effective date.	
Expiry Date	Specify the expiry date.	
Product Processor	Specify the product processor for which the logical model is being defined.	
Priority	Specify the priority for the logical model.	
Stop on Failure	By default, this option is disabled. Indicates whether system should stop execution of rules if any rules fails or continue ahead with the remaining rules as per the sequence.	

5. Click the Selection Criteria tab to define selection criteria rules for logical model.




Figure 163 : Create Logical Scoring Model - Selection Criteria

Create Logical Scoring Model			/
Basic Details			
Logical Model Code * SMC03 Effective Uste * Aug 2.021 @ Produst Processor * OPLO *		Logical Model Description * Scoring Model Expiry Date * Aug 24, 2021	
Selection Criteria Logical Model Urse bitring Rule Create New Rule Rules			
Rule Code * MLA3 * 0		Rule Name MLA1	
New Edit			
Rules			
Code * MLA3	Description MLA1		
Expression Builder			

For more information on fields, refer to the field description table below.

Table 131 : Create Logical Scoring Model – Selection Criteria - Field Description

Field	Description	
The following fields appear if you click the Selection Criteria Tab		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Select the rule code from the drop down list.	
0	Click to get the information about the rule.	
Rule Name	View the rule name.	
Create New Rule	Select this option to create new rule.	
Rules		
Code	Specify the rule code.	
Description	Specify the rule description.	
Select Existing Rule	Select the existing rule from the drop-down list.	
0	Click to view the existing rule.	
Below field appears once you click the icon.		
Rule ID	Displays the rule ID.	
Rule Name	Displays the rule name.	



Field	Description	
Description	Displays the rule description.	
Rule Version	Displays the rule version.	
Q	Click to view the list of rule versions.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below field appears or	nce you click the icon.	
List of Versions		
Version	Displays the rule version.	
Description	Displays the rule description.	
Creation Date	Displays the rule creation date.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Expression Builder		
+ button	Click to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list.	
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.	

Field	Description	
Operator	Select the comparison operator from the drop-down list.	
	The options are:	
	• <	
	• >	
	• +	
	• =	
	• %	
	• !=	
	• -	
	• >=	
	• <=	
	• *	
	• /	
	Contains	
	• In	
	• Like	
	Matches	
	Notmatches	
	Notcontains	
	Notin	
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to the output, update the same based on the selected output option.	
	The options are:	
	• Text	
	Number	
	Boolean	
	Date	
	• Fact	
	Rules	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	



Field	Description	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to the output, update the same based on the selected output option.	
	The options are:	
	• Text	
	Number	
	Boolean	
	• Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Expression	View the expression updated in the expression builder.	

6. Click the Logical Model tab to define various logical modeling rules

Figure 164 : Create Logical Model – Logical Model Tab

Create Logical Model				2 ⁴ ×
Basic Details				
Logical Model Code * deri Britorio Coler * Deri & 201 * Product Recessor * DNO *		Cagnet Hose Description * see Early Carl * Cost 2: Set Provide 1		
Selection Driteria Logical Room				
Res C	learne -	Reson	Comun	
No data to display				
				Save Cancel

For more information on fields, refer to the field description table below.

Table 132 . Create Logical Model – Logical Model Tab - Field Description			
Field	Description		
The following fields ap	The following fields appear if you click the Logical Model Tab		
+ button	Click to add a new row.		
- button	Click to delete an existing row.		
Rule ID	Select the rule ID from the drop down list.		
	All rules configured in the rule engine for the selected product processor are obtained.		
2018 2022	201	ORA	

Table 132 : Create Logical Model – Logical Model Tab - Field Description

Field	Description	
0	Click to get the information about the rule.	
Sequence	Specify the sequence of execution of rules.	
Reason	Select the reason from the drop down list.	
Comments	Specify the comments.	

7. Click **Save** to save the details.

The logical model is successfully created and can be viewed using the **View Logical Model** screen.



2.47.2 View Logical Model

The View Logical Model screen allows the user to view the logical model created using the Create Logical Model screen. The status of the created logical model is displayed as Unauthorized and Open. Once the checker authorizes the model, the status is updated to Authorized and Open.

To View Logical Model:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Logical Model.
- 3. Under Logical Model, click View Logical Model.

→ The View Logical Model screen is displayed.

Figure 165 : View Logical Model

Rev Logical Model	p^{d} ×
ς σ +	
Lagori Marka Cale. Lagori	
pp () d1 (1.1d11mm) # < () > #	

For more information on fields, refer to the field description table below.

Table 133: View Logical	Model – Field Description.
-------------------------	----------------------------

Field	Description
Logical Model Code	Displays the logical model code.
Logical Model Description	Displays the logical model description.
Product Processor Code	Displays the product processor code.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required logical model.

Figure 166 : Logical Model- Search Option

2 ×
n Anna Anna A

6. Click Search.



Field	Description	
Logical Model Code	Specify the logical model code.	
Logical Model Description	Specify the description of the logical model.	
Authorization Status	Select the authorization status of the logical model. The options are: • Authorized	
	Unauthorized	
Record Status	Select the record status of the logical model.	
	The options are:	
	• Open	
	Close	

Table 134 : View Logical Model -Search Option- Field Description

- 6. Click three-dots icon to unlock, delete, authorize or view the created logical model.
- 7. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Logical Model Maintenance** screen. The following fields are editable during unlock.

- Logical Model Description
- Effective date before authorization
- Expiry date
- Add new fact or rule to the selection criteria
- Modify the rule in logical model tab
- Modify the sequence, reason or comments in logical model tab

Figure 167 : Logical Model Maintenance - Modify

gical Model Maintenance				2
sic Details				
ogical Model Code *		Logical Model Description *		
LM C102		Logical Model LMC102		
iffective Date *		Expiry Date *		
Sep 30. 2020		Oct 31, 2021		
Product Processor *		Priority *		
0FL0 *		5		
Selection Criteria				
Use Existing Rule Create New Rule				
Rules				
Rule Code *		Rule Name Rule Product code HMLN34		
New				
Rules				
Rules				
Code *	Description	Select Existing rule	Rule Version	
RL310	Rule Product code HMLN34	Q		Q

Field	Description	
Basic Details		
Logical Model Code	Displays the created logical model code.	
Logical Model Description	Displays the description for the created logical model.	
Decemption	User can modify the same.	
Effective Date	Displays the effective date for the created borrowing capacity.	
	User can modify the same, if the date is future dated.	
Expiry Date	Displays the expiry date for the created logical model.	
	User can modify the same.	
Product Processor	Displays the product processor of the created logical scoring model.	
Priority	Displays the priority of the logical model.	
	User can modify the same.	
Stop On Failure	Indicates whether system should stop execution of rules if any rules fails or continue ahead with the remaining rules as per the sequence.	
Selection Criteria		
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Displays the rule code.	

Table 135: Logical Model Maintenance – Modify – Field Description.



Field	Description	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name.	
Create New Rule	Indicates if the new rule is created.	
Rules		
Code	Displays the rule code.	
Description	Displays the rule description	
Select Existing Rule	Displays the existing rule.	
Rule Version	Displays the rule version.	
Expression Builde	r	
Fact / Rules	Displays the fact/rules of the created logical model.	
Operator	Displays the comparison operator of the created logical model.	
Data Type	Displays the data type for the fact or rule of the created logical model.	
Output	Displays the output of the created logical model.	
Expression	Displays the expression updated in the expression builder of the crated logical model.	
Logical Model		
Rule ID	Displays the rule ID of the created logical model.	
	You can modify the same.	
0	Click to get the information about the rule.	
Sequence	Displays the sequence of the created logical model.	
	User can modify the same.	
Reason	Displays the reason of the created logical model.	
	User can modify the same.	
Comments	Displays the comments of the created logical model.	
	User can modify the same.	

- 8. Click **Save** to update the modified fields.
- 9. Click **View** icon to view the created logical model.



The fields are displayed in Logical Model Maintenance screen.

Figure 168 : Logical Model Maintenance - View

Logical Model Maintenance		2 ⁴ X
Basic Details		
Logical Model Code * LMCI01 Effective Date * Sep 15. 2020 Product Processor * OFLO	Logical Model Description * LMCI01 Erginy Date * Aug 10, 2022 Priority * 1	
Selection Criteria Logical Model But Data Existing Rule Create New Rule Rules Create New Rule		
Rule Code " Select	Rule Name	
Audit		

Field	Description
Basic Details	
Logical Model Code	Displays the created logical model code.
Logical Model Description	Displays the created logical model description.
Effective Date	Displays the effective date.
Expiry Date	Displays the expiry date.
Product Processor	Displays the product processor of the created logical model.
Priority	Displays the priority of the logical model.
Selection Criteria	
Rules	
Use Existing Rule	Displays if the existing rule is linked to logical model.
Rule Code	Displays the rule code of the created logical model.
Rule Name	Displays the rule name of the created logical model.
Create New Rule	Displays if new rule is linked to the logical model.
Rules	
Code	Displays the rule code of the created logical model.
Description	Displays the rule description of the created logical model.

Table 136 : Logical Model Maintenance- View – Field Description	ion.
Table fee Eeglea medel mantenance field becompt	



Field	Description
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
Fact / Rules	Displays the fact/rules of the created logical model.
Operator	Displays the comparison operator of the created logical model.
Data Type	Displays the data type for the fact or rule of the created logical model.
Output	Displays the output of the created logical model.
Expression	Displays the expression updated in the expression builder of the crated logical model.
Logical Model	
Rule ID	Displays the rule ID of the created logical model.
Sequence	Displays the sequence of the created logical model.
Reason	Displays the reason of the created logical model.
Comments	Displays the comments of the created logical model.

2.48 Borrowing Capacity

Borrowing capacity describes the total amount the applicant is eligible to borrow. Maximum loan amount are used for loans, credit cards, and line of credit accounts. The maximum credit amount depends on a number of factors including the borrower's credit worthiness i.e. financial profile and debt to income, loan term, loan purpose, whether the loan is supported by a collateral etc.

Using this screen, we can link a rule for calculating borrowing capacity. We can calculate the maximum lendable amount based on the various criteria of the lender such as debt to income ratio, credit score, credit history etc.

A sample rule to calculate borrowing capacity is given below:

Scenario: Based on Income and FICO score

Rule 1:

IF MIN(FICO_SCORE) >= 500 AND MIN(EMPLOYMENT_PERIOD)< 1 YEAR THEN MULTIPLIER = 5 ELSEIF MIN(FICO_SCORE) < 500 AND MIN(EMPLOYMENT_PERIOD) > 1 YEAR THEN MULTIPLIER = 4

Rule2: Max Lendable Amount

MIN(Income) * Rule1



This section contains the following subsections:

- 2.48.1 Create Borrowing Capacity
- 2.48.2 View Borrowing Capacity

2.48.1 Create Borrowing Capacity

The Create Borrowing Capacity screen allows the user to define the borrowing capacity based on the various input.

To Create a Borrowing Capacity:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Borrowing Capacity.
- 3. Under Borrowing Capacity, click Create Borrowing Capacity.

→ The Create Borrowing Capacity screen is displayed.

Figure 169 : Create Borrowing Capacity

Create Borrowing Capacity		2 ⁴ ×
New		
Basic Details		
Eligibility Code *	Eligibility Description *	
Effective Date *	Expiry Date *	
Product Processor *	Execution Stage *	
Select *	Select *	
Selection Criteria Eligibility		
Use Existing Rule Create New Rule		
Rules Rule Code *	Rule Name	
Select .		
1		
		Save Cancel

4. Specify the fields on Create Borrowing Capacity screen.

The fields, which are marked with asterisk, are mandatory.

Table 137 : Create Borrowing Capacity - Field Description

Field	Description	
Basic Details		
Eligibility Code	Specify the unique eligibility code.	
Eligibility DescriptionSpecify a short description for the eligibility.		
Effective Date Specify the effective date.		



Field	Description	
Expiry Date	Specify the expiry date.	
Product Processor	Specify the product processor for which the borrowing capacity is being defined.	
Execution Stage	Select the required option for execution stage. The options are:	
	 Before Decision: If this option is selected, amount is calculated before scoring model resolution. Loan amount is replaced with the minimum of requested loan amount and maximum lendable amount for scoring and pricing. After Decision: If this option is selected, Amount is calculated after decision and before pricing. Loan amount is replaced with the minimum of requested loan amount and maximum lendable amount for pricing. 	

5. Click the Selection Criteria tab to define selection criteria rules.

Figure 170 : Create Borrowing Capacity - Selection Criteria

Create Borrowing Capacity					, ⁴ ×
Basic Details					
Eligibility Code "		Eligibility Description			
202		888			
Effective Date *		Expiry Date *			
Sep 30, 2020		Feb 21, 2022			
Product Processor "		Execution Stage *			
0FL0 *		Before Decision	*		
Selection Criteria Elgibility Use Existing Rule Criste Rule					
Create Rule					
New					
Rules					
Code *	Description		Select Existing rule	Rule Version	
R(003	Rule		RL302 Q.	0	Q
					_
Expression Builder					
+ Add Expression					
+				*	
🕯 👝 Facts 💌 (< *	*			
Output					

For more information on fields, refer to the field description table below.

Table 138 : Create Borrowing Capacity – Selection Criteria - Field Description

Field	Description		
The following fields ap	The following fields appear if you click the Selection Criteria Tab		
Use Existing Rule	Rule By default, this option is enabled. Indicates if the existing rule is linked.		
Rules	Rules		
Rule Code	Select the rule code from the drop down list.		
6	Click this icon to get the information about the rule.		

Field	Description		
Rule Name	View the rule name.		
Create New Rule	Select this option to create new rule.		
Rules			
Code	Specify the rule code.		
Description	Specify the rule description.		
Select Existing Rule	Select existing rule from the drop-down list.		
0	Click to view the existing rule.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below fields appears of	once you click icon.		
Rule ID	Displays the rule ID.		
Rule Name	Displays the rule name.		
Description Displays the rule description.			
Rule Version Displays the rule version.			
0	Click to view the rule version.		
Note: This is used when existing rule is to be used for some modification like copy of existing rule.			
Below fields appears o	once you click icon.		
Version	Displays the rule version.		
Description	Displays the rule description.		
Creation Date	te Displays the rule creation date.		
Expression Builder			
+ button	Click to add new expression.		
Fact / Rules	Select the fact or rule from the drop-down list.		
	Once you select the fact/rules one more field opens adjacent to the output, update the same based on the selected output option.		



Field	Description	
Operator	Select the comparison operator from the drop-down list.	
	The options are:	
	• <	
	• >	
	• +	
	• =	
	• %	
	• !=	
	• -	
	• >=	
	• <=	
	• *	
	 / Contains 	
	 Contains In 	
	• III • Like	
	Matches	
	Notmatches	
	Notcontains	
	Notin	
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	Boolean	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	Text	
	Number	
	Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	True	
	False	
Expression	View the expression updated in the expression builder.	



6. Click the **Eligibility** tab to define eligibility.

Figure 171 : Create Borrowing Capacity – Eligibility Tab

reate Borrowing Capaci	ity		
Hen			
asic Details			
Eligibility Code *		Eligibility Description *	
333		858	
Effective Date		Expiry Date *	
Jul 6, 2021	m	Jul 12, 2021	±
Product Processor *		Execution Stage *	
OFLO		Before Decision	*
Actions	Fact Id	Rule Id	M
Notion D	60Delg	v ABC	

For more information on fields, refer to the field description table below.

Field	Description	
The following fields ap	pear if you click the Eligibility Tab	
+ button	Click to add a new row.	
- button	Click to delete an existing row.	
Actions	Select this checkbox corresponding to the row to be deleted.	
Fact ID	Select the fact ID from the drop down list.	
Rule ID	Select the rule ID from the drop down list.	
Click to get the information about the rule.		

7. Click **Save** to save the details.

The **Borrowing Capacity** is successfully created and can be viewed using the **View Borrowing Capacity** screen.

2.48.2 View Borrowing Capacity

The **View Borrowing Capacity** screen allows user to view the borrowing capacity created using the **Create Borrowing Capacity** screen. The status of the created capacity is displayed as **Unauthorized** and **Open**. Once the checker authorizes the capacity, the status is updated to **Authorized** and **Open**.

To view the created Borrowing Capacity:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Borrowing Capacity.

3. Under Borrowing Capacity, click View Borrowing Capacity.

→ The View Borrowing Capacity screen is displayed.

Figure 172 : View Borrowing Capacity

View Borrowing Capacity			,* ×	
ч с +			E =	
Borrowing Capacity Code: bwcTest Borrowing Capacity Description:	Borrowing Capacity Code: BORCAP001	Borrowing Capacity Code: bc001 Borrowing Capacity Description:		
Product Processor: OFLO	Product Processor: OFLO	Product Processor: OFLO		
Page 1 of 1 (1+3 of 3 items)	к с т э э			
1				

For more information on fields, refer to the field description table below.

Table 140: View Borrowing Capacity – Field Description.

Field	Description
Borrowing Capacity Code	Displays the borrowing capacity code.
Borrowing Capacity Model Description	Displays the borrowing capacity description.
Product Processor	Displays the product processor.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required borrowing capacity.

Figure 173 : View Borrowing Capacity- Search Option

View Borrowing Capacity				,," ×
Borrowing Capacity Code	Borrowing Capacity Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.



Field	Description			
Borrowing Capacity Code	Specify the borrowing capacity code.			
Borrowing Capacity Description	Specify the description of the borrowing capacity.			
Authorization Status	Select the authorization status of the logical model.			
	The options are:			
	Authorized			
	Unauthorized			
Record Status	Select the record status of the logical model.			
	The options are:			
	• Open			
	• Close			

Table 141 : View Borrowing Capacity -Search Option- Field Description

7. Click three-dots icon to unlock, delete, authorize or view the created borrowing capacity.

8. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Borrowing Capacity Maintenance** screen. The following fields are editable during unlock.

- Eligibility Description
- Effective date before authorization
- Expiry date
- Add new fact or rule to the selection criteria
- Fact or Rule in eligibility tab



Figure 174 : Borrowing Capacity Maintenance - Modify

Capacity Maintenance				
5				
Code *		Eligibility Description *		
		bwct		
Care *		Eloiry Care *		
aze:		Aug 7, 2021	±	
hocessor *		Execution Stage *		
		Betars Decision		
Criteria Elgolity				
tting Rule 🔅 Greate New Rule				
*			Rule Name	
root + O			RORCAPOD	
/es				
Code *	Description			
8DRCAP001	BORCAP001			
Expression Builder				
+ Add Expression				
+				
🕈 👘 Facts 💌 LoonTenure	× × NUMBER			
Eachs Eachs Eachs Eachs				

For more information on fields, refer to the field description table below.

Field	Description			
Basic Details				
Eligibility Code	Displays the eligibility code for the created borrowing capacity.			
Eligibility Description	Displays the description for the created borrowing capacity.			
Description	User can modify the same.			
Effective Date	Displays the effective date for the created borrowing capacity.			
	User can modify the same, if the date is future dated.			
Expiry Date	Displays the expiry date for the created borrowing capacity.			
	User can modify the same.			
Product Processor	Displays the product processor of the created borrowing capacity.			
Execution Stage	Displays the execution stage for the created borrowing capacity.			
Selection Criteria				
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.			
Rules				
Rule Code	Displays the rule code.			
6	Click to get the information about the rule.			
Rule Name	Displays the rule name.			
Create New Rule	Indicates if the new rule is created.			

 Table 142: Borrowing Capacity Maintenance – Modify – Field Description.



Field	Description			
Rules				
Code	Displays the rule code.			
Description	Displays the rule description			
Select Existing	Displays the existing rule.			
Kule	User can modify the same.			
Version	Displays the rule version.			
Expression Builde	r			
Fact / Rules	Displays the fact/rules of the created borrowing capacity.			
Operator	Displays the comparison operator of the created borrowing capacity.			
Data Type	Displays the data type for the fact or rule of the created borrowing capacity.			
Output	Displays the output of the created borrowing capacity.			
Expression	Displays the expression updated in the expression builder of the created borrowing capacity.			
Eligibility				
Fact ID	Displays the fact ID of the created borrowing capacity.			
	User can modify the same.			
Rule ID	Displays the rule ID of the created borrowing capacity.			
	User can modify the same.			
0	Click to get the information about the rule.			

9. Click **Save** to update the modified fields.

10. Click **View** icon to view the created borrowing capacity.

The fields are displayed in Borrowing Capacity Maintenance screen.



Figure 175 : Borrowing Capacity Maintenance - View

Borrowing Capacity Maintenance		,,** ×
Basic Details		
Sur Stalo		
Eligibility Code *	Eligibility Description *	
bwcTest	bwcTest	
Effective Date *	Expiry Date *	
Jul 29, 2021	Aug 7, 2021	
Product Processor *	Execution Stage *	
OFLO	Before Decision	
Selection Criteria Eligibility (a) Use Existing Rule (c) Create New Rule		
Rules		
Rule Code *	Rule Name	
BORCAP001 0	BORCAP001	
New		
Rules		

Field	Description		
Basic Details			
Eligibility Code	Displays the eligibility code for the created borrowing capacity.		
Eligibility Description	Displays the description for the created borrowing capacity.		
Effective Date	Displays the effective date for the created borrowing capacity.		
Expiry Date	Displays the expiry date for the created borrowing capacity.		
Product Processor	sor Displays the product processor for the created borrowing capacity.		
Execution Stage	Displays the execution stage for the created borrowing capacity.		
Selection Criteria			
Rules			
Use Existing Rule	Displays if the existing rule is linked to borrowing capacity.		
Rule Code	Displays the rule code of the created borrowing capacity.		
Rule Name	Displays the rule name of the created borrowing capacity.		
Create New Rule	Displays if new rule is linked to the created borrowing capacity.		

 Table 143 : Borrowing Capacity Maintenance- View – Field Description.



Field	Description
Rules	
Rule Code	Displays the rule code of the created borrowing capacity.
Description	Displays the rule description of the created borrowing capacity.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
Fact / Rules	Displays the fact/rules of the created borrowing capacity.
Operator	Displays the comparison operator of the created borrowing capacity.
Data Type	Displays the data type for the fact or rule of the created borrowing capacity.
Output	Displays the output of the created borrowing capacity.
Expression	Displays the expression updated in the expression builder of the crated borrowing capacity.
Eligibility	
Fact ID	Displays the fact ID of the created borrowing capacity.
Rule ID	Displays the rule ID of the created borrowing capacity.
0	Click to get the information about the rule.

2.49 Questionnaire

Credit analysis includes analysis of more information and data. Considering that, some of them have quantitative character and others qualitative, credit analysis are viewed from two aspects such as:

Quantitative analysis involves, an assessment of the financial position based on the customer's income and monthly expenses. It may also include a cash flow analysis of the customer's accounts and credit history.

While qualitative assessment, among others takes into account marital status, education or employment form.

Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This section contains the following subsections:



- 2.49.1 Create Questionnaire
- 2.49.2 View Questionnaire



2.49.1 Create Questionnaire

The **Create Questionnaire** screen allows the user to define qualitative questionnaire based on the various parameters. This questionnaire can be further linked to define qualitative scoring model.

To Create Questionnaire:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Questionnaire.
- 3. Under Questionnaire, click Create Questionnaire.

 \rightarrow The Create Questionnaire screen is displayed.

Figure 176 : Create Questionnaire

Create Questionnaire		,* ×
Questionnaire Code *	Questionnaire Description *	
Product Processor * select *	Category	
Create *		
		Preview
No items to display.		
Add Question		
		Save Cancel

4. Specify the field's on Create Questionnaire screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 144 : Create Questionnaire - Field Description

Field	Description			
Basic Details				
Questionnaire Code	Specify the unique questionnaire code.			
Questionnaire Description	Specify a short description for the questionnaire.			
Product Processor	Specify the product processor for which the questionnaire is being created.			
Category	Specify the category for the questionnaire.			
Create	Click Create to configure the questions.			
Question Code	Specify the unique question code.			



Field	Description			
Question Description	Specify the description for the question.			
Select-Type	Select the type of response option from the drop-down list.			
	The option are:			
	Select-Single-Choice			
Short Name	Specify the short name of the question. This will be displayed in the execution summary.			
Answer Code	Displays the answer code.			
Answer Option	Specify all the expected response for the question configured.			
Add	Click to add the expected response to the question.			
Update	Click Update to edit the response.			
Remove	Click to remove the response.			
Required	By default, this option is enabled. Indicates whether the question is mandatory or optional.			
Done	Click to save the data.			
Preview	Click Preview to view the questions configured for the questionnaire along with the response choice.			
A	Click to view the responses configured for the questionnaire.			
	Click to move the position of the questions.			
i v	Click to expand, copy or remove question.			
🗎 Сору	Click to copy the question.			
Remove Question	Click to remove the question.			
Add Question	Click to add another question.			

5. Click **Save** to save the details.

The Questionnaire is successfully created and can be viewed using **View Questionnaire** screen.



2.49.2 View Questionnaire

The **View Questionnaire** screen allows user to view the questionnaire created using the **Create Questionnaire** screen. The status of the created questionnaire is displayed as **Unauthorized** and **Open**. Once the checker authorizes the questionnaire, the status is updated to **Authorized** and **Open**.

To view created questionnaire:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Questionnaire.
- 3. Under Questionnaire, click View Questionnaire.

→ The View Questionnaire screen is displayed.

Figure 177 : View Questionnaire

View Questionnaire						,, st ×
ч с +						= =
Questionnaire Code: QC20210721180729 Mod No: 3 Burauthorized Copen	Questionmaire Cede: QC20210721180797 Mod No: 3 B Unauthorized Dipen	Questionnaire Code: QC20210721180767 Mod No: 3 Authorized 🎧 Open	Questionmaire Code: : QC20210722100725 Mod No: 1 B Unauthorized Depen	Questionnaire Code: : fdfddddsa : Mod No: 5 E& Unauthorized 🔐 Open	Questionnaire Code: QCode3 Mod No: 1 B Unauthorized Dopon	
Questionale Code: QC202(1021130735 i Mot he 1 Com Com Page: 1 of 59 (1-10 of 557 Item	Questionan Code Q220210721150718 I Mo No 1 € Unanhoted ♀ Opm 5) K < 1 2 3 4 5	Questionane Code i QC20210721190729 i Vote 1 iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Quodentario Code j			

For more information on fields, refer to the field description table below.

Table 145: View Borrowing Capacity – Field Description.

Field	Description
Questionnaire Code	Displays the questionnaire code.
Questionnaire Description	Displays the questionnaire description.
Product Processor Code	Displays the product processor code for which the questionnaire is created.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required questionnaire.

Figure 178 : View Questionnaire - Search Option

Questionnaire Code Questionnaire Description Authorization Status Record Status	
Y Y	

6. Click Search.



Field	Description
Questionnaire Code	Specify the questionnaire code.
Questionnaire Description	Specify the questionnaire description.
Authorization Status	Select the authorization status of the logical model. The options are:
	AuthorizedUnauthorized
Record Status	Select the record status of the logical model.
	The options are:
	• Open
	Close

 Table 146 : View Questionnaire -Search Option- Field Description

- 7. Click three-dots icon to unlock, delete, authorize or view the created questionnaire.
- 8. To authorise the questionnaire, see the Authorization Process.



9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Questionnaire Maintenance** screen. The following fields are editable during unlock.

- Questionnaire Description
- Category
- Add Question
- Remove Question
- Required (Enable/Disable)
- User can add new, update existing, or remove existing response
- Copy the existing question

Figure 179 : Questionnaire Maintenance - Modify

Questionnaire Maintenance			2	×
Basic Details				
Questionnaire Code * QuestLoan3iD Product Processor * OFLO	Ţ	Questionnaire Description * Questican310 desc Canagony		
040		Questican380 catagory.	Presiev	
e ²⁸ Test31 Test31 desc			· * =	
e ^{,2} Test32, Test32 desc			:* =	
Add Question				
Audit			Save Cance	el

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Questionnaire Code	Displays the questionnaire code.
Questionnaire Description	Displays the questionnaire description.
Description	User can modify the description.
Product Processor	Displays the product processor for the created questionnaire.
Category	Displays the category of the created questionnaire.
	User can modify the category.
Preview	Click to view the questions configured for the questionnaire along with the response choice.

Table 147: Questionnaire Maintenance – Modify – Field Description.

Г



Field	Description	
: •	Click to expand, copy or remove question.	
	Click to move the position of the questions.	
- e ⁸	Click to see the question details.	
The following fields are displayed once you click this icon.		
Question Code	Displays the question code for the created questionnaire.	
Question Description	Displays the question code for the created questionnaire.	
Description	User can modify the same.	
Select-Type	Displays the type of questionnaire.	
Short Name	Displays the short name of the created questionnaire.	
	User can modify the same	
Answer Code	Displays the answer code.	
Answer Option	Displays all the expected response for the question configured.	
	User can modify or delete the same.	
Required	Displays if the question is mandatory or optional.	
	User can modify the same.	

10. Click **Save** to update the modified fields.

11. Click **View** icon to view the created questionnaire.

The fields are displayed in **Questionnaire** Maintenance screen.

Figure 180 : Questionnaire Maintenance - View

Questionnaire Maintenance			25
Rasic Details			
Questionnaire Code *	Questionnaire Description *		
QN111	Questionnaire QN111		
Product Processor *	Category		
OFLO	Customer Details		
			Presient
			x
Question Code *	Question Description *	Solect Type	
Qcotton Loop	Guideline Description	Select light Select Bingle Choice	
Short Name *			
QC00T			
Antiwer Code	Answer Option		
3.			
1 Meter			
2 Non Mitto			
		Rec	equired * On
			Cit



Table 148 : Questionnaire Maintenance-	View – Field Description.
--	---------------------------

Field	Description
Basic Details	
Eligibility Code	Displays the eligibility code for the created questionnaire.
Eligibility Description	Displays the description for the created questionnaire.
Effective Date	Displays the effective date for the created questionnaire.
Expiry Date	Displays expiry date for the created questionnaire.
Product Processor	Displays product processor for the created questionnaire.
Execution Stage	Displays the execution stage for the created questionnaire.
Selection Criteria	
Rules	
Use Existing Rule	Displays if the existing rule is linked to questionnaire.
Rule Code	Displays the rule code of the created questionnaire.
Rule Name	Displays the rule name of the created questionnaire.
Create New Rule	Displays if new rule is linked to the questionnaire.
Rules	
Rule Code	Displays the rule code of the created questionnaire.
Description	Displays rule description of the created questionnaire.
Expression Builder	
Fact / Rules	Displays the fact/rules of the created questionnaire.
Operator	Displays the comparison operator of the created Questionnaire.
Data Type	Displays the data type for the fact or rule of the created Questionnaire.
Output	Displays the output of the created questionnaire.
Expression	Displays the expression updated in the expression builder of the crated questionnaire.
Eligibility	
Fact ID	Displays the fact ID of the created questionnaire.
Rule ID	Displays the rule ID of the created questionnaire.



Field	Description
6	Click this to get the information about the rule.

2.50 Qualitative Scoring Model

Financial institution use different models for different product or use case. The qualitative scoring model used for home loan would be different then the personal loan. Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This section contains the following subsections:

- 2.50.1 Create Qualitative Scoring Model
- 2.50.2 View Qualitative Scoring Model

2.50.1 Create Qualitative Scoring Model

The **Create Qualitative Scoring Model** screen allows user to define qualitative scoring model based on the various scoring parameters.

To create a qualitative scoring Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Qualitative Scoring Model.
- 3. Under Qualitative Scoring model, click Create Qualitative Scoring Model
 - → The Create Qualitative Scoring Model screen is displayed.

Figure 181 : Create Qualitative Scoring Model


eate Qualitative Scoring Model		
sic Details		
Scoring Model *		
Application Scoring Model 🔹 👻		
Jualitative Scoring Model Code *	Qualitative Scoring Model Description *	
DML02	DML02	
ffective Date *	Expiry Date *	
Oct 13, 2021 💼	Oct 28, 2021 🏥	
Product Processor *	Priority *	
OFLO .	1	
Selection Oriteria Scoring Rule Use Existing Rule Create New Rule		
Rules		
Rule Code *	Rule Name	
Select 💌		
		Save

4. Specify fields on Create Qualitative Scoring Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 149 : Create Qualitative Scoring Model - Field Description





Field	Description	
Basic Details		
Scoring Model	Select the scoring model from the drop-sown list.	
	The options are:	
	Application Scoring Model	
	Applicant Scoring Model	
Scoring Model code	Specify the unique scoring model code.	
Scoring Model Description	Specify a short description for the scoring model.	
Effective Date	Specify the effective date.	
Expiry Date	Specify the expiry date.	
Product Processor	Specify the product processor for which the model is being created.	
Priority	Specify the priority of the model.	

5. Click the **Selection Criteria** tab to define qualitative scoring model.

Figure 182 : Create Qualitative Scoring Model – Selection Criteria Tab

Create Qualitative Scoring Model					1
Basic Details					
Name Mark * Approximation with a second state * Caracteria Stormy Marked Care * Caracteria Stormy Marked Care * Caracteria Stormy Marked Care * Caracteria Caracteria * Caracteria Caracteria * Caracteria *			Aur hann Nach hann Habal I (malar 8		
Nee					
Rules					
Code * RL302	Description Rule Product code HMUN31 EmpCat 8		Select Bisting rule Q	Rule Version	Q
Expression Builder					
+ *	c *	*			

For more information on fields refer field description table.

Table 150 : Create Qualitative Scoring Model – Selection Criteria Tab Field Description

Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rules	



Field	Description	
Rule Code	Select the rule code from the drop down list.	
6	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code.	
Create New Rule	Select this option to create new rule.	
Rules		
Code	Specify the rule code.	
Description	Specify the rule description.	
Select Existing Rule	Select the existing rule from the drop-down list.	
9	Click to view the existing rule.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below fields appears	once you click con.	
Rule ID	Displays the rule ID.	
Rule Name	Displays the rule name.	
Description	Displays the rule description.	
Rule Version	Displays the rule version.	
0	Click to view the existing rule version.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below fields appears once you click icon.		
Version	Displays the rule version.	
Description	Displays the rule description.	
Creation Date	Displays the rule creation date.	
Expression Builder		
+ button	Click to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list.	
	Once you select the fact/rules one more field opens adjacent to tit, update the same based on the selected option.	



Field	Description		
Operator	Select the comparison operator from the drop-down list.		
	The options are:		
	• <		
	• >		
	• +		
	• =		
	• %		
	• !=		
	• -		
	• >=		
	• <=		
	• *		
	• /		
	Contains		
	• In		
	• Like		
	Matches		
	Notmatches		
	Notcontains		
	Notin		
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.		
	The options are:		
	• Text		
	Number		
	Boolean		
	Fact		
	The below option appears if the Data Type is selected as Boolean .		
	• True		
	• False		



Field	Description	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	• Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Expression	Displays the expression updated in the expression builder.	

7. Click the **Scoring Rule** tab to define the rules. This tab is enabled if **Application Scoring Model** is selected.

Create Qualitative Scoring Model		, ¹⁰ ×
Basic Details		
DMU02 Effective Date * Oct 13 2021 mm	Qualitative Scoring Model Description * OxL02 Exploy Date * Oct 32. ADV1 ff Priory * 1	
Selection Criteria Scoving Rule		
Score		
Bule Code * BRCAP10 *	Rule Name Borrowing Capacity	
		Save Cancel



Field	Description	
Score		
Rule Code	Select the rule code from the drop down list.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code.	

Table 151 : Create Qualitative Scoring Model- Scoring Rule Tab Field Description

8. Click the **Questionnaire** tab to define the scoring model based on the various questionnaires. This tab is enabled if **Applicant Scoring Model** is selected.

Figure 184 : Create Qualitative Scoring Model- Questionnaire Tab

eate Qualitative Scoring Model					
sic Details					
Scoring Model *					
Applicant Scoring Model					
Qualitative Scoring Model Code 🍍		Qualitative Scoring Mode	I Description *		
DML02		DML02			
Effective Date *		Expiry Date *			
Oct 13, 2021		Oct 28, 2021			
Product Processor *		Priority *			
OFLO *		1			
Selection Criteria Questionnaire					
Questionnaire Code *		Questionnaire Name			
QN111 . *		Questionnaire QN111			
Scoring Feature QN111					
Question Id	Question		Define Range/Value	Enable	
QC001	Location		Define		
QC002	Employment Type		Define		
QC003	Residence Type		Define		

For more information on fields, refer to the field description table below.

Table 152 : Create Qualitative Scoring Model – Questionnaire Tab - Field Description

Field	Description
Score	
Questionnaire Code	Select the questionnaire code from the drop-down list. It will list down all the questionnaire created as a part of create questionnaire.
Questionnaire Name	Displays the questionnaire name of the selected questionnaire code.
Question ID	Displays the question ID in the questionnaire.
Question	Displays the question description linked to the question ID.
Define Range/Value	Click to define the score for the expected response.
Enable	By default, this option is enabled. Indicates if the question ID is enabled or not.



9. Click the **Define** link to define a range or absolute values for questions.

Figure 185 : Create Qualitative Scoring Model - Define Link

eate Qualitative Scoring Model					2 ⁴
iffective Date *		Expiry Date *			
Aug 19, 2021 🇰		Aug 31, 2021	**		
Product Processor *		Priority *			
OFLO *		1			
lection Criteria Questionnaire					
Score					
Questionnaire Code *		Questionnaire Name			
QCode20210809160889 *		description#1628506826			
Scoring Feature QCode20210809160889	9				
Question Id	Question		Define Range/Value	Enable	
Q1#1628506826	description1		Define		
Q2#1628506826	description2		Define	Ō	
Range/Value Definition - Q1#162850682	26				
Value		Score		Category	
description01		10		Strong	*
description02		50		Medium	*
					Done

For more information on fields, refer to the field description table below.

Table 153: Create Qualitative Scoring Model- Define Link – Numeric Feature- Field
Description

Field	Description		
Range/Value Definition	on		
Value	Displays the options available for a questionnaire.		
Score	Specify the score to be assigned to each value.		
Category	Specify the category for each range or value from the drop- down list. The values are configurable based on the lookup values maintained.		
	The options are:		
	Strong		
	Medium		
	• Weak		

10. Click **Done**, to save the data and close the range panel.

11. Click **Save** to save the details.

The qualitative scoring model is successfully created and can be viewed using the **View Qualitative Scoring Model** screen.

2.50.2 View Qualitative Scoring Model

The **View Qualitative Scoring Model** screen allows user to view the qualitative scoring model created using the **Create Qualitative Scoring Model** screen. The status of the created model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.



To view created qualitative scoring Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Qualitative Scoring Model.
- 3. Under Qualitative Scoring Model, click View Qualitative Scoring Model

→ The View Qualitative Scoring Model screen is displayed.

Figure 186 : View Qualitative Scoring Model

View Qualitative Scoring Model							,,** ×
ч с +							■ =
Scaring Model Code: APCT302 Scaring Model Description: Product Processor Code: OFLO Authorized Code: OFLO Code: OFLO	Scoring Model Code: AppN2021100117 ¹ Scoring Model Description: Product Processor Code: ORD Authorized Processor Code: ORD	Scoring Model Code: APCT311 Scoring Model Description: Product Processor Code: ORIO Actionized Code ORIO	Scaring Model Code: APCN310 Scaring Model Description: Product Processor Code: OFLD B Authorized Code: OPLD	Scoring Model Cade: AppN2021100417 Scoring Model Description: Product Processor Code: OFIO Authorized Grow Open	Scoring Model Code: AppSM202110041 Scoring Model Description: Product Processor Code: ORIO Authorized Code: ORIO	Scaring Madel Code: APPLQAL502 Scaring Madel Description: Product Processor Code: OFLO Authorized Code: OFLO	
Scoring Model Code: : AppN2021100117 : Scoring Model Description Product Processor Code: OFL0 Authorized @ Open	Scoring Model Code: AppSM202110011 Scoring Model Description: Product Processor Code: OR.0 Authorized Processor Code: OR.0	Scoring Model Code: fsfg Scoring Model Description: Product Processor Code: ORLO Burnarthorized Orlo Open					
Page 1 of 3 (1 - 10 of 27 items)	К К 1 2 3 У И						

For more information on fields, refer to the field description table below.

Table 154: View Qualitative Scoring Model – Field Description.

Field	Description
Scoring Model Code	Displays the scoring model code.
Scoring Model Description	Displays the scoring model description.
Product Processor Code	Displays the product processor code.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required qualitative scoring model.

Figure 187 : View Qualitative Scoring Model - Search Option

ring Model Code	Scoring Model Description	Authorization Status	Record Status	
		· · · · · · · · · · · · · · · · · · ·	Ψ	

6. Click Search.

Field	Description
Scoring Model Code	Specify the scoring model code.
Scoring Model Description	Specify the scoring model description.
Authorization Status	Select the authorization status of the logical model. The options are: • Authorized • Unauthorized
Record Status	 Onautionized Select the record status of the logical model. The options are: Open Close

Table 155 : View Qualitative Scoring Model -Search Option- Field Description

- 7. Click three-dots icon to unlock, delete, authorize or view the created qualitative scoring model.
- 8. To authorize the qualitative scoring model, see the Authorization process.
- 9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Qualitative Scoring Model Maintenance** screen. The following fields are editable during unlock.

- Qualitative Scoring Model Description
- Effective Date before Authorization
- Expiry Date
- Priority
- Add new fact or rule to the selection criteria
- Enable, if you want to disable any question ID from the model
- Modify the score for existing response
- Define score or update score a range when new questions are added or modified in a questionnaire
- Scoring model before authorization






Figure 188 : Qualitative Scoring Model Maintenance - Modify

ualitative Scoring Model Maintenance				
asic Details				
Scorig Model * Applicant Scoring Model * Applicant Scoring Model Code * frig Effective Date * Oct 13: 2021 * Product Processor * OFLO * Sdection Chinela Questionmate		Qualitative Scoring Mode SVC Desc Capity Date * Croz 72, 2021 Promy * 99	Description *	
Use Existing Rule Create New Rule				
Rule Code * AAAASDD *			Rule Name Rule Desc	
New				
Rules				
Code *	Description Rule Desc			

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Scoring Model	Displays the scoring model for the created qualitative scoring model.
Qualitative Scoring Model Code	Displays the qualitative scoring model code for the created qualitative scoring model.
Qualitative Scoring Model Description	Displays the qualitative scoring model description for the created qualitative scoring model.
-	User can modify the same.
Effective Date	Displays the effective date of the created qualitative scoring model.
	User can modify the same before authorization.
Expiry Date	Displays the expiry date of the created qualitative scoring model.
	User can modify the same.
Product Processor	Displays the product processor for the created qualitative scoring model.
Priority	Displays the priority of the created qualitative scoring model.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rule	User can modify the same.
Rules	

 Table 156: Qualitative Scoring Model Maintenance – Modify – Field Description.



Field	Description
Rule Code	Displays the rule code for the created qualitative scoring model.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created qualitative scoring model.
Rules	
Code	Displays the rule code.
Description	Displays the rule description.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builde	r
+ button	Click to add new expression.
Fact / Rules	Displays the fact or rule for the created qualitative scoring model.
Operator	Displays the comparison operator for the created qualitative scoring model.
Data Type	Displays the data type for the fact or rule for the created qualitative scoring model.
Output	Displays the output for the created qualitative scoring model.
Expression	Displays the expression updated in the expression builder.
Scoring Rule	
Applicable for the A	pplication scoring Model.
Score	
Rule Code	Displays the rule code for the created qualitative scoring model.
	User can modify the same.
Rule Name	Displays the rule name for the created qualitative scoring model.
Questionnaire	
Applicable for Appli	cant Scoring Model.
Score	



Field	Description
Questionnaire Code	Displays the questionnaire code for the created qualitative scoring model.
	User can modify the same.
Questionnaire Name	Displays the questionnaire name for the created qualitative scoring model.
Question ID	Displays the question ID for the created qualitative scoring model.
Question	Displays the question for the created qualitative scoring model.
Define Benge (/elue	Displays the defined range or value.
Range/Value	User can modify the same.
Value	Displays the defined value for the created qualitative scoring model.
Score	Displays the score for the created qualitative scoring model.
	User can modify the same.
Category	Displays the category for the created qualitative scoring model.
	User can modify the same.
Enable	Displays if the question ID is enabled or not.

10. Click **Save** to update the modified fields.

11. Click View icon to view the created qualitative scoring model.

The fields are displayed in **Qualitative Scoring Model Maintenance** screen.

Figure 189 : Qualitative Scoring Model Maintenance - View

Qualitative Scoring Model Maintenance		,," ×
Basic Details		
Scoring Model * Applicant Scoring Model Qualitative Scoring Model Could be * APCT302 Effective Date * Sep 30, 2020 Product Processor * OFLO	Qualitative Scoring Model Description * Qualitative scoring model APCT302 Expliny Date * Sep 30, 2021 Priority * 22	
Selection Criteria Questionnaire Uts Elisting Rule Create New Rule		
Rules Rule Code * RL302	Rule Name Rule Product code HMUN31 EmpCat B	
New		

For more information on fields, refer to the field description table below.

Table 157 : Qualitative Scoring Model Maintenance- View – Field Description.



Field	Description
Basic Details	
Scoring Model	Displays the scoring model for the created qualitative scoring model.
Qualitative Scoring Model Code	Displays the qualitative scoring model code for the created qualitative scoring model.
Qualitative Scoring Model Description	Displays the qualitative scoring model description for the created qualitative scoring model.
Effective Date	Displays the effective date of the created qualitative scoring model.
Expiry Date	Displays the expiry date of the created qualitative scoring model.
Product Processor	Displays the product processor for the created qualitative scoring model.
Priority	Displays the priority of the created qualitative scoring model.
Selection Criteria	
Rules	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code for the created qualitative scoring model.
6	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created qualitative scoring model.
Create New Rule	Indicates if the new rule is created.
Rules	
Rule Code	Displays the rule code of the created qualitative scoring model.
Description	Displays the rule description of the created qualitative scoring model.
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click this icon to add new expression.
Fact / Rules	Displays the fact/rules of the created qualitative scoring model.
Operator	Displays the comparison operator of the created qualitative scoring model.



Field	Description		
Data Type	Displays the data type for the fact or rule of the created qualitative scoring model.		
Output	Displays the output of the created qualitative scoring model.		
Expression	Displays the expression updated in the expression builder of the crated qualitative scoring model.		
Scoring Rule			
Applicable for the App	lication scoring Model.		
Score			
Rule Code	Displays the rule code for the created qualitative scoring model.		
Rule Name	Displays the rule name for the created qualitative scoring model.		
Questionnaire			
Applicable for Applicant Scoring Model.			
Score			
Questionnaire Code	Displays the questionnaire code for the created qualitative scoring model.		
Questionnaire Name	Displays the questionnaire name for the created qualitative scoring model.		
Question ID	Displays the question ID for the created qualitative scoring model.		
Question	Displays the question for the created qualitative scoring model.		
Define Range/Value	Displays the defined range or value.		
Value	Displays the defined value for the created qualitative scoring model.		
Score	Displays the score for the created qualitative scoring model.		
Category	Displays the category for the created qualitative scoring model.		
Enable	Displays if the question ID is enabled or not.		



2.51 Scoring Feature

Lending institution have complex credit scoring models. The model uses the information contained in an application such as salary, credit commitments, and past loan performances to determine a credit score of an application or an existing customer. The model generates a score and based on that score, system takes the decision like approve, referred or to reject the application. To achieve these, in the decision service, you need to define maintenances of scoring feature. A feature can be either fact based or rule based. The features created in this maintenance can be linked in quantitative score model and decision grade matrix screen.

This section contains the following subsections:

- 2.51.1 Create Scoring Feature
- 2.51.2 View Scoring Feature

2.51.1 Create Scoring Feature

The **Create Scoring Feature** screen allows user to define scoring feature for determining the credit score. This score applies to applications during origination and based on the information received from the product processor.

To create a Scoring Feature:

- 1. From Home screen, click Core Maintenance, Under Core Maintenance, click SCredit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance click, Scoring Feature.
- 3. Under Scoring Feature, click Create Scoring Feature.
 - → The Create Scoring Feature screen is displayed.

Figure 190 : Create Scoring Feature

Create Scoring Feature		*
Basic Details		
Feature Code *	Feature Description *	Product Processor * Select *
Rule Yes 📵 No	Fact Code * Select *	Fact Name
		Save Cance

4. Specify the fields on Create Scoring Feature screen.

The fields, which are marked with asterisk, are mandatory.

Field	Description	
Basic Details		
Feature Code	Specify the unique feature code.	
Feature Description	Specify a short description for the feature.	
Product Processor	Specify the product processor for which the feature is being created.	
Rule	Select the rule, if it is required to define the feature.	
	This option is used to decide whether the feature is rule based or fact based.	
	The options are:	
	• Yes	
	• No	
Fact Code	Select the fact code to be mapped to the feature from the drop-down list.	
	This field is enabled if the Rule is selected as No.	
Fact Name	Displays the fact name for the selected fact.	
	This field is enabled if the Rule is selected as No .	
Rule Code	Select the rule code to be mapped to the feature from the drop-down list.	
	This field is enabled, if the Rule is selected as Yes .	
0	Click this icon to get the information about the rule.	
Rule Name	Displays the rule name for the selected rule.	
	This field is enabled if the Rule is selected as Yes .	

Table 158 : Create Scoring Feature - Field Description

- 5. Click **Save** to save the details.
- 6. The scoring feature is successfully created and can be viewed using the **View Scoring Feature** screen.



2.51.2 View Scoring Feature

The View Scoring Feature screen allows user to view the scoring feature created using the Create Scoring Feature screen. The status of the uploaded feature is displayed as Unauthorized and Open. Once the checker authorizes the model, the status is updated to Authorized and Open.

To view an uploaded scoring feature:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance click, Scoring Feature.
- 3. Under Scoring Feature, click View Scoring Feature.

→ The View Scoring Feature screen is displayed.

Figure 191 : View Scoring Feature

View Scoring Feature		,, ¹⁰ ×
ч с +		. =
Feature Code:	Feature Code:	
Product Processor Code:	Product Processor Code:	
Page 1 of 27 (1 - 10 of 267 iter	ms) K < 1 2 3 4 5 27 > X	

For more information in fields, refer to the field description table below.

Table 159 : View Sco	oring Feature -	 Field Description 	n
----------------------	-----------------	---------------------------------------	---

Field	Description	
Feature Code	Displays the feature code.	
Feature Description	Displays the feature description.	
Product Processor	Displays the product processor.	
Status	Displays the status of the record.	

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required scoring feature.

Figure 192 : View Scoring Feature - Search Option

View Scoring Feature				, e
Feature Code	Feature Description	Authorization Status	Record Status	
Search Reset				



6. Click Search.

For more information on fields, refer to the field description table below.

Table 160 : View Scoring Feature- Search Option- Field Description

Field	Description
Feature Code	Displays the feature code.
Feature Description	Displays the feature description.
Authorization Status	Select the authorization status of the feature. The options are: • Authorized
	Unauthorized
Record Status	Select the record status of the feature. The options are: • Open
	Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created scoring feature.
- 8. To authorise the feature, see the Error! Reference source not found..
- 9. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Scoring Feature Maintenance** screen. The following fields are editable.

- Feature Description
- Modification of rule linkage
- Modification of fact mapped to the feature in case no rule is linked to the feature.

Figure 193 : Scoring Feature Maintenance - Modify

coring Feature Maintenance		
asic Details		
Feature Code * TEST20211004171092 Rule * Yes O No	Feature Description ** Scoring Feature Rule for Testing Rule Code * Select * 1	Product Processor ** OFLO ** Rule Name Netlincome
Audit		Save Ca



Field	Description
Basic Details	
Feature Code	Displays the feature code.
Feature	Displays the feature description.
Description	User can modify the same.
Product Processor	Displays the product processor for the created scoring feature.
Rule	Displays the rule defined to the feature.
	User can modify the same.
Rule Code	Displays the rule code of the feature.
	User can modify the same.
	This field is displayed, if the Rule is selected as Yes .
6	Click to get the information about the rule.
Rule Name	Displays the rule name of the feature.
	This field is displayed, if the Rule is selected as Yes .
Fact Code	Displays the fact code of the feature.
	User can modify the same.
	This field is displayed, if the Rule is selected as No .
Fact Name	Displays the fact name of the feature.
	This field is displayed if the Rule is selected as No .

Table 161 : Scoring Feature Maintenance – Modify - Field Description

2.52 Quantitative Scoring Model

Quantitative analysis involves, an assessment of the financial position based on the customer's income and monthly expenses. It may also include a cash flow analysis of the customer's accounts and credit history.

Banks usually grant loan based on a credit scoring model that combines quantitative and qualitative analysis.

This section contains the following subsections:

- 2.52.1 Create Quantitative Scoring Model
- 2.52.2 View Quantitative Scoring Model



2.52.1 Create Quantitative Scoring Model

The **Create Quantitative Scoring Model** screen allows user to define quantitative scoring model based on the various scoring parameters. The parameters driving the scoring models are configurable. You can create quantitative scoring model by updating various details.

To create a Quantitative Scoring Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Quantitative Scoring Model.
- 3. Under Quantitative Scoring Model, click Create Quantitative Scoring Model.

 \rightarrow The Create Quantitative Scoring Model screen is displayed.

Figure 194 : Create Quantitative Scoring Model

Create Quantitative Scor	ring Model		×*
Basic Details			
Scoring Model			
Select	*		
Scoring Model Code *		Scoring Model Description *	
Effective Date *		Expiry Date *	
Los mode as	m		
Product Processor *		Priority *	
Select	*		
			Save Can

4. Specify the fields on Create Quantitative Scoring Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 162 : Create Quantitative Scoring Model - Field Description

Field	Description		
Basic Details			
Scoring Model	Select the scoring model from the drop-down list.		
	The options are:		
	Application Scoring Model		
	Applicant Scoring Model		
	Multi-Applicant Scoring Model		

Field	Description
Scoring Model code	Specify the unique scoring model code.
Scoring Model Description	Specify a short description for the scoring model.
Effective Date	Specify the effective date.
Expiry Date	Specify the expiry date.
Product Processor	Specify the product processor for which the model is being created.
Priority	Specify the priority of the model.

5. Click the Selection Criteria tab to define scoring model.

Figure 195 : Create Quantitative Scoring Model – Selection Criteria Tab

set set set set set set set set set set set
<pre>state Stars S</pre>
are long that lengths'
y land (and per year) y set (and per year)
Note: Note: Stream Stream
Notation Proprime 0.200 Image from *
10.200 10 2.202 Checker* Not * 1 1
Press and Olive
Image: Control Section of the Sect
Storage Mar Storage Mar Storage Mar Storage Mar Storage Mar Rules Cone ⁺ Rules Cone ⁺ Rules Rules Rules Rules
todrig for a Create Ande Ande Aufest Create Create Ande Aufe State Create Ande Presuit Create Presuit Cr
todrig for a Create Ande Ande Aufest Create Create Ande Aufe State Create Ande Presuit Create Presuit Cr
todrig for a Create Ande Ande Aufest Create Create Ande Aufe State Create Ande Presuit Create Presuit Cr
ek Rele
Net Rules Russian Decorption Seed Seting rule Russian O Russian Preduct Coler Russian O Russian O Russia Russian O Russian O R
Net Rules Russian Decorption Seed Seting rule Russian O Russian Preduct Coler Russian O Russian O Russia Russian O Russian O R
Rules Cote * Decription Sect Existing rule Rule Version Rubos Preduct Cole Rubos Q 28 29
Rules Cote * Decription Sect Existing rule Rule Version Rubos Preduct Cole Rubos Q 28 29
Code Description Seed bisting rule Rule Nector R_200 Product Code R_200 Q 28
Code Description Seed bisting rule Rule Nector R_200 Product Code R_200 Q 28
R203 Posted Cole R202 Q. 25
RLSG Posted Coler RLSG Q, as
Expression Builder
Expression Builder
Expression Builder
+ Add Equivalent
•
· · · · · · · · · · · · · · · · · · ·
1 0 Patts v Poducticate • 120. v - 120. v - 140.00 v
Image: A second seco
Potnet

For more information on fields, refer to the field description table below. Table 163 : Create Quantitative Scoring Model – Selection Criteria Tab - Field Description

Field	Description
Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rules	
Rule Code	Select the rule code from the drop down list.
6	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code.
Create New Rule	Select this option to create new rule.
Rules	
Code	Specify the new rule code.
2018, 2022	248 ORAC

Field	Description		
Description	Specify the rule description.		
Select Existing Rule	Select the existing rule from the drop down list.		
0	Click to view the existing rule.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below field appears once you click icon.			
Rule ID	Displays the rule ID.		
Rule Name	Displays the rule name.		
Description	Displays the rule description.		
Rule Version	Displays the rule version		
0	Click to view the existing rule version.		
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.		
Below fields appears once you click icon.			
Version	Displays the rule version.		
Description	Displays the rule description.		
Creation Date	Displays the rule creation date.		
Expression Builder			
+ button	Click to add new expression.		
Fact / Rules	Select the fact or rule from the drop-down list.		
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.		



Field	Description		
Operator	Select the comparison operator from the drop-down list.		
	The options are:		
	• <		
	• >		
	• +		
	• =		
	• %		
	• !=		
	• -		
	• >=		
	• <=		
	•		
	 / Contains 		
	• In		
	• Like		
	Matches		
	Notmatches		
	Notcontains		
	Notin		
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.		
	The options are:		
	• Text		
	Number		
	• Boolean		
	• Fact		
	The below option appears if the Data Type is selected as Boolean .		
	• True		
	False		



Field	Description	
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.	
	The options are:	
	• Text	
	Number	
	• Boolean	
	Date	
	Fact	
	The below option appears if the Data Type is selected as Boolean .	
	• True	
	False	
Expression	Displays the expression updated in the expression builder.	

6. Click the **Scoring Rule** tab to define the rule. This tab is enabled if **Application Scoring Model** is selected.

Figure 196 : Create Quantitative Scoring Model – Scoring Rule Tab

Create Quantitative Scoring Model		s" ×
Basic Details		
Scoring Model * Application Scoring Model * Scoring Model Code * DML02 Effective Date * Aug 4.2021 Product Processor CHD.0 *	Scoring Model Description * Scoring Model Expiry Data * Aug 21, 2021 Priority * 1	
Selection Criteria Severing Bule Score Fulle Code * MuR3 v 0	Rule Name MAA1	
		Same Canad

For more information on fields, refer to the field description table below.

Table 164 : Create Quantitative Scoring Model – Scoring Rule Tab - Field Description

Field	Description			
Score				
Rule Code	Select the rule code from the drop down list.			



Field	Description
0	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code.

7. Click the **Feature** tab to define the feature. This tab is enabled if **Applicant Scoring Model** and **Multiple Applicant Scoring Model** is selected.

Figure 197 : Create Quantitative Scoring Model – Feature Tab

Create Quantitative Scoring Model					,× >
Basic Details					
Scoring Model *					
Applicant Scoring Model					
Scoring Model Code *		Scoring Model Description *			
DML02		Scoring Model			
Effective Date		Expiry Date *			
Aug 4, 2021		Aug 21, 2021			
Product Processor *		Priority *			
OFLO *		4			
Selection Criteria Feature					
Scoring Feature					
•					
Feature	Weightage (%)	Range Type	Define Range/Value	Enable	
Age Description	* 40	Max Value %	* Define		
Range/Value Definition - Age Description					×
Note How decimal number is considered while de	efining a Range? For Example. If range is from 0 - 200 in 1st rov	w and 200 - 500 in 2nd row then that means in the 2nd row it will	start from greater than (>) 200.		
Range Type		Max Value	*		
Max Value %					

Field	Description					
Scoring Feature						
+ button	Click to add a new row.					
- button	Click to delete an existing row.					
Feature	Select the feature from the drop-down list.					
Weightage (%)	Specify the weightage to be assigned to each feature code.					
Range Type	Select the range type from the drop down list.					
	The options are:					
	Max Value					
	Param Percent%					
	• Value					
	For Applicant Scoring Model this field is editable.					
Define Range/Value	Click to define the feature.					

Table 165 : Create Quantitative	Scoring Model – Featu	re Tab - Field Description
Table Tee Tereate qualititative	eeenig measure reals	

Field	Description
Enable	By default, this option is enabled. Indicates if the scoring parameter is enabled or not.

8. Click the **Define** link to define a range or absolute values for each scoring feature to be considered for scoring model and score for that range or value. In case the data type of feature is numeric such as Bureau score the below screen appears.

Figure 198 : Create Quantitative Scoring Model – Define Link – Numeric Feature

reate Quantitative Scoring Model							,*
Effective Date *			Expiry Date *				
Aug 18, 2021			Aug 26. 2021	曲			
Product Processor *			Priority *				
OFLO *			1				
Selection Criteria Feature							
Scoring Feature							
Peature		Weightage (%)	Range Type		Define Range/Value	Enable	
Age Description	τ.	50	Max Value %	*	Define		
Range/Value Definition - Age Description							x
Note How decimal number is considered while defining	n a Ranna? For Evam	nle: If ranne is from 0 , 200 in 1 et row and	200 - 500 in 2nd row then that means in the	2nd row it will start from onester th	aan (5) 200		
Range Type	A sussifiant of second	pres in range to month.	200-200 11 210 101 0	Max Value *	m (-) 200		
Max Value %				men rene			
Range From		Range To		Percentage		Category	
No data to display.							
							Done

For more information on fields, refer to the field description table below.

Table 166: Create Quantitative Scoring Model – Define Link – Numeric Feature- Field Description

Field	Description
Range/Value Definition	
Range Type	Displays the range type selected.
Max Value	Specify the maximum value on which scoring has to be done, if range type ID is Max Value % or Param %.
+ button	Click to add a new row.
- button	Click to delete an existing row.
Range From	Specify the minimum range of value based on which scoring is to be done.
Range To	Specify the maximum range of value based on which scoring is to be done.
Score/Percentage	Specify the percentage to be assigned for each range or value, if range type is Max value % or Param %.
	Specify the score to be assigned for each range or value, if range type is Value.



Field	Description				
Category	Specify the category for each range or value from the drop- down list. The values are configurable based on the lookup values maintained.				
	he options are:				
	Strong				
	Medium				
	• Weak				

9. In case the data type of feature is alphanumeric such as Employment Category the below screen appears.

Figure 199: Create Quantitative Scoring Model- Define Link –Alphanumeric Feature

Create Quantitative Scoring Model								2
Scoring Model Code *			Scoring Model Descripti	on *				
DML02			Scoring Model					
Effective Date *			Expiry Date					
Aug 18, 2021			Aug 26, 2021	曲				
Product Processor *			Priority *					
OFLO *			1					
Selection Criteria Feature								
Scoring Feature								
					and the second second	2	and a	
Feature	Weightage (%)		Range Type		Define Range/V	alue	Enable	
Employer Category Desc	50		Max Value %		* Define			
Range/Value Definition - Employer Category Desc								x
Range Type				Max Value *				
Max Value %				50				
Value		Score				Category		
50		50				Strong		•
								Done
								Save Cancel



 Table 167: Create Quantitative Scoring Model – Define Link – Alphanumeric Feature - Field

 Description

Field	Description				
Range/Value Definition					
Range Type	Displays the range type selected. The default value for the same is Value .				
Max Value	Specify the maximum value for the range type.				
+ button	Click to add a new row.				
- button	Click to delete an existing row.				
Value	Specify the value of the feature.				
Score	Specify the score assigned for each range value.				
Category	Specify the category for each range or value from the drop- down list.				
	The options are:				
	Strong				
	Medium				
	• Weak				

10. Click **Done**, to save the data and close the range panel.

11. Click Save to save the details.

The quantitative scoring model is successfully created and can be viewed using the **View Quantitative Scoring Model** screen.



2.52.2 View Quantitative Scoring Model

The View Quantitative Scoring Model screen allows the user to view the quantitative scoring Model created using the **Create Quantitative Scoring Model** screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the model, the status is updated to **Authorized** and **Open**.

To view created quantitative scoring model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance, click Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance click, Quantitative Scoring Model.
- 3. Under Quantitative Scoring Model, click View Quantitative Scoring Model.

→ The View Quantitative Scoring Model screen is displayed.

Figure 200 : View Quantitative Scoring Model

View Quantitative Scoring Model							,* ×
ч с +							
Scaring Model Code: AppN20210707090784 Scaring Model Description: Product Processor Code: OFLO Anthonized Code: OFLO Code	Scoring Model Code: AppN20210712110747 : Scoring Model Description: Product Processor Code: OFLO Bunsuthorized a Open	Scoring Model Code: AppN20210712110772 Scoring Model Description: Product Processor Code: OR:0 Code: Drawthorized Drawn	Scening Model Code: : AppN20210712110716 : Scening Model Description: Product Processor Code: OFLO Communication Code: OFLO	Scaring Model Code: AppN20210712110765 Scaring Model Description: Product Processor Code: OFLO By Unsuthorized Processor Code: OFLO	Scoring Model Code: AppN20210715160754 Scoring Model Description: Product Processor Code: ORD Asthorized Code: Open	Scaring Model Code: AppN20210715160747 : Scaring Model Description: Product Processor Code: CFLO Code: Code: CFLO Code: Code: CFLO	
Soning Model Carlos App PA2201075160731 Soning Model Reversions Product Preasaw Carlo Otto By Linusthweat Page 1 of 36 (1 - 10 of 358 loam	Scoring Model Code: AppN20210715180728 Scoring Model Description: Product Processor Code: GHD B Unsuttarized Child	Scoring Model Code: AppN20210719100730 Scoring Model Description: Product Processor Code: ORD B Unauthorized G Open					

For more information on fields, refer to the field description table below.

Table 168 : View Quantitative Scoring Model- Field Description

Field	Description
Scoring Model Code	Displays the scoring model code.
Scoring Model Description	Displays the scoring model description.
Product Processor Code	Displays the product processor code.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required quantitative scoring model.

Figure 201 : View Quantitative Scoring Model- Search Option



View Quantitative Scoring Model				μ×.
Scoring Model Code	Scoring Model Description	Authorization Status	Record Status	

6. Click Search.

For more information on fields, refer to the field description table below.

Table 169 : View Quantitative Scoring Model- Search Option- Field Description

Field	Description
Scoring Model Code	Specify the scoring model code.
Scoring Model Description	Specify the scoring model description.
Authorization Status	Select the authorization status of the model. The options are: • Authorized • Unauthorized
Record Status	Select the record status of the model. The options are: • Open • Close

7. Click three-dots icon to unlock, delete, authorize or view the created quantitative scoring model.

- 8. To authorize the quantitative scoring model, see the Error! Reference source not found..
- 9. Click **Unlock** icon to modify the following fields. The fields are displayed in the **Quantitative Scoring Model Maintenance** screen. The following fields are editable.
 - Scoring Model Description
 - Effective date, before authorization
 - Expiry Date
 - Priority
 - Add/Delete new scoring feature to the quantitative scoring model
 - Change the weightage of the scoring feature code
 - Range Type
 - Facts and Rules in Selection Criteria
 - Range/Value
 - Score
 - Category
 - Enable if you want to remove any scoring feature from the model instead of removing, you can disable the feature. Thus, the weightage assigned to that particular feature is auto removed and is shown as blank.



Figure 202 : Quantitative Scoring Model Maintenance - Modify

Quantitative Scoring Model Maintenance			2
Basic Details			
Scoring Model			
Applicant Scoring Model			
Scoring Model Code *		Scoring Model Description *	
REJECT		REJECT	
Effective Date *		Expiry Date *	
Sep 30, 2020		Oct 31, 2022	
Product Processor *		Priority *	
OFLO *		1	
Use Existing Rule Create New Rule			
Rules			
Rule Code *		Rule Name	
REJECT 🔻 0		REJECT	
New			
Rules			
	Description		

For more information on fields, refer to the field description table below.

Field	Description
Basic Details	
Application Scoring Model	Displays the application scoring model.
Scoring Model Code	Displays the scoring model code for the created quantitative scoring model.
Scoring Model Description	Displays the scoring model description for the created quantitative scoring model.
	User can modify the same
Effective Date	Displays the effective date for the created quantitative scoring model.
	User can modify the same before authorization.
Expiry Date	Displays the expiry date of the created quantitative scoring model.
	User can modify the same.
Product Processor	Displays the product processor for the created quantitative scoring model.
Priority	Displays the priority of the created quantitative scoring model.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
	User can modify the same

Table 170 : Quantitative Scoring Model Maintenance – Modify - Field Description

Field	Description	
Rules		
Rule Code	Displays the rule code for the created quantitative scoring model.	
	User can modify the same.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.	
Create New Rule	Displays the rule code for the created quantitative scoring model.	
	User can modify the same.	
Rules		
Code	Specify the new rule code for quantitative scoring model.	
Description	Specify the rule description for the quantitative scoring model.	
Select existing Rule	Displays the existing rule.	
Rule Version	Displays the rule version.	
Expression Builder		
+ button	Click to add new expression.	
Fact / Rules	Displays the fact or rule for the created quantitative scoring model.	
Operator	Displays the comparison operator for the created quantitative scoring model.	
Data Type	Displays the data type for the fact or rule for the created quantitative scoring model.	
Output	Displays the output for the created quantitative scoring model.	
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.	
Feature		
This tab is enabled for	the Applicant Scoring Model.	
Scoring Feature		
+ button	Click to add new row.	
- icon	Click to delete an existing row.	
Feature	Displays the feature for the created quantitative scoring model.	



Field	Description	
Weightage (%)	Displays the weightage assigned to each feature for the created quantitative scoring model.	
	User can modify the same.	
Range Type	Displays the range type for the created quantitative scoring model.	
	The options are:	
	Max Value	
	Param Percent%	
	Value	
Define Range/Value	Displays the range/value defined for the created quantitative scoring model.	
Range From	Displays the minimum range of value based on which scoring is done.	
	User can modify the same.	
Range To	Displays the maximum range of value based on which scoring is done.	
	User can modify the same.	
Score	Displays the score assigned for each range or value.	
	User can modify the same.	
Category	Displays the category for each range or value for the created quantitative scoring model.	
	The options are:	
	Strong	
	Medium	
	• Weak	
	User can modify the same.	
Enable	Displays the parameter for the created quantitative scoring model.	
	User can modify the same.	
Scoring Rule		
This tab is enabled for	the Application Scoring Model.	
Score		
Rule Code	Displays the rule code for the created quantitative scoring model.	



Field	Description
6	Click to get the information about the rule.
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.

- 10. Click **Save**, to update the modified fields.
- 11. Click **View** icon to view the created quantitative scoring model.

The fields are displayed in Quantitative Scoring Model Maintenance screen

Figure 203 : Quantitative Scoring Model Maintenance – View

Quantitative Scoring Model Maintenance			×* ×
Basic Details			
Scoring Model * Applicant Scoring Model Scoring Model Code * REFECT Effective Data * Sep 30.2020 Product Processor * OFLO		Scoring Model Description * REJECT Expiry Dats * Oct 31: 2022 Priority * 1	
Selection Criteria Feature Use Existing Rule Crisate New Rule			
Rules Rule Code * REISCT 0		Rule Name REJECT	
New			
Code * REJECT	Description REJECT	Select Existing rule Q	Rule Version

Field	Description
Basic Details	
Scoring Model	Displays the scoring Model for the created quantitative scoring model.
Scoring Model Code	Displays the scoring model code for the created quantitative scoring model.
Scoring Model Description	Displays the scoring model description for the created quantitative scoring model.
Effective Date	Displays the effective date for the created quantitative scoring model.
Expiry Date	Displays the expiry date of the created quantitative scoring model.
Product Processor	Displays the product processor for the created quantitative scoring model.
Priority	Displays the priority of the created quantitative scoring model.



Field	Description	
Selection Criteria		
Use Existing Rule	Indicates if the existing rule is linked.	
Rules		
Rule Code	Displays the rule code for the created quantitative scoring model.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.	
Create New Rule	Displays the rule code for the created quantitative scoring model.	
Rules		
Code	Specify the new rule code for quantitative scoring model.	
Description	Specify the rule description for the quantitative scoring model.	
Select Existing Rule	Displays the existing rule.	
Rule Version	Displays the rule version.	
Expression Builder		
+ button	Click to add new expression.	
Fact / Rules	Displays the fact or rule for the created quantitative scoring model.	
Operator	Displays the comparison operator for the created quantitative scoring model.	
Data Type	Displays the data type for the fact or rule for the created quantitative scoring model.	
Output	Displays the output for the created quantitative scoring model.	
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.	
Feature		
This tab is enabled for	the Applicant Scoring Model.	
Scoring Feature		
+ button	Click to add new row.	
- button	Click to delete an existing row.	
Feature	Displays the feature for the created quantitative scoring model.	



Field	Description	
Weightage (%)	Displays the weightage assigned to each feature for the created quantitative scoring model.	
Range Type	Displays the range type for the created quantitative scoring model.	
	The options are:	
	Max Value	
	Param Percent%	
	Value	
Define Range/Value	Displays the range/value defined for the created quantitative scoring model.	
Range From	Displays the minimum range of value based on which scoring is done.	
Range To	Displays the maximum range of value based on which scoring is done.	
Score	Displays the score assigned for each range or value.	
Category	Displays the category for each range or value for the created quantitative scoring model.	
	The options are:	
	Strong	
	Medium	
	• Weak	
Enable	Displays the parameter for the created quantitative scoring model.	
Scoring Rule		
This tab is enabled for	the Application Scoring Model.	
Score		
Rule Code	Displays the rule code for the created quantitative scoring model.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name of the rule code for the created quantitative scoring model.	



2.53 Decision Grade Matrix

The **Decision Grade Matrix** screen allows the user to define the decision and grade based on the score calculated by the scoring model.

This section contains following subsections:

- 2.53.1 Create Decision Grade Matrix
- 2.53.2 View Decision Grade Matrix

2.53.1 Create Decision Grade Matrix

The **Create Decision Grade Matrix** screen allows user to create decision and grade matrix by updating various details.

To create decision and grade matrix:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Maintenance. Under Maintenance, click Decision Grade Matrix.
- 3. Under Decision Grade Matrix, click Create Decision Grade Matrix.

→ The Create Decision Grade Matrix screen is displayed.

Figure 204 : Create Decision Grade Matrix

Create Decision Grade Matrix		* ×
Basic Details		
Model Code * Effective Date * Min Product Processor *	Model Description * Expiry Date * Priority *	
Extension Crimits Decision Matrix Oracle Matrix In Une Sciencing Rule Crease New Rule Rules Rule Code *	Rule Name	
24kr V		
		Save Cancel

4. Specify the fields on Create Decision Grade Matrix screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 172: Create Decision and Grade Matrix - Field Description

Field Description	
Basic Details	
Model code	Specify the unique model code.



Field	Description
Model Description	Specify a short description for the model.
Effective Date	Select the effective date.
Expiry Date	Select the expiry date.
Product Processor	Specify the product processor for which the decision and grade matrix is being created.
Priority	Specify the priority of the model.

5. Click the **Selection Criteria** tab to configure the parameters based on which decision model is to be resolved.

Figure 205 : Create Decision Grade Matrix – Selection Criteria Tab

Create Decision Grade Ma	rix					p" ×
Basic Details						
Model Code * DML01 Effective Date * Aug 16. 2021 Product Processor * OFLO	前		Model Description * DML01 Expiry Date * Aug 28, 2021 Priority * 1	*		
Use Existing Rule	on Matrix Grade Matrix					
Rules Rule Code * MLA3	· • 0			Rule Name MLA1		
New						
Rules						
Code * MLA3		Description MLA1				
Expression Bu + Add Expression						

For more information on fields, refer to the field description table below.

Table 173 : Decision and Grade Matrix - Selection Criteria Field Description

Field	Description	
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.	
Rules		
Rule Code	Select the rule code from the drop-down list.	
0	Click to get the information about the rule.	
Rule Name	Displays the rule name.	
Create New Rule	Select this option to create new rule.	
Rules		
Code	Specify the new rule code.	

Field	Description			
Description	Specify the rule description.			
Select Existing Rule	Select the existing rule from the drop-down list.			
0	Click to view the existing rule.			
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.			
Below field appears once ye	ou click icon.			
Rule ID	Displays the rule ID.			
Rule Name	Displays the rule name.			
Description	Displays the rule description.			
Rule Version	Displays the rule version.			
0	Click icon to view the list of rule versions.			
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.			
Below field appears once ye	ou click icon.			
Version	Displays the rule version.			
Description	Displays the rule description.			
Creation Date	Displays the rule creation date.			
Expression Builder	Expression Builder			
+ button	Click to add new expression.			
Fact / Rules	Select the fact or rule from the drop-down list.			
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.			



Field	Description
Operator	Select the comparison operator from the drop-down list.
	The options are:
	• <
	• >
	• +
	• =
	• %
	• !=
	• -
	• >=
	• <=
	• *
	• /
	Contains
	InLike
	Like Matches
	Notmatches
	Notcontains
	Notin
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.
	The options are:
	• Text
	Number
	• Boolean
	• Date
	• Fact
	The below option appears if the Data Type is selected as Boolean .
	• True
	• False



Field	Description
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent to it, update the same based on the selected option.
	The options are:
	• Text
	Number
	Boolean
	Date
	Fact
	The below option appears if the Data Type is selected as Boolean .
	• True
	False
Expression	Displays the expression updated in the expression builder.

6. Click the **Decision Matrix** tab to define decision on the application. You can select the feature for which the decision needs to be maintained like Quantitative/Qualitative.

Figure 206 : Create Decision Grade Matrix- Decision Matrix Tab

		(DEFAULTENTITY)	HOSTBRANCH (000) Sep 30, 2020	L TESTUSER1
Create Decision Grade Matrix	хриу Бане			, ^y ×
Sep 30, 2020	±			
	riority *			
OFLO T				
Add Features				
Select relavant features as per order in which they will get displayed in the table Select Feature Name from the list				
Link a Rule? Yes No				
Cancel Save				
Selection Criteria Decision Matrix Grade Matrix				
Note				
How decimal number is considered while defining a Range? For Example: If range is from 0 - 200 in 1st row and			ian (>) 200.	
A	Add columns to define Decision Matrix			
	+ Add Column			
•				



Field	Description		
The following fields appear if you click Decision Matrix Tab.			
Add Column	Click for addition of features for which decision has to be maintained.		
	On click of Add Column , all the features are shown in the drop down list. Select the feature to be added. Click save to add the feature.		
	If the feature is numeric type, two columns gets added in the table From and To. If the feature is character/alphanumeric type one column Value gets added.		
	System should not save, if no feature have been added. User can click Cancel to close the window.		
Link a Rule?	User can link a rule to the features.		
	The options are:		
	• Yes : If this option is selected, system displays the list of rules and based on rule mapped the decision is provided.		
	• No: If this option is selected, system displays the list of decision lookup values.		
×	Click to delete a column.		
+ button	Click to add a new row.		
- button	Click to delete an existing row.		
Score From	Specify the minimum range of score for the decision.		
Score To	Specify the maximum range of score for the decision.		
Decision	Specify the decision of an application from the drop-down list. The values are configurable based on the look up values maintained		
	The options are:		
	Approved		
	• Manual		
	Rejected		
Rule	Displays the rules based on which decision is to be made.		
	This field is enabled if Link a Rule? Option is update as Yes.		

Table 174 : Create Decision Grade Matrix – Decision Matrix Tab - Field Description

7. Click the **Grade Matrix** tab to assign the grade to the application that is used during the pricing of the application. You can select the feature for which the grade needs to be maintained like Quantitative/Qualitative.



(DEFAULTENTITY) 1005TBRANCH (000) Sep 30, 2020 ORACLE <u>.</u> ate Decision Grade Matrix ▦ Sep 30, 2020 * Product Proce Add Features × ielect relavant features as per order will get displayed in the table Select Feature Name from the list Link a Rule? O Yes 🔹 No Cancel Save Add columns to define Grade Matrix

Figure 207 : Create Decision Grade Matrix – Grade Matrix Tab

Field	Description			
The following fields appear if you click Grade Matrix tab.				
Add Column	Click for addition of features for which decision has to be maintained.			
	On click of Add Column , all the features are shown in the drop down list. Select the feature to be added. Click save to add the feature.			
	If the feature is numeric type, two columns gets added in the table From and To. If the feature is character/alphanumeric type one column Value gets added.			
	System should not save, if no feature have been added. User can click Cancel to close the window.			
Link a Rule?	User can link a rule to the features.			
	The options are:			
	• Yes : If this option is selected, system displays the list of rules and based on rule mapped the decision is provided.			
	• No : If this option is selected, system displays the list of decision lookup values.			
×	Click to delete a column.			
+ button	Click to add a new row.			
- button	Click to delete an existing row.			
Score From	Specify the minimum range of the score for the grade.			



Field	Description			
Score To	Specify the maximum range of the score for the grade.			
Grade	Specify the grade of the application based on the score scored. The values are configurable based on the look up values maintained.			
	The options are:			
	• A			
	• B			
	• C			
Value	In case the data type of feature is numeric such as Age, FICO score the below field appears. , specify the value for which the grade has to be maintained.			
Rule	Displays the rules based on which decision is to be made.			
	This field is enabled if Link a Rule? Option is updated as Yes.			

8. Click **Save** to save the details.

The decision grade matrix is successfully created and can be viewed using the **View Decision and Grade Matrix** screen.

2.53.2 View Decision Grade Matrix

The **View Decision Grade Matrix** screen allows the user to view the decision grade matrix created using the **Create Decision Grade Matrix** screen. The status of the uploaded model is displayed as **Unauthorized** and **Open**. Once the checker authorizes the matrix, the status is updated to **Authorized** and **Open**.

To view an uploaded decision grade matrix:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Decision Grade Matrix.
- 3. Under Decision Grade Matrix, click View Decision Grade Matrix.
 - \rightarrow The View Decision Grade Matrix screen is displayed.



Figure 208 : View Decision Grade Matrix

View Decision Gra	de Matrix				,* ×
чс+					H =
Model Code:		49	Model Code:	49	
Wodel Description: Product Processor:			Model Description: Product Processor:		
B Unauthorized	Den 🔒		Authorized	Open	
Page 1 of 5	(1 - 10 of 42	items)	K < 1 2	3 4 5 >	

For more information on fields, refer to the field description table below.

Field	Description
Model Code	Displays the model code.
Model Description	Displays the description of the model.
Product Processor	Displays the product processor for which the model is created.
Status	Displays the status of the record.

Table 176 : View Decision Grade Matrix - Field Description

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required decision grade matrix.

Figure 209 : View Decision Grade Matrix- Search Option

View Decision Grade Matrix				, ^d ×
Model Code	Model Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.

Table 177 : View Decision Grade Matrix Field Description

Field	Description	
Model Code	Displays the model code.	
Model Description	Displays the model description.	
Authorization Status	Select the authorization status of the model.	
	The options are:	
	Authorized	
	Unauthorized	



Field	Description
Record Status	Select the record status of the model.
	The options are:
	• Open
	Close

7. Click three-dots icon to unlock, delete, authorize or view the created decision grade matrix.

8. Click **Unlock** icon to modify the following fields.

The fields are displayed in the **Decision Grade Maintenance screen.** The following fields are editable.

- Model Description
- Effective Date, before authorization
- Expiry Date
- Priority
- Rule Code
- Add New fact or rule to the selection criteria
- Score from
- Score to
- Decision
- Grade

Figure 210 : Decision Grade Maintenance - Modify

Decision Grade Maintenance			ד ×
Basic Details			
Model Code *	Model Descri	iption *	
dy06	dy06		
Effective Date *	Expiry Date		
Sep 5, 2020	Jul 20, 2021	a	
Product Processor *	Priority *		
OFLO Y	1		
Selection Criteria Decision Matrix Grade Matrix Use Existing Rule Create New Rule			
Rules			
Rule Code *		Rule Name	
MLA3 Y 0		MLA1	
New			
Rules			
Code *	Description		
MLA3	MLAT		
Expression Builder			



Field	Description
Basic Details	
Model Code	Displays the model code for created decision grade matrix.
Model Description	Displays the description of the model for the created decision grade matrix.
	User can modify the same.
Effective Date	Displays the effective date of the model for the created decision grade matrix.
Expiry Date	Displays the expiry date of the model for the created decision grade matrix.
	User can modify the same.
Product Processor	Displays the product processor for the created decision grade matrix.
Priority	Displays the priority of the model for the created decision grade matrix.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created decision grade matrix.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Displays the rule code for the created decision grade matrix.
	User can modify the same.
Rules	
Code	Specify the new rule code for decision grade matrix.
Description	Specify the rule description for the decision grade matrix.
Select Existing Rule	Displays the existing rule.
	User can modify the same.
Rule Version	Displays the rule version.

Table 178 : View Decision Grade Matrix- Modify- Field Description



Field	Description			
Expression Builder				
+ button	Click to add new expression.			
Fact / Rules	Displays the fact or rule for the created decision grade matrix.			
Operator	Displays the comparison operator for the created decision grade matrix.			
Data Type	Displays the data type for the fact or rule for the created decision grade matrix.			
Output	Displays the output for the created decision grade matrix.			
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.			
Decision Matrix				
Add Column	Click to add addition of features for which decision has to be maintained.			
Link a Rule?	User can link a rule to the features.			
	The options are:			
	• Yes : This option displays the list of rules and based on rule mapped the decision is provided.			
	• No : This option displays the list of decision lookup values.			
×	Click to delete a column.			
+ button	Click to add new row.			
- button	Click to delete row.			
Score From	Displays the minimum range of score for the decision.			
	User can modify the same.			
Score To	Displays the maximum range of score for the decision.			
	User can modify the same.			
Decision	Displays the decision of an application. The values are configurable based on the look up values maintained			
	The options are:			
	Approved			
	• Manual			
	Rejected			
	User can modify the same.			



Field	Description	
Rule	Displays the rule based on which decision is to be made.	
	This field is enabled if Link a Rule? Option is updated as Yes.	
Grade Matrix		
Add Column	Click to add addition of features for which decision has to be maintained.	
Link a Rule?	User can link a rule to the features.	
	The option are:	
	• Yes : This option displays the list of rules and based on the rules mapped decision is provided.	
	• No : this option displays the list of decision lookup values.	
×	Click to delete a column.	
+ button	Click to add new row.	
- button	Click to delete row.	
Score From	Displays the minimum range of score for the grade.	
	User can modify the same.	
Score To	Displays the maximum range of score for the grade.	
	User can modify the same.	
Grade	Displays the grade of the application based on the score scored. The values are configurable based on the look up values maintained.	
	The options are:	
	• A	
	• B	
	• C	
	User can modify the same.	
Rule	Displays the rule based on which decision is to made.	
	This field is enabled if Link a Rule? Option is updated as Yes.	

- 9. Click **Save**, to update the modified field.
- 10. Click **View** icon to view the created decision grade matrix. The fields are displayed in **Decision Grade Maintenance** screen.



Figure 211 : Decision Grade Maintenance – View

Decision Grade Maintenance		2 ¹⁰ ×
Basic Details		
Model Code " ayo6 Errective Date " Sep 5.2020 Product Processor " OFLD	Model Description * dyG6 Expiry Data * Al 02, 0201 Painty * 1	
Selection Criteria		
Rules Rule Code *	Rule Name	
Select		
Audit		

Field	Description		
Basic Details			
Model Code	Displays the model code for the created decision grade matrix.		
Model Description	Displays the description for the created decision grade matrix.		
Effective Date	Displays the effective date for the created decision grade matrix.		
Expiry Date	Displays the expiry date for the created decision grade matrix.		
Product Processor	Displays the product processor for the created decision grade matrix.		
Priority	Displays the priority for the created decision grade matrix.		
Selection Criteria			
Use Existing Rule	Indicates if the existing rule is linked.		
Rules			
Rule Code	Displays the rule code of the created decision grade matrix.		
0	Click to get the information about the rule.		
Rule Name	Displays the rule name.		
Create New Rule	Displays if new rule is linked to the created decision grade matrix.		
Rules			
Code	Specify the new rule code for decision grade matrix.		
Description	Specify the rule description for the decision grade matrix.		



Field	Description	
Select Existing Rule	Displays the existing rule.	
Rule Version	Displays the rule version.	
Expression Builder		
+ button	Click to add new expression.	
Fact / Rules	Displays the fact or rule for the created decision grade matrix.	
Operator	Displays the comparison operator for the created decision grade matrix.	
Data Type	Displays the data type for the fact or rule for the created decision grade matrix.	
Output	Displays the output for the created decision grade matrix.	
Expression	Displays the expression updated in the expression builder for the created quantitative scoring model.	
Decision Matrix		
Add Column	Click to add addition of features for which decision has to be maintained.	
Link a Rule?	Displays if the rule is linked to the feature or not.	
×	Click to delete a column.	
+ button	Click to add a new row.	
- button	Click to delete a row.	
Score From	Displays the minimum range of score for the decision.	
Score To	Displays the maximum range of score for the decision.	
Decision	Displays the decision of an application. The values are configurable based on the look up values maintained	
	The options are:	
	Approved	
	Manual	
	Rejected	
Rule	Displays the rule based on which decision is made.	
	This field is enabled if Link a Rule? Option is updated as Yes.	
Grade Matrix		



Field	Description
Add Column	Click to add addition of features for which decision has to be maintained.
×	Click to delete a column.
+ button	Click to add a new row.
- button	Click to delete a row.
Score From	Displays the minimum range of score for the grade.
Score To	Displays the maximum range of score for the grade.
Grade	Displays the grade of the application based on the score scored. The values are configurable based on the look up values maintained.
	The options are:
	• A
	• B
	• C
Rule	Displays the rule based on which decision is made.
	This field is enabled if Link a Rule? Option is updated as Yes.



2.54 Pricing

Risk-based pricing refers to the offering of different interest rates to different customers depending on their credit worthiness. Thus, not all borrowers for the same product receives the same interest rate and credit terms. This means that high-risk borrowers who are less likely to repay their loans in full and on time will be charged higher rate of interest. While the low risk borrowers, having greater capacity to make payments will be charged lower rate of interest.

This section contains the following subsections:

- 2.54.1 Create Pricing Model
- 2.54.2 View Pricing Model

2.54.1 Create Pricing Model

The **Create Pricing Model** screen allows user to create pricing model based on various pricing parameter by updating various details.

To create a pricing set up:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click Maintenance. Under Maintenance, click Pricing.
- 3. Under Pricing, click Create Pricing Model.
 - → The Create Pricing Model screen is displayed.

Figure 212 : Create Pricing Model

Create Pricing Model		," ×
Basic Details		
	Prong Detroption *	
	Expiry Date *	
Selection Criteria Price Definition Use Scinting Rule Crease New Rule		
Rules Rule Code "	Rule Name	
Silver Y		
		ve Cancel

4. Specify the fields on Create Pricing Model screen.

The fields, which are marked with asterisk, are mandatory.

For more information on fields, refer to the field description table below.

Table 180 : Create Pricing Model – Field Description

Field	Description
Basic Details	
Pricing Code	Specify the unique pricing code.
Pricing Description	Specify a short description for the pricing.
Effective Date	Select the effective date.
Expiry Date	Select the expiry date.
Product Processor	Specify the product processor for which the pricing is being defined.
Priority	Specify the priority of the pricing.

5. Click the **Selection Criteria** tab to define pricing.

Figure 213 : Create Pricing Model - Selection Criteria Tab

Create Pricing Model					, ² ×
Basic Details					
Peang Code *		Pitcing Description * aaaa Expiry Date * Jan 21, 2022 Pitcinty * 1	-		
Selection Criteria Price Definition O Use Existing Rule Create New Rule					
Create Rule					
Ner Rules					
Code * 1005	Description Product		Select Existing rule	Rule Version	Q
Expression Builder + Ast Expression					
Output					
Ao heres to dispray.					
Expression C					

Table 181 : Create Pricing Model – Selection Cr	riteria - Field Description
---	-----------------------------

Field	Description
Use Existing Rule	By default, this option is enabled. Indicates if the existing rule is linked.
Rules	
Rule Code	Select the rule code from the drop down list.
0	Click to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Select this option to create new rule.
Rules	



Field	Description	
Code	Displays the rule code.	
Description	Displays the rule description.	
Select existing Rule	Select the existing rule from the drop-down list.	
Rule Version	Displays the rule version.	
0	Click to view the existing rule.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below field appears once ye	ou click con.	
Rule ID	Displays the rule ID.	
Rule Name	Displays the rule name.	
Description	Displays the rule description.	
Rule version	Displays the rule version.	
0	Click to view the existing rule version.	
	Note: This is used when existing rule is to be used for some modification like copy of existing rule.	
Below field appears once you click icon.		
Version	Displays the rule version.	
Description	Displays the rule description.	
Creation Date	Displays the rule creation date.	
Expression Builder		
+ button	Click icon to add new expression.	
Fact / Rules	Select the fact or rule from the drop-down list.	
	Once you select the fact/rules one more field opens adjacent to it, update the same based on the selected option.	



Field	Description
Operator	Select the comparison operator from the drop-down list.
	The options are:
	• <
	• >
	• +
	• =
	• %
	• !=
	• -
	• >=
	• <=
	• *
	• /
	Contains In
	 In Like
	Matches
	Notmatches
	Notcontains
	Notin
Data Type	Select the data type for the fact or rule. Once you select the data type one more field opens adjacent to it, update the same based on the selected option.
	The options are:
	• Text
	Number
	Boolean
	Fact
	The below option appears if the Data Type is selected as Boolean .
	• True
	• False



Field	Description
Output	Select the output from the drop-down list. Once you select the output one more field opens adjacent it, update the same based on the selected option.
	The options are:
	• Text
	Number
	• Boolean
	Date
	Fact
	The below option appears if the Data Type is selected as Boolean .
	• True
	False
Expression	Displays the expression updated in the expression builder.

6. Click the **Price Definition** tab to define pricing.

Figure 214 : Create Pricing Model – Price Definition Tab

eate Pricing Model		*
New		
sic Details		
icing Code *	Pricing Description *	
ective Date *	Expiry Date *	
曲	m	
oduct Processor *	Priority *	
•		
Price Definition		
inimum Rate *	Maximum Rate *	
te Type *	Rate %	

For more information on fields, refer to the field description table below.

Table 182 : Create Pricing Model – Price Definition – Field Description

Field	Description
Minimum Rate	Specify the minimum rate applicable for the defined pricing code.
Maximum Rate	Specify the maximum rate applicable for the defined pricing code.





Field	Description	
Rate Type	Specify the rate type from the drop-down list.	
	The options are:	
	• Flat	
	• Tiered	
Rate %	Specify the interest rate application for the defined pricing.	
	This field appears once you select the Rate Type option as Flat .	
The below field appears if you select the Rate Type option as Tiered . The below columns are available as Facts in a drop down and you need to select the same.		
Loan Amount From	Specify the minimum range of loan amount to which the interest rate is applicable.	
Loan Amount To	Specify the maximum range of loan amount to which the interest rate is applicable.	
Term From	Specify the minimum term from which the interest rate is applicable.	
Term To	Specify the maximum term up to which the interest rate is applicable.	
Rate %	Specify the interest rate applicable for the defined tier.	

7. Click Save to save the details.

The Pricing model is successfully created and can be viewed using **View Pricing Model** Screen.

2.54.2 View Pricing Model


The View Pricing Model screen allows the user to view the pricing model created using the Create Pricing Model screen. The status of the uploaded model is displayed as Unauthorized and Open. Once the checker authorizes the model, the status is updated to Authorized and Open.

To view created Pricing Model:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision, click Maintenance. Under Maintenance, click Pricing.
- 3. Under Pricing, click View Pricing Model.
 - \rightarrow The View Pricing Model screen appears.

Figure 215 : View Pricing Model





For more information on fields, refer to the field description table below.

Table 183 : View Pricing Mod	del - Field Description
------------------------------	-------------------------

Field	Description
Pricing Code	Displays the pricing code.
Pricing Description	Displays the description of the pricing model.
Product Processor	Displays the product processor for which the pricing model is created.
Status	Displays the status of the record.

- 4. Click Search icon.
- 5. Specify the search criteria to fetch the required pricing model.

Figure 216 : View Pricing Model- Search Option

View Pricing Model				** ×
Pricing Code	Pricing Description	Authorization Status	Record Status	
Search Reset				

6. Click Search.

For more information on fields, refer to the field description table below.

Table 184 : View Pricing Model -Search Option- Field Description

Field	Description
Pricing Code	Displays the pricing code.
Pricing Description	Displays the description of the pricing model.
Authorization Status	Select the authorization status of the model. The options are:
	Authorized
	Unauthorized



Field	Description
Record Status	Select the record status of the model. The options are:
	• Open
	• Close

- 7. Click three-dots icon to unlock, delete, authorize or view the created pricing model.
- 8. Click **Unlock** to modify the following fields.

The fields are displayed in the **Pricing Model Maintenance** screen. The following fields are editable.

- Pricing Description
- Effective Date, before authorization
- Expiry Date
- Priority
- Rule Code
- Add new fact o rule to the selection criteria
- Loan Amount From
- Loan Amount To
- Term From
- Term To
- Rate Type
- Rate %

Figure 217 : Pricing Model Maintenance – Modify

Pricing Model Maintenance		×*
Basic Details		
Pricing Code * TP/20211001171019 Effective Date * Oct 1, 2021 Prioduct Processor * OFL0 *	Pricing Description " Pricing Sessiption Grade 8 Espiry Desc Oct. 1283 Pricing " 59	
Selection Criteria Price Definition Use Existing Rule Create New Rule Rulee Rule Code *	Rule Name	
Netincome v O	Netincome	
Code * Netincome	Description NetIncome	
Expression Builder		

For more information on fields, refer to the field description table below.

Table 185 : Pricing Model Maintenance - Modify- Field Description

Field	Description
Basic Details	
Pricing Code	Displays the pricing code for created pricing model.
Pricing Description	Displays the description of the pricing for the created pricing model.
	User can modify the same.



Field	Description
Effective Date	Displays the effective date of the pricing for the created pricing model.
Expiry Date	Displays the expiry date of the pricing for the created pricing model.
	User can modify the same.
Product Processor	Displays the product processor for the created pricing model.
Priority	Displays the priority of the pricing for the created pricing model.
	User can modify the same.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created pricing model.
	User can modify the same.
0	Click to get the information about the rule.
Rule Name	Displays the rule name.
Create New Rule	Displays if new rule is linked to the pricing model.
	User can modify the same.
Rules	
Code	Specify the new rule code for the created pricing model.
Description	Specify the rule description for the created pricing model.
Select Existing Rule	Displays the existing rule.
	User can modify the same.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click to add new expression.
Fact / Rules	Displays the fact/rules of the created pricing model.
Operator	Displays the comparison operator of the created pricing model.
Data Type	Displays the data type for the fact or rule of the created pricing model.
Output	Displays the output of the created pricing model.



Field	Description
Expression	Displays the expression updated in the expression builder of the created pricing model.
Pricing Definition	
Minimum Rate	Displays the minimum rate applicable for the defined pricing model.
	User can modify the same.
Maximum Rate	Displays the maximum rate applicable for the defined pricing model.
	User can modify the same.
Rate Type	Displays the rate type from the drop-down list.
	The options are:
	• Flat
	• Tiered
	User can modify the same.
Rate %	Displays the interest rate application for the defined pricing.
	This field appears once you select the Rate Type option as Flat .
	User can modify the same.
Below field appears if t "Facts" in a drop down.	he rate type is updated as Tiered . The below columns are available as
User can modify the sa	me.
Loan Amount From	Displays the minimum range of loan amount to which the interest rate is applicable.
	User can modify the same.
Loan Amount To	Displays the maximum range of loan amount to which the interest rate is applicable.
	User can modify the same.
Term From	Displays the minimum term from which the interest rate is applicable.
	User can modify the same.
Term To	Displays the maximum term up to which the interest rate is applicable.
	User can modify the same.
Rate %	Displays the interest rate applicable for the defined tier.

9. Click **Save**, to update the modified fields.

10. Click View icon to view the created pricing model.



The fields are displayed in **Pricing Model Maintenance** screen.

Figure 218 : Pricing Model Maintenance – View

Pricing Model Maintenance		** ×
Pricing indust maintenance		
Basic Details		
Pricing Code " PRC220211027191025	Pricing Description *	
PRC22021102/191025 Effective Date "	Pricing Model For CMC 1 Expiry Date 1	
Sep 25, 2020	Aul 31, 2041	
Product Processor *	Priority *	
PR20211028161045	1	
Selection Criteria Price Definition		
Use Bristing Rule Oreste New Rule		
Rules		
Rule Code 1 CMCRULETEST2	Rule Name CMCRULETEST2	
	LING MALE ILDIE	
Neu		
Rules		
Code * Description	Select Existing rule	Rule Version
CMORULETEST2 CMORULETEST2		1 Q.
Expression Builder		
+ Add Expression		
+		
ProductCodeCMC - TEXT	* CI/CDEMO	

Field	Description
Basic Details	
Pricing Code	Displays the pricing code for created pricing model.
Pricing Description	Displays the description of the pricing for the created pricing model.
Effective Date	Displays the effective date of the pricing for the created pricing model.
Expiry Date	Displays the expiry date of the pricing for the created pricing model.
Product Processor	Displays the product processor for the created pricing model.
Priority	Displays the priority of the pricing for the created pricing model.
Selection Criteria	
Use Existing Rule	Indicates if the existing rule is linked.
Rules	
Rule Code	Displays the rule code of the created pricing model.
0	Click to get the information about the rule.
Rule Name	Displays the rule name for the created pricing model.
Create New Rule	Displays if new rule is linked to the pricing model.
Rules	
Code	Displays the new rule code for created pricing model.
Description	Displays the rule description for the created pricing model.



Field	Description
Select Existing Rule	Displays the existing rule.
Rule Version	Displays the rule version.
Expression Builder	
+ button	Click to add a new expression.
Fact / Rules	Displays the fact/rules of the created pricing model.
Operator	Displays the comparison operator of the created pricing model.
Data Type	Displays the data type for the fact or rule of the created pricing model.
Output	Displays the output of the created pricing model.
Expression	Displays the expression updated in the expression builder of the created pricing model.
Pricing Definition	
Minimum Rate	Displays the minimum rate applicable for the defined pricing model.
Maximum Rate	Displays the maximum rate applicable for the defined pricing model.
Rate Type	Displays the rate type from the drop-down list.
	The options are:
	Flat
	• Tiered
Rate %	Displays the interest rate application for the defined pricing.
	This field appears once you select the Rate Type option as Flat .
The below field appears available as "Facts" in a	s if the rate type is updated as Tiered . The below columns are a drop down.
Loan Amount From	Displays the minimum range of loan amount to which the interest rate is applicable.
Loan Amount To	Displays the maximum range of loan amount to which the interest rate is applicable.
Term From	Displays the minimum term from which the interest rate is applicable.
Term To	Displays the maximum term up to which the interest rate is applicable.
Rate %	Displays the interest rate applicable for the defined tier.



2.55 View Execution Summary

Execution Summary screen enables the user to view the details of the processed application. Based on the request mode it displays details related to logical model, borrowing capacity, quantitative score, qualitative score, decision and grade details and pricing details. It also provides different type of filters to perform search for a specific record.

This section contains following subsection:

• 2.55.1 View Execution Summary

2.55.1 View Execution Summary

The **View Execution Summary** screen allows user to view the execution summary based on the various filter options provided.

To view execution summary:

- 1. From Home screen, click Core Maintenance. Under Core Maintenance click, Credit Decision.
- 2. Under Credit Decision click, Operations. Under Operations, click Execution Summary.

 \rightarrow The **Execution Summary** screen appears.

Figure 219 : View Execution Summary

•							
Filter							
Select	*						
						R	eset Searc
Scoring Decision Sumr	nary						
			E.	- 10	F		
Product Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
OFLO	Score, Decision & Pricing	123	O9yN6ghMD41P9yN6ghMD41Q9yN6ghMD41R9yN6ghMD41S	CDS20211025152426597	Oct 25, 2021	ONLINE	FAILURE
			WhoXmgcMD41XhoXmgcMD41YhoXmgcMD41ZhoXmgcMD4	CD520211025152321123	Oct 25. 2021	ONLINE	ERROR
OFLO			who kind carbait knowind carbait moving carbait cho kind carbain			ONENIE	
OFLOOFLO	Decision & Grade	123	OfNbcgWFD41PfNbcgWFD41QfNbcgWFD41RfNbcgWFD41Sf	CDS20211025135544519	Oct 25, 2021	ONLINE	SUCCESS
	Decision & Grade Decision & Grade	123		CDS20211025135544519 CDS20211025132220815			

For more information on fields, refer to the field description table below.

Table 187 : Execution Summary Field Description

Field	Description
Search Criteria	
+ button	Click to add a new row.
- button	Click to delete an existing row.



Field	Description
Filter	Select the required option based on which you can search for the execution summary.
	The options are:
	Request Reference Number
	Internal Reference Number
	Decision
	Batch/Online
	Product Processor
	Status
	Request Type
	Execution Date
	Contract ID
Value	Specify the required details or select an appropriate option for the selected filter option.
	This field appears once you select an option from the Filter list.
From Date	Select the start date of the period during which the execution summary is generated.
	This field appears if you select the filter option as Execution Date and value as Date Range.
To Date	Select the end date of the period during which the execution summary is generated.
	This field appears if you select the filter option as Execution Date and value as Date Range.



- 3. In the **Search Criteria** section, specify the details and click **Search**. The search results appear showing a list of records based on the specified search criteria.
- 4. Click **Reset**, to reset the search criteria.

Figure 220 : Execution Summary Search Option

Reset Searc
Status
FAILURE
ERROR
SUCCESS
FAILURE
FAILURE

For more information on fields, refer to the field description table below.

Field	Description		
Scoring Decision Summary			
Product Processor	Displays the name of the product processor that sent the request.		
Request Type	Displays the request type sent by product processor.		
Contract ID	Displays the contract ID sent by the product processor.		
Request Reference Number	Displays the request reference number sent by product processor.		
Internal Reference Number	Displays the internal reference number of the application.		
Execution Date	Displays the execution date of the processing application.		
Mode	Displays the mode of execution of the application.		
Status	Displays the status of the processed application.		

Table 188 : Execution Summary- Search option- Field Description

5. Click the icon corresponding to the required record to view the decision related details on each widget. Only one record is viewed at a time. If you need to view another record, you have to click on to close the already open record and then the next record can be viewed. The widgets are arranged in the flow in which the execution is done and is indicated by showing the sequence 1, 2, 3 numbers in the top right corner. The widgets are clickable on hover the color of the widget changes to indicate the widget is clickable.



6. When the status of processed application is **Failure**, on click of the status of processed application is **Failure**, on click of the failure message is displayed in the step that is failed. For example, in case of **Qualitative Score Model** is not resolved, then the error message is displayed in the **Qualitative Score Model** widget and the previous widget will show the data which was processed. Where in if the logical processing fails, then the status **Fail** is shown in the **Logical Model** widget and reason for failure is displayed on click of the widget.

View Execution Summary							×2
earch Criteria							
+							
Filter	Value						
Decision	* Approved	*				_	_
						Reset	Search
Scoring Decision Summary							
Product Processor	Request Type	Contract ID	Request Reference Number	Internal Reference Number	Execution Date	Mode	Status
OFLO	fetchAll	123	6f605avEZ317f605avEZ318f605avEZ319f605avEZ31af605	avE CDS20211001111124418	Oct 1, 2021	ONLINE	SUCCE
	6		(
	Logical Model	1	Borrowing Capacity 2	Qualitative Score	3		
	Logical Model Code : Description :	LMC101 LMC101	Eligibility Code BORCAP00 Description: BORCAP00	1 Description :	APPQAL502 APPQAL502		
	Status :	PASS	Requested Amount \$3500 Borrowing Capacity: \$150000.		67.5		
	Quantitative Score	4	Decision and Grade 5	Pricing	6		
	Scoring Model Code :	REJECT	Model Code : REJEC		REJECT		
	Description : Score :	REJECT 450	Description : REJECT USE CASI Decision : Approved	E Description : Rate Type :	REJECT Flat		
			Grade :	B Rate (%):	5		

Figure 221 View Execution Summary

For more information on fields, refer to the field description table below.

Table 189 : View Execution Summary Field Description

Field	Description		
Logical Model Widget	Displays the status of the logical model processed.		
The following fields appear in Logical Model widget.			
Logical Model Code			
Displays the logical model code, resolved for credit decision.			
Description	Displays the logical model description, resolved for the credit decision.		
Status	Displays the status of the logical model processed.		
	• For status Pass , the color is shown as Green .		
	• For status, Fail the color is shown as Red .		
Borrowing Capacity Widget			
Displays the maximum lendable amount that can be given for an application.			
The following fields appear	in Borrowing Capacity widget.		
Eligibility Code	Displays the eligibility model code, resolved for calculating the borrowing capacity.		



Field	Description		
Description	Displays the eligibility model description, resolved for calculating the borrowing capacity.		
Requested Amount	Displays the requested amount for the lending application.		
Borrowing Capacity	Displays the maximum lendable amount that can be given for the application.		
Qualitative Score Widget Displays the qualitative crea	dit score, post credit decision of the application.		
The following fields appear	in Qualitative Score widget.		
Scoring Model Code	Displays the scoring model code, resolved for credit decision.		
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.		
	When Is Application Decision Required is No, the applicant level decision scoring code is displayed.		
	 When Is Application Decision Required is No, and Is Primary Applicant is No, the application level decision scoring code is displayed. 		
Description	Displays the scoring model description, resolved for credit decision.		
Score	Displays the qualitative credit score post credit decision of the application.		
	• When Is Application Decision Required is Yes , the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.		
	 When Is Application Decision Required is No, the score is displayed by resolving the applicant level scoring model. 		
	• When Is Application Decision Required is No , and Is Primary Applicant is No , the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rule and linked at the application level scoring model and this aggregated score is displayed.		

The following fields appear in **Quantitative Score** widget.



Field	Description	
Scoring Model Code	Displays scoring model code, resolved for credit decision.	
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.	
	• When Is Application Decision Required is No , the applicant level decision scoring code is displayed.	
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the multi applicant level scoring code is displayed.	
Description	Displays the scoring model description, resolved for credit decision.	
Score	Displays the quantitative credit score, post credit decision of the application.	
	• When Is Application Decision Required is Yes , the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.	
	 When Is Application Decision Required is No, the score is displayed by resolving the applicant level scoring model. 	
	 When Is Application Decision Required is No, and Is Primary Applicant is No, score is displayed by resolving the multi applicant level scoring model. 	
Decision and Grade Widg Displays the credit decision	et and scoring grade, taken for the application.	
The following fields appear	in Quantitative Score widget.	
Model Code	Displays the model code, resolved for credit decision and grade.	
Description	Displays the model description, resolved for credit decision and grade.	
Decision	Displays the credit decision, taken for the application.	
Grade	Displays the scoring grade, post credit decision of the application.	
Pricing Widget		
Displays the rate applicable	e post credit decision.	
The following fields appear	in Quantitative Score widget.	
Pricing Model Code	Displays the pricing model code, resolved for credit decision.	



Field	Description
Description	Displays the pricing model description, resolved for credit decision.
Rate Type	Displays the rate type applicable post credit decision.
Rate %	Displays the rate applicable post credit decision.

The following fields are displayed once you click the **Logical Model** widget. The details for the request which was clicked on the landing page is displayed.

Figure 222 : Logical Model Widget

LO	Request Type Score, Decision & Pricing	Request Reference Nu yXIMS7jtD41zXIMS7jtD	41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	Internal Referen		Execution Date 2021-10-25T05:28:59.594Z	Mode	Status SUCCES
Logical Model	Borrowing C 5135.0		Qualitative Score 70	Quantitative Score 364.3		ision & Grade anual - Queue A Grade : B		icing 5 %
Logical Model Code : I	LMC101		Description : LMC101		Status	PASS		
Rule ID	Sequence		Status					
Logic3 📵	1		PASS					
Logic2 📵	2		PASS					

For more information on fields, refer to the field description table below.

Table 190 : Logical Model Widget - Field Description

Field	Description
Internal Reference Number	Specify the internal reference number.
Product Processor	Displays the name of the product processor that sent the request.
	This field will be shown on click of each widget.
Request Type	Displays the request type sent by the product processor.
	This field will be shown on click of each widget.
Contract ID	Displays the contract ID sent by the product processor.
	This field will be shown on click of each widget.
Request Reference Number	Displays the request reference number sent by product processor.
	This field will be shown on click of each widget.



Field	Description
Internal Reference Number	Specify the internal reference number.
Internal Reference Number	Displays the internal reference number of the application.
Number	This field will be shown on click of each widget.
Execution Date	Displays the execution date of the processing application.
	This field will be shown on click of each widget.
Mode	Displays the mode of execution of the application.
	This field will be shown on click of each widget.
Status	Displays the status of the application.
	This field is shown on click of each widget.
The following fields appea	r once you click the Logical Model widget.
<logical code="" model=""></logical>	Displays the logical model code that is resolved for credit decision.
	Click the hyper link to view the rule executed to resolve the model.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Description	Displays the description of the logical model.
Status	Displays the status of logical model.
Rule ID	Displays the rule ID executed for logical model processing.
	Click the hyperlink to view the rule executed.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Sequence	Displays the sequence in which the rules are executed for logical model processing.



Field	Description
Internal Reference Number	Specify the internal reference number.
Status	Displays the status of the rule execution. In case the status is failed, the reason for failure is displayed as Reason <> . The options are:
	 Pass Not Executed: This status is displayed against a rule if the Stop on Failure is set as ON and previous rule the sequence has failed.

The following fields are displayed once you click the **Borrowing Capacity** widget.

Figure 223 : Borrowing Capacity Widget

en & Pricing
Eligibility Description : 80RCAP001 Borrowing Capacity Fact Rule ID
Borrowing Capacity Fact Rule ID

Table 191 : Borrowing Capacity	Widget - Field Description
--------------------------------	----------------------------

Field	Description
The following fields appea	rs in Borrowing Capacity widget.
<eligibility code=""></eligibility>	Displays the eligibility code resolved for calculating the borrowing capacity.
	Click the hyperlink to view the rule executed to resolve the borrowing capacity.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.

Field	Description
Eligibility Description	Displays the eligibility description resolved for calculating the borrowing capacity.
Requested Amount	Displays the requested amount for the lending application.
Borrowing Capacity	Displays the maximum lendable amount that can be given for an application.
Fact	Displays the fact using which the maximum lendable amount was calculated.
Rule ID	Displays the rule ID executed for calculating the maximum lendable amount.
	Click the hyper link to view the rule executed.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.

The following fields are displayed once you click the **Qualitative Score** widget.

Figure 224 : Qualitative Score Widget – Bar Graph View





Logical Model PASS	Borrowing Capacity 5135.03	Qualitative Score 70	Quantitative Score 364.3	Decision & Grade Manual - Queue A Grade : B	Pricing 6 %
Scoring Model Code : A	PCT311	Description : Qualitative scoring mode	N APCT311	Weightage Score : 70 1	
plicants Mrs Amy A Anderson Score : 70	Mrs Amy A Anderson Graph View Data View	Scoring Model Code : APCT311	Description : Qualitative scoring m	odel APCT311 Weight	age Score : 📶 1
		3338	11.96	Applicant Resid	is the applicant staying at present address and Type in current employment

Figure 225 : Qualitative Score Widget – Pie Graph View



oduct Processor	Request Type	Request Reference	Number		Internal Reference Number	Execution Date	Mode	Status
10	Score, Decision & Pricing	yXIMS7jtD41zXIMS	7jtD41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	-	CDS20211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCES
Logical Model	Borrowing Ca 5135.03		Qualitative Score 70	Quantitative S 364.3		cision & Grade Ianual - Queue A Grade : B		ricing 6 %
Scoring Model Code :	APCT311		Description : Qualitative scoring model APCT	311	We	eightage Score : 70 0		
pplicants	Mrs Amy A Anderson	Scorin	g Model Code : APCT311	Description : Qua	alitative scoring model APCT311	Weightage Sco	ore : 70 🙃	
Mrs Amy A Anderson Score : 70	Graph View Data View							
	Scoring Details							
	Question Code	Q	uestion			Value	Sco	are
	AgeOfResidence	N	umber of years the applicant staying at preser	t address		Less than 2 year	70	
	TypeOfResident	A	oplicant Resident Type			Rented	70	
	EmploymentDuration	н	ow many years in current employment			Less than 2 year	70	

For more information on fields, refer to the field description table below.

Table 192 : Qualitative Score Widget - Field Description

Field	Description
The following fields appea	rs in Qualitative Score widget.
<scoring code="" model=""></scoring>	Displays the scoring model code resolved for credit decision.
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.
	• When Is Application Decision Required is No , the applicant level decision scoring code is displayed.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the application level scoring code is displayed.
Description	Displays the scoring model description resolved for credit decision.



Field	Description
Weightage Score/Application Score	Displays the qualitative credit score post credit decision of the application.
	• When Is Application Decision Required is Yes , the field name is displayed as Application Score . The system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.
	• When Is Application Decision Required is No , the field name is displayed as Weightage Score . The score is displayed by resolving the applicant level scoring model.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the field name is displayed as Application Score. The system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed
0	Click to get the information about the formula for calculation of score.
Applicant details are show	n at the left panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.
<score></score>	Displays the weighted credit score post credit decision of the application.
	The score is calculated for each applicant by resolving the applicant level scoring model.
Below details are shown a	t the right panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.
Scoring Model Code	Displays the applicant level scoring model code resolved for credit decision.
Description	Displays the applicant scoring model description.
Weightage Score	Displays the weighted credit score post credit decision of the application.
6	Click to get the information about the formula for calculation of score.



Field	Description
Graph View	Two graphical views are available.
	Bar Graphs
	The details are shown as a graphical representation as bar charts.
	\circ List of question ID on the X-axis
	• Score on the Y-axis.
	Based on the evaluation of the category, the questions are shown in a particular color based on the maintenance done in the lookups screen.
	Pie Charts
	The details are shown as a graphical representation as pie charts.
	The calculation logic for the question is (Score of the question/ Weightage score of the applicant)*100. The pis is shown from a pool of colors available/defined in the code.
Data View	The scoring details are shown as mentioned below in data view.
Scoring Details	
Question Code	Displays the question code resolved for the applicant in the scoring model.
Question	Displays the question description resolved for the applicant in the scoring model.
Value	Displays the response received for the question in the payload.
Score	Displays the score calculated for the question based on the range and the response.
	In case any question was optional for which the response was not received, NA will be displayed.

The following fields are displayed once you click the **Quantitative Score** widget.



Product Processor	Request Type	Request Reference	ce Number	Internal Reference Num	ber Execution Date	Mode	Status
DFLO	Score, Decision & Pricing	yXIMS7jtD41zXIM	/IS7jtD41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	CDS20211025105859134	5 2021-10-25T05:28:59.594Z	ONLINE	SUCCES
Logical Model PASS		ng Capacity 35.03	Qualitative Score 70	Quantitative Score 364.3	Decision & Grade Manual - Queue A Grade : B		Pricing 6 %
Scoring Model Code :	APP502		Description : APP502	We	ightage Score : 364.3 0		
Applicants Mrs Amy A Anderson Score : 364.3	Mrs Amy A Anderson Graph View Data View Latt		Scoring Model Code: APP502	Description : APP502	Weightage Score : 384.3 C		
	240 200 800 180 180 120 180 120 80 40 40						E Medium Strong Weak

Figure 227 : Quantitative Score Widget – Bar Graph View



duct Processor	t Processor Request Type Request Re		ence Number Internal Reference Number		er Execution Date	Mode Statu		
OFLO Score, Decision & Pricing yXIM57jtD4		yXIMS7jtD41zX	(IMS7jtD41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	CDS20211025105859136	2021-10-25T05:28:59.594Z	ONLINE	SUCCES	
Logical Model PASS		ng Capacity 35.03	Qualitative Score 70	Quantitative Score 364.3			Pricing 6 %	
Scoring Model Code :	APP502		Description : APP502	Weig	phtage Score : 364.3 ()			
pplicants	Mrs Amy A Anderson		Scoring Model Code: APP502	Description : APP502	Weightage Score : 364.3 0			
Mrs Amy A Anderson Score : 364.3	Graph View Data View							
	Lilii 🔇							
			0.303% 3.03%	6.62%				
						 Employmen FICOScore 	tType	

Figure 229 : Quantitative Score Widget - Data View

oduct Processor	ssor Request Type Request Ref		quest Reference Number MS7/tD412XIMS7/tD41AXIMS7/tD41BXIMS7/tD41CXIMS7/tD			Internal Reference Number Ex		Mode	Status
VFLO Score, Decision & Pricing yXIMS		yXIMS7jtD41zXIMS7jt			CDS20211025105859136		2021-10-25T05:28:59.594Z	ONLINE	NLINE SUCCESS
Logical Model			Qualitative Score 70		Quantitative Score Decision & Grade 364.3 Marrual - Queue A Grade		Decision & Grade Manual - Queue A Grade : B	e : B 6 %	
Scoring Model Code : /	APP502		Description	: APP502		Weightage	Score : 364.3 1		
pplicants	Mrs Amy A Anderson		Scoring Model Code: APP502		Description : APP502		Weightage Score :	Weightage Score : 364.3 0	
Mrs Amy A Anderson Score : 364.3	Graph View Data View								
	Scoring Details								
	Feature	Val	ue	Range Type	Range	Weightage %	Score	Weightage Score	
	EmploymentType	Full	Time	Value	Full Time	25	70	17.5	
	FICOScore	970		MaxValue	700-999	35	680	238	
	Net Income Description	137	00.0	Value	5000-50000	20	40	8	
	Age Description	20		ParamPercent	0-25	20	4	0.8	

Field	Description
The following fields appea	rs in Quantitative Score widget.
<scoring code="" model=""></scoring>	Displays the scoring model code resolved for credit decision.
	• When Is Application Decision Required is Yes , the application level decision scoring code is displayed.
	• When Is Application Decision Required is No , the applicant level decision scoring code is displayed.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the multi applicant level scoring code is displayed.
	Click the hyperlink to view the rule executed to resolve the quantitative score.
Show Rule Log	Click to see the rule log.
	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Description	Displays the scoring model description resolved for credit decision.
Weightage Score	Displays the weightage score post credit decision of the application.
	• When Is Application Decision Required is Yes , the system performs the aggregation, which can be minimum, maximum or average of all applicant's score. The aggregation performed is defined as rules and linked at the application level scoring model and this aggregated score is displayed.
	 When Is Application Decision Required is No, the score is displayed by resolving the applicant level scoring model.
	• When Is Application Decision Required is No, and Is Primary Applicant is No, the score is displayed by resolving multi applicant level scoring model.
	In case of Is Application Decision Required is Yes , system displays the hyperlink on the weightage score value. It shows the aggregate rule details.
Applicant details are show	n at the left panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.

Field	Description
<score></score>	Displays the weighted credit score post credit decision of the application.
	The score is calculated for each applicant by resolving the applicant level scoring model.
	In case of multi applicant scenario, weightage score per applicant is not shown.
Below details are shown a	It the right panel.
<applicant name=""></applicant>	Displays the applicant names present in the application.
Scoring Model Code	Displays the applicant level scoring model code resolved for credit decision.
	Applicant level scoring model is applicable for below case.
	If Is Application Decision required is Yes
	 If Is Application Decision Required is No, and Is Primary Applicant is Yes
	Multi applicant level scoring model is applicable in the below case.
	 If Is Application Decision Required is No, and Is Primary Applicant is No
	Click the hyperlink to view the rule executed to resolve the quantitative score.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Description	Displays the applicant scoring model description.
Weightage Score	Displays the weighted credit score post credit decision of the application.
	The weightage score is calculated for each applicant by resolving the applicant scoring model.
	In case of multi applicant scoring model, for both the applicant the same score is shown since the score is not calculated per applicant.
6	Click to get the information about the formula for calculation of score.



Field	Description				
Graph View	Two graphical views are available.				
	Bar Graphs				
	The details are shown as a graphical representation as bar charts.				
	 List of features on the X-axis 				
	 Weightage Score on the Y-axis. 				
	Based on the evaluation of the category, the feature are shown in a particular color based on the maintenance done in the lookups screen.				
	Note: For Multi Applicant scoring model all graphs is shown in the same color, as category evaluation is not applicable.				
	Pie Charts				
	The details are shown as a graphical representation as pie charts.				
	The calculation logic for the feature is (Weighted score of the feature/ Weightage score of the applicant)*100. The pie is shown from a pool of colors available/defined in the code.				
Data View	The scoring details are shown as mentioned below in data view.				
Scoring Details					
Feature	Displays the features resolved for the applicant in the scoring model.				
	Click the hyperlink to view the rule executed to resolve the quantitative score.				
Show Rule Log	Click to see the rule log.				
•	Click to expand the rule.				
Expression	Displays the expression of the rule.				
Input	Displays the input of the rule.				
Value	Displays the value of the rule.				
Value	Displays the value of the feature.				
Range Type	Displays the range type for the feature.				
Range	Displays the range resolved for the feature value for score resolution.				



Field	Description
Weightage %	Displays the weightage defined for the feature in the scoring model.
Score	Displays the score calculated for the feature based on the range and feature value.
Weightage Score	Displays the weighed credit score post credit decision of the application.

The following fields are displayed once you click the **Decision and Grade** widget.

Figure 230 : Decision and Grade Widget

iduct Processor	Request Type Score, Decision & Pricing	Request Reference Nur vXIMS7itD41zXIMS7itD	41AXIMS7jtD41BXIMS7jtD41CXIMS7jtD	CDS20211025		Execution Date 2021-10-25T05:28:59.594Z	Mode	Status
Logical Model PASS	Borrowing 0 5135.0	apacity	Qualitative Score 70	Quantitative Score 364.3		cision & Grade Ianuai - Queue A Grade : B		ricing 6 %
Model Code : DGM503		Model Description : [DGM503	Decision: Manual - Queue A	6)	Grade : 8		
Decision								
QuantitativeScore	Quantitatives	core Range	QualitativeScore	Qualitatives	Score Range	Decision		
364.30	0-5000		70.00	0-500		Manual - Q	ueue A	
Grade								
QualitativeScore	Qualitative	Score Range	QuantitativeSco	æ	QuantitativeScore R	tange	Grade	i i
70.00	0-500		364.30		0-5000		В	

Table 194 : Decision and Grade Widget - Field Description

Field	Description
The following fields appea	rs in Decision and Grade widget.
<model code=""></model>	Displays the model code resolved for credit decision and grade.
	Click the hyper link to view the rule executed to resolve the decision and grade.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Model Description	Displays the model description resolved for credit decision and grade.
Decision	Displays the credit decision taken for the application.



Field	Description
Grade	Displays the scoring grade post credit decision of the application.
Decision	
<feature name=""> Score</feature>	Displays the score calculated for the application based on the feature selected.
	If the feature is rule based, system displays the hyper link.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
<feature name=""> Range</feature>	Displays the score resolved for the application based on the feature selected.
Color Feature	Displays the color feature.
Color Feature Range	Displays the color feature range.
Decision	Displays the decision taken for the application.
Rule ID	Displays the rule ID of the feature.
	Click the hyperlink to view the rule executed.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Grade	
<feature name=""> Score</feature>	Displays the score calculated for the application based on the feature selected.
	If the feature is rule based, system displays the hyperlink.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.



Field	Description
Value	Displays the value of the rule.
<feature name=""> Range</feature>	Displays the score resolved for the application based on the feature selected.
Grade	Displays the scoring grade taken for the application.

The following fields are displayed once you click the **Pricing** widget.

Figure 231 : Pricing Widget

	Request Type	Request Reference	e Number	Internal Reference M	Number Execution Date	Mode	Status	
0	Score, Decision & Pricing	& Pricing yXIMS7jtD41zXIMS7jtD41AXIMS7jtD41BXIMS7jtD		41CXIMS7/tD CDS20211025105859136 2021-10-2570		Si28:59:594Z ONLINE SUCCES		
Logical Model PASS		ng Capacity 135.03	Qualitative Score 70	Quantitative Score 364.3	Decision & Grade Manual - Queue A Grade : B		Pricing 6 %	
Pricing Model Code : F	PR502	Model Description : PR502		Rate Type : Tiered	Rate Percentage : 6 %	ercentage : 6 %		
LoanAmount	LoanTo	enure	LoanAmount Range	LoanTo	enure Range	Rate %		
5135.03	45	45 0-10000		0-64		6		
5135.03	45		0-10000	U-64		6		

Table 195 : Pricing Widget - Field Description

Field	Description
The following fields appea	rs in Pricing widget.
<pricing code="" model=""></pricing>	Displays the pricing model code resolved for credit decision.
	Click the hyperlink to view the rule executed to resolve the pricing model.
Show Rule Log	Click to see the rule log.
•	Click to expand the rule.
Expression	Displays the expression of the rule.
Input	Displays the input of the rule.
Value	Displays the value of the rule.
Model Description	Displays the pricing model description resolved for credit decision.
Rate Type	Displays the rate type applicable post credit decision.
Rate Percentage	Displays the rate applicable post credit decision.



Field	Description			
Loan Amount	Displays the eligible loan amount for the application.			
Loan Tenure	Displays the loan tenure for the application.			
Loan Amount Range	Displays the range resolved for the loan amount value.			
Loan Tenure Range	Displays the range resolved for the loan tenure value.			
Rate %	Displays the rate applicable post credit decision.			



3 NLP Framework

This section of the user guide is designed to help you quickly get acquainted with the Machine Learning, Natural Language Processing (NLP) framework.

Pre-requisites

Specify User Id and Password, and login to Home screen.

This section contains the following topics:

- 4.1 Toolkit
- 4.2 Operation
- 4.3 3P Service Integration

3.1 Toolkit

The Toolkit is used to design and train NLP/Named Entity Recognition (NER) Model(s).

This section contains following subsections:

- 4.1.1 Use Case Definition
 - 4.1.1.1 Use Case Definition Summary
 - 4.1.1.2 Use Case Definition Maintenance
- 4.1.2 Annotator
- 4.1.3 Model Training
- 4.1.4 Model Management
 - 4.1.4.1 Model Management Summary
 - 4.1.4.2 Model Management Maintenance

3.1.1 Use Case Definition

Use cases are defined by the business domain. The information that is required to be extracted from documents are driven by business consideration against the context of the use case being defined.

Tags/entities are required for annotating or tagging of information in the source document in order to create training files for a use case model training. These tags or entities will always be driven by business considerations for a particular use case.

The use case definition maintenance screen allows the user to define use case(s) and maintain specific list of tags for the use case.



3.1.1.1 Use Case Definition Summary

The summary screen displays the list of defined use cases. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Use Case Definition.
 - \rightarrow The Use Case Definition screen is displayed.

Figure 232: Use Case Definition

Use Case Definit	ion				
< с					
Usecase Name:		45	Usecase Name:		49
Mod No:			Mod No:		
Authorized	G Open		Authorized	🔒 Open	

Table 196: Use Cas	e Definition – Field	Description
--------------------	----------------------	--------------------

Field	Description		
Usecase Name	Displays the name of the use case		
Mod No	Displays the modification number		
Authorized Status	Displays the Authorized or Unauthorized status		
Record Status	Displays the status of the record.		



3.1.1.2 Use Case Definition Maintenance

The maintenance screen allows you to define use cases and maintain entities/tags for the use case.

Figure 233: Use Case Definition Maintenance

Tag Maintenance							
New Unlock Delete Authorize							
usiness Tag Maintenance							
		Description			hrough Processing No 		
					•		
	Tag Display Sequence	Tag Screen Display	Tag Name	Annotation Tag	Default Value		
	3	Invoice Due Date	invoiceDueDate	Y			
	15	"Buyer Division Code	buyerDivisionCode	-	Y		
	8	Currency	currency	Y			
	20	"External Branch BIC	externalBranchBIC	-	Y		
	10	Tax Amount	taxAmount	Y			
Page 1 (1-5 of at least 30 items) K < 1 2 3 4 5 6 > × </td							

On **Tag Maintenance** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description				
Use Case Name	Unique use case name. It gets populated on Save, from the last folder name from the "Training Corpus Path (DOC)"				
Description	Use Case Description				
Mod No	Automatic Modification Number				
Straight Through Processing	yes = Unattended / No = Attended				
Use Case Tags/Entities	Specifies the use case tags entities.				
Tag Display Sequence	The sequence in which the tags get displayed.				
Tag Screen Display	Business Name of the Tag				
Tag Name	Technical Name of the Tag				
Annotation Tag	To identify tags to be used in Training				
Default Value	Default value for tags not used for training				

Table 197: Tag Maintenance – Field Description



3.1.2 Annotator

Annotation is the process of identifying information within a document content and tagging them as a specific type of information. Of course, each use case defined, will have their own relevant maintained list of tags/entities, which will be used to annotate source documents for a use case.

Figure 234: Annotator

LOAN DRAW DOWN	
Description: USD 550 Million Credit Facilities Date Effective Concerning Concerning Date Effective Concerning Concerning Date Effective Concerning Concerning Date Date Date	
Term Loan Facility for a total of Amount	

Annotator helps you to perform the annotations on a source document for a use case. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Annotator.
 - \rightarrow The **Annotator** screen is displayed.

Figure	235:	Annotator
--------	------	-----------

Annotator				$_{\mu}^{\mu}$ \times
Action Type	Source File Definition		Document Type	
Create New Annotated File	Source File: s.txt	Select File	New Cheque Book Request	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file name	Select File	Loan DrawDown	Create Training File
	Retrieved Doc Id: Retrieved Doc Id	Get File	Corporate Invoice	
Original File	Text Form		New Cheque Book Request	
ні,	Hi, I have a saving account in your bank and the a	c no is E8440C30AE6.please	Tag Name	Tag Value
I have a saving account in your bank and the a/c no is [3044663] Kind regards,	issue 4 Cheque books containing 25 pages eac Kind regards,	h.	ACCOUNT NUMBER	
John Doe			CHEQUE BOOKS	
			CHEQUE LEAVES	
			SENDER EMAIL	
		۵		



3. On **Annotator** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Field	Description			
Action Type	Select the action type. Available options are as following:			
	Create New Annotated File			
	Edit Created Annotated File			
Source File Definition	Select the source document from local windows explorer based on the Action Type .			
Document Type	Displays the list of all the use cases defined under use case definition.			
Get Labels	For the selected Document Type the maintained Tags/entities are displayed in the below Annotations section.			
Create Annotated File	 Once annotations of all the Tags are completed, this will perform two outcomes, Create annotated text file in the defined NER train path as maintained under use case definition Create text file in the defined DOC train path as maintained 			
	• Create text file in the defined DOC train path as maintained under use case definition			

 Table 198: Annotator – Field Description

Follow the below mentioned steps to annotate the source files:

4. Select action type as "Create New Annotated File".

Figure 236: Action Type

Annotator					, ²
Action Type	Source File Definition		Document Type		
Create New Annotated File	Source File: Source File Name	Select File	Select	Ŧ	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file na	Select File	Annotated File Na filename	ime:	Create Annotated File
	Retrieved Doc Id: Retrieved Doc Id	Get File			
Original File	Text Form		Annotations		
			Tag Name	Tag Value	Start Enc
			No data to disp	lay.	
Document will appear here	Document converted to be displayed here				

5. Click **Select File**. It will open the windows explorer. Navigate and select the source document to be annotated.

	997.			
Figure	2.57	File	UDIO2	ICI.
			00.00	

on T 🧕	File Upload			×	·····	Document Type		
Cr		sktop 🕨 Sample_Folio 🗸 🗸 Search Sa	mple_Folio	,Р ne	Select File	Select	•	Get Labels
	Organize • New folde		-	?	Select File	Annotated File Na	me:	Create Annotated File
En	TC Pictures ^	Name	Date modified	R		filename		Create Annotated File
	👍 Saved Games	A FOUODETE 20180411045600 1 apr 3 to 6 odf		d	Get File			
nal	🐖 Videos	FOUODETE 20180414052029 apr 11 to 13 mlf				Annotations		
	🍠 This PC			4		Ten Manua	Tag Value	Start E
				1		Tag Name	lag value	Start
						No data to displ	ay.	
	Annotator 🖌	٢		>				
	File nar	mer All Suppo	orted Types (*.jpe;*.jpg	v o tex	ct will			

6. The source document will be displayed in the "Original File" section and the text version of the document will be displayed in the "Text Form" section below:

Figure 238: Text Form

Annotator					×"
Action Type	Source File Definition		Document Type		
Create New Annotated File	Source File:		Select		Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam		Annotated File Nar		Create Annotated File
	Retrieved Doc Id: Retrieved Doc Id Get File		pdf		
Original File	Text Form		Annotations		
□	101 DADATA 458 OLOKGE STAET DYTHE CHOL	^	Tag Name	Tag Value	Start End
<u></u>	A 20 A 2014 A		No data to displa	ay.	
Tara turan and a second and a	2084 MOTELS Beampy RESOR to immerivations				
Not Page - Anno 2014	Annagide				
Optimizer under Einstein Alls Statisticht Statisticht 2000 Statisticht Ter Statisticht 2000 Statisticht Statisticht 2000 Statisticht Statisticht 2000 Statisticht Statisticht	Rou = 11-bar 3304 / Kito Annual Judie 20/05/21 172:57:55				

7. Chose the "Document Type".



Annotator			×* - :
Action Type	Source File Definition	Document Type	
Create New Annotated File	Source File: CLIODETE, 201906 Select File	Select 💌	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File	Select	Create Annotated File
	Retrieved Doc Id: Retrieved Doc Id Get File	Loan DrawDown Corporate Invoice	
Original File	Text Form	New Cheque Book Request	
□		Tag Name Tag Value	
	@) 	No data to display.	
Laboration of the second secon	2084 HOTELS Ramp, RESORTS Reservations Ton Refer, Lideg 1 www.billes.com or 1 900 (1990)		
Community Name Community Commun	Room Number 3304 /K1D		

8. Click Get Labels. It will load all the maintained Tags for the Document Type.

Figure 240: Tags

Annotator				2 ⁴
Action Type	Source File Definition		Document Type	
Create New Annotated File	Source File: Source File: Source File		Corporate Invoice 🔹	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File		Annotated File Name:	Create Annotated File
C Error Correction	Retrieved Doc Id: Retrieved Doc Id Get File		pdt	
Driginal File	Text Form		Annotations	
Δ ρ 1 of 1 - + »	dan oppinge bringer	^	Tag Name Tag Value	Start End
	* min America Tottem IONE +61 2 4266 2000 - AX +6 - 2 9266 -		Buyer Code	
Room (Annual Carlos Car	2084 HOTELS 8tating, RESORTS Protovations		Invoice Date	
Autors - Aut	i tani Refective, dede j		Tax Percentage	
All All <td>Koon Minister of 1 800 HILTON Koon Minister 3304 /K1D Armai Late 2005/2 1 - 12:07:00</td> <td></td> <td>Amount</td> <td></td>	Koon Minister of 1 800 HILTON Koon Minister 3304 /K1D Armai Late 2005/2 1 - 12:07:00		Amount	


9. Identify and select information within the "Text Form" section of the document and RIGHT-CLICK to display the list of tags and select the relevant tag.

Figure 241: List of Tags

Annotator		,,, st ×
Action Type	Source File Definition	Document Type
Create New Annotated File	Source File:	Corporate Invoice Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File	Annotated File Name: Create Annotated File
Original File	Retrieved Doc Id Get File	Annotations
□ P 1 of 1 - + >>	AN E SOLO	Tag Name Tag Value Start End
·····	\$220.65 \$10.00	Buyer Code
Rain Maine Dena Dan Series - Series Balancia Malancia Malancia Malancia	Total Auronnes (Martina TOTAL INCLUDES GST CH-Shift 24 MR GFORGE SMILE 1102 14 AREPOTOTIST ST	Invoice Date
la, Minor et Bantingen Lander Bantingen Lander Gen Koto Takona	OAKLEIGH STUTH 0	Tax Percentage
0.9 040.9700 0407 0407 0407 0407	Colling white Number a Freedor 47 The Second Second 2019 11.01 AM 26/05/2019 GUETT ROOM	Amount
	27/05/2016 dimitaR	Currency

Figure 242: Select Annotation Label

		Select Annotation Label	. 12,2010	
nnotator		Buyer Code		2
Action Type	Source File Definition	Invoice Date	ment Type	
Create New Annotated File	Source File: Source File:		orate Invoice 💌	Get Labels
Edit Created Annotated File		Tax Percentage	tated File Name:	
C Error Correction	Annotated File: Annotated file	Amount	tated File Name:	Create Annotated File
	Retrieved Doc Id: Retrieved Doc	Currency		
riginal File	Text Form	Invoice No.	notations	
] P 1 of 1 - +	>> 1330	Tax Amount	g Name Tag Value	Start Er
A set a set of the set		Supplier Name	yer Code	
Amerika Deserva ber Austrolis Kastrolis Kastrolis Kastrolis	TOTAL INCLUSION OF ST20.24	Discount Percentage	voice Date	
Narran K. Mayora Davratarinina Lahingan Kinar Natinoba	UARLEIGH SOUTH O	Net Invoice Amount	c rcentage	
Ter Des Ex19 (0400470) (04007 (04007 (04007)) (04007 (04007)) (04007 (04007)) (04007 (04007)) (04007)	Confirmation Nomber 3112-3274	Discounted Amount	amount	



10. The selected Tag and the information will get displayed in section "Annotations" under Tag Name and Tag Value.

Figure 243: Annotations	s
-------------------------	---

Annotator						» ²
Action Type	Source File Definition		Document Type			
Create New Annotated File	Source File:	lect File	Corporate Invoice	· ·	Get Labels	
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam	lect File	Annotated File Na		Create Annotated	File
	Retrieved Doc Id: Retrieved Doc Id	iet File	pd+	0.001114(30)		
Driginal File	Text Form		Annotations			
ρ 1 of 1 — + »	5.55.65	^	Tag Name	Tag Value	Start	End
	THE LAST CHARGES STREET		Discount Percentage			
Anno Sino Anno Sino Anno Sino Anno Anno Anno Anno Anno Anno Anno A	HOTAL INCLUDES INSTICT \$120.24 MR GEORGE GAM ZAFON 11 ABERCROMBIE ST CARLEICH SOUTH 1		Net Invoice Amount	1,322.60	628	636
Beg d'artenise de la construcción de la construcció	Centerning Number 411545270 30/05/20 107 AM	8)	Discounted Amount			

- 11. Repeat steps (6) and (7) for all the displayed tags as per availability of information in the source document.
- 12. Select a Tag Name from the "Annotations" section and RIGHT- CLICK to delete the Tag Value.

Figure 244: Tag Value

nnotator				× 2
Action Type	Source File Definition		Document Type	
Create New Annotated File	Source File:	Select File	Corporate Invoice 🔹	Get Labels
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam	Select File	Annotated File Name:	Create Annotated File
	Retrieved Doc Id: Retrieved Doc Id	Get File	adt	
iginal File	Text Form		Annotations	
ρ 1 of 1 - +	>> 5330.65	^	Tag Name Tag Value	Start End
tan har	C15.00 (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		Discount Percentage	
Not Dia Desara Dia Matteria Ron Ang Na Pan	HOTAL INCLUDED DET DE STROXA ME GEORGE JAM ZAFON 11 ABERCEOMOIE OAKLEICH SOUTH D		Net Invoice Amount	
Addate of the investment of th	Confirmation Number 3115492717		Discounted Amount	
SUS DESCRIPTION Gener REFINO DUCOT DISDIT BILANCE	30/05/2019 GIRSA COMPANY	a)	Invoice Due	

13. After all the tags are assigned relevant information click **Create Annotated** File to create the annotated file and end the process.



3.1.3 Model Training

Model training is done on the annotated training corpus. The annotated training corpus is a collection of annotated training files created using the annotator.

Model training is iterative and is carried out over increasing corpus size depending on the model parameters.

Each defined use case will have its own training corpus available in the path set up in the use case definition. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Training.

→ The Model Training screen is displayed.

Figure 245: Model Training

Model Training					$_{\mu^{H^{-}}}$ \times
Model Training					
Model Type NLP(NER) Document Classification					
	Use Case Name	New Cheque Book Requ	est ▼		
1.2	Training Corpus Path	ı			
8 1.0	Run Reference	917/tP2Ncz			
		Precision	Recall	F1-Score	
0.4	OVER ALL	0.9794	0.9597	0.9695	
0.0	Tag Name	Precision	Recall	F1-Score	
1 2 3 4 Folds	ACCOUNT NUMBER	0.9799	0.9605	0.9701	
- precision - recail - fiscore	CHEQUE BOOKS	0.9851	0.9296	0.9565	
	CHEQUE LEAVES	0.982	0.9561	0.9689	
				Train Model Si	ave Model

Training NER Models:

- 3. Select the Model Type as NLP(NER).
- 4. Choose the use case name.
- 5. Click Train Model.

Each model for a use case is identified by a unique run reference.

Training Document Classifier Model:

- 6. Select the Model Type as Document Classification.
- 7. Click Train Model.

If you find the model parameters acceptable, you may want to save the model by clicking Model Save.

The alternative is to add more annotated training files for the use case and repeat model training, till satisfactory parameters are achieved.



3.1.4 Model Management

All the run reference of models saved from model training for a use case can be seen here. For each model run reference, you can view the parameters for the model as well as individual tag/entities

You may choose the active model run reference to be used as part of business processing.

This section contains following subsections:

- 3.1.4.1 Model Management Summary
- 3.1.4.2 Model Management Maintenance

3.1.4.1 Model Management Summary

The summary screen displays the list of use case models. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Management.

→ The **Model Management** screen is displayed.

Figure 246: Model Management Summary

Model Management	
< с +	
Usecase Name:	Usecase Name:
Mod No:	Mod No:
Unattended:	Unattended:
Authorized 🔒 Open	Authorized 🔒 Open

For more information on fields, refer to the field description table below.

Table 199: Model Management Summary – Field Description

Field	Description
Use Case Name	Displays the name of the Use Case.
Mod No	Displays the number of modifications.
Authorized Status	Displays the status as Authorized or Unauthorized.
Record Status	Displays the record status as Open or Closed.



3.1.4.2 Model Management Maintenance

This is where you may unlock and choose the active model run reference to be used as part of business processing. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click NLP Toolkit.
- 2. Under NLP Toolkit, click Model Management.

 \rightarrow The **Model Management** screen is displayed.

Figure 247: Model Management Maintenance

ew Unlock Clos	se				
e Case Name pinven				Model Type	•
Run Reference	Precision	Recall	F1 score	Active	
					Tag Parameters
					Tag Parameters
			0.902		Tag Parameters
					Tag Parameters
					Tag Parameters

3. On **Model Management** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

Table 200: Model Management Maintenance – Field Description

Field	Description
Use Case Name	Displays the name of the Use Case.
Model Type	Displays the NER or Classification type of Model.
Run Reference	Unique Model Version Identifier.
Precision	Value between 0 to 1. Closer to 1 is better.
Recall	Value between 0 to 1. Closer to 1 is better.
F1 Score	Value between 0 to 1. Closer to 1 is better.
Active	The model run reference that is currently active.

For each model run reference you could view the individual tag parameters.



Figure 248: Tag Parameters

Unlock Case Name	Tag Parameters Detail	Tag Parameters Detail ×						
nv	Model Name corpinat	Model Type NER		Run Reference 2tw2018		^		
un Reference	Tag Name	Precision	Recall	F1 Score				
	supplierName	0.954	0.932	0.943	^	Tag Parameters		
	buyerCode	0.975	0.886	0.929		Tag Parameters		
	Invoice Due Date	1	0	0		Tag Parameters		
	noNumber	0.072	0.919	0.990		✓ Tag Parameters		
					Close	Tag Parameters		

At this stage you have defined a new use case with the tags/entities to be recognized by the model and trained and exported the use case model to be used by business.



3.2 Operation

This is where the trained models are consumed for business processing.

This section contains following subsections:

- 4.2.1 Document Upload
- 4.2.2 Transaction Log

3.2.1 Document Upload

This is the screen where you upload the source document which is consumed by the NLP model and defined tags/entities are recognized.

The information that is extracted by the model is seamlessly used in further business processing. To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Operation.
- 2. Under Operation, click Document Upload.
 - → The **Document Upload** screen is displayed.

Figure 249: Document Upload

Document Upload				,, ²⁶ ×
Scan and Upload Document				
± Select File		Document Type		Upload
		Corporate Invoice	Ŧ	Upioad
Ankita_Sample_9.pdf				
Original Document				
				Î
			Putto Cump Ltd.	
			2135 Eklorado Dr,	
			Billings, MT, 59102 Phone- (106) 245-4307	
			Email-	
	BILL TO	SHIP TO		
		Buri Smith	Invoice No. # - 736202	
		4065 Teton Ct, Ione, CA, 95540	Invoice Date - 15/09/2018 PO No. # - PC552091	
		Phone- (209) 763-2717	PO Date - 16/09/2018	
	Phone-(611) 791-9080	Email barry smith@vanc.com	Due Date - 20/20/2018	

- 3. Click **Select File** to select the source document.
- 4. Chose the Document Type from the pick list.
- 5. Click **Upload** to initiate business process.



3.2.2 Transaction Log

This is the screen where you can see all the uploaded transactions that has been interpreted by the NLP models.

You can filter the displayed transactions based on the following:

- Document Type
- Status

To process this screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Operation.
- 2. Under Operation, click Transaction Log.

 \rightarrow The **Transaction Log** screen is displayed.

Figure 250: Transaction Log

ument Type	Stat	us	* Ŭ				
Processing Da	ashboard						
Document Id	Document Type	Model Ref	Processing Date	Status	Failure Reason	Train. Reqd	Tag Value(s)
92	chqr-New Cheque Book Request			PROCESSED		Ν	
91				ERROR	Unable to complete Intent Processing	Υ	
90	chqr-New Cheque Book Request		23/10/2020	PROCESSED		Ν	
89	chqr-New Cheque Book Request			PROCESSED		N	
88	chqr-New Cheque Book Request			PROCESSED		N	
	chgr-New Cheque Book Request			PROCESSED		N	

3. On **Transaction Log** screen, specify the fields. For more information on fields, refer to the field description table below.

Field	Description
Document Type	Select the document type.
Status	Select the status.
Document Id	Displays the Document Management System Unique Identifier.
Document Type	Displays the document type - Use Case Definition.
Model Ref	Displays the Unique Model Version Identifier.
Processing Date	Displays the document processed date.

Table 201: Transaction Log – Field Description



Field	Description
Status	Displays the status of the transaction.
Failure Reason	Displays the reason for failed status.
Train. Reqd	Displays train required status.
Tag Values	Displays the tag values for the processed transactions and allow the correction for transactions with errors.

Execution Flow

Click on document reference ID to view details and execution flow.

Figure 251: Execution Flow

ument Type		Status	•	0		
Processing D	ashboard	Process Log				×
Document Id	Documen					Tag Value(s)
92	chqr-New	File	Processing	Request Classification	Data Extraction	
91			-			
90	chqr-New	Process	Status	Start Time	End Time	
89	chgr-New	File Processing	SUCCESS		Oct 23, 2020 3:42:14 PM	
88	chqr-New	Data Extraction	SUCCESS	Oct 23, 2020 3:42:16 PM	Oct 23, 2020 3:42:17 PM	-
	chqr-New	Request Classification	SUCCESS		Oct 23, 2020 3:42:16 PM	

Processed Status

For any Document Type, you can filter on the 'Processed' status and view the model tag values used to process the transactions. The displayed information reflects both the original retrieved values by the model from the document and also the values which have been corrected by human intervention.

Figure 252: Processed Status

Document Type corpinv	Ŧ	Status PROCESSED	Document ID: 52218		×		
			Tag Name	Value			
Processing Da	ishboard		discountAmount	75			
			invoiceDate				
Document Id	File Name		invoiceDueDate		n B	uss. Ref	Tag Value(s)
10221-1-1	- market and	ing Starts	invoiceNumber				
		R. Duck	netInvoiceAmount				
and down	1	The Carlo	Page 2 of 3 (6-10 of 14 items) K < 1 2	з > н			
and No.	Charles	Nue Service] -	-		
100	r-inst	A. Surveyor					
age 2 of 2	(7-11 of 11 ite	ms) K (



Error Status

For any Document Type, you can filter on the 'Error' status and view all the failed transactions.

Figure 253: Error Status

ocument Type		Status						
dwdn-Loan DrawD	own 👻		*					
Processing Das								
	hboard							
Frocessing Das	hboard							
Processing Das	hboard							
Document Id	hboard File Name	Document Type	Model Ref	Processing Date	Status	Failure Reason	Buss. Ref	Tag Value(s)
Document Id	File Name			-			Buss. Ref	
,		Document Type	Model Ref	Processing Date	Status	Failure Reason	Buss. Ref	Tag Value(s)
Document Id	File Name			-			Buss. Ref	

For the failed transactions, you can click on the Tag Value(s) to invoke the toolkit annotator in the error correction mode to create a new annotated training file for future model training.

Figure 254: Annotator

Annotator		×	×
Action Type	Source File Definition	Document Type	
Create New Annotated File	Source File: Source File Name Select File	Corporate Invoice Get Labels	
Edit Created Annotated File Error Correction	Annotated File: Annotated file nam Select File Retrieved Doc Id: Course Get File Get File	Annotated File Name: Create Annotated File	
Original File	Text Form	Annotations	
Contraction of the second seco	Sugient Ltd. Inverse No.9 = 80xP2819 Involve Data 11 702011 STILL State 11 702011 STILL State 11 702011 Altona, 11 55001 90 Date 21/202014 Disare 601, 221/202014 Consil herdsgillQuary saw	Tag Name Tag Value Start End Buyer Code 1830 200 265 Invoice Date	^
Ref destructions part Ref destructions	All TO Buye (1995) Minusce 7 (1991) AlloS Heren Ct. Aliny Tryfor 4553 Tecon Ct. Smoolacana, PA Test	Percentage Amount	~



3.3 3P Service Integration

Any model execution or training service(s) built using any 3P NLP library can be integrated in the NLP framework.

The only requirement being the REST services must confirm to the payload definition detailed in the following section.

Building model training and execution services using other 3P NLP libraries would involve consulting effort.

This section contains following subsections:

- 4.3.1 Classification Training Service
- 4.3.2 NER Training Service
- 4.3.3 Classification Processing Service
- 4.3.4 NER Processing Service
- 4.3.5 Service Mapping
- 4.3.6 Business Service Mapping

3.3.1 Classification Training Service

This section elaborates the payload details for document classification model training service.

Input Payload

Table 202: Input Payload

name	in	type	required	Remarks
trainCorpusPath	formData	string	true	Training Corpus path
modelType	formData	File	true	Type of model being trained
runRef	formData	string	true	Unique running reference number

name: "trainCorpusPath"
in: "formData"
type: string
required: true
name: "modelType"
in: "formData"
type: string
value for document classification training: "docClassification"
required: true
name: "runRef "
in: "formData"
type: string
required: true



Output Payload:

```
{
    "data": {
        "timeTaken": 0,
        "corpusSize": 0,
        "precision": 0,
        "recall": 0,
        "f1score": 0,
        "model_fold_performances": null,
        "tag_perfomances": null
```

} }

Output payload data model definition:

ModelTrainParamsDTO: type: object properties: data: type: object properties: timeTaken: type: number corpusSize: type: number precision: type: number recall: type: number f1score: type: number model_fold_performances: type: array items: \$ref: "#/definitions/ModelFoldPerfromancesDTO" tag_perfomances: type: array items: \$ref: "#/definitions/MltbTagPerfomancesDTO"

3.3.2 NER Training Service

This section elaborates the payload details for NER model training service.

Input Payload

Table 203: Input Payload

name	in	type	required	Remarks
trainCorpusPath	formData	string	true	Training Corpus path
modelType	formData	File	true	Type of model being trained
runRef	formData	string	true	Unique running reference number

- name: " trainCorpusPath"

in: "formData"
type: string
required: true
name: "modelType"
in: "formData"
type: string
value for NER model training: "nlpNer "
required: true
name: "runRef "
in: "formData"
type: string
required: true

Output Payload

```
{
"data": {
 "timeTaken": 0,
 "corpusSize": 0,
 "precision": 0,
 "recall": 0,
 "f1score": 0,
 "model_fold_performances": [
  {
  "fold_no": 0,
  "eval_metric": "string",
  "value": 0
 }
 ],
 "tag_perfomances": [
  {
  "name": "string",
  "precision": 0,
  "recall": 0,
  "f1score": 0
 }
 ]
}
}
```

Output Payload data model definition

ModelTrainParamsDTO: type: object properties: data: type: object properties: timeTaken: type: number corpusSize: type: number precision: type: number recall: type: number f1score: type: number model_fold_performances: type: array items: \$ref: "#/definitions/ModelFoldPerfromancesDTO" tag_perfomances: type: array items: \$ref: "#/definitions/MltbTagPerfomancesDTO"

ModelFoldPerfromancesDTO: type: object properties: fold_no: type: number eval_metric: type: string value: type: number MltbTagPerfomancesDTO: type: object

properties: name: type: string precision: type: number recall: type: number f1score: type: number



3.3.3 Classification Processing Service

This section elaborates the payload details for document classification model processing service.

Input Payload:

Table 204: Input Payload

name	in	type	required	Remarks
modelPath	formData	string	true	The path to the classification model
file	formData	File	true	The text file which must be classified

- name: "modelPath"


in: "formData" type: string required: true - name: "file" in: "formData" type: file required: true

Output Payload

```
{
    "data": {
    "docType": "string"
    }
}
```

Output Payload data model definition

MltbNlpDTO: type: object properties: data: properties: docType: type: string





3.3.4 NER Processing Service

This section elaborates the payload details for NER model processing service

Input Payload:

Table 205: Input Payload

name	in	type	required	Remarks
modelPath	formData	string	true	The path to the NER model
file	formData	File	true	The text file which must be classified


name: "modelPath" in: "formData" type: string required: true
name: "file" in: "formData" type: file required: true

Output Payload

```
{
    "data": {
        "keyvals": [
        {
            "tagName": "string",
            "value": "string",
            "start_index": 0,
            "end_index": 0
        }
    ]
    }
}
```

Output Payload data model definition:

MltbNerKeyValsDTO: type: object properties: data: properties: keyvals: type: array items: \$ref: '#/definitions/MltbNerKeyValExtractedObjDTO'



MltbNerKeyValExtractedObjDTO: type: object properties: tagName: type: string value: type: string start_index: type: number end_index: type: number

3.3.5 Service Mapping

After creation of the model services, entries must be made into the table CMC_TM_ML_SERVICE_DEFN to enable the NLP framework to use these services.

Existing use case:

Update the highlighted column in table CMC_TM_ML_SERVICE_DEFN with the new service API.

Column name	Remarks	Model Training	Model Processing
ID	Unique ID		
USECASE_NAME	Use Case Name	<existing case="" use=""></existing>	<existing case="" use=""></existing>
DESCRIPTION	Use Case Description		
SERVICE_TYPE	Service Type	Training	Processing
SERVICE_DEFN	Mapped Service API	<new api="" service=""></new>	<new api="" service=""></new>
METHOD_TYPE	Method Type	POST	POST
APP_ID	Sub Domain ID		
RECORD_STAT	Record Status	0	0
AUTH_STAT	Authorized Status	А	А
MOD_NO	Modification Number	1	1
ONCE_AUTH	Once Authorized	Υ	Υ
MAKER_ID	Maker Name	SYSTEM	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM	SYSTEM
CHECKER_DT_STAM	Authorizer Date stamp	<application date=""></application>	<application date=""></application>

Table 206: Existing Use Case



New use case

Insert a new record into the table CMC_TM_ML_SERVICE_DEFN.

Table 207: New Use Case

Column name	Description	Remarks for Data	
ID	Unique ID	Ensure a Unique ID	
USECASE_NAME	Use Case Name	Must be one of the usecase_name from the table CMC_TM_ML_NER_TAG_MAS	
DESCRIPTION	Use Case Description		
		'Training'	Use this value for model Training Service
SERVICE_TYPE	Service Type	'Processing'	Use this value for model execution Service
		'Business'	Use this value for business Service
SERVICE_DEFN	Mapped Service API	<the 3p="" created="" i<="" newly="" td=""><td>NLP service API></td></the>	NLP service API>
METHOD_TYPE	Method Type	POST	
APP_ID	Sub Domain ID	NULL	
RECORD_STAT	Record Status	0	
AUTH_STAT	Authorized Status	A	
MOD_NO	Modification Number	1	
ONCE_AUTH	Once Authorized	Y	
MAKER_ID	Maker Name	SYSTEM	
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>	
CHECKER_ID	Authorizer Name	SYSTEM	
CHECKER_DT_STAMP	Authorizer Date stamp	<application date=""></application>	



3.3.6 Business Service Mapping

If straight through processing is enabled in use case definition, then entries must be made into the table CMC_TM_ML_BUS_SERVICE_DEFN to enable the NLP framework to call the Business Service.

Insert a new record into the table CMC_TM_ML_BUS_SERVICE_DEFN for each use-case with straight through processing enabled.

Table	208:	For	Each	Use	Case

Column name	Description	Remarks for Data	
ID	Unique ID	Ensure a Unique ID	
USECASE_NAME	Use Case Name	Must be one of the usecase_name from the table CMC_TM_ML_NER_TAG_MAS	
DESCRIPTION	Use Case Description		
SERVICE_TYPE	Service Type	'Business'	Use this value for business Service
ADAPTER_CLASS	Fully qualified name of the adapter class	Use oracle.fsgbu.cmc.nlp.pipeline.services.adaptor.Ge ricAdaptor for all the business service calls Use oracle.fsgbu.cmc.nlp.pipeline.services.adaptor.OE HAdaptor if you want to call business service via Oracle Banking Routing Hub	
SERVICE_DEFN	Mapped Service API	API, which will be called execution	for Business service
HEADERS	Comma separated headers key value separated by colon (:)	Eg : docld:123 , branchCode : 000	
METHOD_TYPE	Method Type	POST	
APP_ID	Sub Domain ID	NULL	
RECORD_STAT	Record Status	0	



Column name	Description	Remarks for Data
AUTH_STAT	Authorized Status	А
MOD_NO	Modification Number	1
ONCE_AUTH	Once Authorized	Y
MAKER_ID	Maker Name	SYSTEM
MAKER_DT_STAMP	Maker Date stamp	<application date=""></application>
CHECKER_ID	Authorizer Name	SYSTEM
CHECKER_DT_STAMP	Authorizer Date stamp	<application date=""></application>

If you are Integrating Business Service via Oracle Banking Routing Hub then in service definition column, you need to provide URL of Oracle Banking Routing Hub dispatch API and the additional headers in headers column.

Since there are some common headers, which are required for calling Oracle Banking Routing Hub as well (like appld, branchCode, uderld) and to avoid the conflict for these headers, the ML_ prefix is appended in header keys by Oracle Banking Routing Hub adaptor. You need to configure transformation logic of these headers in Oracle Banking Routing Hub.



4 Machine Learning Framework

This section is designed to help you quickly get acquainted with how to on-board business cases on the Machine Learning framework in Oracle Banking.

The assets used to build the Machine Learning framework is available by default with Oracle database.

Oracle Database 19c and above.

Prerequisites

Specify User Id and Password, and login to Home screen.

Make sure that Machine Learning framework is already deployed and available as part of the application menu. Refer to **Common Core Services Installation Guide** for more details.

4.1 Use Case On-Boarding

On-boarding a new business case onto the Machine Learning framework involves two broad stages as highlighted below.


Model Definition

One-time setup of use case definition captures the data source, target columns and type of use case.

Model Training

Model training is use case specific and has the intelligence to evaluate multiple algorithms and discover the best fit algorithm to the data pattern.

The onset of these two stages assumes that you have already decided on the business use case that you would want to on-board.





4.2 Frameworks Supported

4.2.1 Timeseries

Timeseries are the use cases involving the date sequence data to forecast for future dates.

Example:

CASE ID	CCY	BALANCE
17-Aug	USD	6723.00
18-Aug	USD	250.00
19-Aug	USD	2654.00
20-Aug	USD	20.00
21-Aug	USD	?

NOTE: CASE ID can either be a DATE or a Sequence

4.2.2 Timeseries Algorithms Supported

By default, the framework uses Exponential Smoothing to forecast from timeseries data. It evaluates 14 different algorithmic combinations to best fit the patterns of

- Error type (additive or multiplicative),
- Trend (additive, multiplicative, or none), including damped trends
- and Seasonality (additive, multiplicative, or none)

NOTE: User is not required to select any algorithmic combinations. The framework evaluates and selects the best fit combination for you.



4.2.3 Regression

Regression is a statistical technique to discover relationships using independent variables to estimate/predict a target variable of NUMBER or INTEGER type.

Example: User needs to predict the value of LUXURY SPEND for a new CASE ID, given the data of branch, marital status, income and savings

CASE ID	BRANCH	MARITAL STATUS	INCOME	SAVING	LUXURY SPEND
12345	BRT	Y	15000	6723	1000
12346	BRT	Ν	17500	250	750
12347	CSR	D	25000	2654	1900
12348	CSR	N	16567	20	2500

NOTE: CASE ID MUST uniquely identify a row

4.2.4 Regression Algorithms Supported

The following algorithm are available as part of the framework.

S No	ALGORITHM	REMARKS
1	GENRALIZED LINEAR REGRESSION	Also handles RIDGE regression depending on the underlying pattern of data
2	SUPPORT VECTOR MACHINES	Supports both linear and gaussian kernels
3	NEURAL NETWORK	Uses default 1 layer with number of nodes <= 50

NOTE: Users have the flexibility to select a specific algorithm or keep it as NULL for the framework to evaluate and best fit the algorithm to the underlying data.



4.2.5 Classification

Classification is a statistical technique to discover relationships using independent variables to classify a target variable into a number of GROUPS or CLASSES. Mostly used for decision making.

Example: User needs to predict if a new CASE ID will churn(1) or not (0), given the data of branch, marital status, income and savings

CASE ID	BRANCH	MARITAL STATUS	INCOME	SAVING	CHURN
12345	BRT	Y	15000	6723	0
12346	BRT	Ν	17500	250	1
12347	CSR	D	25000	2654	1
12348	CSR	N	16567	20	0

NOTE: CASE ID MUST uniquely identify a row

4.2.6 Classification Algorithms Supported

The following algorithms are available as part of the framework.

S No	ALGORITHM	REMARKS
1	DECISION TREE	
2	NAÏVE BAYES	
3	RANDOM FOREST	
4	GENRALIZED LINEAR REGRESSION	Also handles RIDGE regression depending on the underlying pattern of data
5	SUPPORT VECTOR MACHINES	Supports both linear and gaussian kernels
6	NEURAL NETWORK	Uses default 1 layer with number of nodes <= 50

NOTE: Users have the flexibility to select a specific algorithm or keep it as NULL for the framework to evaluate and best fit the algorithm to the underlying data.



4.3 Partitioned Model

Oracle in-Database machine learning allows the user to design partitioned models.

Partitioned model organizes and represents multiple models as partitions in a single model entity, enabling you to easily build and manage models tailored to independent slices of data.

Example:

CUSTOMER ID	BRANCH	MARITAL STATUS	INCOME	SAVING	LUXURY SPEND
12345	BRT	Y	15000	6723	1000
12346	BRT	Ν	17500	250	750
12347	CSR	D	25000	2654	1900
12348	GRF	N	16567	20	2500

In this above example of data, user could build a single partitioned model on independent slices of data based on branch code.

The user has the advantage of having a single partitioned model instead of having multiple models for each individual branch.



4.4 On-Boarding Use Case

4.4.1 Model Definition

Use cases are defined by the business domain of the product processor to which it is mapped. They are unique and machine learning models are named after the use case.

The model definition screen allows you to define the use case and configure the data source to be used for model training.

4.4.1.1 Model Definition Summary

The summary screen displays the list of defined use cases. To access the screen, perform the following steps:

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Model Definition.
 - → The **Model Definition Summary** screen is displayed.

Figure 255: Model Definition Summary

Model Definition						, n ^{et}
ч с +						
Usecase Name: I RETEST1	Usecine Name: PRED_TXN_GAP	Usecase Name: I clustTest1	Usecase Name: 1 TEST13	Usecase Name: RMSETest	Usecase Name: I Test_Class	
Mod No: 4 Correlation: 🐠	Mod No: 9 Correlation: 🐠	Mod No: 7 Correlation: O	Mod No: 2 Correlation: 🙆	Mod No: 3 Correlation: 😑	Mod No: 7 Correlation: 😑	
Authorized 🔒 Open	Authorized 🔒 Open	Authorized 🔒 Open	🔀 Unauthorized 🔒 Open	💫 Authorized 🔒 Open	🚯 Unauthorized 🔒 Open	
Usecase Name: clustTest2	Usecuse Name: : MTEST1	Usecase Hame: I RegressionTest1	Usecase Name: I CLASS_DEMO_MRID			
Mod No: 7 Correlation: 😝	Mod No: 1 Correlation: 🐽	Mod No: 6 Correlation: 🙆	Mod No: 2 Correlation: O			
Authorized 🔒 Open	🚯 Unauthorized 🔒 Open	🚯 Unauthorized 🔒 Open	🚯 Unauthorized 🔒 Open			

For more information on fields, refer to the field description table below.

Table 209: Model Definition Summary – Field Description

Field	Description	
Usecase Name	Displays the name of the use case	
Mod No	Displays the modification number	
Correlation	Displays the default orange colour for New records. On correlation validation in Model definition screen, it will change to green colour.	
Authorized Status Displays the Authorized or Unauthorized status		
Record Status	Displays the status of the record.	



4.4.1.2 Model Definition Maintenance

Model Definition Maintenance screen enables the user to maintain the use case details and define the use case type and data source details.

1. From Model Definition Summary screen, click button on the Use case tile to Unlock or click

+ to create the new model definition.

→ The Model Definition Maintenance screen is displayed.

Figure 256: Model Definition Maintenance

Model Definition					" ^w ×
Use Case Name *	Description		Use Case Type * Select Usecase Type	×	
Training and Scoring					
Product Processor * Select Product Processor Target Column * Select Target Column	Training Data Source * Positive Target Value * Select Rostive Target Val	ue v	Unique Case Identifier * Sellect Unique Case ID Tablespace	٧	
Model Partitioning					
Partition Column Names Select Partition Column	Selected Algorithm Select Algorithm	٠	Model Error Statistic * Select Model Error Statisti	r v	Cost Matrix Correlation
					Save Cancel

2. On **Model Definition Maintenance** screen, specify the fields. The fields which are marked with asterisk are mandatory. For more information on fields, refer to the field description table below.

 Table 210: Model Definition Maintenance – Field Description

Field	Description
Use Case Name	Specify the name of the Use Case.
DescriptionSpecify the description of the Use Case.	
Use Case Type	Select the type of Use Case – Regression or classification from the drop down.
Product Processor	Select the product to which the use case belongs.
Training Data Source	Specify the Table or View name used as data source to train the model.
Unique Case Identifier	Select the column name to uniquely identify a record. NOTE: Column name is a function of table/view design and has to have unique constraint defined



Field	Description		
Target Column	Select the value of the column which is to be predicted by training the model. It has to have unique constraint defined NOTE: Column name is a function of table/view design		
Positive Target Value	If Use Case Type selected is CLASSIFICATION, then this field is enabled else disabled for REGRESSION. It will display distinct values from the target column		
Tablespace	Specify the valid tablespace and all model related data will be persisted in this table space		
Partition Column Names	Specify the column names to slice data. Refer Partitioned Model for details		
Selected Algorithm	Select the algorithm from the list and build the model. This field should be null to allow the framework to select the best fit algorithm to build the model.		
Model Error Statistics	Select the model error statistics. By Default, the value is selected as 'RMSE' for REGRESSION. The user can also select 'MAE'. It will be disabled for CLASSIFICATION		

Cost Matrix:

This button is enabled ONLY for CLASSIFICATION type of use cases.

Any classification model can make two kinds of error

Actual Value	Predicted Value	Error Type
1	0	False Negative
0	1	False Positive

This screen is used to bias the model into minimizing one of the error types, by adding a penalty cost. All penalty cost has to be positive.

Actual Value	Predicted Value	Penalty Cost
1	0	6
0	1	2



The default is zero cost for all combinations.

Biasing the model is a trade-off with accuracy of prediction. Business determines if a classification model is required to be biased or not.

3. Click **Cost Matrix** button to launch the screen.

→ The **Cost Matrix** screen is displayed.

Figure 257: Cost Matrix

iost Matrix						
Cost value is used to penalize	e misclassification or incorrect prediction					
Actual Value	Predicted Value	Cost				
0	0	0				
0	1	0				
1	0	0				
1	1	0				
		Cancel Sa	ive			

- 4. On Cost Value screen, specify the relevant penalty cost.
- 5. Click **Save** to save and close the **Cost Matrix** screen and back to the **Model Definition Maintenance** screen.

Correlation:

Multicollinearity occurs when two or more independent variables are highly correlated with one another in a model.

Unique Case ID	Correlated				Dependent Variable
CUST ID	BRANCH	MARITAL STATUS	INCOME	SAVING	CHURN
12345	BRT	Single	1500	6723	1
12346	BRT	Married	17500	250	0
12347	CSR	Married	25000	2654	0
12348	GRF	Divorced	16567	20	1

Independent Variables

Multicollinearity may not affect the accuracy of the model as much, but we might lose reliability in model interpretation

Irrespective of CLASSIFICATION or REGRESSION, all use cases must be evaluated for Correlation.

This button will display Orange mark if evaluation is pending.



6. Click **Correlation** button to launch the screen.

 \rightarrow The **Correlation Analysis** screen is displayed.

Figure 258: Correlation Analysis

Correlation Analysis					
Note - You should aim to have empty pairwise correlation by adding to the Ignore columns list and iteratively refreshing. Start by refreshing to get the latest position					
Threshold Value	Type Of Correlation				
	Pearson O Spearman O Kendall				
Pairwise Correlation	Analysed Features Ignore Features				
# Feature 1 Feature 2 Correlation	No items to display. No items to display.				
No data to display.	>				
	Cancel OK				

7. On **Correlation Analysis** screen, select the required fields. For more information on fields, refer to the field description table below.

Field	Description		
Threshold Value	Select the threshold value.		
	By default, the value is set as 0.5.		
	The Value can be set between 0.1 to 0.9.		
Type of Correlation	Select the type of correlation.		
	By default, the option is selected as Pearson. The formula		
	used for calculation is different for each type		
Pairwise CorrelationDisplays the output of the Correlation Validation.			
Analyzed Features	Displays the distinct analysed Features from Pairwise		
	Correlation.		
Ignore Features	User defined list created from Analysed Features.		

Table 211: Correlation Analysis – Field Description




- 8. Click c initiate the evaluation process.
 - → The Correlation Analysis Pairwise Correlation screen is populated.

Figure 259: Correlation Analysis - Pairwise Correlation

Threshold N			1 0.5 C			Type Of Corre Pearson		arman 🔘 Kendall
Pairwise	Correlation				Analysed Features			Ignore Features
	Feature 1	-	Feature 2	Correlation	AGE			No items to display.
	Y_BOX_GAMES		AGE	-0.72639	HOME_THEATER_PACKAGE			
	Y_BOX_GAMES		YRS_RESIDENCE	-0.58853	Y_BOX_GAMES			
	Y_BOX_GAMES		HOME_THEATER_PACKAGE	-0.77005		-	>	
	AGE		YRS_RESIDENCE	0.65503	YRS_RESIDENCE			
	AGE		HOME_THEATER_PACKAGE	0.79938	FLAT_PANEL_MONITOR			
	YRS_RESIDENCE		HOME_THEATER_PACKAGE	0.62899	BULK_PACK_DISKETTES	=		
	BULK_PACK_DISKETTES		FLAT_PANEL_MONITOR	0.87842				

- 10. Move ONE of the Analyzed Features to Ignore Features List
- 11. Click c and re-evaluate Correlation as mentioned in Step 8.
- 12. Rinse & repeat Step 9 & 10 for each feature addition to the **Ignore feature** list, until **Pairwise Correlation** displays zero correlated pair.
- 13. Attempting to exit the screen midway without achieving zero Pairwise Correlation, will display the following error message.

Figure 260: Error Message



- 15. After successful **Correlation Evaluation**, the orange highlight on the **Correlation** button is removed.
- 16. After **Correlation Evaluation** and **Cost Matrix** definition (for CLASSIFICATION), click **Save** to create the new Model Definition. The user can view the configured details in the **Model Definition Summary**.



Model Metrices

Once the user has successfully trained Machine Learning model, the user can score/predict the model outcomes as required by the use case. The user can view the **Model Metrices** tab only after training the model successfully. Refer to **Model Training and Scoring** section for training the model.

- 17. Click Model Metrices tab to view the Model Metrices details.
 - → The **Model Metrices** screen is displayed.

Figure 261: Model Metrices

Model Definition			
Use Case Setup Mo	odel Metrices		
Model Metrices			
Model Partitions *	•		
Metrices		Value	
Model Name			
Algorithm			
YRS_RESIDENCE			
AUC			

18. For more information on fields, refer to the field description table below.

Field	Description
Model Partitions	Select the model partitions from the dropdown. If the model has been designed to have partitions, it will display the partitioned values based on underlying data of the defined partition column else display FULL MODEL.
Metrices	Displays the various model attributes, as per the best model identified and trained. The number of model attributes is a function of algorithm and underlying pattern of data Some attributes are common for all models, Model Name Algorithm INF_TIME (Inference Time) <model metric="">(Train) <model metric="">(Test)</model></model>
Value	Displays the value of the attribute.



4.4.2 Model Training and Scoring

Model Training and Scoring screen enables the user to train the model for the selected use case and use the trained model to predict and score multiple records at a time. The predicted values persist in the database and are available in the prediction column maintained for the user case.

- 1. From Home screen, click Machine Learning. Under Machine Learning, click Model Training and Scoring.
 - \rightarrow The **Model Training and Scoring** screen is displayed.

Figure 262: Model Training and Scoring

Model Training And Scoring					
Model Training and Scoring					
Use Case Name Select Usecase Name	Description	Use Case Type			
Model Training					
Training Data Source Partition Column(s)	Unique Case Idenifier	Target Column Train Model			
Model Batch Scoring					
Model Name		Batch Scoring			

For more information on fields, refer to the field description table below.

Table 213: Model Training and Scoring – Field Description

Field	Description		
Use Case Name	Select the Use Case name from the dropdown.		
Description	Displays the description of the use case.		
Use Case Type	Displays the type of use case.		
Model Training			
Training Data Source	Displays the training data source.		
Unique Case Identifier	Displays the unique case identifier.		
Target Column	Displays the target column of the model.		
Partition Column(s)	Displays the partition column of the model.		



Field	Description
Model Batch Scoring	
Model Name	Displays the name of the model.

- 2. Select the use case name from the dropdown.
- 3. Click **Train Model** to train the model for the selected use case.
- Click Batch Scoring to predict the score for the data source records.
 The predictions of batch scoring are now available for business consumption.

4.5 Online Single Record Prediction

This is made available as a REST API and allow you to predict for a single record. The predictions do not persist in the database.

These can be invoked directly from application user interface, to retrieve and display the results.

The explainability of the model outcome is also made available.

4.6 Use Case Modifications

Use case definition may undergo the following modification and would require model re-training. After each re-training run, you should review the model details discussed under Model Explainability.

Table 214: Use Case Modifications


Use Case Modification	Model Re-training Required	Correlation Analysis Required
Data Source replaced by another data source	Yes	Yes
New column Added to existing data source	Yes	Yes
New columns Added to custom data source	Yes	Yes
Existing column removed from existing data source	Yes	Yes
Selected Algorithm Changed	Yes	No
Model Error statistic Changed	Yes	No
Partition Column Name list altered (added / removed)	Yes	Yes



4.7 Data Extensibility

To address the requirement of banks to add new data points to the factory shipped data source, we have provided the facility of data extensibility.

Figure 263: Data Extensibility



Banks can add any number of new data columns to the customer data source

The defined data source view is mapped to a use case in the Model definition.

Machine Learning will automatically consider all the available data points in the data source View.

4.8 Model Explainability

The details of the Regression models built using the framework is made available under the 'Model Metrices' tab in Use Case Definition for better understanding and transparency.

The available details are

- Model Name
- Algorithm Name
- Inference Time
- Training Error Metric
- Testing Error Metric
- List of data attributes that make up the model depending on the framework and algorithm used



4.9 Time Series Forecast

Timeseries forecast is unique as it consumes sequential data to forecast.

This uniqueness necessitates model training and forecast to be executed in a single processing routine. This is very unlike regression model approach where model training and model prediction are separate distinct actions.

4.9.1 Forecast REST Service

Timeseries framework is made available as an independent REST service to be consumed by products and use cases as required.

The following information is required to be provided.

Field	Description
Use Case Name	Specify the Unique Use Case Name.
Data Source	Specify the Table or View name used as data source to train the model.
Target Column	Specify the model will train and forecast future values of this column. NOTE: Column name is a function of table/view design
Unique Identifier	Specify the column name to uniquely identify a sequence NOTE: Column name is a function of table/view design. Must be Date or a sequence
Model Partitioning	Specify the column names to slice data. Refer Partitioned Model for details NOTE: Column name is a function of table/view design
Partitioned Value	Specify the actual Value of the Model Partition
Forecast Window	Specify the number of forecasts required as an outcome
Tablespace	Specify the valid tablespace and all model related data will be persisted in this table space

Table 215: Forecast REST Service – Field Description



5 File Upload

The following File Upload features are available in the respective common core maintenances

- Country Code File Upload
- Bank Core Parameters File Upload
- Branch Core Parameters File Upload
- Currency Definition File Upload
- BIC Directory File Upload
- Local Holiday File Upload
- Currency Holiday File Upload
- External Customer File Upload
- External Customer Account File Upload
- Exchange Rate File Upload

5.1 Country Code File Upload

Country Code File Upload is used to perform country code maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCountryMaint_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 216: Country Code File Upload – Records

Sequence	Attribute Name	Туре	Size	Description	
Master record					
1	Action	String	10	Denotes file operation type. Allowed values are new/modify	
2	Country Code	String	3	Country Code	
3	Description	String	105	Name of the country	
4	Alt Country Code	String	10	Alternate Country Code	
5	Region Code	String	3	Region Code	



Sequence	Attribute Name	Туре	Size	Description
6	Blacklisted	String	1	Indicates the country is blacklisted
7	IBAN Check Reqd	String	1	Indicates check required for an IBAN is mandatory
8	Intra European	String	1	Denotes the country is an intra European country.
9	Clr Code Bic	String	1	BIC Clearing Code Indicates the National ID in the BIC plus file is the clearing code.
10	Clearing Network	String	6	Indicates the Clearing Network
11	ISO Num Country Code	String	3	Denotes the ISO Country Code
12	Gen Mt205	String	1	Indicates the cover message 205COV or 205
13	ISD Code	Number	10	Denotes the ISD Code
14	EU Country	String	1	Indicates the country is recognized by Swift as a part of the Intra European countries

- Action
- Country Code
- Description
- Alt Country Code
- Region Code
- Blacklisted
- IBAN Check Reqd
- Intra European
- Clr Code Bic
- ISO Num Country Code
- Gen Mt205
- ISD Code
- EU Country



5.2 Bank Core Parameters File Upload

Bank Core Parameters File Upload is used to perform bank core maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcBankMaint_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 217: Bank Core Parameters File Upload – Records

Sequence	Attribute Name	Туре	Size	Description	
Master record					
1	Action	String	10	Denotes file operation type. Allowed values are new/modify	
2	Days To Forget Customer	Number	4	Denotes Number of Days to inactive/Forget Customer	
3	HO Branch	String	3	Head Office Branch	
4	Bank Name	String	35	Name of the bank	
5	Bank Code	String	4	Denotes code for the bank	

- Action
- Days To Forget Customer
- HO Branch
- Bank Name
- Bank Code



5.3 Branch Core Parameters File Upload

Branch Code Parameters File Upload is used to perform branch code maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcBranchMaint_<UniqueName>.csv

Sequence	Attribute Name	Туре	Size	Description	
Master record					
1	Discriminator	String	1	Denotes master record type. Default value is always "P"	
2	Action	String	10	Denotes file operation type. Allowed values are new/modify	
3	Source Branch Code	String	20	Code of the Source Branch	
4	Source System	String	35	Source System	
5	Week Hol2	String	1	Denotes the weekly holiday 2	
6	Week Hol1	String	1	Denotes the weekly holiday 1	
7	Auto Auth	String	1	Auto Authorization	
8	Walkin Customer	String	20	Denotes Walk-in customer	
9	Branch Lcy	String	3	Branch Local Currency	
10	Branch Addr3	String	105	Denotes the branch address details - Address Line 1	
11	Branch Addr2	String	105	Denotes the branch address details - Address Line 2	
12	Branch Addr1	String	105	Denotes the branch address details - Address Line 3	
13	Branch Name	String	105	Name of the branch	
14	Country Code	String	3	Country Code	



Sequence	Attribute Name	Туре	Size	Description
15	Host Code	String	8	Host Code
16	Branch Code	String	3	Denotes the Code of Branch
Child record	11		1	
1	Discriminator	String	10	Denotes the first child record type. Default value is always "BranchPref"
2	Report DSN	String	35	Denotes the details of the report DSN
3	DSN Name	String	35	Name of the DSN
4	Host Name	String	35	Host Name
5	Branch Code	String	3	Denotes the Branch Code
Child record	12		I	
1	Discriminator	String	12	Denotes the second child record type. Default value is always "SwiftAddress"
2	Default BIC	String	1	Denotes the Default BIC
3	Swift Address	String	12	Denotes the swift address details
4	Branch Code	String	3	Branch Code

- Discriminator
- Action
- Source Branch Code
- Source System
- Auto Auth
- Branch Lcy
- Branch Addr3
- Branch Addr2
- Branch Addr1
- Branch Name
- Country Code
- Host Code
- Branch Code

- Discriminator (Child record 1)
- Branch Code (Child record 1)
- Discriminator (Child record 2)
- Default BIC (Child record 2)
- Swift Address (Child record 2)
- Branch Code (Child record 2)

5.4 Currency Definition File Upload

Currency Definition Upload is used to perform currency definition maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCurrencyMaint_<UniqueName>.csv

Table 219: Currency	y Definition File U	pload – Records

Sequence	Attribute Name	Туре	Size	Description		
Master reco	Master record					
1	Discriminator	String	1	Denotes master record type. Default value is always "P"		
2	Action	String	10	Denotes file operation type. Allowed values are new/modify		
3	Currency Code	String	3	Denotes Currency Code		
4	Currency Name	String	105	Name of the currency		
5	Country	String	3	Currency Country		
6	Currency Decimals	Number	1	Currency Decimals		
7	Currency Round Rule	String	1	Denotes Currency Round Rule		
8	Currency Round Unit	Number	7	Denotes Currency Round Unit		
9	Currency Format Mask	String	1	Denotes Currency Format Mask		



Sequence	Attribute Name	Туре	Size	Description
10	Currency Spot Days	Number	3	Number of spot working days applicable for the currency
11	Currency Int Method	Number	1	Currency Interest Method
12	Position GI	String	9	Position GL
13	Position Eqvgl	String	9	Position Equivalent GL
14	Currency Eur Type	String	1	Currency Euro Type
15	Currency Tol Limit	Number	7	Currency Tolerance Limit
16	Settlement Msg Days	Number	3	Settlement Message Days
17	Index Flag	String	1	Derives index rate of the currency
18	Index Base Currency	String	3	Index Base Currency
19	Cut Off Hr	Number	2	Hour of the day for the cut off
20	Cut Off Min	Number	2	Minute of the hour for the cut of
21	Alt Currency Code	String	10	Code of the alternate currency
22	Eur Conversion Reqd	String	1	Euro Conversion Required
23	Cut Off Days	Number	2	Cut Off Days for the payment transaction involving the currency
24	Cr Auto Ex Rate Lmt	Number	22	Credit Auto Exchange Rate Limit
25	Dr Auto Ex Rate Lmt	Number	22	Debit Auto Exchange Rate Limit
26	Currency Type	String	3	Denotes Currency Type



Sequence	Attribute Name	Туре	Size	Description
27	Gen 103p	String	1	Generate outgoing MT 103 messages in the MT 103 + format
28	Cls Currency	String	1	CLS Currency
29	Fx Netting Days	Number	3	Foreign Exchange Netting Days
30	Iso Num Currency Code	String	3	International Standardization Organization numerical currency code
31	Gen Cust Cov	String	1	New Cover Message Format Required
32	Validate 50f	String	1	Validate Tag-50F
33	Maintenance Country	String	3	Maintenance Country
34	Commodity Code	String	1	Denotes Commodity Code
Child record				
1	Discriminator	String	1	Denotes child record type. Default value is always "C"
2	Maintenance Country	String	3	Maintenance Country
3	Country Code	String	3	Denotes Country Code
4	Country Desc	String	105	Name of the Country
5	Currency Code	String	3	Denotes Currency Code

- Discriminator
- Action
- Currency Code
- Currency Name
- Country
- Currency Decimals
- Currency Round Rule
- Currency Round Unit
- Currency Spot Days



- Currency Int Method
- Currency Eur Type
- Settlement Msg Days
- Index Flag
- Cut Off Hr
- Cut Off Min
- Alt Currency Code
- Eur Conversion Reqd
- Cut Off Days
- Gen 103p
- Cls Currency
- Fx Netting Days
- Gen Cust Cov
- Validate 50f
- Maintenance Country
- Commodity Code
- Discriminator (Child Record)
- Maintenance Country (Child Record)
- Country Code (Child Record)
- Country Desc (Child Record)
- Currency Code (Child Record)

5.5 BIC Directory File Upload

BIC Directory File Upload is used to perform BIC directory maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcBICDirectory_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 220: BIC Directory File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	BIC Code	String	11	Indicates the unique BIC Code by which the bank is identified by SWIFT.			
3	Bank Name	String	35	Name of the bank			



Sequence	Attribute Name	Туре	Size	Description
4	Customer No	String	20	Customer Number
5	Sk Arrangement	String	1	Denotes the SWIFT key arrangement
6	Bank Address1	String	35	Indicates the bank address details of the customer - Address Line 1
7	Bank Address2	String	35	Indicates the bank address details of the customer - Address Line 2
8	Bank Address3	String	90	Indicates the bank address details of the customer - Address Line 3
9	Relationship	String	1	Relationship
10	Swift Key	String	50	Denotes the swift key details
11	Telex Key	String	50	Indicates the unique telex key for the BIC directory
12	Upload Flag	String	1	Upload Flag for the BIC directory
13	Upload Update	String	1	Updated the BIC directory during an upload
14	Gen Mt103	String	1	Indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format
15	Blacklisted	String	1	Indicates the BIC entity is blacklisted
16	CUG Member	String	1	Indicates the BIC entity is a closed user group member
17	Gen Mt103p	String	1	Indicates the counter party whose BIC code details you are capturing capacitate to receive payment messages in the MT 103 format
18	Multi Cust Transfer	String	1	Denotes the Multi-Customer Credit Transfer details



Sequence	Attribute Name	Туре	Size	Description
19	Max Size	Number	38	Indicates the maximum size
				Indicates the customer is registered with MT 103 extended remittance
20	Remit Member	String	1	information multiple user group
21	Sub Type Code	String	4	Denotes the Sub-Type Code
22	Gen Mt102p	String	1	Generates 102+ message
23	Gen Mt101	String	1	Indicates MT101 can be sent/received from this BIC
	Transaction Per			
24	Msg	Number	40	Number of Transactions Per Page
25	ADB Member	String	1	Denotes the ADB member
26	BE Indicator	String	1	Denotes the BEI Indicator

- Action
- BIC Code
- Bank Name
- Sk Arrangement
- Bank Address1
- Bank Address2
- Bank Address3
- Relationship
- Swift Key
- Telex Key
- Upload Flag
- Upload Update
- Gen Mt103
- Blacklisted
- CUG Member
- Gen Mt103p
- Multi Cust Transfer
- Max Size
- Remit Member
- Gen Mt102p



- Gen Mt101
- Transaction Per Msg
- ADB Member
- BE Indicator

5.6 Local Holiday File Upload

Local Holiday File Upload is used to perform local holiday maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcBranchLocalHoliday_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 221: Local Holiday File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Discriminator	String	1	Denotes master record type. Default value is always "P"			
2	Action	String	10	Denotes file operation type. Allowed values are new/modify			
3	Branch Code	String	3	Branch Code			
4	Year	Number	4	Indicates the year details			
5	Weekly Holidays	String	7	Defines weekly holidays			
6	Unexp Hol	String	1	Define unexpected holidays			
Child record							
1	Discriminator	String	1	Denotes child record type. Default value is always "C"			
2	Branch Code	String	3	Branch Code			
3	Year	Number	4	Indicates the year details			
4	Month	Number	2	Indicates the month details			
5	Holiday List	String	31	Denotes the Holiday List			



- Discriminator
- Action
- Branch Code
- Year
- Weekly Holidays
- Unexp Hol
- Discriminator (Child record)
- Branch Code (Child record)
- Year (Child record)
- Month (Child record)
- Holiday List (Child record)

5.7 Currency Holiday File Upload

Country Code File Upload is used to perform country code maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCurrencyHoliday_<UniqueName>.csv

Table 222:	Country	Code	File U	Jpload –	Records
				pieaa	

Sequence	Attribute Name	Туре	Size	Description			
Master record							
1	Discriminator	String	1	Denotes master record type. Default value is always "P"			
2	Action	String	10	Denotes file operation type. Allowed values are new/modify			
3	Currency	String	3	Currency			
4	Year	Number	4	Indicates the year details			
5	Weekly Holidays	String	7	Defines weekly holidays			
Child record							
				Denotes child record type. Default			
1	Discriminator	String	1	value is always "C"			
2	Currency	String	3	Currency			



Sequence	Attribute Name	Туре	Size	Description
3	Year	String	4	Indicates the year details
4	Month	Number	2	Indicates the month details
5	Holiday List	String	31	Denotes the Holiday List

- Discriminator
- Action
- Currency
- Year
- Weekly Holidays
- Discriminator (Child record)
- Currency (Child record)
- Year (Child record)
- Month (Child record)
- Holiday List (Child record)

5.8 External Customer File Upload

External Customer File Upload is used to perform external customer maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCustomerMaint_<UniqueName>.csv

Table 223: External Customer File Upload – Records

Sequence	Attribute Name	Туре	Size	Description			
Master reco	Master record						
1	Action	String	10	Denotes file operation type. Allowed values are new/modify			
2	Country	String	3	Country of the customer			
3	Language	String	3	Denotes the Language of the customer			
4	Nationality	String	3	Denotes the Nationality of the customer			



Sequence	Attribute Name	Туре	Size	Description
5	Locale	String	10	Indicates the Locale of the customer
6	Deceased	String	1	Indicates the customer is deceased
7	Frozen	String	1	Denotes the customer account is frozen
8	Whereabouts Unknown	String	1	Indicates the customer's whereabouts are unknown
9	Rmld	String	12	Relationship Manager ID
10	Sanctions Checks Required	String	1	Indicates the sanction check is required
11	Staff	String	1	Indicates a staff customer
12	Walkin Customer	String	1	Indicates a walk-in customer
13	Source System	String	35	Source System
14	Source System Cust No	String	35	Denotes the Source System Customer Number
15	Customer No	String	20	Number for the customer
16	Host Code	String	8	Denotes the Host Code
17	Customer Type	String	1	Type of Customer
18	Customer Category	String	10	Denotes the Customer Category
19	Customer Name1	String	105	Name of the customer
20	Short Name	String	20	Short name of the customer
21	Address Line1	String	105	Indicates the customer address details - Address Line 1
22	Address Line2	String	105	Indicates the customer address details - Address Line 2



Sequence	Attribute Name	Туре	Size	Description
23	Address Line3	String	105	Indicates the customer address details - Address Line 3
24	Address Line4	String	105	Indicates the customer address details - Address Line 4
25	Pincode	String	15	Denotes the postal code details of the customer

- Action
- Country
- Language
- Nationality
- Deceased
- Frozen
- Whereabouts Unknown
- Sanctions Checks Required
- Staff
- Walkin Customer
- Source System
- Source System Cust No
- Customer No
- Customer Type
- Customer Name1
- Short Name
- Address Line1
- Address Line2
- Address Line3
- Address Line4
- Pincode



5.9 External Customer Account File Upload

External Customer Account File Upload is used to perform external customer account maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcAccountMaint_<UniqueName>.csv

Sequence	Attribute Name	Туре	Size	Description
Master reco	rd			
1	Action	String	10	Denotes file operation type. Allowed values are new/modify
2	Country Code	String	10	Country Code
3	Address4	String	105	Denotes the address details - Address Line 4
4	Address3	String	105	Denotes the address details - Address Line 3
5	Address2	String	105	Denotes the address details - Address Line 2
6	Address1	String	105	Denotes the address details - Address Line 1
7	Eca Check Req	String	1	Indicates External Credit Approval Required check is required for the external customer account
8	Account Class	String	6	Denotes the Account Class
9	Ac Stat Dormant	String	1	Indicates the account status is dormant
10	Ac Stat Frozen	String	1	Indicates the account status is frozen
11	GI Stat Blocked	String	1	Indicates the account status is blocked



Sequence	Attribute Name	Туре	Size	Description
12	Ac Stat No Dr	String	1	Indicates the account does not have any debit facility
13	Ac Stat No Cr	String	1	Indicates the account does not have any credit facility
14	Ac Open Date	String	35	Denotes the Account Open Date (Date format should be yyyy-MM-dd, i.e. 2018-03-30)
15	Cust Ac Name	String	105	Account Name of the customer
16	Cust Ac Ccy	String	3	Account Currency of the customer
17	Customer No	String	20	Indicates the Customer Number
18	Source System Acc Brn	String	20	Denotes the Source Account Branch
19	Source System Acc No	String	35	Denotes the Source Customer Account Number
20	Source System	String	35	Source System
21	Cust Ac IBAN	String	35	Indicates the account IBAN details
22	Host Code	String	8	Denotes the host code details
23	Cust Account No	String	20	Indicates the Customer Account Number

- Action
- Country Code
- Address4
- Address3
- Address2
- Address1
- Eca Check Req
- Account Class
- Ac Stat Dormant
- Ac Stat Frozen



- GI Stat Blocked
- Ac Stat No Dr
- Ac Stat No Cr
- Ac Open Date
- Cust Ac Name
- Cust Ac Ccy
- Customer No
- Source System Acc Brn
- Source System Acc No
- Source System
- Host Code
- Cust Account No

5.10 Exchange Rate File Upload

Exchange Rate File Upload is used to perform exchange rate maintenance in common core.

File Type Supported - CSV

File Naming Convention - CmcCurrencyExchangeRate_<UniqueName>.csv

NOTE: Replace the <UniqueName> for each file upload.

Table 225: Exchange Rate File Upload – Records

Sequence	Attribute Name	Туре	Size	Description		
Master reco	Master record					
1	Discriminator	String	1	Denotes master record type. Default value is always "P"		
2	Action	String	10	Denotes file operation type. Allowed values are new/modify		
3	Branch Code	String	3	Branch for which exchange rate is applicable		
4	Currency1	String	3	From currency pair		
5	Currency2	String	3	To currency pair		
Child record						
1	Discriminator	String	1	Denotes child record type. Default value is always "C"		



Sequence	Attribute Name	Туре	Size	Description
2	Branch Code	String	3	Branch for which exchange rate is applicable
3	Currency1	String	3	From currency pair
4	Currency2	String	3	To currency pair
5	Rate Type	Number	8	Denotes rate type defined in the system
6	Mid Rate	Mid Rate Number 25		Mid rate applicable for the current pair
7	Buy Spread Number		40	Buy spread applicable for the currency
8	Sale Spread	Number	40	Sell spread applicable for the currency
9	Buy Rate	Number	25	Buy rate applicable for the currency
10	Sale Rate	Number	25	Sell rate applicable for the currency
11	Rate Date	String	35	Effective date applicable for the rate

- Discriminator
- Action
- Branch Code
- Currency1
- Currency2
- Discriminator
- Branch Code
- Currency1
- Currency2
- Rate Type
- Mid Rate
- Buy Spread
- Sale Spread
- Buy Rate
- Sale Rate
- Rate Date

6 Error Codes and Messages

This topic contains the error codes and messages:

Table 226	Error	Codes	and	Messages
-----------	-------	-------	-----	----------

Error Codes	Messages
CC-01015	Default BIC Is Checked For More Than One BIC
CC-01016	Swift Address is Mandatory
CC-01017	Default BIC Is Not Checked For any BIC
CC-01018	Same Swift Address is present more than once
CC-01019	Mismatch in bank code
CC-ACC-002	Currency should be null for Multi-Currency Account
CC-ACC-102	Record already exist for Source Branch and Source Account No combination
CC-ACC-169	Reopen not allowed for a closed Customer No
CC-BIC-010	Bic code is being used in branch maintenance. Close not allowed.
CC-BIC02	The BIC code does not conform to SWIFT standards
CC-BIC05	Record already maintained for the customer no
CC-BNK-001	Branch code is in Open status. Close not allowed.
CC-BNK-002	Reopen not allowed for a closed Branch Code
CC-BNK-003	Only one Bank Code is allowed.
CC-BRN-101	Active account / accounts exist for the branch code. Close not allowed.
CC-BRN-102	This is HO branch. Close not allowed.
CC-BRN-103	Record for Source Branch Code already exists
CC-C00100	Relationship cannot be No for a Customer Linked BIC Code



Error Codes	Messages
CC-CUS-167	Record already exist for customer no and source_system_cust_no combination
CC-CUS-169	Active account/accounts exist for the customer no
CC-CUS-17	Kindly Enter a Valid Walkin Customer
CC-EC-002	Record already exist for Account IBAN
CC-ECA-001	Active \$1 exist for the Source System
CC-HST-001	Active \$1 exist for the Host Code
CC-MOD-001	\$1 cannot be modified
CC-MOD-INV	\$1 is invalid
CC-NUL-001	\$1 cannot be null
CC-TXN-001	\$1 is closed. Reopen not allowed.
CMC-ACC-FOR01	Cannot reopen forgotten account
CMC-ACC-PII01	User doesnt have access to PII data, cannot perform create or modify operations
CMC-ACC-SUBAC01	No SubAccounts available for Multi-Currency Account
CMC-ACC-SUBAC02	Exactly one account should be primary account
CMC-ACC-SUBAC03	Sub Accounts should have unique currency code
CMC-BRN-018	Exception occurred in ICFlipDate
CMC-BRN-019	Unable to get branch date
CMC-BRN-020	Branch code is null
CMC-BRN-100	Branch Status retrieved Successfully
CMC-BRN-101	Branch doesnot exist
CMC-BRN-CD01	Date changed successfully
CMC-BRN-CD02	Failed to change date, holiday list not maintained properly



Error Codes	Messages
CMC-BRN-EOD01	Branch Status not in TI, cannot initiate EOD
CMC-BRN-EOD02	EOD invoked for the branch
CMC-BRN-EOD03	Invalid Branch Code
CMC-BRN-EOD04	Eod Requested on Date is not Branch's Today
CMC-BRN-EOD05	EOD cannot be invoked on a holiday
CMC-BRN-EOD06	Date changed successfully
CMC-BRN-EOD07	EOD not invoked, cannot initiate change date
CMC-BRN-EOD08	EOFI job not completed, cannot initiate change date
CMC-BRN-EOD09	EOD not invoked, cannot initiate mark TI
CMC-BRN-EOD10	Date Change job not completed, cannot initiate TI for next day
CMC-BRN-EOD11	Mark TI successful
CMC-BRN-EOD12	Branch status not in TI, cannot initiate Mark EOFI
CMC-BRN-EOD13	Branch status not in EOFI, cannot change Date
CMC-BRN-EOD14	Branch status for next working date update to BOD
CMC-BRN-EOD15	Branch status not in BOD, cannot mark TI
CMC-BRN-EOD16	Branch status for next working date update to TI
CMC-BRN-EOD17	Branch Status Changed to EOFI
CMC-BRN-EOD18	Invoke Mark TI failed
CMC-BRN-EOD19	Date change completed cannot retrigger
CMC-BRN-EOD20	Mark TI completed cannot retrigger
CMC-BRN-EOD21	Date changed failed
CMC-BRN-EOD30	Invalid requested date, failed to parse
CMC-BRN-EOD31	Mark Eoti retry intiated



Error Codes	Messages
CMC-BRN-EOD32	Cannot retry Mark EOFI which has not failed
CMC-BRN-EOD33	Date Changed successfully. \$1
CMC-BRN-EOD34	BOD Batches completed successfully.
CMC-BRN-EOD35	BOD Batches retriggered successfully. \$1
CMC-BRN-EOD36	\$1. Hence EOFI Failed.
CMC-BRN-EOD37	Failed in getting current date
CMC-CCY-001	Duplicate records exists in Amount word currency Mapping
CMC-CCY-002	Duplicate records exists in Amount Text Mapping
CMC-CCY-003	Cannot change Currency Decimal for once authorized currencies
CMC-CCY-004	Cannot Change round unit if the round rule is Truncate (T)
CMC-CCY-005	Mandatory field Interest Method is not entered
CMC-CCY-006	Mandatory field Spot Days is not entered
CMC-CCY-007	Mandatory field Settlement Days is not entered
CMC-CCY-008	Mandatory field Country is not entered
CMC-CCY-009	Mandatory field Rule is not entered
CMC-CCY-010	Value should be in range of 0 and 999 for Settlement Days
CMC-CCY-011	Mandatory field Unit is not entered
CMC-CCY-012	Decimals/ Rounding Unit Mismatch
CMC-CCY-013	Numerator of Interest Method is not Actual
CMC-CCY-014	Duplicate Alternate Currency Code
CMC-CCY-015	Duplicate ISO Numeric Currency Code
CMC-CCY-016	Duplicate Euro currency



Error Codes	Messages
CMC-CCY-017	Euro Conversion required cannot be changed for the currency types out, Euro and Euro closed
CMC-CCY-018	Spot days is less than fx netting days
CMC-CCY-019	Currency Cut Off days cannot be greater than spot days for currency
CMC-CCY-020	Spot Days for currency cannot be lesser than cut off days for currency
CMC-CCY-021	Value should be in range of 1 and 99 for Cut Off Days
CMC-CCY-022	Value should be in range of 1 and 23 for Cut Off Hour
CMC-CCY-023	Value should be in range of 1 and 59 for Cut Off Min
CMC-CCY-024	Value cannot be less than .00000 for Currency Total limit
CMC-CCY-025	Value should be in range of 0 and 3 for Currency Decimal
CMC-CCY-026	Country Code is Mandatory
CMC-CCY-027	Duplicate records exists in Currency Country Mapping
CMC-CCY-028	Mandatory field Country is not entered in Currency Country Mapping
CMC-CCY-029	Currency Code is NULL
CMC-CCY-030	Date is NULL
CMC-CCY-031	Date is Invalid (should be in yyyy-mm-dd format)
CMC-CCY-032	No record found
CMC-CCY-033	Next/Previous indicator is NULL (should be either N or P)
CMC-CCY-034	Next/Previous indicator is Invalid (should be either N or P)
CMC-CCY-035	Lower Limit Date is Invalid (should be in yyyy-mm-dd format)
CMC-CCY-036	Upper Limit Date is Invalid (should be in yyyy-mm-dd format)
CMC-CCY-037	Offset is NULL
CMC-CCY-038	Offset is Invalid (should be > 0)



Error Codes	Messages
CMC-CCY-039	Input date should be between Upper limit date and Lower limit date
CMC-CCY-040	Duplicate records exists in CurrencyHolidays
CMC-CCY-041	Mandatory Through Currency Code is not entered
CMC-CCY-042	Cannot change spread definition option for through currency pair
CMC-CCY-043	Through currency should be blank if the through currency is unchecked
CMC-CCY-044	Through currency has to be of type Euro
CMC-CCY-045	Through Currency is not allowed for Euro In Currency Pair
CMC-CCY-046	Points multiplier should be in the range 0 - 1
CMC-CCY-047	MidRate is invalid
CMC-CCY-048	BuySpread is invalid
CMC-CCY-049	SaleSpread is invalid
CMC-CCY-050	Atleast one Currency Rate Should be Maintained
CMC-CCY-051	Duplicate records exists in Rate
CMC-CCY-052	Currency Code is NULL
CMC-CCY-053	Currency Code is Empty
CMC-CCY-054	Amount is NULL
CMC-CCY-055	Option is NULL
CMC-CCY-056	Option is Empty
CMC-CCY-057	Method is NULL
CMC-CCY-058	Method is Empty
CMC-CCY-059	Decimal is NULL
CMC-CCY-060	Units is NULL



Error Codes	Messages
CMC-CCY-061	Maintenance Country is NULL
CMC-CCY-062	Maintenance Country is Empty
CMC-CCY-063	Currency1/Currency2/branch Code is NULL
CMC-CCY-065	Error in conversion
CMC-CCY-066	Rate is not handled for currency1 and currency2
CMC-CCY-067	Rate is not handled for currency2 and currency1
CMC-CCY-068	Error in Amount rounding
CMC-CCY-069	Currency definition is not maintaned for given currency and maintenance country
CMC-CCY-070	Error in getting branch currency and country
CMC-CCY-071	Error in getting currency pair for currency1 and currency2
CMC-CCY-072	Error in getting Premium points for currency1 and currency2
CMC-CCY-073	Error in getting rate with through currency
CMC-CCY-074	Error in getting Rate
CMC-CCY-075	Rate History is not handled for currency1 and currency2
CMC-CCY-076	Rate History is not handled for currency2 and currency1
CMC-CCY-077	Currency Pair is not maintained
CMC-CCY-078	Error in purging
CMC-CCY-079	Data inadequate in currency Pair Definition
CMC-CCY-080	Currency Pair already exists for the given Maintenance Country
CMC-CCY-081	MidRate is mandatory
CMC-CCY-082	Either buySpread/buyRate are mandatory
CMC-CCY-083	Either saleSpread/saleRate are mandatory



Error Codes	Messages
CMC-CUS-FOR01	Record successfully deleted
CMC-CUS-PII01	User doesnt have access to PII data, cannot perform create or modify operations
CMC-EOD-001	Invoked EOD successfully
CMC-EOD-002	Failed while resolving current date
CMC-EOD-003	EOD flow is not maintained for \$1 branch
CMC-EOD-004	EOD already invoked for today
CMC-EOD-005	Unable to invoke EOD
CMC-EOD-006	Retried EOD successfully
CMC-EOD-007	Failed to retry EOD
CMC-EOD-008	Pending maintenances exist. Failed to start EOD
CMC-EOD-009	Failed during pending maintenance check
CMC-EOD-010	Pending transactions exist. Failed to start EOD
CMC-EOD-011	Failed during pending transaction check
CMC-EOD-012	Marked cutoff for the branch successfully
CMC-EOD-013	Branch not in Transaction Input. Cannot mark cutoff
CMC-EOD-014	Branch not in BOD stage. Cannot release cutoff
CMC-EOD-015	Released cutoff for the branch successfully
CMC-EOD-016	Branch cutoff not released. Cannot mark Transaction Input
CMC-EOD-017	Branch cutoff not marked. Cannot mark End of Transaction Input
CMC-FORC-001	Request is null, not valid.
CMC-FORC-002	Forget customers request created successfully.
CMC-FORC-003	Failed to create forget entities request.



Error Codes	Messages
CMC-FORC-004	Invalid id sent, id null
CMC-FORC-005	Already authorized
CMC-FORC-006	Authorized successfully
CMC-FORC-007	Record not found, invalid id.
CMC-FORC-008	Cannot delete authorized record
CMC-FORC-009	Record successfully deleted
CMC-FORC-010	Invalid Customer \$1 added, customer should be valid and in closed and authorized state without pending maintenance
CMC-FORC-011	Invalid request. Duplicate requests for customer number \$1
CMC-INDBML-001	Usecase already exists with a same name
CMC-INDBML-002	Target Column cannot be null
CMC-INDBML-003	Unique Case Identifier Column cannot be null
CMC-INDBML-004	Invalid Partition column value
CMC-INDBML-005	Duplicate Column Values
CMC-INDBML-006	Partition Columns cannot be same as either of target, usecase identifier or prediction column.
CMC-LOV-001	Invalid Source Code
CMC-LOV-002	Invalid Currency
CMC-LOV-003	Cannot Close the record for which rates are maintained
CMC-LOV-004	Invalid Language Code
CMC-LOV-005	Invalid Country
CMC-LOV-006	Invalid GLCode
CMC-LOV-007	Invalid Limit Currency
CMC-LOV-008	Invalid Year



Error Codes	Messages
CMC-LOV-009	Invalid Month
CMC-LOV-010	Amount Limit Exceeds
CMC-LOV-011	Invalid Version
CMC-LOV-012	Rate Type \$1 is invalid
CMC-NLP-000	System is unable to process the request
CMC-NLP-001	Training File created successfully
CMC-NLP-002	Training File creation failed
CMC-NLP-003	Service definition not found for \$1 for use case \$2
CMC-NLP-004	Unsupported file type uploaded please upload supported file type
CMC-NLP-005	You don't have sufficient number of training files for use case \$1 to train the model
CMC-NLP-006	Invalid training files are present in the training corpus
CMC-NLP-007	Error in processing step \$1
CMC-NLP-008	Successfully completed the processing of process \$1
CMC-OBRH-001	Record already exists.
CMC-OBRH-002	Record saved successfully.
CMC-OBRH-003	Record does not exist.
CMC-OBRH-004	Invalid Payload
CMC-OBRH-005	Record deleted successfully.
CMC-OBRH-006	Record modified successfully.
CMC-OBRH-007	Data fetched successfully.
CMC-OBRH-008	Data exported successfully.
CMC-OBRH-009	Failed to get data.



Error Codes	Messages
CMC-OBRH-010	Cannot start disabled route.
CMC-OBRH-011	Data imported successfully.
CMC-OBRH-012	Failed to import.
CMC-OBRH-013	Failed to parse [\$1]
CMC-OBRH-014	Data extracted successfully.
CMC-OBRH-015	Route state cannot be changed to Start as Consumer Service / Provider is inactive.
CMC-OBRH-016	Modified/Deleted attribute is already in use by route.
CMC-OBRH-017	Something went wrong!
CMC-OBRH-018	Imported WSDL successfully
CMC-OBRH-019	Imported Swagger successfully
CMC-OBRH-020	Failed to import [\$1]
CMC-OBRH-021	Failed to export [\$1]
CMC-OBRH-022	Request failed [\$1]
CMC-OBRH-023	Request is being processed
CMC-ORCH-001	Failed to initiate.
CMC-ORCH-002	Transaction is successfully initiated.
CMC-ORCH-003	Invalid action, failed to initiate.
CMC-ORCH-004	\$1 is not submitted, transaction remains the same.
CMC-ORCH-005	Cannot proceed with submit as the action is not initiated.
CMC-ORCH-006	Cannot proceed with submit as the information is incomplete.
CMC-ORCH-007	Failed to submit.
CMC-ORCH-008	Record successfully submitted.



Error Codes	Messages
CMC-ORCH-009	\$1 is in-progress, failed to initiate.
CMC-ORCH-010	Aw, snap! An unexpected exception occurred, try again.
CMC-ORCH-011	Invalid request.
CMC-ORCH-012	Cannot proceed with submit as the action is not initiated.
CMC-ORCH-013	Cannot find the provided information.
CMC-ORCH-014	Record is not yet submitted by \$1, cannot initiate the action.
CMC-ORCH-015	Record already unlocked by \$1.
CMC-ORCH-016	One record can be authorized at a time. Please close the screen and try again
CMC-ORCH-017	Current operation terminated
CMC-ORCH-018	Current operation could not be terminated
CMC-OV-001	Override Codes must not be empty
CMC-OV-002	Business Overrides Saved Successfully
CMC-OV-003	Business Overrides Updated Successfully
CMC-OV-004	Business Overrides Authorized Successfully
CMC-OV-005	Business Overrides Approval Pending
CMC-OV-006	Maker Cannot Authorize
CMC-OV-007	Multiple Authorizations not allowed for checker
CMC-OV-008	No Records found for approval
CMC-OV-009	Maker should approve the records
CMC-OV-010	Reference number is not valid
CMC-OV-011	Exception Occurred while converting string to number
CMC-OV-012	Server Error Occurred during API call



Error Codes	Messages
CMC-OV-013	Client Error Occurred during API call
CMC-OV-014	Illegal State Exception Occurred
CMC-OV-015	JTA Transaction unexpectedly rolled back
CMC-OV-016	Exception Occurred while creating Bean
CMC-OV-017	Unexpected Exception Occurred
CMC-OV-018	Exception Occurred while Executing Query
CMC-STR-001	mandatory fields are missing
CMC-STR-002	invalid real account number
CMC-STR-003	Real Account No cannot be modified
CMC-STR-004	Structured Address is already created for this Real Account
CMC-STR-005	Structured Address is already created for this External Virtual Account
CMC-STR-006	invalid virtual account number
CMC-STR-007	Virtual Account No cannot be modified
CMC-VAM-001	Rolled Back Due to Exception
ERR_DEF_CODE	System is unable to process the request
GCS-AUTH-01	Record Successfully Authorized
GCS-AUTH-02	Valid modifications for approval were not sent. Failed to match
GCS-AUTH-03	Maker cannot authorize
GCS-AUTH-04	No Valid unauthroized modifications found for approval.
GCS-CLOS-002	Record Successfully Closed
GCS-CLOS-01	Record Already Closed
GCS-CLOS-02	Record Successfully Closed



Error Codes	Messages
GCS-CLOS-03	Unauthorized record cannot be closed, it can be deleted before first authorization
GCS-COM-001	Record does not exist
GCS-COM-002	Invalid version sent, operation can be performed only on latest version
GCS-COM-003	Please Send Proper ModNo
GCS-COM-004	Please send makerId in the request
GCS-COM-005	Request is Null. Please Resend with Proper SELECT
GCS-COM-006	Unable to parse JSON
GCS-COM-007	Request Successfully Processed
GCS-COM-008	Modifications should be consecutive.
GCS-COM-009	Resource ID cannot be blank or "null".
GCS-COM-010	Successfully cancelled \$1.
GCS-COM-011	\$1 failed to update.
GCS-DEL-001	Record deleted successfully
GCS-DEL-002	Record(s) deleted successfully
GCS-DEL-003	Modifications didnt match valid unauthorized modifications that can be deleted for this record
GCS-DEL-004	Send all unauthorized modifications to be deleted for record that is not authorized even once.
GCS-DEL-005	Only Maker of first version of record can delete modifications of record that is not once authorized.
GCS-DEL-006	No valid unauthroized modifications found for deleting
GCS-DEL-007	Failed to delete. Only maker of the modification(s) can delete.
GCS-MOD-001	Closed Record cannot be modified



Error Codes	Messages
GCS-MOD-002	Record Successfully Modified
GCS-MOD-003	Record marked for close, cannot modify.
GCS-MOD-004	Only maker of the record can modify before once auth
GCS-MOD-005	Not amendable field, cannot modify
GCS-MOD-006	Natural Key cannot be modified
GCS-MOD-007	Only the maker can modify the pending records.
GCS-REOP-003	Successfully Reopened
GCS-REOP-01	Unauthorized Record cannot be Reopened
GCS-REOP-02	Failed to Reopen the Record, cannot reopen Open records
GCS-REOP-03	Successfully Reopened
GCS-REOP-04	Unauthorized record cannot be reopened, record should be closed and authorized
GCS-SAV-001	Record already exists
GCS-SAV-002	Record Saved Successfully.
GCS-SAV-003	The record is saved and validated successfully.
GCS-VAL-001	The record is successfully validated.
ML-RG-001	Regression Model Build Failed
ML-RG-002	Regression Model Statistics Calculation Failed
ML-RG-003	Cross Validation Failed
ML-RG-004	Model Selection Failed
ML-RG-005	Model Successfully Trained
ML-RG-006	Invalid Use Case Selected
ML-RG-007	No Trained Model found



Error Codes	Messages
ML-RG-008	Batch Scoring Failed
ML-RG-009	Successfully completed Batch scoring
ML-UTIL-003	Failed in Random Sampling
ML-UTIL-004	Too less data for model building
ML-UTIL-005	Failed in Splitting Data
ML-UTIL-006	Failed in Selecting Feature
ML-UTIL-007	Failed to Drop Model(s)
ST-CUS-167	Record already exist for customer no and source_system_cust_no combination
ST-SAVE-027	Request Successfully Processed
CBS-CRITERIA-001	Criteria Code cannot be blank
CBS-CRITERIA-002	Criteria Description cannot be blank
CBS-CRITERIA-003	Select valid Product Processor
CBS-CRITERIA-004	Atleast one Rule should be selected in Criteria Definition
CBS-CRITERIA-005	Rule Description cannot be blank
CBS-CRITERIA-006	Select a Rule ID from the list
CBS-CRITERIA-007	Enter a valid number for Priority
CBS-CRITERIA-008	Enter a valid number for Priority
CBS-CRITERIA-009	Duplicate entries found for Rule ID
CBS-CRITERIA-010	Duplicate entries found for Priority
CBS-CRITERIA-011	Enter valid Parent Rule ID for
CBS-CRITERIA-012	Duplicate entries found for Rule ID
CBS-CRITERIA-013	Cannot add child Rule when Call All Bureau is enabled



Error Codes	Messages
CBS-CRITERIA-014	Duplicate entries found for Priority
CBS_ERR_004	Parameter description cannot be modified
CBS_LKUP_01	Duplicate entries found for Lookup Code
CBS_500	Error occurred at Bureau Call
	Response structure from Bureau is different
CBS_SYSPAR_001	System parameter not maintained for the bureau for history call
	Facts not found for Bureau identification Rule
CBS_400	Empty response from criteria for given PPcode
	Empty response from Oracle Banking Routing Hub from bureau call
	Bureau identification Rule not found for given facts
CBS-CRTR-015	Criteria Code has exceeded the max length specified
CBS-CRTR-016	Description has exceeded the max length specified
CBS-CRTR-017	Rule Id has exceeded the max length specified
CBS-CRTR-018	Rule Description has exceeded the max length specified
CBS_BR_DTLS_NOT_ FOUND	Bureau Details are not provided
CBS_BR_DTLS_NOT_	Bureau Details are not maintained for +{reqBureauProductType}
MNT	(variable, value will be replaced at runtime from payload)
CDS-DML-006	Invalid range definition. Either range or value is allowed
CDS-DML-007	Duplicate \$1 values are not allowed
CDS-DML-010	From value should not be greater than To value
CDS-RUL-001	Error occurred while evaluating the rule
CDS-DML-003	Effective date should be less than Expiry Date
CDS-PRC-006	Effective date should be less than the Expiry Date



Error Codes	Messages
CDS-DML-002	Maintain at least one record in \$1
CDS-DML-014	Effective date cannot be less than the Product Processor Effective date.
CDS-PRC-014	Effective date cannot be less than the Product Processor Effective Date.
CDS-DML-017	if dmIAppEnabledInd is selected as N then dmIFeature can not be null
CDS-DML-018	if dmIAppEnabledInd is selected as y then dmIScoreRuleId can not be null
CDS-DML-022	Input parameter is missing or incorrect. Unable to resolve any scoring model
CDS-DML-023	Input parameter is missing or incorrect. Unable to calculate the score
CDS-DML-013	Invalid product processor
CDS-PRC-011	Incorrect Range Definition. Range definition should be continuous in \$1
CDS-PRC-012	Duplicate \$1 values are not allowed
CDS-DML-015	Product Processor is not authorized
CDS-DML-011	Incorrect Range Definition. Range definition should be continuous
CDS-DML-012	Input parameter is missing or incorrect. Unable to resolve any pricing setup
CDS-QFT-001	if qftRuleApplicableInd is selected as y then qftRuleName and qftRuleId cannot be null
CDS-QFT-002	if qftRuleApplicableInd is selected as N then qftFactName and qftFactId cannot be null
CDS-QFT-005	qftCode cannot be other than alphanumeric
CDS-QFT-004	Fact or rule not found
CDS-DML-008	Invalid rule name



Error Codes	Messages
CDS-PRC-0010	Fact or rule not found
CDS-PRC-007	Pricing Rate definition should be greater than or equal to minimum rate and less than or equal to maximum rate
CDS-PRC-009	rate percentage of range cannot be equal to zero or less than the previous one
CDS-PRC-005	\$1 should be equal to or greater than the System date
CDS-PRC-010	Invalid product processor
CDS-PRC-004	Maintain at least one record \$1
CDS-PRC-001	Min Rate cannot be less than zero or not be more than max rate
CDS-PRC-003	Overlapping price range definition not allowed \$1
CDS-PRC-002	Rate Type cannot any other keyword
CDS-PRC-008	\$1 cannot be less than or equal to zero
CDS-DML-009	Unable to resolve any scoring model
CDS-PPR-001	\$1 should be equal to or greater than the System date
CDS-DML-005	Overlapping range definition not allowed in \$1
CDS-QFT-003	Invalid product processor
CDS-DML-001	\$1 should be equal to or greater than the Posting date
CDS-DML-019	Unable to resolve the best fit scoring model. Multiple scoring model resolved
CDS-DML-016	Unable to resolve the best fit pricing model. Multiple pricing model resolved
CDS-DML-004	The sum of weightage assigned to the feature code should be 100
CDS-PPR-002	Effective date should be less than Expiry Date
CDS-PRC-013	Rate definition should be greater than or equal to minimum rate and less than or equal to maximum rate



Error Codes	Messages
CDS-DML-020	Unable to resolve the best fit application scoring model Multiple application scoring model resolved
CDS-DML-021	Unable to resolve the best fit decision and grade matrix. Multiple decision and grade matrix resolved
CDS-BWC-001	\$1 should be equal to or greater than the System date
CDS-BWC-002	Maintain at least one record in \$1
CDS-BWC-003	Effective date should be less than the Expiry Date
CDS-BWC-014	Effective date cannot be less than the Product Processor Effective date
CDS-STG-006	Effective Date cannot be null or blank
CDS-STG-007	Expiry Date cannot be null or blank
CDS-STG-008	Industry cannot be null or blank
CDS-STG-009	Module cannot be null or blank
CDS-STG-010	Line of Business cannot be null or blank
CDS-STG-011	Effective date should be less than the Expiry Date
CDS-STG-012	Expiry Date should be equal to or greater then the System date
CDS-STG-013	Invalid Strategy Code
CDS-STG-014	Invalid Industry
CDS-STG-015	Invalid Module
CDS-STG-016	Invalid Line of Business
CDS-STG-017	Invalid product processor
CDS-STG-018	Invalid Account Category
CDS-STG-019	Invalid modes for the selected module
CDS-STG-020	Invalid combination of steps for selected modes
CDS-STG-021	Record already exists
CDS-STG-022	Effective date cannot be less than the Product Processor Effective Date
CDS-RUL-002	Fact already exists
CDS-STG-023	Invalid combination of modes and steps
CDS-DML-043	Invalid \$1 sent
CDS-DML-040	FeatureDTO missing. Kindly enter the details



Error Codes	Messages
CDS-LML-029	Logical Model Reason Code is Invalid
CDS-DML-024	Negative values not allowed
CDS-DML-025	Category not allowed in case of multi applicant scoring model
CDS-DML-026	Percenatge cannot be greater than 100
CDS-DML-027	For multi-applicant max value not allowed
CDS-DML-028	Max value not required for range type Value
CDS-DML-029	Range type cannot be null
CDS-DML-030	Max value cannot be null
CDS-DML-031	Please enter a valid scoring model type
CDS-DML-032	Please enter a valid range type
CDS-DML-033	Feature list not required for application model
CDS-DML-034	Scoring rule id not required for the scoring model type
CDS-DML-035	Please enter a valid feature type
CDS-DML-036	Only range Type Value is allowed, for fact type feature
CDS-DML-037	Only range Type ParamPercent is allowed, for rule based feature
CDS-DML-038	Only range Type Value is allowed, for Text type fact
CDS-DML-039	Category code missing
CDS-LML-015	Logical Model Code size must be between 1 and 30
CDS-LML-016	Logical Model Description size must be between 1 and 240
CDS-LML-017	Logical Model Effective Date cannot be null
CDS-LML-018	Logical Model Expiry Date cannot be null
CDS-LML-019	Logical Model Rule Id size must be between 1 and 80
CDS-LML-020	Logical Model Details Rule Id cannot be null
CDS-LML-021	Reason Code cannot be null
CDS-LML-022	Logical Model comments size must be between 1 and 80
CDS-LML-023	Logical Model Sequence must be in the range of 1 to 999
CDS-LML-024	Logical Model Sequence is Incorrect
CDS-LML-025	Logical Model Priority must be in the range of 1 to 100
CDS-LML-026	Logical Model Details cannot be null or empty
CDS-LML-027	Rule Id cannot be duplicate
CDS-LML-028	Invalid Rule Id
CDS-QUR-001	Invalid Input for QuestionnaireId, can not be null or blank



Error Codes	Messages
CDS-QUR-002	Invalid Input for Questionnaireld, null or blank required
CDS-QUR-003	Invalid Input for QuestionId, null or blank required
CDS-QUR-004	Invalid Input for QuestionId, can not be null or blank
CDS-QUR-005	Questionnaire Code cannot be null or empty
CDS-QUR-006	Questionnaire Description cannot be null or empty
CDS-QUR-007	Product Processor cannot be null or empty
CDS-QUR-008	Question Code cannot be null or empty
CDS-QUR-009	Question Short Name cannot be null or empty
CDS-QUR-010	Question Description cannot be null or empty
CDS-QUR-011	Question Type cannot be null or empty
CDS-QUR-012	Answer Description cannot be null or empty
CDS-QUR-013	Questionnaire Code size must be between 1 and 30
CDS-QUR-014	Questionnaire Description size must be between 1 and 240
CDS-QUR-015	Question Code cannot be duplicate for a product processor
CDS-QUR-016	Question Sequence Number cannot be null, empty or zero, negetive
CDS-QUR-017	Answer Option Sequence Number cannot be null, empty or zero, negetive
CDS-QUR-018	Question Sequence Number cannot be duplicate for a questionnaire
CDS-QUR-019	Answer Option Sequence Number cannot be duplicate for a Question
CDS-QUR-020	Answer OptionId cannot be null or empty
CDS-QUR-021	Answer OptionId cannot be duplicate for a question
CDS-BWC-004	Incorrect execution stage
CDS-BWC-005	\$1 fact or rule not found
CDS-QUR-022	Input for whether Question Mandatory cannot be null or empty
CDS-QUR-023	System will not allow to add questions where response choice has not been captured, At least 2 record should be available
CDS-QUR-024	System will not allow to save the questionnaire without any question configured, Atleast 1 question should be configured in the questionnaire
CDS-QUR-025	Question Code cannot be duplicate for a questionnaire.
CDS-STG-024	Invalid type and value for additional info
CDS-STG-025	Selection of atleast 1 mode is mandatory
CDS-STG-026	Effective date cannot be updated after authorisation
CDS-STG-027	Multiple values of same type are not allowed under Additional Information



Error Codes	Messages
CDS-LOOKUP-001	Lookup Type must be alphanumeric
CDS-LOOKUP-002	Lookup Type must be between 1 and 30
CDS-LOOKUP-003	Lookup Description must be between 1 and 240
CDS-LOOKUP-004	Duplicate lookup codes not allowed
CDS-STG-001	Strategy Code cannot be null or blank
CDS-STG-002	Strategy Code Description cannot be null or blank
CDS-STG-003	Product Processor cannot be null or blank.
CDS-STG-004	Product Processor Description cannot be null or blank.
CDS-STG-005	Account Category cannot be null or blank.
CDS-DML-041	Multiple Range definitions not allowed in case of MultiApplicant Scoring Model
CDS-DML-042	Incorrect Range Definition. \$1



7 Glossary

This section provides a glossary of all terms and abbreviations used in the user manual.

Accounts

Continuing financial relationship between a bank and a customer, in which deposits and debts are held and processed within a framework of established rules and procedures.

Reports

A page containing information organized in a narrative, graphic, or tabular format, prepared on ad-hoc, periodic, recurring, regular, or as required basis. Reports may refer to specific periods, events, occurrences, or subjects.

Pareto Chart

It is a type of chart that consists of both bars and a line graph, where individual values are represented in descending order by bars, and the cumulative total is represented by the line.

Sunburst Chart

It is a type of chart that is ideal for displaying hierarchical data. Each level of the hierarchy is represented by one ring or circle with the innermost circle as the top of the hierarchy. A sunburst chart without any hierarchical data (one level of categories), looks similar to a doughnut chart.

Virtual Account

Virtual accounts are provided to a corporate by its banking partner. Each account is a subsidiary or subaccount of the client's own physical account with the bank; they cannot exist outside of the immediate relationship; hence they are virtual.

Virtual Identifier

Virtual identifier serves to segregate any funds from any other funds in the same main account and yet is inextricably linked to the virtual account.



8 List of Menus

- 1. 3P Service Integration 3.3 3P Service Integration (pg. 329)
- 2. Additional Field Maintenance 2.1Additional Field Maintenance (pg. 9)
- 3. Advice 2.2 Advice (pg.11)
- 4. Amount Text Language 2.3 Amount Text Language (pg. 14)
- 5. BIC Directory 2.4 BIC Directory (pg. 17)
- 6. Borrowing Capacity 2.48 Borrowing Capacity (pg.208)
- 7. Branch EDD 2.5 Branch EOD (pg. 21)
- 8. Bureau Integration Service 2.36 Bureau Integration Service (pg. 123)
- 9. Country Code 2.6 Country Code (pg. 25)
- 10. Create Questionnaire 2.49.1 Questionnaire (pg. 221)
- 11. Credit Bureau Display 2.37 Credit Bureau Display (pg.126)
- 12. Criteria 2.39 Criteria (pg.136)
- 13. Currency Definition 2.7 Currency Definition (pg. 2.728)
- 14. Currency Exchange Rate 2.8 Currency Exchange Rate (pg. 34)
- 15. Currency Holiday Master 2.9 Currency Holiday Master (pg. 37)
- 16. Currency Pair Definition 2.10 Currency Pair Definition (pg. 40)
- 17. Currency Rate Type 2.11 Currency Rate Type (pg. 43)
- 18. Customer Category 2.13 Customer Category (pg. 47)
- 19. Decision Grade Matrix 2.53 Decision Grade Matrix (pg. 264)
- 20. Decision Service 2.42 Decision Service (pg. 168)
- 21. ECA System 2.15 ECA System (pg. 49)
- 22. Execution Summary 2.55 View Execution Summary (pg.292)
- 23. External Bank Parameters 2.16 External Bank Parameters (pg. 51)
- 24. External Branch Parameters 2.17 External Branch Parameters (pg. 53)
- 25. External Chart Account 2.18 External Chart Account (pg. 57)
- 26. External Customer 2.19 External Customer (pg. 59)
- 27. External Customer Account 2.20 External Customer Account (pg. 62)
- External Customer Account Structured Address 2.21 External Customer Account Structured Address (pg. 66)
- 29. External Virtual Account Structured Address 2.22 External Virtual Account Structured Address (p 69)
- 30. Forget Process 2.23 Forget Process (pg. 70)
- 31. Host Code 2.24 Host Code (pg. 72)
- 32. Integrating Bureau Integration Service with Oracle Banking Routing Hub 2.35 Integrating Bureau Integration Service with Oracle Banking Routing Hub (pg.97)
- Integrating Decision Service with Oracle Banking Routing Hub 2.41 Integrating Decision Service with Oracle Banking Routing Hub (pg. 148)
- 34. Language Code 2.25 Language Code (pg. 74)
- 35. Local Holiday 2.26 Local Holiday (pg. 76)
- 36. Logical Model 2.47 Logical Model (pg.196)



- 37. Lookup 2.44 Lookup (pg.177)
- 38. Media 2.27 Media (pg. 78)
- 39. Multi-Currency Account Linkage 2.28 Multi-Currency Account Linkage (pg. 81)
- 40. Operation 3.2 Operation (pg. 325)
- 41. Process Code 2.29 Process Code (pg. 83)
- 42. Pricing 2.54 Pricing (pg.280)
- 43. Pricing Source System 2.34 Pricing Source System (pg. 94)
- 44. Product Processor 2.43 Product Processor (pg.171)
- 45. Qualitative Scoring Model 2.50 Qualitative Scoring Model (pg. 228)
- 46. Quantitative Scoring Model 2.52 Quantitative Scoring Model (pg. 246)
- 47. Scoring Feature 2.51 Scoring Feature (pg. 242)
- 48. Strategy Configuration 2.46 Strategy Configuration (pg.188)
- 49. System Dates 2.30 System Dates (pg. 86)
- 50. System Parameter 2.45 System Parameter (pg.183)
- 51. Transaction Code 2.31 Transaction Code (pg. 87)
- 52. Toolkit 3.1 Toolkit (pg.313)
- 53. Upload Source 2.32 Upload Source (pg. 89)
- 54. Upload Source Preferences 2.33 Upload Source Preference (pg. 91)
- 55. Customer Access Group 2.12 Customer Access Group (pg. 45)



9 Feedback and Support

Oracle welcomes customers' comments and suggestions on the quality and usefulness of the document. Your feedback is important to us. If you have a query that is not covered in this user guide or if you still need assistance, please contact documentation team.

