

Subscription Workflow User Guide
Oracle FLEXCUBE Investor Servicing
Release 14.7.2.0.0
Part No. F75930-01
[May] [2023]



Table of Contents

1	Preface	1
1.1	Introduction	1
1.2	Audience	1
2	Document Accessibility	2
2.1	Acronyms and Abbreviations	2
2.2	List of Topics	2
2.3	Symbols	2
3	Oracle FLEXCUBE Transaction Process Management	3
4	Transaction Workflow Setup	4
4.1	Conductor DSL upload	4
5	Routing Hub Configuration	5
6	Workflow Operation Configuration	6
6.1	Process Code Create	6
6.2	Process Code View	6
6.3	Business Process Create	6
6.4	Business Process View	7
6.5	Business Product Create	8
6.6	Business Product View	9
7	Overview of Oracle FLEXCUBE Transaction Creation Process	10
8	Transaction Creation Process	11
8.1	Transaction Initiation Stage	12
8.2	Initiate Transaction	12
8.2.1	Transaction Information	15
8.2.2	Transaction Summary	16
8.3	Transaction Entry Stage	20
8.3.1	Basic Information	20
8.3.2	Transaction Preference	21
8.3.3	Transaction Intermediary Details	21
8.3.4	Transaction Load Override Details	22
8.3.5	Transaction Settlement Details	22
8.3.6	Stage Summary	22
8.3.7	Stage Submit	23

- 8.4 Transaction Approval Stage26
 - 8.4.1 Transaction Information.....26
 - 8.4.2 Approval Details.....27
 - 8.4.3 Approval Summary27
 - 8.4.4 Stage Submit28
- 8.5 Transaction Handoff Retry.....30
 - 8.5.1 TXN Handoff Retry31
 - 8.5.2 Submit31
- 8.6 Action Tabs.....32
 - 8.6.1 Application Info.....33
 - 8.6.2 Remarks33

1.1 Introduction

Welcome to the Subscription Workflow user guide for Oracle FLEXCUBE Investor Services. This document provides an overview of the subscription process and takes you through the various steps involved in handling all the necessary activities in the life cycle of a subscription.

1.2 Audience

NA

2 Document Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

2.1 Acronyms and Abbreviations

The list of the acronyms and abbreviations that you are likely to find in the manual are as follows:

Abbreviation	Description
FCIS	Oracle FLEXCUBE Investor Services
DS	Data Segment
System	Oracle FLEXCUBE Workflow Module

Table: Acronyms table

2.2 List of Topics

This user manual is organized as follows:

Topics	Description
Oracle FLEXCUBE Investor Services Transaction Process Management	This topic describes the subscription process, and the Reference Process flow is updated in this chapter.

Table: List of Topics

2.3 Symbols

This user manual may refer to all or some of the following icons:

Table 1: Symbols

→	Represents Results
---	--------------------

3 Oracle FLEXCUBE Transaction Process Management

This document provides an overview of the transaction (Subscription) process and takes you through the various steps involved in handling all the necessary activities in the life cycle of a transaction process.

The document is designed to help you create following types of transaction:

- Subscription

4 Transaction Workflow Setup

4.1 Conductor DSL upload

Subscription workflow uses JSON-based **DSL** (short for, **domain-specific language**) to define the workflows and workflow steps (tasks). DSL will specify the stages, outcome of stages and what action has to be taken based on outcome e.g. PROCEED or REJECT.

Download the obis-process-flow.zip and extract TRANSACTION.json and HOSTORCHESTRATOR.json on your desktop. In postman send the following request.

Operation	POST
URL	http://ofss-mum-3505.snbomprshared1.gbucdsint02bom.oraclevcn.com:8011/plato-orch-service/api/metadata/workflow
Header	isMEEnabled:false entityid:DEFAULTENTITY appid:platoorch branchcode:000
Body	TRANSACTION.json and HOSTORCHESTRATOR.json





Figure: Conductor Post Workflow

5 Routing Hub Configuration

Download obis-obrh-config.zip from shipment and extract FCIS_Consumer_Service.json.

Go to Service Consumers and Import FCIS_Consumer_Service.json.




The screenshot shows the 'Request Audit' interface. It features a search form at the top with fields for Request Id, Consumer, Consumer Service, Provider, Provider Implementation, Provider Service, Transformation, Route, and User Id. Below the form is a table with the following data:

Request Id	Consumer	Consumer Service	Provider	Provider Implementation	Provider Service	Transformation	Route	Status	User Id
Eih7TCrepi...	FCIS	EnrichSubscri...	FCIS 14.5	FCIS_Default	EnrichSubscri...	EnrichSubscri...	EnrichSub...	SUCCESS	TESTUSER1
o48QTcEIp...	FCIS	EnrichSubscri...	FCIS 14.5	FCIS_Default	EnrichSubscri...	EnrichSubscri...	EnrichSub...	SUCCESS	TESTUSER1
UqLIYtylpi...	FCIS	CreateSubscri...	FCIS 14.5	FCIS_Default	CreateSubscri...	CreateSubscri...	CreateSub...	SUCCESS	TESTUSER1

At the bottom of the table, there is a pagination control showing 'Page 1 of 26 (1 - 5 of 129 items)' and navigation arrows.

Figure: Request Audit



The screenshot shows the 'Service Consumers' interface. It has a top bar with 'Add' and 'Import' buttons and a search field. Below this, there is a dropdown menu for 'FCIS' and a pagination control showing 'Page 1 of 1 (1 - 1 of 1 items)'. The main area of the interface is currently empty, displaying a decorative background pattern.

Figure: Service consumers

NOTE: After import, kindly update the host, port, and header details (Module Code, User Id) as per the FCIS rest setup.

6 Workflow Operation Configuration

6.1 Process Code Create

The process code created should be in sync with the DSL, and the functional activity code must be added to the user role.

Stage ID	Stage Description	Seq Order	Source Stage	Task Type
OBIS_INITIATION	Application Init	1	Y	
TXN_APPEN	Application Entry	2	N	
TXN_SUPAPP	Supervisor Approval	3	N	
TXN_HANDOFF_RE	HandOff Retry	4	N	

Figure: Process Code

6.2 Process Code View

Page 1 of 1 (1 - 1 of 1 items)

Figure: View Process Code

6.3 Business Process Create

User has to create a business process and provide the process code, once process code is selected the stages will be listed in the filmstrip and user has to map the respective data segments.





Figure: Business Process Definition

6.4 Business Process View




Figure: View Business Process

6.5 Business Product Create

Product has to be created for which the transaction will be done, the same will be mapped while defining the business process.

Business Product Details Screen(1/4)

Business Product Details

Product Type Product Sub Type Business Product Code Business Product Name

Select Required Required Required

Cancel Save & Close Next

Business Product Details Screen(2/4)

Business Product Details

Attribute

Business Product Image + Click to Add Product Image

Selected file: Upload

Business Product Summary enabled

Feature Feature Name Feature Description

Max 100 characters Max 400 characters

+ Add Feature

Eligibility Eligibility Name Eligibility Description

Cancel Back Save & Close Next

Figure: Business Product Details

Fund in which the transaction will take place will be mapped in this as part of host mapping.





Figure: Business Product Details

6.6 Business Product View




Figure: Business Product View

7 Overview of Oracle FLEXCUBE Transaction Creation Process

Transaction creation process will enable the investment banks to leverage on the state of the art technology used for business modelling, help extend the boundaries of potential markets and ensure the convenience with primary focus on customer service.

We shall look at the reference workflows of the transaction process before understanding how the configuration and capture of data can be done. These stages can be made mandatory or non-mandatory based on the business process configurations. The process management flow is basically routed through various stages to capture relevant data before it is ready to be sent to the host for transaction creation.

The pre-defined process flow for transaction process is as follows:

- Initiation Stage
- Application Entry Stage
- Supervisor Approval Stage
- Transaction Creation

The convenience of configuring appropriate stages and the respective data segments within each of these stages, which can be business driven, is hosted and architected by our new platform solution. The random-access navigation between data segments within a given stage with appropriate validations, helps enable the business user to capture apt information anytime during the subscription process before the transaction is created in the host.

The business process definition will determine the different stages which are required for a given combination of the Process Code, Life Cycle and Business Product Code. The workflow management of these stages and the relevant stage movements are defined in the Process Orchestrator to help us orchestrate the subscription based process flow and ensure seamless transition of the transaction creation process across various stages in that given order. The workflow process drives the application from one stage to another based on the process outcomes at the respective stages and subject to fulfilling of the mandatory data capture/submission at the respective stages.

8 Transaction Creation Process

Prerequisite:

Specify **User Id** and **Password**, and login to **Home screen**.

From **Home screen**, > Menu > Investor Service > Operations > Transaction

On click of transaction it will launch the Subscription panel page




Figure: subscription page

On click of "Select" button, it will launch Unit Holder search page, where you can search for Unit Holder based on Unit Holder ID's




Figure: Unit Holder search view

Unit Holder ID

Specify the unit holder that has requested the transaction, in the Unit Holder Search section. Alternatively, you can click on search button to get unit holder ID list. The list displays all valid unit holder ID maintained in the system

After selection Unit Holder it will provide details of Unit Holder and available products and existing funds.




Figure: Unit Holder detail page

Once you click on available product it will launch the initiation screen

This chapter includes following sections:

- Transaction Initiation Stage
- Transaction Entry Stage
- Transaction Approval Stage
- Transaction Handoff Retry Stage

8.1 Transaction Initiation Stage

All the transaction are initiated in the Application Initiation stage. Once the transaction creation process is initiated as a single product origination, process orchestrator generates the transaction creation process reference number on click of Subscription. Process orchestrator also updates the record in the Free Task process for the 'Initiation' stage also referred as 'Task' from orchestrator perspective.

The Initiation stage is the first stage in the Transaction Creation process. After the initiate process is completed successfully, the application can be acquired by the user who has the access rights for the given stage and progress with the data capture.

Initiation Stage two screens are mapped, Initiate Transaction and Transaction Information. Stage Summary is show by default in workflow for all stages.

8.2 Initiate Transaction

In Initiation page, please input the required fields like User Reference Number, Transaction date, transaction subtype, Sub Payment Mode, transaction mode and respective field and click on next, it will take you to the Transaction Information Page




Figure: Initiation Page

Fund Info Panel:

System will display following values:

- Transaction Type
- Fund ID
- ISIN Number
- AMC Name
- Latest Nav
- Fund Base Currency

Unit Holder Panel:

System will display following values:

- Unit Holder Number
- CIF Number
- Identification Type
- Identification Number
- A/C operation type
- Tax Id
- US Citizen
- Country of Residence
- Date of Birth

Figure: Initiation Page

User Reference Number:

Alphanumeric; 16 Characters; Mandatory

Specify the reference number for the transaction. If the reference number is designated to be system-generated for the agency branch, then the Reference Number field is locked and the number will be generated by the system when you save the transaction

Transaction Number: Read Only

Order Received Time Zone:

Optional

Specify the order received Time Zone. Alternatively, you can select it from the option list. The list displays all Time Zones maintained in the system.

Order Received Date Time:

Date Format; Optional

Specify the order received date.

Note: Order Received Date will not be defaulted for system generated transactions.

Transaction Date:

Date Format; Mandatory

Specify the transaction date alternatively you can default it by providing the Order Receive Time zone or Order Receive Date Time.

Transaction Currency:

Alphanumeric; 3 Characters; Optional

Specify the currency in which the amount value for the transaction will be reckoned. Alternatively, you can select transaction currency from the option list. The list displays all valid transaction currency maintained in the system

Transaction Sub Type:

Drop down: optional

Sub Payment Mode:

Drop down: optional

Transaction Mode:

Mandatory

Select the transaction mode from the drop-down list. Following are the options available in the drop-down list:

- Amount
- Units

Units Applied

Numeric; 27 Characters; Optional Specify the units applied details.

You can specify the details in this field only if you have selected 'Transaction Mode' field as Units

Amount Applied:

Numeric; 27 Characters; Optional

Specify the amount applied details. You can specify the details in this field only if you have selected 'Transaction Mode' field as Amount. Else, while clicking 'Next' button, the system will display an error message.

8.2.1 Transaction Information

In Transaction Information page will provides information for all segments like

- 1.1 Transaction Basic Details.
- 1.2 Intermediary Details.
- 1.3 Load Override Details.
- 1.4 Preference Details.
- 1.5 Settlement Details.

On click each panel will provide detail information on popup with view mode only.




Figure: Transaction Information Page




Figure: Transaction Information Page detailed popup

8.2.2 Transaction Summary

While clicking on the next from Transaction information screen it will launch summary page it will contains with summary of Initiate Transaction and Transaction Information with completed (Green) and incomplete (Red) indicators.

On click of each panel it will detail information on popup.




Figure: Transaction Summary Page




Figure: Transaction Summary Page Popup

While submitting the initiation segment it will take you to the submit flow

Transaction Override will be displayed with check list or if no override then no override message will be displayed. On click of proceed and next it will navigate to checklist view.




Figure: Transaction initiation submit override flows

In check list view will ask for validated the transaction details or not. On click of save & proceed it Will navigate to outcome view.




Figure: Transaction initiation submit checklist flows

In outcome field view it will be having outcome drop down with proceed and proceed for approval and remark field.




Figure: Transaction Initiation submit Flows

Once initiation submitted it will prompt a success message with application reference number and other details if you click on go to free task it will launch the free task page.




Figure: Initiation Success popup

In free task page, application will be in entry stage. Once acquire, it will move it to application entry segments.




Figure: Free task page

8.3 Transaction Entry Stage

All the data segment is these stages are marked as read only.

Transaction entry stage following screens are mapped.

8.3.1 Basic Information




Figure: Basic Information page

8.3.2 Transaction Preference




Figure: Transaction Preference page

8.3.3 Transaction Intermediary Details




Figure: Transaction Intermediary page

8.3.4 Transaction Load Override Details




Figure: Transaction Load Override page

8.3.5 Transaction Settlement Details.




Figure: Transaction Settlement page

8.3.6 Stage Summary

On click of each panel it will give detailed information in view mode.




Figure: Transaction Entry Summary




Figure: Transaction Entry Summary detailed popup with view mode

8.3.7 Stage Submit

While submitting the application entry it will prompt the submit process flow once submitted it will move approval stage.

8.3.7.1 Overrides




Figure: Transaction Entry Submit flow

8.3.7.2 Checklist




Figure: Transaction Entry Submit flow

8.3.7.3 Outcome




Figure: Stage movement Submit

8.3.7.4 Free Task

In free task page application will be approval stage once Acquire it will launch application approval segments.




Figure: Free task page

Acquire & Edit	Priority	Process Name	Process Reference Number	Application Number	Stage	Application Date
<input type="checkbox"/>		FCIS Subscription	000TXN000000526	000APP000000524	TXN Approval	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000535	000APP000000533	TXN Approval	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000496	000APP000000494	Handoff Retry	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000415	000APP000000413	Application Initiation	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000412	000APP000000410	Application Initiation	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000406	000APP000000404	Application Initiation	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000118	000APP000000116	TXN Approval	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000073	000APP000000071	Application Initiation	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000070	000APP000000068	Application Initiation	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000067	000APP000000065	Application Initiation	15-01-06
<input type="checkbox"/>		FCIS Subscription	000TXN000000061	000APP000000059	Application Initiation	15-01-06

Figure: Free task page

8.4 Transaction Approval Stage

From free task if you acquire the approval transaction it will launch the approval screen where you can reject or approve the transaction.

Transaction entry stage following screens are mapped.

8.4.1 Transaction Information

Transaction Basic Details		Intermediary Details	
Unit Holder ID	Transaction Date	Entity ID	Parent Entity Name
404601	2015-04-12	FJVOGEL	Percentage
Unit Holder Name	Transaction Currency	Entity Name	100
Mr. FCAT UH 9	ZAR	Entity Type	B
Fund ID	Transaction Amount		
ATFUND	40000		
Fund Name			
Audit Test Fund			
Load Override Details		Preference Details	
Load ID	Change Type	Settlement Date	Price Date
		2015-04-12	
Load Description	Change Value	Base Cost	Dealing Date
		2015-04-12	
Amount or Percentage	Projected Returned Value	Short Trade Unit	Completion Date

Figure: Transaction Information page

8.4.2 Approval Details




Figure: Approval page

8.4.3 Approval Summary




Figure: Transaction approval stage summary page

8.4.4 Stage Submit

8.4.4.1 Overrides




Figure: Transaction approval stage submit flow

8.4.4.2 Checklist




Figure: Transaction approval stage submit flow

8.4.4.3 Outcome




Figure: Transaction approval stage submit flow




Figure: Free Tasks

Now application will be available in completed task

8.4.4.4 Tasks

Priority	Process Name	Process Reference Number	Application Number	Stage	Application Date	Branch
<input type="checkbox"/>	FCIS Subscription	000TXN000000526	000APPO00000524	TXN Approval	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000526	000APPO00000524	Application Entry	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000535	000APPO00000533	Application Entry	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000535	000APPO00000533	Application Initiation	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000526	000APPO00000524	Application Initiation	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000383	000APPO00000381	TXN Approval	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000383	000APPO00000381	Application Initiation	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000380	000APPO00000378	TXN Approval	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000380	000APPO00000378	Application Entry	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000380	000APPO00000378	Application Initiation	15-01-06	000
<input type="checkbox"/>	FCIS Subscription	000TXN000000344	000APPO00000342	TXN Approval	15-01-06	000

Figure: Completed task view.

8.5 Transaction Handoff Retry

In case of failure of transaction creation from the host system, the application will navigate to Handoff Retry Stage.

Acquire & Edit	Priority	Process Name	Process Reference Number	Application Number	Stage	Application Date
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000547	000APPO00000545	Handoff Retry	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000535	000APPO00000533	TXN Approval	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000496	000APPO00000494	Handoff Retry	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000415	000APPO00000413	Application Initiation	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000412	000APPO00000410	Application Initiation	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000406	000APPO00000404	Application Initiation	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000118	000APPO00000116	TXN Approval	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000073	000APPO00000071	Application Initiation	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000070	000APPO00000068	Application Initiation	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000067	000APPO00000065	Application Initiation	15-01-06
<input type="checkbox"/>	Acquire & ...	FCIS Subscription	000TXN000000061	000APPO00000059	Application Initiation	15-01-06

Figure: Handoff Retry grid view

Once user acquires the task it will launch the back-office error page.

8.5.1 TXN Handoff Retry




Figure: Back-office error page.

8.5.2 Submit

While submitting the back-office error it will prompt with submission flow.

8.5.2.1 Overrides




Figure: Submit flow

8.5.2.2 Checklist




Figure: Submit flow

8.5.2.3 Outcome




Figure: submit flow

8.6 Action Tabs

This section includes the following subsections:

- Application Info
- Remarks

The functions available in the various tabs can be accessed during any point in the Application Entry stage. Details about the tabs are as follows:

8.6.1 Application Info

1. Click **Application Info** to view the application information.

→ The **Application Information** screen is displayed.




Figure: Application Information

8.6.2 Remarks

1. Click **Remarks** to update any remarks that you want to post for the application that you are working on.

→ The **Remarks** screen is displayed.




Figure: Remarks



Subscription Workflow User Guide
[May] [2023]
Version 14.7.2.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2023], Oracle and/or its affiliates.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.