

**Oracle Banking Digital Experience
Integration Guide**

Oracle Banking Origination Cloud Service

Release 14.6.0.0.0

Part Number F76354-01

December 2022

ORACLE®

Oracle Banking Digital Experience Integration Guide

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

<https://www.oracle.com/industries/financial-services/index.html>

Copyright © 2022 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. About this Manual	1
1.1 Purpose	1
1.2 Audience	1
1.3 List of Topics	1
2. Oracle Banking Digital Experience Integration	2
2.1 Introduction	2
2.1.1 Business Product API	3
2.1.2 Initiate API	4
2.1.3 Submit API	5
2.1.4 Get API	7
2.1.5 Inquiry API	8
2.1.6 Document List API	9
2.1.7 LOV API	10
2.1.8 BIC CODE LOV API	11
2.1.9 Customer Accounts LOV API	12
2.1.10 Loan Offer Decision API	13
2.1.11 IPA Inquiry Service API	14
2.1.12 Converting IPA into full Loan Application API	15

1. About this Manual

1.1 Purpose

This guide is to help with Integration of Oracle Banking Origination with Oracle Banking Digital Experience product.

1.2 Audience

This guide is primarily intended for the following user/user roles:

Table 1: Audience

Role	Function
Implementation and IT Staff	Implementation and maintenance of the software

1.3 List of Topics

Table 2: List of Topics

Topics	Description
Oracle Banking Digital Experience Integration	This topic helps you to Integrate Oracle Banking Digital Experience with Oracle Banking Origination.

2. Oracle Banking Digital Experience Integration

2.1 Introduction

You can integrate Oracle Banking Origination with Oracle Banking Digital Experience product. This document briefs you about the specific steps needed for Integration of these two products and specific maintenances.

Oracle Banking Origination and Oracle Banking Digital Experience integration will allow end-customers to initiate multi-product applications in a single go without much hindrance. This will enable faster application processing, easy tracking, and a single and efficient platform to open accounts. Oracle Banking Digital Experience user is factory-shipped from Oracle Banking Origination, however, roles will have to be provided. For more details on roles, refer **Oracle Banking Common Core User Guide**.

For the smooth integration, Oracle Banking Origination has provided the following Rest APIs for Oracle Banking Digital Experience to consume and utilize multi-product origination.

- [2.1.1 Business Product API](#)
- [2.1.2 Initiate API](#)
- [2.1.3 Submit API](#)
- [2.1.4 Get API](#)
- [2.1.5 Inquiry API](#)
- [2.1.6 Document List API](#)
- [2.1.7 LOV API](#)
- [2.1.8 BIC CODE LOV API](#)
- [2.1.9 Customer Accounts LOV API](#)
- [2.1.10 Loan Offer Decision API](#)
- [2.1.11 IPA Inquiry Service API](#)
- [2.1.12 Converting IPA into full Loan Application API](#)

2.1.1 Business Product API

Business Product API will allow to fetch the list of Oracle Banking Digital Experience specific business products which are maintained in Oracle Banking Origination application. Depending on the Product Type parameter passed, this API will fetch authorized and open records of Loans, Savings, or Current Account products from Oracle Banking Origination. Follow the following steps to configure Oracle Banking Digital Experience specific Business Products in Oracle Banking Origination:

1. Open Business Product Maintenance screen.
2. Enter the required details along with CHANNEL field as OBDX.
3. Save and authorize the record.
4. Create Business Process from Business Process Maintenance screen and link this newly created Oracle Banking Digital Experience product to this Business Process (existing Business Process can also be used to link the Business Product).

This product will now be available to be fetched by Oracle Banking Digital Experience.

Below are the details of the API:

API: `/obremo-rpm-businessproductdetails-services/web/businessproducts?productType={productType}&channel=OBDX`

Type: `GET`

Headers:

Content-Type: `application/json`

userId: `OBDX`

appId: `OBREMOBPDTAILS`

branchCode

productType can have the below mentioned values:

`L` → Loan Account Products

`S` → Savings Account Product

`C` → Current Account Product

2.1.2 Initiate API

Initiate API will be used to initiate and thus start a multi-product application through Oracle Banking Origination.

Below are the salient features of Initiate API. Initiate API will return the following in the response:

- Application Number
- Initiate Reference Number
- Product specific Process Reference Numbers
- Product specific Task Ids
- Product specific documents required

On initiating an application, a conductor workflow will be created for all the products selected and will be present at the initial stage of the configured Business Process.

The tasks will be auto-acquired by the user “OBDX” (factory-shipped user).

Below are the details of the API:

API: `/obremo-rpm-process-driver-services/service/initiate`

Type: `POST`

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

Body:

```
{
  "channel": "",

  "products": [
    {
      "businessProductCode": "string",
      "lifeCycleCode": "string",
    }
  ]
}
```

```

"productType": "string",
"subProductType": "string"
}
]
}

```

2.1.3 Submit API

Submit API will be used to save and submit the application from Oracle Banking Digital Experience side. On calling this API, the data passed through the payload will be stored in Oracle Banking Origination tables in the respective domains. Below are the salient features of Submit API.

Based on the body parameter “action” (which can have “save” and “submit” values), the Oracle Banking Digital Experience application will be saved or submitted in Oracle Banking Origination.

1. Send action as **Save** to persist the data in the TW tables of the respective domains.
2. Send action as **Submit** and the following operations will be executed.
 - Data will be persisted in TW tables of respective domains.
 - The conductor tasks will be released from “OBDX” user and will be available in Free Tasks for Oracle Banking Origination users to pick up and start processing.
 - Mandatory documents will be validated.
3. Send action as **Terminate** to terminate the application if the status is **IN PROGRESS**.

The response of this API will also send the Application details back to Oracle Banking Digital Experience.

NOTE: It is required for Oracle Banking Digital Experience to save the data without the **Mandate Details** and **Financial Details**. This is because during **Customer Details** savings in Oracle Banking Origination, an applicant ID will be generated and sent back with the response. This applicant ID is required to be attached in **Mandate Details** and **Financial Details** to link the same with the **Customer Details**.

Below are the details of the API:

API: */obremo-rpm-process-driver-services/service/submit*

Type: *POST*

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

Body:



Plain_OBDX_Application_Submit_API_v5.txt

NOTE: Refer PDF attachment for downloading the file.

2.1.4 Get API

Get API is used to fetch the saved application details from Oracle Banking Origination application. The response format will be similar to the Submit API request format.

Below are the details of the API:

API: `/obremo-rpm-process-driver-services/service /getData/{applicationNumber}`

Type: `POST`

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

2.1.5 Inquiry API

Inquiry API is used to get the details applications initiated by Oracle Banking Digital Experience such as status, number of applications opened etc. Below are the details of the API:

API: */obremo-rpm-projection-services/ /service/inquiry/applicationsList*

Type: *GET*

Query Parameters:

1. channel (Mandatory)
2. fromDate
3. toDate
4. applicationNo
5. processRefNo
6. productType
7. productSubType
8. productName
9. custName
10. custMobile
11. custEmail
12. branchCode
13. offset
14. limit
15. primaryMobileISD
16. status
17. ipaReference

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

2.1.6 Document List API

Document List API is used to fetch the documents which are required to be submitted for an application. Using the parameters, we can fetch the documents for the below two scenarios:

- List the documents for a Business Product before initiating the application. Following are the parameters which are required to be sent:
 - businessProductCode
 - productType
- List the documents required for an already initiated application. Following are the parameters which are required to be sent:
 - applicationNo

Below are the details of the API:

API: `/obremo-rpm-process-driver-services/service/getDocumentList`

Type: `GET`

Query Parameters:

1. applicationNo
2. businessProductCode
3. productType

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

2.1.7 LOV API

List of Values (LOV) API are used to fetch static LOV values for drop-down fields from Oracle Banking Origination application. These are factory-shipped static values.

Below are the details of the API:

API: `/obremo-rpm-maintenance-services/service-api/v1/applicationmaintenance/{type}`

Type: `GET`

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: OBREMOMAINTCE
4. entityId
5. branchCode

2.1.8 BIC CODE LOV API

BIC Code LOV API fetches the list of BIC codes available in Oracle Banking Origination process.

Below are the details of the API:

API: `/obremo-rpm-maintenance-services/service-api/v1/applicationmaintenance/biccodes`

Type: `GET`

Query Parameters:

1. `bicCode` (Non-mandatory)
2. `offset` (Non-mandatory)
3. `limit` (Non-mandatory)

Headers:

1. `Content-Type: application/json`
2. `userId: OBDX`
3. `appId: RPMPROCESSDRIVER`
4. `entityId`
5. `branchCode`

2.1.9 Customer Accounts LOV API

Customer Accounts LOV API fetches the list of available customer accounts in Oracle Banking Origination process.

Below are the details of the API:

API: */obremo-rpm-lo-loanapplications/service-api/v1/loanapplications/customeraccounts/{applicationNumber}?customerNo={cifNo}&accountCurrency={CCY}*

Type: *GET*

Query Parameters:

1. applicationNumber (Mandatory)
2. customerNo (Mandatory)
3. accountCurrency (Mandatory)
4. offset (Non-mandatory)
5. limit (Non-mandatory)
6. customerId (Non-mandatory)
7. accountNumber (Non-mandatory)

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

2.1.10 Loan Offer Decision API

Loan offer decision API will enable Oracle Banking Digital Experience to accept or reject a loan offer, if the status of the application is in “Offer Generated”, and if that is not being processed by any Oracle Banking Origination user.

Below are the details of the API:

API: */obremo-rpm-process-driver-services/service/loanOfferDecision*

Type: *POST*

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROCESSDRIVER
4. entityId
5. branchCode

Body:

```
{  
  "processRefNo": string,  
  "applicationNumber": string,  
  "customerResponse": string,  
  "offerAmendDate": string,  
  "dateOfOfferAcceptOrReject": date,  
  "reason": string,  
  "remarks": string  
}
```

2.1.11 IPA Inquiry Service API

IPA Inquiry Service API will enable Oracle Banking Digital Experience to fetch the details and status of IPA processes

Below are the details of the API:

API: */obremo-rpm-projection-services/service/inquiry/ipaApplicationSearch*

Type: *GET*

Headers:

1. Content-Type: application/json
2. userId: OBDX
3. appId: RPMPROJECTION
4. entityId
5. branchCode

Query Parameters:

1. searchValue (Mandatory)
2. offset
3. limit
4. channel (Mandatory)

2.1.12 Converting IPA into full Loan Application API

Converting IPA into full Loan Application API enables Oracle Banking Digital Experience to convert IPA into the loan application.

Below are the details of the API:

API: /obremo-rpm-process-driver-services/service/initiate

Type: POST

Headers:

1. Content-Type: application/json
2. userId: ABIVAN
3. appId: RPMPROCESSDRIVER
4. entityId : DEFAULTENTITY
5. branchCode : 006

Body :

```
{
  "channel": string,
  "fullInitiation": string,
  "products": [
    {
      "businessProductCode": string,
      "productType": string,
      "subProductType": string,
      "ipaReferenceNumber": string
    }
  ]
}
```

Below are the details of the API:

API: /obremo-rpm-process-driver-services/service/submit

Type: POST

Headers:

1. Content-Type: application/json
2. userId: ABIVAN
3. appId: RPMPROCESSDRIVER
4. entityId : DEFAULTENTITY
5. branchCode : 006

Body:

```
{  
  "channel": string,  
  "action": save/submit,  
  "applicationNumber": string,  
  "remarks": null,  
  "products": null,  
  "domainData": {  
    "CmnApplicant": null,  
    "LoanAccOpenProcess": null,  
    "SavingAccOpenProcess": null,  
    "CurrentAccOpenProcess": null,  
    "TDAccOpenProcess": null,  
    "CollateralOrigProcess": null,  
    "IpaProcess": null,  
    "CCAccOpenProcess": null  
  }  
}
```