GWPKS_QUERYDDCONTRACT Package

Extensible Hook Details

Release 14.7.1.0.0

Part No.F77194-01

February 2023

ORACLE®

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Contents

Parameter	Description
Function	FN_BUILD_CHEQUEDETAILS
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_BUILD_CHEQUEDETAILS
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	User can enter the date in Value date field for screens 8318,8309,8321, 1010,1014 in first screen which will differ the credit and debit entries according to value date respectively in actb_daily_log and Value date field in second screen automatically populates from first screen. For this, Hook is provided.
Description	User can enter the date in Value date field for screens 8318,8309,8321, 1010,1014 in first screen which will differ the credit and debit entries according to value date respectively in actb_daily_log and Value date field in second screen automatically populates from first screen. For this, Hook is provided. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19029276

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	HOOK PROVIDED TO CAPTURE AND PRINT THE BENEFACTORS NAME

ORACLE®

Description	HOOK PROVIDED TO CAPTURE AND PRINT
	THE BENEFACTORS NAME
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18758228

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL
No of Parameters	12
Function Call Id	2
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_instr_no) l_Tb_Cluster_Data(l2_instr_type) l_Tb_Cluster_Data(l_instr_ccy)
Received from Extensible l ayer	l_print_count l_reprint_reason
Hook Description	Hook is provided as,
	FCUBS should support FCY DD processing in USD, GBP and EUR .
	The Instrument Number will be same for different currencies.
	Ex The Instrument number 10001 can be issued to GBP , as well as to EUR
Description	Hook is provided as,
	FCUBS should support FCY DD processing in USD, GBP and EUR .
	The Instrument Number will be same for different currencies.
	Ex The Instrument number 10001 can be issued to GBP , as well as to EUR
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23652054

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL
No of Parameters	12
Function Call Id	3
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL
Additional parameters	l_fn_call_id l_Tb_Cluster_Data

ORACLE®

Sent to Extensible layer	l_tb_cluster_data(l_ac_gl_desc1) l_tb_cluster_data(l_mode) l_tb_cluster_data(l_ac_or_gl) l_tb_cluster_data(g_operation_code) l_tb_cluster_data(l_instr_amt_in_words) l_tb_cluster_data(g_tag) l_tb_cluster_data(p_new_micr_no) l_tb_cluster_data(p_print_type) l_tb_cluster_data(l_dup_count) l_tb_cluster_data(l_remarks_other) l_tb_cluster_data(g_old_instr_no) l_tb_cluster_data(g_payment_mode) l_tb_cluster_data(l_reval_freq_days) l_tb_cluster_data(l_reval_freq_months) l_tb_cluster_data(l_reval_freq_years) l_tb_cluster_data(l_revaldt) l_tb_cluster_data(l_timeoftxn) l_tb_cluster_data(l_branch_name) l_tb_cluster_data(l_amt_in_words) l_tb_cluster_data(l_actamt) l_tb_cluster_data(l_tot_chg_in_acy) l_tb_cluster_data(g_new_instr_no) l_tb_cluster_data(g_instr_type) l_tb_cluster_data(l_exch_rate) l_tb_cluster_data(l_instr_stat) l_tb_cluster_data(l_instr_type) l_tb_cluster_data(l_instr_amt_in_words_3) l_tb_cluster_data(l_instr_amt_in_words_1) l_tb_cluster_data(l_instr_amt_in_words_2) l_tb_cluster_data(p_instr_no) l_tb_cluster_data(l_amt_in_words_1) l_tb_cluster_data(l_amt_in_words_2) l_tb_cluster_data(l_amt_in_words_3)
Received from Extensible layer	l_tsvals
Hook Description	For customization in account advice fn_ddcontract_res_full in GWPKS_QUERYDDCONTRACT_CUSTOM and Hook is included in Kernel package gwpks_queryddcontract for advice processing . To achieve this requirement hook is provided in existing Kernel code with Call id = 3
Description	For customization in account advice fn_ddcontract_res_full in GWPKS_QUERYDDCONTRACT_CUSTOM and Hook is included in Kernel package gwpks_queryddcontract for advice processing . To achieve this requirement hook is provided in existing Kernel code with Call id = 3 All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23655523

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL_INWARD
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL_INWARD
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data (l_instr_no) l_Tb_Cluster_Data (l2_instr_type) l_Tb_Cluster_Data (l_instr_ccy)
Received from Extensible layer	l_print_count l_reprint_reason
Hook Description	Hook is provided as, FCUBS should support FCY DD processing in USD, GBP and EUR . The Instrument Number will be same for different currencies. Ex : The Instrument number 10001 can be issued to GBP, as well as to EUR

ORACLE®

Description	Hook is provided as,
	FCUBS should support FCY DD processing in USD, GBP and EUR .
	The Instrument Number will be same for different currencies.
	Ex : The Instrument number 10001 can be issued to GBP, as well as to EUR
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23652054

Parameter	Description
Function	FN_DDCONTRACT_RES_FULL_MULTI
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_DDCONTRACT_RES_FULL_MULTI
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data (l_instr_no) l_Tb_Cluster_Data (l2_instr_type) l_Tb_Cluster_Data (l_instr_ccy)
Received from Extensible layer	l_print_count l_reprint_reason
Hook Description	Hook is provided as,
	FCUBS should support FCY DD processing in USD, GBP and EUR .
	The Instrument Number will be same for different currencies.
	Ex The Instrument number 10001 can be issued to GBP, as well as to EUR
Description	Hook is provided as,
	FCUBS should support FCY DD processing in USD, GBP and EUR .
	The Instrument Number will be same for different currencies.
	Ex The Instrument number 10001 can be issued to GBP, as well as to EUR
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23652054

Parameter	Description
Function	FN_TS_TO_TYPE
No of Parameters	15
Function Call Id	1
Cluster/Custom Function Name	FN_TS_TO_TYPE
Additional parameters	l_fn_call_id l_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE

ORACLE®

Hook Description	pre and post hooks provided in the function FN_TS_TO_TYPE of gwpks_queryddcontract Package, To handle six MICR Number Requirement.
Description	pre and post hooks provided in the function FN_TS_TO_TYPE of gwpks_queryddcontract Package, To handle six MICR Number Requirement. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19903477

ORACLE®