CSPKS_ARC Package
Extensible Hook Details
Release 14.7.1.0.0
Part No.F77194-01

May 2023

ORACLE®

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Contents

Parameter	Description
Function	FN_CALC_CHG
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_CALC_CHG
Additional parameters	l_Fn_Call_Id,l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(Brn) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.Branch_Code; l_Tb_Cluster_Data(TxnBrn) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.Txn_Branch; l_Tb_Cluster_Data(TxnAcc) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.Txn_Acc; l_Tb_Cluster_Data(OfsAcc) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.Ofs_Acc; l_Tb_Cluster_Data(OfsBrn) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.Ofs_Branch; l_Tb_Cluster_Data(TxnCcy) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.Txn_Ccy; l_Tb_Cluster_Data(Prod) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.product_code; l_Tb_Cluster_Data(RelCustomer) := Depks_Rtl_Teller.Pkg_Rtl_Teller_Rec.rel_customer; l_Tb_Cluster_Data(ChgAmt) := l_amt; l_Tb_Cluster_Data(ChgCcy) := l_chg_ccy; l_Tb_Cluster_Data(Cnt) := i;
Received from Extensible layer	p_chg_tab(i).chg_amt := l_tb_cluster_data(ChgAmt); p_chg_tab(i).chg_ccy := L_TB_Cluster_DATA(ChgCcy);
Hook Description	Hooks are provided in FN_CALC_CHG(). only one TYPE is moved into SPC .
Description	Hooks are provided in FN_CALC_CHG(). only one TYPE is moved into SPC . All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18729738

Parameter	Description
Function	FN_CALC_CHG
No of Parameters	0
Function Call Id	4
Cluster/Custom Function Name	FN_CALC_CHG
Additional parameters	
Sent to Extensible layer	l_tb_cluster_data('l_basis_idx') := l_basis_idx; l_tb_cluster_data('ChgCcy') := l_chg_ccy;
Received from Extensible layer	l_basis_amt := l_tb_cluster_data('l_basis_amt'); l_basis_ccy := l_tb_cluster_data('l_basis_ccy')
Hook Description	Hook has been provided in function fn_calc_chg in package cspks_arc.
Description	Hook has been provided in function fn_calc_chg in package cspks_arc. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	29381214

ORACLE®

Parameter	Description
Function	FN_CHARGE_PICKUP
No of Parameters	16
Function Call Id	1
Cluster/Custom Function Name	FN_CHARGE_PICKUP_PRE
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_CHARGE_PICKUP().
Description	Hooks provided for FN_CHARGE_PICKUP(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	FN_CHARGE_PICKUP
No of Parameters	16
Function Call Id	2
Cluster/Custom Function Name	FN_CHARGE_PICKUP_POST
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_CHARGE_PICKUP(),
Description	Hooks provided for FN_CHARGE_PICKUP(), All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	FN_CHARGE_PICKUP
No of Parameters	18
Function Call Id	1
Cluster/Custom Function Name	FN_CHARGE_PICKUP_PRE
Additional parameters	NONE
Sent to Extensible layer	NONE

ORACLE®

Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_CHARGE_PICKUP().
Description	Hooks provided for FN_CHARGE_PICKUP(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	FN_CHARGE_PICKUP
No of Parameters	18
Function Call Id	2
Cluster/Custom Function Name	FN_CHARGE_PICKUP_POST
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_CHARGE_PICKUP().
Description	Hooks provided for FN_CHARGE_PICKUP(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	FN_CHARGE_PICKUP
No of Parameters	19
Function Call Id	1
Cluster/Custom Function Name	FN_CHARGE_PICKUP_PRE
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_CHARGE_PICKUP().
Description	Hooks provided for FN_CHARGE_PICKUP(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

ORACLE

Parameter	Description
Function	FN_CHARGE_PICKUP
No of Parameters	19
Function Call Id	2
Cluster/Custom Function Name	FN_CHARGE_PICKUP_POST
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_CHARGE_PICKUP().
Description	Hooks provided for FN_CHARGE_PICKUP(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	FN_GETVAL_PARAM
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_GETVAL_PARAM
Additional parameters	l_Fn_Call_Id,l_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	P_VALUE := l_tbl_cluster_data(P_VALUE);
Hook Description	Hook given in fn_getval_param() for selecting the value based on parameters (Account product identifier and Special Charge group)
Description	Hook given in fn_getval_param() for selecting the value based on parameters (Account product identifier and Special Charge group) All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656266

Parameter	Description
Function	FN_GET_ACCLS_GRP
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_GET_ACCLS_GRP_PRE
Additional parameters	NONE

ORACLE®

Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_GET_ACCLS_GRP().

Description	Hooks provided for FN_GET_ACCLS_GRP().
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	24931246

Parameter	Description
Function	FN_GET_ACCLS_GRP
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_GET_ACCLS_GRP_POST
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hooks provided for FN_GET_ACCLS_GRP().

Description	Hooks provided for FN_GET_ACCLS_GRP().
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	24931246

Parameter	Description
Function	FN_REPLACE_CASH_GL
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_REPLACE_CASH_GL
Additional parameters	
Sent to Extensible layer	l_Tb_Cluster_Data ('l_cashgl') := '';
Received from Extensible layer	l_cash_gl := l_tb_cluster_data('l_cashgl');
Hook Description	Hook has been provided in function fn_replace_cash_gl in package cspks_arc.

Description	Hook has been provided in function fn_replace_cash_gl in package cspks_arc.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	28591717

ORACLE®

Parameter	Description
Function	PR_GET_ARC_ROW
No of Parameters	11
Function Call Id	2
Cluster/Custom Function Name	PR_GET_ARC_ROW
Additional parameters	l_Fn_Call_Id,l_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	p_arc_row := NULL;
Hook Description	Hooks provided for PR_GET_ARC_ROW().
Description	Hooks provided for PR_GET_ARC_ROW(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	PR_GET_ARC_ROW
No of Parameters	11
Function Call Id	3
Cluster/Custom Function Name	PR_GET_ARC_ROW
Additional parameters	l_Fn_Call_Id,l_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	p_arc_row := NULL;
Hook Description	Hooks are provided in PR_GET_ARC_ROW(), to apply different charges on account closure transaction, based on the account class group.
Description	Hooks are provided in PR_GET_ARC_ROW(), to apply different charges on account closure transaction, based on the account class group. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23651660

Parameter	Description
Function	PR_NET_CHARGES
No of Parameters	6
Function Call Id	1

ORACLE®

Cluster/Custom Function Name	PR_NET_CHARGES_PRE
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible l ayer	NONE
Hook Description	Hooks are provided in pr_net_charges().
Description	Hooks are provided in pr_net_charges(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654211

Parameter	Description
Function	PR_NET_CHARGES
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	PR_NET_CHARGES_POST
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible l ayer	NONE
Hook Description	Hooks are provided in pr_net_charges().
Description	Hooks are provided in pr_net_charges(). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23654211

ORACLE®