ICPKS_TEST Package

Extensible Hook Details

Release 14.7.1.0.0

Part No.F77194-01

May 2023

ORACLE®

Oracle Financial Services Software Limited

Oracle Park

Off western Express Highway
Goregaon(East)
Mumbai,Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

Contents

Parameter	Description
Function	FN_BKVAL_CALC
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_BKVAL_CALC
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_prod) l_Tb_Cluster_Data(l_frm_no) l_Tb_Cluster_Data(l_end_dt) l_Tb_Cluster_Data(l_calc_amt)
Received from Extensible layer	None
Hook Description	Hook is provided

Description	Hook is provided
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	16585155

Parameter	Description
Function	FN_BKVAL_CALC
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_BKVAL_CALC
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_liq_period_start)
Received from Extensible layer	l_Tb_Cluster_Data(l_liq_period_start)
Hook Description	Hook Provided for early termination system should calculate the interest on different rate for a specific period which will be based on the type of product and tenor.

Description	Hook Provided for early termination system should calculate
	the interest on different rate for a specific period which will be
	based on the type of product and tenor.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	17780412

Parameter	Description
Function	FN_ICEOD_WRAP

ORACLE®

No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	FN_ICEOD_WRAP
No of Parameters	6
Function Call Id	11
Cluster/Custom Function Name	FN_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24931246

Parameter	Description
Function	FN_TDS_DATA_COLLECTION
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_TDS_DATA_COLLECTION
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(each_row.acc) l_Tb_Cluster_Data(l_cust_no)
Received from Extensible layer	l_Tb_Cluster_Data(temp_hoff(sr).ac_no) l_Tb_Cluster_Data(temp_hoff(sr).trn_code)

Hook Description	Hook Provided to consider the acquired interest during TDS calculation.
Description	Hook Provided to consider the acquired interest during TDS calculation. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23651253

Parameter	Description
Function	PR_ACCRUE
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	PR_ACCRUE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(j) l_Tb_Cluster_Data(appdt) l_Tb_Cluster_Data(lcy) l_Tb_Cluster_Data(r_pr.accr_freq) l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).amt) l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).lcy_amt) l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).xrate) l_Tb_Cluster_Data(tb_icent(j).amt_to_accrue) l_Tb_Cluster_Data(dyn_nwd) l_Tb_Cluster_Data(l_compute_flag)
Received from Extensible layer	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).amt) l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).lcy_amt) l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).xrate) l_Tb_Cluster_Data(tb_icent(j).amt_to_accrue) l_Tb_Cluster_Data(dyn_nwd) l_Tb_Cluster_Data(l_compute_flag)
Hook Description	Hook is provided
Description	Hook is provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ACCRUE
No of Parameters	5
Function Call Id	2

ORACLE®

Cluster/Custom Function Name	PR_ACCRUE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(j)
	l_Tb_Cluster_Data(appdt)
	l_Tb_Cluster_Data(lcy)
	l_Tb_Cluster_Data(r_pr.accr_freq)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).lcy_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).xrate)
	l_Tb_Cluster_Data(tb_icent(j).amt_to_accrue)
Received from Extensible layer	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).lcy_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).xrate)
	l_Tb_Cluster_Data(tb_icent(j).amt_to_accrue)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ACCRUE
No of Parameters	5
Function Call Id	3
Cluster/Custom Function Name	PR_ACCRUE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(j)
	l_Tb_Cluster_Data(appdt)
	l_Tb_Cluster_Data(lcy)
	l_Tb_Cluster_Data(r_pr.accr_freq)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).lcy_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).xrate)
	l_Tb_Cluster_Data(tb_icent(j).amt_to_accrue)
Received from Extensible layer	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).lcy_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(j).frm_no).xrate)
	l_Tb_Cluster_Data(tb_icent(j).amt_to_accrue)
Hook Description	Hook is provided

ORACLE®

Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ACCRUE
No of Parameters	5
Function Call Id	4
Cluster/Custom Function Name	PR_ACCRUE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_init_next_accr_dt)
	l_Tb_Cluster_Data(l_init_last_accr_dt)
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_ACCRUE
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	PR_ENTRIES_ACCRUE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(tb_hoff(k).related_reference)
	l_Tb_Cluster_Data(tb_prod(i))
	l_Tb_Cluster_Data(tb_acc(i))
	l_Tb_Cluster_Data(tb_brn(i))
	l_Tb_Cluster_Data(tb_lookup(k).amttag)
	l_Tb_Cluster_Data(frm_no)
	l_Tb_Cluster_Data(l_acquired_lcy_amt)
	l_Tb_Cluster_Data(l_acquired_fcy_amt)
Received from Extensible layer	l_Tb_Cluster_Data(l_acquired_lcy_amt)
	l_Tb_Cluster_Data(l_acquired_fcy_amt)
Hook Description	Hooks provided for IC EOD resolution and for MIS entries.

ORACLE®

Description	Hooks provided for IC EOD resolution and for MIS entries.
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	15957161

Parameter	Description
Function	PR_ENTRIES_ACCRUE
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	PR_ENTRIES_ACCRUE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(tb_lookup(k).accrole)
	l_Tb_Cluster_Data(tb_lookup(k).amttag)
	l_Tb_Cluster_Data(l_accr_flag)
Received from Extensible layer	l_Tb_Cluster_Data(l_accr_flag)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(tb_hoff(k).related_reference)
	l_Tb_Cluster_Data(tb_prod(i))
	l_Tb_Cluster_Data(tb_acc(i))
	l_Tb_Cluster_Data(tb_brn(i))
Received from Extensible layer	l_Tb_Cluster_Data(tb_hoff(k).related_reference)
Hook Description	Hooks provided for IC EOD resolution and for MIS entries.

ORACLE

Description	Hooks provided for IC EOD resolution and for MIS entries.
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	15957161

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(tb_lookup(k).accrole)
	l_Tb_Cluster_Data(tb_lookup(k).account)
	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(tb_lookup(k).accrole)
	l_Tb_Cluster_Data(tb_lookup(k).amttag)
	l_Tb_Cluster_Data(l_iliq_flag)
Received from Extensible layer	l_Tb_Cluster_Data(tb_lookup(k).account)
	l_Tb_Cluster_Data(l_iliq_flag)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	3
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data

ORACLE®

Sent to Extensible layer	l_Tb_Cluster_Data(tb_lookup(k).amttag)
	l_Tb_Cluster_Data(frm_no)
	l_Tb_Cluster_Data(l_ccy)
	l_Tb_Cluster_Data(lcy))
	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(tb_hoff(k).lcy_amount)
	l_Tb_Cluster_Data(tb_hoff(k).fcy_amount)
	l_Tb_Cluster_Data(tb_hoff(k).exch_rate)
Received from Extensible layer	l_Tb_Cluster_Data(tb_hoff(k).lcy_amount)
	l_Tb_Cluster_Data(tb_hoff(k).fcy_amount)
	l_Tb_Cluster_Data(tb_hoff(k).exch_rate)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	4
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(tb_hoff(k).trn_code)
	l_Tb_Cluster_Data(tb_prod(i))
	l_Tb_Cluster_Data(tb_acc(i))
	l_Tb_Cluster_Data(tb_brn(i))
Received from Extensible layer	l_Tb_Cluster_Data(tb_hoff(k).trn_code)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	5

ORACLE

Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_value_dt)
	l_Tb_Cluster_Data(l_book_acc)
	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(l_book_brn)
	l_Tb_Cluster_Data(l_book_ccy)
	l_Tb_Cluster_Data(frm_no)
	l_Tb_Cluster_Data(tb_lookup(k).account)
Received from Extensible layer	l_Tb_Cluster_Data(l_value_dt)
	l_Tb_Cluster_Data(l_book_acc)
	l_Tb_Cluster_Data(l_book_brn)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	7
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(tb_lookup(k).accrole)
	l_Tb_Cluster_Data(tb_lookup(k).amttag)
	l_Tb_Cluster_Data(tb_lookup(k).account)
	l_Tb_Cluster_Data(sr)
	l_Tb_Cluster_Data(temp_hoff(sr).drcr_ind)
	l_Tb_Cluster_Data(temp_hoff(sr).event)
	l_Tb_Cluster_Data(temp_hoff(sr).lcy_amount)
	l_Tb_Cluster_Data(temp_hoff(sr).fcy_amount)
	l_Tb_Cluster_Data(temp_hoff(sr).ac_ccy)
	l_Tb_Cluster_Data(temp_hoff(sr).ac_no)
	l_Tb_Cluster_Data(temp_hoff(sr).trn_code)
	l_Tb_Cluster_Data(temp_hoff(sr).related_account)
	l_Tb_Cluster_Data(temp_hoff(sr).trn_ref_no)
	l_tb_cluster_data(temp_hoff(sr).ac_branch)

ORACLE®

Received from Extensible layer	l_Tb_Cluster_Data(temp_hoff(sr).lcy_amount)
	l_Tb_Cluster_Data(temp_hoff(sr).fcy_amount)
	l_Tb_Cluster_Data(temp_hoff(sr).ac_no)
	l_Tb_Cluster_Data(temp_hoff(sr).trn_code)
	l_tb_cluster_data(temp_hoff(sr).ac_branch)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	8
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(j)
	l_Tb_Cluster_Data(temp_hoff(sr).ac_no)
	l_Tb_Cluster_Data(temp_hoff(sr).trn_code)
Received from Extensible layer	l_Tb_Cluster_Data(temp_hoff(sr).ac_no)
	l_Tb_Cluster_Data(temp_hoff(sr).trn_code)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ENTRIES_LIQ
No of Parameters	5
Function Call Id	9
Cluster/Custom Function Name	PR_ENTRIES_LIQ
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_trn_ref_no)
	l_Tb_Cluster_Data(tb_prod(i))
	l_Tb_Cluster_Data(tb_acc(i))
	l_Tb_Cluster_Data(tb_brn(i))
	l_Tb_Cluster_Data(l_value_dt)

ORACLE®

Received from Extensible layer	l_Tb_Cluster_Data(l_trn_ref_no)
Hook Description	Hook Provided to generate unique reference number

Description	Hook Provided to generate unique reference number
	
	  All parameters received by kernel function are passed to the cluster hook.
	
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	19643787

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(ACC) l_Tb_Cluster_Data(PROD) l_Tb_Cluster_Data(PRODTYPE)
Received from Extensible layer	None
Hook Description	Hook Provided for IC Product level booking account.

Description	Hook Provided for IC Product level booking account.
	
	  All parameters received by kernel function are passed to the cluster hook.
	
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	15957514

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(i) l_Tb_Cluster_Data(comp_flag)
Received from Extensible layer	l_Tb_Cluster_Data(comp_flag)
Hook Description	Hook is provided

ORACLE®

Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	3
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(j)
	l_Tb_Cluster_Data(tb_icent(j).acc)
	l_Tb_Cluster_Data(tb_icent(j).brn)
	l_Tb_Cluster_Data(tb_icent(j).prod)
	l_Tb_Cluster_Data(tb_icent(j).frm_no)
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	4
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(i)
	l_Tb_Cluster_Data(last_rec)
Received from Extensible layer	None
Hook Description	Hook is provided

ORACLE®

Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	5
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(a)
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	6
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8

ORACLE®

Function Call Id	7
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided

Description	Hook is provided
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	10
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided

Description	Hook is provided
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	11
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_commit_freq)
Received from Extensible layer	None
Hook Description	Hook is provided

ORACLE®

Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	12
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_exit)
Received from Extensible layer	l_Tb_Cluster_Data(l_exit)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	13
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP

ORACLE®

No of Parameters	8
Function Call Id	14
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(i) l_Tb_Cluster_Data(l_prod) l_Tb_Cluster_Data(l_acc_status)
Received from Extensible layer	l_Tb_Cluster_Data(i) l_Tb_Cluster_Data(l_prod) l_Tb_Cluster_Data(l_acc_status)
Hook Description	Hook is provided
Description	Hook is provided All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	15
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(i) l_Tb_Cluster_Data(l_process_int_adj)
Received from Extensible layer	l_Tb_Cluster_Data(l_process_int_adj)
Hook Description	Hook Provided so that When there a back valued entry beyond a liq cycle, system should do a interest adjustment liquidation, in the next immediate EOD
Description	Hook Provided so that When there a back valued entry beyond a liq cycle, system should do a interest adjustment liquidation, in the next immediate EOD All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	16

ORACLE®

Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided so that When there a back valued entry beyond a liq cycle, system should do a interest adjustment liquidation, in the next immediate EOD
Description	Hook Provided so that When there a back valued entry beyond a liq cycle, system should do a interest adjustment liquidation, in the next immediate EOD All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	17
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(dyn_nwd)
Received from Extensible layer	None
Hook Description	Hook Provided so that Balance basis for interest should be as of previous day, due to regulatory reasons.
Description	Hook Provided so that Balance basis for interest should be as of previous day, due to regulatory reasons. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17485765

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	18
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(rec_no)

ORACLE®

Received from Extensible layer	None
Hook Description	Hook Provided so that Balance basis for interest should be as of previous day, due to regulatory reasons.

Description	Hook Provided so that Balance basis for interest should be as of previous day, due to regulatory reasons.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	17485765

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	19
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(rec_no)
Received from Extensible layer	None
Hook Description	Hook Provided so that Balance basis for interest should be as of previous day, due to regulatory reasons.

Description	Hook Provided so that Balance basis for interest should be as of previous day, due to regulatory reasons.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	17485765

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	20
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(i) l_Tb_Cluster_Data(r_print.accr_freq) l_Tb_Cluster_Data(dyn_nwd)
Received from Extensible layer	None

ORACLE®

Hook Description	Hook Provided FOR INTEREST TO BE CALCULATED BASED ON BEGINNING OF DAY BALANCE

Description	Hook Provided FOR INTEREST TO BE CALCULATED BASED ON BEGINNING OF DAY BALANCE
	
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	20685938

Parameter	Description
Function	PR_ICEOD_WRAP
No of Parameters	8
Function Call Id	21
Cluster/Custom Function Name	PR_ICEOD_WRAP
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	l_tb_cluster_data(l_p_dt)
Hook Description	Hook Provided to check dates and perform accruals for specific conditions based on the requirements of calculating and liquidating tax for the corresponding interest.

Description	Hook Provided to check dates and perform accruals for specific conditions based on the requirements of calculating and liquidating tax for the corresponding interest.
	
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	23657768

Parameter	Description
Function	PR_IC_EOD
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	PR_IC_EOD
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided for item#BR_IC_0019 Overdraft Liquidation

ORACLE®

Description	Hook Provided for item#BR_IC_0019 Overdraft Liquidation
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17485758

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	0

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(IDX)
	l_Tb_Cluster_Data(FRM_NO)
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_LIQ_INT

ORACLE®

No of Parameters	5
Function Call Id	3
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(k)
	l_Tb_Cluster_Data(l_book_acc)
	l_Tb_Cluster_Data(l_book_brn)
	l_Tb_Cluster_Data(g_sttm_custacc.cust_ac_no)
	l_Tb_Cluster_Data(l_book_ccy)
	l_Tb_Cluster_Data(g_sttm_custacc.ccy)
	l_Tb_Cluster_Data(lcy)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).lcy_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).book_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).xrate)
Received from Extensible layer	l_Tb_Cluster_Data(l_book_acc)
	l_Tb_Cluster_Data(l_book_brn)
	l_Tb_Cluster_Data(l_book_ccy)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).lcy_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).book_amt)
	l_Tb_Cluster_Data(tbfrm(tb_icent(k).frm_no).xrate)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	4
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided

ORACLE®

Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	5
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_onliq_flag)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(l_entry_passed)
Received from Extensible layer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	6
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_onliq_flag)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(l_entry_passed)
Received from Extensible layer	l_Tb_Cluster_Data(l_entry_passed)
Hook Description	Hook is provided

ORACLE®

Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	7
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_onliq_flag)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(l_entry_passed)
	l_Tb_Cluster_Data(l_amt)
Received from Extensible l ayer	l_Tb_Cluster_Data(l_entry_passed)
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	8
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible l ayer	None
Hook Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD

ORACLE®

Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	9
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	10
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD

ORACLE®

Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	11
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
Description	Hook Provided when there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	12
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(k)
Received from Extensible layer	None
Hook Description	Hook Provided so that When there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD

ORACLE®

Description	Hook Provided so that When there a back valued entry beyond a liq cycle,
	system should do a interest adjustment liquidation,
	in the next immediate EOD
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17421412

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	13
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when a cross currency transaction is done in
	CASA/TD using an automated approach, the system should use
	the appropriate Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in
	CASA/TD using an automated approach, the system should use
	the appropriate Buy/Sell rates for the rate type applicable.
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	14
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(PROD)
	l_Tb_Cluster_Data(FRM_NO)
	l_Tb_Cluster_Data(L_BOOK_CCY)
	l_Tb_Cluster_Data(L_BOOK_BRN)
	l_Tb_Cluster_Data(LCY)
	l_Tb_Cluster_Data(XRATE)
	l_Tb_Cluster_Data(BOOK_AMT)

ORACLE®

Received from Extensible layer	l_Tb_Cluster_Data(XRATE)
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.

Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	15
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.

Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	19051954
Parameter	**Description**
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	16
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(PROD)
Received from Extensible layer	None

ORACLE®

Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD
	using an automated approach, the system should use the appropriate
	Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD
	using an automated approach, the system should use the appropriate
	Buy/Sell rates for the rate type applicable.
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	17
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD
	using an automated approach, the system should use the appropriate
	Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD
	using an automated approach, the system should use the appropriate
	Buy/Sell rates for the rate type applicable.
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	18
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None

ORACLE®

Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	19
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(PROD) l_Tb_Cluster_Data(FRM_NO) l_Tb_Cluster_Data(L_BOOK_CCY) l_Tb_Cluster_Data(L_BOOK_BRN) l_Tb_Cluster_Data(LCY) l_Tb_Cluster_Data(XRATE) l_Tb_Cluster_Data(BOOK_AMT)
Received from Extensible layer	l_Tb_Cluster_Data(XRATE)
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	20

ORACLE®

Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible l ayer	None
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	21
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(PROD)
Received from Extensible l ayer	None
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	22

ORACLE

Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.
Description	Hook Provided when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051954

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	23
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_acc_type) l_Tb_Cluster_Data(g_ictm_acc.maturity_date) l_Tb_Cluster_Data(g_ictm_acc.next_maturity_date)
Received from Extensible layer	l_Tb_Cluster_Data(l_next_liq_dt) l_Tb_Cluster_Data(l_next_schd_date)
Hook Description	Hook Provided to check dates for accrual and calculation and liquidation of tax for the corresponding interest.
Description	Hook Provided to check dates for accrual and calculation and liquidation of tax for the corresponding interest. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23657787

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	24

ORACLE

Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_acc_type)
	l_Tb_Cluster_Data(g_ictm_acc.maturity_date)
	l_Tb_Cluster_Data(g_ictm_acc.next_maturity_date)
	l_Tb_Cluster_Data(l_next_liq_dt)
Received from Extensible layer	l_Tb_Cluster_Data(l_next_liq_dt)
Hook Description	Hook Provided to check dates for accrual and calculation and liquidation of tax for the corresponding interest.

Description	Hook Provided to check dates for accrual and calculation and liquidation of tax for the corresponding interest.
	  All parameters received by kernel function are passed to the cluster hook.
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	23657787

Parameter	Description
Function	PR_LIQ_INT
No of Parameters	5
Function Call Id	25
Cluster/Custom Function Name	PR_LIQ_INT
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	l_Tb_Cluster_Data(l_brn)
	l_Tb_Cluster_Data(l_acc)
	l_Tb_Cluster_Data(l_onliq_flag)
	l_Tb_Cluster_Data(l_prod)
	l_Tb_Cluster_Data(l_entry_passed)
	l_Tb_Cluster_Data(d)
	l_Tb_Cluster_Data(m)
	l_Tb_Cluster_Data(y)
	l_Tb_Cluster_Data(n)
	l_Tb_Cluster_Data(l_liqn_start_date)
Received from Extensible layer	l_Tb_Cluster_Data(d)
	l_Tb_Cluster_Data(m)
	l_Tb_Cluster_Data(y)
	l_Tb_Cluster_Data(n)
	l_Tb_Cluster_Data(l_liqn_start_date)
Hook Description	Hook Provided for interest payment frequency provision for Term Deposit at account level

ORACLE®

Description	Hook Provided for interest payment frequency provision for
	Term Deposit at account level
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23655574

Parameter	Description
Function	PR_PURGE_PLSQL_TABS
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	PR_PURGE_PLSQL_TABS
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible l ayer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

Parameter	Description
Function	PR_TAKE_PLSQL_TAB_BAK
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	PR_TAKE_PLSQL_TAB_BAK
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible l ayer	None
Hook Description	Hook is provided
Description	Hook is provided
	All parameters received by kernel function are passed to the cluster hook.
	Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	16585155

ORACLE

Parameter	Description
Function	PR_TAKE_PLSQL_TAB_RESTORE
No of Parameters	2
Function Call Id	1
Cluster/Custom Function Name	PR_TAKE_PLSQL_TAB_RESTORE
Additional parameters	l_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided

Description	Hook is provided
	
	  All parameters received by kernel function are passed to the cluster hook.
	
	    Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".
	
	    The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.
	
	    The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.

Bug No	16585155

ORACLE®