

FCUBS-OBPM Integration Setup Guide

Oracle FLEXCUBE Universal Banking

Release 14.7.1.0.0

Part No. F77194-01

May 2023



FCUBS-OBPM Integration Setup Guide
Oracle Financial Services Software Limited

Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718
3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2017, 2023, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Introduction	1
1.1 About This Manual	1
1.2 Audience	1
1.3 Documentation Accessibility	1
1.4 Organization	1
1.5 Glossary	1
2. Integration Guide	2
2.1 Introduction	2
2.2 Installation guide	2
2.3 Maintenances to be done in FCUBS	4
2.3.1 Branch Maintenance	4
2.3.2 External Payments System Maintenance	5
2.3.3 External System Functions Maintenance	6
2.3.4 Upload Source Preference Maintenance	7
2.3.5 BIC Maintenance	7
2.3.6 Other Common Maintenances	7
2.4 Maintenances to be done in OBPM	7
2.4.1 Source Maintenance	7
2.4.2 Source Network Preference Maintenance	9
2.4.3 Network Rule maintenance	9
2.4.4 Notification maintenance	10
2.4.5 External System Functions Maintenance	10
2.4.6 External Payment System Queue Detailed	11
2.4.7 External Payment System Queue Summary	14
2.4.8 ECA System Maintenance	16
2.4.9 Accounting System Maintenance	17
2.4.10 Customer Maintenance	18
2.4.11 Account Maintenance	18
2.4.12 General Ledger Maintenance	18
2.4.13 Transaction code Maintenance	19
2.4.14 OBPM to use FCUBS Dates	19
2.4.15 Other Payments Maintenances	19
2.5 FAQ's	19

1. Introduction

1.1 About This Manual

This manual is designed to help with Integration for a Co-deployed Set-up of Oracle Banking Payments with Oracle FLEXCUBE Universal Banking.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Implementation & IT Staff	Implementation & Maintenance of the Software

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Organization

This manual is organized into the following chapters:

Chapter	Description
Chapter 1	Information about this Manual is specified in this section
Chapter 2	This chapter helps you co-deploy Oracle FLEXCUBE Universal Banking & Oracle Banking Payments product in a single instance.

1.5 Glossary

This User Manual may refer to the following terms:

Abbreviation	Description
FCUBS	Oracle FLEXCUBE Universal Banking
OBPM	Oracle Banking Payments

2. Integration Guide

2.1 Introduction

You can integrate Oracle Banking Payments product (OBPM) with Oracle FLEXCUBE Universal Banking product (FCUBS). The specific steps needed on the co-deployed installation of these two products and specific maintenances needed are briefed on this document.

2.2 Installation guide

Refer to Installation guide for understanding the property file and installation bat files used for integration between FCUBS and OBPM.

Web-logic set-up

Deployments:

Following ears to be deployed for the FCUBS Gateway support through JMS:

- GWEJB
- GWMDB

Queue Maintenance:

- MDB_QUEUE
- MDB_QUEUE_RESPONSE -with Expiry Policy as Redirect and error destination as jms/ACC_ENTRY_RES_BKP_IN in Delivery Failure. Keep Redelivery Limit as zero and “Time-to-Live Override” value as 2000.

To set the “Time-to-Live Override” property, navigate to MDB_QUEUE_RESPONSE -> Configuration-> Overrides Tab

Home > Summary of JMS Modules > JMSMODULES > MDB_QUEUE_RESPONSE

Settings for MDB_QUEUE_RESPONSE

Configuration Monitoring Control Security Subdeployment Notes

General Thresholds and Quotas **Overrides** Logging Delivery Failure

Click the **Lock & Edit** button in the Change Center to modify the settings on this page.

Save


Destinations can override some of the settings (such as priority) that a message producer includes with its messages. Use this page to configure such overrides for this queue.

Priority Override:	<input type="text" value="-1"/>	The priority assigned to all messages that arrive at this destination, regardless of the Priority specified by the message producer. The default value (-1) specifies that the destination will not override the Priority set by the message producer. More Info...
Time-to-Live Override:	<input type="text" value="2000"/>	The time-to-live assigned to all messages that arrive at this destination, regardless of the TimeToLive value specified by the message producer. The default value (-1) specifies that this setting will not override the TimeToLive setting specified by the message producer. More Info...
Time-to-Deliver Override:	<input type="text" value="-1"/>	The default delay, either in milliseconds or as a schedule, between when a message is produced and when it is made visible to its target destination, regardless of the delivery time specified by the producer and/or connection factory. The default value (-1) specifies that the destination will not override the TimeToDeliver setting specified by the producer and/or connection factory. The TimeToDeliver override can be specified either as a long or as a schedule. More Info...
Delivery Mode Override:	<input type="text" value="No-Delivery"/>	The delivery mode assigned to all messages that arrive at the destination regardless of the DeliveryMode specified by the message producer. More Info...

Save

Click the **Lock & Edit** button in the Change Center to modify the settings on this page.

To set the “Error Destination”, “Expiration Policy” and “Redelivery Limit” properties, navigate to MDB_QUEUE_RESPONSE Configuration Delivery Failure tab.



Maintenance for Gateway:

GWDEFUN - Gateway External system function maintenance



Ensure the Gateway setup for following services are maintained in FCUBS for external source system as FCUBS:

Service Name	Operation Code(s)
FCUBSAccService	QueryCustAccVal
FCUBSCAService	CreateEcablk CloseEcablk
FCUBSIFService	CreateExtAccEcaEntries

Source: FCUBS and User: SYSTEM

CODUPLDM - Upload Source Preferences maintenance



Ensure Upload Source preference setup for following modules are maintained in FCUBS for external source system as FCUBS:

Module	Post Upload Status
IF	Authorized
CA	Authorized

2.3 Maintenances to be done in FCUBS

This section describes the specific maintenances, needed in Oracle FLEXCUBE Universal Banking (FCUBS) to install & integrate the same with Oracle Banking Payments (OBPM).

2.3.1 Branch Maintenance

Create branch in STDCRBRN screen in FCUBS.


Specify a host for every branch created. (To maintain Host time zone, refer OPBM Payments Core User Manual).

STOP A pair of branches which could transact inter-branch payments, should be maintained under the same host.



The screenshot shows the 'Branch Core Parameters Maintenance' window. It features a 'New' button and an 'Enter Query' field. The main area contains several input fields: 'Host Code' (with a search icon), 'Branch Code' (with a search icon), 'Country Code' (with a search icon), 'Branch Name' (with a search icon), 'Source Branch Code', 'Branch Address Line 1', 'Branch Address Line 2', 'Branch Address Line 3', 'Local Currency' (with a search icon), and 'Walk in Customer' (with a search icon). At the bottom, there is a 'SWIFT Address' field and 'Audit' and 'Exit' buttons.

In addition, map the branch code created above, in STDBRANC screen, and maintain the branch parameters.



The screenshot shows the 'Branch Parameters Maintenance' window. It includes a 'New' button and an 'Enter Query' field. The main area has 'Branch Code' (with a search icon and a 'P' button), 'Branch Name' (with a search icon), 'Alternate Branch Code', and 'Branch Available Status' (a toggle switch). Below this are four tabs: 'General Details', 'Account Financial Details', 'Duplication Check Details', and 'International Bank Account Number Details'. The 'General Details' tab is active, showing fields for 'Parent Branch', 'Regional office' (with a search icon), 'Country Code' (with a search icon), 'Customer Identity' (with a search icon), and 'Local Currency' (with a search icon). The 'International Bank Account Number Details' tab shows 'Time Zone Offset' with 'Hours' and 'Minutes' fields, an 'Ahead' toggle switch, and a 'Time Level' field. At the bottom, there are buttons for 'Preferences', 'SWIFT Address', 'Account Mask', 'CIF Range', 'Global Interdict Functions', 'Tax', 'Branch Currency', 'Fields', 'Audit', and 'Exit'.

2.3.2 External Payments System Maintenance

Maintain an active record in External System Maintenance screen (IFDEPSMT) with field external system type as “Payments” for different service codes with all required fields in the detailed section of this screen

- For MT110 - Advice of Cheque(s), maintain the service code as 'GenInstrIssue' with OBPM Instrument Issuance Service details as below:
 - Service Name - PMInstrumentIssueService
 - Operation Code - CreateInstrumentIssue
 - Rest/Web Service User Option - Choose the preferred option
 - Rest/Web Service User - Provide the User to be used in Gateway request.
 - Rest/Web Service URL - Provide the WDSL URL of OBPM Instrument Issuance Service.

- For MT111 - Request for Stop Payment of a Cheque, maintain the service code as 'GenInstrStop' with OBPM Instrument stop Service details as below:
 - Service Name - PMInsStopPayService
 - Operation Code - CreateInsStopPay
 - Rest/Web Service User Option - Choose the preferred option
 - Rest/Web Service User - Provide the User to be used in Gateway request
 - Rest/Web Service URL - Provide the WDSL URL of OBPM Instrument Stop Service

- For Outgoing Collections - Request for DD Creation, maintain the service code as 'CreateDDOutService' as below:
 - Service Name - PMDDOutService
 - Operation Code - CreateDDOutService
 - Rest/Web Service User Option - Choose the preferred option
 - Rest/Web Service User - Provide the User to be used in Gateway request
 - Rest/Web Service URL - Provide the WDSL URL of OBPM

- For CoverMatching, maintain the service code as “GenStmntMessage” with OBPM statement browser Service details as below:
 - Service Name – StatementBrowserService
 - Operation Code - CreateStatementBrowse
 - Rest/Web Service User Option – Choose the preferred option
 - Rest/Web Service User – Provide the User to be used in the Rest request
 - Rest/Web Service URL Service - Provide the WEB Service URL of OBPM Statement Browser Service

External System Maintenance

New Enter Query

External System *	External System Type *	Payments
Description	Read Time Out (In Seconds)	
Inter System Bridge GL *	Connection Time Out (In Seconds)	
Source System *	Archival Days	
Entity ID *	Retry Count	

Service Code Service Name Operation Code Rest/Web Service User Option Rest/Web Service User Rest/Web Service URL

No data to display.

Page 1 (0 of 0 Items) < 1 >

Audit Exit

2.3.3 External System Functions Maintenance

- Maintain the gateway preferences for the below Source codes for the service name “FCUBSEPSService” with operation code “CreateEPSNotification” to receive the notifications from OBPM
 - FCUBSCL
 - FCUBSRT
 - FCUBSTD

For all FCUBS corporate modules where outgoing payment is initiated, the source code will be “FCUBS <Module-ID>”. For example, the source code for FX module will be “FCUBSFX”

- Maintain the gateway preferences for the below Source codes for the service name “PMDDOutService” with operation code “CreateDDOutService” to receive the notifications from OBPM
 - FCUBSCL

External System Functions

New Enter Query

External System *	Description
Function *	Bulk SMS Check <input type="checkbox"/>
Action *	
Service Name	
Operation Code	

Fields

Audit Exit

2.3.4 Upload Source Preference Maintenance

In Upload Source Preference Maintenance screen (CODUPLDM), Post Upload Status field value should be selected as “Authorized”.

The screenshot shows the 'Upload Source Preferences Maintenance' interface. It includes search fields for 'Source Code' and 'Module Code'. Under 'Error Handling', 'On Error' is set to 'Reject' and 'On Override' is set to 'Ignore'. Under 'Post Upload', the 'Status' is set to 'Authorized'. There are also three toggle switches: 'Allow Deferred Processing', 'Allow EOD with Deferred', and 'Deletion Allowed', all of which are currently turned off. The interface also has 'Function Id Preferences', 'Audit', and 'Exit' buttons at the bottom.



Below are the scheduler jobs configured for the integration. Make sure that these jobs are running.

- EPSGENPAYMENT - Scheduler job for processing Payment request
- EPS_NOTIFICATION - Scheduler job for processing OBPM notifications
- EPSSTATEMENTPROCESS- Scheduler job for processing Cover Matching

Make sure that the below ADF file is executed in the database schema.

This file contains the JSON template for the OBPM Single Payment Service

- GenPayMessage.ADF

2.3.5 BIC Maintenance

Upload BIC directory & ensure that the same are listed at ISDBICDE, which FCUBS will use, to transact payments.

2.3.6 Other Common Maintenances

Refer FCUBS Core User Manual, for the other Day0 maintenances to be done in FCUBS.

2.4 Maintenances to be done in OBPM

This section describes the specific maintenances needed in Oracle Banking Payments (OBPM) to install & integrate the same with Oracle FLEXCUBE Universal Banking (FCUBS).

2.4.1 Source Maintenance

Maintain the Source code with which FCUBS will handoff payment requests at PMDSORCE- Source maintenance screen.

Source Maintenance Detailed ⌵ ⌵ ×

New Enter Query

Source Code * MIS Group

Host Code * UDF Group

Description

Source Type

Prefunded Payments

Prefunded Payments Allowed

Pricing Applicable

Prefunded Payments GL

Auto-process Claims for Prefunded Payments

Following are the source codes FCUBS uses to initiate payment request:

- FCUBSCL
- FCUBSRT
- FCUBSTD

For all FCUBS corporate modules where outgoing payment is initiated, the source code will be "FCUBS<Module-ID>". For example, the source code for FX module will be "FCUBSFX".

Each record maintained in Source Maintenance Detailed screen (PMDSORCE) should have the below preferences:

- Prefunded Payments GL should match Inter System Bridge GL maintained in External Payment System Maintenance screen (IFDEPSMT) of FCUBS.
- To initiate a payment for Loan disbursement / Deposit maturity etc. FCUBS will credit the funds in an intersystem bridge GL. This is needs to be maintained as Prefunded GL in OBPM.



This GL should be maintained in FCUBS & replicated to OBPM.

2.4.2 Source Network Preference Maintenance

Maintain the FCUBS Source specific preferences for each network at PMDSORNW screen.

The screenshot shows the 'Source Network Preferences Detailed' window. It features a top navigation bar with 'New' and 'Enter Query' options. The main content area is divided into several sections: 'Host Code *', 'Source Code *', 'Network Code *', and 'Transaction Type *' (set to 'Incoming'). To the right, there are fields for 'Description', 'Network Description', and 'Network Type Description'. A 'Preferences' section includes a toggle for 'Authorization Rekey Required' and search fields for 'MIS Group' and 'UDF Group'. The bottom right corner contains 'Audit' and 'Exit' buttons.

The preference for various payment networks via which FCUBS will initiate a payment request needs to be maintained on this screen for the same Source codes as in the previous Section.

2.4.3 Network Rule maintenance

OBPM should maintain appropriate Network Rule maintenance (PMDNWRLE) to route the FCUBS request to the respective network.

- Based on the Payment type, FCUBS system will send one of the values (LCL, SW IFT, RTGS) in Service Level Proprietary field, which further will be used to build the network rules,
 - LCL- Local clearing payments
 - SWIFT - SWIFT Payment messages
 - RTGS - RTGS Payment messages

Network Rule Detailed

New Enter Query

Host Code * Channel Type * C2B

Rule Name *	Rule Expression	Network Code *	Priority
No data to display.			

Page 1 (0 of 0 items) |< < 1 > >|

Expression Details

Audit Exit

2.4.4 Notification maintenance

Maintain the FCUBS Source specific notification preferences for each network at PMDXTNT screen.

External Notification Queue Detailed

New Enter Query

Host Code * Communication Type JMS Queue

Source Code * Timeout in Seconds

Notification System Class

JMS Preferences

Outqueue JNDI Name Queue Profile

WebService Preferences

WebService URL Service

ReST Preferences

Audit Exit

STOP The notification is a call from OBPM to the FCUBS Webservice – FCUBSEPSService that needs to be deployed. The gateway external system setup is required to be done for source code mentioned in the above screen shot. It is important to give the Notification System class as FCUBS and communication mode as Web Service.

2.4.5 External System Functions Maintenance

1. Maintain the gateway preferences for the Source System which is maintained in the Source system field of External Payment System Maintenance screen (IFDEPSMT) in FCUBS, for the service names “PMInstrumentIssueService” and “PMInsStopPayService” with their respective operation codes.

2. The service names “FCUBSDDServices” and “Create Transaction” with their respective operation codes.

2.4.6 External Payment System Queue Detailed

Specify **User ID** and **Password** and login to the **Homescreen** of the application.

1. On the **Homescreen**, type **IFDEPSQU** in the text box at the top right corner of the Application toolbar and click **Next**.
- **External Payment System Queue Detailed** screen displays.

This screen helps to view the details of payment requests sent or to be sent to an external payments system.

External Payment System Queue Detailed

Enter Query

Queue Reference Number *	<input type="text"/>	Contract Reference Number	<input type="text"/>
External Payment System Reference Number	<input type="text"/>	Initiating Module	<input type="text"/>
Source Reference Number	<input type="text"/>	Event Sequence Number	<input type="text"/>
Customer Reference Number	<input type="text"/>	Amount Tag	<input type="text"/>
Process Status	Not Authorized		

Main Parties Parties Other Details

Host Code	<input type="text"/>	Service Code	<input type="text"/>
Service Level Proprietary	<input type="text"/>	Source Code	<input type="text"/>
Transaction Branch	<input type="text"/>	WebService User	<input type="text"/>

Error Information Notifications Exit

2. On the **External Payment System Queue Detailed** screen, specify the details.

Queue Reference Number

Specify the queue reference number and click **Execute Query** to view the details of the payment request sent to the external payment system.


Process Status

The system displays the process status. The list displays the following options:

Process Status	Description
Not Authorized	Contract initiated and the payment request is unauthorized
Un-Processed	Payment request pending for processing
Web Service Connection Time Out	Web service call, timed out during payment request processing
Payment Approved	Payment request initial validation is successful and request is accepted
Payment Rejected	Payment request initial validation is failed and request is rejected
Payment Processed	All payment processing is completed and request is successfully processed
Repair	Payment request moved to repair queue due to exception in payment life-cycle
Contract Cancelled	Contract initiated and the payment request is reversed
Future dated	Payment contract not yet initiated. Future value dated payment request.
Payment Cancelled	Payment contract cancelled from one of the queue in external payment system
Acknowledgement Received	Acknowledgment (ACK) received from payment network


Negative Acknowledgement Received	Negative acknowledgment (NACK) received from payment network
-----------------------------------	--

- On the **External Payment System Queue Detailed** screen, click the **Error Information** button.
- **Error Information** screen displays.



This screen displays error or warning codes, and messages received as a response to the payment request.

- On the **External Payment System Queue Detailed** screen, click the **Notifications** button.
- **Notification Information** screen displays.



This screen displays the notification details received from the external payment system.

Process Status The system displays the process status. The drop-down list displays the following options:

Process Status	Description
Un-Processed	Notification is pending for processing
Processed	Notification processed successfully

Processing Failed	Notification processing failed due to unexpected failure
Improper Notification	Notification received is not in proper format
Empty Notification	Empty notification received

2.4.7 External Payment System Queue Summary

Specify **User ID** and **Password** and login to the **Homescreen** of the application.

1. On the **Homescreen**, type **IFSEPSQU** in the text box at the top right corner of the Application toolbar and click **Next**.
➤ **External Payment System Queue Summary** screen displays.

2. On the **External Payment System Queue Summary** screen, specify the details.

Queue Reference Number

Specify the queue reference number from the option list.

External Payment System Reference Number

Specify the external payment system reference number from the option list.

Customer Reference Number

Specify the customer reference number from the option list.

Contract Reference Number

Specify the contract reference number from the option list.

Process Status

Select the process status from the drop-down list:

- **Not Authorized**
- **Unprocessed**
- **Web Service Connection Timeout**

- **Payment Request Accepted**
 - **Payment Request Rejected**
 - **Payment processed**
 - **Repair**
 - **Contract Cancelled**
 - **Future Dated**
 - **Payment Cancelled**
 - **Acknowledgement Received**
 - **Negative Acknowledgement Received**
 - **Web Service Read Time out**
 - **Null Response**
3. On specifying the search parameters, click the **Search** button.
- The system displays the following details:
 - **Queue Reference Number**
 - **Contract Reference Number**
 - **Event Sequence Number**
 - **External Payment System Reference Number**
 - **Process Status**
 - **Customer Reference Number**
 - **Customer Number**
 - **Account Branch**
 - **Account Number**

Due to any technical glitch, if the transaction is failed, the user can resubmit or reject the specific record from the payments queue.

4. Select the Queue Reference Number record which needs to be re-submitted and click the **Re-Submit** button.
- The system validates each queue reference process status and processes only records with statuses **T** and **E**, and the status is updated as **Un-processed**.

The other status records will be ignored even if the user is selected. The External Payment JOB will pick these records and process them in subsequent cycle execution.

Users should search the Payment Queue Reference Number based on the process status. Following are the existing process statuses of the payment queue processor:

- U : Un Processed
- T : Web Service Connection Time Out
- A : Payment Request Accepted
- F : Payment Request Rejected
- S : Payment Processed
- R : Repair
- C : Contract Cancelled
- D : Future Dated
- V : Payment Cancelled
- K : Acknowledgement Received
- X : Negative Acknowledgement Received
- E : Web Service Read Time Out
- L : Null Response

5. Select the queue reference number record which needs to be rejected and click the **Reject** button.

The system validates each queue reference process status and processes records only with the Un-Processed status. If the user selects records that have other than Un-Processed status, then the system ignores these records during the process.

2.4.8 ECA System Maintenance

Create External Credit Approval Check system as 'FCUBS' in STDECAMT screen.

Map the ECA system 'FCUBS' in the PMDECAMT.

Maintain the In queue JNDI Name as MDB_QUEUE_RESPONSE, Outqueue JNDI Name as MDB_QUEUE & Q Profile – as per the MDB Queue created on the App Server as in Section 2.2. Q Profile should be the IP Address where the JMS Queue has been created. The OBPM System will post the ECA request to UBS via these MDB queues. Maintain Queue Profile in

'PMDQPROF'

Queue profile requires the context provider URL of the Application Server where the queue is created. All other parameters are same as mentioned above.

STOP OBPM build the ECA request with details mentioned in section 2.2 and post to MDB_QUEUE. FCUBS via GW MDB pulls the gateway request and call internally the ECA block process to create or undo the ECA block. Once the process is completed, the FCUBS post the response via gateway infra to MDB_QUEUE_RESPONSE.

MDB_QUEUE_RESPONSE is configured with a redelivery Queue as jms/ACC_ENTRY_RES_BKP_IN mentioned in section 2.2. This Queue internally pulls the response via OBPM MDB to complete ECA processing in OBPM.

Following are the Services and Operations used by OBPM to post in to FCUBS

- FCUBSAccService – QueryCustAccVal (Operation)
- FCUBSCASService – CreateEcabl, CloseEcabl (Operation)


2.4.9 Accounting System Maintenance

Maintain the accounting system as 'FCUBS' in PMDACMT.

Maintain the In queue JNDI Name as MDB_QUEUE_RESPONSE, Outqueue JNDI Name as MDB_QUEUE & Q Profile (refer section 2.4.5). The OBPM system will post the Accounting handoff request to FCUBS via these MDB queues.

Maintain Account System Mapping for the Accounting System and Networks (PMDACMAP)

The screenshot shows the 'Accounting System Mapping' application window. It includes a header with 'New' and 'Enter Query' buttons. Below the header are three input fields: 'Host Code', 'Host Code Description', and 'Default External Accounting System Code'. A 'Network Specific Maintenance' section is visible, containing a table with columns for 'Network Code' and 'External Accounting System Code'. The table is currently empty, displaying 'No data to display.' and a pagination control showing 'Page 1 (0 of 0 items)'. At the bottom right, there are 'Audit' and 'Exit' buttons.

 OBPM build the Accounting Handoff request with details mentioned in section 2.2 and post to MDB_QUEUE. FCUBS via GW MDB pulls the gateway request and calls internally the External Accounting request. Once the process is completed, FCUBS posts the response via gateway infra to MDB_QUEUE_RESPONSE.

MDB_QUEUE_RESPONSE is configured with a redelivery Queue as jms/ACC_ENTRY_RES_BKP_IN mentioned in section 2.2. This Queue internally pulls the response via OBPM MDB to complete Accounting Handoff processing in OBPM.

Following is the Service and Operation used by OBPM to post in to FCUBS:

FCUBSIFService - CreateExtAccEcaEntries(Operation)

2.4.10 Customer Maintenance

Create the customers in FCUBS system, which will be automatically replicated and displayed at STDCIFCR in OBPM.

Creation of CIF, its amendments, closure & re-open status will get auto replicated to OBPM, with the latest data.

2.4.11 Account Maintenance

Create the accounts (Normal / Nostro type) in FCUBS system which will be automatically replicated and displayed at STDCRACC in OBPM.

Creation of accounts, its amendments, closure & re-open status will get auto replicated to OBPM with the latest data.

2.4.12 General Ledger Maintenance

Create the General Ledger in FCUBS system which will be automatically replicated and displayed at STDCRGLM in OBPM.

Creation of General Ledgers, its amendments, closure & re-open status will get auto replicated to OBPM with the latest data.

2.4.13 Transaction code Maintenance

Create the transaction code in FCUBS system which will be automatically replicated and displayed at STDCRTRN in OBPM.

Creation of transaction codes, its amendments, closure & re-open status will get auto replicated to OBPM with the latest data.

2.4.14 OBPM to use FCUBS Dates

Maintain IS_CUSTOM_DATE parameter as 'Y' in cstb_param table. By this, OBPM will use the 'Today' from sttm_dates as the transaction booking date.

This parameter value should be modified to N in Production environment.

2.4.15 Other Payments Maintenances

Refer OPBM Payments Core User Manual, for the other Day 0 maintenances to be done.

2.5 FAQ's

This section describes the FAQ's for the scenarios noticed on accounting handoff between Oracle Banking Payments & Oracle FLEXCUBE Universal Banking systems, on the Co-deployed set-up.

1. Accounting handoff is in Pending status:

OBPM isn't able to post the accounting entries to UBS accounting jms queue. If in the PM debugs, shows failed to initialize jndi factory, check the following in PMSSYSMPM – System parameters:

- PM.CTX.FACTORY - weblogic.jndi.WLInitialContextFactory
 - PM_CTX_PROVIDER – Provider URL** of the app server
- a. (** Provider URL will be the http URL of the app URL. E.g.: if Application URL is https://hostname:9011/FCJNeoWeb/ , then provider URL will be t3://hostname:9010)
 - b. In PMDQPROF screen – Q profile – Specify the correct Initial factory & provider URL (same as above). QCF should be MDBQCF. Ensure this MBDQCF is configured in WebLogic.
 - c. Update the Provider URL in Pmtm_job_param & pmtm_system_parameters tables.
 - d. Do restart the application after the above changes.

2. Accounting handoff is in Requested status:

The accounting is passed successfully by OBPM, but response from UBS system is not received yet.

- a. Check the MDB settings as indicated above & MDB gateway log.
- b. Check gwtm_in_log & gwtm_out_log tables for the exception details & message CLOB. The correlation ID in the accounting request XML of the transaction will be key between the two systems.

3. Accounting handoff is in Rejected status:

Accounting entries handed off by OBPM has been rejected by UBS.

- a. In OBPM application front end, go to the view transaction (PXDOVIEW / PBDOVIEW/ PADOVIEW), query the transaction. Click on View Q action. In Queue action log the sub screen, selecting the Accounting Response row, Click View response. Check the error & take corrective action as below:
- b. If error is “No data found for source combination” → Maintain in GWDETFUN a record for source code FCUBS & CreateExtAccEcaEntries (NEW) combination.
- c. If error is “User doesn’t have rights to perform operation” → Maintain in SMDUSRDF, for SYSTEM user, add roles for the respective branch.
- d. Additionally, ensure the below maintenance are done:
 - i. Maintain Source as FCUBS in CODSORCE
 - ii. Maintain Source Preference for FCUBS Source and IF Module in CODUPLDM
 - iii. Set Correlation pattern in GWDETSYS as Correlation ID. Not Message ID.

Relevant debugs to be analyzed:

MDB_Kernel11.1_gwlog _<Date>.log : GW MDB Log
SYSTEM<Branchcode>: Db Dbg