

**Oracle® Communications
Platform**

TPD Initial Product Manufacture

Software Installation Procedure

Release 8.6

F80207-01

April 2023

Oracle® Communications TPD Initial Product Manufacture, Release 8.6

Copyright ©1993, 2023 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Table of Contents

1	INTRODUCTION.....	7
1.1	Purpose and Scope.....	7
1.2	My Oracle Support	7
1.3	Glossary	8
2	PRE-INSTALLATION SETUP	9
2.1	Installation Prerequisites	9
2.2	System Configuration	9
2.3	Console Connections	9
2.4	Verify System Health before the first IPM	9
2.5	Time Estimates	10
3	SOFTWARE INSTALLATION AND VALIDATION PROCEDURES	11
3.1	Setting Server's CMOS clock.....	11
3.2	Setting the CMOS clock and other BIOS parameters from the BIOS setup screen.....	11
3.3	OS IPM Install.....	12
3.4	IPM Command line procedures.....	12
3.5	Post-Install Processing.....	19
	APPENDIX A. POSSIBLE ERRORS DURING IPM INSTALLATION PROCESSING	22
A.1	IPM Errors	22
A.2	Post Installation syscheck errors.....	22
	APPENDIX B. MEDIA CHECK.....	23
	APPENDIX C. ALTERNATIVE METHODS OF SETTING CMOS CLOCK.....	30
C.1	Setting CMOS clock when running TPD.	30
C.2	Setting CMOS clock from an NTP server while running TPD.....	30
	APPENDIX D. IPM COMMAND OPTIONS	31
D.1	reserved.....	31
D.2	drives	31
D.3	scrub.....	32
D.4	clear	32
D.5	diskconfig.....	32
D.6	lab	32
D.7	test.....	32
D.8	tklcuserdata	33
D.9	IPMUUID	33
D.10	tklcserverdata	33
D.11	IPMtrapHosts	33
D.12	ForceFail.....	33
D.13	rdate.....	33
D.14	ntphost.....	33
D.15	primaryConsole	33
D.16	diskpart	33
D.17	console	34

D.18 guestArchive	34
D.19 ctrlslot	34
D.20 control_if	34
APPENDIX E. BIOS CONFIGURATION.....	35
E.1 Configuring HP Systems	35
E.1.1 Configuring iLO serial port on G6 and Gen8 DL360 and DL380 rack mount servers.....	35
E.1.2 Configuring HP Gen9 Servers	35
E.1.3 Configuring HP Gen9 Servers with additional onboard supported NIC	36
E.2 Oracle Server BIOS configuration	37
E.2.1 Configuring CPU Power Limit on Netra X5-2 Servers.....	38
E.3 E5-App-B BIOS configuration	38
APPENDIX F. ILO/ILOM CONFIGURATION PROCEDURE	40
F.1 ILO Configuration Procedure	40
F.1.1 HP G6 and Gen8 ILO BIOS Settings.....	40
F.1.2 HP Gen9 iLO BIOS Settings	48
F.1.3 ILO Web GUI Settings	48
F.2 ILOM Configuration Procedure	50
F.2.1 ILOM BIOS Settings	50
F.2.2 ILOM Web GUI Settings	61
APPENDIX G. LOCATE PRODUCT DOCUMENTATION ON THE ORACLE TECHNOLOGY NETWORK SITE.....	63

List of Figures

Figure 1: Example Main BIOS Screen.....	11
Figure 2: Example Exit BIOS Screen	12
Figure 3: Example boot from media screen, TPD 8.6.0.0.0.....	13
Figure 4: X7-2 grub based IPM boot screen.....	13
Figure 5: X7-2 append to IPM boot target TPDnoraidd	14
Figure 6: X7-2 example additional IPM arguments when appending to TPDnoraidd boot target	14
Figure 7: Example boot from media screen, TPD 8.6.0.0.0	16
Figure 8: Installation process beginning screen	17
Figure 9: Example package installation screen	17
Figure 10: Example installation complete screen	18
Figure 11: Example boot loader output	18
Figure 12: Example successful syscheck output.....	19
Figure 13: Example syscheck output with NTP error.....	20
Figure 14: Example syscheck disk failure output.....	21
Figure 15: Example verifyIPM output	21
Figure 16: Example syscheck failure output.....	22
Figure 17: Example media check command	23
Figure 18: Example media test dialog	24
Figure 19: Example dialog with Test highlighted	25
Figure 20: Example media check progress screen.....	26
Figure 21: Example media check result	27
Figure 22: Media check Eject Dialog	28
Figure 23: Example media check continuation dialog	29
Figure 24: ILO Network Settings	41
Figure 25: Disable DHCP	41

Figure 26: Setup NIC and TCP/IP	42
Figure 27: Set ILO IPv4 Address and Default Gateway	43
Figure 28: Add an ILO User	44
Figure 29: Set ILO Username and Password.....	45
Figure 30: Exit ILO Setup.....	46
Figure 31: Verify Exit.....	46
Figure 32: Reset ILO Prompt	47
Figure 33: ILO Network Menu	49
Figure 34: Update IPv6 DNS and DHCP settings.....	49
Figure 35: Set IPv6 Address and Default Gateway	50
Figure 36: Reset the ILO.....	50
Figure 37: Enter the BIOS Configuration Menu	51
Figure 38: Main BIOS Menu.....	52
Figure 39: Advanced BIOS Settings.....	53
Figure 40: BMC Network Menu	54
Figure 41: Set IPv4 Type to Static.....	55
Figure 42: Highlight IPv4 Address Option	56
Figure 43: Enter IPv4 Address	57
Figure 44: Enable ILOM IPv6 State.....	58
Figure 45: Disable IPv6 Auto-Configuration	59
Figure 46: Enter the Static IPv6 Address	60
Figure 47: Save Changes.....	61
Figure 48: ILOM Power Policy.....	62

List of Tables

Table 1: Glossary	8
Table 2: Console port connections	9
Table 3: Power-on instructions.....	10
Table 4: Time Estimates for IPM in Minutes	10

List of Procedures

No table of figures entries found.

Important Notices



CAUTION: Use only the procedure downloaded from Oracle Technology Network (OTN) (<http://www.oracle.com/technetwork/indexes/documentation/oracle-comms-tekelec-2136003.html>).

Before upgrading your system, access **My Oracle Support** web portal (<https://support.oracle.com>) and review any Alerts that may be related to the System Health Check or the Upgrade.

Before beginning this procedure, contact [Oracle Support](#) to inform them of your upgrade plans.

1 Introduction

1.1 Purpose and Scope

This document details the procedure for installing the Operating System on Oracle approved hardware. The intended audiences for this document are the Oracle manufacturing engineers who will work with manufacturing technicians to build the systems. It will also be useful to test and development engineers who need to rebuild systems in the lab. Customer Access Support staff may also benefit from the information contained within this document. The Initial Product Manufacture (IPM) will be used for all Oracle approved hardware at Oracle manufacturing and Lab facilities.

This document applies to various TPD releases, starting with TPD 6.7.2. Since the output may vary slightly across versions of TPD, the figures should be used as a sample of the output to expect and not as exact text.

The following items are considered out of the scope of this document:

- Application Server unpacking
- Application Server assembly
- Application Server diagnostics and acceptance testing
- Application Server application install/upgrade
- Application Server platform upgrade
- Specific part/configuration information for the terminal device (or equivalent) and null modem serial cable used to initiate and monitor the IPM process
- Use of a VGA monitor and PC keyboard to initiate and monitor the IPM process

1.2 My Oracle Support

Web portal (preferred option): [My Oracle Support \(MOS\)](https://support.oracle.com/) at <https://support.oracle.com/>

Phone: +1.800.223.1711 (toll-free in the US),

Or retrieve your local hotline from [Oracle Support Contacts Global Directory](http://www.oracle.com/support/contact.html) at <http://www.oracle.com/support/contact.html>

Make the following selections on the Support telephone menu:

Select **2** for New Service Request

Then select **3** for Hardware, Networking, and Solaris Operating System Support

Then either

- select **1** for **Technical Issues**,
When talking to the agent, please indicate that you are an existing Tekelec customer.
Note: Oracle support personnel performing installations or upgrades on a customer site must obtain the customer Support Identification (SI) number prior to seeking assistance.
OR
- select **2** for **Non-Technical Issues**, for example, for My Oracle Support (MOS) registration.
When talking to the agent, mention that you are a Tekelec Customer new to MOS.

1.3 Glossary

This section lists terms and acronyms specific to this document.

Table 1. Glossary

Acronym/Term	Definition
BIOS	Basic Input Output System
CD	Compact Disk
DIU	Dual Image Upgrade
DVD	Digital Versatile Disc
E5-APP-B	E5 Application Server B
GPT	GUID Partition Table
GRUB	Grand Unified Bootloader
IPM	Initial Product Manufacture – the process of installing TPD on a hardware platform
IPM Media Kit	The IPM media kit is distributed as a DVD or USB. The type of media used depends on the hardware configuration as some configurations do not come with DVD drives.
KVM	Kernel-based Virtual Machine
OS	Operating System (e.g. TPD)
TPD	Tekelec Platform Distribution
USB	Universal Serial Bus
VSP	Virtual Serial Port

2 Pre-Installation Setup

2.1 Installation Prerequisites

The following items are required to IPM a server:

- A properly assembled server.
- Appropriate IPM Media Kit
- A terminal device (or equivalent) and null modem serial cable to initiate and monitor the IPM process.
- TPD can be IPMed from KVM based host
- TPD can be IPMed from E5-APP-B hardware

In general, ANSI standard terminal emulations are supported. As of this writing, the following terminal emulations are known to work: ANSI BBS, VT-52, VT-100, VT-102, VT-220, and VT-320. Console port settings for the E5-App-B is configured as specified below.

System	Baud Rate	Data Bits	Parity	Stop Bits	Flow Control
E5-APP-B	115200	8	None	1	None

Note:

1. Default password(s) will be changed by the manufacturing process –or– will be disclosed to customer with recommendation to change. Standard UNIX commands are used to change user passwords.
2. To login as root, contact [Oracle Support](#).

2.2 System Configuration

Assemble and configure the system as appropriate and documented in the applicable application installation setup guides.

2.3 Console Connections

A connection to the console is required to initiate and monitor the progress of the IPM installation. The location and type of the connection varies by system:

Table 2: Console port connections

System	Port type	Port location
E5-APP-B	RJ45 – Serial	Back of unit

2.4 Verify System Health before the first IPM

1. Verify the server console port is setup correctly. Refer to Table 2 for the type and location of the console port.
2. Power on the terminal device (if necessary) and establish a connection to the server console port.
3. Power on the server using the following instructions:

Table 3: Power-on instructions

System	Instructions
E5-APP-B	Insert the blade server into a configured and powered EAGLE shelf. Ensure that both hard disk latches and the eject latch are in the locked position (the word LOCKED is shown on the latch).

2.5 Time Estimates

Table 4: Time Estimates for IPM in Minutes

	Phase	Setup	Media Check	OS CD/DVD	Initial Reboot	Syscheck
	Activity	Cable and Power up	Optional step to check media	IPM Install of OS	OS Boot	System health check
TPD	This Step	5	5	15	15	2
	Cumulative	5	10	25	40	42
TPD scrub 3 146 GB Disks	This Step	5	5	60	4	1
	Cumulative	5	10	70	74	75
TPDnoraid scrub diskconfig=HPHW 2 300 GB Disks	This Step	5	5	90	6	1
	Cumulative	5	10	100	106	107
TPDnoraid X4-2 with 2 300GB Disks using USB	This Step	5	N/A	10	6	1
	Cumulative	5	5	15	21	22

Note: The above times are estimates and will vary depending on the release of TPD being installed as some versions have more RPMs than others, the speed of the drives being installed onto, and the IPM media used, like USB, CD/DVD, or virtual media. Virtual media has other factors that will cause the time to vary, like network latency. If you need a better estimate of time for your specific installation, you will need to recreate your exact scenario.

3 Software Installation and Validation Procedures

3.1 Setting Server's CMOS clock

The date and time in the server's CMOS clock must be set accurately before running the IPM procedure. There are several different ways to set the server's CMOS clock. The following method requires the least number of external resources. See Appendix C for other alternatives.

3.2 Setting the CMOS clock and other BIOS parameters from the BIOS setup screen

Setting the clock and other BIOS parameters from the BIOS setup screen does not require TPD to be installed.

1. A few seconds after the server is powered on, as soon as you see the first bit of output on the screen, press the respective key three (3) times to access the BIOS setup screen.
 - On E5-App-B servers using the serial console, use the F4 key.




Figure 1: Example Main BIOS Screen

2. Set the server date and time to GMT (Greenwich Mean Time).
3. Check for specific application BIOS settings and apply those. See Appendix E for TPD required settings for your respective server type. If there are no settings listed in the Appendix for your server type, then no changes (from the default) are needed.

Note: The boot order must be changed on E5-App-B servers as specified in Appendix E.3 to IPM the system!

4. If the server is an Oracle server, scroll to the exit screen using the arrow keys.
5. Exit from the BIOS screen, saving changes.



Figure 2: Example Exit BIOS Screen

3.3 OS IPM Install

The IPM installation media must now be inserted into the system. Installation will then begin by resetting (or power cycling) the system so that the BIOS can find and then boot from the IPM installation media. The reboot steps are different for the different rack mount servers.

Note: Do not remove power from the E5-App-B servers as this will reset the BIOS to factory settings. Follow the steps specified in Appendix E.3 to IPM the system!

3.4 IPM Command line procedures

1.
 - a. Figure 3: Example boot from media screen, TPD 8.6.0.0.0 is a sample output screen indicating the initial boot from the install media was successful. The information in this screen output is representative of TPD 8.6.0.0.0.






Figure 3: Example boot from media screen, TPD 8.6.0.0.0

- b. For UEFI BIOS servers such as X7-2, **Figure 4: X7-2 grub based IPM boot screen** is a sample of the output screen indicating initial boot from the installation media was successful. The information in this screen output is representative of the X7-2 support start in TPD 7.5.0.0.0.

**Figure 4: X7-2 grub based IPM boot screen**

2. Optional Step: If optical media has not been previously verified, perform a media check now; refer to Appendix B, “Media Check”.
 3. The command to start the installation is dependent upon several factors, including the type of system, knowledge of whether an application has previously been installed or a prior IPM install failed, and what application will be installed.
- Note:** Text case is important, and the entries must be typed exactly as listed.

Note: For X7-2, the IPM screen is different, as seen in **Figure 4: X7-2 grub based IPM boot screen**. Only the 4 IPM boot targets are available for X7-2. Append to the kernel line by hitting `a` as seen in **Figure 5: X7-2 append to IPM**.




```
GNU GRUB version 0.97 (248K lower / 1739360K upper memory)

kernel /isolinux/vmlinuz ks=file:/TPD.ks kstype=TPDnoraidd uuid=f7871->
initrd /isolinux/initrd.img

Use the ↑ and ↓ keys to select which entry is highlighted.
Press 'b' to boot, 'e' to edit the selected command in the
boot sequence, 'c' for a command-line, 'o' to open a new line
after ('O' for before) the selected line, 'd' to remove the
selected line, or escape to go back to the main menu.
```

Figure 5: X7-2 append to IPM boot target TPDnoraidd

All desired IPM options can be added in the appended kernel line in grub. An example can be seen in **Figure 6: X7-2 example additional IPM arguments when appending to TPDnoraidd**. Examples of additional items are listed in Step 4.



```
[ Minimal BASH-like line editing is supported. For the first word, TAB
lists possible command completions. Anywhere else TAB lists the possible
completions of a device/filename. ESC at any time cancels. ENTER
at any time accepts your changes.]

<=ttyS0,115200 diskconfig=HWRRAID,force console=tty0
```

Figure 6: X7-2 example additional IPM arguments when appending to TPDnoraidd boot target

4. If installing on a server that has never had an application installed (a “fresh install”), start the IPM process by entering the **TPD** command at the boot prompt. There are other boot targets and options available as well. The following is a description of the alternative boot targets:
 - **TPD** – To install with software RAID. The number of software RAID enabled partitions will vary depending on the TPD release.
 - **TPDnoraidd** – To install on first device found. Creates a /boot partition and five logical volumes. Very useful for machines that do not require software RAID because they already include hardware RAID. This target is appropriate for servers using hardware RAID setup instead of software.
 - **TPDlvm** – To install with logical volumes on top of a software RAID. This is like the TPD option but instead of partitions, logical volumes are used like in the TPDnoraidd setup. This is useful for machines that do not have a hardware RAID but want to have the benefit of having OS filesystems on logical volumes for use of features such as LVM backouts, snapshots, etc. This option was added in TPD 7.0.2.0.0-86.28.
 - **TPDcompact** – To install using the minimum disk space. Create a boot partition and a / (root) partition. This target is not intended for production use.
 - **TPDblade** – To install to one disk with blade partition config. Create a /boot partition and five logical volumes. This target is similar to TPDnoraidd but some platform partitions are smaller.
 - **rescue** – To enable rescue mode.
 - **HDD** – This option allows you to boot to the default hard drive after booting from IPM media. This is used when the server has been rebooted while IPM media was left in the DVD/CD-ROM drive.

If the server has had an application installed (and is not a “fresh install”), if its state is not known, or if recovering from a failed installation, start the IPM process by including the **scrub** option with your IPM command. Warning: Make sure you understand the behavior of the “scrub” option (as described in paragraph D.3 on page 32) before using it.

Some applications require disk space to be set aside for use other than being part of the vgroot LVM volume group. See the installation documentation for the application to determine if this is needed and if so, how much space needs to be reserved. The **reserved** option provides this ability to set aside one or more partitions. For more information on the option, see Section D.1.

When installing to a server with more than one drive, it may be desired to limit the TPD installation to a subset of the drives. For example, it may be desired to perform a **TPDnoraidd** installation to a drive other than the first. If this special handling is desired, use the **drives** option to specify the device names to which TPD should be installed. In this configuration one will most likely need to specify the parameter(s) to the **drives** option as the specific logical drive(s) for the internal RAID. For more information on the option, see Section D.2.

TPD supports automatically reconfiguring the disk drives so the TPD installation can use hardware mirroring (RAID 1). This command will reconfigure the onboard RAID controller to support hardware mirroring if passed with the **force** option. Any data on any disk drive managed by the onboard RAID controller may be lost during this reconfiguration, however, no data will be lost if the disks are already in the desired configuration.

When IPMing supported hardware, the correct **diskconfig** option is appended to the IPM command, without the **force** option, if no **diskconfig** or **drives** option is passed. This option will verify the disk configuration is correct before proceeding with the install. If the configuration is not correct, it will stop the installation without changing the disk configuration so you can reboot and start over manually passing the diskconfig option you want with the force option. If you want to install TPD on a system with a non-standard configuration, you should manually configure the disks and use the **drives=<device>** option to IPM onto a specific device. To force the reconfiguration of the disks for all supported servers you would pass **diskconfig=HWRAID, force**.

Refer to **Appendix D IPM command options** for all TPD IPM command options.

How long the IPM process will take will be determined by the size and speed of the disk drives installed in the server. See Table 4: Time Estimates for IPM in Minutes for time estimates. No status is printed to the screen for several hours as the scrub option is run. If one or more disk drives in the server have any hardware errors, the time required to run a scrub will rise dramatically.

After entering the command to start the installation, the Linux kernel will load, as in the following screenshot for non-UEFI systems:

```

AMIBIOS(C)2006 American Megatrends, Inc.
BIOS Date: 11/19/12 13:34:41 Ver: 08.00.15
CPU : Intel(R) Xeon(R) CPU          L5238  @ 2.66GHz
Speed : 2.66 GHz

Press DEL to run Setup (F4 on Remote Keyboard)
Initializing USB Controllers .. Done.
8192MB OK
USB Device(s): 1 Storage Device
Auto-Detecting AHCI PORT 0..
Auto-Detecting AHCI PORT 1..IDE Hard Disk

ISOLINUX 6.04  Copyright (C) 1994-2015 H. Peter Anvin et al
boot: TPDlvm
Loading vmlinuz... ok
Loading initrd.img...
0075

```

Figure 7: Example boot from media screen, TPD 8.6.0.0.0

- After a few seconds, additional messages will begin scrolling by on the screen as the Linux kernel boots, and then the drive formatting and file system creation steps will begin and the following screen will appear indicating that the package installation step is about to begin:


```
Starting installer, one moment...
10:08:43 Deprecated boot argument 'ks' must be used with the 'inst.' prefix. Please use 'inst.ks' instead.
10:08:43 Deprecated boot argument 'product' must be used with the 'inst.' prefix. Please use 'inst.product' instead.
10:08:43 Anaconda boot arguments without 'inst.' prefix have been deprecated and will be removed in a future major release.
anaconda 33.16.6.7-1.0.1.el8 for Oracle Linux 8.6 started.
* installation log files are stored in /tmp during the installation
* shell is available on TTY2
* if the graphical installation interface fails to start, try again with the
  inst.text bootoption to start text installation
* when reporting a bug add logs from /tmp as separate text/plain attachments
10:08:55 Running pre-installation scripts
Installation Media Details:
  DEVICE: /dev/sdc
  PRODUCT: TPD
  RELEASE: 8.6.0.0_110.5.0
  UUID: 4f46142c-3e6e-4797-9ca8-1d48afd88ab8

Current time is: Fri Mar 3 10:08:56 UTC 2023

Calling diskcfg with the following options:
diskcfg --debug --type=TPDlvm --product= --diskpart=
[anaconda]l:main* 2:shell 3:log 4:storage-log >Switch tab: Alt+Tab Help: F1
```

Figure 8: Installation process beginning screen

Once the screen shown in Figure 8: Installation process beginning screen appears, it may take several minutes before the installation process starts. However, after a few minutes, you will see a screen like Figure 9: Example package installation screen showing the status of the package installation step.

```
Installing libdnf.x86_64 (1010/1511)
Installing python3-libdnf.x86_64 (1011/1511)
Installing python3-hawkey.x86_64 (1012/1511)
Installing fwupd.x86_64 (1013/1511)
Installing python3-gpg.x86_64 (1014/1511)
Installing wget.x86_64 (1015/1511)
Installing libsmi.x86_64 (1016/1511)
Installing wireshark-cli.x86_64 (1017/1511)
Installing libxklavier.x86_64 (1018/1511)
Installing dracut-squash.x86_64 (1019/1511)
Installing kexec-tools.x86_64 (1020/1511)
Installing xfsprogs.x86_64 (1021/1511)
Installing fipscheck-lib.x86_64 (1022/1511)
Installing fipscheck.x86_64 (1023/1511)
Installing httpd-tools.x86_64 (1024/1511)
Installing httpd.x86_64 (1025/1511)
Installing mod_http2.x86_64 (1026/1511)
Installing mod_security.x86_64 (1027/1511)
Installing ldns.x86_64 (1028/1511)
Installing libsrtp.x86_64 (1029/1511)
Installing gstreamer1-plugins-bad-free.x86_64 (1030/1511)
Installing qt5-qtmultimedia.x86_64 (1031/1511)
```

Figure 9: Example package installation screen

6. Once all the packages have been successfully installed, Figure 10: Example installation complete screen will appear, letting you know the installation process is complete. Remove the installation media and then press <ENTER> to reboot the system.




Figure 10: Example installation complete screen

7. After a few minutes, the BIOS screen will appear again, followed by several messages about each of the Ethernet ports in the system, and finally followed by the following message printed by the boot loader, indicating that it is booting the new IPM load.

```
Booting TPD (2.6.32-431.11.2.el6prere17.0.0.0_86.3.0.x86_64)
Press any key to continue.
Press any key to continue.
Press any key to continue.
Press any key to continue.
Press any key to continue.
Press any key to continue.
Press any key to continue.
```

Figure 11: Example boot loader output

Note: It is possible that the system will reboot several times during the IPM process. No user input is required if this occurs.

8. A successful IPM platform installation process will result in a user login prompt.

3.5 Post-Install Processing

Log in as user syscheck, and the system health check will run automatically. This will check the health of the server, and print out an “OK” if the tests passed or a descriptive error of the problem if anything failed. The screenshot in Figure 12: Example successful syscheck output shows a successful run of syscheck, where all tests pass, indicating the server is healthy.

```
Oracle Linux Server release 6.5
Kernel 2.6.32-431.11.2.el6prere17.0.0.0_86.3.0.x86_64 on an x86_64

hostname71e968a495e6 login: syscheck
Password:
Last login: Fri May 30 15:37:03 on tty1
Running modules in class disk...
                                OK

Running modules in class hardware...
                                OK

Running modules in class net...
                                OK

Running modules in class proc...
                                OK

Running modules in class system...
                                OK


Running modules in class upgrade...
                                OK

LOG LOCATION: /var/TKLC/log/syscheck/fail_log

Oracle Linux Server release 6.5
Kernel 2.6.32-431.11.2.el6prere17.0.0.0_86.3.0.x86_64 on an x86_64
hostname71e968a495e6 login: █
```

Figure 12: Example successful syscheck output

Since an NTP server will not normally be configured at this point, syscheck may fail due to the NTP test as shown in Figure 13: Example syscheck output with NTP error. The syscheck NTP test will not give this failure during the first 20 minutes after the server is booted up. The error shown in Figure 13 is acceptable and can be ignored.

A screenshot of a PuTTY terminal window titled "ilopc9101511.ipde.nc.tekelec.com - PuTTY". The terminal shows the output of a syscheck command. It starts with a login prompt for "syscheck" and a password prompt. The output shows the last login time and the running of modules in different classes: "system", "hardware", "proc", and "disk". The "proc" class fails due to an NTP error. The error message is: "ntp: FAILURE:: MINOR::5000000000000200 -- Server NTP Daemon Not Synchronized". The terminal also shows the LOG LOCATION and the CentOS release information. The prompt "hostname1307389642 login:" is visible at the bottom.

```
ilopc9101511.ipde.nc.tekelec.com - PuTTY
hostname1307389642 login: syscheck
Password:
Last login: Mon Jun  6 15:49:26 from localhost
Running modules in class system...
                                OK

Running modules in class hardware...
                                OK

Running modules in class proc...
*      ntp: FAILURE:: MINOR::5000000000000200 -- Server NTP Daemon Not Synchronized
*      ntp: FAILURE:: ntp is not synchronized.
One or more module in class "proc" FAILED

Running modules in class disk...
                                OK

LOG LOCATION: /var/TKLC/log/syscheck/fail_log

CentOS release 5.5 (Final)
Kernel 2.6.18-194.32.1.el5prere15.0.0_72.11.0 on an x86_64

hostname1307389642 login: 
```

Figure 13: Example syscheck output with NTP error

The screenshot Figure 14 indicates a disk failure in one of the syscheck tests. If the server is using software disk mirroring (RAID1), the syscheck disk test will fail until the disks have synchronized. The amount of time required to synchronize the disks will vary with disk speed and capacity. Continue executing system check every 5 minutes (by logging in as syscheck to run syscheck again) until the health check executes successfully as shown above. If the disk failure persists for more than two (2) hours, or if system check returns any other error message besides a disk failure or the NTP error shown in Figure 13, do not continue, contact [Oracle Support](#) and report the error condition.

```
Oracle Linux Server release 6.5
Kernel 2.6.32-431.11.2.el6prere17.0.0.0_86.3.0.x86_64 on an x86_64

hostname006e54e5aa50 login: syscheck
Password:
Last login: Tue Jun  3 13:06:50 on ttyS0
Running modules in class disk...
*      hpdisk: FAILURE:: MAJOR::3000000080000000 -- HP Disks need intervention.
*      hpdisk: FAILURE:: Failure message: physicaldrive 1I:1:1 for controller in slot 0 is Failed.
One or more module in class "disk" FAILED

Running modules in class hardware...
                                OK

Running modules in class net...
                                OK

Running modules in class proc...
                                OK

Running modules in class system...
                                OK

Running modules in class upgrade...
                                OK

LOG LOCATION: /var/TKLC/log/syscheck/Fail_log

#####
1401815247: Upstart Job serial: stopping

#####
1401815247: Upstart Job serial: starting
1401815247: Upstart Job serial: started
#####

Oracle Linux Server release 6.5
Kernel 2.6.32-431.11.2.el6prere17.0.0.0_86.3.0.x86_64 on an x86_64

hostname006e54e5aa50 login: █
```

Figure 14: Example syscheck disk failure output

Verify that the IPM competed successfully by logging in as root and running verifyIPM. Contact [Oracle Support](#) if any output is printed by the verifyIPM command.

```
[root@hostname006e54e5aa50 ~]# verifyIPM
[root@hostname006e54e5aa50 ~]# █
```

Figure 15: Example verifyIPM output

Congratulations!
Application Server IPM Process is complete and Post-install checks have passed
You have successfully completed this procedure
Refer to sales order to load appropriate application

Appendix A. Possible Errors During IPM Installation Processing

A.1 IPM Errors

1. During the IPM installation, if failures occur, or if the IPM process stops and requests user input, the installation process is suspended and manual intervention is required.
2. If media check was not performed in section 3.4, step 2, and then stop and refer to Appendix B, “Media Check” to run that now.
3. If media check fails, do not continue, and contact [Oracle Support](#) to report the error condition.

A.2 Post Installation syscheck errors

If the syscheck command continues to fail in the post-installation step, execute the following steps to isolate the problem

1. Log in as root
2. Run: syscheck -v -k meta disk
3. If the output looks like the screenshot below, then execute all the steps in 3.4 again, but at step 3, append the “scrub” option to the installation start command. **Warning:** Make sure you understand the behavior of the “scrub” option (as described in Section D.3) before using it. Refer to the text for step 3 to determine the proper installation start command for your hardware.

```
Oracle Linux Server release 6.5
Kernel 2.6.32-431.11.2.el6prere17.0.0.0_86.3.0.x86_64 on an x86_64

athens login: root
Password:
Last login: Tue Jun  3 13:42:00 on tty1
[root@athens ~]# syscheck -v -k meta disk
Running modules in class disk...
    meta: Checking md status on system.
    meta: md Status OK, with 7 active volumes.
    meta: Checking md configuration on system.
    meta: md3 is configured, but is not currently active.
*      meta: FAILURE:: MAJOR::3000000000000002 -- Server Internal Disk Error
*      meta: FAILURE:: md configuration check failed.
Active md config doesn't match /etc/raidtab.
One or more module in class "disk" FAILED

LOG LOCATION: /var/TKLC/log/syscheck/fail_log
[root@athens ~]#
```

Figure 16: Example syscheck failure output

Appendix B. Media Check

Media Check only works on CD/DVDs. USB media should be validated when it is created as the validation steps are dependent on how it was created.

1. Refer to Section **Error! Reference source not found.** to automatically boot from the DVD IPM media.
2. The screen output shown below indicates the initial boot from DVD is successful. Enter the command “**linux mediacheck**” and press <ENTER>.

Note: If the system is being accessed using a remote console then “**console=tty0**” should be appended to the “**linux mediacheck**” command.

```
Copyright (C) 2003, 2014, Oracle and/or its affiliates. All rights reserved.

Welcome to Tekelec Virtual Operating Environment!
Release: 3.0.0.0.0_86.4.0
Arch: x86_64
For a detailed description of all the supported commands and their options,
please refer to the Initial Platform Manufacture document for this release.
In addition to linux & rescue TPD provides the following kickstart profiles:

[ TPD | TPDnoraaid | TPDblade | TPDcompact | HDD ]

Commonly used options are:

[ console=<console_option>[,<console_option>] ]
[ primaryConsole=<console_option> ]
[ rdate=<server_ip> ]
[ scrub ]
[ reserved=<size1>[,<sizeN>] ]
[ diskconfig=HWRAID[,force] ]
[ drives=<device>[,device] ]
[ guestArchive ]

To install using a monitor and a local keyboard, add console=tty0

boot: linux mediacheck console=tty0
```

Figure 17: Example media check command

3. When the following screen appears, tab until “OK” is highlighted and then press <ENTER>.




Figure 18: Example media test dialog

- Next, press tab until “Test” is highlighted, and press <ENTER> to begin testing the currently installed media.



Figure 19: Example dialog with Test highlighted

5. The media check will begin, with a status bar indicating the progress, as shown in the screen shot below:




Figure 20: Example media check progress screen

6. If the media check is successful, the following screen will be displayed. Press <ENTER> to continue.




Figure 21: Example media check result

7. Next the media that was tested will be ejected. Press <ENTER> to continue.




Figure 22: Media check Eject Dialog

8. To test additional media, remove original media, insert new media, tab until “Test” is highlighted and press <ENTER>. If no additional media is available, and the media check passed, remove the current media, insert the original media, tab until “Continue” is highlighted and press <ENTER> to continue the installation again.



Figure 23: Example media check continuation dialog

Appendix C. Alternative Methods of Setting CMOS clock

There are multiple ways to set the Server's CMOS clock. The following methods are offered as alternatives to the method described in section 3.1. Please note that the CMOS clock must be accurate before the IPM is initiated.

C.1 Setting CMOS clock when running TPD.

If the server has TPD installed and you know the root password, you can use the following procedure to set the system clock.

1. Boot the server up.
2. Log in as root.
3. Verify the current date, using the date command:

```
# date
Fri Jul 13 13:14:15 EDT 2007
```

- If the date, time and time zone are correct, continue to Section 3.3 OS IPM Install.
 - If the time zone or date is not correct, use the platcfg utility to enter the correct time zone and date.
4. Halt the server using the platcfg utility.

C.2 Setting CMOS clock from an NTP server while running TPD.

If the server has TPD installed and you know the root password, you can use the following procedure to set the system clock if the network is configured and an NTP server is available to the server running TPD:

1. Boot up the server
2. Log in as root
3. Verify the current date, using the date command:

```
# date
Fri Jul 13 13:14:15 EDT 2007
```

4. If the date, time and time zone is correct, continue to section 3.3, OS IPM Install
5. Disable ntp:

```
# service ntpd stop
Shutting down ntpd: [ OK ]
```

6. Use **ntpdate** to change the local time:

```
# ntpdate <NTP server IP address>
13 Jul 13:15:01 ntpdate[27747]: step time server 198.89.40.60 offset 46.01234 sec
```

7. Reboot the server:

```
# shutdown -r now
```

8. Check the date and time by logging in as root and verifying the current date, using the date command:

```
# date
Fri Jul 13 13:18:03 EDT 2007
```

Appendix D. IPM command options

There are multiple options that can be specified on the boot line that affect how the system is manufactured. Multiple options can be specified on a single command.

D.1 reserved

The **reserved** option provides the capability to create one or more extra partitions that are not made part of the vgroot LVM volume group.

The sizes of the partition(s) are indicated after “**reserved=**” and are separated by commas without any whitespace if there are more than one. The sizes use a suffix to indicate whether the value is in units of megabytes (“**M**”) or gigabytes (“**G**”). In this context, a megabyte is 1024^2 and a gigabyte is 1024^3 .

In the case of a software RAID-1 configuration, such as **TPD** (but not **TPDnoraaid**), a single value will cause the creation of a partition on 2 drives and a metadvice (md) that incorporates the two partitions.

Examples:

1. **TPD reserved=2G** – This will create a reserved partition on sda and sdb of 2 GB, and a RAID-1 metadvice using those reserved partitions.
2. **TPDnoraaid reserved=512M** – On a HP server, this will create a reserved partition on sda of 0.5 GB.
3. **TPDnoraaid reserved=4G,128M** – On a HP server, this will create two reserved partitions of 4 GB and of 128 MB.

The partition(s) or metadvice(s) can be used by storageMgr to create a DRBD device or LVM physical volume. However, to do so, one will need to know the partition number or metadvice number.

Numbering of partitions is performed by anaconda and is controlled by anaconda. Therefore, to get the partition number, a developer would need to examine the partition table after an IPM to determine the number. Also, this number may change due to changes in anaconda in future releases of TPD.

D.2 drives

The **drives** option provides the capability to limit the installation of TPD to certain drives by specifying the device names separately by commas after “**drives=**”.

Example:

TPD drives=sda,sdb – May be useful on a system with more than 2 drives where the additional drives are not intended to be used for the root (TPD) install.

TPDnoraaid drives= sdb – May be useful on rack mount servers where the logical drive for the internal RAID is not the first device in the system.

Note: If the drives specified do not include the first device in the system, care must be made to set the BIOS to treat one of the drives specified as the first boot disk/controller before starting the IPM. For example, #2 to work, the internal RAID controller should be configured as the boot controller.

Note: The order in which the drives are specified in the drives parameter determines the boot drive order sent to anaconda for use. The order in which the drives are specified must correspond to the order in which the drives are specified in the BIOS.

D.3 scrub

This option is typically used as part of the IPM process on machines that have had TPD loaded in the past. The usage of the “scrub” option is used to ensure that the disk and logical volume partitioning that occurs during the early phase of IPM operates correctly.

It is extremely important to understand that the “scrub” option will remove all data from ALL attached disk devices to the machine being IPM’ed. Note that this includes disk drives that are not mentioned in the “drives” parameter. Therefore, whenever the “scrub” option is used, all disk drives attached to the machine being IPM’ed, including those not mentioned in the “drives” parameter, will lose all their data. Technically, this is accomplished by writing zeroes to the entire disk of each attached disk drive.

D.4 clear

This option is used to erase the Master Boot Record (MBR) of all the attached disk drives. Note that this option will operate against all attached disk drives of the machine being IPM’ed. Clearing the MBR also removes each disk drive’s partition table, effectively causing the loss of all data on the disk.

It is extremely important to understand that the “clear” option will remove all MBR’s from all the attached devices to the machine being IPM’ed. Note that this includes disk drives that are not mentioned in the “drives” parameter. Therefore, whenever the “clear” option is used, all disk drives attached to the machine being IPM’ed, including those not mentioned in the “drives” parameter, will lose all their data. Technically, this is accomplished by writing zeroes to the 512 Kbytes of each attached disk drive.

Note: The MBR of any USB drives attached will remain intact since USB devices are ignored.

D.5 diskconfig

This option is intended to direct the IPM process to configure the disks in different ways. At this time diskconfig supports the following options:

- HWRAID - This option detects which disk controller, either HP or LSI, is present and configures the hardware RAID1 appropriately. This is the default if no diskconfig or drives option is passed.
- SWRAID - This option detects which disk controller, either HP or LSI, is present and configures the software RAID appropriately. **Note:** This mode is intended for use during development and testing and is not supported on fielded systems.
- force – specify that if the current disk configuration does not match the desired configuration, that the desired configuration should be forcibly installed. Loss of data on any disk on the same RAID disk controller may result.

D.6 lab

Note: Intended for development use only

This is a debug mode which will provide an interactive shell on failure rather than exiting the IPM process. If this mode is selected and the kickstart file is coming from an http server, the kickstart file will attempt to download the files normally included in the initrd from the http server where the kickstart file is located.

D.7 test

Note: Intended for development use only

This is a debug mode which will cause the IPM process to stop at multiple locations and prompt the user. This mode is useful to check status of scripts used during the IPM process.

D.8 tklcuserdata

This option has been deprecated. It has been replaced by IPMUUID.

D.9 IPMUUID

This value is provided by PM&C to uniquely identify each IPM. All SNMP informs sent will include the IPMUUID if it is provided.

D.10 tklcserverdata

This option has been deprecated. It has been replaced by IPMtrapHosts.

D.11 IPMtrapHosts

This is a colon separated list of IP addresses normally provided by PM&C. The SNMP informs sent during IPM will be sent to this/these address[es].

D.12 ForceFail

This value provides a way to force IPM failures for testing purposes. Three options are available:

- ipmfailed – send “ipmfailed” inform at end of IPM rather than normal “tpdinstalled” trap.
- installfailed – send “install failed” as part of the tpdstate inform on first reboot after IPM.
- ipmabort – Do not put the expected final entry in the kickstart log file. This will cause an “install failed” as part of the tpdstate inform on first reboot after IPM.

If the ForceFail argument is provided with any of the supported options, it will cause the verifyIPM command to fail.

D.13 rdate

This optional argument should be set to the IP address of a server on the local network segment that is running the “time” service. The “time” service is not the same as NTP. If this value is set, the clock on the server will be set using rdate to the provided IP address before the installation of packages begins. If this option is provided, no other setting of the server clock will be required. If the rdate argument is provided, the IP address will be configured as an NTP server when the IPM is completed unless the ntphost option is provided, in which case the IP address provided with the ntphost argument will be used.

D.14 ntphost

This optional argument can be set to the IP address of an NTP server. If this value is provided, TPD will be configured to use this NTP server when the IPM is completed. This option does NOT set the clock of the server before the packages are installed, so it is important the server CMOS clock is set either manually (see Setting Server’s CMOS clock or Appendix C) or using the “rdate” option (see D.13).

D.15 primaryConsole

The argument provided to this option will be set as the primary console device for TPD. This means that all init and kernel messages will be sent to this device while the server is running and during startup and shutdown. Additionally, a login prompt will display itself on this console after the system startup. The argument must be a valid console device such as “tty0”, “ttyS1,115200”, or “ttyS0,9600n8r”.

D.16 diskpart

This optional argument is used to override the disk partition template used for TVOE installation. By default, the “TVOE” disk partition template will be used when TVOE is installed. The “TVOE” partition scheme assumes hardware

RAID is used and the first disk should have TVOE installed on it. However, it is possible to install TVOE using the default TPD disk partition by passing “diskpart=TPD” on the TPD command line. This might be useful when installing TVOE on platforms that do not have hardware disk mirroring.

D.17 console

The default console is serial console but sometimes it is useful to be able to use another device like a VGA monitor. An example for using a VGA monitor would be to use **console=tty0**.

D.18 guestArchive

This optional argument is used to start the system in guest archive creation state. This state is used to IPM a guest system that can be used as a base to create a TVOE guest archive.

D.19 ctrlslot

This optional argument is used to select a different controller slot than the default. By default, controller slot 0 is used on TPD systems. This optional argument might be useful when installing TPD on lab or custom customer configurations.

D.20 control_if

This optional argument is used to configure alternate interfaces on the system as “onboot=yes” and “dhcpd=yes” during IPM. This optional argument might be useful when installing TPD or TVOE with alternate NIC or network configurations to ensure select interfaces are configured to come up DHCP on every boot, including the first boot.

The format of the option is:

control_if=<if1>[,<if2>]

To maintain consistency with the default behavior, TPD and TVOE on blades will still require two active interfaces to be given. The given interfaces will maintain configuration together as bond0. If 3 or more interfaces are given an error will be generated and the IPM stopped. TPD on an RMS will only require one interface. If multiple interfaces are given, an error will be generated and the IPM stopped. To maintain consistency with other options, if the **control_if** option is passed with no options, it will be ignored. TVOE on an RMS will have the same interface requirements as TVOE on a blade.

Appendix E. BIOS Configuration

Run the appropriate subsection below based on your hardware platform. If your server type is not listed, then no changes from the default configuration are needed.

E.1 Configuring HP Systems

E.1.1 Configuring iLO serial port on G6 and Gen8 DL360 and DL380 rack mount servers.

The serial ports on HP G6 and Gen8 DL360 and DL380 rack mount servers must be configured so that the serial port used by the BIOS and TPD are connected to the “VSP” on the iLO. This will allow the remote administration of the servers without the need for external terminal servers. If this configuration has not been completed correctly and the server rebooted, the syscheck “syscheck -v hardware serial” test will fail.

1. Connect to the server in question using a VGA monitor and USB keyboard.
2. Reboot/reset the server.
3. Press the F9 key when <F9=Setup> appears. Note that this could appear in the lower right hand or lower left-hand corner of the screen.
4. Select “Server Availability”
5. Change “Automatic Power-On” to “Enabled”
6. Change Power-On Delay” to “No Delay”
7. Press <ESC> once
8. Select “System Options”
9. Select “Serial Port Options”
10. Change “Embedded Serial Port” to “COM2”
11. Change “Virtual Serial Port” to “COM1”
12. Press <ESC> two times.
13. Select “Standard Boot Order”
14. Select “Hard Drive C:”
15. In the popup, set the IPL Device Boot Order to 1.
16. Press <ESC> two times.
17. Press F10

E.1.2 Configuring HP Gen9 Servers

The HP Gen9 systems can have UEFI boot enabled. Since TPD is configured to use the Legacy BIOS option, both blade and rackmount Gen9s should have their BIOS settings checked before IPM. Rack mount servers should also have the iLO serial port configured at this time. Directions for both settings are below.

1. If this is a rack mount server, connect via a VGA monitor and USB keyboard. If a blade server is being configured, use the iLO Integrated Remote Console.
2. Reboot/reset the server.
3. Press the F9 key to access the System Utilities menu when <F9 System Utilities> appears in the lower left-hand corner of the screen.
4. Select the System Configuration menu.
5. Select the “BIOS/Platform Configuration (RBSU)” menu.

6. Select the Boot Options menu.
7. If the Boot Mode is not "Legacy BIOS mode", press <Enter> to open the BIOS mode menu. Otherwise, skip to Step 9.
Note: A warning message will be displayed. It is safe to ignore and can be bypassed by pressing the <Enter> key.
8. Select "Legacy BIOS Mode".
9. Select the "Legacy BIOS Boot Order" menu.
10. Set "Hard Drive C:" to the first boot option by selecting it and using the "+" key to move it to the top of the list.
11. Press <Esc> twice to back out to the "BIOS/Platform Configuration (RBSU)" menu. If a blade server is being configured, skip to Step 20, otherwise continue to the next step.
12. Select the "System Options" menu.
13. Select the "Serial Port Options" menu.
14. Change "Embedded Serial Port" to "COM2"
15. Change "Virtual Serial Port" to "COM1"
16. Press <Esc> twice to back out to the "BIOS/Platform Configuration (RBSU)" menu.
17. Select the "Server Availability" menu.
18. Set "Automatic Power-On" to "Restore Last Power State".
19. Set "Power-On Delay" to "No Delay" then press <Esc> once to back out to the "BIOS/Platform Configuration (RBSU)" menu.
20. Select the "Power Management" menu.
21. Set the "HP Power Profile" to "Maximum Performance". Press <Esc> once to back out to the "BIOS/Platform Configuration (RBSU)" menu.
22. Press <F10> to save the updated settings, then <y> to confirm the settings change.
23. Press <Esc> twice to back out to the "System Utilities" menu.
24. Select "Reboot the System" and press <Enter> to confirm.

E.1.3 Configuring HP Gen9 Servers with additional onboard supported NIC

The HP Gen9 systems can have an optional supported NIC installed. To utilize an optional supported NIC, the following steps must be performed on the HPGen9.

1. If this is a rack mount server, connect via a VGA monitor and USB keyboard. If a blade server is being configured, use the iLO Integrated Remote Console.
2. Reboot/reset the server.
3. Press the F9 key to access the System Utilities menu when <F9 System Utilities> appears in the lower left-hand corner of the screen.
4. Select the System Configuration menu.
5. Select the "BIOS/Platform Configuration (RBSU)" menu.
6. Select the Boot Options menu.

7. If the Boot Mode is not "Legacy BIOS mode", press <Enter> to open the BIOS mode menu. Otherwise, skip to Step 9.
Note: A warning message will be displayed. It is safe to ignore and can be bypassed by pressing the <Enter> key.
8. Select "Legacy BIOS Mode".
9. Select the "Legacy BIOS Boot Order" menu.
10. Set each of the additional NICs added to the system as the first bootable NIC in the order by using the "+" key.
11. Press <Esc> twice to back out to the "BIOS/Platform Configuration (RBSU)" menu.
12. Press <F10> to save the updated settings, then <y> to confirm the settings change.
13. Press <Esc> twice to back out to the "System Utilities" menu.
14. Select "Reboot the System" and press <Enter> to confirm

E.2 Oracle Server BIOS configuration

For all TPD supported Oracle servers, the Energy Performance should be set to "Performance", and on the Oracle X4-2 servers, you must set UEFI Configuration Synchronization so that "Synchronization Late" is Disabled. If this step is not performed the server may reboot a second time after POST on some reboots. This can be especially bothersome when trying to do a one-time boot to USB or CD/DVD-ROM.

NOTE: In the following steps unless stated otherwise "X5-2", "X6-2", or "X7-2" refers to all versions of the X5-2, X6-2, or X7-2 server that is supported by TPD, respectively. For example, the Netra X5-2 Server, Oracle X5-2 Server, Oracle X5-2M Server apply for all mentions of "X5-2".

The following steps describe configuring the BIOS Power Management and UEFI setting appropriately.

1. Connect to the server in question using a VGA monitor and USB keyboard. If this is an X7-2, connect to the server in question using VGA through the iLOM.
2. Reboot/reset the server.
3. Press the F2 key when <Press F2 to run Setup> appears.
4. Go to the Advanced Menu. If this is an X5-2, X6-2, or X7-2, skip to Step 6.
5. Select Processors
6. Select CPU Power Management Configuration.
7. If this is an X5-2/X6-2, set ENERGY_PERF_BIAS_CFG mode to PERF, press Enter and skip to Step 9. Otherwise, if Energy Performance is not set to [Performance] select Energy Performance and press Enter
8. In the resulting menu select the Performance option and press Enter.
9. Press the Escape key once on the X5-2/X6-2 or two times on all other Oracle systems to return to the Advanced Menu. **Unless this is an Oracle X4-2, skip to Step 14.**
10. Select UEFI Configuration Synchronization and press Enter
11. If Synchronization Late is not [Disabled] press enter to modify the option.
12. In the resulting menu select the Disabled option and press Enter
13. Press the Escape key to return to the Advanced Menu.
14. Go to the Boot Menu.
15. For systems other than X7-2, under Legacy Boot Option Priority, verify the RAID Adapter is listed first. If not, highlight it and use + key to move it to the top of the list. **If there was no previous RAID configuration (bare**

metal), skip to Step 16. For X7-2 systems, under UEFI Boot Option Priority, verify the “TPD XX.XX” is listed first. If not, highlight it and hit enter to move it to Boot Option #1.

16. Select the “Exit” or “Save & Exit” Menu and press Enter on “Save Changes and Reset” or “Save Changes and Exit”.
17. Answer ‘Yes’ to the resulting prompt for confirmation.

E.2.1 Configuring CPU Power Limit on Netra X5-2 Servers

To meet NEBS requirements, the Netra X5-2 server has an option in the BIOS to set a CPU Power Limit. When the CPU Power Limit is enabled the server is in NEBS mode, and this function reduces the CPU power to 120 watts from the maximum 145 watts to prevent CPU throttling. By default, TPD sets this option to disabled during IPM of a Netra X5-2 server, but this value can be changed after IPM by using the `cpuPowerLimit` utility. The `cpuPowerLimit` utility has four options: enable, disable, status, and check. After using the `cpuPowerLimit` utility to change the value of CPU Power Limit the server must be rebooted for the change to take effect. When running the utility, it is important to note that it is reading and/or writing out to the current BIOS values and can take 10-30 seconds to complete each action.

To enable CPU Power Limit after IPMing a Netra X5-2 server log into the server as root and run:

- `/usr/TKLC/plat/sbin/cpuPowerLimit --enable`
- `init 6`

To disable CPU Power Limit log into the server as root and run:

- `/usr/TKLC/plat/sbin/cpuPowerLimit --disable`
- `init 6`

To check the current setting of CPU Power Limit in the BIOS run:

- `/usr/TKLC/plat/sbin/cpuPowerLimit --status`

For more information on the CPU Power Limit option see reference **Error! Reference source not found..**

For more information on the `cpuPowerLimit` utility see “`man cpuPowerLimit`” on TPD 7.0.3+ where the Netra X5-2 server is supported.

E.3 E5-App-B BIOS configuration

To IPM TPD on the E5-App-B, the boot order must be updated to attempt to boot from the USB key first. Before this setting can be applied, the USB key must be inserted in the system.

1. Connect to the system using the serial console.
2. Reboot/reset the system.
3. A few seconds after the server is powered on, as soon as you see the first bit of output on the screen, press the F4 key three (3) times to access the BIOS setup screen.
4. Enter the Boot screen using the right arrow key.
5. From the Boot screen, select Hard Disk Drives menu, and select 1st Drive.
6. Select the USB drive from the popup menu using the down arrow key.

7. Go to the Exit screen using the right arrow key.
8. Select “Save Changes and Exit”.

Note: There is no need to revert the BIOS settings to boot from the Hard Disk if the USB key is removed as directed by Step 6 in Section 3.4.

Appendix F. ILO/ILOM Configuration Procedure

This Section Configures the HP Integrated Lights Out (iLO) or Oracle Integrated Lights Out Management (ILOM).

iLO/ILOM is an independent subsystem inside an HP or Oracle server which is used for out of band remote access. You will be configuring the IP address for the iLO/ILOM and adding the Oracle user and password. The server will need to be accessed via a keyboard and monitor to complete this procedure.

F.1 ILO Configuration Procedure

In configuring the ILO, it will be necessary to make some changes in the BIOS and others in the web GUI after the BIOS settings are completed. See the sections below detailing both procedures.

Note: The HP Gen9 has different BIOS menus than the G6 and Gen8 so there are different instructions for each. The iLO Web GUI settings are the same for all HP servers.

F.1.1 HP G6 and Gen8 ILO BIOS Settings

1. Reboot the server. If the “Press any key to view Option ROM messages” message is displayed, then press a key to view the Option ROM messages.
2. Press F8 when prompted to enter the iLO configuration menu.
3. Disable DHCP in the Network Menu. Use the arrow keys to navigate through the menu and select the ‘Network’ menu and then go to ‘DNS/DHCP enable’ – press Enter




Figure 24: ILO Network Settings

4. Use the space bar to disable DHCP (the space bar toggles the DHCP option 'ON' and 'OFF'). Save the settings by pressing the [F10] key. Expected result: DHCP is disabled and settings are saved.




Figure 25: Disable DHCP

5. Configure the IP Address, Subnet Mask and Default Gateway. Use the arrow keys to navigate through the menu and select the 'Network' menu and then go to 'NIC and TCP/IP'




Figure 26: Setup NIC and TCP/IP

6. Fill in the IP Address information for your server:
IP Address, Subnet Mask and Default Gateway.




Figure 27: Set ILO IPv4 Address and Default Gateway

(Screenshot is for reference only and may not match correct values)

Save the settings by pressing the [F10] key

Expected result: Network settings (IP address, default gateway and subnet mask) are configured and saved.

7. Add the user 'root' and password in the user menu. Use the arrow keys to navigate through the menu and select the 'User' menu, then 'Add User'




Figure 28: Add an ILO User

8. Add the root user 'admin' and password
 - a. Add
 - User name: admin
 - Login name: admin
 - Password: password




Figure 29: Set ILO Username and Password

- b. Save the settings by pressing the [F10] key
Expected result: User and password is added and is saved.

9. Exit the iLO configuration menu and save changes. Use the arrow keys to navigate through the menu and select the 'File' menu, then 'Exit and Save'




Figure 30: Exit ILO Setup




Figure 31: Verify Exit

10. Answer Yes to prompt: Are you sure?




Figure 32: Reset ILO Prompt

F.1.2 HP Gen9 iLO BIOS Settings

1. Reboot/reset the server.
2. Press the F9 key to access the System Utilities menu when <F9 System Utilities> appears in the lower left-hand corner of the screen.
3. Select the System Configuration menu.
4. Select the “iLO 4 Configuration Utility” menu.
5. Select the “Network Options” menu.
6. Set “DHCP Enable” to OFF.
7. Configure the IP Address, Subnet Mask and Default Gateway to the desired values.
8. Press <Esc> to back out to the “iLO 4 Configuration Utility” menu.
9. Select the “User Management” menu.
10. Select “Add User”. Add the root user ‘admin’ with the following information:
 - User name: admin
 - Login name: admin
 - Password: password
11. Press <F10> to save the updated settings, then <y> to confirm the settings change.
12. Press <Esc> four times to back out to the “System Utilities” menu.
13. Select “Reboot the System” and press <Enter> to confirm.

F.1.3 ILO Web GUI Settings

This section details setting the IPv6 address for the ILO via the Web management interface.

Note: The ILO IPv6 address is only supported in ILO version 3 and greater. ILO 3 firmware must also be at version 1.50 or greater.

1. To setup the IPv6 address for the iLO, the web management interface must be used. It can be accessed using a supported browser via the iLO IPv4 address.

2. Once logged in, navigate to Network -> iLO Dedicated Network Port




Figure 33: iLO Network Menu

3. Select the IPv6 tab and update the IPv6 settings. Check the **Use IPv6 first** checkbox. Also disable SLAAC, DHCPv6, and DNS.

The screenshot shows the 'iLO Dedicated Network Port - IPv6 Settings' page. At the top is a header bar with the title. Below the header are five tabs: 'Summary', 'General', 'IPv4', 'IPv6' (which is selected and highlighted), and 'SNTP'. The main content area has a warning message: 'Changes to IPv6 configuration may require an iLO reset in order to take effect.' Below this are several checkboxes:

- ☒ iLO Client Applications use IPv6 first
- ☐ Enable Stateless Address Auto Configuration (SLAAC)
- ☐ Enable DHCPv6 in Stateful Mode (Address)
 - ☐ Use DHCPv6 Rapid Commit
- ☐ Enable DHCPv6 in Stateless Mode (Other)
 - ☐ Use DHCPv6 Supplied DNS Servers
 - ☐ Use DHCPv6 Supplied NTP Servers

Below these checkboxes are three text input fields for 'Primary DNS Server', 'Secondary DNS Server', and 'Tertiary DNS Server'. At the bottom is a checkbox for 'Enable DDNS Server Registration'.

Figure 34: Update IPv6 DNS and DHCP settings

4. Update the Static IPv6 Address and Default gateway. Then press the **Submit** button.

	Address	Prefix Length	Status
Static IPv6 Address 1	FD0D:DEBA:D97C:EE3::9	64	Active
Static IPv6 Address 2			Unknown
Static IPv6 Address 3			Unknown
Static IPv6 Address 4			Unknown
Static Default Gateway	fe80::669e:f3ff:feeb:6f7f		
Static Route # 1 (Destination) (Gateway)			Unknown
Static Route # 2 (Destination) (Gateway)			Unknown
Static Route # 3 (Destination) (Gateway)			Unknown

Figure 35: Set IPv6 Address and Default Gateway

- 5. Press the **Reset** button that is enabled after the settings from the previous step are verified. A pop-up will ask to authorize a reset.

(Gateway)			
Static Route # 3 (Destination) (Gateway)			Unknown

Figure 36: Reset the ILO

- 6. Wait 30 seconds for the iLO to reset, then login with the new IPv6 address to verify.

F.2 ILOM Configuration Procedure

In configuring the ILOM, it will be necessary to make some changes in the BIOS and others in the web GUI after the BIOS settings are completed. See the sections below detailing both procedures.

F.2.1 ILOM BIOS Settings

This procedure lists how to either use DHCP or to statically set the IP address of the ILOM using a keyboard and monitor. If you would like to configure the IP address using the local serial management connection, see Reference **Error! Reference source not found..** For X7-2 configuration, see Reference **Error! Reference source not found..**

- 1. Reboot the server.
- 2. Press F2 when prompted to enter the BIOS configuration menu.





Figure 37: Enter the BIOS Configuration Menu

3. This should take you to the Main Menu.

**Figure 38: Main BIOS Menu**

4. Use the arrow keys to navigate through the menu and select the Advanced tab.

**Figure 39: Advanced BIOS Settings**

5. Use the arrow keys to navigate through the menu and select the 'BMC Network' menu to open the BMC Network menu.

Note: If only the IPv6 address is to be configured for the iLOM, skip to Step 12 below.



Figure 40: BMC Network Menu

6. Use the arrow keys to navigate through the menu to highlight “IPv4 IP Assignment” and hit enter.
Note: You may need to scroll down past current IPv4 Configuration.




Figure 41: Set IPv4 Type to Static

7. Use the arrow keys to highlight either “Dynamic” to use DHCP to get the IP address or “Static” to statically assign the IP address then hit enter.

Note: If DHCP is to be used, skip to step 11 below.

8. Use the arrow keys to navigate down to highlight “IPv4 address” and hit enter to enter the IPv4 address.




Figure 42: Highlight IPv4 Address Option




Figure 43: Enter IPv4 Address

9. Enter the IP address and hit enter.
10. Do the same for “IPv4 Subnet Mask” and “IPv4 Default Gateway”.
11. Use the arrow keys to navigate down to highlight the “Commit” BELOW the IPv4 fields you just configured as shown at the bottom of Figure 43. If you select a different “Commit” the information you just entered will not be saved. Once you hit enter to Commit, wait a moment for the information you entered to be saved. There will not be any visual feedback that Commit was done.

Note: If only the IPv4 address is to be configured for the iLOM, skip to Step 16 below.

12. Page down to the IPv6 configuration settings, set IPv6 State to Enabled and hit Enter.






Figure 44: Enable ILOM IPv6 State

13. Navigate to Auto IPv6 Configuration, set Auto IPv6 Configuration to Disabled and hit Enter.

**Figure 45: Disable IPv6 Auto-Configuration**

14. Highlight the Static IPv6 address option, press Enter, input the IPv6 address and press Enter.

**Figure 46: Enter the Static IPv6 Address**

15. Use the arrow keys to navigate down to highlight the “Commit” BELOW the IPv6 field that was just configured. If you select a different “Commit” the information you just entered will not be saved. Once you hit enter to Commit, wait a moment for the information you entered to be saved. There will not be any visual feedback that Commit was done.
16. Exit the “BMC Network” menu by hitting the escape key.

17. Use the arrow keys to navigate through the menu and select the “Save & Exit” tab.




Figure 47: Save Changes

18. Use the arrow keys to navigate down to highlight the “Save Changes and Reset” option. When asked, select “yes” to confirm “Save configuration and reset?”
19. Server should reboot.
20. To configure additional user accounts in the ILOM, see Reference **Error! Reference source not found.**

F.2.2 ILOM Web GUI Settings

Once the ILOM has been setup and is accessible via the Web GUI interface, the power settings should be updated. The steps for applying this setting are listed below.

1. Log in to the ILOM Web GUI
2. Select System Management->Policy

3. On the page, select the “Set host power to last power state on boot” option as seen below.




Figure 48: ILOM Power Policy

4. To apply the power policy, click on the Actions drop down menu and then “Enable”. Confirm the selection by clicking “OK” in the popup.

Appendix G. Locate Product Documentation on the Oracle Technology Network Site

Oracle customer documentation is available on the web at the Oracle Technology Network (OTN) site, <http://docs.oracle.com>. You do not have to register to access these documents. Viewing these files requires Adobe Acrobat Reader, which can be downloaded at www.adobe.com. Log into the Oracle Customer Support site at <http://docs.oracle.com>.

1. Under **Applications**, click the link for **Communications**.
2. The *Oracle Communications Documentation* window opens with Tekelec shown near the top.
3. Click **Oracle Communications Documentation for Tekelec Products**.
4. Navigate to your Product and then the Release Number, and click the **View** link (the Download link will retrieve the entire documentation set).