

**Oracle Financial Services Revenue
Management and Billing Cloud Service,
Premium Edition**

OR

**Oracle Insurance Revenue Management
and Billing Cloud Service, Premium Edition**

Version 5.1.0.0.0

Frequently Asked Questions (FAQs) Guide

Revision 1.1

F82365-01

June 2023



Oracle Financial Services Revenue Management and Billing Cloud Service, Premium Edition/Oracle Insurance Revenue Management and Billing Cloud Service, Premium Edition Frequently Asked Questions Guide

Note: The above two products are collectively referred as Oracle Revenue Management and Billing Cloud Service, Premium Edition throughout this document.

F82365-01

Copyright Notice

Copyright © 2023, Oracle and/or its affiliates.

License Restrictions

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or de-compilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Trademark Notice

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Preface

About This Document

This document lists various frequently asked questions (FAQs) regarding the implementation and operations of Oracle Revenue Management and Billing Cloud Services.

Intended Audience

This document is intended for the following audience:

- End-Users

Organization of the Document

The information in this document is organized into the following sections:

Section No.	Section Name	Description
Section 1	Commonly Asked Questions	Lists the questions which are asked frequently during the implementation and operation of Oracle Revenue Management and Billing Cloud Service.
Section 2	Product-Specific Asked Questions	Lists some of the frequently asked questions that are specific to cloud services.

Conventions

The following conventions are used across this document:

Convention	Meaning
boldface	Boldface indicates graphical user interface elements associated with an action, or terms defined in the text.
<i>italic</i>	Italic indicates a document or book title.
<code>monospace</code>	Monospace indicates commands within a paragraph, URLs, code in examples, text that appears on the screen or entered in the application.

Acronyms

The following acronyms are used in this document:

Acronym	Meaning
AD	Availability Domains
CMA	Configuration Content Migration Assistant
CSM	Customer Success Management

Acronym	Meaning
DDL	Data Definition Language
DevOps	Development Operations
DR	Disaster Recovery
EOL	End of Life
FAQs	Frequently Asked Questions
GA	General Availability
IaaS	Infrastructure-as-a-Service
IAM	Oracle Identity and Access Management
ICFR	Internal Controls Related to Financial Reporting
MOS	My Oracle Support
MP	Maintenance Pack
OCI	Oracle Cloud Infrastructure
ORDS	Oracle Rest Data Services
ORMB	Oracle Revenue Management and Billing
OAAF	Oracle Utilities Application Framework
PaaS	Platform-as-a-Service
PDB	Pluggable Database
PDF	Portable Document Format
RTO	Recovery Time Objective
SaaS	Software as a Service
SR	Service Request
VNC	Virtual Network Computing
XSL	Extensible Stylesheet Language

Related Documents

You can refer to the following documents for more information:

Document Name	Description
<i>Oracle Revenue Management and Billing Cloud Service, Premium Edition Administration Guide</i>	Explains how to manage the user accounts and their access for Oracle Revenue Management and Billing Cloud Services (ORMBCS) using Identity and Access Management with or without identity domains on Oracle Cloud Infrastructure (OCI).

Document Name	Description
<i>Oracle Revenue Management and Billing Cloud Service, Premium Edition Implementation Guide</i>	Provides information on how to implement the Oracle Revenue Management and Billing Cloud Service.
<i>Oracle Revenue Management and Billing Cloud Service, Premium Edition Operations Guide</i>	Provides information regarding different types of service requests (SRs) customers can submit to the Oracle Revenue Management and Billing Cloud Operations team during implementation and operations of the Oracle Revenue Management and Billing Cloud Services.
<i>Oracle Revenue Management and Billing Cloud Service, Premium Edition Live Operations Guide</i>	Provides guidelines regarding live operations of Oracle Revenue Management and Billing Cloud Services.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Change Log

Revision	Last Update	Updated Section	Comments
1.1	01-Aug-2023	Cover Page	Updated Information
		Copyright Notice	Updated Information
		Preface	Added Information
		Section 1.2: Technical Questions	Updated Information
		Section 2: Product-Specific Asked Questions	Updated Information

Contents

1.	Commonly Asked Questions.....	1
1.1	General Questions.....	1
1.1.1	What are Oracle Revenue Management and Billing Cloud Services?	1
1.1.2	How are Oracle Revenue Management and Billing Cloud Services different from the on-premise applications?	1
1.1.3	Can we extract data from Oracle Revenue Management and Billing Cloud Services to feed a customer owned data lake?	2
1.1.4	What are the reporting options available with Oracle Revenue Management and Billing Cloud Services?	2
1.1.5	Can we use Analytics Publisher as a bill print extract tool?	2
1.1.6	How do I know my data is safe in the Oracle Revenue Management and Billing Cloud Services solutions?	2
1.1.7	Can Oracle view/access my data?.....	3
1.1.8	Will the data in my Oracle Revenue Management and Billing Cloud Services ever leave the region they are deployed in?	3
1.1.9	Where can I find training or overviews on what's available?	3
1.1.10	What is Customer Success Management (CSM) and what do they do?.....	4
1.1.11	How are the cloud services kept current?	4
1.1.12	Are the Oracle Revenue Management and Billing Cloud Services SOC compliant?	5
1.2	Technical Questions.....	5
1.2.1	What is the underlying platform for Oracle Revenue Management and Billing Cloud Services?	5
1.2.2	Are Oracle Revenue Management and Billing Cloud Services multi-tenant or single-tenant?	5
1.2.3	Can the customer see any logs? How much can they troubleshoot their own issues? ..	5
1.2.4	How many environments do customers get? How do they get more if needed?.....	6
1.2.5	How the files are moved in and out of the services?	6
1.2.6	Are there any restrictions to using cloud versions of Oracle Revenue Management and Billing enterprise software?.....	6
1.2.7	How does the Disaster Recovery work?	7
1.2.8	How is Disaster Recovery tested? How often?	7
1.2.9	How do I set up and use Identity Management?.....	7
1.2.10	What Identity Management features/functions are available to me as part of Oracle Revenue Management and Billing Cloud Services?	7
1.2.11	Given that the customer/implementer is responsible for resolving data issues and non-infrastructure batch issues, how would batch issues that might be data driven be resolved? ...	8
1.2.12	How is data loaded into the cloud service?	8
1.2.13	What is the system uptime/availability?	8

1.2.14	What do we need to know about allowing access to external IP addresses?	9
1.2.15	What information is available about the status of the Oracle Data Centers?.....	9
1.2.16	What's the story with web services in cloud?	9
1.2.17	Do Oracle Cloud Infrastructure (OCI) Infrastructure-as-a-Service (IaaS) and Platform-as-a-Service (PaaS) services need to be provisioned in the same region as the Oracle Revenue Management and Billing Cloud Services?	10
1.2.18	What is the shortest timeframe that a notification might be given?	10
1.2.19	In one of the trainings/documentation you say that customers/implementers can “decide the cloud service upgrade schedule (within prescribed limits)”. What are the prescribed limits?	10
1.2.20	If the Oracle product being upgraded was near or at end of life, does that impact Oracle’s flexibility on the schedule/delay?	11
1.2.21	Does the customer have the option of declining a major release (A, B, C)?	11
1.2.22	Do we provide a documented roadmap that enables on-premise customers to architect/design their systems with Oracle Cloud in mind? For instance, edge interface architecture changes that would enable cloud adoption.	11
1.2.23	Does Content Migration Assistant (CMA) allow for configuration deletes if incorrect configuration was introduced?.....	11
2.	Product-Specific Asked Questions	12
2.1	How is sizing done for Oracle Revenue Management and Billing Cloud Service?	12

1. Commonly Asked Questions

The commonly asked questions are classified into the following two categories:

- [General Questions](#)
- [Technical Questions](#)

1.1 General Questions

This section lists some of the frequently asked general questions with respect to Oracle Revenue Management and Billing Cloud Services.

1.1.1 What are Oracle Revenue Management and Billing Cloud Services?

Oracle Revenue Management and Billing Cloud Services are Oracle Utilities Application Framework (OUAF) based applications now being offered as cloud (Software-as-a-service) services. These services are built with a high availability architecture and include Disaster Recovery. The services are deployed on Oracle Cloud Infrastructure (OCI), generation 2.

1.1.2 How are Oracle Revenue Management and Billing Cloud Services different from the on-premise applications?

The Oracle Revenue Management and Billing Cloud Services are different from the on-premise applications in a few ways:

1. As cloud-based “Software-as-a-Service” (SaaS) applications, Oracle runs the infrastructure, and the customer operates the application. That means the customer cannot get direct access to the hardware to add resources, change server settings, and so on. Oracle handles updates & patching, backups, and disaster recovery, however unless granted by the customer, Oracle does not have access to any unencrypted customer data (including via the user interface, directly in the database, or via direct access to the underlying data files/backups). You can find an exhaustive list of roles and responsibilities in the cloud services documentation.
2. A cloud service subscription includes the use of Oracle Cloud Infrastructure Identity and Access Management (IAM) Identity Domains for user/password management and authentication. More information is available below.
3. In general, if you could do something with an on-premises application through the browser, then you can still do it in the cloud service. A few things that aren't allowed in cloud: no new Java programs (Groovy scripting with plug-in batch as alternative), no XSL uploads (use Managed Content for XSL), no direct database connectivity (Analytics Publisher is included in cloud service for reporting and queries, and SQL Web Developer also).
4. Patching (core system maintenance and application patching) happens frequently (monthly) and customers must be prepared to stay current. See [How are the cloud services kept current?](#) for more information.

5. Upgrades happen three (3) times per year, with releases every 4 months (release A in April, release B in August and release C in December). Each release is supported for one year. Customers in production must upgrade before the end of life of their current version. During initial implementation customers will be kept on the latest version. See [How are the cloud services kept current?](#) for more information.

1.1.3 Can we extract data from Oracle Revenue Management and Billing Cloud Services to feed a customer owned data lake?

Oracle Revenue Management and Billing Cloud Services include features called 'Generalized Data Export' and 'Specialized Data Export' that provides file-based exports of either 'initial' or 'incremental' data in JSON format, written out to Oracle Object Storage. Enabling this functionality involves use of Maintenance Object extract configurations and audit algorithms to enable change data capture when exporting incremental data.

1.1.4 What are the reporting options available with Oracle Revenue Management and Billing Cloud Services?

Oracle Revenue Management and Billing Cloud Services includes the following reporting options:

- Analytics Publisher is available and included in the service as a reporting/query tool.
- SQL Developer Web is also available via Oracle Rest Data Services (ORDS) for querying the database.

1.1.5 Can we use Analytics Publisher as a bill print extract tool?

No. Use of Analytics Publisher should be limited to operational reporting only, and it should not be used for high volume reporting activities such as bill print generation in ORMB.

Instead, customers should use batch-based extracts in conjunction with 3rd party tools/services such as Documaker to ensure smooth, scalable, and successful implementation/operation of their services.

1.1.6 How do I know my data is safe in the Oracle Revenue Management and Billing Cloud Services solutions?

Oracle is a leader in enterprise cloud solutions, so the reliability and security of the Oracle cloud is of utmost importance to us to remain a trusted technology partner for our thousands of utility customers around the world. We have large number of cloud operations specialists working tirelessly to maintain optimal cloud performance and we capture global cloud intelligence 24 x 7 x 365 and constantly update our security measures to stay ahead of the latest hacker techniques.

1.1.7 Can Oracle view/access my data?

Customers are 100% responsible for controlling access to their Oracle Revenue Management and Billing Cloud Services user interfaces and integration endpoints, and Oracle access is not configured by default. Obviously, Oracle does have the access required to perform back-end administrative tasks (such as database administration activities, infrastructure administration, patching and upgrades, container management, and so on), but none of these include access to unencrypted customer data.

All data is encrypted in transit and at rest, which means that nobody can see your data as it is being transmitted to/from the cloud service, access, or query customer data in the underlying database, or otherwise extract or view data in database backups.

1.1.8 Will the data in my Oracle Revenue Management and Billing Cloud Services ever leave the region they are deployed in?

No. All data (including primary and secondary disaster recover environments, nonproduction environments and database backups) is securely (and durably) retained within the region in which the cloud service is deployed.

For more information, please refer to the [Oracle Revenue Management and Billing Cloud Services - Implementation Accelerators](#) page on My Oracle Support.

1.1.9 Where can I find training or overviews on what's available?

Training on Oracle Revenue Management and Billing Cloud Services is available through the Oracle University Learning Subscription.

Product Documentation

You can access the Oracle Revenue Management and Billing Cloud Service, Premium Edition Documentation Library using the following URL:

<https://www.oracle.com/technical-resources/documentation/fsgbu.html>

Other Information

Other information related to our cloud services include the following:

- Oracle Contracts
 - <https://www.oracle.com/corporate/contracts/cloud-services/>
 - [Oracle Cloud Hosting and Delivery Policies](#) (PDF)
 - [Oracle Global Business Unit Cloud Services Pillar Document](#) (PDF)
- Oracle Revenue Management and Billing Cloud Service Descriptions
 - [Oracle Financial Services & Insurance Revenue Management & Billing Cloud Service Descriptions and Metrics Definitions](#) (PDF)

1.1.10 What is Customer Success Management (CSM) and what do they do?

The Customer Success Management (CSM) team is a group within Oracle Revenue Management and Billing that directly supports customers leveraging our cloud services. The CSM objective is to "promote customer satisfaction by advocating on the customer's behalf within Oracle, resulting in a positive continuously improving Oracle Revenue Management and Billing cloud experience.". A named Customer Success Manager (also called a "CSM") is allocated to each cloud service customer and is responsible for Service Agreement alignment, Environment Coordination, Service Request (SR) tracking an escalation and cloud & product functionality awareness.

1.1.11 How are the cloud services kept current?

There are several types of updates that are managed by the Oracle Revenue Management and Billing Development Operations (DevOps) team with Oracle Revenue Management and Billing Cloud Services.

1. Three times per year there are service Generally Available releases, Typically customers will take the new update in one 'early adopter' environment first for validation and testing, then over time be promoted to other environments including Production.

Note that support for each codeline is provided for 12 months. This means that each customer must plan to stop using the "current minus 3" release by the time a new update is

Customers are not allowed to remain on an unsupported (non-GA) release that is past the end of life date published in the Oracle Revenue Management and Billing Release Calendar. If you do not upgrade prior to the published end of life date, Oracle may force-upgrade any unsupported environments (including Production). You will be notified of upcoming release end of life dates and will also receive advance notification of any potential force-upgrades that need to occur.

Information on each update can be found under 'Release Readiness' for each service on Oracle Revenue Management and Billing documentation site: <https://www.oracle.com/technical-resources/documentation/fsgbu.html>.

2. Hotfixes are patches that are applied off-cycle to fix specific application or security issues. These could be specific to customer environments or applicable to all customer environments depending on the nature of the fix. Application patches are installed on non-production environments first for verification, then be applied to other environments as necessary.

1.1.12 Are the Oracle Revenue Management and Billing Cloud Services SOC compliant?

Yes, all Oracle Revenue Management and Billing Cloud Services are SOC compliant.

SOC 1 and 2 Type 2 reports are available for Oracle Revenue Management and Billing Cloud Services.

A SOC 1 Audit is focused on internal controls related to financial reporting (ICFR).

A SOC 2 Audit is focused on information and IT security identified by any of 5 Trust Services Categories: security, confidentiality, information privacy, processing integrity and availability.

A Type 1 report is an attestation of controls at a service organization *at a specific point in time*.

Type 2 report is an attestation of controls at a service organization *over a minimum six-month period*.

1.2 Technical Questions

This section lists some of the frequently asked technical questions with respect to Oracle Revenue Management and Billing Cloud Services.

1.2.1 What is the underlying platform for Oracle Revenue Management and Billing Cloud Services?

Oracle Revenue Management and Billing Cloud Services in the new Oracle Generation 2 Cloud infrastructure (OCI) data centers are running on the Cloud Native platform with Kubernetes managing containers and pods, running on Exadata. There are presently about 40 microservice "pods" in our architecture running on the Kubernetes platform grouped into three basic pillars: data plane (including application, networking/security proxies), monitoring (including metrics, alerts, troubleshooting) and a control plane (including upgrades, order processing). Oracle/Oracle Revenue Management and Billing manages this infrastructure.

1.2.2 Are Oracle Revenue Management and Billing Cloud Services multi-tenant or single-tenant?

All Oracle Revenue Management and Billing cloud service environments are single-tenant.

While some components of each service are shared (such as Container Databases), each instance/environment of Oracle Revenue Management and Billing Cloud Services run their own devoted database (a Pluggable Database, or PDB), so there is no mixing of multiple customers' data in a single database.

1.2.3 Can the customer see any logs? How much can they troubleshoot their own issues?

The logs that have been available historically via the browser in on-premise applications are still available in Oracle Revenue Management and Billing Cloud Services. This includes batch thread logs (stdout and stderr) as well as user trace and debug capabilities. For more information, see the **Troubleshooting** section in the *Oracle Revenue Management and Billing Cloud Service, Premium Edition Implementation Guide*.

1.2.4 How many environments do customers get? How do they get more if needed?

The standard Oracle Revenue Management and Billing Cloud Services subscription provides two environments (TEST, and PROD). Many projects may require additional environments, so additional DEV or TEST environments are available for subscription to assist with implementation efforts.

Note that TEST environments are the same size as PROD environments, whereas DEV environments are sized for few users and less data than TEST and PROD. Please review the service descriptions for detailed information.

There is a limit of 3 TEST environments and 10 DEV environments total per tenant.

1.2.5 How the files are moved in and out of the services?

Oracle Revenue Management and Billing Cloud Services require the use of Oracle Object Storage, which has low fees and facilitates storage of import/export files. Secure API keys are used to connect the cloud service to Object Storage, so Oracle DevOps cannot get hands-on access to the files. Object Storage supports a REST API as well as online drag/drop facilities.

For more information about object storage, see [https:// cloud.oracle.com/en_US/storage/object-storage/faq](https://cloud.oracle.com/en_US/storage/object-storage/faq).

1.2.6 Are there any restrictions to using cloud versions of Oracle Revenue Management and Billing enterprise software?

There are no functional limitations in terms of software features/functions.

There are some restrictions in terms of implementing Oracle Revenue Management and Billing Cloud Services.

In summary, the following configuration and implementation tools are included:

- Configuration Tools (Business Objects, Service Scripts, UI Maps, etc.)
- Groovy Scripting (eliminating the need for Java)
- Content Migration Assistant (CMA) for promotion of configuration
- Analytics Publisher for reporting
- SQL Developer Web using ORDS (Oracle Rest Data Services) in production and non-production environments for ad-hoc querying (read/select only, no update)
- Support for any middleware for integration

With the following restrictions:

- No deploying artifacts to the cloud service servers (Java algorithms are not supported, use Groovy for custom algorithms).
- No direct SQL access or Database Links, so no Database link based integration and no access to any Database (Dev, Test or otherwise) via tools like SQL Developer using direct connection techniques (ORDS is available in production and non-production environments for read only queries).

- No DDL (so no new tables or Maintenance Objects)
- No shell/VNC or Enterprise Manager access

1.2.7 How does the Disaster Recovery work?

Oracle Revenue Management and Billing Cloud Services Disaster Recovery (DR) was designed for the United States data center model, where there are multiple (3) availability domains (ADs) within each region. In case of a disaster on the primary instance, Production would be switched over to a secondary instance on another availability domain, with a recovery time objective (RTO) of 12 hours (note that potentially many tenancies will have to be switched over) and with recovery data loss objective (RPO) of no more than 1 hour. Additional information on these service level targets can be found in the service descriptions and associated documents.

Note that in some areas around the world, there may only be one Oracle data center in a region (1 AD center) - and so disaster recovery will need to go 'cross-regional'. Some countries such as Australia and Canada will support two of these 'single domain' regions.

Oracle aims to replicate changes made in the primary instance to the secondary instance on a transactional basis (i.e., as changes are committed to the database) via Active Data Guard.

1.2.8 How is Disaster Recovery tested? How often?

Oracle aims to test Disaster Recovery at least annually, or more frequently as required (for example when the applications, services or tools are updated) to ensure compliance with Disaster Recovery service level targets. Disaster Recovery plans and tests are reviewed and updated based on experience and feedback, and the teams responsible for Disaster Recovery responsibilities are provided with regular training. Disaster Recovery Evidence Summary Reports may be made available to existing cloud service customers upon request.

1.2.9 How do I set up and use Identity Management?

Oracle Revenue Management and Billing Cloud Services on Oracle Generation 2 Cloud infrastructure (OCI) include the use of Oracle Cloud Infrastructure Identity and Access Management (IAM) Identity Domains where new users can be created, password maintained, and access granted to the cloud service environments. and Analytics Publisher. Note that the login is 'single sign-on' - a single userID/password will give access to all environments that the user has rights to access.

1.2.10 What Identity Management features/functions are available to me as part of Oracle Revenue Management and Billing Cloud Services?

Every Oracle Revenue Management and Billing Cloud Service instance is provisioned into a "cloud account". A customer's cloud account includes a free Oracle Cloud Infrastructure Identity and Access Management (IAM) Identity Domains instance to provide Identity Management functionality. The available features/functions are described in the [Identity and Access Management Documentation](#).

IAM is used to manage authentication of users (including the ability to set up federated authentication / SSO). Authorization/Access to Oracle Revenue Management and Billing Cloud Service level features/functions is controlled from within the applications.

Note: The free IAM instances provided via customer cloud accounts are the same as for all Oracle cloud services and are not controlled, influenced, or used differently by Oracle Revenue Management and Billing.

SQL Queries and Reports are supported through an embedded instance of Analytics Publisher with each cloud service environment. There is also an instance of SQL Developer Web for each environment which can also be used for ad hoc querying on the cloud service database.

1.2.11 Given that the customer/implementer is responsible for resolving data issues and non-infrastructure batch issues, how would batch issues that might be data driven be resolved?

We provide:

1. The ability to refresh one or more Test environments with data from Production (limited to one refresh per 3-month period, due to potentially large data volumes).
2. Oracle Rest Data Services (ORDS) access to non-production and production environments, which allows for read-only SQL queries to be executed against the databases.
3. Transaction tracing and access to required application log information (self-service).

For more information about running and troubleshooting batch processing, see the **Running and Troubleshooting Batch Processing** section in the *Oracle Revenue Management and Billing Cloud Service, Premium Edition Implementation Guide*.

1.2.12 How is data loaded into the cloud service?

Each Oracle Revenue Management and Billing Cloud Service includes the Cloud Service Foundation, which provides online self-service mechanisms (which may have been done in other ways in on-premise projects).

For data loading, support is provided for the use of SQL Loader, an Oracle database utility which is very fast at loading file-based data into tables. Note that this is just one aspect of data conversion, which also frequently requires data validation, key generation, etc. The existing staging tables and conversion approach that has long been used in Oracle Revenue Management and Billing is used by Oracle Revenue Management and Billing Cloud Service.

1.2.13 What is the system uptime/availability?

Oracle Revenue Management and Billing Cloud Service adheres to more general Oracle Cloud standards that specify a system availability target of 99.5%.

1.2.14 What do we need to know about allowing access to external IP addresses?

Allowing access to external IP addresses via an "allowlist" is a security measure to allow for outbound calls to only approved destinations. There is also 'blocklisting' where you specify addresses which are not allowed access. Customers will be required to request each external IP address for the "allowlist" or the "blocklist" via a Service Request ticket.

Inbound - there are two kinds of access involved - 1) browser access to the online application and 2) calls to inbound web services. For #1, Oracle Cloud Infrastructure Identity and Access Management (IAM) include certain allowlist/blocklist capabilities that are briefly described in the **Identity and Access Management with Identity Domains** section in the *Oracle Revenue Management and Billing Cloud Service, Premium Edition Administration Guide*.

Outbound - here we are concerned with outbound message calls from the application (i.e. Message Senders), and each approved destination currently needs to be set up via an SR ticket for DevOps to configure. Note that the services can only make calls to public IP addresses.

1.2.15 What information is available about the status of the Oracle Data Centers?

Oracle Cloud Infrastructure has a public facing page with current status and information on previous incidents.

It can be found here: <https://ocistatus.oraclecloud.com/>

Note that not all data centers shown currently support Oracle Revenue Management and Billing Cloud Services.

1.2.16 What's the story with web services in cloud?

New Inbound Web Services can be created in the cloud, and these do not require a separate 'deployment' step (since no new Java is involved). These services need to be marked as 'Active'.

Please reference this [Knowledge Base article](#) posted in My Oracle Support (MOS) for more information on Web Services in cloud:

When the subscription is provisioned, the customer will be provided with a set of URLs for each environment including two that are used when making IWS calls. IWS calls require a user/pw for authentication, and the user provided must have IAM Identity Domains access to the environment for the 'AppWebServices' and 'AppUser' Application Roles. In addition, the corresponding user must exist with the cloud service application.

Testing IWS calls can be done using tools such as SoapUI, where you use the soap or rest URL with the IWS name appended and set up the user/pw for authorization.

Note that you can call a service to get the WSDL for a Soap IWS, or it can be obtained online in the application on the IWS screen.

1.2.17 Do Oracle Cloud Infrastructure (OCI) Infrastructure-as-a-Service (IaaS) and Platform-as-a-Service (PaaS) services need to be provisioned in the same region as the Oracle Revenue Management and Billing Cloud Services?

Generally speaking, and from a technical standpoint, they do not. It is, however, highly recommended that they are co-located in the same region for a couple of key reasons:

1. Latency. The regions that Oracle Revenue Management and Billing supports are geographically distant, and while hosting a cloud service in Australia with Object Storage or Oracle Integration Cloud in the US may work ok, hosting a cloud service in Australia with IaaS or PaaS in Europe will drive latency up unacceptably.
2. Connectivity. While we expect most general IaaS/PaaS services to work, there may be unexpected connectivity issues due to endpoints in different regions, particularly when VPN, Fastconnect, or Reverse Proxies are involved.

1.2.18 What is the shortest timeframe that a notification might be given?

It's not possible to give an answer to this question because critical/emergency patching could require immediate deployment. Oracle will make all reasonable efforts to provide advance notification prior to any patching and keep downtime to a minimum.

1.2.19 In one of the trainings/documentation you say that customers/implementers can “decide the cloud service upgrade schedule (within prescribed limits)”. What are the prescribed limits?

The prescribed limits referred to are the Operational Obligations as defined in the service descriptions. Please refer to the current service description document(s) for the actual specific obligations, but generally speaking they are as follows:

- You must operate a Generally Available version of this Oracle Cloud Service. General Availability (GA) and End of Life (EOL) dates are published in the Oracle Revenue Management and Billing Program Documentation.
- You are responsible for all regression testing of maintenance packs and version updates, including the regression testing of integration with other Oracle or third-party systems or solutions.
- Custom Groovy code can be recompiled and verified to work with current Groovy libraries using the F1-CAGVY batch process.

Primarily, in this case, customers must ensure that they are operating a GA version of the cloud service.

This is also where you may choose to operate in the implementation/fast, cut over/medium or production lanes (in terms of upgrade versions and maintenance pack frequency).

1.2.20 If the Oracle product being upgraded was near or at end of life, does that impact Oracle’s flexibility on the schedule/delay?

It is difficult to put arbitrary limitations in place in terms of such situations (given the number of variables in play), but if there is strong business justification for delaying an upgrade (provided via a Service Request in My Oracle Support), then Oracle will consider delaying an upgrade to allow issue resolution within a reasonable, agreed timeframe.

1.2.21 Does the customer have the option of declining a major release (A, B, C)?

Customers cannot decline, but they can opt to delay adoption (if they remain within the operational obligations as defined in the service description(s)). Theoretically a customer could also choose to adopt two quarterly releases at the same time, but this approach is not recommended for production environments, as it will result in a switch to the “fast lane” in terms of update frequency.

1.2.22 Do we provide a documented roadmap that enables on-premise customers to architect/design their systems with Oracle Cloud in mind? For instance, edge interface architecture changes that would enable cloud adoption.

Yes, there are guides available for preparing to migrate to cloud services. These guides are designed for customers who are planning to go live on-premises, with a view of easing a future migration to cloud service.

These guides include the following:

- <https://learn.oracle.com/ols/course/oracle-utilities-application-frameworkgroovy-scripting/59064/59067>
- <https://learn.oracle.com/ols/course/implementing-oracle-utilities-enterprisesaas-solutions/59064/65194>
- <https://blogs.oracle.com/utilities/transitioning-to-the-cloud-mindset-v2>
- [Technical Best Practices For Oracle Utilities Application Framework Based Products \(Document ID: 560367.1\)](#)
- [Software Configuration Management For Oracle Utilities Application Framework \(Document ID: 560401.1\)](#)
- [Migrating From On Premise To Oracle Platform As A Service \(Document ID: 2132081.1\)](#)
- [Oracle Utilities Application Framework Integration Guideline \(Document ID: 789060.1\)](#)

1.2.23 Does Content Migration Assistant (CMA) allow for configuration deletes if incorrect configuration was introduced?

No, deletes or parent records are not supported via Content Migration Assistant.

2. Product-Specific Asked Questions

This section lists some of the frequently asked questions that are specific to cloud services.

2.1 How is sizing done for Oracle Revenue Management and Billing Cloud Service?

Basic sizing is driven by the pricing metric for Oracle Revenue Management and Billing Cloud Service, which is the number of billable services (i.e., Service Agreements). Note also that additional database storage can be purchased if needed. This is in part driven by customer decisions on (for example) usage retention.