

Environment Variable Setup Guide
Oracle Banking Supply Chain Finance
Release 14.7.2.0.0
Part No. F89725-01
November 2023



Environment Variable Setup Guide

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India
Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © 2020, 2023, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

- 1. PREFACE 1-2**
 - 1.1 PURPOSE 1-2
 - 1.2 AUDIENCE..... 1-2
 - 1.3 DOCUMENTATION ACCESSIBILITY 1-2
 - 1.4 ACRONYMS AND ABBREVIATIONS 1-2
 - 1.5 RELATED RESOURCES 1-2
- 2. ENVIRONMENT VARIABLES 2-3**
 - 2.1 ENVIRONMENT VARIABLES FOR PLATO DOMAIN 2-3
 - 2.2 ENVIRONMENT VARIABLE FOR SMS, COMMON CORE, MID-OFFICE DOMAIN 2-28
 - 2.3 ENVIRONMENT VARIABLE FOR CONDUCTOR DOMAIN 2-31
 - 2.4 ENVIRONMENT VARIABLES FOR OBSCFCM / OBSCF MANAGED SERVERS 2-31
 - 2.5 ENVIRONMENT VARIABLES FOR OBSCFCM DAY0 MANAGED SERVER..... 2-34
 - 2.6 ENVIRONMENT VARIABLES FOR OBSCF DAY0 MANAGED SERVER 2-39

1. Preface

1.1 **Purpose**

This guide would help you to set up environment variables for Oracle Banking Microservices Architecture, SMS, Common Core, Middle Office, and Oracle Banking Supply Chain Finance / Oracle Banking Supply Chain Finance and Cash Management.

1.2 **Audience**

This document is intended for WebLogic admin or ops-web team who are responsible for installing the OFSS banking products.

1.3 **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 **Acronyms and Abbreviations**

The list of the acronyms and abbreviations used in this guide are as follows:

Acronym	Description
SMS	Security Management System
CMC	Common Core
OBSCF	Oracle Banking Supply Chain Finance
OBSCFCM	Oracle Banking Supply Chain Finance and Cash Management

1.5 **Related Resources**

For more information, refer to the following resources:

- Oracle Banking Supply Chain Finance Services Installation Guide

2. Environment Variables

2.1 Environment Variables for Plato domain

Create a file named “**setUserOverrides.sh**” inside the WebLogic bin location of plato config Service domain with the content given below. All the place holders for plato, SMS, Common Core, Mid office & OBSCF/OBSCFCM services are listed and replace the values accordingly. When the plato services is getting deployed all the values are inserted in the plato PROPERTIES tables.

```
#!/bin/bash
JAVA_OPTIONS="${JAVA_OPTIONS}"
-DflywayTask=migrate
-Dflyway.enabled=true
-Dspring.flyway.enabled=true
-Dflyway.domain.baselineOnMigrate=true
-Dflyway.domain.ignoreMissingMigrations=true
-Dflyway.domain.outOfOrder=true
-Dflyway.domain.db.username=<username>
-Dflyway.domain.db.password=<password>
-Dflyway.domain.db.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.db.driver-class-name=oracle.jdbc.driver.OracleDriver
-Dflyway.domain.schemas=PLATO
-Dflyway.domain.locations=db/migration/domain/plato,
db/migration/domain/sms,db/migration/domain/cmc,db/migration/domain/moc
,db/migration/domain/obscf,db/migration/domain/obscfcm
-Dflyway.domain.placeholders.plato.eventhub.broker.hosts=<host>:<port>
-Dflyway.domain.placeholders.plato.eventhub.zookeeper.hosts=<host>:2181
-Dflyway.domain.placeholders.kafka.broker.host=<host>
-Dflyway.domain.placeholders.kafka.broker.port=9092
-Dflyway.domain.placeholders.zk.node.host=<host>
-Dflyway.domain.placeholders.zk.node.port=<port>
-Dflyway.domain.placeholders.eureka.host=<host>
-Dflyway.domain.placeholders.eureka.port=<port>
-Dflyway.domain.placeholders.zipkin.host=<host>
-Dflyway.domain.placeholders.zipkin.port=9411
-Dflyway.domain.placeholders.driver.className=
oracle.jdbc.driver.OracleDriver
-Dflyway.domain.placeholders.api-gateway.host=<host>
-Dflyway.domain.placeholders.USER.STORE=LDAP
```

```

-Dflyway.domain.placeHolders.LDAP.CORS.allowed.origin=*,localhost,<host>
-Dflyway.domain.placeHolders.LDAP.credential.SALT=0.948262845
-Dflyway.domain.placeHolders.JWT.EXPIRY.seconds=3600
-Dflyway.domain.placeHolders.LDAP.url=ldap://<host>:<port>
-Dflyway.domain.placeHolders.LDAP.userId=cn=DirectoryManager
-Dflyway.domain.placeHolders.LDAP.server.base=dc=oracle,dc=com
-Dflyway.domain.placeHolders.LDAP.server.credential=<ldap-server-credential>
-Dflyway.domain.placeHolders.LDAP.usersearch.base=dc=oracle,dc=com
-Dflyway.domain.placeHolders.LDAP.user.prefix=cn=
-Dflyway.domain.placeHolders.LDAP.provider=<ldap host>
-Dflyway.domain.placeHolders.TOKEN.autoregenerate=true
-Dflyway.domain.placeHolders.SSO.enabled=false
-Dflyway.domain.placeHolders.TOKEN.regeneration.enabled=false
-Dflyway.domain.placeHolders.plato-ui-config-services.server.port=<port>
-Dflyway.domain.placeHolders.apigateway.host=<host>
-Dflyway.domain.placeHolders.apigateway.port=<port>
-Dflyway.domain.placeHolders.plato-api-gateway.server.port=<port>
-Dflyway.domain.placeHolders.plato-discovery-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orch-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-orchestrator.hostname=<host>:<port>
-Dflyway.domain.placeHolders.plato-feed-services.feed.upload.directory=<upload dir path>
-Dflyway.domain.placeHolders.plato-feed-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-server.server.port=<port>
-Dflyway.domain.placeHolders.plato-batch-server.plato.eventhub.kafka.brokers=<host>:9092
-Dflyway.domain.placeHolders.plato-batch-server.plato.eventhub.zk.nodes=<host>:<port>
-Dflyway.domain.placeHolders.plato-alerts-management-services.server.port=<port>
-Dflyway.domain.placeHolders.sms-core-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-advice-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-currency-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-account-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-base-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-branch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-customer-services.server.port=<port>

```

-Dflyway.domain.placeHolders.cmc-datasegment-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-system-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-screenclass-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlements-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-transactioncontroller-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-report-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-settlement-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-txn-code-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-external-virtual-account-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-businessoverrides-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-facilities-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-corebanking-adapter-
service.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-annotator-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-dashboard-widget-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-model-mngmnt-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-online-processing-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-tag-maint-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-text-extraction-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-txn-log-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-util-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-batch-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.server.port=<port>

```

-Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.postingPath=/scratch/app/work_area/cmc_fc_ai_ml/post
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingEmail=<Email>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.emailServerPort=<port>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.emailServerHost=<host>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-services.pollingFrequency=100
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.pollerInitialDelay=500
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.emailPassword=<password>
-Dflyway.domain.placeHolders.cmc-fc-ai-ml-
services.pollingPath=/scratch/app/work_area/cmc_fc_ai_ml/poll
-Dflyway.domain.placeHolders.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-earmark-services.server.port=<port>
-Dflyway.domain.placeHolders.ELCM_HTTP_URL=http://<host>:<port>/
-Dflyway.domain.placeHolders.earmark-services=12.5
-Dflyway.domain.placeHolders.elcmProduct=ELCM
-Dflyway.domain.placeHolders.moc.cmc-comments-
services.server.port=<port>
-Dflyway.domain.placeHolders.moc.cmc-document-
services.server.port=<port>
-Dflyway.domain.placeHolders.dmsServiceUrl=
http://<host>:17200/_dav/cs/idcplg
-Dflyway.domain.placeHolders.dmsServiceUsrname=<username>
-Dflyway.domain.placeHolders.dmsServicePwd=<password>
-Dflyway.domain.placeHolders.cmc-applicationcategory-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklistmanagement-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-checklist-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-mailnotification.server.port=<port>
-Dflyway.domain.placeHolders.plato-
config.url=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.sms.url=jdbc:oracle:thin:@//<host>/<SID>
-Dflyway.domain.placeHolders.cmc-kyccheck.server.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.password=<password>

```

```

-Dflyway.domain.placeHolders.rabbitmq.userid=<userId>
-Dflyway.domain.placeHolders.rabbitmq.port=<port>
-Dflyway.domain.placeHolders.rabbitmq.host=<hostname>
-Dflyway.domain.placeHolders.weblogic.userid=<userId>
-Dflyway.domain.placeHolders.weblogic.password=<password>
-Dflyway.domain.placeHolders.biPublisher.host=<host>
-Dflyway.domain.placeHolders.biPublisher.port=<port>
-Dflyway.domain.placeHolders.runReportTemplate=http
-Dflyway.domain.placeHolders.emailTemplate=SSH
-Dflyway.domain.placeHolders.dms.host=<host>
-Dflyway.domain.placeHolders.dms.port=<port>
-Dplato.jndi=jdbc/PLATO
-Dplato-config.jndi=jdbc/PLATO
-Dapi-gateway.jndi=jdbc/PLATO_SECURITY
-Dplato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dsms.jndi=jdbc/sms
-Dcmc.jndi=jdbc/CMNCORE
-Dplato-feed-services.jndi=jdbc/PLATOFEED
-Dplato-batch-server.jndi=jdbc/PLATO_BATCH
-Dplato-alerts-management-services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeHolders.plato.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.plato-config.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.api-gateway.jndi=jdbc/PLATO_SECURITY
-Dflyway.domain.placeHolders.plato-ui-config.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.sms.jndi=jdbc/sms
-Dflyway.domain.placeHolders.cmc.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.plato-feed-services.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.plato-batch-server.jndi=jdbc/PLATO_BATCH
-Dflyway.domain.placeHolders.plato-alerts-management-
services.jndi=jdbc/PLATOALERTS
-Dflyway.domain.placeHolders.eureka.serviceUrl=
http://<host>:<port>/plato-discovery-service/eureka
-Dflyway.domain.placeHolders.eureka.serviceurl=
http://<host>:<port>/plato-discovery-service/eureka
-Dflyway.domain.placeHolders.spring.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeHolders.zipkin.baseUrl=<host>:9411
-Dflyway.domain.placeHolders.zipkin.url=<host>:9411

```

```

-Dflyway.domain.placeHolders.eureka.client.serviceUrl.defaultZone=
http://<host>:8005/plato-discovery-service/eureka
-Dflyway.domain.placeHolders.zookeeper.port=2181
-Dflyway.domain.placeHolders.kafka.port=9092
-Dflyway.domain.placeHolders.kafka.host=<host>
-Dflyway.domain.placeHolders.obscf.core.server.port=<port>
-Dflyway.domain.placeHolders.OBCL.GWHTTPSERVLETURLOBCL=
http://<host>:7003/GWHTTP/GWHttpServlet
-Dflyway.domain.placeHolders.finance.server.port=<port>
-Dflyway.domain.placeHolders.plato.services.zipkin.url=<host>:9411
-Dflyway.domain.placeHolders.FCUBS.GWHTTPSERVLETURLFCUBS=
http://<host>:<port>/GWHTTP/GWHttpServlet
-Dflyway.domain.placeHolders.limitmaint.server.port=<port>
-Dflyway.domain.placeHolders.URL.ELCM_HTTP_URL=http://<host>:<port>
-Dflyway.domain.placeHolders.limits.server.port=<port>
-Dflyway.domain.placeHolders.eod.server.port=<port>
-Dflyway.domain.placeHolders.autorecon.server.port=<port>
-Dflyway.domain.placeHolders.obscf.report.server.port=<port>
-Dflyway.domain.placeHolders.charges.server.port=<port>
-Dflyway.domain.placeHolders.accounting.server.port=<port>
-Dflyway.domain.placeHolders.cmncore.cmc-branch.service.appId=CMNCORE
-Dflyway.domain.placeHolders.obscf.maintenance.service.appId=SCFMAINT
-Dflyway.domain.placeHolders.reconmaint.server.port=<port>
-Dflyway.domain.placeHolders.manualrecon.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.core.server.port=<port>
-Dflyway.domain.placeHolders.filter.server.port=<port>
-Dflyway.domain.placeHolders.instruments.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.instruments-
receivables.service.appId=OBSCFCMINST
-Dflyway.domain.placeHolders.conductor.httpUri=
http://<host>:<port>/obscfcm-workflow-management-
services/service/v1/handleHTTPTask
-Dflyway.domain.placeHolders.maint.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.report.server.port=<port>
-Dflyway.domain.placeHolders.workflow.server.port=<port>
-Dflyway.domain.placeHolders.plato.server.port=<port>
-Dflyway.domain.placeHolders.orchestrator.server.uri=http://<Conductor
Host : PORT>/plato-orch/api/

```

```

-Dflyway.domain.placeHolders.plato-config.sessionIdleTimeout=3000
-Dflyway.domain.placeHolders.plato-config.sessionIdleWarningTime=2940
-Dflyway.domain.placeHolders.plato-config.environment=DEV
-Dflyway.domain.placeHolders.cashflow.server.port=<port>
-Dflyway.domain.placeHolders.collmaint.server.port=<port>
-Dflyway.domain.placeHolders.colltxn.server.port=<port>
-Dapigateway.url=http://<host>:<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=/scratch/work_area/application/logs
-Dflyway.domain.placeHolders.plato-batch-server.userId=<userId>
-Dflyway.domain.placeHolders.plato-batch-server.branchCode=<branchCode>
-Dflyway.domain.placeHolders.cmncore.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.cmc-checklist-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.checklistmanagement-
services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.platoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.screenclass.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.txncontroller.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.facilities.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeholders.user.mapping.required=true
-Dflyway.domain.placeHolders.plato-config.schemas=PLATO
-Dflyway.domain.placeHolders.api-gateway.schemas=PLATO_SECURITY
-Dflyway.domain.placeHolders.platoui.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.platoui.username=<username>
-Dflyway.domain.placeHolders.platoui.password=<password>
-Dflyway.domain.placeHolders.cmncore.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.cmncore.db.password=<username>
-Dflyway.domain.placeHolders.cmncore.db.username=<password>
-Dflyway.domain.placeHolders.sms.schemas=SMSCD0
-Dflyway.domain.placeHolders.plato-ui-config.schemas=PLATO_UI_CONFIG
-Dflyway.domain.placeHolders.plato-feed-services.schemas=PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-services.schemas=PLATO_FEED
-Dflyway.domain.placeHolders.plato-batch-server.schemas=PLATO_BATCH

```

```

-Dflyway.domain.placeHolders.plato-alerts-management-
services.schemas=PLATOALERTS
-Dflyway.domain.placeHolders.platoui.jdbcUrl=
jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.cmncore.db.url=
jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.cmncore.db.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.cmc-obrh-services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-charges-calculation-
services.server.port=<port>
-Dflyway.domain.placeHolders.plato.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.sms.db.jndi=jdbc/sms
-Dflyway.domain.placeHolders.flyway.plato.schema=PLATO
-Dflyway.domain.placeHolders.flyway.sms.schema=SMSCD0
-Dflyway.domain.placeHolders.flyway.domain.schema=COMMON_CORE
-Dflyway.domain.placeHolders.obrh.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.platouserlog.path=
/scratch/work_area/application/logs
-Dflyway.domain.placeHolders.plato.alerts.email.password=<password>
-Dflyway.domain.placeHolders.plato.alerts.email.userId=<userId>
-Dflyway.domain.placeHolders.cmncore.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeHolders.vam.schemas=VAM
-Dflyway.domain.placeHolders.vam.jndi=jdbc/VAM
-Dflyway.domain.placeHolders.obscfcm.conductor.service.appId=OBSCFCMCDTR
-Dflyway.domain.placeHolders.obscfcm.conductor.service.uri=
http://<host>:7005/obscfcm-workflow-management-
services/service/v1/handleHTTPTask
-Dflyway.domain.placeHolders.plato.alerts.cmc.userId=<userId>
-Dflyway.domain.placeHolders.plato.alerts.cmc.branchCode=<branchCode>
-Dflyway.domain.placeHolders.plato.alerts.cmc.appId=CMNCORE
-Dflyway.domain.placeHolders.platoorch.domain.jndi=jdbc/PLATO-O
-Dflyway.domain.placeHolders.platoorch.domain.schemas=
OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.cmc-obrh-
services.kafka.server.path=/scratch/deployed/kafka/kafka
-Dflyway.domain.placeHolders.cmc-obrh-services.zookeeper.server.path=
/scratch/deployed/kafka/apache-zookeeper-3.5.6-bin
-Dflyway.domain.placeHolders.obcmcff.service.userId=<userId>

```

```

-Dflyway.domain.placeHolders.obcmcff.service.branchCode=<branchCode>
-Dflyway.domain.placeHolders.upload.handler.userId=<userId>
-Dflyway.domain.placeHolders.upload.handler.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obcm.core.userId=<userId>
-Dflyway.domain.placeHolders.obcm.collectiontransaction.poolingjob.
userId=<userId>
-Dflyway.domain.placeHolders.obcm.colleactiontransaction.service.
userId=<userId>
-Dflyway.domain.placeHolders.obcm.mastermaintenance.service.
userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcm.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscf.finance.emailto=<emailto>
-Dflyway.domain.placeHolders.report-service.server.port=<port>
-Dflyway.domain.placeHolders.report-service.username=<username>
-Dflyway.domain.placeHolders.report-service.password=<password>
-Dflyway.domain.placeHolders.report-
service.jdbcUrl=jdbc:oracle:thin:@//<host>:1521/<SID>
-Dflyway.domain.placeHolders.report-service.schemas=PLATO_REPORT_SERVICE
-Dflyway.domain.placeHolders.plato-rule-service.server.port=<port>
-Dflyway.domain.placeHolders.plato-rule.hostname=<host> -
Dflyway.domain.placeHolders.platorule.domain.jndi=jdbc/PLATORULE
-Dflyway.domain.placeHolders.platorule.domain.schemas=PLATORULE
-Dflyway.domain.placeHolders.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-pipeline-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-opennlp-services.server.port=<port>
-Dflyway.domain.placeHolders.plato-config.db.jndi=jdbc/PLATO
-Dflyway.domain.placeHolders.cmc-nlp-maintenance-
services.server.port=<port>
-Dflyway.domain.placeHolders.cmc-nlp-docview-services.server.port=<port>
-Dflyway.domain.placeHolders.obcmprojec.server.port=<port>
-Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-ml-indb-services.server.port=<port>
-Dflyway.domain.placeHolders.obscf.day0.server.port=<port>
-Dflyway.domain.placeHolders.cmc-obrh-services.kafka.enabled=true
-Dflyway.domain.placeHolders.cmc-sla-services.server.port=<port>

```

```

-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscfcm.core.service.appId=SCFCORE
-Dflyway.domain.placeHolders.obscfcm.filter.service.appId=OBSCFCMFILTER
-Dflyway.domain.placeHolders.obscfcmalert.core.userId=<userId>
-Dflyway.domain.placeHolders.obscfcmalert.core.branchCode=<branchCode>
-Dflyway.domain.placeHolders.obscfcmalert.server.port=<port>
-Dflyway.domain.placeHolders.obcbs.server.port=<port>
-Dflyway.domain.placeHolders.plato.services.rule.uri=
http://<host>:<port>/rule-service
-Dflyway.domain.placeHolders.cmc-obcbs-services.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.plato.service.logging.path=
/scratch/work_area/application/logs
-Dflyway.domain.placeHolders.plato.service.env=DEV
-Dflyway.domain.placeHolders.orch.cmc.brn=<branchCode>
-Dflyway.domain.placeHolders.orch.cmc.user=<userId>
-Dflyway.domain.placeHolders.orch.enableDynamicAllocation=false
-Dflyway.domain.placeHolders.orch.enableSLA=false
-Dflyway.domain.placeHolders.report-
service.domain.jndi=jdbc/REPORTSERVICE
-Dflyway.domain.placeHolders.cmc.schemas=COMMON_CORE
-Dflyway.domain.placeHolders.report-service.template-metadata-
directory=<dir path>
-Dflyway.domain.placeHolders.report-service.output-directory=<dir path>
-Dflyway.domain.placeHolders.report-service.fop-config-file=<path to
fop.xconf>
-Dflyway.domain.placeHolders.obpm.service.obpmBranchCode=<OBPM branch
code>
-Dflyway.domain.placeHolders.obpm.service.obpmSourceCode=EXTSYS
-Dflyway.domain.placeHolders.obpm.service.userId=<OBPM user id>
-Dflyway.domain.placeHolders.obpm.service.serviceConsumer=OBSCFCM_OBPM
-Dflyway.domain.placeHolders.obpm.service.createPMSinglePayOut=
CreatePMSinglePayOut
-Dflyway.domain.placeHolders.obpm.service.obpmHostCode=INDIA
-Dflyway.domain.placeHolders.obpm.service.obpmLoanSourceCode=OBSCF
-Dflyway.domain.placeHolders.obpm.service.createExternalConsumerLoan=
CreateExternalConsumerLoan
-Dflyway.domain.placeHolders.obcl_userId=<OBCL user id>
-Dflyway.domain.placeHolders.obcl_source=SCFEXT

```

```

-Dflyway.domain.placeholders.obrh_path=http://<host name>:<port no>/cmc-
obrh-services/route/dispatch
-Dflyway.domain.placeholders.obcl.service.QueryLoanOSAmount=
QueryLoanOSAmount
-Dflyway.domain.placeholders.obcl.service.CreateContractSim=
CreateContractSim
-Dflyway.domain.placeholders.obcl.service.CreateContract=CreateContract
-Dflyway.domain.placeholders.obcl.service.ModifyContAmend=
ModifyContAmend
-Dflyway.domain.placeholders.obcl.service.CreatePayment=CreatePayment
-Dflyway.domain.placeholders.obcl.service.ReverseContract=
ReverseContract
-Dflyway.domain.placeholders.obcl.service.QueryTrnInfo=QueryTrnInfo
-DfcubsBranchId=<FCUBS branch id>
-Dflyway.domain.placeholders.apigateway.protocol=<http or https>
-Dflyway.domain.placeholders.plato.alerts.email.smtp.host=internal-mail-
router.oracle.com
-Dflyway.domain.placeholders.plato.alerts.email.smtp.out.port=<Listen
port of smtp>
-Dflyway.domain.placeholders.plato.alerts.email.auth=false
-Dflyway.domain.placeholders.plato.alerts.email.socketfactory.port=
<Listen port of socketfactory>
-Dflyway.domain.placeholders.orch.usingRuleEngine=false
-Dflyway.domain.placeholders.plato.samlSSOEnabled=false
-Dflyway.domain.placeholders.plato.feed.email.password=<Password for
plato feed email>
-Dflyway.domain.placeholders.plato.feed.email.userId=<User Id for plato
feed email>
-Dflyway.domain.placeholders.plato.feed.sms.userId=<User Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.branchCode=<Branch Code for
Sms>
-Dflyway.domain.placeholders.plato.feed.sms.appId=<App Id for sms>
-Dflyway.domain.placeholders.plato.feed.sms.multiEntityAdmin=<Admin for
sms>
-Dflyway.domain.placeholders.plato.feed.email.smtp.host=<Host for smtp>
-Dflyway.domain.placeholders.plato.feed.email.smtp.out.port=<Port for
smtp>
-Dflyway.domain.placeholders.plato.feed.email.auth=<Email authorization>

```

```

-Dflyway.domain.placeholders.plato.feed.email.socketfactory.port=<Port
for socketfactory>
-Dflyway.domain.placeholders.INTEGRATION.ENABLED=<integration enabled
true or false> -Dflyway.domain.placeholders.cmc-deprecation-
service.server.port=<Listen port for deprecation service>
-Dflyway.domain.placeholders.cmc-additional-attributes-
services.server.port=<Listen port for cmc-additional-attributes-
services>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmreport.server.port=<Port>
-Dplato.services.entityservices.port=<Port>
-Dflyway.domain.placeholders.report-service.hostname=<host>
-Dflyway.domain.placeholders.obvam.service.branchCode=6
-Dflyway.domain.placeholders.obvam.service.userId=OBVAMUSER2
-Dflyway.domain.placeholders.opds.server.port=<Port>
-Dflyway.domain.placeholders.cmc-opds-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcl_service_consumer=OBSCFCM_STUB
-Dplato.services.eureka.uri=https://<host>:8101
-Dflyway.domain.placeholders.zookeeper.host=<host>
-Dflyway.domain.placeholders.fcubsBranchId=0
-Dplato.services.kafka.brokers=<host>:<port>
-Daccounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.alerts.email.attachment.
encryption.passKey=XXX
-Dflyway.domain.placeholders.alerts.email.attachment.
watermark.required=false
-Dflyway.domain.placeholders.alerts.email.attachment.watermark.
image.loc=Y
-Dflyway.domain.placeholders.alerts.email.attachment.
encryption.required=true
-Dflyway.domain.placeholders.plato.services.kafka.brokers=<host>:<port>
-Dflyway.domain.placeholders.accounting.obvam.userid=OBVAMUSER2
-Dflyway.domain.placeholders.cmc-mis-services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-mis-services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obcmpredict.server.port=112
-Dflyway.domain.placeholders.kafka.ssl.truststore.location=<trust key
.jks path>
-Dflyway.domain.placeholders.kafka.ssl.truststore.password=<password>

```

```

-Dflyway.domain.placeholders.kafka.binder.jaas.options.username=<user>
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.mechanism=
SCRAM-SHA-256
-Dflyway.domain.placeholders.kafka.binder.configuration.security.
protocol=SASL_SSL
-Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=
org.apache.kafka.common.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.kafka.binder.jaas.options.password=obscf-
secret
-Dflyway.domain.placeholders.feed.protocol=http
-Dflyway.domain.placeholders.feed.dateFormat=1/1/2021
-Dflyway.domain.placeholders.feed.recordLevelApprovalReqd=false
-Dflyway.domain.placeholders.cmc-resourceclass-
services.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.cmc-resourceclass-
services.schemas=COMMON_CORE
-Dflyway.domain.placeholders.obscfcore.db.jndi=jdbc/OBSCF_CORE
-Dflyway.domain.placeholders.cmc.db.jndi=jdbc/CMNCORE
-Dflyway.domain.placeholders.finance.db.jndi=jdbc/OBSCF_FINANCE
-Dflyway.domain.placeholders.limits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dflyway.domain.placeholders.obscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dflyway.domain.placeholders.accnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dflyway.domain.placeholders.batch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.domain.placeholders.manualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dflyway.domain.placeholders.workflowservice.eureka.host=<host>
-Dflyway.domain.placeholders.workflowservice.eureka.port=<Port>
-Dflyway.domain.placeholders.charges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dflyway.domain.placeholders.eod.db.jndi=jdbc/EOD
-Dflyway.domain.placeholders.filter.db.jndi=jdbc/OBSCFCM_FILTER
-Dflyway.domain.placeholders.maint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeholders.report.db.jndi=jdbc/OBSCFCM_REPORT
-Dflyway.domain.placeholders.instrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dflyway.domain.placeholders.platofeed.db.jndi=jdbc/PLATOFEEED
-Dflyway.domain.placeholders.chatbot.url=https://<host:port>
-Dflyway.domain.placeholders.oda.uri=idcs-oda
-D501204fbc4d496dac7b74d15a590dce-t0.data.digitalassistant.oci.oc-
test.com =

```

```

-Dflyway.domain.placeHolders.oda.channelid=569a0fbd
-D1f4-4a9c-ad7c-86eab83bf957 =
-Dflyway.domain.placeHolders.oda.secretkey=<seceret-key>
-Dflyway.domain.placeHolders.oda.isoda=Y
-Dflyway.domain.placeHolders.workflow.db.jndi=
jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeHolders.obcmcashflowforecasting.db.jndi=
jdbc/OBCM_CASHFLOW_FORCAST
-Dflyway.domain.placeHolders.obcmcollectionmaint.db.jndi=
jdbc/OBCM_COLLECTION_MAINT
-Dflyway.domain.placeHolders.obcmcashflowprojection.db.jndi=
jdbc/OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeHolders.obcmreport.db.jndi=jdbc/OBCM_REPORT
-Dflyway.domain.placeHolders.collectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeHolders.obcl.service.QueryContract=QueryContract
-Dflyway.domain.placeHolders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.platosecurity.domain.jndi=
jdbc/PLATO_SECURITY
-Dflyway.domain.placeHolders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeHolders.obscfcmcore.db.jndi=
jdbc/OBSCFCM_CORE_SERVICES
-Dflyway.domain.placeHolders.obpm.service.initiateOutwardClg=
InitiateOutwardClearing
-Dflyway.domain.placeHolders.plato-feed-ref.jndi=jdbc/PLATOFEED
-Dflyway.domain.placeHolders.plato-feed-ref.server.port=<Port>
-Dflyway.domain.placeHolders.plato-feed-ref.username=<user>
-Dflyway.domain.placeHolders.plato-feed-ref.password=<password>
-Dflyway.domain.placeHolders.plato-feed-
ref.jdbcUrl=jdbc:oracle:thin:@//<host>.in.oracle.com:<port>/<service
name>
-Dflyway.domain.placeHolders.plato-feed-ref.schemas=PLATO_FEED
-Deureka.protocol=http
-Dflyway.domain.placeHolders.plato-transport-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato-transport-
service.jndi=jdbc/PLATOTRANSPORT

```

```

-Dflyway.domain.placeHolders.plato-transport-
service.schemas=PLATO_TRANSPORT
-Dflyway.domain.placeHolders.plato-transport-
service.transport.filePath=/scratch/plato-transport/
-Dflyway.domain.placeHolders.config-service.server.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.host=127.0.0.1
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestore.contextRoot=
filestore/private
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.protocol=http
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.host=127.0.0.1
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.port=<Port>
-Dflyway.domain.placeHolders.plato.feed.fss.filestream.contextRoot=
filestream/private
-Dflyway.domain.placeHolders.plato.feed.fss.auth.bearerToken=unset
-Dflyway.domain.placeHolders.plato.feed.fss.par.upload.description=
fileupload
-Dflyway.domain.placeHolders.plato.feed.fss.par.storageDirective=
filestream/private
-Dflyway.domain.placeHolders.plato.feed.fss.stripe.service.tag=feed-
services
-Dflyway.domain.placeHolders.flyway.platofeed.schemas=PLATO_FEED
-Dflyway.domain.placeHolders.cmc-service-Deprecation-
svc.server.port=<port>
-Dflyway.domain.placeHolders.kafka.broker.username=<user>
-Dflyway.domain.placeHolders.kafka.broker.password=<password>
-Dflyway.domain.placeHolders.kafka.binder.brokers.port=<Port>
-Dflyway.domain.placeHolders.kafka.binder.zkNodes.port=<Port>
-Dflyway.domain.placeHolders.kafka.binder.brokers.host=<host>
-Dflyway.domain.placeHolders.kafka.binder.zkNodes.host=<host>
-Dflyway.domain.placeHolders.obscfcm-batch-jobs.server.port=<Port>
-Dflyway.domain.placeHolders.obscfcm-chatbot-services.server.port=<Port>
-Dflyway.domain.placeHolders.apigateway.url=https://<host>:<port>
-Dflyway.domain.placeHolders.cmc-comments-services.server.port=<Port>
-Dflyway.domain.placeHolders.cmc-priority-services.server.port=<Port>
-Dflyway.domain.placeHolders.documentmanagement-
services.server.port=<Port>

```

```

-Dflyway.domain.placeHolders.kyccheck-services.server.port=<Port>
-Dflyway.domain.placeHolders.processcode-services.server.port=<Port>
-Dflyway.domain.placeHolders.sequencegeneratorservice.server.port=<Port>
-Dflyway.domain.placeHolders.opds.batch.partitionCount=
-Dflyway.domain.placeHolders.opds.batch.destinationTopic=
-Dflyway.domain.placeHolders.opds.batch.consumerGroupName=
-Dflyway.domain.placeHolders.opds.batch.autoAddPartitions=
-Dflyway.domain.placeHolders.plato.eventhub.kafka.brokers=<host>:<port>
-Dflyway.domain.placeHolders.plato.eventhub.zk.nodes=<host>:2181
-Dflyway.domain.placeHolders.alert.service.serviceConsumer=
OBSCFCM_ALERTS
-Dflyway.domain.placeHolders.alert.service.alertMessage=AlertMessage
-Dflyway.domain.placeHolders.plato.flyway.enabled=true
-Dflyway.domain.placeHolders.plato-api-gateway.min.pswd.length=8
-Dflyway.domain.placeHolders.plato-api-gateway.max.pswd.length=11
-Dflyway.domain.placeHolders.plato-api-gateway.min.pswd.age=1
-Dflyway.domain.placeHolders.plato-api-gateway.max.pswd.age=90
-Dflyway.domain.placeHolders.plato-api-gateway.upper.char.flag=N
-Dflyway.domain.placeHolders.plato-api-gateway.upper.char.count=2
-Dflyway.domain.placeHolders.plato-api-gateway.lower.char.flag=Y
-Dflyway.domain.placeHolders.plato-api-gateway.lower.char.count=2
-Dflyway.domain.placeHolders.plato-api-gateway.special.char.flag=N
-Dflyway.domain.placeHolders.plato-api-gateway.special.char.count=1
-Dflyway.domain.placeHolders.plato-api-gateway.numeric.char.flag=Y
-Dflyway.domain.placeHolders.plato-api-gateway.numeric.char.count=1
-Dflyway.domain.placeHolders.plato-api-gateway.pswd.validation.flag=Y
-Dflyway.domain.placeHolders.plato.services.entityservices.port=<Port>
-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.days=7
-Dflyway.domain.placeHolders.cmc-obrh-services.audit.retention.archival=
true
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.oauth.scope=dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.secretStore.url=
https://dummy
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.idcs.url=
https://dummy
-Dflyway.domain.placeHolders.plato.orchestrator.
enableSubWfDynamicAllocation=false

```

```

-Dflyway.domain.placeHolders.plato-api-gateway.external.sso.validation.url=https://dummy
-Dflyway.domain.placeHolders.plato-api-gateway.external.sso.key=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.sso.service.provider=dummy
-Dflyway.domain.placeHolders.plato-api-gateway.headers=dummy
-Dflyway.domain.placeHolders.actuator.endpoint=prometheus,health
-Dflyway.domain.placeHolders.cmc-obrh-kafka-consumer.server.port=<Port>
-Dflyway.domain.placeHolders.obscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dflyway.domain.placeHolders.obscffci.server.port=<Port>
-Dflyway.domain.placeHolders.eureka.instance.prefer-ip-address=false
-Dflyway.domain.placeHolders.ssl.enabled=true
-Dflyway.domain.placeHolders.ssl.disabled=false
-Dflyway.domain.placeHolders.obscfislamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dflyway.domain.placeHolders.obscfislamic.server.port=<Port>
-Dflyway.domain.placeHolders.kafka.ssl.endpoint.identification.algorithm=https
-Dflyway.domain.placeHolders.feed.system.approverId=<Approver UserId>
-Dflyway.domain.placeHolders.plato-password-policy-service.server.port=<Managed server ssl port for target service>
-Dflyway.domain.placeHolders.plato-password-policy-service.jndi=jdbc/PLATO_PASSWORD
-Dflyway.domain.placeHolders.plato-password-policy-service.schemas=PLATO_PASSWORD
-Dflyway.domain.placeHolders.plato-password-policy-service.locations=db/migration/domain/plato
-Dflyway.sms.placeHolders.role_id=ADMIN_ROLE
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DfcubsUserId=DCD_01
-DfcubsSource=EXTSYS
-DfcubsBranch=004
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dflyway.domain.placeHolders.external.sso.validation.url=<>
-Dflyway.domain.placeHolders.reports.fss.bearerTokenPath=</jwt/token>
-Dflyway.domain.placeHolders.reports.fss.bearerTokenFileName=<token>
-Dflyway.domain.placeHolders.reports.system.objectStore.stripeName=<reports>

```

```

-Dflyway.domain.placeHolders.plato-regional-configurator-
services.server.port=${PLATO_OTHERS_PORT}
-Dflyway.domain.placeHolders.plato-regional-configurator-
services.jndi=${OBRC_JNDI}
-Dflyway.domain.placeHolders.plato-regional-configurator-
services.schemas=${OBRC_SCHEMA}
-Dflyway.domain.placeHolders.plato-regional-configurator-
services.locations=db/migration/domain/obrc
-Dflyway.domain.placeHolders.plato.feed.fss.bearerTokenPath=
-Dflyway.domain.placeHolders.plato.feed.fss.bearerTokenFileName=
dummyToken
-Dflyway.domain.placeHolders.coherence.enabled=false
-Dflyway.domain.placeHolders.user.mapping.required=false
-Dflyway.domain.placeHolders.auditEnabled=false
-Dflyway.domain.placeHolders.plato-apigateway-router.server.port=8080
-Dflyway.domain.placeHolders.plato.service.base-path=/api-gateway
-Dflyway.domain.placeHolders.coherence.cluster.name=dummyClusterName
-Dflyway.domain.placeHolders.tangosol.coherence.clusterport=7574
-Dflyway.domain.placeHolders.plato.feed.emailClient.from.email=
dummyEmailId
-Dflyway.domain.placeHolders.alerts.protocol=${PROTOCOL}
-Dflyway.domain.placeHolders.alerts.service.name=noreply-fsgbu-obca-
dev@ocs.oraclecloud.com
-Dflyway.domain.placeHolders.alerts.namespace=fsgbu-obcbcs-nonprod--
foundation.svc.occloud
-Dflyway.domain.placeHolders.alerts.email.client.port=8080
-Dflyway.domain.placeHolders.cmc-obrh-services.oic.secretStore.url=
-Dflyway.domain.placeHolders.obrh.audit.id-generator=
-Dflyway.domain.placeHolders.cmc-obrh-jms-consumer.server.port=xxxx
-Dflyway.domain.placeHolders.cmc-obrh-jms-consumer.connectionFactory=aaa
-Dflyway.domain.placeHolders.cmc-obrh-jms-consumer.queue=aaaa
-Dflyway.domain.placeHolders.obrh.audit.maxConcurrentConsumers=100
-Dflyway.domain.placeHolders.obrh.audit.type=
-Dflyway.domain.placeHolders.cmc-customer-services.coherence.enabled=
-Dflyway.domain.placeHolders.cmc-customer-services.loadCacheOnStartup=
-Dflyway.domain.placeHolders.cmc-interest-rate-services.server.port=
-Dflyway.domain.placeHolders.cmc-interest-rate-services.schemas=

```

```

-Dflyway.domain.placeHolders.cmc-resourceclass-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-resourceclass-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-
service.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-resource-segment-orchestrator-
service.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-corebanking-adapter-
service.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-corebanking-adapter-
service.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-virtual-account-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-external-virtual-account-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cds.isAsyncLoggingEnabled=true
-Dflyway.domain.placeHolders.charges.isAsyncLoggingEnabled=true
-Dflyway.domain.placeHolders.obpy-party-services.coherence.enabled=true
-Dflyway.domain.placeHolders.obpy-party-services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.sms-core-services.coherence.enabled=true
-Dflyway.domain.placeHolders.sms-core-services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-charges-calculation-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-charges-calculation-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-account-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-advice-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-base-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-branch-services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-branch-services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-account-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-advice-services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-base-services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-deposit-account-
services.server.port=${CMC3_PORT}

```

```

-Dflyway.domain.placeHolders.cmc-currency-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-currency-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-external-chart-account-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.fcubsBranch=XXX
-Dflyway.domain.placeHolders.fcubsSource=EXTSYS
-Dflyway.domain.placeHolders.fcubsUserId=DUMMY
-Dflyway.domain.placeHolders.cmc-facilities-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-facilities-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.cmc-external-deposit-account-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-screenclass-
services.coherence.enabled=true
-Dflyway.domain.placeHolders.cmc-screenclass-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeHolders.fcubsUserId=
-Dflyway.domain.placeHolders.plato.feed.feedStripeName=feeds
-Dflyway.domain.placeHolders.plato.alerts.protocol=${PROTOCOL}
-Dflyway.domain.placeHolders.plato.alerts.namespace=fsgbu-obcbcs-
nonprod--foundation.svc.occloud
-Dflyway.domain.placeHolders.plato.alerts.email.client.port=8080
-Dflyway.domain.placeHolders.plato.multitenant.emailClient.from.email=
noreply-fsgbu-obca-dev@ocs.oraclecloud.com
-Dflyway.domain.placeHolders.plato.feed.emailClient.from.email=noreply-
fsgbu-obca-dev@ocs.oraclecloud.com
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dspring.main.allow-circular-references=true
-Dcoherence.server.address=<hostname>
-Dcoherence.server.port=<port>
-Dflyway.domain.placeholders.obscf-core-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscf-core-services.coherence.enabled=true

```

```
-Dflyway.domain.placeholders.obscf-limits-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscf-finance-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscf-limits-  
services.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscf-report-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-auto-recon-  
batch.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscfcm-core-  
services.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscfcm-filter-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscf-finance-  
services.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscfcm-instruments-receivables-  
services.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscfcm-instruments-receivables-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-manual-recon-  
services.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscf-islamic-instruments-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-workflow-management-  
services.loadCacheOnStartUp=true  
-Dflyway.domain.placeholders.obscfcm-workflow-management-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-manual-recon-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-account-maintenance-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-eod-batch.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-charges-  
services.coherence.enabled=true  
-Dflyway.domain.placeholders.obscfcm-filter-  
services.loadCacheOnStartUp=true
```

```

-Dflyway.domain.placeholders.obscfcm-alerts-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-master-maintenance-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.obscfcm-auto-recon-
batch.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcm-core-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-fci-messaging-
service.coherence.enabled=true
-Dflyway.domain.placeholders.obscf-fci-messaging-
service.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollInterval=
300000
-Dflyway.domain.placeholders.plato.eventhub.consumer.maxPollRecords=500
-Dflyway.domain.placeholders.router.protocol=xxx
-Dflyway.domain.placeholders.router.meadmin.port=xxx
-Dflyway.domain.placeholders.cmc-additional-attribute-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-additional-attribute-services=true
-Dflyway.domain.placeholders.cmc-additional-attribute-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-additional-attribute-services=true
-Dflyway.domain.placeholders.cmc-datasegment-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-datasegment-services=true
-Dflyway.domain.placeholders.cmc-datasegment-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-datasegment-services=true
-Dflyway.domain.placeholders.cmc-settlements-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-settlements-services=true
-Dflyway.domain.placeholders.cmc-settlements-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-settlements-services=true
-Dflyway.domain.placeholders.cmc-sla-services.coherence.enabled

```

```

-Dflyway.domain.placeholders.cmc-sla-services=true
-Dflyway.domain.placeholders.cmc-sla-services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-sla-services=true
-Dflyway.domain.placeholders.cmc-txn-code-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-services=true
-Dflyway.domain.placeholders.cmc-txn-code-
services.loadCacheOnStartUp=true
-DEncryptionFlag=false
-Dflyway.domain.placeholders.obscfcmaccounting.
schemas=OBSCFCM_ACCOUNTING
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.
contextRoot=null
-Dflyway.domain.placeholders.dataload.job.gridSize=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.host=null
-Dflyway.domain.placeholders.datamigration.contextRoot=null
-Dflyway.domain.placeholders.platorule.db.jndi=jdbc/PLATORULE
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-system-
services.coherence.enabled=true
-Dflyway.domain.placeholders.obscfcmalerts.schemas=OBSCFCM_ALERTS
-Dflyway.domain.placeholders.obscfcmautorecon.schemas=OBSCFCM_RECON
-Dflyway.domain.placeholders.obscfcmbatchjob.schemas=PLATOBATCH
-Dflyway.domain.placeholders.obscfcmcharges.schemas=OBSCFCM_CHARGE
-Dflyway.domain.placeholders.obscfcmchatbot.schemas=OBSCFCM_REPORT
-Dflyway.domain.placeholders.obscfcmcore.schemas=OBSCFCM_CORE_SERVICES
-Dflyway.domain.placeholders.obscfcmloadbatch.schemas=PLATOBATCH
-Dflyway.domain.placeholders.obscfcmfilter.
schemas=OBSCFCM_FILTER
-Dflyway.domain.placeholders.obscfcmstruments.
schemas=OBSCFCM_INSTRUMENTS
-Dflyway.domain.placeholders.obscfcmmanualrecon.
schemas=OBSCFCM_RECON
-Dflyway.domain.placeholders.obscfcmmastermaint.
schemas=OBSCFCM_MAINTENANCE
-Dflyway.domain.placeholders.obscfcmreport.schemas=OBSCFCM_REPORT

```

```

-
Dflyway.domain.placeholders.obscfcmworkflow.schemas=OBSCFCM_WORKFLOWS_C
ONDUCTOR
-Dflyway.domain.placeholders.cmc-txn-code-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-txn-code-
services.loadCacheOnStartUp=true
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=true
-Dflyway.domain.placeholders.obrh.audit.type.log.event=LOG
-Dflyway.domain.placeholders.obrh.audit.type=DEFAULT
-Dflyway.domain.placeholders.kafka.binder.configuration.security.
protocol=SASL_SSL
-Dflyway.domain.placeholders.kafka.binder.configuration.sasl.
mechanism=SCRAM-SHA-256
-Dflyway.domain.placeholders.kafka.binder.jaas.loginModule=org.apache.
kafka.common.security.scram.ScramLoginModule
-Dflyway.domain.placeholders.sms-core-services.loadCacheOnStartUp=<<true
or false>>
-Dflyway.domain.placeholders.sms-core-services.coherence.enabled=<<true
or false>>
-Dflyway.domain.placeholders.cmc-obrh-services.coherence.enabled=<<true
or false>>
-Dflyway.domain.placeholders.cmc-opds-services.loadCacheOnStartUp=<<true
or false>>
-Dflyway.domain.placeholders.cmc-opds-services.coherence.enabled=<<true
or false>>
-Dflyway.domain.placeholders.cmc-interest-rate-
services.coherence.enabled=<<true or false>>
-Dflyway.domain.placeholders.cmc-limits-collaterals-
services.server.port=<<port_number>>
-Dflyway.domain.placeholders.dataload.job.queueCapacity=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.protocol=null
-Dflyway.domain.placeholders.sms.placeholderReplacement=null
-Dflyway.domain.placeholders.dataload.protocol=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.protocol=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.host=null
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenFileName=null
-Dflyway.domain.placeholders.datamigration.host=null

```

```

-Dflyway.domain.placeholders.plato.dataload.fss.stripe.service.tag=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestream.port=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.port=null
-Dflyway.domain.placeholders.dataload.job.corePoolSize=null
-Dflyway.domain.placeholders.dataload.job.maxPoolSize=null
-Dflyway.domain.placeholders.plato.dataload.fss.par.
storageDirective=null
-Dflyway.domain.placeholders.plato.dataload.fss.bearerTokenPath=null
-Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.
connectTimeout=null
-Dflyway.domain.placeholders.plato.dataload.fss.par.upload.
description=null
-Dflyway.domain.placeholders.plato.dataload.fss.filestore.
contextRoot=null
-Dflyway.domain.placeholders.datamigration.port=null
-Dflyway.domain.placeholders.domain.placeholderReplacement=null
-Dflyway.domain.placeholders.plato.dataload.framework.eureka.client.
readTimeout=null
-Dflyway.domain.placeholders.batch.appId=null
-Dflyway.domain.placeholders.plato.dataload.system.objectStore.
stripeName=null
-Dflyway.domain.placeholders.datamigration.protocol=null
-Dflyway.domain.placeholders.plato.placeholderReplacement=null
-Dflyway.domain.placeholders.cmc-opds-
services.isAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.cmc-opds-
services.ischargesAsyncLoggingEnabled=true
-Dflyway.domain.placeholders.cmc-report-services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-external-system-
services.coherence.enabled=true
-Dflyway.domain.placeholders.cmc-batch-services.coherence.enabled=true
-Dflyway.domain.placeholders.plato-ui-config.schemas=<PLATO UI SCHEMA
NAME>
-Dflyway.domain.placeholders.cmncore.schemas=<COMMON CORE SCHEMA NAME>
-Dflyway.domain.placeholders.plato-config.schemas=<PLATO CONFIG SCHEMA
NAME>
-Dflyway.domain.placeholders.sms.schemas=<SMS SCHEMA NAME>

```

```

-Dflyway.domain.placeholders.obscfcoreservices.schemas=<OBSCF_CORE
SCHEMA NAME>
-Dflyway.domain.placeholders.obscffinance.schemas=<OBSCF_FINANCE SCHEMA
NAME>
-Dflyway.domain.placeholders.obscfislamicinstruments.schemas=
<OBSCF_ISLAMIC_INSTRUMENTS SCHEMA NAME>
-Dflyway.domain.placeholders.obscflimit.schemas=<OBSCF_LIMIT_UTILIZ
SCHEMA NAME>
-Dflyway.domain.placeholders.obscfreport.schemas=<OBSCF_REPORT SCHEMA
NAME>
-Dflyway.domain.placeholders.obscffcmessaging.schemas=
<OBSCF_FCI_MESSAGES SCHEMA NAME>
-Dflyway.domain.placeholders.oba.service.requestType=<VALUE>
-Dflyway.domain.placeholders.oba.isObaBranchAvailable=<VALUE>
-Dflyway.domain.placeholders.oba.service.serviceConsumer=<VALUE>
-Dflyway.domain.placeholders.oba.service.sourceCode=<VALUE>
-Dflyway.domain.placeholders.oba.service.obaEntityId=<VALUE>
-Dflyway.domain.placeholders.oba.external.branchCode=<VALUE>
-Dflyway.domain.placeholders.oba.isObaUserAvailable=<VALUE>
-Dflyway.domain.placeholders.oba.service.obaUserId=<VALUE>
-Dflyway.domain.placeholders.oba.service.obaAppId=<VALUE>
-Dflyway.domain.placeholders.obscfcore.schemas=<VALUE>
-Dflyway.domain.placeholders.obscfcmcore.schemas=<VALUE>
-Dflyway.domain.placeholders.obscfcmmanualrecon.schemas=<VALUE>
export JAVA_OPTIONS

```

2.2 Environment Variable for SMS, COMMON CORE, Mid-office Domain

The below parametrization should be done for all the domains (sms, commoncore, mid office) which are created in the WebLogic server where the micro services are going to be deployed.

1. Go to the WebLogic installation path (FMW installation path) in the WebLogic server where the plato, sms, common core, mid office is getting deployed.
2. Go to location: Middleware/Oracle_Home/user_projects/domains/<respective_domain>/bin.
3. Create a file named “**setUserOverrides.sh**” content given below.

```

#!/bin/bash
JAVA_OPTIONS="${JAVA_OPTIONS}"
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dflyway.enabled=true
-Dplato.services.entityservices.port=<port>
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-DXms1024m
-DXmx2048m
-Dflyway.domain.placeholders.plato.services.rule.url=
https://<host>:8103/rule-service
-Dflyway.domain.placeholders.cmc-obrh-
services.kafka.server.path=<host>:<port>
-Dflyway.domain.placeholders.cmc-obrh-
services.zookeeper.server.path=<host>:<port>
-Dobrh.import.data.disable-modify=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dhttps.proxyHost=<If proxy required to connect fci else This
argument is not required>
-Dhttps.proxyPort=<If proxy required to connect fci else This
argument is not required>
-Dhttp.nonProxyHosts=<If proxy required to connect fci else This
argument is not required>
-Dhttps.nonProxyHosts=<If proxy required to connect fci else This
argument is not required>
-Dobrh.keystore.password=<Keystore Password>
-Dobrh.keystore.path=</scratch/certificates/ssl/keystore File>
-Dobrh.usekeystore=true
-Dobrh.keystore.aliaspassword=<Alias Password>
-Dobrh.keystore.alias=<Keystore alias name>
-Dobrh.audit.id-generator=SNOWFLAKE
-Dcmc-obrh-jms-consumer.server.port=<portno>
-Dcmc-obrh-jms-consumer.connectionFactory=<>
-Dcmc-obrh-jms-consumer.queue=<>

```

```

-Dobrh.audit.maxConcurrentConsumers=<100>
-Dobrh.audit.type=KAFKA
-Dsms-core-services.coherence.enabled=<true/false>
-Dsms-core-services.loadCacheOnStartUp=<true/false>
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dcmc-customer-services.loadCacheOnStartUp=true
-Dcmc-interest-rate-services.server.port=<portno>
-Dcmc-interest-rate-services.schemas=<schema name>
-Dcoherence.server.address=<Hostname where Coherence is deployed>
-Dcoherence.server.port=7574
-Dcoherence.enabled=<<true or false>>
-Dflyway.domain.placeholders.plato.eventhub.consumer.
maxPollInterval=300000
-Dflyway.domain.placeholders.plato.eventhub.consumer.
maxPollRecords=500
-Dhttps.proxyHost=<proxy detail>
-Dhttps.proxyPort=<proxy port>
-Dhttp.nonProxyHosts=<no proxy host >
-Dhttps.nonProxyHosts=<no proxy host >
-Dobrh.keystore.password=<password>
-Dobrh.keystore.path=<certificate_path>
-Dobrh.usekeystore=true
-Dobrh.keystore.aliaspassword=<password>
-Dobrh.keystore.alias=<alias_name>
export JAVA_OPTIONS

```

2.3 Environment Variable for CONDUCTOR Domain

```
#!/bin/bash
JAVA_OPTIONS=$JAVA_OPTIONS}
-Dconductor.properties=<file path>
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dspring.cloud.loadbalancer.ribbon.enabled=false
export JAVA_OPTIONS
```

2.4 Environment Variables for OBSCFCM / OBSCF managed servers

Create a file called “**setUserOverrides.sh**” inside the WebLogic bin location of OBSCFCM Service domain with content given below. All the environment variables for are listed & replace the values accordingly.

```
#!/bin/bash
JAVA_OPTIONS=$JAVA_OPTIONS}
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplato.db.jndi=jdbc/PLATO
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_UTILIZ
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Deodbatch.db.jndi=jdbc/EODBATCH PLATOBATCH
-Dplato.services.gateway.port=<port>
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
```

```

-Dplato.service.logging.path=<dir path>
-Dapigateway.url=http://<host>:<port>
-Dkafka.host=<host>
-Dkafka.port=9092
-Dzookeeper.port=2181
-Deureka.host=<host>
-Deureka.port=<port>
-Dzipkin.url=http://<host>:9411
-Dworkflowservice.eureka.host=<host>
-Dworkflowservice.eureka.port=<port>
-Dobcl.service.userId=<userid>
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000
-Dplato.service.env=DEV
-Dconductor.properties=/scratch/ConductorConfig/config.properties
-Dreport.schema.username=<username>
-Dreport.schema.password=<password>
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dobscfreport.db.jndi=jdbc/OBSCF_REPORT
-Dlimits.db.jndi=jdbc/OBSCF_LIMIT_MAINT
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-Deodbatch.db.jndi=jdbc/PLATOBATCH
-Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
-Dfilter.db.jndi=jdbc/OBSCFCM_FILTER
-Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON
-Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
-Dreport.db.jndi=jdbc/OBSCFCM_REPORT
-Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Drecon.db.jndi=jdbc/OBSCFCM_RECON
-Dfinance.db.jndi=jdbc/OBSCF_FINANCE
-Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dcache.evict.interval.milliseconds=7200000
-Dcache.evict.initialdelay.milliseconds=7200000

```

```

-Dchatbot.url=http://<host>:<port>
-Doda.uri=<uri>
-Doda.channelid=<channelid>
-Doda.secretkey=<secret>
-Doda.isoda=Y
-Dplato.cmc.default.brn=
-Duser_login_id=<userid>
-Dplato.service.env=DEV
-Dupload.handler.userId=<userid>
-Dupload.handler.branchCode=<branchcode>
-Deod.db.jndi=jdbc/EOD
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dfileupload.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dfileupload.schema.username=<user>
-Dfileupload.schema.password=<password>
-Dforecasting.jdbc.url=jdbc:oracle:thin:@//<host>:<port>/<sid>
-Dobcmcashflowforecasting.schema.username=<user>
-Dobcmcashflowforecasting.schema.password=<password>
-Dobscfcmalert.core.userId=<user>
-Dobscfcmalert.core.branchCode=<branchcode>
-Dobscfcmalert.server.port=<port>
-Deureka.client.serviceUrl.defaultZone=https://<host>:<port>/plato-
discovery-service/eureka
-Dspring.zipkin.baseUrl=http://<host>:<port>
-Dobscfcm.filter.service.appId=OBSCFCM_FILTER
-Dobscfcmalert.db.jndi=jdbc/OBSCFCM_ALERTS
-Dflyway.sms.placeholders.applicationCode=BOTH
-Dplatofeed.db.jndi=jdbc/PLATOFEED
-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
-Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
-Dcashflow-forecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST

```

```

-Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Dspring.zipkin.enabled=false
-Dplato.services.eureka.uri=https://<host>:<port>
-Dflyway.domain.placeholders.obpm.service.initiateOutwardClg=
InitiateOutwardClearing
-Dflyway.domain.placeholders.eureka.protocol=https
-Dflyway.platoui.placeholders.apigateway.url=https://<host>:<port>
-Dobscffci.db.jndi=jdbc/OBSCF_FCI_MESSAGES
-Dobscfislaamic.db.jndi=jdbc/OBSCF-ISLAMIC-INSTRUMENTS
-Dautoreconbatch.db.jndi=jdbc/AUTORECONBATCH
-Dflyway.domain.placeholders.obscfcmmastermaintenance.enabled=true
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dcoherence.server.address=<Hostname where Coherence is deployed>
-Dcoherence.server.port=7574
-Dcoherence.enabled=<true or false>
export JAVA_OPTIONS

```

2.5 Environment Variables for OBSCFCM Day0 managed server

Create a file called “**setUserOverrides.sh**” inside the WebLogic bin location of OBSCF/OBSCFCM Service domain with content given below. All the environment variables for OBSCF are listed & replace the values accordingly.

```

#!/bin/bash
JAVA_OPTIONS=$JAVA_OPTIONS}
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dcmc.db.jndi=jdbc/CMNCORE
-Dplatofeed.db.jndi=jdbc/PLATOFEEED

```

-Deodbatch.db.jndi=jdbc/PLATOBATCH
 -Daccnt.db.jndi=jdbc/OBSCFCM_ACCOUNTING
 -Dcharges.db.jndi=jdbc/OBSCFCM_CHARGES
 -Dobscfcmcore.db.jndi=jdbc/OBSCFCM_CORE_SERVICES
 -Dfilter.db.jndi=jdbc/OBSCFCM_FILTER
 -Dinstrument.db.jndi=jdbc/OBSCFCM_INSTRUMENTS
 -Dmanualrecon.db.jndi=jdbc/OBSCFCM_RECON
 -Dmaint.db.jndi=jdbc/OBSCFCM_MAINTENANCE
 -Dreport.db.jndi=jdbc/OBSCFCM_REPORT
 -Dworkflow.db.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
 -Dobscfcm_debug_userId=<userid>
 -Dapigateway_url=http://<host>:<port>
 -Dobscfcm_purchase_buyer1_userId=<userid>
 -Dobscfcm_purchase_buyer1_branchcode=<branchcode>
 -Dobscfcm_purchase_seller1_userId=<userid>
 -Dobscfcm_purchase_seller1_branchcode=<branchcode>
 -Dobscfcm_invoice_buyer1_branchCode=<branchcode>
 -Dobscfcm_invoice_buyer1_userId=<userid>
 -Dobscfcm_payment1_branchCode=<branchcode>
 -Dobscfcm_payment_userId=<userid>
 -Dobscfcm_invoice_seller1_branchCode=<branchcode>
 -Dobscfcm_invoice_seller1_userId=<userid>
 -DaccountingBranchCode=<branchcode>
 -Drole_id=OSCF_MAKER
 -DapplicationCode=OBSCF
 -Dobcm_role_id=OBCM_ROLE
 -Dobscfcm_role_id=OBSCFCM_ROLE
 -Duser_login_id=<userid>
 -DbranchId=<branch id>
 -DbranchCode=<branchcode>
 -Duser_id_2=<OBSCF second admin user id>
 -Dplatobatch.db.jndi=jdbc/PLATOBATCH
 -Dplatosecurity.domain.jndi=jdbc/PLATO_SECURITY
 -Dmulti_entity_admin_user=<Multi entity admin user>
 -Dmulti_entity_user_email=<Multi entity user email address>
 -Dmulti_entity_user_end_date=<Multi entity user end date>
 -Dmulti_entity_user_start_date=<Multi entity user start date>
 -Dobcmcashflowforecasting.db.jndi=jdbc/OBCM_CASHFLOW_FORCAST

-Dobcmcollectionmaint.db.jndi=jdbc/OBCM_COLLECTION_MAINT
-Dcollectiontxn.db.jndi=jdbc/OBCM_COLLECTIONS
-Dobcmreport.db.jndi=jdbc/OBCM_REPORT
-Dday0.server.port=<port>
-Deureka.host=https://<host>
-Deureka.port=<port>
-Drole_desc=OSCF_MAKER_role_desc
-Duserloginid1=ADMINUSER1
-Duserloginid2=ADMINUSER2
-Duser1name=ADMINUSER1
-Duser2name=ADMINUSER2
-Duserpassword1=ADMIN#1Pwd
-Duserpassword2=ADMIN#2Pwd
-Duserhomebranch=000
-Duserlocale=IND
-Duserstartdate=43191
-Duserenddate=44287
-Dbankcode=000
-Dbankdesc=OBCMS-UNIVERSAL-BANK
-Dbranchcode=000
-Dbranchname=FLEXCUBE-UNIVERSAL-BRANCH
-Dbranchaddr1=Address1
-Dbranchaddr2=Address2
-Dbranchaddr3=Address3
-Dbranchccy=GBP
-Dcountrycode=GBP
-Dwalkincustomer=12345
-Dhostcode=Host1
-Dhostdesc=Host1
-Dprocesstimezone=GMT
-Dsourcesystem=OBCMS
-Dsourcesystemdesc=Oracle
-Dsourcesystembranch=OBCMS
-Dpreviousworkingday=43922
-Dcurrentworkingday=43923
-Dnextworkingday=43924

-Dlang_code=ENG
-Dlang_desc=English
-Dlang_iso=en
-Dobcm_branchcode=004
-Dobcm_userId=SUNIL
-Dkafka.host=whf00clv
-Dkafka.port=9092
-Dzookeeper.port=2181
-Dobcmprojec.server.port=8204
-Dobcmcashflowprojection.db.jndi=jdbc/OBCM_CASHFLOW_PROJECTION
-Dflyway.domain.placeHolders.obscfcm.day0.server.port=<port>
-Duser_id=<user>
-DuserName=<user>
-DuserLoginId=<user>
-DmanagerId=<manageruserid>
-DbranchCode=004
-DuserEmail=<user-email>
-DuserMobile=<mobile>
-DuserFax=<>
-DtelephoneNo=<>
-Dobscfcm_role_id=OBSCFCM_ROLE
-Duser_login_id=<login id>
-Dobscfbatch.enabled=true
-Dobscfcmaccountmaintenance.enabled=true
-Dobscfcmautoreconbatch.enabled=true
-Dobscfcmcharges.enabled=true
-Dobscfcmcoreservices.enabled=true
-Dobscfcmfilterservices.enabled=true
-Dobscfcminstrumentsservices.enabled=true
-Dobscfcmmanualrecon.enabled=true
-Dobscfcmmastermaintenance.enabled=true
-Dobscfcmreconmaintenance.enabled=true
-Dobscfcmreportservices.enabled=true
-Dobscfcmworkflowmanagement.enabled=true
-Dobscf_role_id=OBSCF_ROLE
-Deureka.connectTimeout=10000

```

-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000
-Dflyway.domain.placeholders.obscfcm.day0.obscf_role_id=OBSCF_ROLE
-Dnormal.front.prod=VENF
-Dcompound.rear.prod=BCVD
-Dnormal.rear.prod=SUPF
-Dflyway.domain.placeholders.platobatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.platoorch.domain.jndi=
jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.domain.placeholders.platosecurity.domain.jndi=
jdbc/PLATO_SECURITY
-Dflyway.domain.placeholders.eodbatch.db.jndi=jdbc/PLATOBATCH
-Dflyway.domain.placeholders.obscfcmcore.db.jndi=
jdbc/OBSCFCM_CORE_SERVICES
-Dtoday=<DD-MON-YYYY>
-Dprev_working_day=<DD-MON-YYYY>
-Dnext_working_day=<DD-MON-YYYY>
-Dflyway.enabled=false
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-Dsms.app.locations=db/migration/sms/obscfcm-account-maintenance-
services,db/migration/sms/obscfcm-alerts-services,
db/migration/sms/obscfcm-auto-recon-batch,db/migration/sms/obscfcm-
batch-jobs,db/migration/sms/obscfcm-charges-services,
db/migration/sms/obscfcm-core-services,db/migration/sms/obscfcm-
instruments-receivables-services,db/migration/sms/obscfcm-manual-
recon-services,db/migration/sms/obscfcm-master-maintenance-
services,db/migration/sms/obscfcm-recon-maintenance-
services,db/migration/sms/obscfcm-report-services,
db/migration/sms/obscfcm-workflow-management-services,
db/migration/sms/obscfcm-day0-service,db/migration/sms/obscfcm-eod-
services
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>
-Ddebug_user=<UserId for debug>
-DOBSCF_ROLE_REQ_YN=<Y OR N>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000

```

```

-DMLT_ENT_USER_REQ_YN=<Y OR N>
-Duser_end_date=<DD-MON-YYYY>
-Duser_start_date=<DD-MON-YYYY>
-Dcoherence.server.address=<hostname>
-Dcoherence.server.port=<port>
-Dflywayday0.enabled=true
-Dcustomday0.enabled=true
export JAVA_OPTIONS

```

2.6 Environment Variables for OBSCF Day0 managed server

Create a file called “**setUserOverrides.sh**” inside the WebLogic bin location of OBSCF day0 Service domain with content given below. All the environment variables for OBSCF are listed & replace the values accordingly.

```

#!/bin/bash
JAVA_OPTIONS=$JAVA_OPTIONS}
-Dplato.services.config.port=<port>
-Dplato.services.config.uri=http://<host>:<port>
-Dplato.service.env=DEV
-Dplato.service.logging.path=<dir path>
-Dplato.db.jndi=jdbc/PLATO
-Dsms.db.jndi=jdbc/sms
-Dplatoui.db.jndi=jdbc/PLATO_UI_CONFIG
-Dobscfcore.db.jndi=jdbc/OBSCF_CORE
-DapplicationCode=OBSCF
-DuserId=<userid>
-DobscfcmURL=http://< api-gateway-host host>:<port>
-Drole_id=OBSCF_MAKER
-Duser_id=<userid>
-DuserName=<userid>
-DuserLoginId=<userid>
-DmanagerId=<managerid>
-DbranchCode=<branchcode>
-Dapigateway_url=http://<host>:<port>
-DuserEmail=<email>

```

```

-DbranchId=<branch id>
-DuserMobile=<mobile>
-DuserFax=<fax>
-DtelephoneNo=<telephone>
-Dobscf_role_id=OBSCF_ROLE
-Dbankcode=<bank code>
-Dbankdesc=<bank short description>
-Dbranchname=<branch name>
-Dbranchaddr1=<branch address1>
-Dbranchaddr2=<branch address2>
-Dbranchaddr3=<branch address3>
-Dbranchccy=<branch currency code>
-Dcountrycode=<country code>
-Dwalkincustomer=<walkin customer code>
-Dhostcode=<host code>
-Dhostdesc=<host description>
-Dprocesstimezone=<time zone eg: Asia/Calcutta>
-Dsourcesystem=<source system code>
-Dsourcesystemdesc=<source system description>
-Dsourcesystembranch=<source system branch>
-Dcmc.db.jndi=jdbc/COMMON_CMNCORE
-Dflyway.domain.placeholders.platoorch.domain.jndi=<JDBC JNDI for PLATOORCH>
-Dobscfcore.enabled=true
-Dcmc.app.locations=db/migration/cmc/obscf-day0
-Duser_start_date=<DD-MON-YYYY>
-Duser_end_date=<DD-MON-YYYY>
-Dtoday=<DD-MON-YYYY>
-Dprev_working_day=<DD-MON-YYYY>
-Dnext_working_day=<DD-MON-YYYY>
-DapplicationCode=BOTH
-Dcmncore.cmc-branch.service.appId=CMNCORE
-Deureka.connectTimeout=10000
-Deureka.readTimeout=10000
-Dribbon.connectTimeout=20000
-Dribbon.readTimeout=20000

```

```

-Dplato.services.eureka.uri=https://<host>:<port>
-Dfinance_rule_userid=<user>
-Dplatoorch.domain.jndi=jdbc/OBSCFCM_WORKFLOWS_CONDUCTOR
-Dflyway.enabled=false
-Dspring.cloud.loadbalancer.ribbon.enabled=false
-DCMC_REQ_YN=<Y OR N>
-DUSER_REQ_YN=<Y OR N>
-Ddebug_user=<UserId for debug>
-DOBSCF_ROLE_REQ_YN=<Y OR N>
-DOBSCFCM_ROLE_REQ_YN=<Y OR N>
-Dsms.app.locations=db/migration/sms/obscf-
day0,db/migration/sms/obscfcm-master-maintenance-
services,db/migration/sms/obscf-core-services,db/migration/sms/obscf-
report-services,db/migration/sms/obscfcm-alerts-
services,db/migration/sms/obscfcm-charges-
services,db/migration/sms/obscfcm-core-
services,db/migration/sms/obscfcm-account-maintenance-services
-Dplato.app.locations=db/migration/plato/obscf-
day0,db/migration/plato/obscf-core-services,db/migration/plato/obscf-
finance-services,db/migration/plato/obscf-limit-maintenance-
services,db/migration/plato/obscf-limits-services,
db/migration/plato/obscf-report-services †
-Dplatoui.app.locations=db/migration/platoui/obscf-
day0,db/migration/platoui/obscf-core-services
-Dobscfcm_role_id=OBSCFCM_ROLE
-DutilityCache.evict.fixedrate.milliseconds=600000
-DutilityCache.evict.initialdelay.milliseconds=600000
-Dcoherence.server.address=<<Hostname>>
-Dcoherence.server.port=7574
-Dplatorule.db.jndi=jdbc/PLATORULE
-Dplatorule.app.locations=db/migration/platorule/obscf-day0
export JAVA_OPTIONS

```

† **Note:** If you don't want to run plato script for a specific module, remove its entry.

Note: Create data source for PLATORULE and target it to obscf_day 0 manage server.
